

**SUSITNA
HYDROELECTRIC PROJECT**

FEDERAL ENERGY REGULATORY COMMISSION
PROJECT No. 7114

ALASKA DEPT. OF
FISH & GAME

OCT 29 1985

REGION II
HABITAT DIVISION

**ACCESS CORRIDOR, CONSTRUCTION
ZONE AND TRANSMISSION CORRIDOR
FISH IMPACT ASSESSMENT AND
MITIGATION PLAN**

REPORT No. 1

PREPARED BY

ENTRIX, INC.

UNDER CONTRACT TO

HARZA-EBASCO
SUSITNA JOINT VENTURE

FINAL REPORT

OCTOBER 1985
DOCUMENT No. 2921

Alaska Power Authority

TK
1425
.S8
F472
no. 2921

SUSITNA HYDROELECTRIC PROJECT

**ACCESS CORRIDOR, CONSTRUCTION ZONE AND TRANSMISSION CORRIDOR
FISH IMPACT ASSESSMENT AND MITIGATION PLAN**

Impact Assessment and Mitigation
Report No. 1

Report by
Entrix, Inc.

Under Contract to
Harza-Ebasco Susitna Joint Venture

Prepared for
Alaska Power Authority

ARLIS
Alaska Resources
Library & Information Services
Anchorage, Alaska

Final Report
October 1985

NOTICE

**ANY QUESTIONS OR COMMENTS CONCERNING
THIS REPORT SHOULD BE DIRECTED TO
THE ALASKA POWER AUTHORITY
SUSITNA PROJECT OFFICE**

Preface

This report represents one volume of a four volume report series on aquatic impact assessment, mitigation planning and monitoring for the proposed Susitna Hydroelectric Project. These volumes are:

1. Access Corridor, Construction Zone, and Transmission Corridor Fish Impact Assessment and Mitigation Plan
2. Impoundment Area Fish Impact Assessment and Mitigation Plan
3. Downstream Fish Impact Assessment and Mitigation Plan
4. Aquatic Monitoring Plan

Impact assessments in these reports have focused on anticipated project impacts on selected evaluation species. Project evaluation species were chosen based on their sensitivity to change, abundance in affected habitats and human use values.

A primary goal of the Alaska Power Authority's mitigation policy is to maintain the productivity of natural reproducing populations, where possible. Mitigation planning follows procedures set forth in the Alaska Power Authority Mitigation Policy for the Susitna Hydroelectric Project (APA 1982), which is based on the U.S. Fish and Wildlife Service and Alaska Department of Fish and Game mitigation policies (USFWS 1981, ADF&G 1982a). Mitigation planning is a continuing process, which evolves with advances in the design of the project, increased understanding of fish populations and habitats in the basin and analyses of potential impacts. An important element of this evolution is frequent consultation with the public and regulatory agencies to evaluate the adequacy of the planning process. Aquatic mitigation planning began during preparation of the Susitna Hydroelectric Project Feasibility Report (Acres American, Inc. 1982) and was further developed in the FERC License Application (APA 1983a, 1983b). A detailed presentation of potential mitigation measures to mitigate impacts to chum salmon that spawn in side sloughs was prepared in November 1984 (WCC 1984).

TABLE OF CONTENTS

	<u>Page</u>
Title Page.....	i
Preface.....	ii
Table of Contents.....	iii
List of Figures.....	iv
List of Tables.....	vi
Executive Summary.....	vii
 1 - INTRODUCTION.....	 1
1.1 General Description.....	1
1.2 Impact Assessments.....	4
1.3 Mitigation Plan.....	4
1.4 Agency Recommendations.....	10
 2 - ACCESS CORRIDORS.....	 12
2.1 Impact Analysis.....	15
2.1.1 Cantwell to Watana.....	15
2.1.2 Watana to Devil Canyon.....	39
2.1.3 Secondary Roads.....	49
2.1.4 Railroad from Gold Creek to Devil Canyon.....	49
2.2 Access Corridor Mitigation.....	54
2.2.1 Impact Mechanisms and Mitigation Measures.....	56
2.2.2 Monitoring.....	62
 3 - CONSTRUCTION ZONE.....	 65
3.1 Impact Assessment.....	65
3.1.1 Stage I Watana Dam and Facilities.....	65
3.1.2 Stage II Devil Canyon Dam and Facilities.....	86
3.1.3 Stage III Watana Dam and Facilities.....	96
3.2 Construction Mitigation.....	99
3.2.1 Impact Mechanisms and Mitigation Measures.....	100
3.2.2 Monitoring.....	107
 4 - TRANSMISSION LINE CORRIDORS.....	 109
4.1 Impact Assessment.....	119
4.1.1 Watana to Gold Creek.....	119
4.1.2 Devil Canyon to Gold Creek.....	123
4.1.3 Willow to Healy.....	123
4.1.4 Healy to Ester.....	130
4.1.5 Willow to Anchorage.....	133
4.2 Transmission Corridor Mitigation.....	136
4.2.1 Impact Mechanisms and Mitigation.....	137
4.2.2 Monitoring.....	140
 5 - REFERENCES.....	 141

3 3755 000 44239 2

LIST OF FIGURES

	<u>Page</u>
Figure 1. The proposed sites of the Watana and Devil Canyon Dams.	2
Figure 2. Mitigation plan development and implementation.	6
Figure 3. Option Analysis.	7
Figure 4. The vicinity of the dam sites, access corridors and transmission line corridors.	13
Figure 5. Migration and spawning periods for Arctic grayling and Dolly Varden in tributaries.	14
Figure 6. Schedule for the construction of the Stage I Watana dam and related facilities.	20
Figure 7. Sensitive aquatic habitat along the northern section of the Watana access corridor.	29
Figure 8. Sensitive aquatic habitat along the central section of the Watana access corridor.	31
Figure 9. Sensitive periods of instream activity for streams crossed by the access corridor from the Denali Highway to the Watana dam site.	33
Figure 10. Plan view of potential Watana borrow sites.	35
Figure 11. Schedule for the construction of the Stage II Devil Canyon dam and related facilities.	42
Figure 12. Sensitive aquatic habitat along the Watana and Devil Canyon access corridors.	45
Figure 13. Sensitive aquatic habitat along the western section of the Devil Canyon access corridor.	46
Figure 14. Sensitive periods of instream activity for streams crossed by the access and transmission line corridors to the Devil Canyon dam site.	48
Figure 15. Plan view of the Watana dam, cofferdams, related facilities and disposal areas.	50
Figure 16. Plan view of the Devil Canyon dam, cofferdams and disposal areas.	51

LIST OF FIGURES (continued)

Figure 17.	Plan view of potential Devil Canyon borrow sites.	55
Figure 18.	Schedule for the construction of the Stage III Watana dam and related facilities.	66
Figure 19.	Plan view of Stages I and III of the Watana dam.	75
Figure 20.	Borrow Site E.	78
Figure 21.	Plan view of the Devil Canyon dam and related facilities.	90
Figure 22.	Rehabilitated Borrow Site E.	103
Figure 23.	Staged construction of transmission lines.	110
Figure 24.	Transmission line corridor from the Watana dam site to Gold Creek.	112
Figure 25.	The southern section of the Anchorage-Fairbanks Intertie.	113
Figure 26.	The central section of the Anchorage-Fairbanks Intertie.	114
Figure 27.	The northern section of the Anchorage-Fairbanks Intertie.	115
Figure 28.	The transmission line corridor from Anchorage to Willow.	116
Figure 29.	The southern section of the transmission line corridor from Healy to Ester.	117
Figure 30.	The northern section of the transmission line corridor from Healy to Ester.	118

LIST OF TABLES

		<u>Page</u>
Table 1.	Access, construction and transmission line impact mechanisms and associated mitigation.	9
Table 2.	Topics of comments from the resource management agencies pertaining to access, construction and transmission lines.	11
Table 3.	Streams to be crossed by the Denali Highway between Cantwell and the Watana access road junction.	16
Table 4.	Streams to be crossed by the Watana access road (Denali Highway to the Watana dam).	17
Table 5.	ADF&G standards for passing Arctic grayling to be used on the Susitna Hydroelectric Project stream crossings.	23
Table 6.	ADF&G temporary stream diversion standards.	28
Table 7.	Streams to be crossed by the Devil Canyon access road and railroad spur from Gold Creek.	40
Table 8.	Estimated cost for water quality and fisheries monitoring (in 1985 dollars) during construction (1990 to 2012).	57
Table 9.	ADF&G standards for blasting near an anadromous fish stream.	85
Table 10.	Numbers of 345 kV circuits to be installed during staged construction of the transmission lines.	111
Table 11.	Streams crossed by the Anchorage-Fairbanks Intertie.	125
Table 12.	Streams crossed by the transmission line corridor from Healy to Ester.	131
Table 13.	Streams crossed by the transmission line corridor from Willow to Anchorage.	135

EXECUTIVE SUMMARY

This report presents the impact analysis and proposed mitigation for the aquatic resources in the vicinity of the access corridors, construction zones, and transmission corridors of the Susitna Hydroelectric Project. Aquatic impacts resulting from human activities in these regions include increases in fishing pressure, potential migration barriers, temporary water quality degradations and small amounts of habitat loss. Mitigation of these impacts will primarily involve adherences to environmentally acceptable construction practices. The increase in fishing pressure may be mitigated by special management considerations to maintain current fish stocks. Residual impacts are not expected to significantly reduce the productivity of the aquatic resources of the region.

1.0 INTRODUCTION

The Access Corridor, Construction Zone and Transmission Corridor Fish Impact Assessment and Mitigation Plan (ACT) is a component of the fisheries impact assessment and mitigation plan for the Susitna Hydroelectric Project proposed by the Alaska Power Authority. The ACT contains an assessment of the aquatic impacts associated with the construction and operation of the access roads and transmission lines. Potential impacts on the aquatic environment from the construction of the proposed Watana and Devil Canyon dams and related facilities are also identified. The impacts and mitigation planning discussed in this volume are based on information for the three stage development of the proposed Susitna Hydroelectric Project (APA 1985a). Stage I involves construction of the Watana dam, access roads and related facilities; during Stage II, the Devil Canyon dam, access and facilities will be built. Stage III construction will increase the crest elevation of the Watana dam. Mitigation measures will be utilized during and after the construction of the access roads, transmission lines, dams and related facilities to maintain the productivity of the aquatic populations. The Power Authority intends to incorporate the final mitigation documents in the specifications for bids and the contract documents.

1.1 General Description

The proposed Watana and Devil Canyon dams are located in the upper Susitna River Basin approximately 120 miles (190 km) northeast of Anchorage. The basin is bounded by the Talkeetna Mountains to the southeast and the Alaska Range to the north and west (Figure 1). The Watana dam will be sited between River Mile (RM) 184 and RM 185; the Devil Canyon dam will be built 32 miles (53 km) downstream at approximately RM 152 of the Susitna River.


The proposed dams are in the northern portion of Southcentral Alaska. The climate is typical of the transition zone, with annual temperatures averaging about 35°F. Winter extends from October to May with temperatures occasionally dropping below -50°F. Summers are correspondingly short and frequently rainy. Tundra is the dominant vegetation although stands of coniferous and deciduous



SCALE 0 20 40 MILES

LEGEND

- 3 — PRIMARY PAVED UNDIVIDED HIGHWAY
- SECONDARY PAVED UNDIVIDED HIGHWAY
- - - SECONDARY GRAVEL HIGHWAY
- RAILROAD
- RIVER



THE PROPOSED SITES OF THE WATANA AND DEVIL CANYON DAMS

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

Reference: APA 1985j.

Figure 1

trees exist in areas protected from wind and at lower elevations. Isolated areas of permafrost occur near the dam sites.

The water resources in the vicinity of the dams include small, clearwater streams, lakes and the Susitna River, a large, glacial-fed river. The Susitna River is similar to many unregulated northern glacial rivers with high, turbid summer flows and low, clearer winter flow. In the spring, runoff from snowmelt and increased glacial contributions cause a rapid increase in flow and suspended sediment concentration. Turbidity in the mainstem is reduced in the fall when glacial contributions to the headwaters of the Susitna River decrease. Clearwater streams are prevalent on the bluffs bordering the Susitna River. The hydrologic regimes of the streams are typical of the subarctic, snow-dominated flow regime, in which a snowmelt flood in spring is followed by generally moderate flow through the summer, with flows peaking after rainstorm events. From October to April, low flows occur when freezing temperatures reduce surface water contributions. The surface waters in the basin are predominantly of the calcium bicarbonate type with low dissolved solids concentrations; the water is chemically acceptable for most uses (Balding 1976). A general overview of the chemical characteristics of streams in the project provided measurements of pH ranging from 6.0 to 7.5 and percent dissolved oxygen saturation ranging from 72 percent to 99 percent (Sautner and Stratton 1984). Most of the lakes in the basin are small and shallow although a few larger and deeper lakes exist. The lakes generally have higher summer water temperatures than the streams; lake-water temperatures can reach 65°F (Balding 1976).

The aquatic resources are varied in the general area of the dams and transportation corridors. The numerous clearwater streams and lakes support an abundant fish population. The fish species in close proximity to the access and transmission line corridors and dam sites have been studied since 1981 (ADF&G 1981, 1983; Sautner and Stratton 1984). Arctic grayling, Dolly Varden and sculpin are known to inhabit many of the clearwater streams (Sautner and Stratton 1984). Populations of Arctic grayling in selected streams in the vicinity have been estimated (ADF&G 1981, 1983; Sautner and Stratton 1984). The fish species observed within nearby lakes include Arctic grayling, Dolly Varden, burbot, whitefish and lake trout (Sautner and Stratton

1984). The Susitna River in the vicinity of the damsites provides overwintering habitat for many fish species such as Arctic grayling and Dolly Varden and is used as a migration corridor by resident and anadromous fish (ADF&G 1983). A few chinook salmon migrate upstream within Devil Canyon to spawn in tributary mouths (Barrett et al. 1985). However, high velocities and turbulent conditions in Devil Canyon likely block the upstream passage of other fish species.

1.2 Impact Assessments

The potential effects on the aquatic environment due to the three stage development of the proposed Susitna Hydroelectric Project can be assessed by considering the general type and schedule of activities, as identified in the FERC License Application Amendment (APA 1985a), which will occur during construction and operation. These potential aquatic impacts consist of changes to the aquatic habitat and/or direct effects on aquatic organisms which may be either beneficial or detrimental to the aquatic ecosystem.

Potential impacts to the aquatic habitats and the natural productivity of the aquatic species that utilize habitat in the vicinity of the proposed project are assessed through the identification of potential impacts to the evaluation species. Arctic grayling and Dolly Varden have been selected as the primary evaluation species for the assessment of the potential impacts in the construction zone and access and transmission corridors. All life stages of these species are presently abundant in the clearwater streams and lakes in the vicinity of the access and transmission corridors and dam facility sites (Sautner and Stratton 1984). In addition, Arctic grayling have high human use value as sport fish and are sensitive to water quality degradations and instream disturbances (Scott and Crossman 1973; McLeay et al. 1983, 1984).

1.3 Mitigation Plan

The mitigation plan reflects the intent of the Power Authority to maintain the productivity of the natural aquatic population (APA 1982). The policies of the U.S. Fish and Wildlife Service (USFWS) and the Alaska Department of Fish and Game (ADF&G) were used to develop this approach to mitigation (USFWS 1981,


ADF&G 1982). The mitigation plan will be developed and implemented in stages as shown in Figure 2. Power Authority projects will avoid potential impacts where feasible. If unavoided, impacts will be minimized, rectified, reduced or compensated. These mitigation options will be analyzed in the hierarchical scheme depicted in Figure 3.

During construction of the access roads, transmission lines, dams and facilities, many potential impacts will be avoided or minimized by adherence to the Power Authority's Best Management Practices Manuals (BMPM's). These manuals have been prepared in coordination with the federal and state resource management agencies and other groups to provide guidelines and recommendations for environmentally acceptable construction practices. The manuals contain typical practices that can be used to avoid or minimize environmental impacts from construction, operation, and maintenance activities. Federal and state regulations have been identified within the BMPM's. The BMPM's will be included in the bid specifications for the design and construction of the Susitna Hydroelectric Project and contractual documents will specify that construction activities conform with the BMPM's.

The BMP manual on Erosion and Sedimentation Control (APA 1985b) provides guidelines and techniques to avoid or minimize potential construction impacts on the aquatic environment. Construction activities which may result in erosion or sedimentation impacts, such as vegetation clearing and borrow excavations, are discussed and general guidelines are presented for the planning, design, construction and maintenance phases of a project. The manual describes alternative site-specific methods to reduce erosion and sedimentation and prevent water quality degradations.

The potential aquatic impacts associated with appropriating water will be avoided or minimized by adherence to the BMP manual on Water Supply (APA 1985c). Although the actual plans, designs and installations will be dictated by site-specific conditions, the manual depicts the environmental guidelines and regulatory requirements for water withdrawal.

The BMP manual on Liquid and Solid Waste (APA 1985d) will be utilized to avoid or minimize potential impacts from waste disposal on aquatic organisms. The




MITIGATION PLAN DEVELOPMENT AND IMPLEMENTATION

Figure 2

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE



OPTION ANALYSIS

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

Figure 3

manual presents various waste management techniques. The collection, treatment and disposal of liquid wastes at project sites will conform to techniques described in the manual to avoid or minimize water quality degradations. Solid wastes will be handled, stored and disposed according to manual guidelines to minimize environmental impacts.

The BMP manual entitled Fuel and Hazardous Materials (APA 1985e) contains guidelines to avoid or minimize potential aquatic impacts from such materials. These materials have the potential to cause significant adverse effects on the aquatic environment. Regulation requirements and management strategies described in the BMPM will be utilized to safely handle and store these materials with a minimum of adverse effect.

Potential impacts from spill accidents will be minimized through the use of the Oil Spill Contingency Planning BMP manual (APA 1985f). Adverse impacts from spills of petroleum products will be minimized by site-specific spill contingency plans specifying procedures to detect and contain spills. The cleansing and restoration of contaminated areas are also described in the manual. The manual confirms the Power Authority's intent to notify and cooperate with the applicable regulatory agencies in the event of a spill.

Potential impacts associated with most construction, access and transmission line activities will be avoided or minimized through adherence to the BMPM's; residual impacts will be rectified, reduced or compensated. The Power Authority is committed to restoring or rectifying affected aquatic habitat if possible. Monitoring activities will verify the reductions in aquatic impacts over the duration of the project. Compensation measures have not been proposed. Table 1 presents the mitigation measures which will avoid, minimize, reduce or rectify potential impacts.

Monitoring and maintenance are integral features of the mitigation process. Monitoring will increase the flexibility of the mitigation plan and verify that the expected level of mitigation has been achieved. Unrecognized aquatic impacts and inadequate mitigation measures may be identified and corrected through monitoring and maintenance activities. Construction monitoring, conducted by an on-site Environmental Field Officer (EFO), will assure

Table 1. Access, construction, and transmission impact mechanisms and associated mitigation.

Impact Mechanisms	MITIGATION									
	Best Management Practices Manuals ¹					Project Policy		Water Treatment	Stream Margin Buffers	Rehabilitation
	1985b	1985c	1985d	1985e	1985f	Scheduling of Construction Activities	& Modification of Current Seasons/Limits			
Increased Fishing Pressures							X			X
Borrow Site Excavations	X					X		X	X	X
Stream Crossings and Encroachments	X					X			X	X
Water Quality Degradations	X	X	X	X	X	X		X		X
Oil and Hazardous Material Spills			X	X	X			X	X	X
Water Removal	X	X						X		X
Clearing	X					X			X	X
Susitna River Diversions										

¹ APA, 1985b. Erosion and Sedimentation Control
 APA, 1985c. Water Supply
 APA, 1985d. Liquid and Solid Waste Management
 APA, 1985e. Fuel and Hazardous Materials
 APA, 1985f. Oil Spill Contingency Planning

conformance with the BMPM's, regulatory permits and license stipulations (Harza-Ebasco 1985a). Operational monitoring will verify that long-term impacts do not cause significant degradation in the aquatic resources of the region.

1.4 Agency Recommendations

This impact assessment and mitigation plan is intended to be responsive to resource management agency concerns and recommendations. Recommendations have been identified from agency comments on various project documents including the License Application (APA 1983a, 1983b) and Table 2 summarizes the dates and reasons for the comment submittal from each agency and lists the major topics of comments received. All agency comments pertaining to the construction and maintenance of the access and transmission line corridors and the dams and related facilities are addressed within this impact assessment and mitigation plan.

Table 2. Topics of comments from the resource management agencies pertaining to access, construction and transmission lines.



Agency	Date	Reason for Correspondence	Major Topics of Comments Received
USFWS	10/5/82	Letter to APA	(1) Siting of access and transmission line corridors
	1/14/83	Review of Draft Exhibit E, FERC License Application	(2) Access road usage by non-project personnel
	12/2/83	Review of License Application	(3) Scheduling of construction activities
	12/18/84	Review of Draft Mitigation Measures	(4) Hazardous material handling
ADF&G	1/13/83	Review of Draft Exhibit E, FERC License Application	(6) Watana camp domestic water supply source
			(7) Monitoring of borrow site activities
	12/31/84	Review of Draft Mitigation Measures	(8) Wastewater treatment
ADNR	1/13/83	Review of Draft Exhibit E, FERC License Application	(9) Concrete production
			(10) Design of tunnel intakes
ADEC	1/21/83	Review of Draft Exhibit E, FERC License Application	(5) Access road design
			(11) Survey streams
NMFS	12/31/84	Review of Draft Mitigation Measures	
EPA	10/31/83	Review of License Application	
BLM	4/15/82	Response to Feasibility Report	
	11/4/83	Review of License Application	

2.0 ACCESS CORRIDORS

Access to the sites of the Watana and Devil Canyon dams is needed for construction and maintenance activities. Figure 4 depicts the access corridors to the Watana and Devil Canyon dam sites. The Watana dam site will be accessed by road from the Denali Highway. During Stage I construction, the closest railroad facility will be located in Cantwell at the junction of the Denali and Parks highways, approximately 60 miles (97 km) from the Watana dam site. During Stage II, the Devil Canyon dam site is anticipated to be accessed by a combination of railroad and road. The Devil Canyon road will be built from the Watana access road to the Devil Canyon dam site. A railroad spur and terminal facility is expected to be constructed from Gold Creek. Secondary roads will be constructed to access the construction camps, villages, related facilities, borrow and disposal sites. The Stage III development of the Watana dam will utilize access corridors established during the previous stages of construction.

Construction and maintenance of the access road network will impact the aquatic resources of the region. Many of these impacts are expected to be relatively short in duration. Construction activities such as clearing and culvert installation may temporarily decrease water quality in streams and disrupt existing habitat. Long-term aquatic impacts will also occur during access construction and operation. A long-term loss of a relatively small amount of aquatic habitat will occur at the installation sites of culverts and low water stream crossings. Unrestrained instream activities could block fish migrations resulting in a long-term impact to the aquatic resources. The most significant impact anticipated is increased sport fishing pressure on unexploited fish populations resulting from increased accessibility of waterbodies in the project area.

Mitigation will avoid, minimize, rectify, and reduce the potential aquatic impacts identified for access construction and operation (Figure 3). Many adverse impacts associated with construction activities will be avoided or minimized through adherence to the BMPM's. Instream construction will be scheduled to avoid the sensitive periods of Arctic grayling and Dolly Varden spawning (Figure 5). Management policies can be designed to minimize the



LEGEND

- PROPOSED TRANSMISSION CORRIDOR
- PROPOSED DEVIL CANYON ACCESS CORRIDOR
- PROPOSED WATANA ACCESS CORRIDOR
- ANCHORAGE - FAIRBANKS INTERTIE
- GOLD CREEK RAIL CORRIDOR

THE VICINITY OF THE DAM SITES, ACCESS CORRIDORS AND TRANSMISSION LINE CORRIDORS


Reference: Sautner and Stratton 1984.
APA 1985j.

Figure 4

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE



ARCTIC GRAYLING ---
 DOLLY VARDEN ---

**MIGRATION AND SPAWNING PERIODS FOR
 ARCTIC GRAYLING AND DOLLY VARDEN IN TRIBUTARIES**

Reference: Scott and Crossman 1973.
 Morrow 1980.
 McLeay et al. 1984.

Figure 5

ALASKA POWER AUTHORITY SUSITNA HYDROELECTRIC PROJECT	
ENTRIX, INC.	HARZA-EBASCO SUSITNA JOINT VENTURE

impacts from increased sport fishing pressure. Monitoring activities throughout construction and during maintenance of the access roads will verify that activities are conducted with a minimum of adverse environmental impacts. Compensation for aquatic impacts from access corridor construction and maintenance will not be necessary unless a major oil spill occurs.

2.1 - Impact Analysis

2.1.1 Cantwell to Watana

(a) Description

The section of the Denali Highway from Cantwell to the intersection with the Watana access road, a distance of 21.3 miles (35.5 km), will be upgraded by improving one bridge, topping the road with more gravel, and straightening road curves (APA 1985g). Any needed realignment should be possible within the existing easement. In addition, 6 miles (10 km) of the road will be paved from the railhead facility at Cantwell to a point 4 miles (7 km) east of the junction of the Parks and Denali highways. Paving will avoid the problem of excessive dust and flying stones in the community of Cantwell.

Within the section to be upgraded, the Denali Highway crosses several small tributaries of the Nenana River including Edmonds Creek and tributaries to the Jack River. The Jack River system contains Arctic grayling and the Nenana River system in this region supports several other species of resident fish (Table 3).

The Watana dam site will have road access from Milepost 114.5 of the Denali Highway (APA 1985g). The road will run approximately 44 miles (73 km) south to the dam and construction campsites (Figure 4). The northern portion of the route will traverse 19 miles (31 km) of high, rolling, tundra-covered hills. The road will cross small streams including Lily Creek, Seattle Creek, Brushkana Creek, and additional unnamed creeks (Table 4). These northern streams,

Table 3. Streams crossed by the Denali Highway from Cantwell to the Watana access road junction.

Stream	Approximate miles from the Richardson Hwy.	Species Present
Tributary to Jack River	132.5	Arctic grayling, (whitefish) ¹
Tributary to Jack River	132	Arctic grayling, (whitefish) ¹
Unnamed Creek (Jack R. System)	128	(Arctic grayling, whitefish) ¹
Edmonds Creek	121	Arctic grayling, northern pike, burbot, whitefish, sculpin
Nenana River Oxbow	119.8	Arctic grayling, northern pike, burbot, whitefish, sculpin
Nenana River Oxbow	119.5	Arctic grayling, northern pike, burbot, whitefish, sculpin
Tributary to Nenana River	118	Arctic grayling, northern pike, burbot, whitefish, sculpin
Tributary to Nenana River	117.8	Arctic grayling, northern pike, burbot, whitefish, sculpin
Unnamed Creek (Nenana R. System)	114.3	Arctic grayling, northern pike, burbot, whitefish, sculpin

¹ (species) can be reasonably expected, but not verified

Reference: ADF&G 1978 Fisheries Atlas. Volume II.

Table 4. Streams to be crossed by the Watana access road (Denali Highway to the Watana dam).

Stream (ADF&G Survey No.)	Miles From Denali Highway	Species Present at Crossing	Habitat Condition at Crossing ¹
Unnamed Creek (Nenana System)	0.3 2.0	(grayling) ²	--- ³
Trib. to Lily Cr. (1)	3.0	Dolly Varden, sculpin	3
Lily Creek (2)	3.0	Dolly Varden, sculpin	3
Seattle Creek (3)	5.8	Dolly Varden, grayling, sculpin	2
Trib. to Seattle Cr. (4)	7.7	Dolly Varden	4
Trib. to Seattle Cr. (5)	8.7	(Dolly Varden, grayling) ²	2
Trib. to Brushkana Cr. (6)	10.7	(grayling, sculpin) ²	4
Trib. to Brushkana Cr. (7)	11.7	(grayling, sculpin) ²	5
Brushkana Cr. (8)	12.0	grayling, sculpin	1
Trib. to Brushkana Cr. (9)	13.7	grayling, sculpin	1
Trib. to Brushkana Cr. (10)	16.9	Dolly Varden, grayling, sculpin	2
Trib. to Brushkana Cr. (11)	18.0	(grayling, sculpin) ²	5
Deadman Creek (12)	19.7	grayling, sculpin	5
Trib. to Deadman Cr. (13)	23.0	probably none ⁴	5
Trib. to Deadman Cr. (14)	23.7	probably none ⁴	5
Trib. to Deadman Cr. (15)	24.8	probably none ⁴	5

Table 4 (continued)

Stream (ADF&G Survey No.)	Miles From Denali Highway	Species Present at Crossing	Habitat Condition at Crossing ¹
Trib. to Deadman Cr. (16)	27.5	(grayling, sculpin) ²	1
Trib. to Deadman Cr. (17)	28.5	probably none ⁴	5
Trib. to Deadman Cr. (18)	29.5	Dolly Varden, sculpin	5
Trib. to Deadman Cr. (19)	31.4	sculpin	5
Trib. to Deadman Cr. (20)	36.9	Dolly Varden, grayling, sculpin	3
Trib. to Deadman Cr. (21)	37.2	(grayling, sculpin) ²	3
Trib. to Deadman Cr. (22)	37.8	(grayling, sculpin) ²	3

¹ 1 = excellent, 2 = good, 3 = limited, 4 = marginal, 5 = poor
Ratings deduced from information presented in Sautner and Stratton (1984).

² (species) can be reasonably expected, but not verified

³ --- = not evaluated


⁴ steep contours on downstream side of road probably preclude fish from this reach

Biological Data Source: Sautner and Stratton 1984

which are part of the Nenana River drainage, contain Arctic grayling, Dolly Varden, sculpins, and probably other resident species. The southern 25 miles (40 km) of the road will cross and parallel Deadman Creek, a tributary of the Susitna River. Deadman Creek contains Arctic grayling, Dolly Varden, and other resident species (Table 4). The Arctic grayling population of Deadman Creek near the access corridor is estimated at 510 fish per mile. The access corridor lies within 1 mile (1.6 km) of Deadman Lake which contains Arctic grayling, Dolly Varden, lake trout, humpback whitefish, round whitefish, burbot, and sculpin (Sautner and Stratton 1984). Arctic grayling appear to dominate in numbers.

Watana access construction is scheduled to begin in early spring of 1990 and continue until late fall of 1991 (Figure 6). A snow and ice road may be constructed during the winter of 1990-91 for heavy equipment access to permit construction to proceed from both ends of the access road. Instream activities, including the installation of bridges and culverts, are expected to occur in the openwater season of 1990.

Prior to actual road construction, the corridor will be cleared; minimal impacts at stream margins will be assured by adherence to the BMPM (APA 1985a). The Watana access corridor will not require extensive clearing activity until heavily vegetated terrain is encountered within 3 miles (5 km) of the construction campsite; thick brush will be removed at the crossings of the three Deadman Creek tributaries nearest the Susitna River. Trees and large brush impeding overburden removal will be cleared by equipment ranging from hand-held chainsaws to hydro-axes. Trees and brush will be felled into the access corridor and away from waterbodies. Overburden and cleared material will be stockpiled at specific disposal sites, left in place or burned. Coniferous vegetation may be chopped by hydro-axes and broadcast; piles of coniferous slash will be burned within the first year after cutting. Deciduous vegetation may be piled at corridor margins. The length of haul of substandard materials will be minimized by allowing overburden and



SCHEDULE FOR THE CONSTRUCTION OF THE STAGE I WATANA DAM AND RELATED FACILITIES

Figure 6

Reference: APA 1985i.

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

cleared vegetation to be disposed in side borrow excavation trenches. Clearing near the impoundment area may utilize disposal sites within the permanent inundation area. The amounts of cleared vegetation are expected to be small and are not likely to raise hydrogen sulfide concentrations in the reservoir. Additional disposal sites, if necessary, will be located away from floodplains and wetlands and the disposal sites will be bermed to avoid increased sediment and organic contributions to nearby watersheds.

The Watana access road will be constructed of gravel and have a crown width of 24 feet (7.3 m). The road crown will be raised 2 ft (0.6 m) to 3 ft (1 m) above the adjacent ground. The shoulders of the road will be sloped and covered with excavated peat material to reduce the visual impact. Road construction will predominantly use side borrow techniques in which needed borrow material will be excavated by scraping trenches directly alongside the road. Thus, construction activity will generally be confined to a narrow strip, 50 ft (15 m) to 70 ft (21 m) each side of the road centerline. This technique will minimize the requirements and associated impacts of large borrow pit excavations. The majority of the borrow material for the access roads is estimated to be available from side borrows; the remainder is expected to be obtained from a few 10 to 20 acre borrow sites located in upland areas. A mining plan, as required by 43 CFR Part 23, will be prepared for each site prior to the removal of material.

Where possible, the access road stream crossings will be located perpendicular to the stream, preferably in a straight stretch (Lauman 1976) with low gradient and narrow, stable banks that do not require cutting or excessive stabilization. Vehicle barriers or guardrails will be installed at sites where there appears to be a greater risk of accidents.

Stream crossings will require the installation of culverts or bridges. Prior to the commencement of construction activities, permit applications for stream crossing structures will be submitted

to the ADF&G as required by AS 16.05.870. Bridge crossings will be preferentially utilized. Culverts will be designed in adherence to the Drainage Structure and Waterway Design Guidelines (Harza-Ebasco 1985b) and the ADF&G velocity criteria to allow fish passage during flood flows and critically low flows. For a specified length of culvert, the water velocity criteria (Table 5) dictates the size of culvert.

Drainage structures will be routinely maintained to ensure fish passage. Accumulated debris at culvert openings will be removed. Appropriate control measures will be undertaken as a part of routine maintenance to ensure that beaver dams do not interfere with fish passage needs.

Construction activities will utilize water for gravel washing, fill compaction and dust control. Water will be withdrawn from available sources along the access corridor. Streams or lakes not supporting fish will be utilized preferentially. Prior to water withdrawal, the ADF&G and ADNR will be consulted for approval and permitting of water removal sites. Water intakes will be screened as described in the BMPM on Water Supply (APA 1985c). Water will be treated to conform to ADEC/USEPA standards prior to discharge. Water utilized for gravel washing will be channeled through settling ponds.

(b) Potential Impacts

Potential impacts on fisheries resources may result from alterations in the physical characteristics of the aquatic habitat and/or direct effects on aquatic organisms. Impacts identified for access road construction and maintenance are presented in the anticipated order of occurrence and consider both types of potential effects. The drainages crossed by the access road are primarily clearwater streams inhabited predominantly by Arctic grayling and Dolly Varden.

Table 5. Alaska Department of Fish and Game standards for passing Arctic grayling to be used on Susitna Hydroelectric Project stream crossings¹.

Length of Culvert (feet)	Average Cross-Sectional Velocities at Outlet ² (ft/sec)
30	4.6
40	4.5
50	4.0
60	3.6
70	3.3
80	3.0
90	2.8
100	2.5
150	1.8
200	1.8

¹ Each culvert must be installed so that at least 20 percent of the diameter of each round culvert or at least 6 inches of the height of each elliptical or arch type culvert are set below the streambed at both the inlet and outlet of the culvert except when using bottomless arch culverts or to avoid solid rock excavation.

² Average cross-sectional velocities at the outlet of the culvert may not exceed the velocities in the table except for a period not exceeding 48 hours during the mean annual flood.

Source: Edfelt 1981 and Title 5 Fish and Game Part 6 Protection of Fish and Game Habitat Chapter 95 - Alaska Department of Fish and Game.

(i) Clearing

Potential impacts from the clearing phase of construction include minor water quality degradations and some decrease in aquatic habitat quality at stream crossings. Water quality degradations from increased erosion are likely to occur and may include increased organic and sediment contributions to streams (Fredrickson 1970, Brown and Krygier 1971, Megahan and Kidd 1972, and Cederholm et al. 1980). The removal of cover vegetation may increase water temperatures (Wasserman et al. 1984). However, degradations of fish and aquatic habitat will be avoided by adherence to the following guidelines (APA 1985b):

Vegetated buffer zones will be retained at stream margins until instream construction is necessary;

Cleared areas near streams and lakes will be stabilized to prevent soil erosion into the water body;

Cleared material will be removed from water bodies to prevent blockage of fish movements, deposition of organics on substrates, and increased localized erosion;

Clearing of streamside vegetation will be minimized to prevent loss of fish habitat, reduction in availability of food organisms, and instream temperature variations; and

Stream banks will be promptly graded, mulched, and revegetated to minimize erosion.

These guidelines will be utilized to avoid erosion related aquatic impacts from turbidity and siltation increases in nearby waterbodies. Increased turbidity from fine sediment additions to streams generally reduces visibility and decreases the ability of sight-feeding fish such as Arctic grayling and

Dolly Varden to obtain food (Hynes 1966), thus effectively reducing feeding habitat. Turbidity can reduce primary production as light penetration through the water column is decreased (Lloyd 1985).

There is a considerable amount of literature on the effects of siltation on fish (Shaw and Maga 1943, Cordone and Kelly 1961, Iwamoto et al. 1978) and particularly on the effect on spawning and incubation. A general conclusion reached by a review of the literature (Dehoney and Mancini 1982) is that the greatest adverse impact of siltation is on immobile eggs and on relatively immobile larval fish. In general, siltation can cause significant losses of incubating eggs and fry in redds, predominantly by interfering with oxygen exchange and waste removal. Areas of groundwater upwelling flow would likely be affected to a lesser extent than other areas because silt would tend to be prevented from settling. However, since the BMPM techniques (APA 1985b) will be followed, increases in suspended sediments from clearing activities are anticipated to be minimal and temporary.

Cover removal at stream crossings may reduce fish habitat, increase the exposure of fish to predators, increase stream temperatures and lead to a decrease in fish populations (Joyce et al. 1980a). However, changes from cover removal in the 44 ft (12.9 m) wide road corridor are not expected to be great enough to adversely affect fish and other aquatic organism populations in the streams. Mitigation beyond adherence to the specified BMPM's (APA 1985b) is not likely to be necessary.

(ii) Stream Crossings

Impacts from stream crossings during new construction or during road upgrading include the permanent loss of habitat, water quality degradations, substrate alterations and potential migration barriers. Some permanent loss of habitat will occur

at the stream crossing site. Impacts on aquatic organisms from water quality degradations and substrate alterations are expected to be short in duration and will be avoided or minimized through adherence to the BMP manual on Erosion and Sedimentation Control (APA 1985b). Incorrectly designed or constructed stream crossing installations may obstruct fish passage. Potential migration barriers may occur if instream activities coincide with spawning and overwintering migrations.

A permanent loss of habitat will occur at the site of the stream crossing structure. Impacts associated with the removal of riparian vegetation at stream crossings are discussed in the previous section on clearing. Fill embankments for culvert installations will dewater a small amount of habitat. However, the amount of habitat loss associated with stream crossing is not expected to significantly affect stream populations.

During stream crossing construction, sediments will be released into the stream. The impacts associated with increased siltation and turbidity are described in the previous section. A review of the effects of sedimentation (Hall and McKay 1983) found that the presence of sediment laden water can be expected to reduce the stream's biological productivity. Suspended sediment levels are expected to revert to natural levels upon cessation of instream activity. These short-term pulses of increased suspended sediment at the anticipated levels are not likely to significantly reduce the productivity of the aquatic ecosystem. Channel stabilization will proceed immediately to shorten the duration of turbidity and suspended sediment impacts as described in the BMPM (APA 1985b). Residual impacts may include the short-term deposition of small amounts of silt over spawning areas and benthic production areas. Subsequent high water events are expected to remove and distribute any deposition.

Equipment usage within streams may contribute hydrocarbons and degrade the water quality. The equipment will be maintained to avoid fuel, hydraulic fluid or antifreeze leakages. Equipment will be washed prior to the initiation of instream work to remove grease buildup. Instream use of equipment will be limited to the installation of stream crossing structures.

Substrate alteration may occur during instream construction. Sediments may be temporarily deposited downstream. The substrate may be compacted when vehicles cross the stream. Permanent substrate alteration is expected at stream crossings where culverts are installed. On small systems, open bottom arch culverts will be preferentially utilized to maintain the natural substrate (APA 1985b). Natural stream substrate will be placed over the entire bottom length of culverts. The amount of substrate alteration will be limited and localized; thus, damage to the aquatic resources is not expected to require mitigation.

Fish passage blockages may be created by stream diversions during construction. The evaluation species used in developing passage criteria within the project area is Arctic grayling. Although open-bottom arch culverts can be installed without stream diversions, other culvert installations will necessitate stream diversions around the work area and back into the natural stream channel until the crossing is completed. On small systems, the stream may be flumed. Diversion or fluming will reduce the amount of siltation downstream from the construction area. Diversion will be accomplished in accordance with ADF&G criteria (Table 6) and required fish passage will be maintained.


Fish passage blockages may also be caused by the construction of inadequate stream crossing structures. Crossings of streams having documented fish or fish habitat at, or upstream from, the construction site will be designed to pass fish. Figures 7

Table 6. Alaska Department of Fish and Game Temporary Stream Diversion Guidelines.

Temporary diversion channels in all streams frequented by fish must be constructed and controlled in the following manner:

- (1) The width and depth of the temporary diversion channel must equal or exceed 75 percent of the width and depth, respectively, of that portion of the streambed which is covered by ordinary high water at the diversion site, unless a lesser width or depth is specified by the department on the permit for activities undertaken during periods of lower flow;
- (2) During excavation or construction, the temporary diversion channel must be isolated from water of the stream to be diverted by natural plugs (unaltered streambank) left in place at the upstream and downstream ends of the diversion channel;
- (3) The diversion channel must be constructed so that the bed and banks will not significantly erode at expected flows;
- (4) Diversion of water flow into the temporary diversion channel must be conducted by first removing the downstream plug, then removing the upstream plug, then closing the upstream end and the downstream end, respectively, of the natural of the diverted stream;
- (5) Rediversion of flow into the natural stream must be conducted by removing the downstream plug from the natural channel and then the upstream plug, then closing the upstream and the downstream end, respectively, of the diversion channel;
- (6) After use, the diversion channel and the natural stream must be stabilized and rehabilitated as may be specified by permit conditions.

Source: Edfelt 1981



SENSITIVE AQUATIC HABITAT ALONG THE NORTHERN SECTION OF THE WATANA ACCESS CORRIDOR

Reference: Sautner and Stratton 1984.

Figure 7


ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

and 8 illustrate the locations of sensitive fish habitat that may be affected by construction of the Watana access road along the planned alignment. Bridges will be installed where streamflows are large. Bridges are expected to be located at stream crossings 5.8, 12.0, 13.7, and 27.5 miles from the Denali Highway (Table 4). On smaller systems where fish passage is required, open-bottom arch, multiple elliptical or oversized circular culverts can be installed to maintain fish passage (Joyce et al. 1980a; Lauman 1976). Multiplate elliptical and oversized circular culvert invert will be set below the streambed elevation to a depth of at least one-fifth their diameter to avoid perching and culvert outlets will be armored to minimize erosion. Only at those stream crossing sites without fish or fish habitat at, or upstream from, will the design of the crossing be based solely on hydrologic and hydraulic criteria. The streams crossed at corridor miles (CM's) 10.7, 11.7, 18.0, 23.0, 23.7, 24.8, 28.5, 37.2 and 37.8, as measured from the Denali Highway (Table 4), do not appear to have fish or fish habitat upstream from the crossing site (Figures 7 and 8).

Arctic grayling and Dolly Varden spawning migrations to and from overwintering areas could be impacted by instream disturbances. Migrations by evaluation species occur during several time periods throughout the year (Figure 5). Arctic grayling likely migrate from lake or river overwintering habitats, such as Deadman Lake, to spawning habitat in tributaries following spring breakup. Spawning appears to end in mid June (McLeay et al. 1983). Arctic grayling feed in streams and lakes during the summer prior to migrating to lakes and rivers in the late fall for overwintering. Stream-resident Dolly Varden predominantly feed during the summer months in small headwater streams and are believed to remain in these streams for spawning in late August to October. After spawning, Dolly Varden are expected to migrate to lakes or deeper pools for overwintering. Instream activities during the



SENSITIVE AQUATIC HABITAT ALONG THE CENTRAL SECTION OF THE WATANA ACCESS CORRIDOR

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

Figure 8

Reference: Sautner and Stratton 1984.

spring and late fall could alter or block Dolly Varden migrations (Figure 5). However, instream activities will be scheduled to avoid the sensitive periods of Arctic grayling and Dolly Varden migrations to minimize impacts to the fish resources of the region. Figure 9 illustrates the sensitive periods for streams crossed by the Watana access road.

(iii) Fill Placement


Potential impacts of fill placement on aquatic habitats include habitat loss through fill placement and increased suspended sediment levels. The potential impacts will be minimized through the proper construction techniques detailed in the BMPM (APA 1985b). Residual impacts of fill placement are expected to be negligible.

Fill utilized in stream crossing construction is not expected to cover significant amounts of habitat previously used by fish. The access road is aligned outside the flood plain except at the site of stream crossings. The impact on aquatic habitat will therefore be minor.

Sheet flow blockages, resulting in ponding on one side of the access road and drying on the other side, will be prevented. Culverts and drainage structures will be installed under the fill to maintain the integrity of the road and the water drainage patterns which contribute to wetlands along Deadman Creek. Some wetlands on stream margins provide rearing habitat for juvenile fish.

Proper stabilization techniques as outlined in the BMPM (APA 1985b) will be observed to minimize erosion and reduce suspended sediment and turbidity contributions to waterbodies. Fill with high organic and/or fines content will not be utilized. Fills and cuts will be stabilized to prevent erosion and revegetated as construction is completed.

STREAM	Corridor Mile	J	F	M	A	M	J	J	A	S	O	N	D
Unnamed Creek Nenana System	0.3												
Tributary to Lily Creek	2.0												
Lily Creek	3.0												
Seattle Creek	5.8												
Tributary to Seattle Creek	7.7												
Tributary to Seattle Creek	8.7												
Brushkana Creek	10.7												
Tributary to Brushkana Creek	11.7												
Brushkana Creek	12.0												
Tributary to Brushkana Creek	13.7												
Tributary to Brushkana Creek	16.9												
Tributary to Brushkana Creek	18.0												
Deadman Creek	19.7												
Tributary to Deadman Creek	23.0												
Tributary to Deadman Creek	23.7												
Tributary to Deadman Creek	24.8												
Tributary to Deadman Creek	27.5												
Tributary to Deadman Creek	28.5												
Tributary to Deadman Creek	29.5												
Tributary to Deadman Creek	31.4												
Tributary to Deadman Creek	36.9												
Tributary to Deadman Creek	37.2												
Tributary to Deadman Creek	37.8												

 = Sensitive Period

**SENSITIVE PERIODS OF INSTREAM ACTIVITY FOR
STREAMS CROSSED BY THE ACCESS CORRIDOR FROM
THE DENALI HIGHWAY TO THE WATANA DAM SITE**

Figure 9

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE


(iv) Borrow Sites

Few impacts are anticipated from borrow excavations as the construction techniques presented in the BMP manual on Erosion and Sedimentation Control (APA 1985b) will be followed to avoid sheet flow blockages and increased sediment and petroleum contamination. The majority of the fill material for road construction will be obtained using side borrow techniques. The remainder of the material will be excavated from small (10 to 20 acres) borrow sites located in well-drained upland areas (Figure 10). Buffer zones will be maintained at stream margins and the organic layers will be stockpiled for subsequent rehabilitation. If necessary, runoff control structures will be installed.

Borrow excavations will adhere to the BMPM (APA 1985b) in order to minimize sediment and petroleum product contributions to waterbodies. Buffer zones will be maintained at stream margins. Runoff control structures will be installed at borrow sites and turbid water will be channeled through stilling ponds prior to discharge in adherence to BMPM guidelines (APA 1985b). Flocculants will be used, if necessary, to settle fine sediments. Discharged water will conform to water quality standards of the ADEC (18 AAC 70) and the USEPA. Erosion will also be minimized by excavating material according to the gravel removal guidelines of the USFWS (Joyce et al. 1980b). Residual impacts are discussed in greater detail in Section 3.1.1.

(v) Disposal Sites

Water quality degradations may result from surface water runoff originating at disposal sites. Sediments and organics may be washed into streams and lakes. However, the disposal sites will be located and configured (Section 3.1.1(b)) to avoid material introduction during high streamflows or rainfall events.



(vi) Water Removal

Potential impacts from water removal include fish entrainment, habitat dewatering and increases in suspended sediment levels. Adherence to the BMPM guidelines for Water Supply (APA 1985c) and the ADF&G water removal criteria will avoid or minimize these impacts.

Water removal along the access corridor will preferentially utilize shallow lakes without fish such as the lakes located at 13 and 40 miles (21 and 64 km) from the Denali Highway. In streams, no more than 20 percent of the instantaneous flow will be removed at any time, as suggested by the ADF&G water removal guidelines. The ADNR permits for water removal will assure compliance with approved water removal practices. All water intakes will be screened and sized according to ADF&G intake design criteria to prevent fish entrapment, entrainment, and impingement (APA 1985c).

The ADF&G criteria state that: (1) all intakes should be screened; (2) openings in the screen should not exceed 0.04 sq in; and (3) water velocity at the screen should not exceed 0.1 ft/sec (0.03 m/sec) in anadromous fish streams or 0.5 ft/sec (.15 m/s) in non-anadromous fish supporting streams or lakes.

(vii) Operation and Maintenance Activities

During road construction and operation, safe practices will avoid accidents involving transport vehicles, including those carrying petroleum products, to the greatest extent possible. The access road will be designed without hazardous curves and hills. Traffic control signs and guardrails will be installed where needed. Dust will be controlled in summer, snow will be plowed and ice will be sanded in winter.

An Oil Spill Contingency Plan will be developed prior to the beginning of construction activities in accordance with the BMP manual on Oil Spill Contingency Planning (APA 1985f) to minimize water quality impacts should a spill occur. The plan will recognize site specific problems such as the difficulty in recovering hydrocarbon contamination in rivers under freezing conditions. Residual impacts from an accidental fuel spill may cause short-term reductions in water quality within the watershed as petroleum products are likely to enter the water. An accidental spill, if located adjacent to fish habitat, would likely injure or kill fish directly impacted by the petroleum products. Aromatics in gasoline or diesel fuel are particularly toxic until evaporated. The heavier hydrocarbon fractions can coat streambeds and interfere with the production of aquatic food organisms consumed by fish (Kolpak et al. 1973). Following a major spill, an assessment of the aquatic losses would be conducted by the Environmental Field Officer (EFO) described in Section 2.2.2. Appropriate site-specific mitigative measures would be negotiated in consultation with the resource management agencies.

The BMP manual on Fuel and Hazardous Materials (APA 1985e) provides guidelines to prevent petroleum products from contaminating water in the area during refueling or storage. Activities associated with petroleum storage or transfer will only be allowed in bermed areas. Spillage will be transported by local runoff to a collection area and treated prior to release into water bodies.

The access road will be properly maintained so that road operation impacts on aquatic habitats will be minor. If gravel is displaced during road operation or maintenance activities into wetlands, it will be removed. Maintenance will include removal of culvert and bridge debris to maintain fish passage.

The greatest long term source of adverse impacts upon fish populations is likely to be increased fishing pressure resulting from improved access to streams and lakes. As stated in Section 2.1.1(a), the Watana access road will cross Brushkana, Lily, Seattle, and Deadman creeks as well as other small, unnamed streams. These clearwater streams are inhabited by populations of Arctic grayling and Dolly Varden which are thought to be at their maximum level (ADF&G 1981). Deadman Creek, in particular, is known for its abundant population of large Arctic grayling. The reach of Deadman Creek between the falls and Deadman Lake is considered prime Arctic grayling habitat. Studies to date have indicated a relatively high percentage of "older" age group fish (up to 9 years) (Sautner and Stratton 1984). By subjecting this stream to increased fishing pressure, many of the larger, older fish will be removed from the population, altering the age structure and possibly reducing reproductive potential (Schmidt and Stratton 1984). A similar impact may occur in other grayling streams.

During road construction, several thousand workers will be in the area between the Denali Highway and the Watana damsite (Section 3.1.1(a)). A survey of construction workers on the Terror Lake Hydroelectric Project indicates that workers lack sufficient leisure time to participate frequently in recreational activities such as fishing (Harza-Ebasco 1985c). During construction at Terror Lake from 1983 to 1984, 57 percent of the project personnel had not fished within ten miles of the project site. Twenty-three percent reported fishing less than 10 times and 8 percent had fished more than 25 times. Ten percent of the project personnel did not respond to the survey evaluating recreational usage of areas near the project site.

However, access will be opened to the public following completion of the Stage III construction of the Susitna dams. Although this area has been a recreational area in past years,

it has not experienced a large influx of people. Unless controlled, this influx will increase fishing pressure on the streams and lakes in the area. The effects of such an increase in pressure were modeled by Schmidt and Stratton (1984). The finding was that the trophy-sized Arctic grayling presently in the creek could only be maintained if a catch-and-release policy was implemented. Allowing a harvest would lead to a population dominated by smaller fish. Alternative management policies may be the only method to lessen these effects of increased pressure. These policies are the jurisdiction of the Alaska State Board of Fisheries (AS 16.05.251); however, APA will provide the Board with project information needed to formulate policy decisions.

2.1.2 - Watana to Devil Canyon

(a) Description

The planned Stage II Devil Canyon access road will depart from the Watana main access road at mile 38.5 and will traverse high tundra throughout most of its length. Dense shrub vegetation and trees are encountered downstream of Devil Canyon as the access road approaches the Susitna River crossing (RM 150). The Susitna River will be crossed by a high level suspension bridge with an overall length of 1,790 ft (550 m) to link the rail spur from Gold Creek to the construction camps (APA 1985g). Bridges are expected to be installed at streams located 2.2, 8.0, 15.7 and 22.4 miles from the junction with the Watana access road (Table 7). The terrain has gentle to moderate slopes allowing road construction without deep cuts except in the case of several stream crossings. Construction will begin and is expected to finish in 1995 as shown in Figure 11. Access construction and maintenance will be conducted in the same manner as the Watana access road (Section 2.1.1(a)).

The Devil Canyon access road will cross numerous clearwater tributaries to the Susitna River (Figure 4). Tsusena Creek will be

Table 7. Streams to be crossed by the Devil Canyon access road and railroad spur from Gold Creek.

Stream (ADF&G Survey No.)	Miles From Watana Road	Species Present at Crossing	Habitat Condition at Crossing ¹
Tsusena Cr. (23)	2.2	Dolly Varden, sculpin	1
Trib. to Swimming Bear Cr. (24)	8.0	Dolly Varden, sculpin	3
Trib. to Swimming Bear Cr. (25)	8.7	probably none	5
Trib. to Swimming Bear Cr. (26)	11.1	(Dolly Varden, sculpin) ²	5
Trib. to Swimming Bear Cr. (27)	11.4	(Dolly Varden, sculpin) ²	5
Trib. to Swimming Bear Cr. (28)	12.0	Dolly Varden, sculpin	3
Trib. to Swimming Bear Cr. (29)	12.4	Dolly Varden, sculpin	3
Trib. to Swimming Bear Cr. (30)	13.9	probably none	5
Trib. to Swimming Bear Cr. (31)	15.7	Dolly Varden, sculpin	2
Trib. to Devil Cr. (32)	18.9	Dolly Varden, sculpin	1
Trib. to Devil Cr. (33)	22.2	sculpin	3
Devil Creek (34)	22.4	sculpin	3 (because of fish barrier)
Trib. to Devil Cr. (35)	24.3	Dolly Varden, sculpin	3
Trib. to Devil Cr. (36)	24.5	Dolly Varden	3

Table 7 (continued)


Stream (ADF&G Survey No.)	Miles From Watana Road	Species Present at Crossing	Habitat Condition at Crossing ¹
Trib. to Devil Cr.	26.3	(Dolly Varden) ²	--- ³
Susitna River	35.1	grayling, Dolly Varden, sculpin, whitefish, burbot, sucker, chinook, coho, pink and chum salmon.	---
Jack Long Cr. Encroachment	36.3-39.3	chinook, coho, chum and pink salmon, rainbow trout, grayling, sculpin	---
Trib. to Jack Long Cr. (37)	37.3	sculpin	4
Trib. to Jack Long Cr. (38)	38.9	(chinook, coho) ²	4
Trib. to Jack Long Cr. (39)	39.9	(sculpin) ²	4
Unnamed Creek (40)	43.3	chinook salmon, sculpin	2
Unnamed Creek (41) (Waterfall Cr.)	44.5	Arctic grayling, chinook salmon, sculpin	4 (because of fish barrier)
Gold Creek (42)	47.9	chinook, coho, pink salmon	1

¹ 1 = excellent, 2 = good, 3 = limited, 4 = marginal, 5 = poor
Ratings deduced from information presented in Sautner and Stratton (1984).

² (species) can be reasonably expected, but not verified

³ --- = not evaluated

Biological Data Source: Sautner and Stratton 1984



LEGEND

- ===== ACCESS/FACILITIES
 ===== EXCAVATION/FOUNDATION TREATMENT
 ===== FILL
 ===== CONCRETE
 ===== MECHANICAL/ELECTRICAL
 ===== IMPOUNDMENT

SCHEDULE FOR THE CONSTRUCTION OF THE STAGE II DEVIL CANYON DAM AND RELATED FACILITIES

Reference: APA 1985i.

Figure 11

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

crossed 2.2 miles (3.5 km) from the Watana access road junction. Although this creek appears to contain excellent fish habitat in the vicinity of the access road crossing, only small stream resident Dolly Varden and sculpin were located within this reach (Sautner and Stratton 1984). Arctic grayling utilize the mouth of Tsusena Creek (ADF&G 1981, 1983). However, a waterfall downstream of the access road crossing and approximately 3 miles (5 km) from the tributary mouth may have prevented the establishment of Arctic grayling populations upstream of this fish barrier (Sautner and Stratton 1984).

The access road is sited in the Swimming Bear Creek drainage. Eight small, high gradient tributaries to Swimming Bear Creek will be crossed. Several of these streams support Dolly Varden and sculpin (Sautner and Stratton 1984). The road will parallel Swimming Bear Creek for approximately 6 miles (10 km).

Within the Devil Creek drainage, the access road will approach Swimming Bear Lake and will cross Devil Creek and several of its tributaries. The road will approach within 1300 ft (400 m) of Swimming Bear Lake, which supports a population of Dolly Varden (Sautner and Stratton 1984). The tributary to Devil Creek draining from Swimming Bear Lake will be crossed. This tributary is used extensively by Dolly Varden for spawning and rearing during the open water season (Sautner and Stratton 1984). The access road will parallel Devil Creek for 5 miles (8 km) and encroach on the Devil Creek floodplain for almost 1 mile (1.6 km). Devil Creek will be crossed 22.4 miles (36 km) from the Watana access road junction. Devil Creek and its tributaries support Dolly Varden and sculpin (Sautner and Stratton 1984).

The access corridor will approach a series of lakes between Devil Creek and the Susitna River. The High Lake Complex, approximately 28 miles (45 km) from the Watana junction, contains rainbow trout, Dolly Varden, and sculpin (Sautner and Stratton 1984).

Pink, chinook, coho, chum, and sockeye salmon, Arctic grayling, Dolly Varden, round whitefish, burbot, longnose sucker, and sculpin may occasionally utilize the aquatic habitat in the vicinity of the Susitna River crossing. However, the habitat is considered to be poor relative to the alternative habitat available upstream and downstream. Table 7 lists the streams to be crossed by the Devil Canyon access road and the fish species that are expected to inhabit these streams. Figures 12 and 13 illustrate the sensitive aquatic habitat encountered by the Devil Canyon access road corridor.

(b) Potential Impacts

Potential impacts identified for the Denali Highway to Watana access road (Section 2.1.1) are also applicable to the Devil Canyon access road. Additional impacts are discussed further.

(i) Clearing

The Devil Canyon access corridor will encounter dense brush and trees and will require more vegetation clearing with chainsaws and hydro-axes than the Watana access corridor. Similar measures will be undertaken to prevent aquatic impacts from increased erosion. A need for additional mitigation is not anticipated if clearing proceeds according to the BMPM techniques (APA 1985b).

(ii) Stream Crossings and Encroachments

All construction will adhere to the BMPM techniques (APA 1985b) to avoid or minimize aquatic impacts from access road stream crossings and encroachments. Surface runoff along the Devil Canyon access road encroachment on the Devil Creek floodplain will be drained through culverts designed to maintain surface water contributions to wetland habitat (Harza-Ebasco 1985b). Additional impacts are not expected due to the encroachment.




MATCH LINE FIGURE 14

0 1
MILE

LEGEND

- # ADF&G STREAM NUMBER
- [Hatched box] EXISTING LAKES
- [Solid line] PROPOSED DEVIL CANYON ACCESS CORRIDOR
- [Dashed line] PROPOSED WATANA ACCESS CORRIDOR
- [Dotted line] SENSITIVE AQUATIC HABITAT NEAR THE ACCESS CORRIDOR



MATCH LINE FIGURE 10

**SENSITIVE AQUATIC HABITAT ALONG THE WATANA AND
DEVIL CANYON ACCESS CORRIDORS**


Reference: Sautner and Stratton 1984.

Figure 12

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE



SENSITIVE AQUATIC HABITAT ALONG THE WESTERN SECTION OF THE DEVIL CANYON ACCESS CORRIDOR

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

The access road will cross the Devil Creek tributary draining from Swimming Bear Lake. This tributary provides the only documented spawning and rearing habitat for the lake population of relatively large Dolly Varden, up to 375 mm in length, which are believed to overwinter in Swimming Bear Lake (Sautner and Stratton 1984). Instream activities during the fall may disturb Dolly Varden spawning and impact the lake population. The deposition of silt, due to instream activities, onto gravel containing embryos could reduce embryo survival with a subsequent reduction in year class strength. Instream activities will be scheduled to avoid sensitive periods for streams supporting Arctic grayling and/or Dolly Varden as shown in Figure 14.

(iii) Fill Placement

Fill placement in the Devil Creek floodplain will follow BMPM techniques (APA 1985b) to prevent draining wetlands.

Revegetation will proceed as fill is stabilized. Residual impacts are expected to be negligible.

(iv) Borrow Sites

Fill for the Devil Canyon access road will be obtained predominantly through side borrow techniques; the potential impacts are described in Section 2.1.1(b).

(v) Operation and Maintenance Activities

Increased fishing pressure on lakes and streams in the vicinity of the access road is expected to be the greatest long term adverse impact on the fisheries resources. Swimming Bear and Devil creeks contain numerous Arctic grayling and Dolly Varden. The High Lake complex also contains rainbow trout. The population composition is expected to be altered by the

STREAM	Corridor Mile	J	F	M	A	M	J	J	A	S	O	N	D
Tsusena Creek	2.2					/	/			/	/	/	
Tributary to Swimming Bear Creek	8.0									/	/	/	
Tributary to Swimming Bear Creek	8.7												
Tributary to Swimming Bear Creek	11.1												
Tributary to Swimming Bear Creek	11.4												
Tributary to Swimming Bear Creek	12.0												
Tributary to Swimming Bear Creek	12.4												
Tributary to Swimming Bear Creek	13.9												
Tributary to Swimming Bear Creek	15.7									/	/	/	
Tributary to Devil Creek	18.9									/	/	/	
Tributary to Devil Creek	22.2												
Devil Creek	22.4												
Tributary to Devil Creek	24.3									/	/	/	
Tributary to Devil Creek	24.5									/	/	/	
Tributary to Devil Creek	26.3												
Susitna River	35.1												
Jack Long Creek Encroachment	36.3-39.3					/	/			/	/	/	
Tributary to Jack Long Creek	37.3												
Tributary to Jack Long Creek	38.9												
Tributary to Jack Long Creek	43.3												
Unnamed Creek	43.3					/	/			/	/	/	
Unnamed Creek ("Waterfall Creek")	44.5					/	/						
Gold Creek	47.9					/	/			/	/	/	

 = Sensitive Period

**SENSITIVE PERIODS OF INSTREAM ACTIVITY FOR
STREAMS CROSSED BY THE ACCESS AND TRANSMISSION
LINE CORRIDORS TO THE DEVIL CANYON DAM SITE**

Figure 14

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

reduction or elimination of older-age classes (Sautner and Stratton 1984).

2.1.3 - Secondary Roads

(a) Description

The secondary roads are anticipated to be short in length and not require stream crossings. Short spur roads will be needed to reach the material borrow and disposal sites which are not located adjacent to the access corridors. Access to and within the construction camps and villages will also require the construction of secondary roads. The probable locations and alignments of these auxiliary access roads which will be constructed principally during Stages I and II are illustrated in Figures 15 and 16.

(b) Potential Impacts

Potential impacts on aquatic habitats from the construction, operation and maintenance of the secondary roads are not expected to be significant as stream crossings or encroachments are not expected. The BMPM techniques (APA 1985b) will be applied to avoid or minimize potential aquatic impacts. Erosional and clearing impacts identified for the Watana access road (Section 2.1.1(a)) are relevant for secondary roads.

2.1.4 Railroad from Gold Creek to Devil Canyon


(a) Description

A railroad spur of the Alaska Railroad is planned from Gold Creek to Devil Canyon for Stage II development. The railroad construction is scheduled to begin in 1995 and is estimated to be completed in 18 to 24 months (Figure 11).



LEGEND

- MAIN ACCESS ROAD
- - - HAUL ROAD
- - - WASTEWATER OUTFALL
- - - STAGE III NORMAL MAXIMUM RESERVOIR LEVEL
- - - STAGE I NORMAL MINIMUM RESERVOIR LEVEL



**PLAN VIEW OF THE WATANA DAM, COFFER DAMS,
RELATED FACILITIES AND DISPOSAL AREAS**


ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

Figure 15

51



PLAN VIEW OF THE DEVIL CANYON DAM, COFFER DAMS AND DISPOSAL AREAS

Reference: APA 1985j.

Figure 16

ALASKA POWER AUTHORITY SUSITNA HYDROELECTRIC PROJECT	
ENTRIX, INC.	HARZA-EBASCO SUSITNA JOINT VENTURE

The railroad access corridor will depart from the existing railroad at Gold Creek and proceed north and east to the construction camp-site. It will remain on the south side of the Susitna River. The railroad will cross Gold Creek, which contains excellent fish habitat (Sautner and Stratton 1984) and is known to support small numbers of pink and chinook salmon (ADF&G 1981, 1983; Barrett et al. 1984). Several tributaries that enter the Susitna River between Gold Creek and Jack Long Creek will be crossed; the tributaries contain Arctic grayling, chinook salmon, and sculpin (Sautner and Stratton 1984) (Table 7). Some of these tributaries are important sources of clear water for sloughs, which provide spawning area for salmon. The access corridor closely parallels Slough 20 and Slough 21 which are utilized by adult pink, chum and chinook salmon (ADF&G 1981, 1983; Barrett et al. 1984). The railroad will parallel Jack Long Creek for approximately 3 miles (5 km). The railroad will be located within the floodplain and cross three tributaries of Jack Long Creek. Jack Long Creek contains small numbers of pink, coho, chinook, and chum salmon, rainbow trout, Arctic grayling and sculpin (ADF&G 1981, 1983; Barrett et al. 1984; Sautner and Stratton 1984). One of the tributaries appears to be accessible to fish and may be utilized by adult or juvenile salmon (Sautner and Stratton 1984). The railroad terminus and turnaround at Devil Canyon will be located adjacent to the upper reaches of Jack Long Creek. Bridges will be constructed where the railroad crosses tributaries to Jack Long Creek.

(b) Potential Impacts

Potential impacts resulting from the railroad access construction, operation and maintenance will be similar to those impacts identified for the Watana access road (Section 2.1.1(b)). Additional site specific impacts are discussed further.

(i) Clearing

Construction of the railroad access corridor will require extensive hardwood tree clearing. BMPM clearing techniques

(APA 1985b) will be utilized to avoid or minimize impacts on the aquatic resources from turbidity and siltation increases. Material will be removed from streams to prevent fish blockages.

(ii) Stream Crossings or Encroachment

Bridges and culverts will be installed according to BMPM guidelines (APA 1985b) to maintain fish passage and to prevent turbidity and sedimentation impacts on sloughs and clearwater streams. Streams with large amounts of flow, such as Gold Creek, will require bridges. Encroachments into floodplains will occur along Slough 20 and Jack Long Creek. As described in Section 2.1.1(b), culverts will be installed to continue surface runoff contributions to wetlands.

Instream activity during summer and fall may cause salmon to avoid spawning habitat in Gold and Jack Long creeks. Instream activities will predominantly be restricted to early or midsummer to avoid resident and anadromous spawning periods (Figure 14) as explained in Section 2.1.1(b).

(iii) Fill Placement

The BMPM (APA 1985b) techniques will be utilized to avoid detrimental impacts on the aquatic resources associated with fill placement near sloughs and streams. Along Slough 20 and Jack Long Creek, fill will be stabilized to prevent sediment influx to the clear water. Temporary increases in suspended sediments may impact sight feeding fish, such as Arctic grayling. However, Arctic grayling successfully migrate through the turbid mainstem during summer months (ADF&G 1983). Residual impacts from fill placement are expected to be negligible so long as suspended sediment increases are short in duration.

(iv) Borrow Sites



Borrow material for railroad fill will be obtained from Borrow Site G. Borrow Site G will be extensively used for the Devil Canyon dam construction and will be located at the confluence of Cheechako Creek and the Susitna River upstream of the Devil Canyon dam site (Figure 17). Gravel removal is expected to be confined to the channel margins. The USFWS Gravel Removal Guidelines (Joyce et al. 1980b) and the BMP Manual on Erosion and Sedimentation Control (APA 1985b) will be applied to excavation activities. Buffers will isolate the excavation from Cheechako Creek and the Susitna River. Aggregate washing water will be channeled through settling ponds and reused. As the borrow site will be permanently inundated by the Devil Canyon reservoir, rehabilitation will not be necessary. Impacts from Borrow Site G are discussed in greater detail in Section 3.1.2(a). Incremental impacts from excavations for railroad access construction will be negligible.

(v) Operation and Maintenance Activities

The railroad access corridor may allow increased fishing pressure on southside streams and sloughs between Gold Creek and Devil Canyon. The populations in these streams are small, however, and are not expected to attract significant pressure.

2.2 - Access Mitigation

Mitigation of potential impacts during construction of the access roads and the railroad will be achieved primarily by adherence to the BMPM construction techniques (APA 1985b). Erosion will be minimized by utilizing proper clearing and soil stabilization procedures as outlined in the BMPM on Erosion and Sedimentation Control (APA 1985b). Revegetation will be scheduled to proceed in segments immediately after portions of the roads or railroad are completed. Streams will be crossed following BMPM guidelines (APA 1985b) in order to minimize impacts. Scheduling of construction activities is another



SCALE 0 1000 2000 FEET

LEGEND

--- BORROW/QUARRY SITE LIMITS

PLAN VIEW OF POTENTIAL DEVIL CANYON BORROW SITE

Figure 17

Reference: APA 1985h.

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

means of mitigation that would avoid or minimize adverse impacts to fish and aquatic habitats. Movements of vehicles through streams during periods of peak Arctic grayling and Dolly Varden migration will be avoided. Figure 5 illustrates these migration periods. Instream and streambank construction will be minimized at streams containing sensitive habitat during peak migration periods to allow successful passage of the majority of the population to spawning or overwintering habitat. Figures 9 and 14 present the sensitive periods for the streams crossed by the access corridors.

Potential impacts were identified in Section 2.1; Section 2.2.1 discusses these impact mechanisms and the mitigation measures that will be applied during and after access construction. Those sources of impact considered to have greatest potential for adverse effects to the aquatic environment are given highest priority. Measures to avoid, minimize, rectify and reduce impacts are discussed. Continued monitoring of the construction facilities and activities will ensure that impacts to the aquatic environment are avoided or minimized. Monitoring (Section 2.2.2) can identify areas that may need rehabilitation or increased maintenance efforts and areas where previous mitigation measures are inadequate and remedial action must be taken. Costs associated with all phases of maintenance and monitoring are outlined in Table 8.

2.2.1 Impact Mechanisms and Mitigation Measures

(a) Increased Fishing Pressure

(i) Impact Mechanism

The sport fishing pressure on the local streams and lakes will substantially increase. The access roads will allow fishermen to reach areas that previously received limited use.

(ii) Mitigation

During the construction phase, access to the streams will be limited by closing roads to unauthorized project personnel and

Table 8. Estimated cost for water quality and fisheries monitoring (in 1985 dollars) during construction (1990 to 2012)

Year	Management	Field Labor	Field Equipment	Travel	Total (x1000)
1990 ^{1/}	280,000	400,000	25,000	10,000	715.0
1991 ^{1/}	280,000	400,000	30,000	10,000	720.0
1992 ^{1/}	280,000	400,000	15,000	10,000	705.0
1993 ^{2/}	420,000	600,000	25,000	15,000	1,060.0
1994 ^{3/}	280,000	400,000	10,000	10,000	700.0
1995 ^{3/}	280,000	400,000	10,000	10,000	700.0
1996 ^{4/}	420,000	600,000	15,000	15,000	1,050.0
1997 ^{4/}	420,000	600,000	15,000	15,000	1,050.0
1998 ^{5/}	280,000	400,000	10,000	10,000	700.0
1999 ^{6/}	140,000	200,000	5,000	5,000	350.0
2000 ^{6/}	140,000	200,000	5,000	5,000	350.0
2001 ^{6/}	140,000	200,000	5,000	5,000	350.0
2002 ^{6/}	140,000	200,000	5,000	5,000	350.0
2003 ^{7/}	280,000	400,000	10,000	10,000	700.0
2004 ^{8/}	140,000	200,000	5,000	5,000	350.0
2005 ^{8/}	140,000	200,000	5,000	5,000	350.0
2006 ^{8/}	140,000	200,000	5,000	5,000	350.0
2007 ^{8/}	140,000	200,000	5,000	5,000	350.0
2008 ^{8/}	140,000	200,000	5,000	5,000	350.0
2009 ^{8/}	140,000	200,000	5,000	5,000	350.0
2010	140,000	200,000	5,000	5,000	350.0
2011	140,000	200,000	5,000	5,000	350.0
2012	140,000	200,000	5,000	5,000	350.0
TOTAL					12,650.0
AVERAGE ANNUAL					550,000

- ^{1/} Includes Stage I access, facilities, Watana Dam, and transmission line
^{2/} Includes all of ^{1/}, plus Stage II access
^{3/} Includes Stage I Watana Dam, plus Stage II access
^{4/} Includes all of ^{3/}, plus Stage II Devil Canyon Dam
^{5/} Includes Stage II access and Devil Canyon Dam
^{6/} Includes Stage II Devil Canyon Dam
^{7/} Includes all of ^{6/}, plus Stage III Watana Dam
^{8/} Includes Stage III Watana Dam

Reference: APA 1985g

the general public. The Alaska Board of Fisheries will be provided information needed to develop management policies. Some watersheds, such as the Deadman Creek/Deadman Lake system, are expected to require special management considerations if current stocks are to be maintained (Schmidt and Stratton 1984). These regulations may take the form of reduced seasons or catch limits, imposition of maximum or slot size limits, or control of fishing methods. Since public health regulations will not allow sport-caught fish to be stored or prepared at public food service facilities, the project policy will be that all fishing done by project personnel and contractors be restricted to catch-and-release.

(b) Stream Crossings and Encroachments

(i) Impact Mechanism

During construction, fish are likely to avoid areas disturbed by equipment operated in or near streams. Spawning and overwintering migrations may be interrupted.

(ii) Mitigation

Construction activities in streams supporting fish populations will be scheduled, if possible, to avoid fish migration periods (Figures 9 and 14). Access construction will continue for approximately 1.5 years at Watana during Stage I and 2 years at Devil Canyon during Stage II construction (Figures 6 and 11). However, during these time periods, instream activities near utilized fish habitat will be coordinated to minimize conflict with identified migration periods.

Bridges, culverts, and other drainage structures will be installed during the summer months before, between and after Arctic grayling and Dolly Varden spawning periods. Activities not involving instream construction will continue throughout

the year. Figures 9 and 14 present the sensitive periods for specified streams along the access corridor.

The USFWS recommended scheduling clearing activities during winter to minimize aquatic impacts. Because of the difficulties inherent in wintertime construction, current plans do not limit clearing to the winter. However, restricting instream construction during aquatic environmentally sensitive periods is expected to minimize aquatic impacts.

(c) Water Quality

(i) Impact Mechanism

Temporary degradations in water quality caused by increased turbidity, sedimentation and petroleum contamination may change the species composition and reduce the productivity of the aquatic ecosystem (Bell 1973, Alyeska Pipeline Service Company 1974).

(ii) Mitigation

The primary mitigation measures that will be used to minimize degradations in water quality are: (1) erosion control measures such as runoff control, stilling basins and revegetation will be employed as outlined in the BMP Manual on Erosion and Sedimentation Control (APA 1985b); and (2) the time period of the construction activity will be minimized so that degradation in water quality is a short-term, non-recurring problem. Therefore, water quality degradations from access construction and operation are not expected to significantly impact the fisheries resources. Further mitigation is not expected to be required.

(d) Oil and Hazardous Material Spills

(i) Impact Mechanism

Spills of oil and other hazardous substances into streams can be toxic to fish and their food organisms.

(ii) Mitigation

A Spill Prevention Containment and Countermeasure Plan (SPCC) will be developed as required by EPA (40 CFR 112.7) prior to the initiation of construction. The BMP manual on Oil Spill Contingency Planning (APA 1985f) will be used to avoid potential impacts.

Equipment refueling or repair will not be allowed to take place in or near floodplains unless adequate provisions have been made to contain petroleum products. Waste oil will be removed from the site and disposed using ADEC/USEPA-approved procedures. Fuel storage tanks will be located away from waterbodies and within lined and bermed areas capable of containing 110 percent of the tank volume. Fuel tanks will be metered to account for all outflow of fuel. All fuel lines will be located in aboveground or ground surface utilidor to facilitate location of ruptured or sheared fuel lines.

Vehicle accidents, although impossible to totally prevent, can be minimized by constructing the roads with properly designed curves to accommodate winter driving conditions. The roads will have adequate traffic signs and guardrails. During the winter, difficult stretches will be regularly cleared and sanded. In summer, dust will be controlled with water.

State law requires that all spills, no matter how small, be reported to ADEC (18 AAC 70.080). Personnel will be assigned

to monitor storage and transfer of oil and fuel to identify and clean up spilled oil and other hazardous material.

All personnel employed on the project, especially field personnel, will be trained to respond to fuel spills in accordance with an approved oil spill contingency plan.

BMPM Oil Spill Contingency Plan includes:

- Guidelines to follow for a training program for involved personnel.
- Actions to take as a first line of defense in the event of a fuel spill.
- Persons to contact in the construction organization and in state agencies.
- Locations of sensitive habitat.
- Records to keep during an oil spill and cleanup operation.

Oil spill containment equipment will be located onsite and will be adequate to handle the largest potential spill. Personnel will be trained in the operation of the equipment, and the equipment will be inventoried and tested regularly to make sure it is in proper working order in the event of an emergency (Bohme and Brushett 1979; Lindstedt-Siva 1979).

Impacts from an unavoidable major spill will be assessed by the Environmental Field Officer (EFO). Appropriate site-specific mitigation measures will be negotiated in consultation with the involved resource management agencies.

(e) Borrow Sites

(i) Impact Mechanism

Removal of material may result in erosion, siltation and increased turbidity. Borrow sites located in floodplains may impact waterbodies through increased ice buildup from groundwater overflow and alteration of fish habitat. Fish may become trapped in excavations within the floodplain.

(ii) Mitigation

Adverse impacts on aquatic habitats will be avoided or minimized by application of the BMPM guidelines. The predominant source of borrow material will be alongside the access road. Minimal impacts to the aquatic resources are expected from side-borrow activities.

Borrow material may also be obtained at upland borrow sites from 10 to 20 acres in size. These borrow sites will be located away from streams to minimize potential sediment contributions to waterbodies. Soil stabilization measures will be undertaken to limit erosion of exposed slopes as described in the BMP manual on Erosion and Sedimentation Control (APA 1985b). The borrow sites will be rehabilitated following closure. The stockpiled overburden will be redistributed and revegetated. Additional mitigation is not expected.

2.2.2 Monitoring

Monitoring is recognized as an essential project mitigation feature that will provide for a reduction of impacts over time. Monitoring will be conducted during project construction and operation:

- To insure that environmentally acceptable construction practices, as defined by the bid specifications, required permits and the BMPM's, are being employed on the project

- To evaluate the effectiveness of the operation and maintenance of mitigation features
- To recommend changes in construction practices or mitigation features to further avoid, minimize, or reduce impacts

Monitoring of the access road construction will verify that proper construction practices, as detailed in the BMP manuals, are being followed. This monitoring activity will cover all aspects of the access road construction and maintenance.

Construction of the Watana access road is presently scheduled to begin in 1990. From that time until completion of all access roads, an Environmental Field Officer (EFO) will be present at the sites. On a daily basis, the EFO will visit areas where construction is occurring. The EFO will be responsible for compliance with regulatory requirements and permits. The EFO will be a member of the APA staff and will report to the APA's resident engineer and construction manager (Harza-Ebasco 1985a).

Once construction has begun, onsite changes in permit stipulations may be needed because of accidents or changes in construction techniques. If a variation is required, the EFO will notify APA's construction manager who will contact regulatory agencies to amend permits or authorize field actions that were not specified in the permits. The construction manager will report permit violations and issue monthly status reports to the resource agencies. The construction manager will also be responsible for notifying the appropriate agencies prior to the commencement of a major construction activity so that the regulatory agency may request a site inspection.

Long-term operational monitoring will be conducted to evaluate the effectiveness of the mitigation plan. Arctic grayling populations will be studied (Harza-Ebasco 1985a) to evaluate the effectiveness of management plans designed to minimize the impact caused by increased fishing pressure in lakes and streams. The access road will be

periodically monitored as part of the maintenance schedule. Chronic erosion sites will be identified and corrected and culverts will be inspected for debris blockages that could prevent fish passage.

The monitoring program costs outlined for the project are estimated in Table 8.

3.0 CONSTRUCTION ZONE

The proposed three-stage development of the Susitna Hydroelectric Project will entail construction at two dam sites. Construction on the Stage I development of the Watana dam is scheduled to begin in 1991 (Figure 6). Site preparation is expected to start in 1990 and will include camp and village development. The four turbines are scheduled to be on-line for power production in 1998. The Stage II development, to be initiated in 1996, will involve the construction of the Devil Canyon dam and temporary camp facilities (Figure 11). In 2006, Stage III construction will raise the crest elevation and increase the generating power of the Watana dam. The additional two turbines in the Watana dam are expected to be on-line in 2009 (Figure 18).

The construction activities will affect the aquatic resources in the vicinity of the sites. Changes in nearby waterbodies and fish habitat will result; a loss of habitat will occur at the dam sites. Borrow site excavations will disturb aquatic habitat at the mouths of Tsusena and Cheechako creeks. Water quality degradations, including increased sediment levels, hydrocarbons and wastewater effluent contributions, may temporarily decrease aquatic habitat quality. Fish will be directly affected as migration barriers will be created by dam construction.

Mitigation of these impacts in order to preserve the aquatic resources will be primarily accomplished by proper adherence to the construction techniques presented in the BMPM (APA 1985b, 1985c, 1985d, 1985e, 1985f). Additional mitigative measures, such as borrow site rehabilitation, will rectify the impacts associated with dam and camp construction. Monitoring will verify that construction activities follow the BMPM and that water quality is not significantly degraded.

3.1 - Impact Analysis

3.1.1 Stage I: Watana Dam and Facilities

The proposed Watana dam and related facilities will be constructed on the Susitna River between Deadman Creek (RM 187) and Tsusena Creek (RM 182)

	DESCRIPTION	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	
01	MOBILIZATION												01
02													02
03	SITE ROADS												03
04													04
05													05
06	SITE FACILITIES												06
07													07
08	DOWNSTREAM COFFERDAM												08
09													09
10	DAM EMBANKMENT FOUNDATION												10
11													11
12	DAM EMBANKMENT												12
13													13
14	RELICT CHANNEL												14
15													15
16	SPILLWAY												16
17													17
18	GATES (REMOVAL)												18
19													19
20	GATES (INSTALLATION)												20
21													21
22	POWER INTAKE												22
23													23
24	POWER TUNNELS												24
25													25
26	POWERHOUSE												26
27													27
28	TRANSFORMER GALLERY/CABLE SHAFTS												28
29													29
30	TAILRACE/SURGE CHAMBER												30
31													31
32	TURBINE/GENERATORS												32
33													33
34	MECH./ELECT. SYSTEMS												34
35													35
36													36
37													37
38	TRANSMISSION LINES												38
39													39
40	IMPOUNDMENT												40
41													41
42	TEST AND COMMISSION												42
43													43
44													44

LEGEND

- ACCESS/FACILITIES
- EXCAVATION/FOUNDATION TREATMENT
- FILL
- CONCRETE
- MECHANICAL/ELECTRICAL
- IMPOUNDMENT

SCHEDULE FOR THE CONSTRUCTION OF THE STAGE III DEVIL CANYON DAM AND RELATED FACILITIES

Reference: APA 1985i.

Figure 18

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

(Figure 4). The dam site is probably occupied by burbot, sculpins, and longnose sucker during the open water season and by these species and Arctic grayling during winter (ADF&G 1981, 1983).

Tsusena Creek is a clearwater stream with a drainage area of 144 square miles (373 km^2). A waterfall approximately 3 miles (5 km) upstream of the confluence with the Susitna River blocks upstream fish passage. Dolly Varden and sculpin are present upstream of the falls on Tsusena Creek (Sautner and Stratton 1984). Arctic grayling, Dolly Varden, and sculpin utilize the habitat available in lower Tsusena Creek (Sautner and Stratton 1984) and burbot and round whitefish have been observed near its confluence with the Susitna River (ADF&G 1981, 1983). The Arctic grayling population in the mouth of Tsusena Creek and in the clearwater plume which extends into the Susitna River was estimated at 1,000 fish (ADF&G 1981). Although excellent habitat is present within the lower reaches of the creek, few Arctic grayling appear to utilize this area for summer rearing (ADF&G 1983).

Deadman Creek, a meandering, clearwater tributary of the Susitna River, supports Arctic grayling, Dolly Varden and sculpin (Sautner and Stratton 1984). A waterfall prevents upstream fish passage approximately 0.6 miles (1 km) from the mouth of Deadman Creek. In 1981 and 1982, approximately 980 and 730 Arctic grayling were estimated to inhabit the reach downstream from the fish barrier during summer (ADF&G 1981, 1983). Burbot and longnose sucker have been observed near the creek mouth (ADF&G 1981). The creek has a drainage basin area of 175 square miles (453 km^2).

(a) Description

The Watana dam will be an earth and rockfill structure located between RM 184 and RM 185 of the Susitna River. The Stage I development of the Watana dam will be built to a crest elevation of 2025 ft (617 m) with a maximum normal reservoir elevation of 2000 ft (610 m). One outlet facility structure and two power intakes will be designed to discharge a 50-year flood before the spillway

overflows (Figure 15). Trashracks with a bar spacing of 6 inches (15 cm) will be installed at the intakes and will be raised and lowered for cleaning and maintenance. The powerhouse will have four power generating units.

Clearing will be necessary at the dam and facilities sites and in the impoundment area. Cover vegetation will be removed at the site of the dam, airstrip, and construction camp and village. In the reservoir area, trees will be cleared annually to the expected water level of inundation to reduce debris accumulation at the dam water intakes. Cleared material will be stockpiled or burned at specified disposal sites upstream of the Watana dam site (Figure 15) that will be subsequently inundated.

Prior to construction of the Stage I main fill structure, the diversion tunnels and cofferdams will be completed and the river diverted through the tunnels. Heavy equipment for dam construction will be brought to the cleared site and assembled in the equipment maintenance and refueling areas. Construction material will be stockpiled in the project area. Fill material from the borrow pit sites and usable material from excavation of the diversion tunnels will also be stockpiled. All of the rockfill required during Stage I construction will be obtained from excavations for the powerhouse and other facilities. Blasting will be necessary during diversion tunnel construction and borrow excavations. During Stage I construction, rockfill for the dam will be obtained from tunnel and channel excavations. Water required for construction purposes will be withdrawn from the Susitna River.

The two cofferdams will dewater the construction area of the main dam. One cofferdam will be built upstream from the damsite and the other downstream (Figure 15). The upstream cofferdam will be approximately 800 ft (242 m) long and 450 ft (136 m) wide with a crest elevation of 1480 ft (450 m); the downstream cofferdam will be 400 ft (121 m) long and 200 ft (60 m) wide. Water blocked by the upstream cofferdam will be diverted into two 36 ft (11 m) diameter

concrete-lined tunnels about 3700 ft (1130 m) long. Emergency release facilities will be located in one of the diversion tunnels after closure to allow lowering of the reservoir for inspection or repair of the dam (APA 1985h). The cofferdams will be constructed during a two-year period (1992-1993) and will remain in use until reservoir filling begins. At that time, the downstream cofferdam will be partially removed; the upstream cofferdam will be inundated by the reservoir.

Gravel mining and material sorting will be required for construction of the dam and related facilities. During Stage I development, approximately 10 million cubic yards (7.5 million m³) of material will be excavated from Borrow Site E between RM 180 and RM 182 along the north bank of the Susitna River at the confluence of Tsusena Creek (Figure 10). Borrow activities will be isolated from the active channels of the Susitna River and Tsusena Creek by natural or man-made berms to prevent increases in suspended solids. Prior to the initiation of material removal, a mining plan will be formulated in accordance with 43 CFR Part 23; review and approval by concerned state and federal resource managing agencies will be required. Current plans propose a moving front excavation beginning at the downstream end of the borrow site, proceeding in the upstream direction, and possibly reaching depths of 100 ft (30 m). Equipment capable of removing underwater material will be utilized because of the high groundwater level at the site. Material will be excavated, washed, and stockpiled during spring, summer, and fall; winter excavation will be avoided. The gravel will be washed and sorted at the borrow site. Spoil from gravel processing will be stockpiled and armored to prevent sediment contributions to the Susitna River or Tsusena Creek. Spoil will later be used in site rehabilitation. The wash water will be channeled through settling ponds with gated culverts between ponds to ensure adequate retention time (APA 1985h). Effluent will conform to ADEC/USEPA standards prior to discharge to the Susitna River.

The impervious material required for the construction of the dam core will be obtained from Borrow Site D (Figure 10). Potential impacts to Deadman Creek and the Susitna River are not likely as excavations will not occur in close proximity to these waterbodies and all runoff at the site will be collected and channeled through settling ponds prior to discharge. Several shallow tundra lakes within the site will be drained during borrow activities. The organic layer at the site will be stripped and stockpiled; following termination of borrow operations, the site will be rehabilitated using the stockpiled overburden. The regions of the site below the 2000 ft (610 m) elevation will be inundated upon reservoir filling and will be stabilized to prevent slumping if necessary.

Waste concrete, vegetation and unusable material from construction sites will be removed to selected disposal sites upstream from the dam site within the area of permanent inundation (Figure 15). This material will be armored with riprap or another appropriate material. Haul roads will be constructed to these sites (Section 2.4.1).

Housing of project personnel will be needed at the Watana site. During Stage I construction, facilities to house a maximum of 3300 people are planned (APA 1985a). A construction camp and village will be built to form two separate communities located less than 0.5 mile (0.8 km) from Deadman Creek and 3 miles (5 km) from the damsite (APA 1985h). Each development will occupy approximately 170 acres (68 ha). After Stage I is completed, most of the camp facility will be demobilized for later use.

The construction camp will contain the management offices, hospital, recreation hall, warehouses, communications center, dormitories, and other necessary facilities. The wastewater treatment plant will be located within the camp boundaries near Deadman Creek. It is anticipated that the camp, excluding the treatment plant, will be dismantled at the end of the Stage I development of the Watana dam construction. The camp will be rebuilt and utilized during the

Stage II construction at the Devil Canyon Dam site. Upon completion of the Devil Canyon dam, the Watana construction camp will be reassembled for the Stage III development.

The construction village will be built during the Stage I development and may later be upgraded to a permanent town. The construction village will house approximately 310 families with single family and multi-family dwellings provided (APA 1985h). The village will contain a hospital, school, gas station, fire station, store, recreation center, and offices, as well as residences. A permanent town will be developed at the village site for the anticipated 130 staff members involved in the operation and maintenance of the dam.

Construction uses for water will require withdrawal from waterbodies in the vicinity of construction activities. The Susitna River will be the source for water to be utilized in dam construction. Water will be utilized throughout the construction process in activities such as concrete production, aggregate washing and dust control. Concrete wastewater pH levels are high (10 +) and will be neutralized prior to discharge. If additives containing toxic chemicals are utilized, the effluent will be filtered prior to discharge. A water appropriation permit application will be filed with the ADNR as required by AS 46.15.070. In addition, the ADF&G and the ADEC will be consulted for approval and permitting of water withdrawal.

Water will be withdrawn from Deadman Creek approximately 7 miles (11 km) upstream from the mouth and treated to conform with the primary and secondary requirements of the ADEC/USEPA for domestic use in the construction camp and village. Wells may be drilled near Deadman Creek to provide an additional water supply (APA 1985h). The water supply system will be reviewed by ADEC as required by 18 AAC 80.100. An estimated 0.5 cfs (208 gallons per minute) will be withdrawn during the peak demand periods which will occur during summer construction. Construction personnel will be reduced by

approximately 2/3 during the winter months. The minimum flow for the lowest flow month, which will occur during the winter, was estimated to be 3200 gallons per minute at the withdrawal site. Therefore, significant adverse impacts are not anticipated from the maximum water supply withdrawal which represents less than one percent reduction in flow during the open water season and less than five percent during the winter.

A wastewater treatment facility will be constructed to process the wastewater from the construction camp and village prior to discharge into Deadman Creek. Waste will be stored in a lagoon system until the facility is operational. Sewage from the construction camp and village will be piped to the facility. Waste from the chemical toilets located within the construction areas will also be treated at the facility. The sewage treatment plant will include a biological treatment lagoon to provide secondary treatment to assure conformance with the ADEC/USEPA standards. A mechanical aerator will assist in maintaining biological activity in the lagoon during the winter. Treated sludge will be disposed with the solid waste in a lined, bermed, and capped sanitary landfill to the southeast of the camp and village (APA 1985h).

The effluent outfall will be located downstream from the water withdrawal site and approximately 1.5 miles (2 km) upstream of the confluence of Deadman Creek with the Susitna River. Thorough and rapid mixing is expected as the outfall will be located in a turbulent section of the creek. Under the estimated worse case conditions, a maximum effluent discharge of 1.5 cfs and a winter low flow in Deadman Creek of 27 cfs, the BOD and TSS concentrations will be 2 mg/l after complete mixing. Degradation of the water quality in Deadman Creek or the impoundment area of the Susitna River is not expected due to the presence of the effluent.

Hazardous wastes will be temporarily stored onsite in a bermed and lined area and then removed for disposal. Waste oils containing trace metals require handling as a hazardous waste under 40 CFR

261-265. Solvents and other chemicals of concern, including anti-freeze, hydraulic oil, grease and paints, are also toxic to aquatic life and will be stored in the hazardous waste area. Vehicles will be maintained to prevent antifreeze, hydraulic fluid and fuel from contaminating nearby water. Fuel will be stored and used in large quantities during construction. Fuel tanks will be surrounded by containment dikes capable of containing 110 percent of the tank capacity. Fuel storage areas will be lined with impermeable materials to prevent fuel contamination of groundwater. Vehicle fueling will be restricted to areas where runoff will be collected. Oily water runoff from the dam site and surface runoff at the vehicle maintenance areas, shops and related facilities will be collected and treated. All fuel spills will be reported to the ADEC as required by law. The contractor's Spill Prevention, Containment and Countermeasure plan (SPCC) will be developed and personnel trained prior to the initiation of construction as described in Section 2.1.1.

A 2500 ft (758 m) temporary airstrip will be built approximately 1 mile (1.6 km) from the campsite at the 2500 ft (762 m) level (Figure 15). The airstrip will later be upgraded to a permanent airstrip which will be 6500 ft (1980 m) long.

(b) Potential Impacts

The Stage I construction of the Watana dam and camps will have a number of effects on the Susitna River, nearby tributaries and their biota. Some effects will be the direct result of construction activities, while other effects will result from alteration of the river environment during construction. Impacts will vary in duration and overall extent, some being temporary or localized while others will be permanent or more widespread.

(i) Cofferdams and Diversion Tunnels


The first major phase of Stage I dam construction involves placement of the two cofferdams and the permanent dewatering of

0.75 mile (1.3 km) of riverbed at the damsite. Fish normally using this stretch are anticipated to move into adjacent habitats and the effects on population size are expected to be minor. The dewatered area will eventually be totally covered by the Stage III Watana dam; thus, the effect will be a permanent but relatively minor loss of aquatic habitat. The Stage I dam will cover approximately 300 ft (91 m) less riverbed on the downstream side (Figure 19) than the Stage III dam.

Upstream fish movements through this reach will be permanently blocked when the Stage I development occurs as water velocities within the tunnels will act as a barrier to upstream fish passage. Arctic grayling seem to predominantly return to the stream utilized in previous migrations from the mainstem (ADF&G 1983). However, some Arctic grayling are expected to migrate to other streams upstream and downstream along the Susitna River (ADF&G 1983). For example, Arctic grayling tagged at Deadman Creek have been recaptured at Tsusena and Fog creeks (ADF&G 1981, 1983). The permanent upstream fish passage blockage between Deadman and Tsusena creeks is not expected to cause major degradation in the aquatic resources as migration appears to occur in both the upstream and downstream directions. Interstream movements from Deadman Creek will remain possible in the upstream direction; whereas interstream movements will remain possible downstream from Tsusena Creek.

The cofferdams will impound water and raise water levels upstream from the damsite. During the summer, a mean annual flood event will cause backwater effects for several miles upstream. The diversion tunnels will be capable of discharging typical winter flows without creating stage increases upstream of the cofferdams. Aquatic impacts within the impoundment area have been described by Entrix (1985) and APA (1983b, 1985g).

Experiments with fish transport indicate that fish are adversely affected when exposed to velocities in excess of 9.0



PLAN VIEW OF STAGES I AND III OF THE WATANA DAM

Figure 19

ALASKA POWER AUTHORITY
 SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
 SUSITNA JOINT VENTURE

ft/sec (2.7 m/sec) (Taft et al. 1977). If river transport mechanisms move rocks and other materials into the tunnels, or if the tunnel walls are not smooth, fish may be damaged through abrasion while being transported downstream. Tunnel velocities are expected to exceed 20 ft/sec (6 m/sec) during much of the summer (APA 1985h). However, little impact on populations is expected since relatively few resident fish are believed to occupy the mainstem area immediately upstream from the tunnels during the summer. During the winter months, entrance velocities into the tunnels are expected to be in excess of 15 ft/sec (5 m/sec) (APA 1985h). Arctic grayling and other resident fish overwintering in the vicinity are likely to be entrained into the tunnels, and fish mortality through abrasion would probably result.

Several agencies (ADF&G and USFWS) suggested that a fish screen at the intake of the diversion tunnels would avoid fish entrainment. However, the habitat in the vicinity of the diversion tunnel intakes is expected to be poor and most fish are likely to seek alternative habitat such as tributary mouths. The cost associated with the construction and maintenance of a screen does not appear justifiable relative to the small number of fish potentially transported downstream.

Habitat immediately downstream of the diversion tunnels will be impacted by the high discharge velocities at the downstream end of the tunnels. The high velocities will deter fish from using the area immediately downstream from the tunnels (Bates and Vanderwalker 1964; Stone and Webster 1976) during dam construction and operation. In addition, gravels, sands and silts will be scoured from the immediate area of the tunnel outlet, and suspended sediment levels will initially increase. However, the channel bed in the vicinity of the outlet is expected to rapidly establish an equilibrium condition. The scouring will not measurably increase the turbidity or the suspended sediment levels in the Susitna River.

(ii) Borrow Activities

Impacts associated with borrow activities include habitat alterations and temporary reductions in habitat quality from water quality degradations caused by increases in suspended sediments and hydrocarbons. A long-term aquatic impact is expected due to the excavation in the vicinity of the mouth of Tsusena Creek. The volume of material to be removed will result in a large pit that will become filled with water. This pit will be rehabilitated by contouring and redistributing material to produce increased lentic habitat replacing lost riparian and upland habitat as described in Section 3.2.1. Increases in suspended sediment levels and hydrocarbon contamination of nearby waterbodies will cause decreases in primary production and may injure fish (Section 2.1.1(b)).


At Borrow Site E, the installation of a stream crossing structure will introduce small amounts of hydrocarbons and suspended sediments into Tsusena Creek and the small unnamed creek. These water quality degradations are expected to occur during instream construction. Long term increases in suspended solids levels in Tsusena Creek will be avoided by the natural or man-made berm isolating borrow activities. A buffer will also be maintained between the Susitna River and the borrow site (Figure 20). Arctic grayling, Dolly Varden, and other resident species present in the tributary mouth are likely to seek alternative habitat. The small creek may be diverted around the borrow site. Few arctic grayling or other resident species are expected to inhabit the lower reaches of this creek; a survey of the fish resources of this creek has not been conducted. To avoid or minimize hydrocarbon contamination, fuel utilized in borrow activities will be stored and equipment refueled in a bermed and lined area. Residual amounts of hydrocarbons will probably enter the Susitna River. The small amounts of hydrocarbons contamination is expected to be insignificant when mixed in the Susitna River



SCALE 0 400 800 FEET

LEGEND

- BORROW SITE LIMIT
- MAXIMUM NORMAL DEVIL CANYON RESERVOIR LEVEL (1455 FT.)
- BUFFERS TO BE MAINTAINED
- TOPOGRAPHIC CONTOURS
- STREAM MARGINS
- BORROW SITE E



BORROW SITE E

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

unless a fuel spill occurs. Accidental petroleum spills will be avoided or contained according to the BMP Oil Spill Plan detailed in Section 2.1.1 (APA 1985f).

Excavation, in accordance with the BMPM on Erosion and Sedimentation Control (APA 1985b), is not expected to have significant aquatic impacts at upland sites such as Borrow Site D and Quarry Site A. Quarry Site A is not anticipated to be utilized during Stage I. Suspended sediment increases at all borrow sites will be avoided or minimized as described by retaining buffers at stream margins, collecting runoff and monitoring settling pond effluents. Buffer zones of uncleared vegetation or overburden will reduce sediment contributions to streams and lakes. To minimize the impacts associated with erosion (Section 2.1.1(b)), runoff will be channeled away from waterbodies providing aquatic habitat into settling ponds. The effluent discharged from the settling ponds will be monitored and the ponds will be dredged when the water quality approaches the ADEC/USEPA standards. The dredged sediments will be stockpiled and armored with gravel to prevent sediment contributions to nearby waterbodies. The sediments may be used in site renovation.

(iii) Fill Placement

The movement and usage of fill materials for the cofferdams and the main dams will be conducted according to BMPM guidelines (APA 1985b) to avoid or minimize turbidity and siltation impacts at the dam site and construction camps. During the transport, storage and placement of the fill material used in construction, material spills will be avoided to prevent impacts to Tsusena Creek and the Susitna River. A major spill introducing high suspended sediment levels (in excess of 20,000 mg/l) into a clearwater stream could cause fish mortality (Langer 1980). However, runoff control structures will be installed on the banks of Tsusena Creek to channel surface runoff into settling ponds.

The placement of fill material during cofferdam construction will raise suspended sediment levels downstream. The cofferdams will be constructed during the summer and the resulting increase in suspended sediments relative to the highly turbid natural summer conditions is not expected to significantly affect the aquatic resources downstream. Residual increases in mainstem turbidity are expected to be negligible.

(iv) Water Removal

All water removal operations will adhere to the BMPM guidelines (APA 1985c) in order to avoid or minimize potential impacts. All water intakes will be screened and sized according to the ADF&G intake design criteria to prevent fish entrapment, entrainment or impingement. Since low volume pumps equipped with proper intake screens will be used, it is expected that the number of affected fish will be low.

The estimated 0.5 cfs which will be needed to meet peak domestic use demands in both the construction camp and construction village presents less than a one percent reduction in Deadman Creek flow during the average open-water season, and little impact is expected to result from decreases of this magnitude. A maximum reduction of approximately 8 percent is expected during the winter period; overwintering Dolly Varden, Arctic grayling and sculpin which may be present in deep pools downstream of the intake are not likely to be adversely affected by the water withdrawal.

Installation of the water withdrawal structure will follow the BMPM guidelines (APA 1985c). Turbidity and suspended sediment levels will increase temporarily during installation of the water intake system. Impacts associated with this instream activity (Section 2.1.1(b)) will be short in duration and will

cause negligible degradations in the aquatic resources if proper construction practices are used.

(v) Liquid and Solid Waste Management

Potential aquatic impacts are not expected from the collection and disposal of solid wastes in conformance with the BMPM (APA 1985d). Residual impacts from waste disposal will not significantly affect the aquatic habitat or the productivity of the aquatic system. All necessary permit applications for discharge will be obtained from the ADEC, USEPA, ADNR and PHS and include the ADEC wastewater and waste disposal permits, a Federal Water Quality Certification and a National Pollutant Discharge and Elimination System Permit.

Aquatic impacts on the Susitna River from wastewater generated during construction activities are not expected. Concrete wastewater is highly basic with an average pH level greater than 10. The wastewater will be neutralized prior to discharge to avoid increases in pH levels of the nearby waterbodies. During concrete production, the use of additives containing toxic chemicals will be minimized. The effluent will be filtered if additives containing toxic chemicals are used. During the Stage I development, the construction wastewater will be treated and discharged into the Susitna River; rapid mixing is expected to occur in the large, swift river.

Impacts on fish habitat located downstream from the effluent outlet into Deadman Creek may include increased nutrient loadings and increased temperatures. Arctic grayling, the primary species in Deadman Creek, are considered to be very sensitive to alterations in water quality (Scott and Crossman 1973, McLeay et al. 1984). Secondary treatment will avoid many of the problems associated with primary treatment, such as decreased dissolved oxygen and increased biochemical oxygen demand (BOD) and bacterial counts (Warren 1971). If

disinfection is required, an additional lagoon will be needed to provide the residence time to reduce the total residual chlorine to the USEPA chlorine standard of 2 mg/l for salmonids. The lagoon system will be utilized to cool the effluent temperatures to match the temperatures within the stream. The effluent BOD and the concentration of total suspended solids (TSS) are both estimated to be 30 mg/l, levels which conform to water quality standards set by the Clean Water Act (USEPA) and the ADEC Wastewater Disposal regulations (18 AAC 72). Effluent from construction and domestic activities will be monitored to verify conformance with ADEC/USEPA standards and the effluent disposal permits.

Although the treated effluent will introduce increased levels of phosphorus and nitrogen into Deadman Creek, a large increase in production in Deadman Creek is not expected. The effluent outfall in Deadman Creek will be located in a turbulent section and thorough and rapid mixing is expected. The maximum effluent discharge from Watana camp is expected to be 1.5 cfs; the 1 in 20 year, 30-day low flow for Deadman Creek is estimated to be 27 cfs (APA 1983c). Following mixing, at this low flow, the BOD and TSS levels in the effluent will be diluted to approximately 2 mg/l. Nitrogen and phosphorus loadings will be similarly diluted. The water quality in Deadman Creek is thus not expected to be significantly degraded by the effluent contributions.

The diluted effluent is not expected to degrade the water quality in the Watana impoundment by a measurable amount. During Stage I dam construction, the effluent from the wastewater treatment plant will rapidly become mixed with the water in Deadman Creek; maximum dilution is expected before Deadman Creek enters the impoundment created behind the cofferdams. The maximum Stage I normal reservoir elevation will be 2000 ft (610 m). The outfall will be approximately 100 ft (30 m) upstream along Deadman Creek from the reservoir at

this elevation. Although complete mixing of the effluent may not occur in the 100 ft (30 m) reach of creek, the large volume of the reservoir is likely to assimilate the effluent completely and water quality degradations in the impoundment are expected to be undetectable.

(vi) Disposal Sites

Adherence to the BMPM guidelines (APA 1985b) for disposal of material will avoid or minimize adverse impacts on the aquatic resources from increased suspended sediment levels. Runoff control berms will minimize turbid water contributions to nearby streams and lakes. Disposed material will be covered with a layer of coarse gravel or shot rock to minimize erosion. Suspended sediment increases will be temporary and residual aquatic impacts are not expected.

The disposal sites will be partially inundated upon Stage I Watana reservoir filling. Turbidity may increase locally during inundation; however, relative to the large volume of water in the reservoir, turbidity increases will be insignificant.

(vii) Clearing

Increases in local runoff may occur due to clearing activities and cause erosion, increased turbidity, and increased dissolved solids (Likens et al. 1970; Bormann et al. 1970; Pierce et al. 1970). The aquatic impacts are discussed more fully in Section 2.1.1(b) although the residual aquatic impacts from clearing activities will not require additional mitigation beyond adherence to the BMPM (APA 1985b).

(viii) Fuel and Hazardous Materials

Waterbodies in close proximity to the construction sites may receive small amounts of hydrocarbons. Storm runoff from the

camp, village and construction sites may contain hydrocarbons and sediments. By providing the proper drainage facilities and ponding areas described in the BMPM on Fuel and Hazardous Materials (APA 1985d), and if necessary, pump stations to pump contaminated water to the treatment facility, most oily and silty water will be prevented from reaching Tsusena and Deadman creeks. The small lakes at the village site will be more susceptible to intrusions of oily water. Runoff control measures such as trenches alongside roadways will collect runoff to avoid impacts to the lake. The water quality is not expected to be detectably impacted by the hydrocarbons in such small quantities.

An accidental spill, however, would severely affect the aquatic biota in nearby creeks and lakes as described in Section 2.1.1(b). Accidental oil spills will be avoided or contained as described in the BMP manual on Oil Spill Contingency Planning (APA 1985f).

(ix) Blasting

Current construction plans do not require instream blasting. Blasting is planned for areas 500 feet (150 m) or more from streams. A review of the effects of blasting on aquatic life (Joyce et al. 1980a, Teleki et al. 1978) indicates that effects from such blasting would probably not be lethal to aquatic organisms (at least with charges of less than 200 kg of TNT). The transmitted shock waves from the blasting may disturb fish and perhaps temporarily displace them from areas near blasting activity. This type of behavior is well documented for a variety of noise sources (Vanderwalker 1967; USEPA 1976; Latvaitis et al. 1977). Secondary effects of blasting may include small increases in turbidity and siltation caused by loosened soils and dust. Instream blasting will adhere to the ADF&G guidelines (Table 9) for the Susitna River. The location and amount of blasting planned during the Watana dam

Table 9. Alaska Department of Fish and Game Guidelines for blasting near an anadromous fish stream.

Substrate	DISTANCE TO ANADROMOUS FISH STREAM MEASURED IN FEET ¹							
	1	2	Explosive Charge Weight in Pounds					
			5	10	25	100	500	1000
Rock	50	80	120	170	270	530	1180	1670
Frozen Material	50	70	110	160	250	500	1120	1580
Stiff Clay, Gravel, Ice	40	60	100	140	220	440	990	1400
Clayey Silt, Dense Sand	40	50	80	120	180	370	820	1160
Medium to Dense Sand	30	50	70	100	160	320	720	1020
Medium Organic Clay	20	30	50	70	100	210	460	660
Soft Organic Clay	20	30	40	60	100	190	440	620

¹ Required distances for charge weights not set forth in this table must be computed by linear interpolation between the charge weights bracketing the desired charge if the charge weight is between one and 1000 pounds; example: for 15 pounds of explosive in rock substrate - required distance =

$$170 \text{ feet} + \frac{15 \text{ lbs} - 10 \text{ lbs}}{25 \text{ lbs} - 10 \text{ lbs}} (270 \text{ feet} - 170 \text{ feet}) = 203 \text{ feet};$$

for charge weights greater than 1000 pounds, the required distance may be determined by linear extrapolation.

Source: Edfelt 1981

construction is not expected to significantly impact fish. Quarry blasting activities are not expected as the rockfill is expected to be stockpiled from diversion tunnel excavations.

(x) Recreational Impacts

Construction and operation of the dam and camps will result in increased access to an area previously exposed to minimal fishing pressure. The areas expected to sustain the heaviest harvest pressure would be those stretches of Deadman and Tsusena Creeks and the Susitna River that are easily accessible from the camps and the damsite. Impacts would be as described in Section 2.1.1(b).

3.1.2 Stage II: Devil Canyon Dam and Facilities

The Devil Canyon dam will be situated on the Susitna River at RM 152 approximately 2 miles (3 km) downstream from the Cheechako Creek confluence (RM 154) and represents Stage II of the Susitna Hydroelectric Project. At the Devil Canyon dam site, the Susitna River is confined to a canyon approximately 600 feet (180 m) deep and 200 to 400 feet (60 to 120 m) wide at river level. The high velocities in the Susitna River are believed to deter fish from utilizing habitat at the dam site (ADF&G 1981). Fish are usually prevented from migrating upstream of Devil Canyon because of the high water velocity. However, a relatively small number of chinook salmon have been observed upstream of the Devil Canyon dam site (ADF&G 1981, 1983; Barrett et al. 1985). No more than 46 chinook salmon per year have been observed upstream of the Devil Canyon dam site between 1981 and 1984 (ADF&G 1981, 1983; Barrett et al. 1985).

Cheechako Creek is a clearwater stream supporting Arctic grayling, Dolly Varden and probably sculpin (Barrett et al. 1984). A few chinook salmon are known to utilize the lower reaches of Cheechako Creek; between 1981 and 1984, a maximum of 29 chinook salmon were observed in Cheechako Creek (ADF&G 1981, 1983, Barrett et al. 1985). During the low summer flows associated with the operation of Watana dam, chinook salmon are likely to pass the Devil Canyon dam site.

(a) Description

The Devil Canyon dam will be located approximately 32 miles (53 km) downstream from the Watana dam site. During the Stage II development of the Susitna Hydroelectric Project, a thin concrete arch dam will be built at the downstream end of Devil Canyon and connect at the south end to an earth and rockfill saddle dam built to provide closure of a low area at the south abutment (Figure 16). A perched lake in the saddle dam area will be drained during construction. The concrete dam foundation will cover about 90 ft (27 m) of river bottom. Construction of the dam will require excavation in the river channel by blasting or mechanical methods. The reservoir behind Devil Canyon will cover 7800 acres (3120 ha) and will be about 26 miles (42 km) long and not more than 0.5 mile (0.8 km) wide.

The concrete dam and foundation will be 646 ft (195 m) high with a crest elevation of 1463 ft (446 m) and a crest length of 1260 ft (385 m). An estimated 1.7 million cubic yards (1.3 million cubic m) of concrete will be needed to construct the arch dam. Waste concrete will be stockpiled in a disposal area and concrete wastewater will be channeled through settling ponds and neutralized prior to discharge into the Susitna River. The saddle dam will be 950 ft (287 m) across and 245 ft (74 m) high with a crest elevation of 1472 ft (449 m) and will require about 1.2 million cubic yards (912,000 m) of earth and rockfill material (APA 1985a). Impervious material will be hauled from Borrow Site D along the main access road to the Devil Canyon site. Material will be excavated and processed as described in Section 3.1.1(a).

Filter material and concrete aggregate will be obtained from the Susitna River at the dewatered dam site, Borrow Site G and Quarry Site K. Borrow Site G is located at the confluence of Cheechako Creek and the Susitna River. A pit excavation is expected at Borrow Site G. The mouth of Cheechako Creek will be diverted to the eastern boundary of the site. Overburden will be removed and

stockpiled or buried. Gravel washing water will be channeled through settling ponds. Approximately 40 acres of Borrow Site G are expected to be disturbed. Quarry Site K is approximately 400 ft higher in elevation and 1.5 miles (2 km) upstream from the mouth of Cheechako Creek. Overburden will be removed and stockpiled for use in site reclamation following the termination of quarry activities. Washing of quarry material will not be necessary. The locations of sites G and K are shown in Figure 17; other borrow sites may be utilized if material quantities are not adequate at sites G and K.

As with the Watana dam, the Devil Canyon dam will have an underground powerhouse, intake structure, outlet works, and main and emergency spillways. The intake structures will be equipped with trashracks with 6 inch (15 cm) bar spacing to prevent debris from being drawn into the powerhouse. A 38 ft (12 m) diameter tailrace tunnel will convey the turbine discharge approximately 1.3 miles (2.2 km) downstream from the arch dam. Outlet facilities will be designed to discharge a 50-year flood. Four 20 ft (6 m) diameter tunnels will lead from the intake structure to the underground powerhouse (APA 1985a).

The river will be blocked above and below the construction site by cofferdams. The flow will be diverted into a 35 ft (11 m) diameter horseshoe tunnel, 1490 ft (451 m) long, and discharged back into the river channel. The upstream and downstream cofferdams will be about 400 ft (120 m) long and 200 to 400 ft (60 to 120 m) wide (Figure 16) (APA 1985a).


The construction camp and construction village to house a maximum of 1900 persons will be located approximately 2.5 miles (4 km) southwest of the dam site (Figure 21). The camp will include dormitories, cafeteria, warehouses, offices, hospital, and recreational buildings. The village will contain housing for 150 families and will include a school, stores, and a recreation area. The camp will be approximately 0.5 mile (0.8 km) from the village. Both developments will be more than 700 ft (210 m) above the Susitna

River and more than 4000 ft (1200 m) from the edge of the canyon (Figure 21). Water, sewage, and solid waste disposal facilities will be shared by both developments. Water will be withdrawn from the Susitna River and the secondary treatment system, similar to the facility at the Watana site, will discharge effluent into the Susitna River approximately 1000 ft (305 m) downstream of the water intake.

The southern boundary of the camp and the village approach within 200 ft (60 m) of the upper reaches of Jack Long Creek. Arctic grayling, rainbow trout, slimy sculpin, chinook, pink, chum and coho salmon are known to utilize Jack Long Creek (Sautner and Stratton 1984). A small unnamed creek, which enters the Susitna at RM 150, drains a series of small lakes 3000 ft (900 m) to the east of the camp. The creek is paralleled by the sewage outfall line for approximately 1000 ft (300 m) or about 20 percent of its length. The unnamed creek and lakes appear to provide Arctic grayling, Dolly Varden and sculpin habitat. A few chinook salmon, Arctic grayling, and Dolly Varden are found in the lower reaches of Cheechako Creek (ADF&G 1983).

As at the Watana dam (Section 3.1.1), fuel and hazardous materials will be stored and utilized onsite. The fuel storage area will be located in a lined and diked area on the south side of the construction camp approximately 300 ft (91 m) higher in elevation and 1500 ft (460 m) away from Jack Long Creek.

Both the camps and the village are temporary developments to be dismantled and removed when the Stage II construction of the Devil Canyon dam is completed. Permanent personnel responsible for operation of the Devil Canyon dam will live at the Watana town. No airstrip will be built; air access will be provided by the permanent runway at Watana.



PLAN VIEW OF THE DEVIL CANYON DAM AND RELATED FACILITIES

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

Figure 21

(b) Potential Impacts

The adverse impacts upon the aquatic resources at the Devil Canyon dam site are expected to be similar to, but of lesser magnitude than, those at the Watana site (Section 3.1.1). Impacts from construction at Devil Canyon will be primarily restricted to the dam site. Temporary impacts resulting from the camp and village construction and operations are expected to be limited to the area immediately surrounding the construction site.

(i) Cofferdams and Diversion Tunnel

Upon completion of the cofferdams and diversion tunnel, approximately 1,100 ft (335 m) of riverbed will be dewatered between the cofferdams as at the Watana dam (Section 3.1.1). The dam foundation will permanently cover about 90 ft (27 m) of river bottom. Because the turbulence at the site is believed to deter fish from utilizing the aquatic habitat in the canyon, dewatering will likely have a minor impact upon availability of suitable aquatic habitat.

The cofferdams will create a permanent upstream migration barrier to fish in Devil Canyon. Under natural conditions, most fish species are unable to migrate upstream through the canyon due to high water velocities. In 1981 through 1984, chinook salmon were observed spawning in four tributaries and tributary mouths upstream of the dam site. However, few chinook salmon utilize this reach of river (21 to 46 fish observed per year) (ADF&G 1981, 1983, Barrett et al. 1985) and therefore the loss of chinook salmon spawning habitat upstream of the damsite is expected to be small.

Fish migrations downstream will remain possible although high mortality is likely if fish are abraded by the tunnel walls. Fish migrating downstream after construction of the cofferdams may be entrained into the diversion tunnel. Entrained fish are

likely to be damaged by contact with tunnel walls. Under natural conditions, fish present in the Susitna River may migrate downstream through Devil Canyon. However, the extent of downstream fish migration is assumed to be small.

During the winter, the diversion tunnel will be partially closed to impound a head pond to prevent ice problems; the impoundment may provide overwintering habitat for Arctic grayling. Overwintering fish in the vicinity of the diversion tunnel intake are likely to become entrained into the tunnel and damaged while being transported downstream. However, a large impact on overwintering fish is not expected as the habitat in the vicinity of the intake is expected to be poor compared to habitat available elsewhere in the impoundment.

(ii) Borrow Activities

The greatest impacts during construction of the dam and related facilities are likely to be associated with gravel mining and processing in Borrow Site G. Impacts associated with suspended sediment and hydrocarbon increases are described in Section 2.1.1(b). Suspended sediment and hydrocarbon contributions to the Susitna River from gravel mining will be controlled by maintaining buffer zones and berms and by collecting and circulating turbid runoff through sediment ponds prior to discharge. Potential migration barriers to fish in Cheechako Creek will be avoided by diverting the creek to the eastern boundary of the site and maintaining a buffer between the creek and the excavation area. The habitat in the mouth of Cheechako Creek will be lost as Borrow Site G will be permanently inundated by the Devil Canyon reservoir.

The Stage II development will change the quality of the aquatic habitats associated with the rehabilitated Borrow Site E. The operation of the Devil Canyon dam will impound a reservoir to a maximum normal operating elevation of 1455 ft (443 m). The

reservoir will partially inundate the rehabilitated Borrow Site E as shown in Figure 20. Following inundation, the water quality of the rehabilitated pit will reflect the reservoir water quality characteristics. The productivity in the Devil Canyon reservoir is expected to be poor because of high turbidity levels, cool temperatures and low nitrogen and phosphorus nutrient levels. However, the tributaries will contribute clear water with higher nutrient levels; therefore, fish utilization around the areas of tributary inflow, such as at the mouth of Tsusena Creek, is expected to be higher than elsewhere in the reservoir. A detailed description of the water quality and habitat availability in the reservoir is contained in Exhibit E, Chapter 2 of the License Application (APA 1983a) and License Application Amendment (APA 1985h).

(iii) Disposal Sites

Disposal sites will be located in accordance with the BMPM guidelines (APA 1985b) to avoid or minimize the impacts on the aquatic organisms described in Section 3.1.1(b). Runoff control structures will be installed to avoid increases in turbidity or organic contributions to waterbodies in the vicinity. Disposal sites will be situated upstream from the dam site (Figure 16) and will be permanently inundated during reservoir filling. Prior to inundation, disposed material will be stabilized with a riprap cover to minimize erosional impacts. Residual impacts on the aquatic resources of the area from operation or inundation of the disposal sites are expected to be negligible due to the large volume of the reservoir.

(iv) Water Removal

Aquatic impacts from water removal for construction and camp use from the Susitna River have been described in Section 2.1.1(b). Required withdrawal discharges are expected to be insignificant relative to the Susitna River discharge.

(v) Liquid and Solid Waste Management

Liquid and solid wastes could degrade the water quality in the clearwater streams and the Susitna River. To minimize water quality degradations, all process waters will be treated prior to discharge to the Susitna River. Wastewater from the construction camp will be collected and treated in the Devil Canyon sewage treatment plant. The treated effluent, less than 1 cfs, will not measurably decrease the waste assimilative capacity of the Susitna River and is not expected to have a significant effect on the aquatic environment. Water used in the concrete batching process, storm drainage, and oily water runoff from the construction camp will be collected and treated in settling ponds prior to discharge as described in Section 3.1.1(b). Required drainage facilities and retention ponds, as specified in the BMP manual on Water Supply (APA 1985c), are expected to avoid impacts to Jack Long Creek from uncontrolled runoff from the camp area. Residual increases in sediment levels are not expected to adversely affect spawning habitats in Jack Long Creek or the unnamed creek nearby.

(vi) Fuel and Hazardous Materials

Impacts associated with the handling and storage of fuel and hazardous materials were described in Section 3.1.1(b). The BMP manual on Fuel and Hazardous Materials (APA 1985e) will be followed to avoid adverse impacts on the aquatic organisms in Jack Long Creek and other nearby waterbodies. The BMP Oil Spill Contingency Planning manual (APA 1985f) will be utilized to avoid or contain accidental petroleum spills.

(vii) Blasting

Construction of the arch dam and the saddle dam will require excavation in the dewatered river channel at the damsite. The ADF&G blasting guidelines (Table 9) will be applied.

Excavation by blasting or by mechanical means may result in the introduction of materials into the Susitna River that would be carried downstream. However, the cofferdams are expected to contain sediment laden water with the site until treated. It is unlikely that the damsite itself is located in a stretch of the Susitna regularly inhabited by fish; therefore, it is expected that the excavation and blasting required at the damsite would not disrupt fish populations.

(viii) Recreational Impacts

As with the Watana dam, the most significant long-term impact associated with the Devil Canyon dam will be the increase in fishing pressure. The camp and village at the Devil Canyon site will house a maximum of 1900 workers for several years. As a result of the improved access and higher population, streams and lakes in the vicinity will be subjected to increased fishing pressure as described in Section 2.1.1(b). This area has not been heavily utilized for sport fishing in the past.

The habitats most likely to be affected by increased fishing include Cheechako Creek, unnamed creeks and lakes, Jack Long Creek, and to a lesser extent, the Susitna River and Portage Creek, which enters the Susitna River on the opposite side of the Susitna River about 2.5 miles (4 km) downstream from the dam location. Cheechako Creek, Jack Long Creek and the unnamed creeks and lakes support relatively minor fish populations, however, Portage Creek is one of the major clearwater tributaries of the middle reach of the Susitna River and supports significant runs of chum, pink, chinook and coho salmon (Barrett et al. 1984, 1985). Resident species in Portage Creek include rainbow trout, Arctic grayling, Dolly Varden, and round whitefish (Schmidt et al. 1984, Jennings 1985). In the Portage Creek drainage, sportfishing for rainbow trout, coho salmon, Arctic grayling, and Dolly Varden is

primarily concentrated at the tributary mouth. Rainbow trout appear to be particularly susceptible to sportfishing in the fall when they are concentrated at the mouths of tributaries (Schmidt et al. 1984). Access to Portage Creek from the construction area will be difficult and dangerous because of the steep side slopes and any increase in fishing pressure by construction workers is expected to be minimal.

3.1.3 - Stage III: Watana Dam and Facilities

Construction during Stage III will take place at the Watana damsite established in Stage I. The dam crest elevation will be raised and the generating power will be increased from Stage I. Section 3.1.1(a) details the Stage I dam and facilities.

(a) Description

During Stage III, the Watana dam will be raised to a crest elevation of 2205 ft (672 m) (Figure 19). The maximum normal reservoir elevation will be increased to 2185 ft (666 m). The minimum operating level of the reservoir will be 2065 ft (630 m). The concrete spillway, outlet facility structure and the two power intakes will be raised. A third power intake and two additional power generating units will be constructed. Upon completion of the Stage III development, the dam will be approximately 0.75 mile (1.3 km) wide, 0.75 (1.3 km) mile long and 885 ft (267 m) high. Over 62 million cubic yards (47,500,000 m³) of material will be used to construct the dam.

Excavation of 1 million cubic yards (0.75 million m³) of gravel material will be needed for the Stage III development of the Watana dam. The upstream regions of Borrow Site E (Figure 19) are not expected to be inundated by the Devil Canyon reservoir, which has a normal operating elevation of 1455 ft (443 m) to 1405 ft (428 m), with the drawdown occurring from June to August. Additional gravel material in the downstream area of the borrow site will be exposed

during drawdown and will be available for excavation during construction of the Stage III Watana dam. Excavation to remove the needed amounts of material may necessitate the use of cofferdam structures and/or dragline operations. Excavation will increase the turbidity and suspended sediment concentrations in the rehabilitated lake. The lake will be temporarily isolated from the mainstem during borrow activities to avoid increasing the turbidity and suspended sediment levels in the Susitna River. The site will be rehabilitated after the termination of excavations.

The construction campsite from Stage I will be reused for Stage III. A maximum population of 2000 people is expected. A description of the camp is contained in Section 3.1.1(a).

The facilities established during Stage I for water removal and waste handling (Section 3.1.1(a)) will be utilized during Stage III construction.

(b) Potential Impacts

Potential impacts from Stage III construction will be similar to potential impacts identified for Stage I (Section 3.1.1(b)). The predominant effect of construction during Stage III will be the increase in duration of potential impacts from fill placement, water removal, and waste management (Section 3.1.1(b)). The longer duration of these potential impacts is not expected to significantly degrade the aquatic resources of the region. Additional impacts, such as the impact from the gravel material excavations at Borrow Site E and the clearing of the reservoir area to a higher level, are discussed further.

(i) Borrow Activities

During the Stage III development of Borrow Site E, temporary increases in suspended sediment levels and instream disturbances may cause fish to avoid habitat in the vicinity of

the mouth of Tsusena Creek. The additional gravel excavations, even though conducted in accordance with the BMPM (APA 1985b) and the USFWS Gravel Removal Guidelines (Joyce et al. 1980b), may increase suspended sediment levels in the Devil Canyon reservoir; relative to the expected reservoir turbidities, the sediment contribution is not expected to significantly degrade the water quality. Borrow activities may temporarily disturb fish utilizing habitat at the mouth of Tsusena Creek. The sites of gravel excavation will be rehabilitated following the cessation of material removal.

(ii) Liquid and Solid Waste Management

Construction wastewater will be treated and neutralized prior to discharge into the Susitna River upstream from the Devil Canyon reservoir. The effluent quantities will be insignificant relative to the reservoir volume water quality degradation in the Devil Canyon impoundment is not expected to be significant.

Wastewater from the construction camp and village will be discharged through the system established during Stage I (Section 3.1.1(a)); however, the effluent outlet will be inundated as the Stage III Watana dam becomes operational. The effluent is not expected to significantly degrade the water quality in the Stage III Watana Reservoir due to the small amount of discharge and the rapid mixing which will be caused by the flow of Deadman Creek into the reservoir.

(iii) Disposal Sites

During the Stage III development of the Watana dam, overburden, vegetation and unusable material from the dam site will be stockpiled until disposal in the specified disposal area on the north bank of the Susitna River (Figure 15). Disposal will take place during the drawdown cycle of the Stage I reservoir;

the reservoir will reach a minimum normal elevation of 1850 ft (564 m) approximately in April. Quantities of disposal material for the Stage III development will be less than quantities from the Stage I development. Residual aquatic impacts are not expected if activities conform to the BMPM on Erosion and Sedimentation Control (APA 1985b).

(iv) Clearing

Clearing will remove trees below the increased reservoir elevation. Potential impacts will be similar to those discussed in Section 3.1.1(b).

3.2 - Construction Zone Mitigation

Mitigation of potential impacts associated with the construction of the Watana and Devil Canyon dams and facilities will be achieved primarily by adherence to the BMPM construction practices. The BMP described in the Erosion & Sedimentation Control Manual (APA 1985b) will be followed to minimize turbidity and siltation impacts. The BMP manual on Water Supply (APA 1985c) will be utilized to minimize impacts associated with water withdrawal. Activities involving wastewater, petroleum products and hazardous materials will conform to the relevant BMPM (APA 1985d, 1985e, 1985f) to avoid or minimize potential impacts on the aquatic resources in the vicinity.

Potential impacts are identified in Section 3.1. Section 3.2.1 contains a discussion of the impact mechanisms and the mitigation measures that will be applied during and after construction. Those mechanisms considered to have the greatest potential for adverse impact to the aquatic environment are discussed first. Avoidance, minimization, rectification and reduction of impacts are discussed. Costs associated with the rehabilitation of Borrow Site E are presented in Table 8; no other direct mitigation costs have been evaluated as adherence to the BMPM (APA 1985b, 1985c, 1985d, 1985e, 1985f) is the primary means of mitigation.

Continued monitoring of the construction facilities and activities will ensure that impacts to the aquatic environment are avoided or minimized. Monitoring can identify areas that may need rehabilitation or maintenance and areas where previous mitigation measures are proved inadequate and remedial action is necessary. Monitoring of construction is discussed in Section 3.2.2. Costs associated with construction monitoring are outlined in Table 8.

3.2.1 Impact Mechanisms and Mitigation Measures

(a) Borrow Sites

(i) Impact Mechanism

Removal of floodplain gravel at Borrow Sites E, G and other potential sites (Figures 10 and 17) can cause increases in erosion, siltation, turbidity, ice buildup caused by ground water overflow, fish entrapment, and alteration of fish habitat.

(ii) Mitigation

Gravel removal in the floodplains of the Susitna River will be conducted in accordance with the USFWS Gravel Removal guidelines (Joyce et al. 1980b) and the BMPM on Erosion and Sedimentation (APA 1985b). Buffers will be retained between the sites and any active channels. The natural or man-made buffers will consist of vegetated strips and/or dikes designed to prevent erosion and subsequent increases in turbidity. At Tsusena Creek, buffers will be maintained between the channel and the excavation. Cheechako Creek will be diverted around the borrow excavation. Fish passage will be maintained through Tsusena, Cheechako and all other fish supporting creeks affected by borrow activities. The borrow areas will be subdivided into aliquots; each aliquot will be cleared and excavated prior to the commencement of borrow activities in adjacent aliquots. Rehabilitation of the disturbed aliquot

will proceed concurrently with borrow activities in adjacent aliquots. Rapid rehabilitation will assist in reducing erosional impacts to the aquatic resources.

Material washing operations will use recycled water and will not discharge into adjacent clearwater streams. Water containing suspended sediments will be circulated through settling ponds and reused. Settling ponds may be maintained by dredging fine materials which will be removed from the floodplain and used in site rehabilitation. Settling ponds will be cleared when the effluent approaches the ADEC/USEPA standards. Upon closure of the borrow site, the water will be discharged from the settling ponds into the Susitna River. All effluents will conform to ADEC/USEPA standards (AS 46.03.100; 18 AAC 70.020; 18 AAC 72.010).

Overburden and unsuitable material will be stockpiled for return to the removal area for contouring and revegetation efforts. Material will be stockpiled outside the floodplain to avoid impounding flow at higher stages which would result in material erosion. If insufficient space exists away from the floodplain, material stockpiled within the floodplain will be armored to prevent erosion.

Rehabilitation at Tsusena Creek will proceed both concurrently with borrow activities and following closure of the site. Stockpiled overburden will be returned to upland aliquots. Exposed slopes will be stabilized and contoured to blend with surrounding features and topography. Revegetation and fertilization of the disturbed areas will assist in minimizing erosion. All man-made objects will be removed following site closure. Settling ponds will be dewatered of the clear surface water and silt will be broadcast, removed to approved disposal sites, left in place with a riprap covering or piled in the nonflooded sections of the site.

The pit excavation at Borrow Site E will be rehabilitated to provide fish habitat. A rehabilitated borrow pit can provide fish rearing and overwintering and increase the availability of Arctic grayling and Dolly Varden (Joyce et al. 1980a). Spoil materials will be used to provide a diversity of water depths and bank slopes to create a variety of fish habitats. A mean depth of 8 ft (2.5 m) or greater will be needed to assure survival of overwintering fish. The pit will have a relatively long and narrow shape with an irregular shoreline aligned longitudinally in the floodplain.


Spoil and overburden will be used to construct islands and peninsulas. An outlet channel will be provided at the downstream end of the pit to enable fish movement between the mainstem and the pit. The unnamed creek will flow directly into the pit and contribute nutrients to improve the quality of the fish habitat within the pit. Tsusena Creek will remain independent of the pit as a result of the buffer between the excavation and the active channel of the creek. Figure 22 depicts a rehabilitated pit excavation that may be appropriate for Tsusena Creek.

Borrow site G will be inundated following dam completion; rehabilitation will consist of stabilizing slopes to minimize erosion and removing man-made objects. Revegetation will not be necessary. Settling ponds will not be dewatered but will be stabilized to prevent fine sediment influxes to the reservoir.

(b) Water Quality

(i) Impact Mechanism

Temporary degradations in water quality caused by increased turbidity, sedimentation and petroleum contamination may change the species composition and reduce the productivity of the system (Bell 1973, Alyeska Pipeline Service Company 1974).



REHABILITATED BORROW SITE E

Figure 22

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

Discharge of camp effluents may result in increased nutrient loading. Concrete batching plants produce highly alkaline effluents. Wastewater may have a higher temperature than natural waters.

(ii) Mitigation

The primary mitigation measures that will be used to minimize degradations in water quality are: (1) employing BMPM erosion control measures including runoff control, stilling basins and revegetation (APA 1985b); and (2) maintaining vegetated buffer zones.

Disposal sites will be constructed so that neither runoff during breakup nor rainfall will wash silty material into streams. This may entail runoff control structures, surrounding the disposal site with berms, or channeling runoff through containment ponds. Prior to site inundation, the overburden and slash will be stabilized with gravel or riprap fill. Turbidity increases, water quality degradations, and other impacts are not expected due to disposal site inundation (Section 3.1.1).

Natural vegetation is a major factor in preventing erosion (Alyeska Pipeline Service Company 1974). Clearing will be confined to the minimum area and level necessary. Cleared material will be removed to approved disposal sites, salvaged, or burned onsite. Revegetation of cleared areas will proceed as rapidly as possible following the termination of construction activities.

All wastewater will be treated to comply with ADEC/USEPA effluent standards (AS 46.03.100; 18 AAC 70.020; 18 AAC 72.010). The concrete batching effluent will be neutralized and treated prior to discharge into the

Susitna River to avoid impacts related to pH and toxic substances. Secondary treatment will be utilized to reduce the concentration of suspended solids and biochemical oxygen demand (BOD) of the wastewater. The effluent will retain relatively high concentrations of nitrogen and phosphorus. Wastewater will be retained in settling ponds until effluent temperatures approximate instream temperatures.

(c) Susitna River Diversions

(i) Impact Mechanism

The diversion tunnels and the dams will act as barriers to successful fish migration. Chinook salmon will not be able to able to utilize spawning habitat upstream of the dam site. Fish passing downstream through the diversion tunnels are expected to be lost because of abrasion from tunnel walls. During summer, relatively few fish are present in the vicinity of the tunnel entrance. During winter, resident fish are expected to be entrained into the intake and passed downstream.

(ii) Mitigation

The loss of aquatic habitat caused by the installation of the dams and diversion tunnels will be included in the compensation for lost reservoir habitat that will take the form of acquiring public access and undertaking habitat improvement outside the project area (Entrix 1985).

(d) Oil and Hazardous Material Spills

(i) Impact Mechanism

Spills of oil and other hazardous substances into streams are toxic to fish and their food organisms.

(ii) Mitigation

Mitigation for oil and hazardous material spills is described in Section 2.2.1 and will be conducted in accordance with the BMPM on Oil Spill Contingency Planning (APA 1985f); if an unavoided major oil spill occurs, compensation will be determined following consultation with the resource management agencies.

(e) Clearing the Impoundment Area

(i) Impact Mechanism

Impoundment area clearing may accelerate erosional contributions to the Susitna River.

(ii) Mitigation

Clearing will be scheduled annually as close to reservoir filling as is feasible. Vegetation will be cleared to the elevation of the high water level anticipated for each year of filling. Disturbance to the vegetative mat will be avoided. Erosion control methods described in the BMP manual on Erosion and Sedimentation Control (APA 1985a) will be employed wherever needed to minimize erosion. No additional mitigation will be required.

(f) Increased Fishing Pressure

(i) Impact Mechanism

The sport fishing pressure on the local streams and lakes will increase due to the presence of the construction workers.

(ii) Mitigation

The mitigation of the aquatic impact from increased fishing pressure has been previously discussed in Section 2.2.1. Additional mitigation is not expected.

3.2.2 - Monitoring

Monitoring is recognized as an essential project mitigation feature that will provide for a reduction of impacts over time. Monitoring will be conducted throughout project construction:

- To assure that the environmentally careful construction practices detailed in the BMPM's (APA 1985b, 1985c, 1985d, 1985e, 1985f) are being employed on the project to avoid or minimize impacts;
- To verify and evaluate the effectiveness of the operation and maintenance of mitigation features; and
- To recommend changes in construction practices or mitigation features to further avoid, minimize, or reduce impacts.

Construction monitoring will consist of monitoring construction activities to verify that proper construction practices are being followed and that project facilities are being properly maintained. This monitoring activity will cover all project facilities, including camp and village construction, material removal, washing operations for dam construction, reservoir clearing, abandonment, and rehabilitation activities.

As described in Section 2.2.2, the APA will assign at least one member of its staff to be an Environmental Field Officer (EFO) responsible for compliance with regulatory requirements and permits. During and after construction activities, the EFO will review the designs and verify that the activity is in compliance with the BMPM's permit and license stipulations. If a discrepancy with existing stipulations is observed

and if a variance was not requested prior to implementing the activity, a certificate of non-compliance will be issued and all responsible parties will be notified.


The monitoring program will include water quality and borrow site monitoring. Deadman Creek will be monitored to detect degradations in water quality from increased phosphorous or nitrogen (Harza-Ebasco 1985a). The water quality monitoring program will also investigate dissolved oxygen levels downstream of the effluent outlet (Harza-Ebasco 1985a). Borrow sites will be monitored during construction and after rehabilitation to assure that water quality is not being significantly degraded by sediment contributions. Settling pond effluents will be monitored to assure compliance with ADEC/USEPA standards. Tsusena and Cheechako creeks will be monitored for fish blockages. Following rehabilitation, Tsusena Creek will be monitored to ensure that grading, revegetation and other mitigative measures are successful. Impacts identified through the monitoring program will be assessed and rectified following consultation with the resource agencies.

4.0 TRANSMISSION LINES

Power generated at the Watana dam and the Devil Canyon dam will be delivered to power utilization regions by transmission lines. Construction will occur throughout the three stages of development (Figure 23). Table 10 depicts the transmission line construction planned for each stage. The transmission lines will be built from the Watana dam along the access road to the Devil Canyon dam site and continue along the railroad spur from Gold Creek (Figure 24). At Gold Creek, the transmission lines are planned to converge with the Anchorage-Fairbanks Intertie currently extending from Willow to Healy (Figures 25, 26 and 27). The route south of Willow will be extended to Point MacKenzie where a submarine cable will cross the Knik Arm. The terminus of the southern section will be the University substation in Anchorage (Figure 28). The northern section will be extended from Healy to Ester near Fairbanks (Figures 29 and 30). The transmission corridor from Anchorage to Fairbanks will be 330 miles (530 km) long.

Potential aquatic impacts associated with the transmission line construction and maintenance will be similar to those identified for the access corridor (Section 2.1). In general, impacts are anticipated to be short in duration and confined to the construction phase. Short-term aquatic impacts will occur where the transmission lines cross resident and anadromous fish streams. The transmission line corridor will increase the accessibility of these streams and nearby lakes and may lead to increased fishing pressure; this long-term impact is probably the most significant potential aquatic impact associated with transmission line construction.

Mitigation of potential transmission line impacts will also be similar to the mitigation of the access road impacts (Section 2.2). Mitigation of short-term potential impacts during construction will be accomplished primarily by adherence to the construction practices presented in the APA BMP manuals (APA 1985b, 1985c, 1985d, 1985e, 1985f). Mitigation of impacts resulting from increased accessibility may include restricting usage of any maintenance roads.



STAGED CONSTRUCTION OF TRANSMISSION LINES

Figure 23


ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

Table 10. Numbers of 345 kV circuits to be installed during staged construction of the transmission lines.

Stages	Construction Initiated	Segment of transmission line					
		Fbks. to Healy	Healy to Gold Cr.	Watana to Devil Canyon	Devil Canyon to Gold Cr.	Gold Cr. to Willow	Willow to Anchorage
Stage I	1995	1		2	2	1	2
Stage II	1998	1	1		2	1	
Stage III	2006					1	1




TRANSMISSION LINE CORRIDOR FROM THE WATANA DAM SITE TO GOLD CREEK

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.


HARZA-EBASCO
SUSITNA JOINT VENTURE

Figure 24



MATCH LINE FIGURE 27

0 1 2
MILES



LEGEND

- +++++ ALASKA RAILROAD
- STREAMS
- PARKS HIGHWAY
- TRANSMISSION LINE CORRIDOR

**THE CENTRAL SECTION OF THE
ANCHORAGE-FAIRBANKS INTERTIE**

MATCH LINE FIGURE 25


ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

Figure 26

MATCH LINE FIGURE 29



- LEGEND**
- ++++ ALASKA RAILROAD
 - STREAMS
 - - - PARKS HIGHWAY
 - - - TRANSMISSION LINE CORRIDOR

THE NORTHERN SECTION OF THE ANCHORAGE-FAIRBANKS INTERTIE


ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

Figure 27

MATCH LINE FIGURE 26








Figure 29



- LEGEND**
- +++++ ALASKA RAILROAD
 - STREAMS
 - - - PARKS HIGHWAY
 - - - TRANSMISSION LINE CORRIDOR



THE NORTHERN SECTION OF THE TRANSMISSION LINE FROM HEALY TO ESTER

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

ENTRIX, INC.

HARZA-EBASCO
SUSITNA JOINT VENTURE

Figure 30

4.1 - Impact Analysis

4.1.1 - Watana to Gold Creek

(a) Description

From the Watana dam site to Gold Creek, a distance of 37 miles (60 km), two parallel sets of towers will be built during Stage I construction; the towers will require a 285 foot (87 m) wide right-of-way through tundra and occasionally dense vegetation. The transmission lines will consist of a series of steel towers approximately 1300 ft (393 m) apart (APA 1985a). The towers will be x-framed guy towers, capable of supporting three conductors. The transmission towers will be spaced so that structures are not located within currently active stream channels and are removed from floodplains to the best extent practicable. The transmission line corridor is sited within 1 mile (1.6 km) of the Devil Canyon access road except near the Watana dam.

In the right-of-way, trees and shrubs within 20 ft (6 m) of the conductors and trees within 55 ft (16.5 m) of the tower centerline will be cleared as well as any other trees or shrubs that may hamper construction or pose a threat to the completed line. The selective clearing will retain low shrubs and grasses in order to minimize erosion. Revegetation in the corridor will be allowed to proceed so long as the integrity of the lines is not endangered and vehicles are able to follow the cleared area associated with the lines. Where vegetation is dense between the Susitna River crossing and Gold Creek, cleared vegetation will be hauled to a designated area and salvaged or burned. Deciduous vegetation may be piled at the corridor margins; coniferous slash may be chopped with a hydro-axe and broadcast in the corridor. Piled coniferous vegetation will be burned within the first year after cutting. Clearing activities are scheduled to occur from 1995 to 1998 (Figure 6).

The transmission line construction will necessitate stream crossings by heavy equipment such as hydro-axes and drill rigs. Streams and lakes potentially impacted are previously identified in Sections 2.1.2 and 2.1.4 since the transmission corridor will closely parallel the Devil Canyon dam access road and the railroad spur connecting Devil Canyon to Gold Creek (Figure 24). Temporary bridges may be installed depending on the stream size and passage requirements. For small streams with low gradients and gradual banks, low water crossings may be used. All crossings will be designed to provide adequate fish passage (Harza-Ebasco 1985b).

The towers will be supported by a variety of foundations designed for soil conditions at each site. Driven steel pilings and steel grillage foundations will be preferentially utilized although cast-in-place concrete piles will occasionally be necessary. Rock footings will employ grouted rock anchors with a minimum use of concrete to facilitate winter construction. Buffers of at least 100 ft (30 m) between active stream channels and the sites of driven piles will be retained to avoid increased sedimentation from soil vibration in the channel during pile driving. Waste concrete will be disposed at designated sites away from streams and lakes. Concrete batch water will be neutralized prior to discharge. Foundation sites will be graded following construction to contour the disturbed surface to suit the existing grades.

Ground access will be provided in transmission line corridors for periodic maintenance and repair of lines, towers and conductors. Within the transmission line corridor, a 25 ft (7.5 m) wide trail will be cleared; the trail will be suitable for flat tread, balloon tire vehicles. The maintenance trail will remain clear of vegetation and will be accessed using secondary trails from the Devil Canyon access road and railroad. Stream crossings in the corridor will be minimized by clearing secondary trails to the sections of the corridor trail separated by major streams. Vegetation or man-made buffers between the corridor trail and the stream will discourage stream crossings. Along the Watana to Gold

Creek corridor, a secondary trail will connect each tower to the road or railroad access corridor. The secondary trails will not be maintained by the APA.

(b) Potential Impacts

Potential aquatic impacts from Stage I construction of the transmission line from Watana to Gold Creek are similar to those of the Devil Canyon access road (Section 2.1.2) and the railroad spur (Section 2.1.4). Impacts discussed in these sections are generally applicable to transmission line construction. Variations or alterations in impacts are discussed further.

(i) Clearing

Residual impacts from transmission line clearing from the Watana dam site to Gold Creek will include minor water quality degradations from erosion increases and small amounts of aquatic habitat loss from cover removal. At transmission line stream crossings, clearing may remove overhanging vegetation that provides cover for fish. Fish may not utilize the available habitat if cover is not available. This habitat loss is expected to be temporary and minor relative to the total amount of available habitat. BMPM techniques (APA 1985b) will be followed at cleared vegetation stockpiling, salvaging or burning sites to prevent surface runoff from contributing ash or organic materials to streams and lakes as described in sections 2.1.2(b) and 2.1.4(b).

(ii) Stream Crossings and Encroachments

Instream activities will be limited to the installation of necessary stream crossing structures designed to provide adequate fish passage (Harza-Ebasco 1985b). Stream crossings at major fish supporting streams will be avoided by utilizing the alternative access secondary trails from the access road

and railroad to Devil Canyon. Instream use of equipment will be required to be short in duration and will be scheduled to avoid environmentally sensitive periods for the designated streams (Figures 9 and 14). Residual impacts from stream crossings consist of temporary habitat losses, which are not believed to be of significant magnitude to require mitigation. Mitigation for a major petroleum spill is presented in Section 2.2.1.

(iii) Operation and Maintenance Activities

Significant aquatic impacts are not expected to occur during operation and maintenance activities. Some localized habitat disruptions could occur when maintenance vehicles need to cross wetlands and streams to repair damaged lines or towers. Streams may be forded to make repairs if the temporary bridges or culverts are removed after construction is complete. Aquatic habitat in the immediate vicinity of the crossing could be affected. In addition, there may be increases in suspended sediments and sedimentation in downstream reaches. However, maintenance activities in remote areas are expected to utilize helicopter transportation.

In the longer term, the transmission line corridor and maintenance road may increase fishing pressure on lakes and streams in the vicinity. Because the vegetation will be kept relatively low, hikers and all terrain vehicles will be able to use the transmission corridor as a trail. In winter, snow machines will also be able to traverse these cleared areas. Between Watana and Devil Canyon, access may be increased marginally beyond that provided by the nearby Devil Canyon access road. The corridor and maintenance track between Devil Canyon and Gold Creek paralleling the railroad spur would marginally improve access to tributaries and sloughs of the Susitna River and may slightly increase the fishing pressure on these habitats.

4.1.2 Devil Canyon to Gold Creek

(a) Description

The Stage II construction on the Devil Canyon dam will add two transmission lines to the transmission corridor from Devil Canyon to Gold Creek. This will result in an arrangement of four parallel sets of towers extending for 8 miles (13 km) along this segment of the lines. The corridor will be widened to 510 ft (153 m). Additional clearing along the corridor will be necessary as described in Section 4.1.1.

(b) Potential Impacts

The potential impacts associated with installing two additional transmission lines in the Devil Canyon to Gold Creek corridor will be similar but of less magnitude than the impacts identified in Section 4.1.1. Disposal sites from Stage I clearing will be utilized. Significant new impacts are not expected with this incremental addition.

4.1.3 Willow to Healy

(a) Description

The transmission lines will join the Anchorage-Fairbanks Intertie at Gold Creek. The Anchorage-Fairbanks Intertie, which connects Willow to Healy was completed in 1984 (Figures 25, 26 and 27). During Stage I construction, the Susitna Hydroelectric Project will add another line of towers from Gold Creek to Willow within the same right-of-way; the Stage II Devil Canyon construction will include building an additional transmission line in the Intertie corridor from Gold Creek to Healy. A third transmission line will be constructed from Gold Creek to Willow to transport power following Stage III development at Watana (Figure 23). The Intertie corridor for the Stage III development will be cleared to a width of 300 ft

(90 m) from Gold Creek to Healy and 400 ft (120 m) from Gold Creek to Willow. The impacts will be similar to those experienced during Intertie construction. The Environmental Assessment Report for the Intertie (Commonwealth et al. 1982) discusses the expected environmental effects of transmission line construction in this segment. Fish streams that will be crossed include the Nenana River, Talkeetna River, Chumila Creek, Susitna River, and the Kashwitna River. A total of 77 streams will be crossed (Table 11).

The majority of streams crossed by the transmission lines along the Intertie route are utilized throughout the year by anadromous and resident species (Table 11). Anadromous fish include chinook, sockeye, coho, pink, and chum salmon; resident species of primary importance include Arctic grayling, Dolly Varden and rainbow trout.

Construction will proceed in a similar manner to the construction of the Intertie transmission lines. Experience gained from the previous construction will be applied and is likely to result in a shortened construction period. Access established during construction of the Intertie will likely be utilized. During construction, heavy equipment will cross small streams. Temporary bridges or culverts may be installed to minimize impacts to aquatic organisms. The majority of stream crossings will utilize log stringer and temporary bridges. Small headwater streams without fish populations will be forded. These streams are identified in Table 11 and are located at the approximate mile post (AMP) 79, 90.5, 91.5, 92.5, 94, 117.5 and 137.5 as measured from the Willow substation. Large streams in the transmission corridor will not be crossed by equipment; sections of the transmission line separated by major streams and rivers will be accessed from existing roads such as the Parks Highway. Construction where secondary roads to the site would be long and involve numerous stream crossings will likely utilize helicopter transportation in a similar manner to construction along the Anchorage-Fairbanks Intertie.

Table 11. Streams crossed by the Anchorage-Fairbanks Intertie.

Stream	Approximate miles from Willow Substation	Species Present
Willow Creek	.4	Chinook, coho, chum, pink and sockeye salmon; Dolly Varden; rainbow trout; Arctic grayling; whitefish; (burbot) ¹
Rogers Creek	2.5	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Iron Creek	4	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Little Willow Creek	5	(Chinook, sockeye, chum, coho and pink salmon; whitefish; Arctic grayling; rainbow trout; Dolly Varden; burbot) ¹
Unnamed creeks	7,8.5	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
196 Mile Creek	10	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
197 1/2 Mile Creek	11.5	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Kashwitna River	13	Chinook, coho and chum salmon; (Arctic grayling; rainbow trout; Dolly Varden; whitefish; burbot) ¹
Caswell Creek	16	Chinook salmon; (Arctic grayling; rainbow trout; Dolly Varden; whitefish; burbot) ¹
Sheep Creek	17	Chinook, pink and chum salmon; (Arctic grayling; rainbow trout; Dolly Varden; whitefish; burbot) ¹
Unnamed Creek	19.5	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Goose Creek	24	Chinook and pink salmon; (Arctic grayling; rainbow trout; Dolly Varden; whitefish; burbot) ¹

Table 11 (continued)

Stream	Approximate miles from Willow Substation	Species Present
Unnamed Creek	27.5	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Montana Creek	30	Chinook, pink and chum salmon; (Arctic grayling; rainbow trout; Dolly Varden; whitefish; burbot) ¹
Unnamed Creek	34	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Answer Creek	36.5	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Unnamed Creek	41	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Talkeetna River	45	Chinook, sockeye, coho, pink and chum salmon; (Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Unnamed creeks	48,50.5	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Chunilna Creek	54.5	Chinook, coho, pink and chum salmon; (Arctic grayling; rainbow trout; Dolly Varden; whitefish; burbot) ¹
Tributary of Chunilna Creek	63	(Chinook and coho salmon; Arctic grayling; rainbow trout; Dolly Varden; whitefish; burbot) ¹
Lane Creek	63.5	(Arctic grayling, rainbow trout, Dolly Varden, whitefish) ¹
Unnamed creeks	67,70	(Arctic grayling, rainbow trout, Dolly Varden, whitefish) ¹
Sherman Creek	70.5	(Arctic grayling, rainbow trout, Dolly Varden, whitefish) ¹
Unnamed creeks	71.5,73	(Arctic grayling, rainbow trout, Dolly Varden, whitefish) ¹
Gold Creek	76	Chinook, coho and pink salmon, Arctic grayling, rainbow trout, Dolly Varden, whitefish, sculpin
Unnamed Creek (Waterfall Creek)	79	none ²

Table 11 (continued)

Stream	Approximate miles from Willow Substation	Species Present
Unnamed Creek	80.5	Chinook salmon, sculpin
Susitna River	81	Chinook, sockeye, coho, pink and chum salmon; Arctic grayling; Dolly Varden, whitefish, longnose sucker, burbot, sculpin
Tributary of Indian River	86	(Arctic grayling, rainbow trout, Dolly Varden, whitefish) ¹
Indian River	87.5	Chinook, coho, pink and chum salmon; Arctic grayling; Dolly Varden; rainbow trout; (whitefish, burbot) ¹
Unnamed Creek	90	(Arctic grayling, rainbow trout, Dolly Varden, whitefish, burbot) ¹
Pass Creek	90.5	none ²
Unnamed creeks	91.5, 92.5, 94	none ²
Granite Creek	94.5	(Arctic grayling, rainbow trout, Dolly Varden, whitefish) ¹
Hurricane Gulch	96	(Arctic grayling, rainbow trout, whitefish) ¹
Little Honolulu Creek	98.5	(Arctic grayling, rainbow trout, whitefish) ¹
Unnamed Creek	100	(Arctic grayling, rainbow trout, whitefish) ¹
Honolulu Creek	101.5	(Arctic grayling, rainbow trout, whitefish) ¹
Antimony Creek	103.5	(Arctic grayling, rainbow trout, whitefish) ¹
Unnamed Creek	105.5	(Arctic grayling, rainbow trout, whitefish) ¹
Hardage Creek	106	(Arctic grayling, rainbow trout, whitefish) ¹
East Fork Chulitna River	111.5	Sockeye, coho and chum salmon; (Arctic grayling; rainbow trout; whitefish) ¹
Fourth of July Creek	114.5	(Arctic grayling, rainbow trout, whitefish) ¹
Unnamed Creek	117.5	none ²
Coal Creek	118	(Arctic grayling, rainbow trout, whitefish) ¹

Table 11 (continued)

Stream	Approximate miles from Willow Substation	Species Present
Middle Fork Chulitna River	120	Sockeye, coho and chum salmon; (Arctic grayling, rainbow trout, whitefish) ¹
Unnamed creeks	122.5, 125	(Arctic grayling, rainbow trout, whitefish) ¹
Unnamed creeks	125.5, 126.5, 128	(Arctic grayling, whitefish) ¹
Jack River	131.5	(Arctic grayling, whitefish) ¹
Unnamed creeks	133.5, 134.5, 136.5	(Arctic grayling, whitefish) ¹
Nenana River	137	Arctic grayling, whitefish, burbot, northern pike, sculpin
Unnamed Creek	137.5	none ²
Slime Creek	141	(Arctic grayling, whitefish) ¹
Carlo Creek	145.5	(Arctic grayling, whitefish) ¹
Yanert Creek	154	(Arctic grayling, whitefish) ¹
Unnamed Creeks	155, 156.5	(Arctic grayling, whitefish) ¹
Montana Creeks	158	(Arctic grayling, whitefish) ¹
Unnamed Creeks	159, 162.5, 163.5, 164.5, 165	(Arctic grayling, whitefish) ¹
Copeland Creek	168.5	(Arctic grayling, whitefish) ¹
Healy Creek	172	(Arctic grayling, whitefish) ¹

¹ (species) can be reasonably expected, but not verified

² Steep contours probably preclude fish

Reference: ADF&G 1978 Fisheries Atlas. Volumes I and II.

(b) Potential Impacts

The potential impacts of constructing additional transmission lines in the Anchorage-Fairbanks Intertie corridor are expected to be similar, but of less significance than the impacts associated with the original construction activities. Impacts identified for transmission line construction in Section 4.1.1 are applicable. Additional site specific impacts are discussed further.

(i) Clearing

The additional clearing required for the installation of the second and third transmission line will be conducted using BMPM techniques (APA 1985b). Sites previously selected during construction of the Intertie for vegetation broadcasting, stockpiling and/or burning will be utilized. Residual impacts are not expected if the BMPM (APA 1985b) techniques are followed.

(ii) Stream Crossings and Encroachments

Access provided during Intertie construction will be used. Any instream activities will follow BMPM guidelines (APA 1985b) to avoid significant increases in suspended sediments, sedimentation, or petroleum contamination. Aquatic organisms in nearby habitat will be temporarily disturbed.

(iii) Operation and Maintenance Activities

The operation and maintenance of additional transmission lines in the Intertie corridor are not likely to increase aquatic impacts beyond the existing level of impact.

4.1.4 Healy to Ester

(a) Description

The transmission line corridor will be extended from Healy to Ester (Figures 29 and 30) during construction of the Stage I Watana dam. A second transmission line will be added to transport power during the Stage II development of the Devil Canyon dam. When the two transmission lines are installed, the corridor will have a 285 ft (87 m) width. The Nenana River will be crossed 2.75 and 58.75 miles (4.4km and 94.5 km) from the Healy substation. The line will turn north after crossing Dry Creek at AMP 4.75 and roughly parallel the Parks Highway for the greatest part of its length. The line will end at the Ester Substation (AMP 94.25). Clearing and construction will proceed as described for the Watana to Gold Creek section (Section 4.1.1). The streams crossed by the northern leg are listed in Table 12. Streams of the Nenana Basin that are accessible and have appropriate spawning habitat support spawning runs of resident species such as Dolly Varden, round whitefish and Arctic grayling. A number of interconnected lakes lie in the Nenana Basin. Fish that may be found in the lakes include Arctic grayling, whitefish, lake trout, and burbot (ADF&G 1978).

(b) Potential Impacts

Impacts in the Healy to Ester segment will be similar to impacts identified for the transmission line construction of other segments (Section 4.1.1(b)). Additional impacts specific to this segment of the transmission line are discussed below.

(i) Clearing

Large amounts of clearing are not anticipated as much of the vegetation is tundra. Cleared vegetation will be broadcast or removed to selected sites and stockpiled or burned. Small

Table 12. Streams to be crossed by the transmission line from Healy to Ester.

Stream	Approximate miles from Healy Substation	Species Present
Nenana River	1.5	Arctic grayling, round whitefish, Dolly Varden, longnose sucker, burbot, chum and coho salmon
Dry Creek	3	(Arctic grayling, whitefish) ¹
Panguingue Creek	6	Arctic grayling, round whitefish, Dolly Varden, longnose sucker, sculpin
Little Panguingue Creek	7.5	Arctic grayling, round whitefish, Dolly Varden, longnose sucker, sculpin
Slate Creek	11.5	(Arctic grayling, whitefish) ¹
Nenana River	14.5	Arctic grayling, round whitefish, Dolly Varden, longnose sucker, burbot, chum and coho salmon, Inconnu, northern pike
Tributary to Moose Creek	15.5	(Arctic grayling, whitefish, Dolly Varden) ¹
Moose Creek	16	(Arctic grayling, whitefish, Dolly Varden) ¹
Tributaries to Nenana River	18.5, 19.5, 21	(Arctic grayling, whitefish, Dolly Varden) ¹
Unnamed Creek	24	(Arctic grayling, whitefish, Dolly Varden) ¹
Windy Creek	30, 32	(Arctic grayling, whitefish, Dolly Varden, burbot, northern pike) ¹
Tributaries to Julius Creek	34.5, 35.5, 36, 36.5, 38.5	Arctic grayling, round whitefish, Dolly Varden, longnose sucker, sculpin
Fish Creek	41	Arctic grayling, round whitefish, Dolly Varden, longnose sucker, sculpin
Unnamed creeks	43, 43.5, 45, 46, 46.5, 49, 49.3, 49.7, 50, 50.5, 51, 51.5	(Arctic grayling, whitefish, Dolly Varden, burbot, northern pike) ¹

Table 12 (continued)

Stream	Approximate miles from Healy Substation	Species Present
Tanana River	52.5	Chum, coho and chinook salmon, Inconnu, northern pike, Arctic grayling, whitefish, burbot
Unnamed creeks	55,56	(Arctic ₁ grayling, whitefish, Dolly Varden)
Tributary to Little Goldstream Creek	59	(Arctic ₁ grayling, whitefish, Dolly Varden)
Little Goldstream Creek	60.5	Arctic grayling, round whitefish, Black fish, longnose sucker, sculpin
Tributaries to Goldstream Cr.	63,64.5,65.5 66.5,68,68.2, 70	(Arctic ₁ grayling, whitefish, Dolly Varden)
Little Goldstream Creek	70.2	Arctic grayling, round whitefish, Black fish, longnose sucker, sculpin
Tributaries to Bonanza Creek	71,72,72.5 73	(Arctic ₁ grayling, whitefish, Dolly Varden)
Tributaries to Ohio Creek	78,78.5,79 80.5,82,83.5, 84	(Arctic ₁ grayling, whitefish, Dolly Varden)
Tributary to Alder Creek	87	(Arctic ₁ grayling, whitefish, Dolly Varden)
Alder Creek	88	(Arctic ₁ grayling, whitefish, Dolly Varden)
Emma Creek	89.5	(Arctic ₁ grayling, whitefish, Dolly Varden)
Tributary to Emma Creek	90	(Arctic ₁ grayling, whitefish, Dolly Varden)
Ester Creek	93	(Arctic ₁ grayling, whitefish, Dolly Varden)

¹ (species) can be reasonably expected, but not verified

References: Letter from Jerry Hallberg (ADF&G Sportfish Div.) to
Nancy Heming (Falls Creek Environmental) October 29, 1982.

ADF&G 1978 Fisheries Atlas. Volume II.

amounts of sediments, ash and other organic material may enter streams or lakes.

(ii) Operation and Maintenance Activities

The corridor from Healy to Ester will follow the route of the Parks Highway; access will therefore be available previously and the aquatic resources are not expected to be incrementally impacted by the operation and maintenance of the transmission lines.

4.1.5 Willow to Anchorage

(a) Description

The transmission corridor from Willow to Anchorage (Figure 28) will be established during the Stage I development of the Susitna Hydroelectric Project. The Willow substation is located approximately 0.5 miles (0.8 km) north of Willow Creek. Proceeding first west then south, the corridor will be routed between the Susitna River and the Nancy Lake area, passing within 0.75 miles (1.3 km) of the Susitna River. The corridor will cross several Susitna River tributaries, including Fish Creek at AMP 18 as measured from the Willow substation. Fish Creek contains chinook, sockeye, pink and coho salmon, and rainbow trout. The Little Susitna with populations of chinook, coho, chum and pink salmon, Dolly Varden, rainbow trout, Arctic grayling and probably whitefish and burbot will be crossed at AMP 26. Few streams are crossed between the Little Susitna River and the Knik Arm at AMP 44. The Knik Arm, which is approximately 2.5 miles (4.1 km) wide at the transmission line crossing, will be crossed by a submarine cable system. The Knik Arm switching station will be located between Sixmile Creek and Eagle River. The transmission corridor will bypass Otter Lake which is stocked with rainbow trout and cross the Alaska Railroad and Fossil Creek. The corridor will parallel the Glenn Highway for about 2 miles (3 km) before crossing Ship Creek at

AMP 75. Although Ship Creek supports pink, chum, coho, sockeye and chinook salmon, Dolly Varden and rainbow trout, the heavy residential development in the vicinity has decreased the apparent habitat quality. The corridors will traverse the Chugach Foothills before terminating at the University substation near the corner of Tudor and Muldoon roads. Table 13 presents a list of the streams to be crossed by the transmission corridor. During Stage I development, two transmission lines will be constructed from Willow to Anchorage (Section 4.1.1). A third transmission line will be installed from Willow to the Knik Arm crossing during Stage III development.

Details of the installation of the cables in trenches in the bed of the Knik Arm are to be developed during final design. The Knik Arm is primarily a migration route for anadromous species that utilize the Knik and Matanuska River drainages. The anadromous species include five species of Pacific salmon, Dolly Varden, eulachon, and Bering cisco. Benthic organisms and other resident species are sparse because of the excessive amounts of fine glacial sediments on the sea floor. Alteration of this area from the cable installation is unlikely and effects upon resident or anadromous species are expected to be minor.

The presence of an operating cable under the Knik Arm is not expected to affect fish populations. Currently, two electrical cables cross the Knik Arm near Anchorage. In 1966, an operating cable was installed from Pt. MacKenzie to Pt. Woronzof. In 1980, an electrical cable was placed across the Knik Arm approximately 7 miles (11 km) north of the Pt. MacKenzie cable. These existing cables do not appear to have affected the fish populations. The operation of a third cable is not expected to have a significant impact on the aquatic ecosystem.

Table 13. Streams crossed by the transmission line corridor from Willow to Anchorage.

Stream	Approximate miles from University Substation in Anchorage	Species Present
Ship Creek	7.5	Chinook, coho, chum and pink salmon; Dolly Varden; rainbow trout; (Arctic grayling) ¹
Fossil Creek	12.5	none
Otter Creek	18	Sockeye salmon, rainbow trout, (Arctic grayling, Dolly Varden) ¹
Knik Arm	20-22	Chinook, sockeye, coho, chum and pink salmon, eulachon, Bering cisco, Dolly Varden
Unnamed Creek	26	(Burbot, rainbow trout, whitefish, Dolly Varden) ¹
Little Susitna River	36.5	Chinook, sockeye, coho, chum and pink salmon; Dolly Varden; rainbow trout; Arctic grayling; (burbot, whitefish) ¹
Tributary to Fish Creek	45	(Chinook and coho salmon; rainbow trout, burbot, whitefish, Dolly Varden) ¹
Fish Creek	47	Chinook, sockeye, coho and pink salmon; rainbow trout; (burbot; rainbow trout; whitefish; Dolly Varden) ¹
Tributaries to Susitna River	52,53,58	(Coho salmon, burbot, rainbow trout, whitefish, Dolly Varden) ¹
Willow Creek	61	Chinook, coho, chum, pink and sockeye salmon; Dolly Varden; rainbow trout; Arctic grayling, whitefish; (burbot) ¹

¹ (species) can be reasonably expected, but not verified

Reference: ADF&G 1978, Fisheries Atlas Volumes I and II

(b) Potential Impacts

Potential impacts associated with the transmission lines from Willow to Anchorage are similar to impacts previously discussed (Section 4.1.1(b)). Additional site specific information is provided. Impacts during construction are expected to be more severe than impacts connected with maintenance activities.

(i) Operation and Maintenance Activities

Increased fishing pressure will likely result from construction of the transmission lines from Willow to Anchorage. The transmission corridor is likely to experience heavy usage by ATV's and snow machines due to the close proximity of dense population areas such as Willow and Wasilla. Currently, access by road is available to the Nancy Lake region and the corridor will also roughly parallel an existing tractor trail from the Little Susitna to the Susitna River. However, an increase in fishing pressure on both resident and anadromous species may be expected at sloughs of the Susitna River west of the Nancy Lakes region. Fish Creek, other Susitna River tributaries and the Little Susitna River may become more heavily utilized. Fishing pressure increases caused by the project may have a moderate impact on the fish resources of the region.

4.2 - Transmission Corridor Mitigation

Mitigation of potential impacts during transmission line construction and maintenance will be achieved primarily by adherence to the BMPM construction techniques (APA 1985b, 1985c, 1985d, 1985e, 1985f). Proper clearing and soil stabilization procedures will be followed as outlined in the BMP manual on Erosion and Sedimentation Control (APA 1985b). Shrubs and small trees will be allowed to revegetate the transmission corridor; the access trail will be kept clear for maintenance needs. Streams will be crossed utilizing BMPM procedures (APA 1985b) in order to minimize impacts. Instream activities required for transmission line construction will be scheduled for mid-summer

months to the greatest extent feasible to avoid the biologically sensitive spawning and overwintering migrations.

Potential impacts of the transmission line construction and maintenance were described in Section 4.1. Impact mechanisms identified and the corresponding mitigation measures to be applied during and after construction are discussed in Section 4.2.1 and are similar to those discussed in Section 2.2.1. Mechanisms believed to have the largest potential impacts to the aquatic environment requiring mitigation are considered first. Impact avoidance, minimization, rectification and reduction are discussed. Adherence to the BMPM techniques is the primary mitigation measure.

Monitoring of the transmission line through the construction and maintenance phases will assist in avoiding or minimizing impacts to the aquatic resources. As described in Section 2.2.2, monitoring will be used to identify rehabilitation or maintenance requirements for mitigation measures. Inadequate mitigation measures may be identified and remedied by monitoring efforts and additional measures. Costs associated with all phases of construction monitoring are outlined in Table 8.

4.2.1 Impact Mechanisms and Mitigation Measures

(a) Stream Crossings

(i) Impact Mechanism

During construction and maintenance activities, suspended solids and petroleum contamination may be increased. Siltation of downstream reaches may occur. Fish are likely to avoid areas disturbed by equipment operated in or near streams.

(ii) Mitigation

Instream activities will be minimized during the periods of peak fish movement (Figure 5) as described in Section 2.2.1. Previously installed temporary bridges or culverts will be

utilized if available. During the remainder of the open water season the duration of instream activities will be minimized as suggested by the BMP manual on Erosion and Sedimentation Control (APA 1985b). The use of helicopters will avoid much of the potential instream disturbances in remote areas.

(b) Water Quality

(i) Impact Mechanism

Temporary degradations in water quality, including increased suspended solids and petroleum contamination, could alter species productivity.

(ii) Mitigation

The primary mitigation measures that will be used to minimize water quality degradation from transmission line construction are (1) adhering to the BPPM (APA 1985b) guidelines; (2) employing erosion control measures such as runoff control, stream bank stabilization and revegetation; and (3) minimizing the time necessary to complete instream activity so that water quality degradations are short-term and non-recurring events.

Additional mitigative measures are not expected to be needed.

(c) Increased Fishing Pressure

(i) Impact Mechanism

Sport fishing pressure on local streams and lakes will likely increase. The transmission line corridor will allow fishermen to reach areas previously unexploited.

(ii) Mitigation

Section 2.2.1 presents the recommended mitigation for increased fishing pressure impacts. Modifications to current seasons and catch limits may be necessary to maintain current stocks, particularly along the Willow to Anchorage transmission corridor.

(d) Oil and Hazardous Material Spills

(i) Impact Mechanism

Spills of oil and other hazardous substances into streams are toxic to fish and their food organisms.

(ii) Mitigation

Mitigation for oil and hazardous material spills is described in Section 2.2.1 and includes the preparation of a Spill Prevention, Containment and Countermeasure Plan (SPCC) as required by EPA (40 CFR 112.7) prior to construction commencement.

(d) Water Removal

(i) Impact Mechanism

Fish fry and juveniles can be impinged on intake screens or entrained into hoses and pumps when water is withdrawn from water bodies for miscellaneous uses during construction.

(ii) Mitigation

The construction and maintenance activities will require small amounts of water which will be withdrawn as described in Section 2.2.1 to avoid significant impacts. Barren lakes will

be used preferentially as a water source during transmission line construction.

4.2.2 Monitoring

Monitoring will verify that proper construction practices, as detailed in the BMP manuals (APA 1985b, 1985c, 1985d, 1985e, 1985f), are being followed during transmission line construction and maintenance. During transmission line construction, monitoring will be conducted to verify compliance with regulations and permits obtained from the ADEC, ADF&G, ADNR and Corps of Engineers (COE). The Environmental Field Officer (EFO) will provide guidance on permit compliance relative to daily activities as described in Section 2.2.2.

After the construction phase, the transmission lines will be periodically monitored as part of the maintenance schedule. Chronic erosion sites will be identified and corrected; stream crossings will be inspected to prevent fish passage blockages. Costs associated with the monitoring program are estimated in Table 8.

REFERENCES

5 - REFERENCES

- Alaska Department of Fish and Game. 1978. Alaska's Fisheries Atlas. Alaska Dept. of Fish and Game, Vol. I and II.
- Alaska Department of Fish and Game. 1981. Susitna Hydro Aquatic Studies - Phase I Final Draft Report: Resident Fish Investigation on the Upper Susitna River. Prepared for Acres America Incorporated, Buffalo, N.Y.
- ADF&G. 1982. Statement of Policy on Mitigation of Fish and Game Habitat Disruptions. Juneau, AK.
- ADF&G. 1983. Susitna Hydro Aquatic Studies - Phase II Basic Data Report, Volume 5: Upper Susitna River Impoundment Studies. 1982.
- Alaska Power Authority. 1981. Susitna Hydroelectric Project Feasibility Report. Anchorage, AK.
- Alaska Power Authority. 1982. Susitna Hydroelectric Project: Fish and Wildlife Mitigation Policy. Anchorage, AK.
- Alaska Power Authority. 1983a. Application for license for major project, Susitna Hydroelectric Project, before the Federal Energy Regulatory Commission. Vol. 5A. Exhibit E, Chap. 2. Anchorage, AK.
- Alaska Power Authority. 1983b. Application for license for major project, Susitna Hydroelectric Project, before the Federal Energy Regulatory Commission. Vol. 6A. Exhibit E, Chap. 3. Anchorage, AK.
- Alaska Power Authority. 1984. Application for License for major project, Susitna Hydroelectric Project, before the Energy Regulatory Commission. Responses to Agency Comments on License Application. Anchorage, AK.
- Alaska Power Authority. 1985a. Exhibit A. FERC License Application Amendment. Anchorage, AK

Alaska Power Authority. 1985b Best Management Practices Manual on Erosion and Sedimentation Control. Anchorage, AK.

Alaska Power Authority. 1985c Best Management Practices Manual on Water Supply. Anchorage, AK.

Alaska Power Authority. 1985d Best Management Practices Manual on Liquid and Solid Waste. Anchorage, AK.

Alaska Power Authority. 1985e Best Management Practices Manual on Fuel and Hazardous Materials. Anchorage, AK.

Alaska Power Authority. 1985f Best Management Practices Manual on Oil Spill Contingency Planning. Anchorage, AK.

Alaska Power Authority. 1985g. Exhibit E, Chapter 3. FERC License Application Amendment. Anchorage, AK.

Alaska Power Authority. 1985h. Exhibit E, Chapter 2. FERC License Application Amendment. Anchorage, AK.

Alaska Power Authority. 1985i. October 2 Board Meeting.

Alaska Power Authority. 1985j. Exhibit F. FERC License Application Amendment. Anchorage, AK.

Alyeska Pipeline Service Company. 1974. Environmental and Technical Stipulation Compliance Assessment Document for the Trans-Alaska Pipeline System. Volume I. Anchorage, AK.

Balding, G.O. 1976. Water Availability, Quality, and Use in Alaska. United States Department of the Interior Geological Survey.

Barrett, B.M., F.M. Thompson, and S.N. Wick. 1984. Report No. 1. Adult anadromous fish investigations: May-October 1983. Alaska Department of

Fish and Game. Susitna Hydro Aquatic Studies Report No. 1. Prepared for Alaska Power Authority. Anchorage, AK.

Barrett, B.M., F.M. Thompson, and S.N. Wick. 1985. Report No. 1. Adult anadromous fish investigations: May-October 1984. Alaska Department of Fish and Game. Susitna Hydro Aquatic Studies Report. Prepared for Alaska Power Authority. Anchorage, AK.

Bates, D.W. and J.G. Vanderwalker. 1964. Exploratory Experiments on the Deflection of Juvenile Salmon by means of Water and Air Jets. Fish Passage Research Program for U.S. Bureau of Commercial Fisheries. Seattle, Washington.

Bell, M.C. 1973. Fisheries Handbook of Engineering Requirements and Biological Criteria (Revised 1980). Prepared for Fisheries-Engineering Research Program, Corps of Engineers, North Pacific Division. Portland, Oregon.

Bohme, V.E. and E.R. Brushett. 1979. Oil Spill Control in Alberta. 1977 Oil Spill Conference (Prevention, Behavior, Control, Cleanup). American Petroleum Institute, Environmental Protection Agency, U.S. Coast Guard. New Orleans, LA.

Bormann, F.H., T.G. Siccaman, G.E. Likens, and R.H. Whittake. 1970. The Hubbard Ecosystem Study: Composition and Dynamics of the Tree Stratum. Ecol. Monogr. 40.

Brown, G.W. and J.T. Krygier. 1971. Clearcut logging and sediment production in the Oregon Coast Range. Water Resources Research. 7(5): 1189-1198.

Cederholm, C.J., L.M. Reid, and E.O. Salo. 1980. Cumulative effects of logging road sedimentation on salmonid populations in the Clearwater River, Jefferson County, Washington. In: Proc. Conf. Salmon-Spawning Gravel: A Renewable Resource in the Pacific Northwest. October 6-7.

- Commonwealth Associates, Dowl Engineers and Kevin Waring Associates. 1982. Anchorage-Fairbanks Intertie: Environmental Assessment Report. Prepared for Alaska Power Authority. Anchorage, AK.
- Cordone, A.J. and D.E. Kelly. 1961. The influence of inorganic sediment on the aquatic life of streams. Cal. Fish and Game 47:189-228
- Dehoney, B. and E. Mancini. 1982. Aquatic Biological Impacts of Instream Right of Way Construction and Characteristics of Invertebrate Community Recovery. Right of Way Symposium. San Diego, CA.
- Edfelt, L. 1981. Memorandum to Richard Logan regarding status of habitat regulations. Alaska Department of Fish and Game. Anchorage, AK.
- Entrix. 1985. Impoundment Area Fish Impact Assessment and Mitigation Plan. Prepared for the Alaska Power Authority. Anchorage, AK.
- Frederickson, R.L. 1970. Erosion and Sedimentation following road construction and timber harvest on unstable soils in three small western Oregon watersheds. U.S.F.S. Res. Paper No. PN 10-104.
- Hall, J.E. and D.O. McKay. 1983. The effects of sedimentation on salmonids and macro-invertebrates: a literature review. Alaska Department of Fish and Game. Anchorage, AK.
- Hallberg, J. 1982. Letter to Nancy Heming (Falls Creek Environmental). Alaska Department of Fish and Game Sportfish Div., October 29.
- Harza-Ebasco Susitna Joint Venture. 1985a Aquatic Monitoring Plan. Prepared for Alaska Power Authority. Anchorage, AK.
- Harza-Ebasco Susitna Joint Venture. 1985b Drainage Structures and Waterway Design. Prepared for Alaska Power Authority. Anchorage, AK.
- Harza-Ebasco Susitna Joint Venture. 1985c Terror Lake Hydroelectric Project Personnel Survey. Prepared for Alaska Power Authority.

- Harza-Ebasco Susitna Joint Venture. 1985d. Draft Report. Watana Support Facilities Master Plan: Construction camp and village siting study and preliminary airfield siting study.
- Hynes, H.B.N. 1966. The Biology of Polluted Waters. Liverpool University Press. Liverpool, U.K.
- Iwamoto, R.N., E.O. Salo, M.A. Mades and R.L. McComas. 1978. Sediment and water quality: a review of the literature including a suggested approach for water quality criteria. U.S. EPA. EPA 910/9-78-048.
- Jennings, T.R. 1985. Fish Resources and Habitats in the Middle Susitna River. Instream Flow Relationships Report Series. Technical Report No. 1. prepared for Alaska Power Authority. Anchorage, AK.
- Joyce, M.R., L.A. Rundquist, and L.L. Moulton. 1980a. Gravel Removal Studies in Arctic and Subarctic Floodplains in Alaska - Technical Report. U.S. Fish and Wildlife Service. Anchorage, AK.
- Joyce, M.R., L.A. Rundquist, and L.L. Moulton. 1980b. Gravel Removal Guidelines Manual for Arctic and Subarctic Floodplains. Biological Services Program FWS/OBS-80/09. U.S. Fish and Wildlife Service.
- Kolpack, R.L., B.F. Mechals, T.J. Meyers, N.B. Patrick, and E. Eaton. 1978. Fate of Oil in a Water Environment - Phase I. Vol. I - A Review and Evaluation of the Literature. Environmental Geology Program, University of Southern California. California. Prepare Division of Environmental Affairs, American Petroleum Institute.
- Langer, Otto. 1980. Effects of sedimentation on salmonid stream life. Environmental Protection Service, Canada.
- Latvaitis, B., H.F. Bernard, and D.B. MacDonald. 1977. Impingement Studies at Quad Cities Station, Mississippi River. Third National Workshop on Entrainment and Impingement. L.D. Jensen (ed.). Melville, N.Y.

- Lauman, T.E. 1976. Salmonid Passage at Stream-Road Crossings. Oregon Department of Fish and Wildlife. Oregon.
- Likens, G.E., F.H. Bormann, N.M. Johnson, D.W. Fisher, and R.S. Pierce. 1970. Effects of Forest Cutting and Herbicide Treatment on Nutrient Budgets in the Hubbard Brook Watershed - Ecosystems. Ecol. Monogr. 40.
- Lindstedt-Siva, S.J. 1979. Oil Spill Response Planning for Biologically Sensitive Areas. 1977 Oil Spill Conference (Prevention, Behavior, Control, Cleanup). American Petroleum Institute, Environmental Protection Agency, U.S. Coast Guard. New Orleans, LA.
- Lloyd, Denby S. 1985. Turbidity in Freshwater Habitats of Alaska. A Review of Published and Unpublished Literature Relevant to the Use of Turbidity as a Water Quality Standard. Juneau, AK.
- McLeay, D.J., A.J. Knox, J.G. Malick, I.K. Birtwell, G. Hartman, and G.L. Ennis. 1983. Effects on Arctic grayling of short-term exposure to Yukon Placer-mining Sediments: Laboratory & Field Study.
- _____. 1984. Effects on Arctic grayling of prolonged exposure to Yukon Placer Mining Sediment: A Laboratory Study.
- Megahan, W.F. and W.J. Kidd. 1972. Effects of logging roads on sediment production rates in the Idaho batholith. U.S.D.A. Forest Service Res. Paper Int. 123.
- Morrow, J.E. 1980. Freshwater Fishes of Alaska. Alaska Northwest Publishing Company. Anchorage, AK.
- Pierce, R.S., J.W. Hornbeck, G.E. Likens, and F.H. Bormann. 1970. Effects of Elimination of Vegetation on Stream Water Quantity and Quality. Results on Research on Representative and Experimental Basins, Proc. of International Assoc. Sci. Hydrology. UNESCO. Wellington, New Zealand.

- Sautner, J.S. and M.E. Stratton. 1984. Access and Transmission Corridor Studies. In: Access and Transmission Corridor Aquatic Investigations, May-October 1983. No. 4., Part 1. D.C. Schmidt, C.C. Estes, D.L. Crawford and D.S. Vincent-Lang (eds.). Prepared for Alaska Power Authority. Anchorage, AK.
- Schmidt, D.C. and M.E. Stratton. 1984. Population Dynamics of Arctic Grayling in the Upper Susitna Basin. In: Access and Transmission Corridor Aquatic Investigations, May-October 1983. No. 4., Part 2. D.C. Schmidt, C.C. Estes, D.L. Crawford and D.S. Vincent-Lang (eds.). Prepared for Alaska Power Authority. Anchorage, AK.
- Schmidt, D.C., S.S. Hale, D.L. Crawford, P.M. Suchanek, eds. 1984. Report No. 2 Resident and Juvenile Anadromous Fish Investigations (May-October 1983). Susitna Hydro Aquatic Studies. ADF&G. Anchorage, AK.
- Scott, W.B. and E.J. Crossman. 1973. Freshwater Fishes of Canada. Bulletin 184. Fisheries Research Board of Canada. Ottawa, Canada.
- Shaw, P.O. and J.A. Maga. 1943. The Effects of Mining Silt on Yield of Fry from Salmon Spawning Beds. California Fish and Game. 2a(1).
- Stone and Webster. 1976. Niagara Mohawk Power Corporation, Rochester Gas and Electric Corporation Final Report: Studies to Alleviate Fish Entrapment at Power Plant Cooling Water Intakes. Stone and Webster Engineering Corporation. Boston, Massachusetts.
- Taft, E.P., P. Hofmann, P.J. Eisele, and T. Horst. 1977. An Experimental Approach to the Design of Systems for Alleviating Fish Impingement at Existing and Proposed Power Plant Intake Structures. Third National Workshop on Entrainment and Impingement. Section 316(b) Research and Compliance. L.D. Jensen (ed.). Melville, N.Y.
- Teleki, G.C. and A.J. Chamberlain. 1978. Acute Effects of Underwater Construction Blasting on Fishes in Long Point Bay, Lake Erie. Journal of the Fisheries Research Board of Canada. Vol. 35.

- U.S. Environmental Protection Agency. 1976. Impacts of Construction Activities in Wetlands of the United States. NTIS. Springfield, VA.
- U.S. Fish and Wildlife Service. 1981. Endangered and Threatened Wildlife and Plants. Federal Register 50 CFR 17.11 and 17.12. January 1, 1982.
- Vanderwalker, J.G. 1967. Response of Salmonids to Low Frequency Sound. Marine Bio-acoustics. Vol. 2. W.N. Lavolga (ed.).
- Warren, C.E. 1971. Biology and Water Pollution Control. W.B. Saunders Company.
- Wasserman, L.J., C.J. Cederholm, and E.O. Salo. 1984. The impact of logging on benthic community structure in selected watersheds of the Olympic Peninsula, Washington. Fisheries Research Institute, Washington.