




IDITAROD NATIONAL HISTORIC TRAIL



ANCHORAGE, ALASKA
N6100-W14700/60X180
1962
LIMITED REVISIONS 1979.




CONTOUR INTERVAL 200 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET - DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
1979 MAGNETIC DECLINATION AT SOUTH EDGE OF SHEET VARIES FROM 24° TO 26° EAST


IDITAROD NATIONAL HISTORIC TRAIL

HISTORIC AND PREHISTORIC SITES



- ABCD... - LEVEL 1 SITES
- Abcd... - LEVEL 2 SITES
- 1, 2, 3... - LEVEL 3 SITES
- (Red circle) - GENERAL AREA




IDITAROD NATIONAL HISTORIC TRAIL



ANCHORAGE, ALASKA
N6100-W14700/63X180
1962
LIMITED REVISIONS 1975



CONTOUR INTERVAL 200 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS APPROXIMATE LINE OF MEAN HIGH WATER
1979 MAGNETIC DECLINATION AT SOUTH EDGE OF SHEET VARIES FROM 28° TO 26°30' EAST




1. Nome
2. Solomon
3. Norton Bay
4. Nulato
5. Ruby
6. Uptakeet
7. Ophir
8. Medfra
9. Iditarod
10. McGrath
11. Talkeetna
12. Tyonek
13. Anchorage
14. Seward

IDITAROD NATIONAL HISTORIC TRAIL




ANCHORAGE, ALASKA
N6100-W14700/60X180
1962
LIMITED REVISIONS 1979.




SCALE 1:500,000



CONTOUR INTERVAL 200 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
1979 MAGNETIC DECLINATION AT SOUTH EDGE OF SHEET VARIES FROM 25° TO 20'30" EAST



IDITAROD NATIONAL HISTORIC TRAIL



IDITAROD NATIONAL HISTORIC TRAIL

TRAIL LOCATION


- Located
- Not Visible Or Located
- - - - - Meandering Trail
- - - - - Located
- - - - - Not Visible Or Located
- - - - - Meandering
- - - - - Other Trail

OTHER TRAIL

MAJOR COMMUNITY


KNIK
PALMER
WASILLA
ANCHORAGE

NORTH



ANCHORAGE, ALASKA
N6100-W14700/60X180


1962
LIMITED REVISIONS 1979.



SCALE 1:500,000



CONTOUR INTERVAL 200 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
1979 MAGNETIC DECLINATION AT SOUTH EDGE OF SHEET VARIES FROM 25° TO 26°30' EAST




IDITAROD NATIONAL HISTORIC TRAIL




ANCHORAGE, ALASKA
N6100-W14700/60X180


1962
LIMITED REVISIONS 1979.




SCALE 1:500,000



CONTOUR INTERVAL 200 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET - DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
1979 MAGNETIC DECLINATION AT SOUTH EDGE OF SHEET VARIES FROM 25° TO 26°30' EAST



MAPPED, EDITED, AND PUBLISHED BY THE GEOLOGICAL SURVEY



SUMMER TRAIL, L. SUSTINA RIVER TO KNIK MOUNT, 1916
 HEENING WINTER TRAIL TO KNIK, APRIL, 1916
 HEENING TRAIL, PER RECORD, NORTH OF CHEMINA WILLOW ROAD
 CARL ROAD (AND IMPROVED) PER RECORD MAP, APRIL, 1916
 1/2 MILE HOUSE, (1/2 MI TO KNIK) 1916, ROAD HOUSE, ANCHORAGE
 KNIK WAGON ROAD, PER RECORD MAP, APRIL, 1916
 PER REC. MAP, 1919, WINTER TRAIL
 PER REC. MAP, 1914
 COTTONWOOD, 1914, SETTLEMENT, ANCHORAGE
 HUGHES HOUSE, 1914, RESIDENCE, R. W. HUGHES, ANCHORAGE
 PER G.L.O. PLAT, NOV 23, 1914
 O'BRIEN'S HOUSE, 1914, RESIDENCE, ANCHORAGE
 GATED HOUSE, 1914, RESIDENCE, ANCHORAGE
 CASHIN, 1914, RESIDENCE, ANCHORAGE
 PER G.L.O. PLAT, APRIL, 1914
 KNIK TOWN SITE, 1914, MAINT. ANCHORAGE
 PER G.L.O. PLAT, MAY 31, 1917
 PER G.L.O. PLAT, JUNE 27, 1914
 PER REC. MAP, DEC 10, 1914
 PER REC. MAP, CENTRAL R.R. MAP, NOV 19, 1900
 PER G.L.O. PLAT, JULY 18, 1917
 KUNNEY SIDING, 1915, R.R. SIDING, ANCHORAGE
 ROADHOUSE, (DESERTED), 1915, ANCHORAGE
 PER G.L.O. PLAT, MAY 26, 1917
 J. ALBERTS, 1915, CABIN, ANCHORAGE
 CABIN, 1917, ANCHORAGE
 PER G.L.O. PLAT, MAY 2, 1917
 J. NELSON, 1914, CABIN, ANCHORAGE
 G.W. PALMER, 1914, WAREHOUSE, ANCHORAGE
 PER G.L.O. PLAT, JULY 28, 1914
 SHIP CREEK - JULY 28, 1914
 SALOON - 1914, CABIN, ANCHORAGE
 T.H. JEBERS, 1914, CABIN, ANCHORAGE
 WHITNEY'S, 1914, CABIN, ANCHORAGE
 PER G.L.O. PLAT - JULY 28, 1914
 "LAST CHANCE" QUINCY CLAIM, 1905, MINE, ANCHORAGE
 POTTER CREEK SITE, 1916, CAMP, ANCHORAGE
 MRS. JENNINGS ROADHOUSE, 1917, ANCHORAGE
 SHEEP CR. 1916, COND. CAMP, ANCHORAGE
 Mc HUGH CR. 1916, COND. CAMP, ANCHORAGE
 HANSON, 1916, PEAK AND L.S. STRUCTURE CAMP, ANCHORAGE
 END OF AN. NORTHERN R.R., DEC 1916

WEISE FARM, 1915, ANCHORAGE
 A.C. WAREHOUSE, 1906, WAREHOUSE, ANCHORAGE
 W.P. ELLIOT, 1914, ROADHOUSE, ANCHORAGE
 F.HUNTS, 1914, CABIN, ANCHORAGE
 GREEK MISSION, 1914, RUSSIAN ORTHODOX MISSION, RESIDENCE, ANCHORAGE
 PER G.L.O. PLAT, JUNE 25, 1914
 BROWN'S ROADHOUSE, 1914, R.H. BARN, HOUSE, ANCHORAGE
 KRUTNA, 1912, R.R. SIDING, ANCHORAGE
 BELWOOD, 1912, BELWOOD STATION PLAT, ANCHORAGE
 STATE OF ALASKA VISITOR CENTER
 EAGLE BERRY ROADHOUSE, 1913, ANCHORAGE
 PER REC. MAP, REGION, 1914
 PER REC. MAP, JULY 18, 1917
 PER REC. MAP, JULY 18, 1917
 PER REC. MAP, JULY 18, 1917
 PER REC. MAP, APR 14, 1916
 10 MILE ROADHOUSE, 1916, SHELTER CABIN, ANCHORAGE
 NO REMAINS
 DUKES' R.H. ON RAVEN CR., NO REMAINS, ANCHORAGE
 1917 USGS MAP PIN POINTS THE CABIN
 25 MILE ROADHOUSE, 1916, SHELTER CABIN, ANCHORAGE
 NO REMAINS
 RAVEN CREEK CLAIMS, 1923, NOT WORKED, NO EVIDENCE, ANCHORAGE
 RAVEN CREEK ROADHOUSE, 1913, ANCHORAGE
 LAURENBERG CABIN, 1926, MIN. CLAIM, ABD. ROAD, ANCHORAGE
 MONARCH MINE, 1876, DEPT. MINE, ANCHORAGE
 DEAN CREEK ROADHOUSE, 1913, ANCHORAGE
 ALSO GLEDWOOD, NO REMAINS, MIN. CLAIM, ANCHORAGE
 CABIN AT 109.2 MI. BURNS
 CABIN AT 109.2 MI. BURNS

SHT 2 OF 14, JUNE 18, 81, SM. PETERSON

MAPPED, EDITED, AND PUBLISHED BY THE GEOLOGICAL SURVEY
 CONTROL BY USGS AND USACE
 COMPILED IN 1965 FROM U.S. GEOLOGICAL SURVEY 1:63,360 SCALE MAPS
 AND ANCHORAGE AND VICINITY 1:24,000 SCALE MAP, SURVEYED 1948,
 1950, 1952, 1960, AND 1962. MAP NOT FIELD CHECKED.
 SELECTED HYDROGRAPHIC DATA COMPILED FROM USGS PRELIMINARY SURVEY
 SHEET 80 AND FROM USGS CHARTS 8551 (1963), 8553 (1963),
 AND 8557 (1961). THIS INFORMATION IS NOT INTENDED FOR
 NAVIGATIONAL PURPOSES.
 UNIVERSAL TRANSVERSE MERCATOR PROJECTION. 1927 NORTH AMERICAN DATUM
 100,000 FOOT GRID BASED ON ALASKA COORDINATE SYSTEM, ZONES 4 AND 3
 ZONE 6, SHOWN IN BLUE.
 RED TINT INDICATES AREAS IN WHICH ONLY LANDMARK BUILDINGS ARE SHOWN
 GRAY LIND LINES REPRESENT UNSURVEYED AND UNMARKED LOCATIONS
 PREDETERMINED BY THE BUREAU OF LAND MANAGEMENT
 FOLIOS 8-1, 8-2, 8-3, 8-4, AND 8-14 SEWARD MERIDIAN, AND FOLIOS CR 4
 AND CR 5, COPPER RIVER MERIDIAN
 SWAMPS, AS PORTRAYED, INDICATE ONLY THE WETTER AREAS
 USUALLY OF LOW RELIEF, AS INTERPRETED FROM AERIAL PHOTOGRAPHS
 LAKE ELEVATIONS ARE UNCHECKED

SCALE 1:250,000
 0 5 10 15 20 25 MILES
 0 5 10 15 20 25 KILOMETERS
 CONTOUR INTERVAL 200 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929
 DEPTH CURVES AND SOUNDINGS IN FEET - DATUM IS MEAN LOWER LOW WATER
 SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
 1979 MAGNETIC DECLINATION AT SOUTH EDGE OF SHEET VARIES FROM 25° TO 26°30' EAST
 THIS MAP IS AVAILABLE IN BOTH HADED RELIEF AND CONTOUR EDITIONS
 FOR SALE BY U.S. GEOLOGICAL SURVEY
 FAIRBANKS, ALASKA 99701, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

LOCATION INDEX
 ROAD CLASSIFICATION
 HEAVY DUTY MEDIUM DUTY
 LIGHT DUTY UNIMPROVED DIRT
 STATE ROUTE
 ANCHORAGE, ALASKA
 16100-16100/600180
 1962
 LIMITED REVISIONS 1979

2 T12015-14 N 2 W GLO, JULY 18, 1917