



# **Source Water Assessment**

A Hydrogeologic Susceptibility and Vulnerability Assessment for Lake Louise Campground Drinking Water System, Lake Louise, Alaska Lake Louise Campground #225040

DRINKING WATER PROTECTION PROGRAM REPORT 239
Alaska Department of Environmental Conservation

# Source Water Assessment for Lake Louise Campground Drinking Water System, Lake Louise, Alaska Lake Louise Campground #225040

By Shannon & Wilson, Inc.

DRINKING WATER PROTECTION PROGRAM REPORT 239

The Drinking Water Protection Program is producing Source Water Assessments in compliance with the Safe Drinking Water Act Amendments of 1996. Each assessment includes a delineation of the source water area, an inventory of potential and existing contaminant sources that may impact the water, a risk ranking for each of these contaminants, and an evaluation of the potential vulnerability of these drinking water sources.

These assessments are intended to provide public water systems owners/operators, communities, and local governments with the best available information that may be used to protect the quality of their drinking water. The assessments combine information obtained from various sources, including the U.S. Environmental Protection Agency, Alaska Department of Environmental Conservation (ADEC), public water system owners/operators, and other public information sources. The results of this assessment are subject to change if additional data becomes available. If you have any additional information that may affect the results of this assessment, please contact the Program Coordinator of DWPP, (907) 269-7521.

# **CONTENTS**

	Page		Page
Executive Summary	1	Inventory of Potential and Existing	•
Introduction	1	Contaminant Sources	3
Description of the Western Co		Ranking of Contaminant Risks	3
Lake Louise Campground Pub		Vulnerability of Lake Louise Campground	
Water System	2	Drinking Water Source	3
Lake Louise Campground Prot	tection Area 2	Summary	4
		References Cited	5
	TAB	BLES	
Table 1 - Definition of Zones			3
Table 2 - Natural Susceptibility	y - Susceptibility of the We	llhead and Aquifer to Contamination	3
Table 3 - Contaminant Risks			4
Table 4 - Overall Vulnerability	of Lake Louise Campgrou	nd to Contamination by Category	4
	ILLUSTI	RATIONS	
			Page
FIGURE 1. Index map	showing the location of the	Western Copper River Basin	1
	APPEN	NDICES	
APPENDIX A. Lake Lo	uise Campground Drinking	g Water Protection Area (Map 1)	
		Lake Louise Campground (Table 1)	
	•	Risk Ranking for Lake Louise Campground –	
	teria and Viruses (Table 2)	Risk Ranking for Lake Louise Campground –	
	rates/Nitrites (Table 3)	Risk Ranking for Lake Louise Campground –	
		Risk Ranking for Lake Louise Campground –	
	atile Organic Chemicals (T		
	uise Campground Drinking sting Contaminant Sources	Water Protection Area and Potential and (Map 2)	
		inant Source Inventory and Risk Ranking for lic Drinking Water Source (Charts 1 – 7)	

# Source Water Assessment for Lake Louise Campground Source of Public Drinking Water, Lake Louise, Alaska

By Shannon & Wilson, Inc.

# **Drinking Water Protection Program Alaska Department of Environmental Conservation**

#### **EXECUTIVE SUMMARY**

The Lake Louise Campground is a Class B (transient/non-community) water system consisting of one surface water intake, at the southend of Lake Louise, approximately 35 miles northwest of Glennallen, Alaska. Identified potential and current sources of contaminants for Lake Louise Campground public drinking water source include: large-capacity and single-family septic systems; pit toilets; residential areas; aboveground heating oil tanks; an airport; roads; and campgrounds/RV parks. These identified potential and existing sources of contamination are considered sources of bacteria and viruses, nitrates and/or nitrites, and volatile organic chemicals. Overall, the public water sources for Lake Louise Campground received a vulnerability rating of Very High for volatile organic chemicals, Very High for bacteria and viruses, and Very High for nitrates and nitrites.

#### INTRODUCTION

The Alaska Department of Environmental Conservation (ADEC) is completing source water assessments for all public drinking water sources in the State of Alaska. The purpose of this assessment is to provide owners and/or operators, communities, and local governments with information they can use to preserve the quality of Alaska's public drinking water supplies. The results of this source water assessment can be used to decide where voluntary protection efforts are needed and feasible, and also what efforts will be most effective in reducing contaminant risks to your water system. Shannon & Wilson has been contracted to perform these assessments under the supervision of ADEC.




Figure 1. Index map showing the location of the Western Copper River Basin.

This source water assessment combines a review of the natural conditions at the site and the potential and existing contaminant risks. These are combined to determine the overall vulnerability of the drinking water source to contamination.

# DESCRIPTION OF THE WESTERN COPPER RIVER BASIN

#### Location

The western portion of the Copper River Basin encompasses the headwaters of the Nelchina, Little Nelchina, Tazlina and Gulkana Rivers and generally includes Lake Louise. The area is located west of the community of Glennallen, as shown in Figure 1. While Lake Louise is located in the Matanuska-Susitna (MatSu) Borough, other portions of the Copper River Basin are not located within the Mat-Su Borough.

A large lake occupied the Copper River Basin before the Copper River cut an outlet through the Chugach Mountains and entered the Gulf of Alaska east of Cordova. The former lake and glaciers that reached the lake margins, coupled with recent alluvial forces, have shaped the landforms of the Copper River Basin. Landforms common in the western portion of the Copper River Basin include gentle undulating terrain and low ridges, terraces, and numerous lakes and streams.

#### Precipitation

Glennallen averages about 12 inches of precipitation per year.

#### **Topography and Drainage**

The area topography varies from about 3,000 feet at Tahneta Pass (separating the Matanuska and Copper River drainage basins) to 2,000 feet at Tolsona Creek, due west of Glennallen. Drainages along the Glenn Highway in this area generally flow south into Tazlina Lake or Tazlina River and then into the Copper River.

#### Groundwater

Although the quality can vary significantly in a short distance, groundwater supplies are generally abundant in the area. Many homes and businesses in the area rely on individual wells for their water supply. Most of these wells are shallow with depths of less than 100 feet to 200 feet. Static water levels in many of these wells are less than 15 feet below the surface. The coarse, alluvial, sandy gravel in the floodplains of the areas streams and rivers provides a large aquifer even in the winter when infiltration is low.

#### **Geology and Soils**

The unconsolidated soils in the western Copper River Basin include fine-grained lacustrine deposits (silts and clays deposited in a lake depositional environment), fine to coarse-grained soils deposited at the margins of the glaciers, and reworked sands and gravels along the streams and rivers. Much of the soils in the area provide good sources of sand, gravel.

# LAKE LOUISE CAMPGROUND PUBLIC DRINKING WATER SYSTEM

Lake Louise Campground is a Class B (transient/non-community) water system. The system consists of one surface water intake at the southend of Lake Louise.

The surface water intake was initially put into operation in the fall of 1988. The most recent Sanitary Survey (7/12/99) indicates the intake was adequately constructed. An adequately constructed intake may provide protection against debris and contaminants from entering the system. The surface water source that the system draws from is greater than 1 square mile and there is a potential for runoff in the area surrounding the surface water. A portable pump and treatment system is used to drain water from the lake. This process includes filtration and disinfection before the water is placed into storage tanks.

This system operates from the end of May through the end of September and serves no residents and more than 25 non-residents through one service connection.

# LAKE LOUISE CAMPGROUND DRINKING WATER PROTECTION AREA

In order to evaluate whether a drinking water source is at risk, we must first evaluate what are the most likely pathways for surface contamination to reach the drinking water source. These pathways are determined by looking at the characteristics of the lake, surrounding area, groundwater, and the intake.

The most probable area for contamination to reach the drinking water system is the area that contributes water to the surface water body that water is being drawn from. This area is designated as the Drinking Water Protection Area (DWPA). Because a release of contaminants within the DWPA are most likely to impact the drinking water system, this area will serve as the focus for voluntary protection efforts.

The size and shape of the DWPAs were established based on aerial distances from the surface water body, and the watershed that recharges the surface water body. Additional methods were also used to take into account any uncertainties in surface water flow and topographic characteristics to arrive at a meaningful DWPA (Please refer to the Guidance Manual for Class B Public Water Systems for additional information).

The DWPAs established for surface water systems by the ADEC are separated into three zones. These zones correspond to different distances from the surface water body, and the watershed that recharges the surface water body. The following is a summary of the three DWPA zones and their definitions:

Table 1. Definition of Zones

Zone	Definition
A	1000 Feet From the Surface Water Body
В	1 Mile From the Surface Water Body
C	The Entire Watershed

# INVENTORY OF POTENTIAL AND EXISTING CONTAMINANT SOURCES

The Drinking Water Protection Program has completed an inventory of potential and existing sources of contamination within the Lake Louise Campground DWPA. This inventory was completed through a search of agency records and other publicly available information. Potential sources of contamination to the drinking water system include a wide range of categories and types. Potential drinking water contaminants are found within agricultural, residential, commercial, and industrial areas, but can also occur within areas that have little or no development.

For the basis of all Class B public water system assessments, three categories of drinking water contaminants were inventoried, they include:

- Bacteria and viruses:
- Nitrates and/or nitrites; and
- Volatile organic chemicals.

Inventoried potential sources of contamination within Zones A through Zone C were associated with residential and commercial type activities. The sources are summarized in the tables in Appendix B.

#### RANKING OF CONTAMINANT RISKS

Once the potential and existing sources of contamination have been identified, they are sorted and ranked according to what type and level of risk they represent. Ranking of contaminant risks for a "potential" or "existing" source of contamination is a function of toxicity and volumes of specific

contaminants associated with that source. Further, contaminant risks are a function of the number and density of those types of contaminant sources as well as the proximity of those sources to the intake.

# VULNERABILITY OF LAKE LOUISE CAMPGROUND DRINKING WATER SOURCE

Vulnerability of a drinking water source to contamination is a combination of two factors:

- Natural susceptibility; and
- Contaminant risks.

Each of the three categories of drinking water contaminants has been analyzed and an overall vulnerability score of 30 to 100 is ultimately assigned:

Natural Susceptibility (30 – 50 points)

+

Contaminant Risks (0 - 50 points)

=

Vulnerability of the Drinking Water Source to Contamination (30 - 100).

A score for the Natural Susceptibility is achieved by analyzing the properties of the surface water source.

Natural Susceptibility (Susceptibility of the Surface Water Source) (30 – 50 Points)

The surface water intake for Lake Louise Campground is completed in Lake Louise. Because the lake is recharged by surface water and precipitation, contaminants at the surface have the potential to adversely impact this lake. Table 2 shows the Overall Susceptibility score and rating for Lake Louise Campground.

Table 2. Natural Susceptibility - Susceptibility of the Surface Water Source to Contamination

	Score	Rating
Natural Susceptibility	37	High

Contaminant risks to a drinking water source depend on the type, number or density, and distribution of contaminant sources. This data has been derived from an examination of existing or historical contamination that has been detected at the drinking water source through routine sampling. It also evaluates potential sources of contamination. Table 3 summarizes the Contaminant Risks for each category of drinking water contaminants.

**Table 3. Contaminant Risks** 

Category	Score	Rating
Bacteria and Viruses	50	Very High
Nitrates and/or Nitrites	45	Very High
Volatile Organic Chemicals	45	Very High

Appendix D contains seven charts, which together form the 'Vulnerability Analysis' for a source water assessment for a public drinking water source. Chart 1 analyzes the 'Susceptibility of the Surface Water Source' to contamination by looking at the construction of the intake and its surrounding area and naturallyoccurring attributes of the water source and influences on the groundwater system that might lead to contamination. Chart 2 analyzes 'Contaminant Risks' for the drinking water source with respect to bacteria and viruses. The 'Contaminant Risks' portion of the analysis considers potential sources of contaminants as well as a review of contamination that has or may have occurred, but has not arrived or been detected at the well. Chart 3 contains the 'Vulnerability Analysis for Bacteria and Viruses.' Charts 4 through 7 contain the Contaminant Risks and Vulnerability Analyses for nitrates and nitrites and volatile organic chemicals, respectively.

Table 4 contains the overall vulnerability scores (30 – 100) and ratings for each of the three categories of drinking water contaminants. Note: scores are rounded off to the nearest five.

Table 4. Overall Vulnerability of Lake Louise Campground to Contamination by Category

Category	Score	Rating
Bacteria and Viruses	85	Very High
Nitrates and Nitrites	80	Very High
Volatile Organic Chemicals	80	Very High

Tables 2 through 4 in Appendix B contain the ranking of potential and existing sources of contamination with respect to bacteria and viruses, nitrates and/or nitrites, and volatile organic chemicals.

The large-capacity and single-family septic systems; pit toilets; residential areas; aboveground heating oil tanks; an airports; roads; and campgrounds/RV parks create a risk increase for the bacteria and viruses, nitrates and nitrites, and volatile organic compounds.

Only a small amount of bacteria and viruses are required to endanger public health. Bacteria and viruses have been detected during recent water sampling of the system at Lake Louise Campground. According to the Alaska Division of Parks, filtering and disinfection are used to treat the water.

Nitrates and/or nitrites are found in natural background concentration at this site, as elsewhere throughout Alaska. Nitrate concentrations in uncontaminated groundwater are typically less than 2 milligrams per liter (mg/L) and are derived primarily from the decomposition of organic matter in soils, adopted from the U.S. Geological Survey (Wang, et al., 2000).

Sampling history for Lake Louise Campground indicates that nitrate samples were not detected during recent sample events (see Chart 5 - Contaminant Risks for Nitrates and/or Nitrites in Appendix D). The Maximum Contaminant Level of nitrates/nitrites is 10 mg/L. The MCL is the maximum level of contaminant that is allowed to exist in drinking water and still be consumed by humans without harmful health effects. Due to the high solubility and weak retention by soil, nitrates are very mobile, moving at approximately the same rate as water.

The airport, large-capacity and single-family septic systems; pit toilets; residential areas; aboveground heating oil tanks; roads; and campgrounds/RV parks located in Zone A form the greatest risk for volatile organic chemicals.

#### **SUMMARY**

A Source Water Assessment has been completed for the sources of public drinking water serving Lake Louise Campground. The overall vulnerability of this source to contamination is Very High for volatile organic chemicals, Very High for bacteria and viruses, and Very High for nitrates and nitrites. This assessment of contaminant risks can be used as a foundation for local voluntary protection efforts as well as a basis for the continuous efforts on the part of Lake Louise Campground to protect public health. It is anticipated that Source Water Assessments will be updated every five years to reflect any changes in the vulnerability and/or susceptibility of Lake Louise Campground public drinking water source.


### **REFERENCES CITED**

- Wang, B., Strelakos, P.M., and Jokela, J.B., 2000, Nitrate source indicators in ground water of the scimitar subdivision, Peters Creek Area, Anchorage, Alaska: US Geological Survey Water-Resources Investigations Report 00-4137.
- Weather Underground, June 18, 2002, Web extension to the *Western Regional Climate Center* [WWW document]. URL <a href="http://www.wunderground.com">http://www.wunderground.com</a>

# APPENDIX A

Lake Louise Campground Drinking Water Protection Area (Map 1)

# Drinking Water Protection Areas for Lake Louise Campground



# **APPENDIX B**

# Contaminant Source Inventory and Risk Ranking for Lake Louise Campground (Tables 1-4)

#### PWSID 225040.001

## Contaminant Source Inventory for Lake Louise

Contaminant Source Type	Contaminant Source ID	CS ID tag	Zone	Location	Map Number	Comments
Injection wells (Class V) Large-Capacity Septic System (Drainfield Disposal Method)	D10	D10-1-44	A	Around Lake Louise	3	
Pit toilets (vaulted) nonresidential (one or more)	D17	D17-1	A	end of Access Road 5	3	
Pit toilets (vaulted) nonresidential (one or more)	D17	D17-2	A	end of Access Road 9	3	
Residential Areas	R01	R1-1	A	Residences around Lake Louise	2	~ 2,000 acres of residential area in Zone
Septic systems (serves one single-family home)	R02	R2-1-251	A	Around Lake Louise	3	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-1	A	off Access Road 3	3	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-2	A	off Access Road 8	3	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-3	A	off Access Road 8	3	
Airports	X14	X14-1	A	off Lake Louise	3	
Highways and roads, dirt/gravel	X24	X24-1	A	Access Road 1	2	
Highways and roads, dirt/gravel	X24	X24-2	A	Access Road 2	2	
Highways and roads, dirt/gravel	X24	X24-3	A	Access Road 3	2	
Highways and roads, dirt/gravel	X24	X24-4	A	Access Road 4	2	
Highways and roads, dirt/gravel	X24	X24-5	A	Access Road 5	2	
Highways and roads, dirt/gravel	X24	X24-6	A	Access Road 6	2	
Highways and roads, dirt/gravel	X24	X24-7	A	Access Road 7	2	
Highways and roads, dirt/gravel	X24	X24-8	A	Access Road 8	2	
Highways and roads, dirt/gravel	X24	X24-9	A	Access Road 9	2	
Campgrounds and RV Parks	X35	X35-1	A	off Access Road 7	3	

# Lake Louise

# Sources of Bacteria and Viruses

Contaminant Source Type	Contaminant Source ID	CS ID tag	Zone	Risk Ranking for Analysis	Overall Rank after Analysis		Map Number	Comments
Injection wells (Class V) Large-Capacity Septic System (Drainfield Disposal Method)	D10	D10-1-44	A	High	1	Around Lake Louise	3	
Pit toilets (vaulted) nonresidential (one or more)	D17	D17-1	A	Low	2	end of Access Road 5	3	
Pit toilets (vaulted) nonresidential (one or more)	D17	D17-2	A	Low	3	end of Access Road 9	3	
Residential Areas	R01	R1-1	A	Low	4	Residences around Lake Louise	2	~ 2,000 acres of residential area in Zone
Septic systems (serves one single-family home)	R02	R2-1-251	A	Low	5	Around Lake Louise	3	
Highways and roads, dirt/gravel	X24	X24-1	A	Low	6	Access Road 1	2	
Highways and roads, dirt/gravel	X24	X24-2	A	Low	7	Access Road 2	2	
Highways and roads, dirt/gravel	X24	X24-3	A	Low	8	Access Road 3	2	
Highways and roads, dirt/gravel	X24	X24-4	A	Low	9	Access Road 4	2	
Highways and roads, dirt/gravel	X24	X24-5	A	Low	10	Access Road 5	2	
Highways and roads, dirt/gravel	X24	X24-6	A	Low		Access Road 6	2	
Highways and roads, dirt/gravel	X24	X24-7	A	Low		Access Road 7	2	
Highways and roads, dirt/gravel	X24	X24-8	A	Low		Access Road 8	2	
Highways and roads, dirt/gravel	X24	X24-9	A	Low		Access Road 9	2	
Campgrounds and RV Parks	X35	X35-1	A	Low		off Access Road 7	3	

#### Table 3

# Lake Louise

# Sources of Nitrates/Nitrites

Contaminant Source Type	Contaminant Source ID	CS ID tag	Zone	Risk Ranking for Analysis	Overall Rank after Analysis	Location	Map Number	Comments
Injection wells (Class V) Large-Capacity Septic System (Drainfield Disposal Method)	D10	D10-1-44	A	High	1	Around Lake Louise	3	
Pit toilets (vaulted) nonresidential (one or more)	D17	D17-1	A	Low	2	end of Access Road 5	3	
Pit toilets (vaulted) nonresidential (one or more)	D17	D17-2	A	Low	3	end of Access Road 9	3	
Residential Areas	R01	R1-1	A	Low	4	Residences around Lake Louise	2	~ 2,000 acres of residential area in Zone
Septic systems (serves one single-family home)	R02	R2-1-251	A	Low	5	Around Lake Louise	3	
Airports	X14	X14-1	A	Low	6	off Lake Louise	3	
Highways and roads, dirt/gravel	X24	X24-1	A	Low	7	Access Road 1	2	
Highways and roads, dirt/gravel	X24	X24-2	A	Low	8	Access Road 2	2	
Highways and roads, dirt/gravel	X24	X24-3	A	Low	9	Access Road 3	2	
Highways and roads, dirt/gravel	X24	X24-4	A	Low	10	Access Road 4	2	
Highways and roads, dirt/gravel	X24	X24-5	A	Low		Access Road 5	2	
Highways and roads, dirt/gravel	X24	X24-6	A	Low		Access Road 6	2	
Highways and roads, dirt/gravel	X24	X24-7	A	Low		Access Road 7	2	
Highways and roads, dirt/gravel	X24	X24-8	A	Low		Access Road 8	2	
Highways and roads, dirt/gravel	X24	X24-9	A	Low		Access Road 9	2	
Campgrounds and RV Parks	X35	X35-1	A	Low		off Access Road 7	3	

Table 4

# Lake Louise


# Sources of Volatile Organic Chemicals

Contaminant Source Type	Contaminant Source ID	CS ID tag	Zone	Risk Ranking for Analysis	Overall Rank after Analysis	Location	Map Number	Comments
Airports	X14	X14-1	A	High	1	off Lake Louise	3	
Injection wells (Class V) Large-Capacity Septic System (Drainfield Disposal Method)	D10	D10-1-44	A	Low	2	Around Lake Louise	3	
Pit toilets (vaulted) nonresidential (one or more)	D17	D17-1	A	Low	3	end of Access Road 5	3	
Residential Areas	R01	R1-1	A	Low	4	Residences around Lake Louise	2	~ 2,000 acres of residential area in Zone
Septic systems (serves one single-family home)	R02	R2-1-251	A	Low	5	Around Lake Louise	3	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-1	A	Low	6	off Access Road 3	3	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-2	A	Low	7	off Access Road 8	3	
Tanks, heating oil, nonresidential (aboveground)	T14	T14-3	A	Low	8	off Access Road 8	3	
Highways and roads, dirt/gravel	X24	X24-1	A	Low	9	Access Road 1	2	
Highways and roads, dirt/gravel	X24	X24-2	A	Low	10	Access Road 2	2	
Highways and roads, dirt/gravel	X24	X24-3	A	Low		Access Road 3	2	
Highways and roads, dirt/gravel	X24	X24-4	A	Low		Access Road 4	2	
Highways and roads, dirt/gravel	X24	X24-5	A	Low		Access Road 5	2	
Highways and roads, dirt/gravel	X24	X24-6	A	Low		Access Road 6	2	
Highways and roads, dirt/gravel	X24	X24-7	A	Low		Access Road 7	2	
Highways and roads, dirt/gravel	X24	X24-8	A	Low		Access Road 8	2	
Highways and roads, dirt/gravel	X24	X24-9	A	Low		Access Road 9	2	
Campgrounds and RV Parks	X35	X35-1	A	Low		off Access Road 7	3	

# **APPENDIX C**

Lake Louise Campground
Drinking Water Protection Area
and Potential and Existing Contaminant Sources
(Maps 2-3)

Drinking Water Protection Areas for Lake Louise Campground and Potential and Existing Sources of Contamination




16,000 Feet

16,000


8,000

.001 W Drinking Water Protection Areas for Lake Louise Campground and Potential and Existing Sources of Contamination





# **APPENDIX D**

# Vulnerability Analysis for Lake Louise Campground Public Drinking Water Source (Charts 1-7)





Page 1 of 1






Page 2 of 2





Page 1 of 6

Chart 4. Contaminant risks for Lake Louise Campground - Nitrates and Nitrites





Risk Levels for Contam	inant Sources id	lentified in Zone	es A and B
	Zone A	Zone B	Total
Very Highs(s)	0	0	0
High(s)	1	0	1
Medium(s)	0		0
Low(s)	46		46

	LOW 10 pts	MEDIUM 20 pts	HIGH 30 pts	VERY HIGH 40 pts
LOW	* 10 sources + 10 pts	≥ 10 sources + 5 pts	≥ 20 sources + 5 pts	
MEDIUM		≥ 2 sources + 5 pts	≥ 5 sources + 5 pts	≥ 10 sources + 5 pts
HIGH			≥ 1 source + 10 pts	≥ 2 sources + 10 pts
VERY HIGH				≥ 1 source + 10 pts


Matrix Score 35
-----------------


Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.






Page 3 of 6





Page 1 of 6

Chart 6. Contaminant risks for Lake Louise Campground - Volatile Organic Chemicals





Risk Levels for Contaminant Sources identified in Zones A and B				
	Zone A	Zone B	Total	
Very Highs(s)	0	0	0	
High(s)	1	0	1	
Medium(s)	0		0	
Low(s)	48		48	

	LOW 10 pts	MEDIUM 20 pts	HIGH 30 pts	VERY HIGH 40 pts
LOW	* 10 sources + 10 pts	≥ 10 sources + 5 pts	≥ 20 sources + 5 pts	
MEDIUM		≥ 2 sources + 5 pts	≥ 5 sources + 5 pts	≥ 10 sources + 5 pts
HIGH			≥ 1 source + 10 pts	≥ 2 sources + 10 pts
VERY HIGH				≥ 1 source + 10 pts

Matrix	Score	35

Note: Septic systems, sewerlines, and roads are each assigned a risk ranking for each individual contaminant source in the CSI. The VA, however, counts these contaminant sources as a group and assigns a calculated number of either "lows" or "mediums" based on the density.





Page 3 of 6

Chart 7. Vulnerability analysis for Lake Louise Campground - Volatile Organic Chemicals (Chart 1. Susceptibiltiy of the surface water source) Evaluate the susceptibility of the surface water Susceptibility of the surface source water Contaminant risks Vulnerability of drinking water surface water to contamination Susceptibility of surface water High 37 pts (Chart 6. Contaminant risks for surface water -Volatile Organic Chemicals) Vulnerability of drinking water surface water Evaluate 82 pts contaminant risks 80 Very High Overall Vulnerability Ratings 80 to 100 pts very high Contaminant risks 60 to < 80 pts high Very High 40 to < 60 pts medium 45 pts < 40 pts low