


BIOLOGICAL REPORT 88(26.6)
MAY 1988

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: SOUTH PLAINS (REGION 6)

3 4982 00011847 0
US FISH & WILDLIFE SERVICE--ALASKA



Fish and Wildlife Service

In Cooperation with the National and
Regional Interagency Review Panels


U.S. Department of the Interior

QH
540
.U56
no.88
(26.6)

Q14
5/10
.0530
76-88/266

Biological Report 88 (26.6)
May 1988
Supersedes WELUT-86/W13.06

NATIONAL LIST OF PLANT SPECIES
THAT OCCUR IN WETLANDS:
SOUTH PLAINS (REGION 6)



by

Porter B. Reed, Jr.
National Ecology Research Center
U.S. Fish and Wildlife Service
Suite 101, Monroe Building
9720 Executive Center Drive
St. Petersburg, FL 33702

for

National Wetlands Inventory
U.S. Fish and Wildlife Service

In cooperation with the National and Regional
Interagency Review Panels:

U.S. Fish and Wildlife Service
U.S. Army Corps of Engineers
U.S. Environmental Protection Agency
U.S. Soil Conservation Service

U.S. Department of the Interior
Fish and Wildlife Service
Research and Development
Washington, DC 20240

DEDICATION

The National List of Plant Species That Occur in Wetlands is respectfully dedicated to Neil Hotchkiss and Francis M. Uhler, who made this work possible by their contributions to wetland botany and ecology. These two scientists focused their long and productive careers on the study of wetlands long before our current emphasis on wetland systems began. They aided in producing the Fish and Wildlife Service's first wetland classification system, developed initial lists and guidebooks to the wetland plants of the United States, and produced many studies on the ecology and management of wetlands and their value to wildlife. It is my sincere pleasure and humble gratitude to acknowledge the dependence of this current work on their long and untiring efforts.

Suggested citation:

Reed, P.B., Jr. 1988. National list of plant species that occur in wetlands: South Plains (Region 6). U.S. Fish Wildl. Serv. Biol. Rep. 88(26.6). 94 pp.

Library
U.S. Fish & Wildlife Service
1011 E. Tudor Road
Anchorage, Alaska 99503

CONTENTS

| | <u>Page</u> |
|---|-------------|
| ACKNOWLEDGMENTS | iv |
| INTRODUCTION | 1 |
| DEVELOPMENT OF THE CURRENT LIST | 2 |
| REVIEW PANELS AND REVIEW PROCESS | 4 |
| COMPOSITION OF THE LISTS | 7 |
| DIGITAL DATA BASE AVAILABILITY | 13 |
| REGIONAL INDICATORS | 14 |
| TRINOMIALS | 57 |
| SYNONYMY | 59 |
| LITERATURE CITED | 86 |
| APPENDIXES | |
| A. Review Procedure | 87 |
| B. Instructions for Completing the Review Sheet for Plant Species That Occur in Wetlands | 88 |
| C. Review Sheet for Plant Species That Occur in Wetlands | 89 |
| D. Interagency Review Panel Members and Regional Reviewers | 90 |

ACKNOWLEDGMENTS

The National List of Plant Species That Occur in Wetlands (hereafter referred to as the National List) is the result of the collective efforts of a large number of dedicated biologists. Special recognition and thanks are extended to the many people who contributed to the successful completion of this project. The National Wetlands Inventory, especially John Montanari and William Wilen, provided the funding and administrative support necessary for the development of the National List and coordination of the review effort.

The other Federal agencies, especially William Sipple, John Meagher, and Dave Davis of the Environmental Protection Agency, Robert Pierce, Richard Macomber, and Dana Sanders of the Corps of Engineers, and Billy Teels and Carl Thomas of the Soil Conservation Service, provided much needed funding to aid development of the Annotated National Wetland Plant Species Data Base and technical support through their agency biologists' participation in the review effort.

Special recognition and appreciation is extended to Lewis Cowardin who conceived the need for the National List, supervised the compilation of the initial draft list, and provided invaluable advice and direction during the initial phase of the project.

The contribution of the authors of the almost 300 regional and State floras and regional wetland manuals used in compiling the Annotated National Wetland Plant Species Data Base is gratefully acknowledged.

The development of the National List was greatly facilitated by the dedicated staff who contributed over 50 person years to compile the Annotated National Wetland Plant Species Data Base. This data base provided a solid information base from which the National List was derived. This staff included Karen E. Amidei, James G. Armstrong, Sheryl A. Brenner, Steven I. Candileri, Mark A. Charneski, Diana Fry, Thomas B. Gunter, Lillian A. Gustafson, Iris A. Kendall, Mary E. Klee, Annie L. Kosvanec, David R. Lindsey, Stephen Mortellaro, Kent A. Moyer, Laura E. Pittman, Donald R. Richardson, Richard N. Rowse, Angela F. Salem, Deana Ulmer, Sheri A. Ulrich, Sandra M. Upchurch, Diane Wallace, Debora L. Wegner, August M. Wooten and Kevin R. Youngberg. This landmark effort to collect much of the taxonomic and ecological information about wetland plants into a textual computer data base was a protracted and extremely tedious task. It was truly a pleasure to work with such a productive and conscientious group.

A special debt is owed to the regional ecologists who so generously gave of their time and experience in reviewing the lists. Their review helped to refine the information presented in the botanical manuals and in many cases provided the only and often best description of the ecology of many plant species. The

National List would not be as accurate and complete if it were not for the enormous amount of review so generously provided by the regional reviewers. State distributions and common names provided by John Kartesz from unpublished data bases allowed the production of accurate State lists and common name assignments for almost all species. The high quality and completeness of the National List is in large part due to the data provided by John Kartesz from the Biota of North America Program.

The composition and pleasing format of the lists is largely due to the computer skills of Jill Muhlenbruck and Gregor Auble of the National Ecology Research Center and to the untiring and conscientious efforts of Iris Kendall of the National Wetlands Inventory.

The contributions of the many National and regional review panel members is gratefully acknowledged. These biologists represented their agencies in a technically competent and thoroughly professional manner. The strength of the Regional lists and Indicator assignments is largely due to the diverse background of the review panel members and a firm desire by all to make the process work. The unswerving resolve and determination displayed by all the review panels to complete each phase of the task during the marathon regional review panel meetings was truly inspiring. Well over 200 weeks of staff time was contributed by the review panel members.

It has been a pleasure to coordinate this effort and to work so closely with so many dedicated and professional biologists. The credit and recognition for the completion of this task applies equally to all who contributed so much. As compiler, I must necessarily take the responsibility for any transcription errors which may have occurred during the production of this report. The extensive use of the National List has made the entire effort professionally satisfying for all who have contributed.

INTRODUCTION

The National List of Plant Species That Occur in Wetlands (hereafter referred to as the National List) represents the combined efforts of many biologists over the last decade to define the wetland flora of the United States. The National List has undergone a number of revisions based on intensive review by regional ecologists. National, regional, and State lists are being distributed to provide users with the most current information. We welcome and encourage modification and improvement of the National List. Refinement of the National List will occur continually, reflecting increased knowledge in Indicator assignments, taxonomy, and geographic distribution. We anticipate that further refinement of the National List will lead to additional infra-specific and subregional Indicator assignments. Review documents and procedures are included with the National List to aid and encourage additional review (Appendix A).

The U.S. Fish and Wildlife Service initially developed the National List in order to provide an appendix to the Classification of Wetlands and Deepwater Habitats of the United States (Cowardin et al. 1979) to assist in the field identification of wetlands. Plant species that occur in wetlands as used in the National List are defined as species that have demonstrated an ability (presumably because of morphological and/or physiological adaptations and/or reproductive strategies) to achieve maturity and reproduce in an environment where all or portions of the soil within the root zone become, periodically or continuously, saturated or inundated during the growing season (adapted from Huffman 1981). The development of the National List changed significantly when a cooperative review effort was established by the major Federal agencies involved in wetland identification and management. The utility of the National List goes far beyond a simple catalog of wetland plants. The Fish and Wildlife Service, in cooperation with North Carolina State University, has produced a weighted average procedure for using the wetland Indicator assignments of individual species to assist in determining the probability that a community is a wetland (Wentworth and Johnson 1986). This procedure is used by the Soil Conservation Service to aid in the determination of wetlands included under the conservation provisions of the Food Security Act of 1985. The Fish and Wildlife Service, Army Corps of Engineers, Environmental Protection Agency, and Soil Conservation Service use the National List to aid in identifying wetlands falling under their various wetland program responsibilities. Wetland identification manuals which incorporate the National List have recently been produced by the Corps of Engineers (Environmental Laboratory 1987) and the U.S. Environmental Protection Agency (Sipple 1988).

DEVELOPMENT OF CURRENT LIST

The Fish and Wildlife Service recognized that accessory lists of hydrophytes (plant species that occur in wetlands) and hydric soils would need to be developed to apply the wetland classification system accurately and consistently in the field. The scientific names of the plant species included in the major wetland plant lists and manuals were collected and merged into a single computerized list with those species on the National List of Scientific Plant Names (U.S. Department of Agriculture 1971) that had emergent, floating, or submergent life forms. This initial list of 1,626 species, completed in March 1976, was obviously incomplete, and was especially deficient in plant species from the western United States and the Alaska, Caribbean, and Hawaii regions. Dr. Donovan Correll, Fairchild Tropical Garden, Miami, Florida, reviewed this initial list in 1977 and suggested many additional species for inclusion. Dr. Correll's additions were combined with the initial list, and a draft list of 4,235 species was developed in 1977. This draft list, although plagued by problems of plant nomenclature and synonymy, was remarkably complete, considering the small amount of time which had been spent on its development.

Review and refinement of this draft list has continued since 1977. Initial tasks were to maintain and improve computer storage and retrieval of the draft list information, align the listed species with a national taxonomic treatment, and subdivide the species according to their fidelity to wetlands. The importance of the development of an accurate National List of Plant Species That Occur in Wetlands to the Federal community and the need to substantiate the occurrence of these plant species in wetlands from the botanical literature led the Fish and Wildlife Service to begin development of the Annotated National Wetland Plant Species Data Base. This textual data base documents the taxonomy, distribution, and ecology of each species based on a synthesis of almost 300 National and regional wetland plant and botanical manuals representing the major State and regional floras. Computer storage of the Annotated National Wetland Plant Species Data Base allowed for the efficient maintenance of the initial National List and creation of early draft regional subdivisions of the National List. Data collection for the Annotated National Wetland Plant Species Data Base for all plant species was completed in 1987, but incorporation of this information into a single data base on the National Wetlands Inventory minicomputer remains to be accomplished. The species data base is presently stored on a microcomputer. Information on the data base and preliminary species listings or data reports from the Annotated National Wetland Plant Species Data Base can be obtained from the National Wetlands Inventory, St. Petersburg, Florida.

The Soil Conservation Service, through a contract to the Smithsonian Institution, produced a revised National List of Scientific Plant Names in 1982 (U.S. Department of Agriculture 1982.) This national treatment provided a standard nomenclature for the National List of Plant Species That Occur in Wetlands,

supplied a listing of synonyms linked to the accepted names, and updated the regional distribution of each species. The Soil Conservation Service list was selected as the taxonomic standard in order to facilitate the eventual correlation of the National List of Plant Species That Occur in Wetlands with the Hydric Soils of the United States (U.S. Department of Agriculture 1987). Copies of the National List of Scientific Plant Names (1982) are available from the State offices of the Soil Conservation Service.

A wetland fidelity rating system was created during the initial development of the Annotated National Wetland Plant Species Data Base. Early coding of verbatim habitat from the botanical manuals for a wide variety of plant species indicated that an obvious separation of obligate (restricted to wetlands) and facultative (not restricted to wetlands) species could be made. Further refinement led to subdivision of the facultative category into three subcategories, with a range of percent occurrences in wetland versus nonwetland applied to each subcategory to enhance user understanding and consistent application.

The ecological information obtained from the botanical manuals during data collection for the development of the Annotated National Wetland Plant Species Data Base led to the identification and addition to the National List of many additional species for which at least one manual reported the species occurring in an obvious wetland site. The National List had increased as a result of this process to 5,244 species in 1982, 6,042 species in 1986, and presently is composed of 6,728 plant species.

REVIEW PANELS AND REVIEW PROCESS

The desire of the Federal agencies involved in wetland identification and delineation for a Federal list of plant species that Occur in Wetlands led to the suggestion by the Fish and Wildlife Service that a review process be established similar to that developed to review the Hydric Soils of the United States (U.S. Department of Agriculture 1987). In early 1983, the Fish and Wildlife Service formally requested that the Army Corps of Engineers, Environmental Protection Agency, and Soil Conservation Service participate cooperatively in an interagency review and development of a National List of Plant Species that Occur in Wetlands. Each agency nominated staff wetland ecologists with a strong background in wetland botany to a National Interagency Review Panel. Two organizational meetings were held in the summer of 1983 to determine the responsibilities and goals of the National and Regional Interagency Review Panels and the structure of the review process. The four Federal agencies also nominated staff wetland ecologists to represent them on each of the Regional Review Panels. Selection and appointment of the Regional Interagency Review Panel representatives was completed by each agency by the spring of 1984. All four agencies have been represented on most Review Panels, with some change in agency representatives occurring through the years.

Initial organizational meetings for all the conterminous United States Regional Interagency Review Panels were held in 1984. The regional review process was discussed, and review materials were developed. Potential reviewers, principally field botanists and ecologists associated with State and Federal agencies and universities, were identified for each region, and the responsibility for contacting the potential regional reviewers was partitioned among the Review Panel members. Regional reviewers were contacted during the summer and fall of 1984 to determine if they could review the list and return their review comments by the winter of 1984-85. Regional reviewers were sent the most current copy of the regional list (dated September 1982) during the summer and fall of 1984. The Regional review lists contained, for many species, a tentative Indicator assignment developed from the data collected for the Annotated National Wetland Plant Species Data Base. All the Regional Review Panels met during the spring of 1985 to consider the review provided by the regional ecologists. A total of 142 ecologists and botanists from across the country initially reviewed the 1982 lists. The number of reviewers varied from 10 to 30 per region. Regional reviewers assigned a wetland Indicator to as many species as possible, based upon their field experience, using Cowardin et al. (1979) for the definition of a wetland.

The Regional Interagency Review Panels examined the Indicator assignments suggested by each reviewer and any additional supporting documentation which reviewers provided. Each of the Regional Review Panel members independently synthesized the review received and developed a regional Indicator assignment

for each species based upon all the regional review and information gathered about the species. The tentative Indicator assignment developed from the Annotated National Wetland Plant Species Data Base often was regarded as the equivalent of a regional reviewer's assignment and was given the same status or weight in Review Panel deliberations. The Regional Review Panel collectively considered Indicator assignments for each species made by each agency panel member and, with each agency having one vote, attempted to achieve unanimous agreement on a Regional Indicator assignment. The plus (+) and minus (-) designations, specifying respectively the higher or lower part of the frequency range for a particular Indicator, were used by some Review Panels as a means of achieving interagency agreement. The number of reviewers for each species varied considerably, and each reviewer was generally given the same weight by a Review Panel. The number of reviewers commenting on individual species varied, depending on the distribution of the species across the region. Particular species ranged from 20 review comments to only a single review, and in some cases received no review. Review reflecting a wide range of suggested Indicators was received for some species. This broad range of suggested Indicators for these species was difficult to synthesize and blend into a single Indicator status. These species were given an NA (no agreement) assignment if the Review Panel could not reach a unanimous decision. Unreviewed species were assigned an NI (no indicator) assignment if the Review Panel had little or no information on which to base an Indicator status.

The National Review Panel met in July 1985 to review progress, to examine the Indicator assignments for consistency across regions, and to develop a procedure for the assignment of an Indicator to as many unassigned species as possible. National, regional, and State lists of plant species that Occur in Wetlands were produced in the spring of 1986, and were distributed widely.

The Regional Review Panels met during the summer and fall of 1986 to apply an Indicator assignment to as many remaining unassigned species as possible. The Review Panels principally relied on additional review received from former and new reviewers, the habitat information recorded in the Annotated National Wetland Plant Species Data Base, or examination of the habitat given in selected regional manuals if the Species Data Base information was not available, to assign a regional Indicator status. An asterisk (*) was assigned by the Regional Review Panels to Indicators derived from limited ecological information. The asterisk reflected a tentative assignment made with less confidence and data than the other Indicator assignments. Usually no review was received from regional ecologists for these asterisked species. A question mark (?) following a National Indicator denoted a tentative Indicator assignment assigned by the compiler and not confirmed by Regional Interagency Review Panel concurrence. The 1986 National Wetland Plant List - Regional Indicator Compilation (Reed 1986) reported the status of the review process.

The National Review Panel reexamined the review process and current list in 1986 and directed the Regional Panels to complete the review of the regional lists. The Regional Review Panels met during the spring and summer of 1987 to complete the initial assignment of as many unassigned species remaining on the regional lists as possible. The Review Panels also considered species suggested for addition by reviewers. Additional Regional Indicator assignments and changes to previous assignments were made based on new review received from reviewers,

ecological information from the Annotated National Wetland Plant Species Data Base, or information from botanical manuals.

The task of the Regional Interagency Review Panels was to interpret and synthesize reviewers' comments and the range of habitat descriptions given for each species by the various authors of the botanical manuals into a single wetland Indicator category for their regions. There was an overwhelming similarity of independent Indicator assignments made by both the reviewers, based on their field experience, and the Regional Review Panel members, based on the habitat expressed in the botanical literature. This repeatability of Indicator assignments derived in a variety of ways by ecologists with a wide variety of backgrounds confirmed that the Indicators were both reproducible and defensible. The Regional Review Panels were able to assign, with the highest degree of confidence, Indicators to those species which had been reviewed by a number of regional reviewers and also had a large literature base. The comparability of the Indicator designations is also demonstrated by the large number of species (6,114 species, 91% of the species assigned an Indicator) that were assigned only a single Indicator or a narrow range of Indicators by the independently functioning Regional Review Panels. An analysis of the National Indicator range shows that 483 species (7%) were assigned an NI (no indicator), and 675 species (10%) have a question mark following the Indicator. The question mark signifies a tentative assignment. An analysis of the Regional Indicators for all regions shows that an * was added to 729 Regional Indicators and an NA was assigned to 28 species. The National List of Plant Species that Occur in Wetlands: 1988 represents our progress to date and is provided both for current use and as a base for future revisions.

COMPOSITION OF THE LISTS

The National, regional, and State lists are reported in a variety of formats. All of the lists are initially arranged alphabetically by scientific name followed by a second list, also alphabetical by scientific name, of those species with infra-specific (subspecies, variety, or form) Indicator assignments. A third list, alphabetic by scientific name, provides a list of synonyms related to the equivalent accepted name shown in the alphabetical scientific name list. The State lists also contain a fourth compilation, following the synonymy report, of the species found in each State, alphabetized by common name and subdivided into eight separate lists by life form (trees, shrubs, vines, forbs, grasses, grasslikes [sedges and rushes], ferns and allies, and aquatics).

Nomenclature and distribution follow the National List of Scientific Plant Names (1982) except as modified by State distribution data from an unpublished plant species geographic data base (Kartesz).

Epiphytic (e.g., mistletoes and some orchids) and nonrooted species (e.g., dodder) were excluded from the National List because their roots were respectively either never exposed to ground-level soil conditions or were not in existence during all or part of the plant's life span. The current National List contains only vascular plants, but a companion list of Bryophytes (mosses and liverworts) that occur in wetlands is being developed to further define the wetland flora of the United States. The Algae have also been excluded from the current list.

Listings of the members of the National and appropriate Regional Interagency Review Panels and the regional reviewers are included at the end of each list (Appendix D). Not all categories listed below are displayed in each National, regional, or State report. The National alphabetical scientific name list is reported by SCI-NAME, NAT-IND, R1IND, R2IND, R3IND, R4IND, R5IND, R6IND, R7IND, R8IND, R9IND, ROIND, RAIND, RCIND, RHIND, and REGION. The National trinomial list is reported by SCI-NAME, TRINOM, R1IND, R2IND, R3IND, R4IND, R5IND, R6IND, R7IND, R8IND, R9IND, ROIND, RAIND, RCIND, RHIND, and REGION. The National, regional, and State synonym lists are reported by SYNONYMY, SCI-NAME, AUTHOR, and REGION. The regional and State alphabetical scientific name lists are reported by SCI-NAME, AUTHOR, COMMON-NAME, R_IND, NAT-IND, and HABIT. The regional and State trinomial lists are reported by SCI-NAME, AUTHOR, TRINOM, R_IND, NAT-IND, and HABIT. The State alphabetical common-name lists are reported within life forms (HABIT) by COMMON-NAME, R_IND, NAT-IND, SYMBOL, SCI-NAME, and HABIT.

The information in these lists is presented in the following categories. A brief definition of the categories reported in the various lists is given below:

SCI-NAME (Scientific Name)

The genus and species applied to the taxon by the National List of Scientific Plant Names (1982).

SYMBOL

Symbol assigned in the National List of Scientific Plant Names (1982), consisting of the first two letters of the genus name and the first two letters of the specific epithet, with additional numbers added in numeric sequence to the four-letter symbol to break ties. Tentative plant symbols for species not in the National List of Scientific Plant Names (1982) have been created by taking the first two letters of the genus and specific epithet, adding a numeric tie breaker, if necessary, and ending with a question mark. All species have a unique symbol.

AUTHOR

The author of the scientific name as cited by the National List of Scientific Plant Names (1982).

SYNONYMY

Alternate scientific names applied to the species by major regional or State floras.

TRINOM (Trinomial)

Varieties, subspecies, or forms which differ in Indicator assignment from the species.

NAT-IND (National Range Of Indicators)

The National Indicators reflect the range of estimated probabilities (expressed as a frequency of occurrence) of a species occurring in wetland versus nonwetland across the entire distribution of the species. A frequency, for example, of 67%-99% (Facultative Wetland) means that 67%-99% of sample plots containing the species randomly selected across the range of the species would be wetland. A question mark (?) following an Indicator denotes a tentative assignment based on the botanical literature and not confirmed by regional review. When two indicators are given, they reflect the range from the lowest to the highest frequency of occurrence in wetlands across the regions in which the species is found. A positive (+) or negative (-) sign was used with the Facultative Indicator categories to more specifically define the regional frequency of occurrence in wetlands. The positive sign indicates a frequency toward the higher end of the category (more frequently found in wetlands), and a negative sign

indicates a frequency toward the lower end of the category (less frequently found in wetlands).

Indicator Categories

Obligate Wetland (OBL). Occur almost always (estimated probability >99%) under natural conditions in wetlands.

Facultative Wetland (FACW). Usually occur in wetlands (estimated probability 67%-99%), but occasionally found in nonwetlands.

Facultative (FAC). Equally likely to occur in wetlands or nonwetlands (estimated probability 34%-66%).

Facultative Upland (FACU). Usually occur in nonwetlands (estimated probability 67%-99%), but occasionally found in wetlands (estimated probability 1%-33%).

Obligate Upland (UPL). Occur in wetlands in another region, but occur almost always (estimated probability >99%) under natural conditions in nonwetlands in the region specified. If a species does not occur in wetlands in any region, it is not on the National List.

The wetland Indicator categories should not be equated to degrees of wetness. Many obligate wetland species occur in permanently or semipermanently flooded wetlands, but a number of obligates also occur and some are restricted to wetlands which are only temporarily or seasonally flooded. The facultative upland species include a diverse collection of plants which range from weedy species adapted to exist in a number of environmentally stressful or disturbed sites (including wetlands) to species in which a portion of the gene pool (an ecotype) always occurs in wetlands. Both the weedy and ecotype representatives of the facultative upland category occur in seasonally and semipermanently flooded wetlands.

R_IND (Regional Indicator)

The estimated probability (likelihood) of a species occurring in wetlands versus nonwetlands in the region. Regional Indicators reflect the unanimous agreement of the Regional Interagency Review Panel. If a regional panel was not able to reach a unanimous decision on a species, NA (no agreement) was recorded in the regional indicator (R_IND) field. An NI (no indicator) was recorded for those species for which insufficient information was available to determine an indicator status. A nonoccurrence (NO) designation indicates that the species does not occur in that region. An asterisk (*) following a regional Indicator identifies tentative assignments based on limited information from which to determine the indicator status. In the listings for the States divided into two regions (Montana, Wyoming, and Colorado), both regional Indicators are reported.

REGION

The distribution of the species expressed by the regional codes used in the National List of Scientific Plant Names (1982). These code numbers and regions are displayed in Figure 1.

| <u>REGION CODE</u> | <u>REGION</u> | <u>STATE(S) IN REGION</u> |
|--------------------|----------------|--|
| 1 | Northeast | ME,NH,VT,MA,CT,RI,WV,KY,NY,PA, NJ,MD,DE,VA,OH |
| 2 | Southeast | NC,SC,GA,FL,TN,AL,MS,LA,AR |
| 3 | North Central | MO,IA,MN,MI,WI,IL,IN |
| 4 | North Plains | ND,SD,MT(Eastern),WY(Eastern) |
| 5 | Central Plains | NE,KS,CO(Eastern) |
| 6 | South Plains | TX,OK |
| 7 | Southwest | AZ,NM |
| 8 | Intermountain | NV,UT,CO(Western) |
| 9 | Northwest | WA,OR,ID,MT(Western),WY(Western) |
| 0 | California | CA |
| A | Alaska | AK |
| C | Caribbean | PR(Puerto Rico), VI(U.S. Virgin Islands.), CZ(Canal Zone), SQ (Swan Islands.) |
| H | Hawaii | HI(Hawaiian Islands.), AQ(American Samoa), GU(Guam), IQ(U.S. Misc. Pacific Islands.), MQ(Midway Islands.), TQ(Trust territories of the Pacific Islands.), WQ(Wake Isl.), YQ(Ryukyu Islands. Southern) |

COMMON-NAME

A popular name applied to the species. Common name selection generally follows Common Names for North American Plants (Kartesz and Thieret, in press), but some common names follow the current common name list maintained by the Soil Conservation Service.

HABIT

The plant characteristics and life forms assigned to each species in the National List of Scientific Plant Names (1982) and by the Soil Conservation Service. Family names are listed alphabetically under specific life forms restricted to these families.

| <u>SYMBOL</u> | <u>CHARACTERISTIC OR LIFE FORM</u> | <u>SYMBOL</u> | <u>CHARACTERISTIC OR LIFE FORM</u> |
|---------------|--|---------------|--|
| A = | Annual | G = | Grass |
| B = | Biennial | | POACEAE |
| C = | Clubmoss | GL = | Grasslike |
| | LYCOPODIACEAE | | CYPERACEAE |
| | SELAGINELLACEAE | | JUNCACEAE |
| E = | Emergent | H = | Partly woody |
| @ = | Epiphytic | HS = | Half shrub |
| F = | Forb | H2 = | Horsetail |
| / = | Floating | | EQUISETACEAE |
| F3 = | Fern | I = | Introduced |
| | ADIANTACEAE | N = | Native |
| | ASPLENIACEAE | P = | Perennial |
| | BLECHNACEAE | + = | Parasitic |
| | CYATHEACEAE | P3 = | Pepperwort |
| | DAVALLIACEAE | | MARSILEACEAE |
| | DENNSTAEDTIACEAE | Q = | Quillwort |
| | | | ISOETACEAE |
| | GLEICHENIACEAE | S = | Shrub |
| | GRAMMITIDACEAE | - = | Saprophytic |
| | HYMENOPHYLLACEAE | Z = | Submerged |
| | | \$ = | Succulent |
| | MARATTIACEAE | T = | Tree |
| | OPHIOGLOSSACEAE | V = | Herbaceous Vine |
| | OSMUNDACEAE | W = | Waterfern |
| | PARKERIACEAE | | AZOLLACEAE |
| | POLYPODIACEAE | | SALVINIACEAE |
| | PSILOTACEAE | WV = | Woody vine |
| | SCHIZAEACEAE | | |

The HABIT symbols are combined to describe the life form of the species (e.g., ANG means annual native grass, IT means introduced tree).

DIGITAL DATA BASE AVAILABILITY

The National List of Plant Species that Occur in Wetlands is maintained in a microcomputer data base. This data base was created to track and document the decisions made by the Regional Interagency Review Panels and to facilitate generation of National, regional and State reports. The data base is organized into 26 fixed-length and 3 variable-length fields and contains information on plant taxonomy, geography, and wetland Indicator status. We expect to make regional subdivisions of the data base and a user's manual available on selected magnetic media. An announcement of the format and ordering procedures will be distributed widely when the data base is available in digital form.

REGIONAL INDICATORS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------|-----------------------------------|------------------------------|-------|-------------|-------|
| ABUTILON THEOPHRASTI | MEDIC. | VELVET-LEAF | NI | UPL, FACU- | AIF |
| ACACIA SMALLII | ISELY | HUISACHE | FACU | FACU | NTS |
| ACER NEGUNDO | L. | BOX-ELDER | FACW- | FAC, FACW | NT |
| ACER RUBRUM | L. | MAPLE, DRUMMOND RED | FACW | FACW, OBL | NT |
| ACER RUBRUM | L. | MAPLE, TRIDENT RED | NI | FACW+, OBL | NT |
| ACER RUBRUM | L. | MAPLE, RED | FAC | FAC | NT |
| ACER SACCHARINUM | L. | MAPLE, SILVER | FAC | FAC, FACW | NT |
| ACHILLEA MILLEFOLIUM | L. | YARROW, COMMON | FACU | FACU | PNF |
| ACORUS CALAMUS | L. | SWEETFLAG | OBL | OBL | PIEF |
| ADIANTUM CAPILLUS-VENERIS | L. | FERN, SOUTHERN MAIDEN-HAIR | FACW+ | FACU, FACW+ | PNF3 |
| ADIANTUM PEDATUM | L. | FERN, NORTHERN MAIDEN-HAIR | FAC | FACU, FAC | PNF3 |
| ADIANTUM TRICHOLEPIS | FEE | FERN, HAIRY MAIDEN-HAIR | FAC | FAC | PNF3 |
| AESCHYNOMENE EVENIA | C. WRIGHT | JOINT-VETCH | NI | NI | PNF |
| AESCHYNOMENE INDICA | L. | JOINT-VETCH, INDIA | FACW | FACW, FACW+ | ANF |
| AESCLUSUS GLABRA | WILLD. | BUCKEYE, TEXAS | FACU- | FACU- | NT |
| AESCLUSUS GLABRA | WILLD. | BUCKEYE, OHIO | FAC- | FACU, FAC+ | NT |
| AESCLUSUS PAVIA | L. | BUCKEYE, RED | FAC- | FAC-, FAC+ | NST |
| AGALINIS APHYLLA | (NUTT.) RAF. | FALSE-FOXGLOVE, SCALE-LEAF | NI | FACW | AN+F |
| AGALINIS ASPERA | (DOUGL. EX BENTH.) BRITTON | FALSE-FOXGLOVE, ROUGH PURPLE | FAC | FACU, FAC | ANF |
| AGALINIS FASCICULATA | (ELLIOTT) RAF. | FALSE-FOXGLOVE, BEACH | FAC | FAC, FACW | ANF |
| AGALINIS HETEROPHYLLA | (NUTT.) SMALL EX BRITTON & A. BR. | FALSE-FOXGLOVE, PRAIRIE | FAC- | FACU+, FAC+ | ANF |
| AGALINIS MARITIMA | (RAF.) RAF. | FALSE-FOXGLOVE, SALT MARSH | OBL | FACW+, OBL | ANF |
| AGALINIS OLIGOPHYLLA | PENNELL | FALSE-FOXGLOVE, RIDGE-STEM | NI | FAC | AN+F |
| AGALINIS PULCHELLA | PENNELL | FALSE-FOXGLOVE | NI | FACW- | AN+F |
| AGALINIS PURPUREA | (L.) RAF. | FALSE-FOXGLOVE, LARGE PURPLE | FAC | FAC, FACW | ANF |
| AGALINIS TENUIFOLIA | (VAHL) RAF. | FALSE-FOXGLOVE, SLENDER | FAC- | FACU, FACW | AF |
| AGASTACHE NEPETOIDES | (L.) KUNTZE | GIANT-HYSSOP, YELLOW | FAC | FACU, FAC | PNF |
| AGRIMONIA PARVIFLORA | SOLAND. IN AIT. | GROOVEBUR, SMALL-FLOWER | FACW | FAC, FACW | PNF |
| AGRIMONIA ROSTELLATA | WALLR. | GROOVEBUR, BEAKED | FAC- | FACU, FAC | PNF |
| AGRIMONIA STRIATA | MICHX. | GROOVEBUR, WOODLAND | NI | FACU-, FAC | PNF |
| AGROPYRON REPENS | (L.) BEAUV. | QUACKGRASS | FACU- | UPL, FAC | PIG |
| AGROPYRON SMITHII | RYDB. | WHEATGRASS, WESTERN | FAC- | UPL, FAC- | PNG |
| AGROPYRON TRACHYCAULUM | (LINK) MALTE EX H.F. LEWIS | WHEATGRASS, SLENDER | FAC- | FACU, FAC | PNG |
| AGROSTIS ALBA | L. | REDTOP | OBL | FACW, OBL | PIG |
| AGROSTIS AVENACEA | J.F. GMEL. | BENTGRASS, HAIRY-FLOWER | NI | FACW | PIG |
| AGROSTIS EXARATA | TRIN. | BENTGRASS, SPIKE | FACW | FACW | PNG |
| AGROSTIS GIGANTEA | ROTH | BENTGRASS, BLACK | NI | FAC? | PNG |
| AGROSTIS HYEMALIS | (WALTER) B.S.P. | BENTGRASS, WINTER | FACW- | FACU, FACW | PNG |
| AGROSTIS PERENNANS | (WALTER) TUCKERMAN | BENTGRASS, PERENNIAL | FAC | FACU, FACW | PNG |
| AGROSTIS SCABRA | WILLD. | BENTGRASS, ROUGH | FAC+ | FAC, FAC+ | PNG |
| AGROSTIS SEMIVERTICILLATA | (FORSK.) C. CHR. | BENTGRASS, WATER | OBL | FACW, OBL | PIG |
| AGROSTIS STOLONIFERA | L. | BENTGRASS, SPREADING | FACW | FAC+, FACW | PNG |
| ATLANTHUS ALTISSIMA | (MILL.) SWINGLE | TREE-OF-HEAVEN | FACU | FACU | IT |
| ALETRIS AUREA | WALTER | COLIC-ROOT, GOLDEN | FACW+ | FACW, FACW+ | PNF |
| ALETRIS FARINOSA | L. | COLIC-ROOT, WHITE | FAC | FAC, FAC+ | PNF |
| ALHAGI CAMELORUM | FISCH. | CAMEL-THORN | FAC+ | FAC, FACW- | IS |
| ALISMA SUBCORDATUM | RAF. | WATER-PLANTAIN, SUBCORDATE | OBL | OBL | PNF |
| ALLENROLFEA OCCIDENTALIS | (S. WATS.) KUNTZE | BUSH, IODINE | FACW | FACW, FACW+ | NSHS |
| ALLIARIA PETIOLATA | (M. BIEB.) CAVARA & GRANDE | MUSTARD, GARLIC | NI | FACU-, FACW | BIF |
| ALLIUM BIVALVE | (L.) KUNTZE | GARLIC, FALSE | FACU- | FACU-, FAC | PNF |
| ALLIUM CANADENSE | L. | ONION, MEADOW | FACU- | FACU-, FACU | PNF |
| ALLIUM GEYERI | S. WATS. | ONION, GEYER | FACU | FACU | PNF |

ABUTILON THEOPHRASTI

ALLIUM GEYERI

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|------------------------------------|------------------------------|--------------------------|-------|--------------|-------|
| <i>ALLIUM VINEALE</i> | L. | GARLIC, FIELD | NI | FACU-, FACU | PIF |
| <i>ALLOLEPIS TEXANA</i> | (VASEY) SODERST. & H. DECKER | SALTGRASS, TEXAS | FAC | FAC | PNG |
| <i>ALNUS SERRULATA</i> | (AIT.) WILLD. | ALDER, BROOK-SIDE | OBL | FACW+, OBL | NT |
| <i>ALOPECURUS AEQUALIS</i> | SOBOL. | FOXTAIL, SHORT-AWN | OBL | OBL | PNG |
| <i>ALOPECURUS CAROLINIANUS</i> | WALTER | FOXTAIL, TUFTED | FACW | FAC+, FACW | ANG |
| <i>ALOPECURUS GEMICULATUS</i> | L. | FOXTAIL, MEADOW | OBL | FACW+, OBL | PNG |
| <i>ALOPECURUS MYOSUROIDES</i> | HUDS. | FOXTAIL, MOUSE | FACW | FACW-, FACW | AIG |
| <i>ALOPECURUS PRATENSIS</i> | L. | FOXTAIL, MEADOW | NI | FAC, FACW | PIG |
| <i>ALOPHIA DRUMMONDII</i> | (R. GRAH.) R.C. FOST. | CELESTIAL | NI | FAC- | PNF |
| <i>ALTERNANTHERA PHILOXEROIDES</i> | GRISEB. | WEED, ALLIGATOR | OBL | OBL | PIEF |
| <i>AMARANTHUS ACANTHOCHITON</i> | (TORR.) SAUER | AMARANTH, GREEN-STRIFE | FACU | FACU | ANF |
| <i>AMARANTHUS ALBUS</i> | L. | AMARANTH, WHITE | FACU- | FACU-, FACU | ANF |
| <i>AMARANTHUS ARENICOLA</i> | JOHNST. | AMARANTH, SANDHILLS | FACU- | UPL, FAC | ANF |
| <i>AMARANTHUS AUSTRALIS</i> | (GRAY) SAUR. | AMARANTH, SOUTHERN | OBL | OBL | ANF |
| <i>AMARANTHUS BLITOIDES</i> | S. WATS. | AMARANTH, PROSTRATE | FAC | FACU, FACW | AIF |
| <i>AMARANTHUS CALIFORNICUS</i> | (MOQ.) S. WATS. | AMARANTH, CALIFORNIA | NI | FACW | ANF |
| <i>AMARANTHUS CRASSIPES</i> | SCHLECHT. | AMARANTH, TROPICAL | FAC+ | FAC, FAC+ | AIF |
| <i>AMARANTHUS GREGGII</i> | S. WATS. | AMARANTH, GREGG'S | FAC | FAC | ANF |
| <i>AMARANTHUS OBCORDATUS</i> | (GRAY) STANDL. | AMARANTH, TRANS PECOS | NI | NI | ANF |
| <i>AMARANTHUS PALMERI</i> | S. WATS. | AMARANTH, PALMER'S | FACU- | FACU-, FACU | ANF |
| <i>AMARANTHUS RETROFLEXUS</i> | L. | AMARANTH, RED-ROOT | FACU- | FACU-, FAC- | ANF |
| <i>AMARANTHUS RUDIS</i> | SAUER | AMARANTH, TALL | FAC | FACU-, FACW | ANF |
| <i>AMARANTHUS SPINOSUS</i> | L. | AMARANTH, SPINY | FACU- | FACU-, FACU | ANF |
| <i>AMARANTHUS TUBERCULATUS</i> | (MOQ.) SAUER | AMARANTH, ROUGH-FRUIT | NI | FACW, OBL | ANF |
| <i>AMBROSIA ARTEMISIIFOLIA</i> | L. | RAGWEED, ANNUAL | FACU- | FACU-, FACU+ | ANF |
| <i>AMBROSIA GRAYI</i> | (A. NELS.) SHINNERS | BURSAGE, WOOLLY-LEAF | FACW | FAC, FACW | PNF |
| <i>AMBROSIA PSILOSTACHYA</i> | DC. | RAGWEED, NAKED-SPIKE | FAC- | FACU-, FAC | PNF |
| <i>AMBROSIA TRIFIDA</i> | L. | RAGWEED, GREAT | FAC | FAC, FACW | ANF |
| <i>AMELANCHIER ALNIFOLIA</i> | (NUTT.) NUTT. | SERVICE-BERRY, SASKATOON | FAC- | UPL, FAC- | NS |
| <i>AMELANCHIER ARBOREA</i> | (MICHX. F.) FERN. | SERVICE-BERRY, DOWNY | FACU | FACU, FAC | NT |
| <i>AMANTHIUM MUSCAETOXICUM</i> | (WALTER) GRAY | FLYPOISON | FAC | FAC | PNF |
| <i>AMMANNIA AURICULATA</i> | WILLD. | AMMANNIA, RED-STEM | OBL | OBL | ANF |
| <i>AMMANNIA COCCINEA</i> | ROTTB. | AMMANNIA, PURPLE | OBL | FACW+, OBL | ANF |
| <i>AMMANNIA LATIFOLIA</i> | L. | AMMANNIA, PINK | OBL | OBL | ANF |
| <i>AMMOSELINUM BUTLERI</i> | (ENGELM.) COULT. & ROSE | SAND-PARSLEY, BUTLER'S | FAC+ | FAC, FAC+ | ANF |
| <i>AMORPHA GROECOLANATA</i> | P.W. WATS. | INDIGO, FALSE | NI | FACU-, FACU | NS |
| <i>AMORPHA FRUTICOSA</i> | L. | INDIGO-BUSH, FALSE | FACW | FAC, OBL | NS |
| <i>AMORPHA PANICULATA</i> | TORR. & GRAY | INDIGO-BUSH, PANICLED | FACW | FACW | NS |
| <i>AMORPHA TEXANA</i> | BUCKLEY | AMORPHA, TEXAS | FACU | FACU | NS |
| <i>AMPELAMUS ALBIDUS</i> | (NUTT.) BRITTON | SANDVINE | FAC | FAC | PNF |
| <i>AMPELOPSIS ARBOREA</i> | (L.) KOEHN | PEPPER-VINE | FAC | FAC, FACW | NWV |
| <i>AMPELOPSIS CORDATA</i> | MICHX. | PEPPER-VINE, HEART-LEAF | FAC- | UPL, FAC+ | NWVS |
| <i>AMPHICARPAEA BRACTEATA</i> | (L.) FERNALD | HOG-PEANUT, AMERICAN | FACU | FACU, FACW | APNFV |
| <i>AMSONIA GLABERRIMA</i> | WOODSON | SLIMPOD, SMOOTH | FACW+ | FACW+, OBL | PNF |
| <i>AMSONIA ILLUSTRIS</i> | WOODSON | SLIMPOD, GREAT PLAINS | FAC+ | FAC, FAC+ | PNF |
| <i>AMSONIA TABERNAEMONTANA</i> | WALTER | SLIMPOD, EASTERN | FAC- | FACW-, FACW | PNF |
| <i>ANAGALLIS ARVENSIS</i> | L. | PIMPERNEL, SCARLET | FAC- | UPL, FACW- | AIF |
| <i>ANDROPOGON GERARDII</i> | VITMAN | BLUESTEM, BIG | FACU | FACU, FAC | PNG |
| <i>ANDROPOGON GLOMERATUS</i> | (WALTER) B.S.P. | BLUESTEM, BUSHY | FACW+ | FACW, OBL | PNG |
| <i>ANDROPOGON TERNARIUS</i> | MICHX. | BLUESTEM, SILVER | FACU | FACU | PNG |
| <i>ANDROPOGON VIRGINICUS</i> | L. | BROOM-SEDGE | FACU+ | FACU, FAC | PNG |
| <i>ANDROSACE OCCIDENTALIS</i> | PURSH | ROCK-JASMINE, WESTERN | FACU- | FACU-, FACU | ANF |

ALLIUM VINEALE

ANDROSACE OCCIDENTALIS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|----------------------------------|--------------------------|-------------------------------|-------|--------------|-------|
| <i>ANDROSACE SEPTENTRIONALIS</i> | L. | ROCK-JASMINE, PYGMY-FLOWER | NI | UPL, FAC- | ANF |
| <i>ANEMONE VIRGINIANA</i> | L. | THIMBLE-WEED, TALL | NI | NI | PNF |
| <i>ANEMOPSIS CALIFORNICA</i> | (NUTT.) HOOK. & ARN. | YERBA MANSA | FACW+ | FACW+, OBL | PNF |
| <i>ANODA CRISTATA</i> | (L.) SCHLECHT. | ANODA, CRESTED | FAC | UPL, FAC | ANF |
| <i>ANTHAENANTIA RUFA</i> | (ELLIOTT) J.A. SCHULTES | SILKY-SCALE, PURPLE | FACU | FACU | PNG |
| <i>ANTHAENANTIA VILLOSA</i> | (MICHX.) BEAUV. | SILKY-SCALE, GREEN | FACU- | UPL, FACU- | PNG |
| <i>ANTHEMIS COTULA</i> | L. | MAYWEED | FACU | UPL, FACU+ | AIF |
| <i>APIOS AMERICANA</i> | MEDIC. | POTATO-BEAN, AMERICAN | FAC | FAC, FACW | PNF |
| <i>APIUM GRAVEOLENS</i> | L. | CELERY | NI | FAC-, FACW | PIF |
| <i>APLECTRUM HYEMALE</i> | (WILLD.) TORR. | PUTTYROOT | NI | FAC-, FACW | PNF |
| <i>APOCYNUM CANNABINUM</i> | L. | DOGBANE, CLASPING-LEAF | FAC | FACU, FAC+ | PNF |
| <i>APOCYNUM SIBIRICUM</i> | JACQ. | DOGBANE, PRAIRIE | FAC | FAC-, FAC+ | PNF |
| <i>APTERIA APHYLLA</i> | (NUTT.) BARNHART | NIXIE, NODDING | FACW | FACW | PNF |
| <i>AQUILEGIA CANADENSIS</i> | L. | COLUMBINE, WILD | FACW | FAC-, FACW | PNF |
| <i>AQUILEGIA CHAPLINEI</i> | STANDL. | COLUMBINE, CHAPLINE'S | OBL* | OBL | PNF |
| <i>AQUILEGIA CHRYSANTHA</i> | A. GRAY | COLUMBINE, GOLDEN | FACW- | FAC, FACW | PNF |
| <i>AQUILEGIA HINCKLEYANA</i> | MUNZ | COLUMBINE, HINCKLEY'S | FACW+ | FACW+ | PNF |
| <i>AQUILEGIA LONGISSIMA</i> | GRAY | COLUMBINE, LONG-SPUR | FACW+ | FACW+ | PNF |
| <i>ARALIA NUDICAULIS</i> | L. | SARSAPARILLA, WILD | NI | FACU, FAC | PNF |
| <i>ARALIA SPINOSA</i> | L. | CLUB, HERCULES | FAC | FAC, FACW- | NT |
| <i>ARENARIA LANUGINOSA</i> | (MICHX.) ROHRB. | SANDWORT, SPREADING | FACU | FACU, FAC | PNF |
| <i>ARENARIA SERPYLLIFOLIA</i> | L. | SANDWORT, THYME-LEAF | FACU | FACU, FAC | AIF |
| <i>ARISAEMA DRACONTIUM</i> | (L.) SCHOTT | DRAGON, GREEN | FACW | FACW | PNF |
| <i>ARISAEMA QUINATUM</i> | (NUTT.) SCHOTT | JACK-IN-THE-PULPIT, FIVE-LEAF | FAC- | FAC- | PNF |
| <i>ARISAEMA TRIPHYLLUM</i> | (L.) SCHOTT | JACK-IN-THE-PULPIT, SWAMP | FACW | FAC, FACW | PNF |
| <i>ARISTIDA AFFINIS</i> | (J.A. SCHULTES) KUNTH | GRASS, LONG-LEAF THREE-AWN | FACW- | FACW-, OBL | PNG |
| <i>ARISTIDA DICHOTOMA</i> | MICHX. | GRASS, SHINNERS' THREE-AWN | FACU | UPL, FACU | ANG |
| <i>ARISTIDA LONGESPICA</i> | POIR. | GRASS, SLIM-SPIKE THREE-AWN | FACU | UPL, FACU | ANG |
| <i>ARISTIDA VIRGATA</i> | TRIN. | GRASS, WAND-LIKE THREE-AWN | FAC | FAC, FACW- | PNG |
| <i>ARISTOLOCHIA SERPENTARIA</i> | L. | SNAKEROOT, VIRGINIA | NI | UPL, FACU | PNF |
| <i>ARISTOLOCHIA TOMENTOSA</i> | SIMS | DUTCHMAN'S-PINE, WOOLLY | FAC | FAC | PNF |
| <i>ARMORACIA AQUATICA</i> | (A. EAT.) WIEGAND | LAKECRESS | OBL | OBL | PNZF |
| <i>ARNOGLOSSUM OVATUM</i> | (WALTER) H. ROB. | INDIAN-PLANTAIN, EGG-LEAF | NI | FAC | PNF |
| <i>ARNOGLOSSUM PLANTAGINEUM</i> | RAF. | INDIAN-PLANTAIN, GROOVE-STEM | FAC | FACU, FACW | PNF |
| <i>ARONIA ARBUTIFOLIA</i> | (L.) ELLIOTT | CHOKEBERRY, RED | FACW | FACW | NS |
| <i>ARTEMISIA ANNUA</i> | L. | WORMWOOD, ANNUAL | FACU | UPL, FACU | AIF |
| <i>ARTHRAOXON HISPIDUS</i> | (THUNB.) MAKINO | ARTHRAOXON, JOINT-HEAD | NI | FACU+, FACW | AIG |
| <i>ARUNCUS DIOICUS</i> | (WALTER) FERNALD | GOATSBEARD, HAIRY | NI | UPL, FACW | PNF |
| <i>ARUNDINARIA GIGANTEA</i> | (WALTER) WALTER EX MUHL. | CANE, GIANT | FACW | FACW | PNG |
| <i>ARUNDO DONAX</i> | L. | REED, GIANT | FAC+ | FACU-, FACW | PIG |
| <i>ASCLEPIAS CURASSAVICA</i> | L. | MILKWEED, SCARLET | FAC+ | FAC, FAC+ | PIF |
| <i>ASCLEPIAS HIRTELLA</i> | (PENNEL) WOODSON | MILKWEED, GREEN | NI | UPL, FAC | PNF |
| <i>ASCLEPIAS INCARNATA</i> | L. | MILKWEED, SWAMP | FACW+ | FACW+, OBL | PNF |
| <i>ASCLEPIAS LANCEOLATA</i> | WALTER | MILKWEED, FEN-FLOWER | OBL | OBL | PNF |
| <i>ASCLEPIAS LONGIFOLIA</i> | MICHX. | MILKWEED, LONG-LEAF | OBL | FACW+, OBL | PNF |
| <i>ASCLEPIAS OENOTHEROIDES</i> | CHAM. & SCHLECHT. | MILKWEED, ZIZOTES | FACU+ | FACU-, FACU+ | PNF |
| <i>ASCLEPIAS PERENNIS</i> | WALTER | MILKWEED, AQUATIC | OBL | OBL | PNF |
| <i>ASCLEPIAS PURPURASCENS</i> | L. | MILKWEED, PURPLE | FACU+ | FACU, FACU+ | PNF |
| <i>ASCLEPIAS RUBRA</i> | L. | MILKWEED, RED | OBL | OBL | PNF |
| <i>ASCLEPIAS SPECIOSA</i> | TORR. | MILKWEED, SHOWY | FAC | FAC, FACW | PNF |
| <i>ASCLEPIAS SUBVERTICILLATA</i> | (GRAY) VAIL | MILKWEED, WESTERN WHORLED | FACU- | UPL, FACU | PNF |
| <i>ASCLEPIAS TEXANA</i> | HELLER | MILKWEED, TEXAS | FACU | FACU | PNF |

ANDROSACE SEPTENTRIONALIS

ASCLEPIAS TEXANA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|------------------------------|-------------------------------|----------------------------|-------|--------------|-------|
| <i>ASCLEPIAS VARIEGATA</i> | L. | MILKWEED, WHITE | FACU | FACU | PNF |
| <i>ASCYRUM HYPERICOIDES</i> | L. | CROSS, ST. ANDREW'S | FACU | FACU, FAC | NS |
| <i>ASCYRUM STANS</i> | MICHX. | ST. PETERSWORT | FAC | FACU, FACW- | NS |
| <i>ASIMINA PARVIFLORA</i> | (MICHX.) DUNAL | PAWPAW, DWARF | FAC | UPL, FAC | NST |
| <i>ASIMINA TRILOBA</i> | (L.) DUNAL | PAWPAW, COMMON | FAC- | FACU+, FAC | NT |
| <i>ASPARAGUS OFFICINALIS</i> | L. | ASPARAGUS-FERN, GARDEN | FACU | FACU-, FACU | PIF |
| <i>ASPLENIUM PLATYNEURON</i> | (L.) OAKES | SPLEENWORT, EBONY | FACU- | FACU-, FACU | PNF 3 |
| <i>ASTER BRACHYACTIS</i> | BLAKE | ASTER, RAYLESS ALKALI | NI | FAC, FACW | ANF |
| <i>ASTER COERULESCENS</i> | DC. | ASTER | NI | OBL | PNF |
| <i>ASTER DUMOSUS</i> | L. | ASTER, BUSH | FAC | FAC, FAC+ | PNF |
| <i>ASTER ERICOIDES</i> | L. | ASTER, WHITE HEATH | FACU- | UPL, FACU | PNF |
| <i>ASTER FALCATUS</i> | LINDL. | ASTER, WHITE PRAIRIE | NI | FACU-, FAC | PNF |
| <i>ASTER HEMISPHERICUS</i> | E. J. ALEX. | ASTER, TENNESSEE | FAC | FACU, FAC | PNF |
| <i>ASTER HESPERIUS</i> | GRAY | ASTER, SISKIYOU | NI | OBL | PNF |
| <i>ASTER LATERIFLORUS</i> | (L.) BRITTON | ASTER, CALICO | FACW+ | FAC, FACW+ | PNF |
| <i>ASTER NOVAE-ANGLIAE</i> | L. | ASTER, NEW ENGLAND | FACW | FACW-, FACW | PNF |
| <i>ASTER ONTARIO</i> | WIEGAND | ASTER, ONTARIO | FAC | FAC | PNF |
| <i>ASTER PALUDOSUS</i> | AIT. | ASTER, SOUTHERN SWAMP | FACW- | FACW-, FACW | PNF |
| <i>ASTER PILOSUS</i> | WILLD. | ASTER, WHITE HEATH | FACU | UPL, FAC- | PNF |
| <i>ASTER PRAEALTUS</i> | POIR. | ASTER, WILLOW-LEAF | FACW- | FACW-, FACW | PNF |
| <i>ASTER SCABRICAULIS</i> | SHINNERS | ASTER, ROUGH-STEM | FACW+ | FACW+ | PNF |
| <i>ASTER SIMPLEX</i> | WILLD. | ASTER, PANICLED | FACW | FACW | PNF |
| <i>ASTER SPINOSUS</i> | BENTH. | ASTER, SPINY | FACW- | FAC, FACW | PNF |
| <i>ASTER SUBULATUS</i> | MICHX. | ASTER, ANNUAL SALTMARSH | OBL | FACW, OBL | ANF |
| <i>ASTER TENUIFOLIUS</i> | L. | ASTER, PERENNIAL SALTMARSH | OBL | OBL | PNF |
| <i>ASTER TRADESCANTII</i> | L. | ASTER, TRADESCANT | NI | FAC+, FACW | PNF |
| <i>ASTER UMBELLATUS</i> | MILL. | ASTER, FLAT-TOP WHITE | OBL | FACW, OBL | PNF |
| <i>ASTER VIMINEUS</i> | LAM. | ASTER, SMALL WHITE | NI | FAC, FACW- | PNF |
| <i>ASTER X EULAE</i> | SHINNERS | | FAC | FAC | PNF |
| <i>ASTER X LANCEOLATUS</i> | WILLD. | | NI | NI | F |
| <i>ASTRAGALUS CANADENSIS</i> | L. | ASTER, WHITE PANICLE | FAC | FACU, FACW | PNF |
| <i>ATHYRIUM FILIX-FEMINA</i> | (L.) ROTH | MILKVETCH, CANADA | FAC+ | FAC, FAC+ | PNF 3 |
| <i>ATRIPLEX ARENARIA</i> | NUTT. | FERN, SUBARCTIC LADY | NI | FAC-, FAC | ANF |
| <i>ATRIPLEX ARGENTEA</i> | NUTT. | ORACHE, SEABEACH | FAC | FACU, FAC | ANF |
| <i>ATRIPLEX PATULA</i> | L. | SALTBUSH, SILVER-SCALE | FACW- | FAC, FACW | ANF |
| <i>ATRIPLEX PENTANDRA</i> | (JACQ.) STANDL. | SALTBUSH, HALBERD-LEAF | FAC | FACU, FAC | ANF |
| <i>ATRIPLEX ROSEA</i> | L. | SALTBUSH, CRESTED | FACU | FACU-, FACU+ | AIF |
| <i>ATRIPLEX SEMIBACCATA</i> | R. BR. | ORACHE, TUMBLING | FAC+ | FAC, FACW | PNF |
| <i>AVICENNIA GERMINANS</i> | (L.) L. | SALTBUSH, AUSTRALIAN | OBL | OBL | NT |
| <i>AXONOPUS AFFINIS</i> | CHASE | MANGROVE, BLACK | FAC | FAC, FACW- | PNG |
| <i>AXONOPUS COMPRESSUS</i> | (SWARTZ) BEAUV. | GRASS, SOUTHERN CARPET | FACW- | FACW- | PNG |
| <i>AXONOPUS FURCATUS</i> | (FLUEGGE) A. HITCHC. | GRASS, FLAT-JOINT CARPET | OBL | FACW, OBL | PNG |
| <i>AZOLLA CAROLINIANA</i> | WILLD. | GRASS, BIG CARPET | OBL | OBL | AN/W |
| <i>AZOLLA MEXICANA</i> | SCHLECHT. & CHAM. EX K. PRESL | FERN, CAROLINA MOSQUITO | OBL | OBL | PN/W |
| <i>BACCHARIS GLUTINOSA</i> | PERS. | FERN, MEXICAN MOSQUITO | FACW | FACW-, FACW | NS |
| <i>BACCHARIS HALIMIFOLIA</i> | L. | FALSE-WILLOW, STICKY | FACW- | FAC, FACW | NS |
| <i>BACCHARIS NEGLECTA</i> | BRITTON | FALSE-WILLOW, EASTERN | FAC | FAC | NS |
| <i>BACCHARIS SALICINA</i> | TORR. & GRAY | FALSE-WILLOW, LINEAR-LEAF | FAC | FAC | NS |
| <i>BACCHARIS VIMINEA</i> | DC. | FALSE-WILLOW, GREAT PLAINS | NI | FACW | NS |
| <i>BACCHARIS WRIGHTII</i> | GRAY | MULEFAT | FACU | FACU, FAC | NS |
| <i>BACOPA CAROLINIANA</i> | (WALTER) B. ROB. | FALSE-WILLOW, WRIGHT'S | OBL | OBL | PNF |
| <i>BACOPA MONNIERI</i> | (L.) WETTST. | WATER-HYSSOP, CAROLINA | OBL | OBL | PNF |
| | | WATER-HYSSOP, COASTAL | OBL | OBL | PNF |

ASCLEPIAS VARIEGATA

BACOPA MONNIERI

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------------|------------------------|---------------------------|-------|-------------|-------|
| <i>BACOPA ROTUNDIFOLIA</i> | (MICHX.) WETTST. | WATER-HYSSOP, DISK | OBL | OBL | PNF |
| <i>BAPTISIA LACTEA</i> | (RAF.) THIERET | WILD-INDIGO, WHITE | NI | FACU, FAC | PNF |
| <i>BARBAREA VULGARIS</i> | R. BR. | ROCKET, YELLOW | NI | FACU, FACW | BIF |
| <i>BARTONIA PANICULATA</i> | (MICHX.) MUHL. | SCREWSTEM, TWINING | OBL | OBL | ANF |
| <i>BARTONIA TEXANA</i> | CORRELL | SCREWSTEM, TEXAS | OBL | OBL | ANF |
| <i>BARTONIA VERNA</i> | (MICHX.) MUHL. | SCREWSTEM, WHITE | OBL | FACW, OBL | ANF |
| <i>BASSIA HYSSOPIFOLIA</i> | (PALLAS) KUNTZE | SMOTHER-WEED, FIVE-HORN | FACW- | FAC, FACW | AIF |
| <i>BATIS MARITIMA</i> | L. | SALTWORT | OBL | OBL | NS5 |
| <i>BERCHEMIA SCANDENS</i> | (J. HILL) K. KOCH | SUPPLE-JACK, ALABAMA | FAC+ | FAC+, FACW | NWV |
| <i>BERGIA TEXANA</i> | (HOOK.) SEUBERT | BERGIA, TEXAS | OBL | OBL | ANF |
| <i>BERULA ERECTA</i> | (HUDS.) COV. | PARSNIP, CUT-LEAF WATER | OBL | OBL | PIF |
| <i>BETULA NIGRA</i> | L. | BIRCH, RIVER | FACW | FACW, OBL | NT |
| <i>BIDENS ARISTOSA</i> | (MICHX.) BRITTON | BEGGAR-TICKS, BEARDED | FACW | FACW-, FACW | ANF |
| <i>BIDENS BIGELOWII</i> | GRAY | BEGGAR-TICKS, BIGELOW'S | FACW | FACW, OBL | ANF |
| <i>BIDENS CERNUA</i> | L. | BEGGAR-TICKS, NODDING | OBL | FACW+, OBL | AIF |
| <i>BIDENS DISCOIDEA</i> | (TORR. & GRAY) BRITTON | BEGGAR-TICKS, SWAMP | FACW+ | FACW, FACW+ | ANF |
| <i>BIDENS FRONDOSA</i> | L. | BEGGAR-TICKS, DEVIL'S | FACW | FACW, FACW+ | ANF |
| <i>BIDENS LAEVIS</i> | (L.) B.S.P. | BEGGAR-TICKS, SMOOTH | OBL | OBL | PNF |
| <i>BIDENS LEPTOCEPHALA</i> | SHERFF | BEGGAR-TICKS, FEW-FLOWER | FACW | FAC, FACW | PNF |
| <i>BIDENS MITIS</i> | (MICHX.) SHERFF | BEGGAR-TICKS, SMALL-FRUIT | OBL | OBL | ANF |
| <i>BIDENS PILOSA</i> | L. | BEGGAR-TICKS, HAIRY | NI | FACW-, FACW | ANF |
| <i>BIDENS POLYLEPIS</i> | BLAKE | BEGGAR-TICKS, AWWLESS | FACW- | FACW-, FACW | ANF |
| <i>BIDENS TRIPARTITA</i> | L. | BEGGAR-TICKS, THREE-LOBE | NI | FACW, OBL | AIF |
| <i>BIGELOWIA NUDATA</i> | (MICHX.) DC. | GOLDEN-ROD, RAYLESS | FACW | FACW | PNF |
| <i>BIGNONIA CAPREOLATA</i> | L. | CROSSVINE | FAC | FAC, FACW | NWV |
| <i>BLEPHILIA HIRSUTA</i> | (PURSH) BENTH. | WOODMINT, HAIRY | NI | FACU- | PNF |
| <i>BOEHMERIA CYLINDRICA</i> | (L.) SWARTZ | FALSE-NETTLE, SMALL-SPIKE | FACW | FACW, OBL | PNF |
| <i>BOLTONIA ASTEROIDES</i> | (L.) L'HER. | BOLTONIA, WHITE | FACW | FACW, OBL | PNF |
| <i>BOLTONIA DIFFUSA</i> | ELLIOTT | BOLTONIA, SMALL-HEAD | FACW- | FAC, FACW | PNF |
| <i>BORRICHIA FRUTESCENS</i> | (L.) DC. | OXEYE, SEA | FACW+ | FACW+, OBL | NS |
| <i>BOTRYCHIUM BITERNATUM</i> | (SAVIGNY) UNDER. | GRAPEFERN, SPARSE-LOBE | FAC | FAC-, FAC | PNF3 |
| <i>BOTRYCHIUM DISSECTUM</i> | SPRENG. | GRAPEFERN, CUTLEAF | FAC | FAC | PNF3 |
| <i>BOTRYCHIUM VIRGINIANUM</i> | (L.) SWARTZ | FERN, RATTLESNAKE | FACU | FACU | PNF3 |
| <i>BOWLESIA INCANA</i> | RUIZ & PAVON | BOWLESIA, HOARY | NI | UPL, FAC+ | ANF |
| <i>BRACHIARIA FASCICULATA</i> | (SWARTZ) S.T. BLAKE | GRASS, BROWN-TOP SIGNAL | FAC- | UPL, FAC- | NG |
| <i>BRACHIARIA MUTICA</i> | (FORSK.) STAPF | PARAGRASS | FACW | FACW | PIG |
| <i>BRACHIARIA PLANTAGINEA</i> | (LINK) A. HITCHC. | GRASS, PLANTAIN SIGNAL | NI | FAC | ANG |
| <i>BRACHIARIA PLATYPHYLLA</i> | (GRISEB.) NASH | GRASS, BROAD-LEAF SIGNAL | FAC | FAC, FAC+ | ANG |
| <i>BRACHIARIA PURPURASCENS</i> | (RADDI) HENR. | PARAGRASS | FACW | FACW | PIG |
| <i>BRASENIA SCHREBERI</i> | J.F. GMEL. | WATERSHIELD | OBL | OBL | PNZF |
| <i>BRICKELLIA CALIFORNICA</i> | (TORR. & GRAY) GRAY | BRICKELL-BUSH, CALIFORNIA | FAC | UPL, FAC | NS |
| <i>BRIZA MINOR</i> | L. | GRASS, LITTLE QUAKING | FAC+ | FAC, FACW | AIG |
| <i>BROMUS JAPONICUS</i> | THUNB. | BROME, JAPANESE | FACU | UPL, FACU | AIG |
| <i>BROMUS KALMII</i> | GRAY | BROME, KALM'S | NI | FACU-, FAC | PNG |
| <i>BROMUS PURGANS</i> | L. | BROME, CANADA | FACU | FACU, FACU+ | PNG |
| <i>BROMUS RUBENS</i> | L. | BROME, RIPGUT | NI | FACU? | AIG |
| <i>BRUNNICHIA CIRRHOSA</i> | GAERTN. | REDVINE | FACW- | FACW-, FACW | PNF |
| <i>BUCHLOE DACTYLOIDES</i> | (NUTT.) ENGELM. | GRASS, BUFFALO | FACU- | FACU-, FACU | PNG |
| <i>BUCHNERA AMERICANA</i> | L. | BLUEHEARTS, AMERICAN | FACU | FACU, FAC | PNF |
| <i>BUCHNERA FLORIDANA</i> | GLANDOGER | BLUEHEARTS, FLORIDA | FACW | FACW-, FACW | PNF |
| <i>BULBOSTYLIS CAPILLARIS</i> | (L.) C.B. CLARKE | HAIRSEDEGE, DENSE-TUFT | FACU+ | FACU, FAC | APNGL |
| <i>BULBOSTYLIS CILIATIFOLIA</i> | (ELLIOTT) FERNALD | HAIRSEDEGE, CAPILLARY | FAC* | FACU, FAC | ANGL |

19

BACOPA ROTUNDIFOLIA

BULBOSTYLIS CILIATIFOLIA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|----------------------------------|------------------------------|-----------------------------|-------|--------------|-------|
| <i>BULBOSTYLIS JUNCOIDES</i> | (VAHL) KUEKENTH. | HAIRSEEDGE, RUSH | FACW- | FACW-, FACW | PNGL |
| <i>BUMELIA LANUGINOSA</i> | (MICHX.) PERS. | BUMELIA, GUM | FACU | FACU, FACU+ | NT |
| <i>BUMELIA LYCIOIDES</i> | (L.) PERS. | BUMELIA, BUCKTHORN | FAC | FAC, FACW | NT |
| <i>BURMANNIA BIFLORA</i> | L. | BURMANNIA, NORTHERN | OBL | OBL | AN-F |
| <i>BURMANNIA CAPITATA</i> | (WALTER EX J.F. GMEL.) MART. | BURMANNIA, SOUTHERN | OBL | OBL | AN-F |
| <i>CABOMBA CAROLINIANA</i> | GRAY | FANWORT, CAROLINA | OBL | OBL | PNZ/F |
| <i>CAKILE EDENTULA</i> | (BIGEL.) HOOK. | SEAROCKET, AMERICAN | FACU | FACU | ANSF |
| <i>CAKILE GENICULATA</i> | (B. ROB.) MILLSP. | SEAROCKET, GULF | FAC | FAC | ANSF |
| <i>CAKILE LANCEOLATA</i> | (WILLD.) SCHULZ | SEAROCKET, COASTAL | FACW- | FAC, FACW- | PNF |
| <i>CALAMOVILFA ARCUATA</i> | K. ROGERS | SAND-REEDGRASS, CUMBERLAND | OBL | FACW, OBL | PNG |
| <i>CALLICARPA AMERICANA</i> | L. | BEAUTY-BERRY, AMERICAN | FACU | FACU-, FACU+ | NS |
| <i>CALLITRICHE DEFLEXA</i> | A. BRAUN | WATER-STARWORT, TERRESTRIAL | FACW- | FACW-, FACW+ | ANF |
| <i>CALLITRICHE HETEROPHYLLA</i> | PURSH | WATER-STARWORT, LARGER | OBL | OBL | PIZ/F |
| <i>CALLITRICHE NUTTALLII</i> | TORR. | WATER-STARWORT, NUTTALL'S | FACW- | FACW-, FACW+ | ANF |
| <i>CALLITRICHE PEPLIOIDES</i> | NUTT. | WATER-STARWORT, MAT | OBL | OBL | ANEF |
| <i>CALLITRICHE VERNA</i> | L. | WATER-STARWORT, SPINY | OBL | OBL | PNZ/F |
| <i>CALOPOGON BARBATUS</i> | (SWARTZ) LINDL. | GRASS-PINK, BEARDED | FACW | FACW, FACW+ | PNF |
| <i>CALOPOGON TUBEROSUS</i> | (L.) B.S.P. | GRASS-PINK, TUBEROUS | OBL | FACW+, OBL | PNF |
| <i>CALYCOCARPUM LYONII</i> | (PURSH) GRAY | CUPSEED | FACW | FACW-, FACW | NWV |
| <i>CALYPTOCARPUS VIALIS</i> | LESS. | LAWNFLOWER, PROSTRATE | FAC | FAC | PNF |
| <i>CALYSTEGIA SEPIUM</i> | (L.) R. BR. | BINDWEED, HEDGE | FAC- | FACU, OBL | PIF |
| <i>CAMASSIA SCILLOIDES</i> | (RAF.) CORY | CAMASSIA, ATLANTIC | FAC | FAC, FACW | PNF |
| <i>CAMPANULA AMERICANA</i> | L. | BELLFLOWER, AMERICAN | FAC | FAC | ANF |
| <i>CAMPANULA ROTUNDIFOLIA</i> | L. | BELLFLOWER, SCOTCH | FAC | UPL, FAC | PNF |
| <i>CAMPISIS RADICANS</i> | (L.) SEEM. | TRUMPET-CREEPER | FAC | FACU, FAC | NWV |
| <i>CANAVALLIA MARITIMA</i> | (AUBL.) THOUARS | BEAN, BAY | NI | FAC- | PNFV |
| <i>CANNA FLACCCIDA</i> | SALISB. | BANDANA-OF-THE-EVERGLADES | OBL | OBL | PNEF |
| <i>CANNA SLAUCA</i> | L. | CANNA, LOUISIANA | OBL | OBL | PNEF |
| <i>CANNA INDICA</i> | L. | SHOT, INDIAN | FACW+ | FACW+, OBL | PIF |
| <i>CANNABIS SATIVA</i> | L. | MARIJUANA | FAC* | FACU-, FAC | AIF |
| <i>CAPERONIA PALUSTRIS</i> | (L.) ST.-HIL. | CAPERONIA, MARSH | FACW | FACW | AIEF |
| <i>CAPSELLA BURSA-PASTORIS</i> | (L.) MEDIC. | PURSE, COMMON SHEPHERD'S | FAC | FACU, FAC | AIF |
| <i>CARDAMINE BULBOSA</i> | (SCHREB. EX MUHL.) B.S.P. | BITTER-CRESS, BULBOUS | OBL | OBL | PNF |
| <i>CARDAMINE CONCATENATA</i> | (MICHX.) O. SCHWARZ | TOOTHWORT, CUT-LEAF | FACU | FACU | PNF |
| <i>CARDAMINE HIRSUTA</i> | L. | BITTER-CRESS, HAIRY | FAC | FACU, FAC | AIF |
| <i>CARDAMINE MACROCARPA</i> | T. BRANDEG. | BITTER-CRESS, LARGE-SEED | FACW | FACW | ANF |
| <i>CARDAMINE PARVIFLORA</i> | L. | BITTER-CRESS, SMALL-FLOWER | FACW | FACU, FACW | AIF |
| <i>CARDAMINE PENNSYLVANICA</i> | MUHL. EX WILLD. | BITTER-CRESS, PENNSYLVANIA | FACW | FACW, OBL | ANF |
| <i>CARDIOSPERMUM HALICACABUM</i> | L. | BALLOONVINE | FAC | FACU, FAC | AIF |
| <i>CAREX ALBOLUTESCENS</i> | SCHWEINITZ | SEDGE, GREENISH-WHITE | FACW | FAC+, FACW | PNGL |
| <i>CAREX AMPHIBOLA</i> | STEUD. | SEDGE, NARROW-LEAF | OBL | FAC, OBL | PNGL |
| <i>CAREX ANNECTENS</i> | (BICKN.) BICKN. | SEDGE, YELLOW-FRUIT | FACW+ | FAC+, FACW+ | PNGL |
| <i>CAREX ATLANTICA</i> | L.H. BAILEY | SEDGE, PRICKLY BOG | OBL | FACW, OBL | PNEGL |
| <i>CAREX AUREA</i> | NUTT. | SEDGE, GOLDEN-FRUIT | OBL | FACW, OBL | PNGL |
| <i>CAREX BICKNELLII</i> | BRITTON | SEDGE, BICKNELL'S | FACW | FACU, FACW | PNGL |
| <i>CAREX BLANDA</i> | DEWEY | SEDGE, WOODLAND | FAC | FACU+, FAC | PNGL |
| <i>CAREX BREVIOR</i> | (DEWEY) MACKENZ. EX LUNELL | SEDGE, SHORT-BEAK | OBL | UPL, OBL | PNEGL |
| <i>CAREX BRITTONIANA</i> | L.H. BAILEY | SEDGE, BRITTON'S | FACW | FACW, OBL | PNGL |
| <i>CAREX BUSHII</i> | MACKENZ. | SEDGE, BUSH'S | OBL | FAC, OBL | PNGL |
| <i>CAREX BUXBAUMII</i> | WAHLENB. | SEDGE, BROWN BOG | OBL | FACW, OBL | PNEGL |
| <i>CAREX CAROLINIANA</i> | SCHWEINITZ | SEDGE, HIRSUITE | OBL | FACU, OBL | PNGL |
| <i>CAREX CEPHALOPHORA</i> | MUHL. EX WILLD. | SEDGE, OVAL-LEAF | OBL | UPL, OBL | PNGL |

BULBOSTYLIS JUNCOIDES

CAREX CEPHALOPHORA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|----------------------|----------------------|------------------------|-------|--------------|-------|
| CAREX CHEROKEENSIS | SCHWEINITZ | SEDGE, CHEROKEE | FACW- | FACW-, FACW | PNGL |
| CAREX COMOSA | BOOTT | SEDGE, BEARDED | OBL | OBL | PNEGL |
| CAREX COMPLANATA | TORR. & HOOK. | SEDGE, HIRSUITE | OBL | FACU-, OBL | PNGL |
| CAREX CRAWEI | DEWEY | SEDGE, CRAWE'S | FACW | FACW, OBL | PNGL |
| CAREX CRINITA | LAM. | SEDGE, FRINGED | OBL | FACW+, OBL | PNEGL |
| CAREX CRUS-CORVI | SHUTTLEW. EX KUNZE | SEDGE, RAVEN-FOOT | OBL | OBL | PNGL |
| CAREX DAVISII | SCHWEINITZ & TORR. | SEDGE, DAVIS' | FAC* | FACU, FAC+ | PNGL |
| CAREX DEBILIS | MICHX. | SEDGE, WHITE-EDGE | OBL | FAC, OBL | PNGL |
| CAREX DECOMPOSITA | MUHL. | SEDGE, CYPRESS-KNEE | OBL | OBL | PNGL |
| CAREX EBURNEA | BOOTT | SEDGE, BRISTLE-LEAF | FACU+ | FACU-, FACU+ | PNGL |
| CAREX EMORYI | DEWEY | SEDGE, EMORY'S | OBL | OBL | PNGL |
| CAREX FESTUCACEA | SCHKUHR EX WILLD. | SEDGE, FESCUE | NI | FAC, FACW | PNGL |
| CAREX FISSA | MACKENZ. | SEDGE, THREAD-LEAF | OBL | FACW-, OBL | PNGL |
| CAREX FLACCOSPERMA | DEWEY | SEDGE, THIN-FRUIT | FACW | FAC, FACW | PNGL |
| CAREX FRANKII | KUNTH | SEDGE, FRANK'S | OBL | OBL | PNEGL |
| CAREX GIGANTEA | RUDGE | SEDGE, LARGE | OBL | OBL | PNEGL |
| CAREX GLAUCESCENS | ELLIOTT | SEDGE, SOUTHERN WAXY | OBL | OBL | PNEGL |
| CAREX GRANULARIS | MUHL. EX WILLD. | SEDGE, MEADOW | OBL | FACW, OBL | PNGL |
| CAREX GRAYI | J. CAREY | SEDGE, ASA GRAY'S | FACW | FACW, FACW+ | PNGL |
| CAREX HOWEI | MACKENZ. | SEDGE, HOWE | OBL | OBL | PNGL |
| CAREX HYALINA | BOOTT | SEDGE, TISSUE | FACW | FACW | PNGL |
| CAREX HYALINOLEPIS | STEUD. | SEDGE, SHORELINE | OBL | OBL | PNEGL |
| CAREX HYSTERICINA | MUHL. EX WILLD. | SEDGE, PORCUPINE | OBL | OBL | PNEGL |
| CAREX INTUMESCENS | RUDGE | SEDGE, BLADDER | OBL | FACW, OBL | PNGL |
| CAREX JOORII | L.H. BAILEY | SEDGE, CYPRESS-SWAMP | OBL | OBL | PNEGL |
| CAREX LAEVI-VAGINATA | (KUEKENTH.) MACKENZ. | SEDGE, SMOOTH-SHEATH | OBL | OBL | PNGL |
| CAREX LANUGINOSA | MICHX. | SEDGE, WOOLY | OBL | OBL | PNGL |
| CAREX LASIOCARPA | EHRH. | SEDGE, WOOLLY-FRUIT | OBL | OBL | PNEGL |
| CAREX LEPTALEA | WAHLENB. | SEDGE, BRISTLY-STALK | OBL | OBL | PNGL |
| CAREX LONGII | MACKENZ. | SEDGE, GREENISH-WHITE | OBL | OBL | PNEGL |
| CAREX LOUISIANICA | L.H. BAILEY | SEDGE, LOUISIANA | OBL | OBL | PNEGL |
| CAREX LUPULIFORMIS | SARTW. EX DEWEY | SEDGE, FALSE HOP | OBL | FACW+, OBL | PNGL |
| CAREX LUPULINA | MUHL. EX WILLD. | SEDGE, HOP | OBL | FACW+, OBL | PNEGL |
| CAREX LURIDA | WAHLENB. | SEDGE, SHALLOW | OBL | FACW+, OBL | PNEGL |
| CAREX MEDII | DEWEY | SEDGE, MEAD'S | FACW | FACU, OBL | PNGL |
| CAREX MICRODONTA | TORR. & HOOK. | SEDGE, LITTLE-TOOTH | OBL | FAC, OBL | PNGL |
| CAREX MUSKINGUMENSIS | SCHWEINITZ | SEDGE, MUSKINGUM | OBL | OBL | PNGL |
| CAREX NIGROMARGINATA | SCHWEINITZ | SEDGE, BLACK-EDGE | FACU | UPL, FACU | PNGL |
| CAREX NORMALIS | MACKENZ. | SEDGE, LARGER STRAW | OBL | FACU, OBL | PNGL |
| CAREX OXYLEPIS | TORR. & HOOK. | SEDGE, SHARP-SCALE | OBL | FACW-, OBL | PNGL |
| CAREX PHYSORHYNCHA | LIEBM. | SEDGE, BELLOW'S-BEAK | FACU | UPL, FACU | PNGL |
| CAREX PRAEGRACILIS | W. BOOTT | SEDGE, CLUSTERED FIELD | FACW | FACW-, FACW+ | PNGL |
| CAREX RENIFORMIS | (L.H. BAILEY) SMALL | SEDGE, KIDNEY-SHAPE | OBL | FACW, OBL | PNGL |
| CAREX SHORTIANA | DEWEY | SEDGE, SHORT'S | FACW+ | FAC, FACW+ | PNGL |
| CAREX SPARGANIOIDES | MUHL. EX WILLD. | SEDGE, BUR-REED | FAC+ | FACU, FAC+ | PNGL |
| CAREX SQUARROSA | L. | SEDGE, SQUARROSE | OBL | FACW, OBL | PNGL |
| CAREX STRAMINEA | WILLD. | SEDGE, STRAW | OBL | OBL | PNGL |
| CAREX STRICTA | LAM. | SEDGE, UPTIGHT | OBL | OBL | PNEGL |
| CAREX STYLOFLEXA | BUCKLEY | SEDGE, BENT | OBL | FAC, OBL | PNGL |
| CAREX SWANII | (FERNALD) MACKENZ. | SEDGE, SWAN'S | NI | UPL, FACU | PNGL |
| CAREX TETANICA | SCHKUHR | SEDGE, RIGID | FACW | FACW, FACW+ | PNGL |
| CAREX TORTA | BOOTT | SEDGE, TWISTED | NI | FACW, OBL | PNGL |

CAREX CHEROKEENSIS

CAREX TORTA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|----------------------------|--------------------------------------|--------------------------------|-------|--------------|-------|
| CAREX TRIANGULARIS | BOECK. | SEDGE, FOX | OBL | FACW, OBL | PNGL |
| CAREX TRIBULOIDES | WAHLENB. | SEDGE, BLUNT BROOM | OBL | FACW, OBL | PNGL |
| CAREX TYPHINA | MICHX. | SEDGE, CAT-TAIL | OBL | FACW+, OBL | PNEGL |
| CAREX VERRUCOSA | MUHL. | SEDGE, WARTY | OBL | OBL | PNGL |
| CAREX VULPINOIDEA | MICHX. | SEDGE, FOX | OBL | OBL | PNEGL |
| CAREX WILLDENOWII | SCHKUHR EX WILLD. | SEDGE, WILLDENOW'S | OBL | UPL, OBL | PNGL |
| CAREX X ALATA | TORR. | SEDGE, BROADWING | OBL | OBL | PNGL |
| CAREX X CREBRIFLORA | WIEGAND | SEDGE, COASTAL-PLAIN | OBL | FACW-, OBL | PNGL |
| CAREX X OKLAHOMENSIS | MACKENZ. | SEDGE, OKLAHOMA | FACW+ | FACW+, OBL | PNGL |
| CAREX X STIPATA | MUHL. EX WILLD. | SEDGE, STALK-GRAIN | OBL | OBL | PNGL |
| CARPINUS CAROLINIANA | WALTER | HORNBEAM, AMERICAN | FAC | FAC | NT |
| CARYA AQUATICA | (MICHX. F.) NUTT. | HICKORY, WATER | OBL | OBL | NT |
| CARYA CORDIFORMIS | (WANGENH.) K. KOCH | HICKORY, BITTER-NUT | FAC | FACU+, FAC | NT |
| CARYA ILLINOENSIS | (WANGENH.) K. KOCH | HICKORY, PECAN | FAC+ | FACU, FACW | NT |
| CARYA LACINIOSA | (MICHX. F.) LOUD. | HICKORY, BIG SHELLBARK | FAC | FAC, FACW | NT |
| CARYA MYRISTICIFORMIS | (MICHX. F.) NUTT. | HICKORY, NUTMEG | FACW- | FACW- | NT |
| CARYA OVATA | (MILL.) K. KOCH | HICKORY, SHAG-BARK | FACU+ | FACU-, FACU+ | NT |
| CARYA X LEGONTEI | LITTLE | PECAN BITTER | OBL | OBL | NT |
| CASSIA ALATA | L. | SENNA, RINGWORM | FACU | FACU-, FACU | PISF |
| CASSIA BICAPSULARIS | L. | CASSIA, CHRISTMAS | FAC | FAC-, FAC | NSV |
| CASSIA FASCICULATA | MICHX. | PEA, PARTRIDGE | FACU- | FACU-, FACU | ANF |
| CASSIA MARIANDICA | L. | SENNA, MARYLAND | FAC | FAC, FACW | PNF |
| CASSIA NICTITANS | L. | PEA, SENSITIVE PARTRIDGE | FACU- | UPL, FACU | ANF |
| CASSYTHA FILIFORMIS | L. | LOVEVINE, FINE-STEM | NI | FAC- | PN+V |
| CASTILLEJA COCCINEA | (L.) SPRENG. | INDIAN-PAINTBRUSH, SCARLET | FACU | FACU, FAC | ANF |
| CASTILLEJA INDIVISA | ENGELM. | INDIAN-PAINTBRUSH, ENTIRE-LEAF | FAC- | FAC- | ANF |
| CATALPA SPECIOSA | (WARDER EX BARNEY) WARDER EX ENGELM. | CATALPA, NORTHERN | FAC- | FACU, FAC | NT |
| CAYAPONIA GRANDIFOLIA | (TORR. & GRAY) SMALL | CAYAPONIA, SOUTHERN | NI | FAC, FACW | ANF |
| CAYAPONIA QUINQUELOBA | (RAF.) SHINNERS | CYAPONIA, FIVE-LOBE | FAC | FAC, FACW- | PNF |
| CELTIS LAEVIGATA | WILLD. | SUGAR-BERRY | FAC | UPL, FACW | NT |
| CELTIS OCCIDENTALIS | L. | HACKBERRY, COMMON | FAC | FACU, FAC | NTS |
| CENCHRUS MYOSUROIDES | H.B.K. | SANDBUR, BIG | FACU | FACU, FAC- | PNG |
| CENTAURIUM BEYRICHII | (TORR. & GRAY) B. ROB. | CENTAURY, ROCK | FACU | FACU | ANF |
| CENTAURIUM CALYCOSUM | (BUCKLEY) FERNALD | CENTAURY, ARIZONA | FACW- | FACW-, FACW+ | ANF |
| CENTAURIUM PULCHELLUM | (SWARTZ) DRUCE | CENTAURY, BRANCHING | NI | FACU-, FAC | ANF |
| CENTELLA ASIATICA | (L.) URBAN | COINLEAF, ASIAN | FACW | FACW | PNF |
| CENTELLA ERECTA | (L.F.) FERNALD | COINLEAF, ERECT | FACW | FACW | PNF |
| CENTUNCULUS MINIMUS | L. | CHAFFWEED | FACW+ | FACU-, OBL | ANF |
| CEPHALANTHUS OCCIDENTALIS | L. | BUTTONBUSH, COMMON | OBL | OBL | NT |
| CEPHALANTHUS SALICIFOLIUS | HUMB. & BONPL. | BUTTONBUSH, MEXICAN | OBL | OBL | NS |
| CERASTIUM AXILLARE | CORRELL | CHICKWEED, TEXAS | FAC- | FAC- | ANF |
| CERASTIUM BRACHYPODUM | (ENGELM. EX GRAY) B. ROB. | CHICKWEED, SHORT-STALK | FACU | FACU-, FAC | AIF |
| CERASTIUM NUTANS | RAF. | CHICKWEED, NODDING | FAC | FACU, FAC | ANF |
| CERASTIUM VISCOSUM | L. | CHICKWEED | FACU | UPL, FACU | AIF |
| CERASTIUM VULGATUM | L. | CHICKWEED, COMMON MOUSE-EAR | FACU | FACU-, FAC- | PIF |
| CERATOPHYLLUM DEMERSUM | L. | HORNWORT, COMMON | OBL | OBL | PN/F |
| CERATOPHYLLUM MURICATUM | CHAM. | HORNWORT, PRICKLY | OBL | OBL | PNZF |
| CERATOPTERIS PTERIDOIDES | (HOOK.) HIERON. | FERN, FLOATING | NI | OBL | ANEF3 |
| CERATOPTERIS THALICTROIDES | (L.) BRONGN. | SPRITE, WATER | OBL | OBL | ANEF3 |
| CHAEROPHYLLUM PROCUMBENS | (L.) CRANTZ | CHERVIL, SPREADING | FAC | FAC, FACW | ANF |
| CHAEROPHYLLUM TAINTURIERI | HOOK. | CHERVIL, HAIRY-FRUIT | FAC | UPL, FACW | ANF |
| CHAPTALIA TOMENTOSA | VENTENAT | SUNBONNETS, WOOLLY | FACW | FACW | PNF |

CAREX TRIANGULARIS
CHAPTALIA TOMENTOSA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|----------------------------|---|---|-------|--------------|-------|
| CHASMANTHIUM LATIFOLIUM | (MICHX.) H. YATES | SEA-OATS, INDIAN | FAC | UPL, FACW | PNG |
| CHASMANTHIUM LAXUM | (L.) H. YATES | SPIKEGRASS, SLENDER | FAC | FAC, FACW | PNG |
| CHASMANTHIUM SESSILIFLORUM | (POIR.) H. YATES | SPIKEGRASS, LONG-LEAF | FAC | FAC, FAC+ | PNG |
| CHENOPODIUM ALBUM | L. | GOOSEFOOT, WHITE | FAC | FACU, FAC | AIF |
| CHENOPODIUM AMBROSIOIDES | L. | WORMSEED, AMERICAN | FAC | FACU, FAC | AIF |
| CHENOPODIUM BOTRYS | L. | JERUSALEM-OAK | FACU | UPL, FACU | AIF |
| CHENOPODIUM CHENOPODIOIDES | (L.) AELLEN | GOOSEFOOT, RED | NI | FAC+, FACW | AIF |
| CHENOPODIUM FREMONTII | S. WATS. | GOOSEFOOT, FREMONT'S | FACU | UPL, FAC | ANF |
| CHENOPODIUM GLAUCUM | L. | GOOSEFOOT, OAKLEAF | NI | FAC, FACW | AIF |
| CHENOPODIUM LEPTOPHYLLUM | (MOQ.) NUTT. EX S: WATS. | GOOSEFOOT, NARROW-LEAF | FACU | UPL, FAC | ANF |
| CHIONANTHUS VIRGINICUS | L. | TREE, WHITE FRINGE | FAC | FACU, FAC+ | NT |
| CHLORIS CRINITA | LAG. | FALSE-RHODESGRASS | FACU | UPL, FACU | G |
| CHLORIS INFLATA | LINK | GRASS, SWOLLEN WINDMILL | FACU | FACU | AIG |
| CYCLOSPERMUM LEPTOPHYLLUM | (PERS.) T.A. SPRAGUE EX BRITTON & P. WILSON | PARSLEY, MARSH | FAC | UPL, FAC+ | ANF |
| CICUTA BULBIFERA | L. | WATER-HEMLOCK, BULBLET-BEARING | NI | OBL | PNF |
| CICUTA MACULATA | L. | WATER-HEMLOCK, SPOTTED | OBL | OBL | PNF |
| CICUTA MEXICANA | COULT. & ROSE | WATER-HEMLOCK, MEXICAN | OBL | OBL | PNF |
| CINNA ARUNDINACEA | L. | WOOD-REEDGRASS, STOUT | FACW | FACW, FACW+ | PNG |
| CINNAMOMUM CAMPHORA | (L.) J. PRESL | TREE, CAMPHOR | NI | FACU- | IT |
| CIRCAEA LUTETIANA | L. | NIGHTSHADE, SOUTHERN BROAD-LEAF ENCHANTER'S | FACU | FACU | PNF |
| CIRSIIUM HORRIDULUM | MICHX. | THISTLE, YELLOW | FAC | FACU-, FAC+ | ABNF |
| CIRSIIUM MUTICUM | MICHX. | THISTLE, SWAMP | FACW+ | FACW+, OBL | BNF |
| CIRSIIUM UNDULATUM | (NUTT.) SPRENG. | THISTLE, WAVY-LEAF | FACU | FACU, FAC | BPNF |
| CIRSIIUM VULGARE | (SAVI) TENORE | THISTLE, BULL | FACU | UPL, FAC | BIF |
| CISSUS INCISA | (NUTT.) DES MOUL. | TREEBINE, IVY | FACU- | FACU-, FAC | NWV |
| CLADIUM CALIFORNICUM | (S. WATS.) O'NEILL | SAWGRASS, CALIFORNIA | OBL | OBL | PNEGL |
| CLADIUM JAMAICENSE | CRANTZ | SAWGRASS, JAMAICA | OBL | OBL | PNEGL |
| CLADIUM MARISCOIDES | (MUHL.) TORR. | SAWGRASS, SMOOTH | OBL | OBL | PNEGL |
| CLAPPIA SUAEAEFOLIA | GRAY | CLAP-DAISY, FLESHY | FACW- | FACW- | PNF |
| CLAYTONIA VIRGINICA | L. | SPRINGBEAUTY, NARROW-LEAF | FACU | FACU-, FACU | PNF |
| CLEISTES DIVARICATA | (L.) AMES | POGONIA, SPREADING | FAC+ | FAC, FAC+ | PNF |
| CLEMATIS CRISPA | L. | VIRGIN'S-BOWER, SWAMP | FAC | FAC, OBL | NWV |
| CLEMATIS GLAUCOPHYLLA | SMALL | VIRGIN'S-BOWER, WHITE-LEAF | FAC | FAC-, FACW | NWV |
| CLEMATIS LIGUSTICIFOLIA | NUTT. | VIRGIN'S-BOWER, WESTERN | NI | FACU, FACW | NWV |
| CLEMATIS PITCHERI | TORR. & GRAY | VIRGIN'S-BOWER, PITCHER'S | FACU | FACU | NWV |
| CLEMATIS TERNIFLORA | DC. | VIRGIN'S-BOWER, JAPANESE | NI | UPL, FAC- | IWV |
| CLEMATIS VIRGINIANA | L. | VIRGIN'S-BOWER, VIRGINIA | FAC- | FACU, FAC+ | PNV |
| CLEOME MULTICAULIS | SESSE & MOCINO EX DC. | SPIDER-FLOWER, MANY-STEM | FACW | FACW | ANF |
| CLEOME SERRULATA | PURSH | SPIDER-FLOWER, BEE | FACU | FACU-, FAC | ANF |
| CLEOME SPINOSA | JACQ. | SPIDER-FLOWER, SPINY | NI | FACU-, FACU+ | AIF |
| CLEOMELLA ANGUSTIFOLIA | TORR. | RHOMBO-POD, NORTHERN | FAC | FAC | ANF |
| CLEOMELLA LONGIPES | TORR. | RHOMBO-POD, CHIRICAHUI MOUNTAIN | FAC- | FACU, FAC- | ANF |
| CLETHRA ALNIFOLIA | L. | PEPPER-BUSH, COAST | FACW | FAC+, FACW | NS |
| CLIFTONIA MONOPHYLLA | (L.A.M.) BRITTON EX SARG. | BUCKWHEAT-TREE | NI | OBL | NT |
| COCCULLUS CAROLINUS | (L.) DC. | CORAL-BEADS, CAROLINA | FACU | FACU, FAC | NWV |
| COELORACHIS CYLINDRICA | (MICHX.) NASH | JOINTGRASS, PITTED | FAC- | FACU-, FAC | PNG |
| COELORACHIS RUGOSA | (NUTT.) NASH | JOINTGRASS, WRINKLED | FACW* | FACW, OBL | PNG |
| COLLINSIA VERNA | NUTT. | MARY, SPRING BLUE-EYE | NI | FACU, FAC | ANF |
| COMMELINA COMMUNIS | L. | DAYFLOWER, ASIATIC | FAC | FAC-, FAC | AIF |
| COMMELINA DIFFUSA | N.L. BURM. | DAYFLOWER, SPREADING | FACW | FACW | AIF |
| COMMELINA VIRGINICA | L. | DAYFLOWER, VIRGINIA | FAC | FAC, FACW | PIF |
| CONIUM MACULATUM | L. | POISON-HEMLOCK | FACW | FAC, OBL | BIF |

CHASMANTHIUM LATIFOLIUM

CONIUM MACULATUM

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-----------------------------------|-----------------------------|----------------------------|--------|-------------|--------|
| <i>CONOCLINIUM BETONICIFOLIUM</i> | (MILL.) R.M. KING & H. ROB. | THOROUGH-WORT, BETONY-LEAF | FACW | FACW | PNF |
| <i>CONOCLINIUM COELESTINUM</i> | (L.) DC. | MISTFLOWER | FACW- | FAC, FACW | PNF |
| <i>CONOCLINIUM GREGGII</i> | (GRAY) SMALL | THOROUGH-WORT, PALM-LEAF | FACW-* | UPL, FACW- | PNF |
| <i>CONYZA COULTERI</i> | GRAY | CONYZA, COULTER'S | FACW- | FAC, FACW- | ANF |
| <i>CORALLORRHIZA WISTERANA</i> | S. CONRAD | CORALROOT, SPRING | FAC | UPL, FAC | PN-F |
| <i>COREOPSIS LANCEOLATA</i> | L. | TICKSEED, LANCE-LEAF | FAC* | UPL, FAC | PNF |
| <i>COREOPSIS LINIFOLIA</i> | NUTT. | TICKSEED, TEXAS | FACW | FACW | PNF |
| <i>COREOPSIS PUBESCENS</i> | ELLIOTT | TICKSEED, STAR | FACU | UPL, FAC | PNF |
| <i>COREOPSIS TINCTORIA</i> | NUTT. | TICKSEED, GOLDEN | FAC | FACU, FAC | ANF |
| <i>COREOPSIS TRIPTERIS</i> | L. | TICKSEED, TALL | FAC | FAC | PNF |
| <i>CORISPERMUM HYSSOPIFOLIUM</i> | L. | TICK-SEED, COMMON | FACU | FACU | AIF |
| <i>CORNUS ANOMUM</i> | MILL. | DOGWOOD, SILKY | FACW | FACW, FACW+ | NS |
| <i>CORNUS DRUMMONDII</i> | C.A. MEYER | DOGWOOD, ROUGH-LEAF | FAC | FAC | NT |
| <i>CORNUS FLORIDA</i> | L. | DOGWOOD, FLOWERING | FACU | FACU-, FACU | NT |
| <i>CORNUS FOEMINA</i> | MILL. | DOGWOOD, STIFF | FACW | FAC, FACW | NS |
| <i>CORYDALIS FLAVULA</i> | (RAF.) DC. | CORYDALIS, YELLOW | FACU | FACU, FAC | ANF |
| <i>CORYLUS AMERICANA</i> | WALTER | HAZEL-NUT, AMERICAN | NI | UPL, FACU | NS |
| <i>COSMOS PARVIFLORUS</i> | (JACQ.) H.B.K. | COSMOS, SOUTHWEST | FAC- | FAC- | AIF |
| <i>CRASSULA AQUATICA</i> | (L.) SCHOENL. | PYGMY-WEED, WATER | OBL | OBL | ANSt |
| <i>CRATAEGUS BERBERIFOLIA</i> | TORR. & GRAY | HAWTHORN, BARBERRY-LEAF | FAC+ | FACU-, FAC+ | NT |
| <i>CRATAEGUS BRACHYACANTHA</i> | SARG. & ENGELM. | HAWTHORN, BLUEBERRY | FACW | FACU, OBL | NT |
| <i>CRATAEGUS CRUS-GALLI</i> | L. | HAWTHORN, COCKSPUR | FAC- | FACU, FAC | NTS |
| <i>CRATAEGUS MARSHALLII</i> | EGGLEST. | HAWTHORN, PARSLEY | FAC- | FACU+, FACW | NST |
| <i>CRATAEGUS MOLLIS</i> | SCHEELE | HAWTHORN, DOWNY | FAC | FACU, FACW- | NT |
| <i>CRATAEGUS OPACA</i> | HOOK. & ARN. | HAWTHORN, RIVER-FLAT | OBL | OBL | NET |
| <i>CRATAEGUS SPATHULATA</i> | MICHX. | HAWTHORN, LITTLE-HIP | FAC+ | FAC, FACW | NST |
| <i>CRATAEGUS TEXANA</i> | BUCKLEY | HAWTHORN, TEXAS | FAC | FAC | NT |
| <i>CRATAEGUS VIRIDIS</i> | L. | HAWTHORN, GREEN | FAC | FAC, FACW | NT |
| <i>CREPIS RUNCINATA</i> | (JAMES) TORR. & GRAY | HAWKSBEARD, DANDELION | FAC | FACU, FACW | PNF |
| <i>CRESSA NUDICAULIS</i> | GRISEB. | ALKALI-WEED, LEAFLESS | OBL | OBL | PNF |
| <i>CRESSA TRUXILLENSIS</i> | H.B.K. | ALKALI-WEED, SPREADING | FACW- | FACW-, FACW | PNF |
| <i>CRINUM AMERICANUM</i> | L. | SWAMPLILY, SOUTHERN | OBL | OBL | PNF |
| <i>CRINUM STRICTUM</i> | HERB. | LILY, TEXAS | FACW+ | FACW+ | PNF |
| <i>CROTALARIA INCANA</i> | L. | SHAKE-SHAKE | FACU | FACU | ANF |
| <i>CRYPTOTAENIA CANADENSIS</i> | (L.) DC. | HONEWORT, CANADA | FAC | FACU, FAC+ | PNF |
| <i>CUCURBITA TEXANA</i> | (SCHEELE) GRAY | GOURD, TEXAS | FAC | FACU, FAC | ANF |
| <i>CUPHEA CARTHAGENENSIS</i> | (JACQ.) J.F. MACBR. | WAXWEED, COLUMBIA | FACW- | FACW-, FACW | AIF |
| <i>CUPHEA VISCOSISSIMA</i> | JACQ. | WAXWEED, BLUE | FAC | UPL, FAC | ANF |
| <i>CYMODOCEA FILIFORMIS</i> | (KUETZ.) CORRELL- | MANATEE-GRASS | OBL | OBL | PNZF |
| <i>CYNANCHUM ANGUSTIFOLIUM</i> | PERS. | SWALLOW-WORT, GULF COAST | OBL | FACW, OBL | PNEV |
| <i>CYNOCTONUM MITREOLA</i> | (L.) BRITTON | HORNPOD, LAX | FACW+ | FACW, FACW+ | ANF |
| <i>CYNOCTONUM SESSILIFOLIUM</i> | (WALTER) J.F. GMEL. | HORNPOD, SWAMP | FACW+ | FACW+ | ANF |
| <i>CYNODON DACTYLON</i> | (L.) PERS. | GRASS, BERMUDA | FACU+ | FACU, FAC | PIG |
| <i>CYNOSCIADIUM DIGITATUM</i> | DC. | DOGSHADE, FINGER | FACW | FACW | ANF |
| <i>CYPERUS ACUMINATUS</i> | TORR. & HOOK. | FLATSEEDGE, SHORT-POINT | OBL | OBL | ABPNGL |
| <i>CYPERUS ALBOMARGINATUS</i> | MART. & SCHRAD. | CYPERUS, WHITE-EDGE | FAC | FACU, FAC | ANGL |
| <i>CYPERUS ALTERNIFOLIUS</i> | L. | FLATSEEDGE, ALTERNATE-LEAF | FACW+ | FACW+, OBL | PIGL |
| <i>CYPERUS ARISTATUS</i> | ROTTB. | FLATSEEDGE, AWNED | OBL | FACW+, OBL | ANGL |
| <i>CYPERUS ARTICULATUS</i> | L. | FLATSEEDGE, JOINTED | OBL | OBL | PNGL |
| <i>CYPERUS BREVIFOLIUS</i> | (ROTTB.) HASSK. | FLATSEEDGE, SHORT-LEAF | FACW | FACW | PNGL |
| <i>CYPERUS COMPRESSUS</i> | L. | FLATSEEDGE, POORLAND | FACW | FAC+, FACW+ | PNGL |
| <i>CYPERUS DIANDRUS</i> | TORR. | FLATSEEDGE, UMBRELLA | FACW | FACW, FACW+ | ANGL |

CONOCLINIUM BETONICIFOLIUM

CYPERUS DIANDRUS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-------------------------------|---------------------------------------|------------------------------|-------|-------------|--------|
| <i>CYPERUS DIFFORMIS</i> | L. | FLATSEGE, VARIABLE | NI | OBL | AIGL |
| <i>CYPERUS DIGITATUS</i> | ROXB. | FLATSEGE, FINGER | FACW+ | FACW+ | PNEGL |
| <i>CYPERUS ELEGANS</i> | L. | FLATSEGE, STICKY | FACW- | FACW-, FACW | PNGL |
| <i>CYPERUS ERYTHORRHIZOS</i> | MUHL. | FLATSEGE, RED-ROOT | OBL | FACW+, OBL | APNEGL |
| <i>CYPERUS ESCULENTUS</i> | L. | CHUFA | FACW | FAC, FACW | PNGL |
| <i>CYPERUS FENDLERANUS</i> | BOECK. | FLATSEGE, FENDLER'S | FAC+ | FAC, FAC+ | PNGL |
| <i>CYPERUS FERAX</i> | L.C. RICH. | CYPERUS, COARSE | FACW | FACW | ANGL |
| <i>CYPERUS FERRUGINESCENS</i> | BOECK. | FLATSEGE, RUSTY | OBL | FAC, OBL | ANGL |
| <i>CYPERUS FILICINUS</i> | VAHL | FLATSEGE, SLENDER | FACW+ | FACW+, OBL | ANGL |
| <i>CYPERUS FILICULMIS</i> | VAHL | FLATSEGE, SLENDER | FACU | UPL, FAC | PNGL |
| <i>CYPERUS FLAVESCENS</i> | L. | FLATSEGE, YELLOW | OBL | OBL | ANGL |
| <i>CYPERUS FLAVUS</i> | (VAHL) VAHL EX NEES NON J. & K. PRESL | FLATSEGE, INFLATED-SCALE | FAC | FAC | PNGL |
| <i>CYPERUS GIGANTEUS</i> | VAHL | FLATSEGE, GIANT | OBL | OBL | PNGL |
| <i>CYPERUS GLOBULOSUS</i> | AUBL. | FLATSEGE, BALDWIN | FAC+ | FACU, FAC+ | PNGL |
| <i>CYPERUS HASPAN</i> | L. | FLATSEGE, SHEATHED | OBL | OBL | PNEGL |
| <i>CYPERUS HERMAPHRODITUS</i> | (JACQ.) STANDL. | FLATSEGE, SOUTH-CENTRAL | FAC | FAC | PNGL |
| <i>CYPERUS HUARMENSIS</i> | (H.B.K.) M. JOHNST. | FLATSEGE, BLACK KNOTTY-ROOT | FAC+ | FAC, FAC+ | PNGL |
| <i>CYPERUS IRIA</i> | L. | FLATSEGE, IRIA | FACW | FACW | ANGL |
| <i>CYPERUS LAEVIGATUS</i> | L. | FLATSEGE, SMOOTH | FAC+ | FAC, FACW+ | PNGL |
| <i>CYPERUS LANCASTRIENSIS</i> | T. PORTER EX GRAY | FLATSEGE, MANY-FLOWER | FAC+ | FACU, FAC+ | PNGL |
| <i>CYPERUS LANGEOLATUS</i> | POIR. | FLATSEGE, EPIPHYTIC | NI | FACW | PNGL |
| <i>CYPERUS NIGER</i> | RUIZ & PAVON | FLATSEGE, BLACK | FACW | FACW, FACW+ | PNEGL |
| <i>CYPERUS OCHRACEUS</i> | VAHL | FLATSEGE, POND | FACW | FACW | PNGL |
| <i>CYPERUS ODORATUS</i> | L. | FLATSEGE, RUSTY | FACW | FACW, FACW+ | APNGL |
| <i>CYPERUS ONEROSUS</i> | M. JOHNST. | FLATSEGE, PLAINS COUNTRY | FACW | FACW | PNEGL |
| <i>CYPERUS OVULARIS</i> | (MICHX.) TORR. | FLATSEGE, GLOBOSE | FAC+ | FACU, FAC+ | PNGL |
| <i>CYPERUS OXYLEPIS</i> | NEES EX STEUD. | FLATSEGE, SHARP-SCALE | FACW | FACW | PNEGL |
| <i>CYPERUS PHAEOLEPIS</i> | H. CHERMEZON | FLATSEGE, MADAGASCAR | FAC+ | FAC+ | PIGL |
| <i>CYPERUS POLYSTACHYOS</i> | ROTTB. | FLATSEGE, MANY-SPIKE | FACW | FACW | PNGL |
| <i>CYPERUS PROLIXUS</i> | HUMB. & KUNTH | FLATSEGE | FAC+ | FAC+ | PNGL |
| <i>CYPERUS PSEUDOVEGETUS</i> | STEUD. | FLATSEGE, MARSH | FACW | FACW | PNEGL |
| <i>CYPERUS REFLEXUS</i> | VAHL | FLATSEGE, BENT-ANN | FAC | FAC-, FAC | PNGL |
| <i>CYPERUS RETRORSUS</i> | CHAPM. | FLATSEGE, RETRORSE | FAC | FACU+, FAC | PNGL |
| <i>CYPERUS RIVULARIS</i> | KUNTH | FLATSEGE, SHINING | FACW | FACW, OBL | ANGL |
| <i>CYPERUS ROTUNDUS</i> | L. | FLATSEGE, PURPLE | FAC | FAC-, FAC | PIGL |
| <i>CYPERUS SCHWEINITZII</i> | TORR. | FLATSEGE, SCHWEINITZ'S | FAC | UPL, FAC | PNGL |
| <i>CYPERUS SESLERIOIDES</i> | H.B.K. | FLATSEGE, TEXAS | FAC+ | FAC, FAC+ | PNGL |
| <i>CYPERUS SESQUIFLORUS</i> | (TORR.) MATTF. & KUEKENTH | FLATSEGE, FRAGRANT | FACW- | FACW-, FACW | APNGL |
| <i>CYPERUS SETIGERUS</i> | TORR. & HOOK. | FLATSEGE, LEAN | FAC | FAC | PNGL |
| <i>CYPERUS STRIGOSUS</i> | L. | FLATSEGE, STRAW-COLOR | FACW | FACW | PNEGL |
| <i>CYPERUS SURINAMENSIS</i> | ROTTB. | FLATSEGE, TROPICAL | FACW | FACW | PNGL |
| <i>CYPERUS TENUIFOLIUS</i> | (STEUD.) DANDY | FLATSEGE, THIN-LEAF | FACW | FACW | ANGL |
| <i>CYPERUS TENUIS</i> | SWARTZ | FLATSEGE | FACW | FACW | PNGL |
| <i>CYPERUS VIRENS</i> | MICHX. | FLATSEGE, GREEN | FACW | FACW | PNEGL |
| <i>CYPRIPEDIUM CALCEOLUS</i> | L. | LADY'S-SLIPPER, SMALL YELLOW | FACW- | FACU, FACW | PNF |
| <i>CYRILLA RACEMIFLORA</i> | L. | CYRILLA, SWAMP | FACW+ | FACW, FACW+ | NT |
| <i>CYSTOPTERIS BULBIFERA</i> | (L.) BERNH. | FERN, BULBLET | FACW | FAC, FACW | PNF3 |
| <i>CYSTOPTERIS FRAGILIS</i> | (L.) BERNH. | FERN, BRITTLE | FACU | FACU, FACU+ | PNF3 |
| <i>DACTYLIS GLOMERATA</i> | L. | GRASS, ORCHARD | FACU+ | FACU, FACU+ | PIG |
| <i>DALEA LEPORINA</i> | (AIT.) A.A. BULLOCK | PRAIRIE-CLOVER, FOX-TAIL | NI | NI | ANF |
| <i>DANTHONIA SERICEA</i> | NUTT. | OATGRASS, SILKY | FACU | FACU-, FACU | PNG |
| <i>DASISTOMA MACROPHYLLA</i> | (NUTT.) RAF. | FOXGLOVE, MULLEIN | FAC | FACU-, FAC | AN+F |

CYPERUS DIFFORMIS

DASISTOMA MACROPHYLLA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-------------------------------------|---------------------------------------|----------------------------|-------|-------------|-------|
| <i>DECODON VERTICILLATUS</i> | (L.) ELLIOTT | SWAMP-LOOSESTRIFE, HAIRY | OBL | OBL | PNF |
| <i>DECUMARIA BARBARA</i> | L. | DECUMARIA, SOUTHEAST | NI | FACW, OBL | NWV |
| <i>DESMANTHUS ILLINOENSIS</i> | (MICHX.) MACHIL. EX B. ROB. & FERNALD | BUNDLE-FLOWER, PRAIRIE | FACU | UPL, FAC | PNF |
| <i>DESMANTHUS VIRGATUS</i> | (L.) WILLD. | BUNDLE-FLOWER, VIRGATE | FACU | FACU | PNFH |
| <i>DESMODIUM CANADENSE</i> | (L.) DC. | TICK-TREFOIL, SHOWY | FAC | FACU, FAC | PNF |
| <i>DESMODIUM PANICULATUM</i> | (L.) DC. | TICK-TREFOIL, MARROW-LEAF | FAC- | UPL, FAC- | PNF |
| <i>DICHANTHELIUM ACICULARE</i> | (DESV. EX POIR.) GOULD & C.A. CLARK | WITCHGRASS, NEEDLE-LEAF | FACU | FACU-, FACU | PNG |
| <i>DICHANTHELIUM ACUMINATUM</i> | (SWARTZ) GOULD & C.A. CLARK | GRASS, PANIC | FAC | FAC, FACW | PNG |
| <i>DICHANTHELIUM CLANDESTINUM</i> | (L.) GOULD | WITCHGRASS, DEER-TONGUE | FAC+ | FAC+, FACW | PNG |
| <i>DICHANTHELIUM COMMUTATUM</i> | (J.A. SCHULTES) GOULD | WITCHGRASS, VARIABLE | FAC | FACU+, FAC | PNG |
| <i>DICHANTHELIUM CONSANGUINEUM</i> | (KUNTH) GOULD & C.A. CLARK | WITCHGRASS, BLOOD | FACU | FACU, FAC | PNG |
| <i>DICHANTHELIUM DICHOTOMUM</i> | (L.) GOULD | WITCHGRASS, CYPRESS | FAC | FAC-, FAC | PNG |
| <i>DICHANTHELIUM LATIFOLIUM</i> | (L.) HARVILL | WITCHGRASS, BROAD-LEAF | FACU | FACU-, FACU | PNG |
| <i>DICHANTHELIUM LAXIFLORUM</i> | (L.) GOULD | WITCHGRASS, LAX-FLOWER | FAC- | FACU, FAC | PNG |
| <i>DICHANTHELIUM LEUCOBLEPHARIS</i> | (TRIN.) GOULD & C.A. CLARK | PANICUM, LITTLE | FACW | FAC, FACW | PNG |
| <i>DICHANTHELIUM OLIGOSANTHES</i> | (J.A. SCHULTES) GOULD | WITCHGRASS, HELLER'S | FACU | FACU, FAC | PNG |
| <i>DICHANTHELIUM OVALE</i> | (ELLIOTT) GOULD & C.A. CLARK | WITCHGRASS, EGG-LEAF | FACU- | FACU-, FACU | PNG |
| <i>DICHANTHELIUM RAVENELII</i> | (SCRIBN.) GOULD | WITCHGRASS, RAVENEL'S | FAC | FACU-, FAC | PNG |
| <i>DICHANTHELIUM SABULORUM</i> | (LAM.) GOULD & C.A. CLARK | WITCHGRASS, HEMLOCK | FAC | FACU, FAC | PNG |
| <i>DICHANTHELIUM SCABRIUSCULUM</i> | (ELLIOTT) GOULD & C.A. CLARK | GRASS, WOOLLY PANIC | OBL | OBL | PNG |
| <i>DICHANTHELIUM SCOPARIUM</i> | (LAM.) GOULD | GRASS, BROOM PANIC | FACW- | FAC, FACW | PNG |
| <i>DICHANTHELIUM SPHAEROCARPON</i> | (ELLIOTT) GOULD | GRASS, ROUND-SEED PANIC | FACU | FACU | PNG |
| <i>DICHONDRA CAROLINIENSIS</i> | MICHX. | PONY-FOOT, CAROLINA | FAC+ | FAC+, FACW | PNF |
| <i>DICHONDRA MICRANTHA</i> | URBAN | PONY-FOOT, ASIAN | FACW- | FACW- | PNF |
| <i>DICHONDRA RECURVATA</i> | THARP & M. JOHNST. | PONY-FOOT, OAKWOODS | FAC | FAC | PNF |
| <i>DICHONDRA REPENS</i> | J. FORST. | PONY-FOOT, TROPICAL | NI | FACU | PNF |
| <i>DICHROMENA COLORATA</i> | (L.) HITCHC. | WHITE-TOP-SEDGE, STARBRUSH | FACW | FACW | PNGL |
| <i>DICHROMENA LATIFOLIA</i> | BALDW. EX ELLIOTT | WHITE-TOP-SEDGE, GIANT | OBL | FACW+, OBL | PNGL |
| <i>DICHROMENA NIVEA</i> | (BOECK.) BOECK. EX BRITTON | WHITE-TOP-SEDGE, SNOWY | FACW+ | FACW+ | PNGL |
| <i>DICLIPTERA BRACHIATA</i> | (PURSH) SPRENG. | MUDWORT, WILD | FACW | FACW | ANF |
| <i>DIDIPLIS DIANDRA</i> | (NUTT. EX DC.) A. WOOD | WATER-PURSLANE | OBL | OBL | ANZEF |
| <i>DIGITARIA INSULARIS</i> | (L.) MEZ | SOURGRASS | FAC | UPL, FAC | PNG |
| <i>DIGITARIA SANGUINALIS</i> | (L.) SCOP. | CRABGRASS, HAIRY | FACU | FACU-, FAC- | AIG |
| <i>DIGITARIA SEROTINA</i> | (WALTER) MICHX. | CRABGRASS, DWARF | FAC | FAC | ANG |
| <i>DIOCLEA MULTIFLORA</i> | (TORR. & GRAY) C. MOHR | CLUSTER-PEA, BOYKIN | FACU | FACU, FACW- | PNS |
| <i>DIODIA TERES</i> | WALTER | BUTTON-WEED, ROUGH | FACU- | UPL, FACU | APNF |
| <i>DIODIA VIRGINIANA</i> | L. | BUTTON-WEED, VIRGINIA | OBL | FACW, OBL | APNEF |
| <i>DIOSCOREA VILLOSA</i> | L. | YAM, YELLOW | FAC | FACU, FAC+ | PNV |
| <i>DIOSPYROS VIRGINIANA</i> | L. | PERSIMMON, COMMON | FAC | FACU, FAC | NT |
| <i>DIPSACUS SYLVESTRIS</i> | HUDES. | TEASEL | NI | FAC? | BIF |
| <i>DIRCA PALUSTRIS</i> | L. | LEATHER-WOOD, EASTERN | FAC* | FACU-, FAC | NS |
| <i>DISTICHLIS SPICATA</i> | (L.) GREENE | SALTGRASS, SEASHORE | FACW+ | FAC+, FACW+ | PNG |
| <i>DISTICHLIS SPICATA</i> | (L.) GREENE | SALTGRASS, INLAND | NI | FAC+, FACW | PNG |
| <i>DODECATHEON MEADIA</i> | L. | SHOOTING-STAR, COMMON | FAC | FACU, FAC | PNF |
| <i>DRACOPIS AMPLEXICAULIS</i> | (VAHL) CASS. | CONEFLOWER, CLASPING-LEAF | FAC+ | FACU-, FACW | ANF |
| <i>DROSERA BREVIFOLIA</i> | PURSH | SUNDEW, DWARF | OBL | OBL | PNF |
| <i>DROSERA CAPILLARIS</i> | POIR. | SUNDEW, PINK | OBL | OBL | PNEF |
| <i>DROSERA INTERMEDIA</i> | HAYNE | SUNDEW, SPOON-LEAF | OBL | OBL | PNEF |
| <i>DRYMARIA PACHYPHYLLA</i> | WOOTON & STANDL. | DRYMARY, THICK-LEAF | FACU* | FACU | ANF |
| <i>DRYOPTERIS CRISTATA</i> | (L.) GRAY | SHIELD-FERN, CRESTED | OBL | FACW, OBL | PNEF3 |
| <i>DRYOPTERIS LUDOVICIANA</i> | (KUNZE) SMALL | SHIELD-FERN, SOUTHERN | FACW+ | FACW, FACW+ | PNF3 |
| <i>DRYOPTERIS MARGINALIS</i> | (L.) GRAY | SHIELD-FERN, MARGINAL | FACU | FACU-, FACU | PNF3 |

DECODON VERTICILLATUS

DRYOPTERIS MARGINALIS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------------|--------------------------------|---------------------------|-------|--------------|--------|
| <i>DUCHESNEA INDICA</i> | (ANDRZ.) FOCKE | MOCK-STRAWBERRY, INDIAN | FAC | UPL, FAC | PIF |
| <i>DULICHNUM ARUNDINACEUM</i> | (L.) BRITTON | SEDGE, THREE-WAY | OBL | OBL | PNEGL |
| <i>ECHINOCHLOA COLONA</i> | (L.) LINK | JUNGLE-RICE | FACW | FAC, FACW | AIG |
| <i>ECHINOCHLOA CRUS-PAVONIS</i> | (H.B.K.) J.A. SCHULTES | COCKSPUR, GULF | OBL | FACW, OBL | AIEG |
| <i>ECHINOCHLOA CRUSGALLI</i> | (L.) BEAUV. | GRASS, BARNYARD | FACW- | FACU, FACW | AIG |
| <i>ECHINOCHLOA MURICATA</i> | (BEAUV.) FERNALD | GRASS, ROUGH BARNYARD | FACW | FAC, OBL | ANG |
| <i>ECHINOCHLOA PALUDIGENA</i> | WIEGAND | COCKSPUR, FLORIDA | OBL | OBL | ANG |
| <i>ECHINOCHLOA POLYSTACHYA</i> | (H.B.K.) A. HITCHC. | GRASS, RIVER | FACW+ | FACW+, OBL | PNG |
| <i>ECHINOCHLOA WALTERI</i> | (PURSH) A. HELLER | COCKSPUR, COAST | OBL | FACW+, OBL | ANEG |
| <i>ECHINOCYSTIS LOBATA</i> | (MICHX.) TORR. & GRAY | MOCK-CUCUMBER, WILD | FAC | FACU, FACW- | ANF |
| <i>ECHINODORUS CORDIFOLIUS</i> | (L.) GRISEB. | BURHEAD, CREEPING | OBL | OBL | PNEF |
| <i>ECHINODORUS PARVULLUS</i> | ENGELM. | BURHEAD, DWARF | OBL | FACW, OBL | PNEF |
| <i>ECHINODORUS ROSTRATUS</i> | (NUTT.) ENGELM. | BURHEAD, UPRIGHT | OBL | OBL | PNEF |
| <i>ECHINOPEPON WRIGHTII</i> | (GRAY) S. WATS. | BALSAM-APPLE, WILD | FAC* | FAC | ANF |
| <i>ECLIPSA ALBA</i> | (L.) HASSK. | YERBA DE TAJO | FACW | FAC, OBL | ANF |
| <i>EGERIA Densa</i> | PLANCH. | WATER-WEED, BRAZILIAN | OBL | OBL | PNZF |
| <i>EGLETES VISCOSA</i> | (L.) LESS. | DAISY, TROPIC | FACW | FACW | ANF |
| <i>EICHHORNIA AZUREA</i> | (SWARTZ) KUNTH | WATER-HYACINTH, SAW-PETAL | OBL | OBL | PI/F |
| <i>EICHHORNIA CRASSIPES</i> | (MART.) SOLMS. | WATER-HYACINTH, COMMON | OBL | OBL | PNE/F |
| <i>ELAEAGNUS ANGUSTIFOLIA</i> | L. | OLIVE, RUSSIAN | FAC | FACU-, FACW- | 1ST |
| <i>ELATINE AMERICANA</i> | (PURSH) ARN. | WATER-WORT, AMERICAN | OBL | OBL | ANEF |
| <i>ELATINE BRACHYSPERMA</i> | GRAY | WATER-WORT, SHORT-SEED | FACW | FACW, OBL | ANE/F |
| <i>ELATINE TRIANDRA</i> | SCHUHR | WATER-WORT, THREE-STAMEN | OBL | OBL | ANE/F |
| <i>ELEOCHARIS ACICULARIS</i> | (L.) ROEM. & J.A. SCHULTES | SPIKERUSH, LEAST | OBL | OBL | PNEGL |
| <i>ELEOCHARIS ACUTISQUAMATA</i> | BUCKLEY | SPIKERUSH, SHARP-SCALE | OBL | OBL | PNEGL |
| <i>ELEOCHARIS ALBIDA</i> | TORR. | SPIKERUSH, WHITE | OBL | OBL | PNEGL |
| <i>ELEOCHARIS ATROPURPUREA</i> | (RETTZ.) J. & K. PRESL | SPIKERUSH, PURPLE | FACW | FACW, FACW+ | ANGL |
| <i>ELEOCHARIS AUSTROTEXANA</i> | M. JOHNST. | SPIKERUSH, RIO GRANDE | NI | NI | PNEGL |
| <i>ELEOCHARIS BALDWINII</i> | (TORR.) CHAPM. | SPIKERUSH, BALDWIN'S | FACW | FACW, OBL | APNEGL |
| <i>ELEOCHARIS CARIBAEA</i> | (ROTTB.) BLAKE | SPIKERUSH, CAPITATE | FACW | FACW | ANGL |
| <i>ELEOCHARIS CELLULOSA</i> | TORR. | SPIKERUSH, GULF COAST | OBL | OBL | PNEGL |
| <i>ELEOCHARIS COMPRESSA</i> | SULLIVANT | SPIKERUSH, FLAT-STEM | FACW | FACW, FACW+ | PNEGL |
| <i>ELEOCHARIS CYLINDRICA</i> | BUCKLEY | SPIKERUSH, CYLINDER | OBL | OBL | PNEGL |
| <i>ELEOCHARIS ELONGATA</i> | CHAPM. | SPIKERUSH, SLIM | OBL | OBL | PNEGL |
| <i>ELEOCHARIS ENGELMANNII</i> | STEUD. | SPIKERUSH, ENGELMANN'S | FACW | FACW, OBL | ANGL |
| <i>ELEOCHARIS EQUISETOIDES</i> | (ELLIOTT) TORR. | SPIKERUSH, HORSE-TAIL | OBL | OBL | PNEGL |
| <i>ELEOCHARIS ERYTHROPODA</i> | STEUD. | SPIKERUSH, BALD | OBL | OBL | PNEGL |
| <i>ELEOCHARIS FALLAX</i> | WEATHERBY | SPIKERUSH, CREEPING | OBL | OBL | PNEGL |
| <i>ELEOCHARIS FISTULOSA</i> | (POIR.) J.A. SCHULTES | SPIKERUSH, HOLLOW-STEM | FAC+ | FAC+ | PNEGL |
| <i>ELEOCHARIS FLAVESCENS</i> | (POIR.) URBAN | SPIKERUSH, PALE | OBL | OBL | PNEGL |
| <i>ELEOCHARIS GENICULATA</i> | (L.) ROEM. & J.A. SCHULTES | SPIKERUSH, CLUSTERED | FACW+ | FACW, OBL | ANEGL |
| <i>ELEOCHARIS INTERSTINCTA</i> | (VAHL) ROEM. & J.A. SCHULTES | SPIKERUSH, KNOTTED | OBL | OBL | PNEGL |
| <i>ELEOCHARIS LANCEOLATA</i> | FERNALD | SPIKERUSH, DAGGER-LEAF | FACW | FACW, FACW+ | ANGL |
| <i>ELEOCHARIS MACROSTACHYA</i> | BRITTON | SPIKERUSH, CREEPING | OBL | OBL | PNEGL |
| <i>ELEOCHARIS MELANOCARPA</i> | TORR. | SPIKERUSH, BLACK-FRUIT | FACW | FACW, FACW+ | PNEGL |
| <i>ELEOCHARIS MICROCARPA</i> | TORR. | SPIKERUSH, SMALL-FRUIT | OBL | OBL | ANEGL |
| <i>ELEOCHARIS MINIMA</i> | KUNTH | SPIKERUSH, SMALL | OBL | OBL | ANEGL |
| <i>ELEOCHARIS MONTANA</i> | (H.B.K.) ROEM. & J.A. SCHULTES | SPIKERUSH, DOMBEY'S | OBL | OBL | PNEGL |
| <i>ELEOCHARIS MONTEVIDENSIS</i> | KUNTH | SPIKERUSH, SAND | FACW+ | FACW, FACW+ | PNEGL |
| <i>ELEOCHARIS OBTUSA</i> | (WILLD.) J.A. SCHULTES | SPIKERUSH, BLUNT | OBL | OBL | APNEGL |
| <i>ELEOCHARIS OVATA</i> | (ROTH) ROEM. & J.A. SCHULTES | SPIKERUSH, OVATE | OBL | OBL | ANEGL |
| <i>ELEOCHARIS PALUSTRIS</i> | (L.) ROEM. & J.A. SCHULTES | SPIKERUSH, CREEPING | OBL | OBL | PNEGL |

27

DUCHESNEA INDICA

ELEOCHARIS PALUSTRIS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|----------------------------------|--|-----------------------------|-------|--------------|-------|
| <i>ELEOCHARIS PARVULA</i> | (ROEM. & J.A. SCHULTES) LINK EX BLUFF & FINGERH. | SPIKERUSH, SMALL | OBL | OBL | PNGL |
| <i>ELEOCHARIS QUADRANGULATA</i> | (MICHX.) ROEM. & J.A. SCHULTES | SPIKERUSH, SQUARE-STEM | OBL | OBL | PNEGL |
| <i>ELEOCHARIS RADICANS</i> | (A. DIETR.) KUNTH | SPIKERUSH, ROOTED | OBL | OBL | PNGL |
| <i>ELEOCHARIS ROSTELLATA</i> | (TORR.) TORR. | SPIKERUSH, BEAKED | OBL | OBL | PNGL |
| <i>ELEOCHARIS SMALLII</i> | BRITTON | SPIKERUSH, SMALL'S | OBL | OBL | PNGL |
| <i>ELEOCHARIS TENUIS</i> | (WILLD.) J.A. SCHULTES | SPIKERUSH, SLENDER | FACW | FACW, FACW+ | PNGL |
| <i>ELEOCHARIS TORTILIS</i> | (LINK) J.A. SCHULTES | SPIKERUSH, TWISTED | FACW | FACW, FACW+ | PNGL |
| <i>ELEOCHARIS TUBERCULOSA</i> | (MICHX.) ROEM. & J.A. SCHULTES | SPIKERUSH, LONG-TUBERCLE | OBL | FACW+, OBL | PNGL |
| <i>ELEOCHARIS WOLFII</i> | (GRAY) GRAY EX BRITTON | SPIKERUSH, WOLF'S | OBL | OBL | PNEGL |
| <i>ELEPHANTOPUS CAROLINIANUS</i> | RAEUSCH. | ELEPHANT-FOOT, CAROLINA | FAC | FACU, FAC | PNF |
| <i>ELEPHANTOPUS NUDATUS</i> | GRAY | ELEPHANT-FOOT, SMOOTH | NI | FAC | PNF |
| <i>ELEUSINE INDICA</i> | (L.) GAERTN. | GOOSEGRASS, INDIA | FACU | UPL, FACU | AIG |
| <i>ELLISIA NYCTELEA</i> | L. | BABY-BLUE-EYES, FALSE | FAC | UPL, FAC+ | ANF |
| <i>ELODEA CANADENSIS</i> | MICHX. | WATER-WEED, BROAD | OBL | OBL | PNZF |
| <i>ELODEA NUTTALLII</i> | (PLANCH.) H. ST. JOHN | WATER-WEED, NUTTALL'S | OBL | OBL | PNZF |
| <i>ELYMUS CANADENSIS</i> | L. | WILD-RYE, NODDING | FAC+ | FACU, FAC+ | PNG |
| <i>ELYMUS TRITICOIDES</i> | BUCKLEY | WILD-RYE, CREEPING | FAC | FACU, FAC+ | PNG |
| <i>ELYMUS VILLOSUS</i> | MUHL. EX WILLD. | WILD-RYE, HAIRY | FACU | FACU-, FACU | PNG |
| <i>ELYMUS VIRGINICUS</i> | L. | WILD-RYE, VIRGINIA | FAC | FAC, FACW | PNG |
| <i>ENEMION BITERMATUM</i> | RAF. | RUE-ANEMONE, FALSE | NI | UPL, FACW | PNF |
| <i>EPILOBIUM CILIATUM</i> | RAF. | WILLOW-HERB, HAIRY | FACU | FACU, OBL | PNF |
| <i>EPILOBIUM COLORATUM</i> | BIEHLER | WILLOW-HERB, PURPLE-LEAF | OBL | OBL | PNF |
| <i>EPIPACTIS GIGANTEA</i> | DOUGL. EX HOOK. | HELLOBORINE, GIANT | OBL | FACW+, OBL | PNF |
| <i>EQUISETUM ARVENSE</i> | L. | HORSETAIL, FIELD | FAC+ | FACU, FACW- | PNH2 |
| <i>EQUISETUM HYEMALE</i> | L. | HORSETAIL, ROUGH | FACW | FAC+, FACW | PNH2 |
| <i>EQUISETUM LAEVIGATUM</i> | A. BRAUN | SCOURING-RUSH, SMOOTH | FACW | FAC, FACW | PNH2 |
| <i>EQUISETUM X FERRISSII</i> | CLUTE | SCOURING-RUSH, INTERMEDIATE | FACW | FAC, FACW | PNH2 |
| <i>ERAGROSTIS CILIANENSIS</i> | (ALL.) LINK EX MOSHER | STINKGRASS | FACU | FACU, FACU+ | AIG |
| <i>ERAGROSTIS CILIARIS</i> | (L.) R. BR. | LOVEGRASS, GOPHER-TAIL | FACU | FACU | AIG |
| <i>ERAGROSTIS ELLIOTTII</i> | S. WATS. | LOVEGRASS, ELLIOTT'S | FACW- | FACW-, FACW | PNG |
| <i>ERAGROSTIS FRANKII</i> | C.A. MEYER | LOVEGRASS, FRANK'S | FACW | FAC, FACW | ANG |
| <i>ERAGROSTIS GLOMERATA</i> | (WALTER) L. DEWEY | LOVEGRASS, POND | OBL | OBL | ANG |
| <i>ERAGROSTIS HIRSUTA</i> | (MICHX.) NEES | LOVEGRASS, BIG-TOP | FACU | UPL, FACU | PNG |
| <i>ERAGROSTIS HYPNOIDES</i> | (LAM.) B.S.P. | LOVEGRASS, TEAL | OBL | FAC, OBL | ANG |
| <i>ERAGROSTIS LUGENS</i> | NEES | LOVEGRASS, MOURNING | FACU | UPL, FAC- | PNG |
| <i>ERAGROSTIS MEXICANA</i> | (HORNEM.) LINK | LOVEGRASS, MEXICAN | FACU+ | UPL, FAC | ANG |
| <i>ERAGROSTIS PECTINACEA</i> | (MICHX.) NEES | LOVEGRASS, PURPLE | FAC | FACU, FAC | ANG |
| <i>ERAGROSTIS PILOSA</i> | (L.) BEAUV. | LOVEGRASS, INDIA | FACU | FACU | AIG |
| <i>ERAGROSTIS REFRACTA</i> | (CHAPM.) SCRIBN. | LOVEGRASS, MEADOW | FACW | FACW | PNG |
| <i>ERAGROSTIS REPTANS</i> | (MICHX.) NEES | LOVEGRASS, HAIRY CREEPING | OBL | FACW+, OBL | ANG |
| <i>ERAGROSTIS SECUNDFLORA</i> | J. PRESL | LOVEGRASS, RED | FACU- | UPL, FACU- | PNG |
| <i>ERAGROSTIS SPECTABILIS</i> | (PURSH) STEUD. | LOVEGRASS, PURPLE | FACU- | UPL, FACU | PNG |
| <i>ERECHTITES HIERACIIFOLIA</i> | (L.) RAF. EX DC. | BURN, AMERICAN | FACU | FACU, FAC | ANF |
| <i>ERIANTHUS ALDPECUROIDES</i> | (L.) ELLIOTT | PLUMEGRASS, WOOLLY | FACW- | FACU-, FACW- | PNG |
| <i>ERIANTHUS CONTORTUS</i> | BALDW. EX ELLIOTT | PLUMEGRASS, BENT-AWN | FAC | FAC | PNG |
| <i>ERIANTHUS GIGANTEUS</i> | (WALTER) F.T. HUBB. NON MUHL. | PLUMEGRASS, SUGAR, CANE | FACW+ | FACW, FACW+ | PNG |
| <i>ERIANTHUS STRICTUS</i> | BALDW. | PLUMEGRASS, NARROW | FACW+ | FACW+, OBL | PNG |
| <i>ERIGERON ANNUUS</i> | (L.) PERS. | FLEABANE, WHITE-TOP | FAC | FACU, FAC | ANF |
| <i>ERIGERON FLAGELLARIS</i> | GRAY | FLEABANE, TRAILING | FAC | FACU, FAC | BNF |
| <i>ERIGERON MYRIONACTIS</i> | SMALL | FLEABANE, CORPUS-CHRISTI | FACW- | FAC, FACW- | PNF |
| <i>ERIGERON PHILADELPHICUS</i> | L. | FLEABANE, PHILADELPHIA | FAC | FACU, OBL | BNF |
| <i>ERIGERON PULCHELLUS</i> | MICHX. | PLANTAIN, ROBIN'S | FACU | FACU, FACU+ | PNF |

ELEOCHARIS PARVULA

ERIGERON PULCHELLUS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------------------|--|---------------------------------|-------|-------------|-------|
| <i>ERIGERON STRIGOSUS</i> | MUHL. EX WILLD. | FLEABANE, PRAIRIE | FAC- | FACU, FAC | ANF |
| <i>ERIOCAULON COMPRESSUM</i> | LAM. | PIPEWORT, FLATTENED | OBL | OBL | PIEF |
| <i>ERIOCAULON DECANGULARE</i> | L. | PIPEWORT, TEN-ANGLE | OBL | OBL | PIEF |
| <i>ERIOCAULON KORNICKIANUM</i> | VAN HEURCK & MUELL. ARG. | PIPEWORT, SMALL-HEAD | OBL | OBL | PIEF |
| <i>ERIOCAULON TEXENSE</i> | KOERN. | PIPEWORT, TEXAS | OBL | OBL | PNEF |
| <i>ERIOCHLOA CONTRACTA</i> | A. HITCHC. | CUPGRASS, PRAIRIE | FAC+ | FACU, FACW | ANG |
| <i>ERIOCHLOA GRACILIS</i> | (FOURN.) A. HITCHC. | CUPGRASS, SOUTHWESTERN | FAC | FAC, FACW | ANG |
| <i>ERIOCHLOA PUNCTATA</i> | (L.) DESV. | CUPGRASS, LOUISIANA | FACW- | FACW-, FACW | PIG |
| <i>ERYNGIUM HETEROPHYLLUM</i> | ENGELM. | COYOTE-THISTLE, WRIGHT'S | FAC+ | FAC+, FACW- | PNF |
| <i>ERYNGIUM HOOKERI</i> | WALPERS | COYOTE-THISTLE, HOOKER'S | FACW* | FACW | ANF |
| <i>ERYNGIUM INTEGRIFOLIUM</i> | WALTER | COYOTE-THISTLE, BLUE-FLOWER | FACW+ | FACW, FACW+ | PNF |
| <i>ERYNGIUM NASTURTIIFOLIUM</i> | JUSS. EX F. DELAROCHE | HIERBA DEL SAPO | FACW* | FACW | BPNF |
| <i>ERYNGIUM PROSTRATUM</i> | NUTT. EX DC. | COYOTE-THISTLE, CREEPING | FACW+ | FACW, OBL | PNF |
| <i>ERYNGIUM YUCCIFOLIUM</i> | MICHX. | RATTLESNAKE-MASTER | FACW | FAC, FACW | PNF |
| <i>ERYTHRODES QUERCETICOLA</i> | (LINDL.) AMES | ERYTHRODES, LOW | NI | FACW | PNF |
| <i>ERYTHRONIUM ROSTRATUM</i> | W. WOLF | FAWNLILY, YELLOW | NI | UPL, FACU | PNF |
| <i>EUONYMUS AMERICANUS</i> | L. | STRAWBERRY-BUSH, AMERICAN | FACW | FACU, FACW | NS |
| <i>EUONYMUS ATROPURPUREUS</i> | JACQ. | BURNING-BUSH, EASTERN | FAC+ | FACU, FAC+ | NST |
| <i>EUPATORIUM ADELPHUS FISTULOSUS</i> | (BARRATT EX HOOK.) R.M. KING & H. ROB. | JOE-PYE-WEED, HOLLOW | FACW | FAC+, OBL | PNF |
| <i>EUPATORIUM ADELPHUS PURPUREUS</i> | (L.) R.M. KING & H. ROB. | JOE-PYE-WEED, SWEET | FAC | FAC | PNF |
| <i>EUPATORIUM CAPILLIFOLIUM</i> | (LAM.) SMALL | THOROUGH-WORT, SMALL DOG-FENNEL | FACU | FACU-, FACU | PNF |
| <i>EUPATORIUM COMPOSITIFOLIUM</i> | WALTER | WEED, YANKEE | FACU* | FACU, FAC- | PNF |
| <i>EUPATORIUM LEUCOLEPIS</i> | (DC.) TORR. & GRAY | THOROUGH-WORT, WHITE-BRACT | FACW+ | FACW+ | PNF |
| <i>EUPATORIUM PERFOLIATUM</i> | L. | BONESET, COMMON | FACW+ | FACW+, OBL | PNF |
| <i>EUPATORIUM ROTUNDFOLIUM</i> | L. | THOROUGH-WORT, ROUND-LEAF | FAC | FAC-, FAC | PNF |
| <i>EUPATORIUM SEMISERRATUM</i> | DC. | THOROUGH-WORT, SMALL-FLOWER | FAC | FAC, FACW | PNF |
| <i>EUPATORIUM SEROTINUM</i> | MICHX. | THOROUGH-WORT, LATE-FLOWERING | FAC- | FAC-, FAC+ | PNF |
| <i>EUPHORBIA COMMUTATA</i> | ENGELM. | SPURGE, TINTED WOOD | NI | UPL, FACU | ANF |
| <i>EUPHORBIA HETEROPHYLLA</i> | L. | SPURGE, PAINTED | NI | UPL, FAC | ANF |
| <i>EUPHORBIA HUMISTRATA</i> | ENGELM. | BROOMSPURGE, SPREADING | NI | FACU, FACW | ANF |
| <i>EUPHORBIA HYPERICIFOLIA</i> | L. | BROOMSPURGE, TROPICAL | NI | UPL, FACU | ANF |
| <i>EUPHORBIA HYSSOPIFOLIA</i> | L. | BROOMSPURGE, HYSSOP-LEAF | NI | FAC | ANF |
| <i>EUPHORBIA MACULATA</i> | L. | BROOMSPURGE, SPOTTED | NI | UPL, FACU | ANF |
| <i>EUPHORBIA MARGINATA</i> | PURSH | SNOW-ON-THE-MOUNTAIN | FACU- | UPL, FACU | ANF |
| <i>EUPHORBIA NUTANS</i> | LAG. | BROOMSPURGE, EYEBANE | NI | FACU-, FACU | AIF |
| <i>EUPHORBIA OBTUSATA</i> | PURSH | SPURGE, BLUNT-LEAF | NI | FACU-, FAC | ANF |
| <i>EURYSTEMON MEXICANUM</i> | (S. WATS.) E.J. ALEX. | | OBL | OBL | APNEF |
| <i>EUSTACHYS PETRAEA</i> | (SWARTZ) DESV. | GRASS, PINEWOODS FINGER | FAC- | FACU-, FAC- | NG |
| <i>EUSTOMA EXALTATUM</i> | (L.) GRISEB. | PRAIRIE-GENTIAN, TALL | FACW | FACW, OBL | APNF |
| <i>EUSTOMA GRANDIFLORUM</i> | (RAF.) SHINNERS | PRAIRIE-GENTIAN, SHOWY | FAC- | FAC-, FACW | APNF |
| <i>EUSTYLIS PURPUREA</i> | (HERB.) ENGELM. & GRAY | PLEATLEAF, PURPLE | NI | UPL | PNF |
| <i>EUTHAMIA CAMPORUM</i> | GREENE | FRAGRANT-GOLDEN-ROD, VISCID | FAC+ | FACU, FACW | PNF |
| <i>EUTHAMIA GRAMINIFOLIA</i> | (L.) NUTT. | FRAGRANT-GOLDEN-ROD, FLAT-TOP | FACW | FAC, FACW | PNF |
| <i>EUTHAMIA LEPTOCEPHALA</i> | (TORR. & GRAY) GREENE | FRAGRANT-GOLDEN-ROD, BUSHY | FAC+ | FAC+, FACW | PNF |
| <i>FAGUS GRANDIFOLIA</i> | EHRH. | BEECH, AMERICAN | FACU | FACU | NT |
| <i>FAGUS GRANDIFOLIA</i> | EHRH. | BEECH | NI* | FAC+ | NT |
| <i>FESTUCA ARUNDINACEA</i> | SCHREB. | FESCUE, KENTUCKY | FAC- | UPL, FACW- | PIG |
| <i>FESTUCA OBTUSA</i> | BIEHLER | FESCUE, NODDING | FAC- | FACU, FAC | PNG |
| <i>FESTUCA PARADOXA</i> | DESV. | FESCUE, CLUSTER | FAC- | FACU, FAC | PNG |
| <i>FESTUCA PRATENSIS</i> | HUDS. | FESCUE, MEADOW | NI | FACU-, FAC | PIG |
| <i>FESTUCA RUBRA</i> | L. | FESCUE, RED | FAC* | FACU, FACW- | PNG |
| <i>FIMBRISTYLIS ANNUA</i> | (ALL.) ROEM. & J.A. SCHULTES | FIMBRY, ANNUAL | FACW- | FACU-, FACW | ANGL |

ERIGERON STRIGOSUS
FIMBRISTYLIS ANNUA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------------|------------------------------|-----------------------------|-------|-------------|--------|
| <i>FIMBRISTYLIS AUTUMNALIS</i> | (L.) ROEM. & J.A. SCHULTES | FIMBRY, SLENDER | OBL | FACW+, OBL | GL |
| <i>FIMBRISTYLIS CAROLINIANA</i> | (LAM.) FERNALD | FIMBRY, CAROLINA | FACW+ | FACU, FACW+ | PNGL |
| <i>FIMBRISTYLIS CASTANEA</i> | (MICHX.) VAHL | FIMBRY, MARSH | OBL | OBL | PNEGL |
| <i>FIMBRISTYLIS DECIPiens</i> | KRAL | FIMBRY, SOUTHERN | FAC | FAC, FACW | APNEGL |
| <i>FIMBRISTYLIS DICHOTOMA</i> | (L.) VAHL | FIMBRY, TALL | FACW+ | FACW+, OBL | APNEGL |
| <i>FIMBRISTYLIS MILIACEA</i> | (L.) VAHL | FIMBRY, GRASSY-LIKE | OBL | OBL | ANGL |
| <i>FIMBRISTYLIS PUBERULA</i> | (MICHX.) VAHL | FIMBRY, VAHL'S HAIRY | FACW* | FACW, OBL | PNEGL |
| <i>FIMBRISTYLIS TOMENTOSA</i> | VAHL | FIMBRY, WOOLLY | FACW+ | FACW, FACW+ | ATIEGL |
| <i>FIMBRISTYLIS VAHLII</i> | (LAM.) LINK | FIMBRY, VAHL'S | FACW* | FACW, OBL | ANEGL |
| <i>FLAVERIA BROWNI</i> | A. POWELL | FLAVERIA, BROWN'S | FACW | FACW | PNF |
| <i>FLAVERIA CAMPESTRIS</i> | J.R. JOHNST. | FLAVERIA, ALKALI | FAC+ | FAC, FACW | ANF |
| <i>FLAVERIA CHLORIFOLIA</i> | GRAY | FLAVERIA, CLASPING | FACW | FACW | PNF |
| <i>FLEISCHMANNIA INCARNATA</i> | (WALTER) R.M. KING & H. ROB. | THOROUGH-WORT, PINK | FAC | FACU+, FAC | N |
| <i>FOENICULUM VULGARE</i> | MILL. | FENNEL, SWEET | FAC | UPL, FAC | BP1F |
| <i>FORESTIERA ACUMINATA</i> | (MICHX.) POIR. | PRIVET, SWAMP | OBL | OBL | NST |
| <i>FORESTIERA LIGUSTRINA</i> | (MICHX.) POIR. | SWAMP PRIVET, UPLAND | NI | FAC | NS |
| <i>FORESTIERA NEOMEXICANA</i> | GRAY | FORESTIERA, NEW MEXICO | FAC- | FACU, FAC+ | NS |
| <i>FORESTIERA PUBESCENS</i> | NUTT. | SWAMP PRIVET, DWARF | FACU | FACU | NS |
| <i>FRAGARIA VIRGINIANA</i> | DUCHESNE | STRAWBERRY, VIRGINIA | FAC | UPL, FAC | PNF |
| <i>FRAXINUS AMERICANA</i> | L. | ASH, WHITE | FACU | FACU | NT |
| <i>FRAXINUS BERLANDIERANA</i> | DC. | ASH, MEXICAN | FAC | FAC | NT |
| <i>FRAXINUS CAROLINIANA</i> | MILL. | ASH, CAROLINA | OBL | OBL | NETS |
| <i>FRAXINUS PENNSYLVANICA</i> | MARSHALL | ASH, GREEN | FACW- | FAC, FACW | NT |
| <i>FRAXINUS VELUTINA</i> | TORR. | ASH, VELVET | FAC | FAC, FACW | NT |
| <i>FUIRENA SCIRPOIDEA</i> | MICHX. | UMBRELLA-SEDGE, SOUTHERN | OBL | OBL | PNGL |
| <i>FUIRENA SIMPLEX</i> | VAHL | UMBRELLA-SEDGE, WESTERN | OBL | OBL | PNGL |
| <i>FUIRENA SQUARROSA</i> | MICHX. | UMBRELLA-SEDGE, HAIRY | OBL | OBL | PNGL |
| <i>GALACTIA MACREEI</i> | M.A. CURT. | MILKPEA, DOWNY | FACU | FACU, FAC+ | PNV |
| <i>GALIUM APARINE</i> | L. | BEDSTRAW, CATCHWEED | FAC- | FACU, FAC- | ANF |
| <i>GALIUM BOREALE</i> | L. | BEDSTRAW, NORTHERN | FAC* | FACU, FAC | PNF |
| <i>GALIUM CIRCAEZANS</i> | MICHX. | LICORICE, WILD | NI | UPL, FACU- | PNF |
| <i>GALIUM CONCINNUM</i> | TORR. & GRAY | BEDSTRAW, SHINING | NI | UPL, FACU | PNF |
| <i>GALIUM MEXICANUM</i> | H.B.K. | BEDSTRAW, MEXICAN | FAC | FAC | PNF |
| <i>GALIUM OBTUSUM</i> | BIGEL. | BEDSTRAW, BLUNT-LEAF | OBL | FACW-, OBL | PNF |
| <i>GALIUM TINCTORIUM</i> | L. | BEDSTRAW, STIFF MARSH | OBL | FACW, OBL | PNF |
| <i>GALIUM TRIFIDUM</i> | L. | BEDSTRAW, SMALL | FACW+ | FACW, OBL | PNF |
| <i>GALIUM TRIFLORUM</i> | MICHX. | BEDSTRAW, SWEET-SCENT | FACU | FACU, FACU+ | PNF |
| <i>GALIUM UNCINULATUM</i> | DC. | BEDSTRAW, BRISTLY | FAC | FAC | PNF |
| <i>GAMCHAETA PURPUREA</i> | (L.) CABRERA | CUDWEED, PURPLE | FACU* | UPL, FACU | N |
| <i>GASTRIDIVM VENTRICOSUM</i> | (GOUAN) SCHINZ & THELL. | NITGRASS | FACU | FACU | AIG |
| <i>GALRA BIENNIS</i> | L. | BUTTERFLY-WEED, BIENNIAL | NI | FACU-, FACU | BNF |
| <i>GALRA PARVIFLORA</i> | DOUGL. EX LEHM. | BUTTERFLY-WEED, VELVET-LEAF | NI | FACU? | ANF |
| <i>GELESEMUM SEMPERVIRENS</i> | (L.) W.T. AIT. | JESSAMINE, YELLOW | FAC | FAC | NWVS |
| <i>GENTIANA AFFINIS</i> | GRISEB. | GENTIAN, PRAIRIE | FACU | FACU | PNF |
| <i>GENTIANA SAPONARIA</i> | L. | GENTIAN, SOAPWORT | FACW- | FACW-, FACW | PNF |
| <i>GERANIUM MACULATUM</i> | L. | CRANE'S-BILL, PURPLE | FACU | FACU | PNF |
| <i>GEUM CANADENSE</i> | JACQ. | AVENS, WHITE | FAC | FACU, FAC | PNF |
| <i>GEUM VERNUM</i> | (RAF.) TORR. & GRAY | AVENS, SPRING | NI | FACU-, FAC | PIF |
| <i>GLECOMA HEDERACEA</i> | L. | IVY, GROUND | NI | UPL, FACU+ | PIF |
| <i>GLEDITSIA AQUATICA</i> | MARSHALL | WATER-LOCUST | OBL | OBL | NETS |
| <i>GLEDITSIA TRIACANTHOS</i> | L. | HONEY-LOCUST | FAC | FACU, FAC | NTS |
| <i>GLINUS LOTOIDES</i> | L. | | FACW- | FACW-, OBL | ATIEF |

FIMBRISTYLIS AUTUMNALIS

GLINUS LOTOIDES

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-----------------------------------|--|------------------------------|-------|-------------|-------|
| <i>GLINUS RADIATUS</i> | (RUIZ & PAVON) ROHRB. | | FACW- | FACW-, FACW | ANF |
| <i>GLYCERIA SEPTENTRIONALIS</i> | A. HITCHC. | GRASS, EASTERN MANNA | OBL | OBL | PNEG |
| <i>GLYCERIA STRIATA</i> | (LAM.) A. HITCHC. | GRASS, FOWL MANNA | OBL | OBL | PNEG |
| <i>GLYCYRRHIZA LEPIDOTA</i> | PURSH | LICORICE, AMERICAN | FAC+ | UPL, FAC+ | PNF |
| <i>GNAPHALIUM CHILENSE</i> | SPRENG. | CUDWEED, COTTON-BATTING | FAC | FAC-, FAC+ | ABIF |
| <i>GOODYERA REPENS</i> | (L.) R. BR. IN W.T. AIT. | RATTLE-SNAKE-PLANTAIN, DWARF | NI | UPL, FACW | PNF |
| <i>GRATIOLA BREVIFOLIA</i> | RAF. | HEDGEHYSSOP, STICKY | FACW+ | FACW+ | APNEF |
| <i>GRATIOLA FLAVA</i> | LEAVENW. | HEDGEHYSSOP, YELLOW | FAC* | FAC, FACW | ANF |
| <i>GRATIOLA NEGLECTA</i> | TORR. | HEDGEHYSSOP, CLAMMY | OBL | OBL | ANEF |
| <i>GRATIOLA PILOSA</i> | MICHX. | HEDGEHYSSOP, SHAGGY | FACW+ | FACU, FACW+ | PNF |
| <i>GRATIOLA VIRGINIANA</i> | L. | HEDGEHYSSOP, ROUND-FRUIT | OBL | OBL | ABNEF |
| <i>GRINDELIA SQUARROSA</i> | (PURSH) DUNAL | GUMWEED, CURLY-CUP | FACU- | UPL, FACU | ABPNF |
| <i>GYMNOPOGON BREVIFOLIUS</i> | TRIN. | GRASS, SLIM SKELETON | NI | FACU | PNG |
| <i>HABENARIA QUINQUESETA</i> | (MICHX.) A. EAT. | HABENARIA, LONG-HORN | FACW+ | FACW, FACW+ | PNF |
| <i>HABENARIA REPENS</i> | NUTT. | ORCHID, WATER-SPIDER | OBL | OBL | PNEF |
| <i>HABRANTHUS TEXANUS</i> | (HERB.) STEUD. EX CORRELL & M. JOHNST. INED. | ATAMASCO-LILY | FACW* | FACW | PNEF |
| <i>HACKELIA FLORIBUNDA</i> | (LEHM.) I. JOHNST. | STICKSEED, DAVIS MOUNTAIN | FAC | FACU-, FAC | BPNF |
| <i>HACKELIA VIRGINIANA</i> | (L.) I. JOHNST. | STICKSEED, VIRGINIA | FAC+ | FACU, FAC+ | BPNF |
| <i>HALESIA CAROLINA</i> | L. | SILVER-BELL, CAROLINA | FAC | FACU, FAC | NST |
| <i>HALESIA DIPTERA</i> | J. ELLIS | SILVER-BELL, TWO-WING | FAC+ | FAC, FAC+ | NTS |
| <i>HALODULE BEAUDETTEI</i> | (DEN HARTOG) DEN HARTOG | SHOALWEED, PIEDMONT | OBL | OBL | PNZF |
| <i>HALODULE WRIGHTII</i> | ASCHERS. | SHOALGRASS | OBL | OBL | NZF |
| <i>HALOPHILA ENGELMANNII</i> | ASCHERS. | SEA-GRASS, ENGELMANN'S | OBL | OBL | PNZF |
| <i>HAMAMELIS VERNALIS</i> | SARG. | WITCH-HAZEL, VERNAL'S | FAC | FACU, FACW | NS |
| <i>HAMAMELIS VIRGINIANA</i> | L. | WITCH-HAZEL, AMERICAN | FAC- | FACU, FAC- | NST |
| <i>HAPLOPAPPUS DIVARICATUS</i> | (NUTT.) GRAY | GOLD, SLENDER SPRING | FACU | UPL, FACU | ANF |
| <i>HEIMIA SALICIFOLIA</i> | (H.B.K.) LINK & OTTO | HEIMIA, WILLOW-LEAF | FACW+ | FACW+ | NS |
| <i>HELENIUM AMARUM</i> | (RAF.) H. ROCK | SNEEZEWEEED, FIVE-LEAF | FACU* | FACU-, FACU | ANF |
| <i>HELENIUM AUTUMNALE</i> | L. | SNEEZEWEEED, COMMON | FACW- | FACW-, OBL | PNF |
| <i>HELENIUM DRUMMONDII</i> | H. ROCK | SNEEZEWEEED, FRINGED | FACW- | FACW-, OBL | PNF |
| <i>HELENIUM FLEXUOSUM</i> | RAF. | SNEEZEWEEED, PURPLE-HEAD | FACW | FAC-, FACW | PNF |
| <i>HELENIUM MICROCEPHALUM</i> | DC. | SNEEZEWEEED, SMALL-HEAD | FACW- | FACW-, FACW | ANF |
| <i>HELIANTHUS ANGUSTIFOLIUS</i> | L. | SUNFLOWER, SWAMP | FAC | FAC, FACW | ANF |
| <i>HELIANTHUS ANNUUS</i> | L. | SUNFLOWER, COMMON | FAC | FACU, FAC | ANF |
| <i>HELIANTHUS CILIARIS</i> | DC. | SUNFLOWER, BLUE-WEED | FAC | FAC | PNF |
| <i>HELIANTHUS DEBILIS</i> | NUTT. | SUNFLOWER, CUCUMBER-LEAF | FAC- | UPL, FAC | APNF |
| <i>HELIANTHUS GROSSEERRATUS</i> | M. MARTENS | SUNFLOWER, SAW-TOOTH | FAC | FAC, FACW | PNF |
| <i>HELIANTHUS MAXIMILIANI</i> | SCHRAD. | SUNFLOWER, MAXIMILIAN'S | FACU- | UPL, FACU | PNF |
| <i>HELIANTHUS NUTTALLII</i> | TORR. & GRAY | SUNFLOWER, NUTTALL'S | FACW* | FAC, FACW | PNF |
| <i>HELIANTHUS OCCIDENTALIS</i> | RIDDELL | SUNFLOWER, FEW-LEAF | FACU | UPL, FACU | PNF |
| <i>HELIANTHUS PARADOXUS</i> | HEISER | SUNFLOWER | FACW | FACW | ANF |
| <i>HELIANTHUS SIMULANS</i> | E.E. WATS. | SUNFLOWER, MUCK | NI | FACW | PNF |
| <i>HELIANTHUS TUBEROSUS</i> | L. | JERUSALEM-ARTICHOKE | FAC | FACU, FAC | PNF |
| <i>HELIOTROPIMUM CURASSAVICUM</i> | L. | HELIOTROPE, SEASIDE | FACW | FACW, OBL | APISF |
| <i>HELIOTROPIMUM GLABRUSCULUM</i> | (TORR.) GRAY | HELIOTROPE, GREENEYES | FACW | FACW | PNEF |
| <i>HELIOTROPIMUM GREGGII</i> | TORR. | HELIOTROPE, FRAGRANT | FACW | FAC, FACW | PNF |
| <i>HELIOTROPIMUM INDICUM</i> | L. | HELIOTROPE, INDIAN | FACW | FAC+, FACW | AIF |
| <i>HELIOTROPIMUM MOLLE</i> | (TORR.) I. JOHNST. | HELIOTROPE, SOFT | FACW | FACW | PNEF |
| <i>HELIOTROPIMUM PROCUMBENS</i> | MILL. | HELIOTROPE, FOUR-SPIKE | FACW- | FACW-, FACW | ANF |
| <i>HEMARTHRIA ALTISSIMA</i> | STAPP & HUBB. | JOINTGRASS, AFRICAN | FACW | FACW | PIG |
| <i>HEMICARPHA ARISTULATA</i> | (COVILLE) B.B. SMYTH | HEMICARPHA, AWNEED | FACW+ | FACW, OBL | ANGL |
| <i>HEMICARPHA DRUMMONDII</i> | NEES | DWARF-BULLRUSH, DRUMMOND'S | FACW+ | FACW, OBL | ANGL |

GLINUS RADIATUS

HEMICARPHA DRUMMONDII

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------|-------------------------------------|-------------------------------|-------|--------------|-------|
| HEMICARPHA MICRANTHA | (VAHL) PAX | DWARF-BULLRUSH | FACW+ | FACW,OBL | ANGL |
| HETERANTHERA LIEBMANNII | (BUCHENAU EX MAGNUS) SHINNERS | MUD-PLANTAIN, LIEBMANN'S | OBL | OBL | APN/F |
| HETERANTHERA LIMOSA | (SWARTZ) WILLD. | MUD-PLANTAIN, BLUE | OBL | OBL | ANEF |
| HETERANTHERA RENIFORMIS | RUIZ & PAVON | MUD-PLANTAIN, KIDNEY-LEAF | OBL | OBL | PNE/F |
| HETEROTHECA GRAMINIFOLIA | (MICHX.) SHINNERS | SILKGRASS | FACU | UPL, FACU | PNF |
| HETEROTHECA MARIANA | (L.) SHINNERS | GOLDEN-ASTER, MARYLAND | FACU | UPL, FACU | PNF |
| HETEROTHECA OLIGANTHA | (CHAPM.) V.L. HARMS | GOLDEN-ASTER, COASTAL-PLAIN | NI | FAC | PNF |
| HEUCHERA AMERICANA | L. | ALUM-ROOT, AMERICAN | FACU | FACU-, FACU | PNF |
| HEUCHERA LEPTOMERIA | GREENE | ALUM-ROOT, SLIM-FRUIT | FAC | FAC, FACW | PNF |
| HEUCHERA RICHARDSONII | R. BR. | ALUM-ROOT, RICHARDSON'S | NI | FACU, FAC | PNF |
| HEUCHERA RUBESCENS | TORR. | ALUM-ROOT, PINK | FACU | UPL, FACU | PNF |
| HIBISCUS ACULEATUS | WALTER | ROSEMALLOW, PINELAND | FACW | FACW | PNF |
| HIBISCUS DASYCALYX | BLAKE & SHILLER | ROSEMALLOW, NECHES RIVER | OBL | OBL | PNF |
| HIBISCUS GRANDIFLORUS | MICHX. | ROSEMALLOW, SWAMP | NI | OBL | NS |
| HIBISCUS LAEVIS | ALL. | ROSEMALLOW, HALBERD-LEAF | OBL | OBL | PNF |
| HIBISCUS LAMBERTIANUS | H.B.K. | ROSEMALLOW, LAMBERT'S | OBL | OBL | PNEF |
| HIBISCUS MOSCHEUTOS | L. | ROSEMALLOW, SWAMP | OBL | OBL | PNEF |
| HIERACIUM GRONOVII | L. | HAWKWEED, GRONOV'S | FACU | UPL, FACU | PNF |
| HOFFMANSEGGIA GLAUCIA | (ORTEGA) EIFERT | RUSHPEA, WAXY | FAC | FACU-, FAC | PNF |
| HOLCUS LANATUS | L. | GRASS, COMMON VELVET | FAC | FACU-, FACW | PNG |
| HORDEUM JUBATUM | L. | BARLEY, FOX-TAIL | FAC+ | FAC, FACW | PNG |
| HORDEUM LEPORINUM | LINK | BARLEY | NI | FACU? | ATG |
| HORDEUM PUSILLUM | NUTT. | BARLEY, LITTLE | FACU | FACU, FAC | ANG |
| HOTTONIA INFILATA | ELLIOTT | FEATHERFOIL, AMERICAN | OBL | OBL | ANZ/F |
| HOUSTONIA WRIGHTII | GRAY | BLUET, WRIGHT'S | FACU | FACU | PNF |
| HUMULUS LUPULUS | L. | HOP, COMMON | NI | FACU | PNVF |
| HYBANTHUS CONCOLOR | (T.F. FORST.) SPRENG. | VIOLET, GREEN | NI | FACU-, FACU+ | PNF |
| HYDRANGEA ARBORESCENS | L. | HYDRANGEA, WILD | NI | UPL, FACU | NS |
| HYDRILLA VERTICILLATA | ROYLE | HYDRILLA | OBL | OBL | PIZF |
| HYDROCHLOA CAROLINIENSIS | BEAUV. | WATERGRASS, COMMON | OBL | OBL | PN/EG |
| HYDROCLEYA NYMPHOIDES | (HUMB. & BONPL. EX WILLD.) BUCHENAU | WATER-POPPY | OBL | OBL | PIEF |
| HYDROCOTYLE BONARIENSIS | LAM. | PENNY-WORT, COASTAL-PLAIN | FACW | FACW | PNF |
| HYDROCOTYLE RANUNCULOIDES | L.F. | PENNY-WORT, FLOATING | OBL | OBL | PN/F |
| HYDROCOTYLE UMBELLATA | L. | PENNY-WORT, MANY-FLOWER | OBL | OBL | PN/F |
| HYDROCOTYLE VERTICILLATA | THUNB. | PENNY-WORT, WORLED | OBL | OBL | PNF |
| HYDROLEA OVATA | NUTT. EX CHOISY | FALSE-FIDDLE-LEAF, OVATE | OBL | OBL | PNF |
| HYDROLEA SPINOSA | L. | FALSE-FIDDLE-LEAF, SPINY | OBL | OBL | PNF |
| HYDROLEA UNIFLORA | RAF. | FALSE-FIDDLE-LEAF, ONE-FLOWER | OBL | OBL | PNF |
| HYDROPHYLLUM VIRGINIANUM | L. | WATER-LEAF, VIRGINIA | FACW* | FAC, FACW | PNF |
| HYGROPHILA LACUSTRIS | (SCHLECHT. & CHAM.) NEES | HICOTEA, LAKE | OBL | OBL | PNF |
| HYMENOCALLIS CAROLINIANA | (L.) HERB. | SPIDER-LILY, CAROLINA | FACW | FACW | PNF |
| HYMENOCALLIS EULAE | SHINNERS | SPIDER-LILY, AUTUMN | OBL | OBL | PNF |
| HYMENOCALLIS LATIFOLIA | (HERB.) M. ROEM. | SPIDER-LILY, BROAD-LEAF | NI | FACW | PNF |
| HYMENOCALLIS LIRIOSME | (RAF.) SHINNERS | SPIDER-LILY | OBL | OBL | PNF |
| HYMENOCALLIS OCCIDENTALIS | (LECONTE) KUNTH | SPIDER-LILY, NORTHERN | OBL | OBL | PNF |
| HYMENOXYIS TEXANA | (COULT. & ROSE) COCKLL. | BITTER-WEED, TEXAS | FACW | FACW | ANF |
| HYPERICUM APOCYNIFOLIUM | SMALL | ST. JOHN'S-WORT | OBL | FACW, OBL | NES |
| HYPERICUM CISTIFOLIUM | LAM. | ST. JOHN'S-WORT, ROUND-POD | FACW- | FACW-, FACW | ANF |
| HYPERICUM DENSIFLORUM | PURSH | ST. JOHN'S-WORT, BUSHY | FACW- | FAC+, FACW- | NS |
| HYPERICUM DRUMMONDII | (GREV. & HOOK.) TORR. & GRAY | ST. JOHN'S-WORT, DRUMMOND'S | FACU | UPL, FACU | ANF |
| HYPERICUM FASCICULATUM | LAM. | ST. JOHN'S-WORT, SANDWEED | FACW+ | FACW+ | NS |
| HYPERICUM GALIOIDES | LAM. | ST. JOHN'S-WORT, BEDSTRAW | OBL | OBL | NS |

HEMICARPHA MICRANTHA

HYPERICUM GALIOIDES

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------------|--|-----------------------------------|-------|-------------|-------|
| <i>HYPERICUM GENTIANOIDES</i> | (L.) B.S.P. | ORANGE-GRASS | FACU- | UPL, FACU | ANF |
| <i>HYPERICUM GYMNANTHUM</i> | ENGELM. & GRAY | ST. JOHN'S-WORT, CLASPING-LEAF | FACW+ | FACW, OBL | PNF |
| <i>HYPERICUM MUTILUM</i> | L. | ST. JOHN'S-WORT, SLENDER | FACW+ | FACW, FACW+ | PNF |
| <i>HYPERICUM NUDIFLORUM</i> | MICHX. | ST. JOHN'S-WORT, PRETTY | FACW+ | FACW, OBL | NS |
| <i>HYPERICUM PROLIFICUM</i> | L. | ST. JOHN'S-WORT, SHRUBBY | FACU | FACU | NS |
| <i>HYPERICUM PUNCTATUM</i> | LAM. | ST. JOHN'S-WORT, DOTTED | FAC+ | FACU, FAC+ | PNF |
| <i>HYPERICUM SETOSUM</i> | L. | ST. JOHN'S-WORT, HAIRY | FACW+ | FACW, OBL | PNF |
| <i>HYPERICUM SPHAEROCARPUM</i> | MICHX. | ST. JOHN'S-WORT, ROUND-FRUIT | FACU | FACU, FAC | NHS |
| <i>HYPOXIS HIRSUTA</i> | (L.) COVILLE | STARGRASS, EASTERN YELLOW | FACW | FAC, FACW | PNF |
| <i>HYPOXIS LEPTOCARPA</i> | (ENGELM. & GRAY) ENGELM. & GRAY EX SMALL | GOLDSTAR, CLUBPOD | FACW | FACW | PNF |
| <i>HYPOXIS MICRANTHA</i> | POLLARD | STARGRASS, PINELAND YELLOW | FACW | FAC, FACW | PNF |
| <i>HYPOXIS RIGIDA</i> | CHAMP. | GOLDSTAR, FIBROUS | FACW | FACW | PNF |
| <i>HYPOXIS SESSILIS</i> | L. | STARGRASS, GLOSS-SEED | FAC- | FAC-, FAC- | PNF |
| <i>HYPTIS ALATA</i> | (RAF.) SHINNERS | BUSHMINT, CLUSTER | OBL | OBL | PNF |
| <i>ILEX CASSINE</i> | L. | HOLLY, DAHOON | FACW | FACW | NT |
| <i>ILEX CORIACEA</i> | (PURSH) CHAMP. | HOLLY, BAY-GALL | FACW | FACW | NS |
| <i>ILEX DECIDUA</i> | WALTER | HOLLY, DECIDUOUS | FACW- | FACW-, FACW | NT |
| <i>ILEX GLABRA</i> | (L.) GRAY | INK-BERRY | FACW | FACW-, FACW | NS |
| <i>ILEX LONGIPES</i> | CHAMP. EX TRELEASE | HOLLY, GEORGIA | FACW | FAC, FACW | NS |
| <i>ILEX MYRTIFOLIA</i> | WALTER | HOLLY, MYRTLE | FACW | FACW | NST |
| <i>ILEX OPACA</i> | SOLAND. IN AIT. | HOLLY, AMERICAN | FACU | FACU, FAC- | NST |
| <i>ILEX VERTICILLATA</i> | (L.) GRAY | WINTERBERRY, COMMON | OBL* | FACW, OBL | NST |
| <i>ILEX VOMITORIA</i> | SOLAND. IN AIT. | YAUPON | FAC- | FAC-, FAC | NST |
| <i>IMPATIENS CAPENSIS</i> | MEERB. | TOUCH-ME-NOT, SPOTTED | FACW | FACW, FACW+ | ANF |
| <i>IMPATIENS PALLIDA</i> | NUTT. | TOUCH-ME-NOT, PALE | FACW | FACW | ANF |
| <i>INDIGOFERA LINDHEIMERANA</i> | SCHEELE | INDIGO, LINDHEIMER'S | FAC | FAC | PNF |
| <i>INDIGOFERA SUFFRUTICOSA</i> | MILL. | INDIGO, ANIL | FAC- | FACU, FAC- | IH |
| <i>IODANTHUS PINNATIFIDUS</i> | (MICHX.) STEUD. | PURPLE-ROCKET | FACW- | FACW-, OBL | PNF |
| <i>IPOMOEA ALBA</i> | L. | MORNING-GLORY, WHITE | NI | FAC | ANV |
| <i>IPOMOEA AMNICOLA</i> | MORONG | MORNING-GLORY, RED-CENTER | FACW- | FACW- | PIV |
| <i>IPOMOEA CAIRICA</i> | (L.) SWEET | MORNING-GLORY, CAIRO | NI | FACU | PIV |
| <i>IPOMOEA COCCINEA</i> | L. | MORNING-GLORY, RED | FAC | FACU, FAC | AIV |
| <i>IPOMOEA HEDERACEA</i> | JACQ. | MORNING-GLORY, IVY-LEAF | FAC | FACU, FAC | AIV |
| <i>IPOMOEA HEDERIFOLIA</i> | L. | MORNING-GLORY, IVY-LEAF | FAC | FACU, FACW | AIV |
| <i>IPOMOEA INDICA</i> | (N.L. BURM.) MERRILL | MORNING-GLORY, WEST INDIAN | NI | FAC | PIF |
| <i>IPOMOEA LACINOSA</i> | L. | MORNING-GLORY, SMALL-FLOWER WHITE | FACW | FAC+, FACW | ANVF |
| <i>IPOMOEA LINDHEIMERI</i> | GRAY | MORNING-GLORY, LINDHEIMER'S | FACU | UPL, FACU | PNV |
| <i>IPOMOEA PANDURATA</i> | (L.) G.F.W. MEYER | VINE, WILD SWEET-POTATO | FACU | FACU, FAC- | PNF |
| <i>IPOMOEA PES-CAPRAE</i> | (L.) SWEET | MORNING-GLORY, BEACH | FAC | FAC | PNF |
| <i>IPOMOEA PUBESCENS</i> | LAM. | MORNING-GLORY, BLUE | FAC | UPL, FAC | PNV |
| <i>IPOMOEA QUAMOCLIT</i> | L. | CYPRESS-VINE | NI | UPL, FACU+ | AIV |
| <i>IPOMOEA SAGITTATA</i> | POIR. | MORNING-GLORY, SALT MARSH | FACW | FACW | PNF |
| <i>IPOMOEA STOLONIFERA</i> | (CIRILLO) J.F. GMEL. | MORNING-GLORY, BEACH | FAC | FACU, FAC | PNVF |
| <i>IPOMOEA TRICHOCARPA</i> | ELLIOTT | MORNING-GLORY, SMALL-FLOWER PINK | FAC | FACU, FAC | PNVF |
| <i>IPOMOEA VIOLACEA</i> | L. | MORNING-GLORY, VIOLET | FACW- | FACW- | PNVF |
| <i>IPOMOEA WRIGHTII</i> | GRAY | MORNING-GLORY, WRIGHT'S | FACW- | FACW- | PIV |
| <i>IRISINE DIFFUSA</i> | HUMB. & BONPL. EX WILLD. | BLOODLEAF | NI | FAC- | NH |
| <i>IRISINE RHIZOMATOSA</i> | STANDL. | BLOODLEAF, ROOTSTOCK | FACW | FACW-, FACW | PNF |
| <i>IRIS BREVICAILIS</i> | RAF. | IRIS, LAMANCE | OBL | OBL | PNF |
| <i>IRIS FULVA</i> | KER-GAWL. | IRIS, COPPER | OBL | OBL | PNF |
| <i>IRIS HEXAGONA</i> | WALTER | IRIS, PRAIRIE | OBL | OBL | PNF |
| <i>IRIS PSEUDACORUS</i> | L. | IRIS, YELLOW | OBL | OBL | PIEF |

HYPERICUM GENTIANOIDES

IRIS PSEUDACORUS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|--------------------------------|--------------------------------|----------------------------|-------|-------------|-------|
| <i>IRIS SHREVEI</i> | SMALL | BLUEFLAG, SOUTHERN | OBL | OBL | PNEF |
| <i>IRIS VIRGINICA</i> | L. | BLUEFLAG, VIRGINIA | OBL | OBL | PNF |
| <i>ISOETES BUTLERI</i> | ENGELM. | QUILLWORT, BUTLER'S | OBL | FACW+, OBL | PNQ |
| <i>ISOETES LITHOPHYLLA</i> | N.E. PFEIFFER | QUILLWORT, ROCK | OBL | OBL | PNEQ |
| <i>ISOETES MELANOPODA</i> | J. GAY | QUILLWORT, BLACKFOOT | OBL | OBL | PNEQ |
| <i>ISOTRIA VERTICILLATA</i> | (MUHL. EX WILLD.) RAF | POGONIA, LARGE WHORLED | FAC | FACU, FAC | PNF |
| <i>ITEA VIRGINICA</i> | L. | WILLOW, VIRGINIA | OBL | FACW+, OBL | NS |
| <i>IVA ANNUA</i> | L. | SUMPWEED, ANNUAL | FAC | FAC | ATF |
| <i>IVA AXILLARIS</i> | PURSH | SUMPWEED, SMALL-FLOWER | FAC | FACU, FACW | PNEFH |
| <i>IVA FRUTESCENS</i> | L. | SUMPWEED, BIG-LEAF | FACW | FACW, FACW+ | PNHSF |
| <i>IVA IMBRICATA</i> | WALTER | SUMPWEED, SEACOAST | FACW- | FACU, FACW | PNHSF |
| <i>IVA XANTHIFOLIA</i> | NUTT. | SUMPWEED, COARSE | FAC+ | FACU, FAC+ | ANF |
| <i>JACQUEMONTIA TAMNIFOLIA</i> | (L.) GRISEB. | CLUSTER-VINE, HAIRY | NI | FACU- | AIFV |
| <i>JUGLANS MAJOR</i> | (TORR.) A. HELLER | WALNUT, ARIZONA | FAC- | FAC-, FACW- | NT |
| <i>JUGLANS MICROCARPA</i> | BERLAND. | WALNUT, RIVER | FAC- | FAC-, FAC | NT |
| <i>JUGLANS NIGRA</i> | L. | WALNUT, BLACK | FACU | FACU | NT |
| <i>JUNCUS ACUMINATUS</i> | MICHX. | RUSH, TAPER-TIP | OBL | OBL | PNEGL |
| <i>JUNCUS BALTICUS</i> | WILLD. | RUSH, BALTIC | OBL | FACW, OBL | PNGL |
| <i>JUNCUS BIFLORUS</i> | ELLIOTT | RUSH, TURNFLOWER | FACW | FACW | PNGL |
| <i>JUNCUS BRACHYCARPUS</i> | ENGELM. | RUSH, WHITE-ROOT | FACW | FACW | PNGL |
| <i>JUNCUS BUFONIUS</i> | L. | RUSH, TOAD | OBL | FACW, OBL | ANGL |
| <i>JUNCUS CAPITATUS</i> | WEIGEL | RUSH, CAPPED | FACU+ | FACU, FACU+ | AIGL |
| <i>JUNCUS CORIACEUS</i> | MACKENZ. | RUSH, LEATHERY | OBL | FACW, OBL | PNGL |
| <i>JUNCUS DEBILIS</i> | GRAY | RUSH, WEAK | FACW* | FACW, OBL | APNGL |
| <i>JUNCUS DICHOTOMUS</i> | ELLIOTT | RUSH, FORKED | FACW | FACW | PNGL |
| <i>JUNCUS DIFFUSISSIMUS</i> | BUCKLEY | RUSH, SLIM-POD | FACW | FACW, FACW+ | PNGL |
| <i>JUNCUS EFFUSUS</i> | L. | RUSH, SOFT | OBL | FACW+, OBL | PNEGL |
| <i>JUNCUS ELLIOTTII</i> | CHAPM. | RUSH, BOG | OBL | FACW+, OBL | PNGL |
| <i>JUNCUS FILIPENDULUS</i> | BUCKLEY | RUSH, PLAIN'S | FAC | FAC, FAC+ | PNEGL |
| <i>JUNCUS INTERIOR</i> | WIEGAND | RUSH, INLAND | FAC | FACU, FACW | PNGL |
| <i>JUNCUS MARGINATUS</i> | ROSTK. | RUSH, GRASS-LEAF | FACW | FACW, FACW+ | PNGL |
| <i>JUNCUS MEGACEPHALUS</i> | M.A. CURT. | RUSH, BIG-HEAD | OBL | OBL | PNGL |
| <i>JUNCUS MEXICANUS</i> | WILLD. EX J.A. & J.H. SCHULTES | RUSH, MEXICAN | FACW | FACW | PNGL |
| <i>JUNCUS NODATUS</i> | COVILLE | RUSH, STOUT | OBL | OBL | PNGL |
| <i>JUNCUS NODOSUS</i> | L. | RUSH, KNOTTED | OBL | OBL | PNGL |
| <i>JUNCUS POLYCEPHALUS</i> | MICHX. | RUSH, MANY-HEAD | OBL | OBL | PNGL |
| <i>JUNCUS REPENS</i> | MICHX. | RUSH, CREEPING | OBL | OBL | PNGL |
| <i>JUNCUS ROEMERANUS</i> | SCHEELE | RUSH, NEEDLEGRASS | OBL | OBL | PNGL |
| <i>JUNCUS SAXIMONTANUS</i> | A. NELS. | RUSH, ROCKY MOUNTAIN | FACW | FACW, OBL | PNGL |
| <i>JUNCUS SCIRPOIDES</i> | LAM. | RUSH, NEEDLE-POD | FACW | FACW, FACW+ | PNGL |
| <i>JUNCUS SECUNDUS</i> | BEAUV. | RUSH, SECUND | FAC | FACU, FAC | PNGL |
| <i>JUNCUS TENUIS</i> | WILLD. | RUSH, SLENDER | FAC | FAC-, FACW | PNGL |
| <i>JUNCUS TEXANUS</i> | (ENGELM.) COVILLE | RUSH, TEXAS | OBL | OBL | PNEGL |
| <i>JUNCUS TORREYI</i> | COVILLE | RUSH, TORREY'S | FACW | FACW, FACW+ | PNGL |
| <i>JUNCUS TRIGONOCARPUS</i> | STEUD. | RUSH, RED-POD | OBL | OBL | PNEGL |
| <i>JUNCUS VALIDUS</i> | COVILLE | RUSH, ROUND-HEAD | FACW | FAC, FACW+ | PNGL |
| <i>JUNIPERUS SILICICOLA</i> | (SMALL) BAILEY | CEDAR, SOUTHERN RED | FACW | FAC, FACW | NT |
| <i>JUNIPERUS VIRGINIANA</i> | L. | CEDAR, EASTERN RED | FACU- | FACU-, FACU | NT |
| <i>JUSTICIA AMERICANA</i> | (L.) VAHL | WATER-WILLOW, COMMON | OBL | OBL | PNF |
| <i>JUSTICIA OVATA</i> | (WALTER) LINDAU | WATER-WILLOW, LOOSE-FLOWER | OBL | OBL | PNF |
| <i>KICKXIA ELATINE</i> | (L.) DUMORT. | FLUELLIN, SHARP-POINT | FACU* | UPL, FAC | AIF |
| <i>KOCHIA AMERICANA</i> | S. WATS. | SUMMER-CYPRESS, PERENNIAL | FAC- | FACU, FAC+ | NH |

IRIS SHREVEI

KOCHIA AMERICANA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------|---|-----------------------------|-------|-------------|-------|
| KOCHIA SCOPARIA | (L.) SCHRAD. | SUMMER-CYPRESS, MEXICAN | FACU | UPL, FAC | AIF |
| KOSTELETZKYA ALTHAEIFOLIA | (CHAPM.) GRAY | MALLOW, ALTHEA SEASHORE | OBL | OBL | PNF |
| KOSTELETZKYA VIRGINICA | (L.) K. PRESL EX GRAY | MALLOW, VIRGINIA SEASHORE | OBL | OBL | PNF |
| KRIGIA BIFLORA | (WALTER) BLAKE | DWARF-DANDELION, TWO-FLOWER | NI | UPL, FACU | PNF |
| KRIGIA CESPITOSA | (RAF.) K. CHAMB. | DWARF-DANDELION, COMMON | NI | FACU, FAC | ANF |
| KRIGIA DANDELION | (L.) NUTT. | DWARF-DANDELION, POTATO | NI | FACU, FAC | PNF |
| KRIGIA VIRGINICA | (L.) WILLD. | DWARF-DANDELION, VIRGINIA | NI | UPL, FACU- | ANF |
| LACHNOCAULON ANCEPS | (WALTER) MORONG | BOGBUTTON, WHITE-HEAD | OBL | OBL | PNZEF |
| LACTUCA CANADENSIS | L. | LETTUCE, TALL YELLOW | FAC+ | FACU-, FAC+ | ABNF |
| LACTUCA FLORIDANA | (L.) GAERTN. | LETTUCE, WOODLAND | FAC+ | FACU-, FAC+ | ABNF |
| LACTUCA LUDOVICIANA | (NUTT.) RIDDELL | LETTUCE, BIENNIAL | NI | UPL, FAC | BNPF |
| LACTUCA PULCHELLA | (PURSH) DC. | LETTUCE, CHICORY | FAC | FACU, FAC | PNF |
| LACTUCA SALIGNA | L. | LETTUCE, WILLOW-LEAF | NI | UPL, FACU+ | ABIF |
| LACTUCA SERRIOLA | L. | LETTUCE, PRICKLY | FAC | FACU, FAC | ABIF |
| LACTUCA X GRAMINIFOLIA | MICHX. | LETTUCE, GRASS-LEAF | FAC* | UPL, FAC | BNPF |
| LANTANA CAMARA | L. | LANTANA | FACU | FACU | NS |
| LANTANA HORRIDA | H.B.K. | SHRUB-VERBENA, COMMON | FAC- | FACU, FAC- | NS |
| LAPORTEA CANADENSIS | (L.) WEDD. | WOOD-NETTLE, CANADA | FAC | FAC, FACW | PNF |
| LATHYRUS PUSILLUS | ELLIOTT | PEAVINE, LOW | FAC+ | FAC, FACW- | ANFV |
| LATHYRUS VENOSUS | MUHL. EX WILLD. | PEAVINE, SMOOTH VEINY | NI | FAC, FACW | PNF |
| LEAVENWORTHIA AUREA | TORR. | GLADECRESS, GOLDEN | NA* | FACW+ | ANF |
| LEERSIA HEXANDRA | SWARTZ | CUTGRASS, CLUB-HEAD | OBL | OBL | PNG |
| LEERSIA LENTICULARIS | MICHX. | CUTGRASS, CATCHFLY | OBL | OBL | PNG |
| LEERSIA MONANDRA | SWARTZ | CUTGRASS, BUNCH | FACW | FACW | PNG |
| LEERSIA ORYZOIDES | (L.) SWARTZ | CUTGRASS, RICE | OBL | OBL | PNG |
| LEERSIA VIRGINICA | WILLD. | WHITEGRASS | FACW | FACW | PNG |
| LEITNERIA FLORIDANA | CHAPM. | CORKWOOD | OBL | OBL | NEST |
| LEMNA GIBBA | L. | DUCKWEED, INFLATED | OBL | OBL | PN/F |
| LEMNA MINIMA | HUMB. EX PHILIPPI NOMEN SUPERFL. NONCHEV. | DUCKWEED, LEAST | OBL | OBL | PN/F |
| LEMNA MINOR | L. | DUCKWEED, LESSER | OBL | OBL | PN/F |
| LEMNA OBSCURA | (AUST.) DAUBS | DUCKWEED, LITTLE WATER | OBL | OBL | PN/F |
| LEMNA PERPUSILLA | TORR. | DUCKWEED, MINUTE | OBL | OBL | PN/F |
| LEMNA TRINERVIS | (AUST.) SMALL | DUCKWEED | OBL | OBL | PN/F |
| LEMNA TRISULCA | L. | DUCKWEED, STAR | OBL | OBL | PN/F |
| LEMNA VALDIVIANA | PHILIPPI | DUCKWEED, PALE | OBL | OBL | PN/F |
| LEONOTIS NEPETIFOLIA | (L.) R. BR. IN W.T. AIT. | LION'S-EAR, DRUG | NI | FACU? | AIF |
| LEPIDIUM DENSIFLORUM | SCHRAD. | PEPPER-GRASS, DENSE-FLOWER | FAC | FACU, FAC | ABNF |
| LEPIDIUM MONTANUM | NUTT. | PEPPER-GRASS, MONTANA | NI | FACW? | BNPF |
| LEPIDIUM PERFOLIATUM | L. | PEPPER-GRASS, CLASPING | FAC | UPL, FAC | AIF |
| LEPIDIUM VIRGINICUM | L. | PEPPER-GRASS, POOR-MAN'S | FAC- | UPL, FAC- | ABNF |
| LEPTOCHLOA FASCICULARIS | (LAM.) GRAY | SPRANGLE-TOP, BEARDED | FACW | FACW, OBL | ANG |
| LEPTOCHLOA FILIFORMIS | (LAM.) BEAUV. | SPRANGLE-TOP, RED | FACW | FAC, OBL | ANG |
| LEPTOCHLOA NEALLEYI | VASEY | SPRANGLE-TOP, NEALLEY'S | FACW | FACW, OBL | ANG |
| LEPTOCHLOA PANICOIDES | (J. PRESL) A. HITCHC. | SPRANGLE-TOP, AMAZON | FACW | FACW, OBL | AIG |
| LEPTOCHLOA UNINERVIA | (J. PRESL) A. HITCHC. & CHASE | SPRANGLE-TOP, MEXICAN | FACW | FACW-, FACW | ANG |
| LEPTOCHLOA VIRGATA | (L.) BEAUV. | SPRANGLE-TOP, TROPIC | NI | FACU | PNG |
| LEPUROPETALON SPATHULATUM | ELLIOTT | LEPUROPETALON, SOUTHERN | FACW | FACW-, FACW | ANF |
| LESPEDEZA CAPITATA | MICHX. | BUSHCLOVER, ROUND-HEAD | NI | UPL, FACU | PNF |
| LESPEDEZA CUNEATA | (DUM. COURS.) G. DON | BUSHCLOVER, CHINESE | NI | NI | PIFH |
| LESPEDEZA STIPULACEA | MAXIM. | LESPEDEZA, KOREAN | FACU | UPL, FACU | AIF |
| LESPEDEZA STRIATA | (THUNB.) HOOK. & ARN. | CLOVER, JAPANESE | FAC- | UPL, FAC- | AIF |
| LESQUERELLA GRACILIS | (HOOK.) S. WATS. | BLADDER-POD, SPREADING | FACW* | FACW | ABNF |

KOCHIA SCOPARIA

LESQUERELLA GRACILIS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|--------------------------------|--------------------------------------|------------------------------|-------|--------------|-------|
| <i>LEUCAENA LEUCOCEPHALA</i> | (LAM.) DE WIT | TREE LEAD | FACU | FACU, FACU+ | NST |
| <i>LEUCOSPORA MULTIFIDA</i> | (MICHX.) NUTT. | PALESEED, NARROW-LEAF | FACW+ | FACW+, OBL | ANF |
| <i>LEUCOTHOE RACEMOSA</i> | (L.) GRAY | FETTER-BUSH | FACW | FACW | NS |
| <i>LIATRIS ACIDOTA</i> | ENGELM. & GRAY | GAYFEATHER, SLENDER | FAC+ | FAC+, FACW | PNF |
| <i>LIATRIS LANCIFOLIA</i> | (GREENE) KITTELL | GAYFEATHER, LANCE-LEAF | NI | FAC+, FACW | PNF |
| <i>LIATRIS PYNOSTACHYA</i> | MICHX. | GAYFEATHER, CATTAIL | FAC+ | FACU, FAC+ | PNF |
| <i>LILIUM MICHAXII</i> | POIR. | LILY, CAROLINA | FAC | FAC-, FAC | PNF |
| <i>LILIUM PHILADELPHICUM</i> | L. | LILY, WOOD | FACU | FACU-, FACW+ | PNF |
| <i>LIMNOBIUM SPONGIA</i> | (BOSC.) L.C. RICH. EX STEUD. | FROGBIT, AMERICAN | OBL | OBL | PN/F |
| <i>LIMNOPHILA SESSILIFLORA</i> | (VAHL) BLUME | MARSHWEED, ASIAN | OBL | OBL | PN/F |
| <i>LIMNOSCIADIUM PINNATUM</i> | (DC.) MATHIAS & CONSTANCE | DOG-SHADE, TANSY | FACW* | FACW-, OBL | ANF |
| <i>LIMNOSCIADIUM PUMILUM</i> | (ENGELM. & GRAY) MATHIAS & CONSTANCE | DOG-SHADE, LITTLE | FACW+ | FACW+, OBL | ANF |
| <i>LIMONIUM CAROLINIANUM</i> | (WALTER) BRITTON | SEA-LAVENDER, CAROLINA | OBL | OBL | PNF |
| <i>LIMONIUM LIMBATUM</i> | SMALL | SEA-LAVENDER, TRANS PECOS | FACW+ | FACW, FACW+ | PNF |
| <i>LIMONIUM NASHII</i> | SMALL | SEA-LAVENDER, NORTHERN | NA* | OBL | PNF |
| <i>LINDERA BENZOIN</i> | (L.) BLUME | SPICEBUSH, NORTHERN | FACW- | FACW-, FACW | NST |
| <i>LINDERNIA ANAGALLIDEA</i> | (MICHX.) PENNELL | FALSE-PIMPERNEL | OBL | FACW+, OBL | ANF |
| <i>LINDERNIA DUBIA</i> | (L.) PENNELL | FALSE-PIMPERNEL, YELLOW-SEED | OBL | OBL | ANF |
| <i>LINUM FLORIDANUM</i> | (PLANCH.) TRELEASE | FLAX, FLORIDA YELLOW | FAC | FAC | PNF |
| <i>LINUM MEDIUM</i> | (PLANCH.) BRITTON | FLAX, STIFF YELLOW | FAC* | UPL, FAC | PNF |
| <i>LINUM STRIATUM</i> | WALTER | FLAX, RIDGED YELLOW | FACW+ | FACW-, FACW+ | PNF |
| <i>LIPARIS LILIIFOLIA</i> | (L.) L.C. RICH. EX KER-GAWL. | THAYBLADE, LARGE | NI | FACU-, FACU | PNF |
| <i>LIPPIA ALBA</i> | (MILL.) N.E. BR. | LIPPIA, BUSHY | FAC* | FAC, FAC+ | NS |
| <i>LIQUIDAMBAR STYRACIFLUA</i> | L. | GUM, SWEET | FAC | FAC, FACW | NT |
| <i>LIRIODENDRON TULIPIFERA</i> | L. | TREE, TULIP | FACU | FACU, FAC | NT |
| <i>LISTERA AUSTRALIS</i> | LINDL. | THAYBLADE, SOUTHERN | FACW | FACW | PNF |
| <i>LOBELIA APPENDICULATA</i> | A. DC. | LOBELIA, EAR-FLOWER | FAC- | FAC-, FAC | ABNF |
| <i>LOBELIA BERLANDIERI</i> | A. DC. | LOBELIA, BERLANDIER'S | FAC | FAC | ANF |
| <i>LOBELIA CARDINALIS</i> | L. | FLOWER, CARDINAL | FACW+ | FACW+, OBL | PNF |
| <i>LOBELIA FENESTRALIS</i> | CAV. | LOBELIA, LEAFY | FAC | FACU, FAC | ABNF |
| <i>LOBELIA FLACCIDIFOLIA</i> | SMALL | LOBELIA, COASTAL-PLAIN | FACW+ | FACW+, OBL | ANEF |
| <i>LOBELIA FLORIDANA</i> | CHAPM. | LOBELIA, FLORIDA | FACW+ | FACW+, OBL | PNF |
| <i>LOBELIA INFLATA</i> | L. | INDIAN-TOBACCO | NI | FACU-, FAC | ANF |
| <i>LOBELIA PUBERULA</i> | MICHX. | LOBELIA, DOWNY | FACW | FACW-, FACW | PNF |
| <i>LOBELIA REVERCHONII</i> | B.L. TURNER | LOBELIA, REVERCHON'S | OBL | OBL | PNEF |
| <i>LOBELIA SIPHILITICA</i> | L. | LOBELIA, GREAT BLUE | OBL | FACW+, OBL | PNF |
| <i>LOBELIA SPICATA</i> | LAM. | LOBELIA, PALE-SPIKE | FAC | FAC-, FAC | PNF |
| <i>LOLIUM PERENNE</i> | L. | RYEGRASS, PERENNIAL | FACU | FACU-, FAC | PIG |
| <i>LONICERA DIOICA</i> | L. | HONEYSUCKLE, MOUNTAIN | FACU | FACU | NWV |
| <i>LONICERA JAPONICA</i> | THUNB. | HONEYSUCKLE, JAPANESE | FAC | FACU, FAC+ | NSWV |
| <i>LONICERA SEMPERVIRENS</i> | L. | HONEYSUCKLE, TRUMPET | FAC- | FACU, FAC | PNSWV |
| <i>LOTUS CORNICULATUS</i> | L. | TREFOIL, BIRDS-FOOT | FAC | FACU-, FAC | PIF |
| <i>LUDWIGIA ALTERNIFOLIA</i> | L. | SEEDBOX, BUSHY | OBL | FACW+, OBL | PNEF |
| <i>LUDWIGIA BONARIENSIS</i> | (MICHELI) H. HARA | SEEDBOX, CAROLINA | OBL | FACW+, OBL | PNF |
| <i>LUDWIGIA DECURRENS</i> | WALTER | WILLOW, PRIMROSE | OBL | OBL | NEF |
| <i>LUDWIGIA GLANDULOSA</i> | WALTER | SEEDBOX, CYL INDRIC-FRUIT | OBL | OBL | PNEF |
| <i>LUDWIGIA HIRTELLA</i> | RAF. | SEEDBOX, HAIRY | OBL | FACW+, OBL | PNEF |
| <i>LUDWIGIA LEPTOCARPA</i> | (NUTT.) H. HARA | SEEDBOX, RIVER | OBL | OBL | PNEF |
| <i>LUDWIGIA LINEARIS</i> | WALTER | SEEDBOX, NARROW-LEAF | OBL | OBL | PNEF |
| <i>LUDWIGIA OCTOVALVIS</i> | (JACQ.) RAVEN | SEEDBOX, MEXICAN | OBL | OBL | PNEF |
| <i>LUDWIGIA PALUSTRIS</i> | (L.) ELLIOTT | SEEDBOX, MARSH | OBL | OBL | PNEF |
| <i>LUDWIGIA PEPLIOIDES</i> | (H.B.K.) RAVEN | SEEDBOX, FLOATING | OBL | OBL | PNE/F |

LEUCAENA LEUCOCEPHALA

LUDWIGIA PEPLIOIDES

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|--------------------------------------|---------------------------------|------------------------------|-------|--------------|-------|
| <i>LUDWIGIA PILOSA</i> | WALTER | SEEDBOX, HAIRY | OBL | OBL | PNF |
| <i>LUDWIGIA REPENS</i> | J. FORST. | SEEDBOX, CREEPING | OBL | OBL | PNF |
| <i>LUDWIGIA SPHAEROCARPA</i> | ELLIOTT | SEEDBOX, GLOBE-FRUIT | OBL | OBL | PNF |
| <i>LUDWIGIA URAGUAYENSIS</i> | (CAMBESS.) H. HARA | SEEDBOX, URAGUAY | OBL | OBL | PN/F |
| <i>LUZULA BULBOSA</i> | (A. WOOD.) RYDB. | WOODRUSH, SOUTHERN | FACU+ | FACU, FACU+ | PNGL |
| <i>LUZULA ECHINATA</i> | (SMALL) F.J. HERM. | WOODRUSH, HEDGEHOG | FAC | FACU, FAC | PNGL |
| <i>LYCIUM CAROLINIANUM</i> | WALTER | WOLF-BERRY, CAROLINA | FACW | FACW | NS |
| <i>LYCOPODIUM ALOPECUROIDES</i> | L. | CLUBMOSS, FOX-TAIL | OBL | FACW+, OBL | PNC |
| <i>LYCOPODIUM APPRESSUM</i> | (CHAPM.) LLOYD & UNDERW. | CLUBMOSS, SOUTHERN BOG | OBL* | FACW+, OBL | PNC |
| <i>LYCOPODIUM CAROLINIANUM</i> | L. | CLUBMOSS, SLENDER | OBL | FACW+, OBL | PNC |
| <i>LYCOPODIUM PROSTRATUM</i> | R.M. HARPER | CLUBMOSS, FEATHER-STEM | OBL | OBL | C |
| <i>LYCOPUS AMERICANUS</i> | MUHL. EX W. BARTON | BUGLEWEED, AMERICAN | OBL | OBL | PNF |
| <i>LYCOPUS ASPER</i> | GREENE | BUGLEWEED, ROUGH | OBL | OBL | PNF |
| <i>LYCOPUS RUBELLUS</i> | MOENCH | BUGLEWEED, TAPER-LEAF | OBL | OBL | PNF |
| <i>LYCOPUS UNIFLORUS</i> | MICHX. | BUGLEWEED, NORTHERN | OBL | OBL | PNF |
| <i>LYCOPUS VIRGINICUS</i> | L. | BUGLEWEED, VIRGINIA | OBL | OBL | PNF |
| <i>LYGODIUM JAPONICUM</i> | (THUNB.) SWARTZ | FERN, JAPANESE CLIMBING | FACW | FAC, FACW | PIVF3 |
| <i>LYONIA LIGUSTRINA</i> | (L.) DC. | MALEBERRY | FACW | FACW | NS |
| <i>LYONIA MARIANA</i> | (L.) D. DON | STAGGER-BUSH, PIEDMONT | FAC | FACU-, FAC | NS |
| <i>LYSIMACHIA CILIATA</i> | L. | LOOSESTRIFE, FRINGED | FACW | FACW-, FACW+ | PNF |
| <i>LYSIMACHIA HYBRIDA</i> | MICHX. | LOOSESTRIFE, LOWLAND | NI | OBL | PNF |
| <i>LYSIMACHIA LANCEOLATA</i> | WALTER | LOOSESTRIFE, LANCE-LEAF | FAC | FAC, FACW- | PNF |
| <i>LYSIMACHIA QUADRIFLORA</i> | SIMS | LOOSESTRIFE, FOUR-FLOWER | NI | FACW, OBL | PNF |
| <i>LYSIMACHIA RADICANS</i> | HOOK. | LOOSESTRIFE, TRAILING | FACW+ | FACW+, OBL | PNF |
| <i>LYSIMACHIA TERRESTRIS</i> | (L.) B.S.P. | LOOSESTRIFE, SWAMP | NI | OBL | PNF |
| <i>LYTHRUM ALATUM</i> | PURSH | LOOSESTRIFE, WINGED | OBL | FACW+, OBL | PNH |
| <i>LYTHRUM CALIFORNICUM</i> | TORR. & GRAY | LOOSESTRIFE, CALIFORNIA | OBL | OBL | PNF |
| <i>LYTHRUM OVALIFOLIUM</i> | KOEHNE | LOOSESTRIFE, LOW | FACW | FACW | PNF |
| <i>LYTHRUM SALICARIA</i> | L. | LOOSESTRIFE, PURPLE | NI | FACW+, OBL | PIF |
| <i>MACHAERANTHERA BOLTONIAE</i> | (GREENE) B.L. TURNER & D. HORNE | TANSY-ASTER, BOLTON'S | FACW+ | FACW+ | ANF |
| <i>MACHAERANTHERA PHYLLLOCEPHALA</i> | (DC.) SHINNERS | DAISY, CAMPHOR | FACW | FACU, FACW | ANF |
| <i>MACROTHELYPTERIS TORRESIANA</i> | (GAUD.) CHING | FERN, MARIANA MAIDEN | FACW- | FACW-, OBL | PIF3 |
| <i>MAGNOLIA FRASERI</i> | WALTER | MAGNOLIA, FRASER'S | NI | FACU, FAC | NT |
| <i>MAGNOLIA GRANDIFLORA</i> | L. | MAGNOLIA, LARGE-FLOWER | FAC- | FACU, FAC+ | NT |
| <i>MAGNOLIA TRIPETALA</i> | (L.) L. | MAGNOLIA, UMBRELLA | FAC | FACU, FAC | NT |
| <i>MAGNOLIA VIRGINIANA</i> | L. | MAGNOLIA, SWEETBAY | OBL | FACW+, OBL | NT |
| <i>MALAXIS UNIFOLIA</i> | MICHX. | ADDER'S-MOUTH, GREEN | FAC | FAC, FAC+ | PNF |
| <i>MALVELLA LEPROSA</i> | (ORTEGA) KRAPOV. | MALLOW, ALKALI | FAC | FACU, FACW | PNF |
| <i>MARRUBIUM VULGARE</i> | L. | HOREHOUND, COMMON | FACW- | UPL, FACW- | PIF |
| <i>MARSHALLIA CAESPITOSA</i> | NUTT. EX DC. | BARBARA'S-BUTTONS, SEEP | FAC | UPL, FAC | PNF |
| <i>MARSHALLIA TENUIFOLIA</i> | RAF. | BARBARA'S-BUTTONS, SLIM-LEAF | FAC* | FAC | PNF |
| <i>MARSILEA MACROPODA</i> | ENGELM. EX A. BRAUN | FERN, BIG-FOOT WATER | OBL | OBL | PNP3 |
| <i>MARSILEA MEXICANA</i> | A. BRAUN | FERN, MEXICAN WATER | OBL | OBL | NEP3 |
| <i>MARSILEA TENUIFOLIA</i> | ENGELM. EX A. BRAUN | FERN, NARROW-LEAF | OBL | OBL | PNP3 |
| <i>MARSILEA UNCINATA</i> | A. BRAUN | FERN, SOUTHERN WATER | OBL | OBL | PNP3 |
| <i>MARSILEA VESTITA</i> | HOOK. & GREV. | FERN, HAIRY WATER | OBL | OBL | PNP3 |
| <i>MATELEA SUBEROSA</i> | (L.) SHINNERS | MILKVINE, ANGULAR-FRUIT | NI | FACW | PNV |
| <i>MAYACA AUBLETII</i> | MICHX. | BOG-MOSS, AUBLET'S | OBL | OBL | PNZEF |
| <i>MAYACA FLUVIATILIS</i> | AUBL. | BOG-MOSS, STREAM | NI | OBL | PNZEF |
| <i>MAZUS JAPONICUS</i> | (THUNB.) KUNTZE | MAZUS, JAPANESE | NI | UPL, FACW | AIF |
| <i>MECARDONIA ACUMINATA</i> | (WALTER) SMALL | MECARDONIA, PURPLE | FACW+ | FACW, OBL | PNF |
| <i>MECARDONIA DIANTHERA</i> | (SWARTZ) PENNELL | MECARDONIA, TROPICAL | NI | NI | PNF |

LUDWIGIA PILOSA

MECARDONIA DIANTHERA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-----------------------------------|--------------------------------|----------------------------------|-------|--------------|-------|
| <i>MECARDONIA VANDELLIOIDES</i> | (H.B.K.) PENNELL | MECARDONIA, YELLOW-FLOWER | OBL | OBL | PEF |
| <i>MEDICAGO LUPULINA</i> | L. | MEDIC. BLACK | FAC | UPL, FAC | A1F |
| <i>MELANTHIUM VIRGINICUM</i> | L. | BUNCHFLOWER, VIRGINIA | FACW+ | FACW, OBL | PNF |
| <i>MELICA BULBOSA</i> | GEYER EX T. PORTER & COULTER | GRASS, WESTERN MELICA | FACU | UPL, FACU | PNG |
| <i>MELILOTUS ALBA</i> | MEDIC. | SWEETCLOVER, WHITE | FACU | FACU-, FACU+ | ABIF |
| <i>MELILOTUS INDICA</i> | (L.) ALL. | SWEETCLOVER, INDIAN | FACU | FACU-, FAC | A1F |
| <i>MELILOTUS OFFICINALIS</i> | LAM. | SWEETCLOVER, YELLOW | FACU | FACU-, FACU+ | ABIF |
| <i>MELOCHIA CORCHORIFOLIA</i> | L. | CHOCOLATE-WEED | FACW- | FAC, FACW- | 1EH |
| <i>MELOCHIA PYRAMIDATA</i> | L. | BUSH, PYRAMID | FAC- | FAC-, FAC | PNHFS |
| <i>MELOTHRIA PENDULA</i> | L. | CUCUMBER, CREEPING | FAC | FAC-, FACW- | PNV |
| <i>MENISPERMUM CANADENSE</i> | L. | MOONSEED, CANADA | NI | FAC | NWV |
| <i>MENTHA ARVENSIS</i> | L. | MINT, FIELD | FACW | FAC, FACW | PNF |
| <i>MENTHA ROTUNDIFOLIA</i> | (L.) HUDS. | MINT, APPLE | FAC | FAC, FACW | P1F |
| <i>MENTHA SPICATA</i> | L. | SPEARMINT | FACW | FACW, OBL | P1F |
| <i>MENTHA X PIPERITA</i> | L. | PEPPERMINT | FACW+ | FACW, OBL | P1EF |
| <i>MERREMIA DISSECTA</i> | (JACQ.) H. HALLIER | VINE, NOYAU | FAC | FACU, FAC | PNF |
| <i>MICRANTHEMUM UMBROSUM</i> | (WALTER) BLAKE | MUDFLOWER, SHADE | OBL | OBL | P1F |
| <i>MIKANIA SCANDENS</i> | (L.) WILLD. | HEMPWEED, CLIMBING | FACW+ | FACW+, OBL | PNV |
| <i>MIMOSA MALACOPHYLLA</i> | GRAY | MIMOSA, SOFT-LEAF | FACW- | FACW- | NWVS |
| <i>MIMOSA PIGRA</i> | L. | MIMOSA, BLACK | FAC | FAC | NS |
| <i>MIMOSA STRIGILLOSA</i> | TORR. & GRAY | MIMOSA, HERBACEOUS | FAC | FAC | PNF |
| <i>MIMULUS ALATUS</i> | AIT. | MONKEY-FLOWER, SHARP-WING | OBL | OBL | PNF |
| <i>MIMULUS DENTILOBUS</i> | B. ROB. & FERNALD | MONKEY-FLOWER, SOUTHWEST | OBL | OBL | PNF |
| <i>MIMULUS GLABRATUS</i> | H.B.K. | MONKEY-FLOWER, ROUND-LEAF | OBL | OBL | PNEF |
| <i>MIMULUS RINGENS</i> | L. | MONKEY-FLOWER, ALLEGHANY | OBL | OBL | PNF |
| <i>MIMULUS RUBELLUS</i> | GRAY | MONKEY-FLOWER, CILIOLATE-TOOTHED | FACW | FAC, FACW | ANF |
| <i>MINUARTIA PATULA</i> | (MICHX.) MATTF. | STITCHWORT, PITCHER'S | FAC | UPL, FAC | ANF |
| <i>MISCANTHUS SINENSIS</i> | ANDERSS. | GRASS, CHINESE SILVER | FACU | UPL, FACU | P1G |
| <i>MITCHELLA REPENS</i> | L. | PARTRIDGE-BERRY | FAC | FACU, FAC | PNF |
| <i>MODIOLA CAROLINIANA</i> | G. DON | BRISTLE-MALLOW, CAROLINA | FAC* | FACU, FAC | BNP |
| <i>MOLLUGO VERTICILLATA</i> | L. | CARPET-WEED, GREEN | FAC- | FAC-, FAC | ANF |
| <i>MONANTHOCHLOE LITTORALIS</i> | ENGELM. | KEYGRASS | OBL | OBL | PNEG |
| <i>MONARDA FISTULOSA</i> | L. | BERGAMOT, WILD | FAC | UPL, FAC+ | PNF |
| <i>MONOLEPIS NUTTALLIANA</i> | (J.A. SCHULTES) GREENE | POVERTY-WEED, NUTTALL'S | FACU* | UPL, FACW | ANF |
| <i>MORUS ALBA</i> | L. | MULBERRY, WHITE | FACU* | UPL, FAC | IT |
| <i>MORUS RUBRA</i> | L. | MULBERRY, RED | FACU | FACU, FAC | NT |
| <i>MUHLENBERGIA ANDINA</i> | (NUTT.) A. HITCHC. | MUHLY, FOXTAIL | FAC* | FAC, FACW | PNG |
| <i>MUHLENBERGIA ASPERIFOLIA</i> | (NEES & MEYEN EX TRIN.) PARODI | MUHLY, ALKALI | FACW | FACW, FACW+ | PNG |
| <i>MUHLENBERGIA CAPILLARIS</i> | (LAM.) TRIN. | MUHLY, LONG-AWN | FACU | FACU-, FACU | PNG |
| <i>MUHLENBERGIA ELUDENS</i> | C. REEDER | MUHLY, GRAVEL-BAR | FAC | UPL, FAC | ANG |
| <i>MUHLENBERGIA EXPANSA</i> | (DC.) TRIN. | MUHLY, CUT-OVER | FACW | FACW-, FACW | PNG |
| <i>MUHLENBERGIA FILIPES</i> | M.A. CURT. | MUHLY, GULF | NI | FAC | PNG |
| <i>MUHLENBERGIA FRONDOSA</i> | (POIR.) FERNALD | MUHLY, WIRE-STEM | FACW | FAC, FACW | PNG |
| <i>MUHLENBERGIA LINDERHEIMERI</i> | A. HITCHC. | MUHLY, LINDERHEIMER'S | FACW- | FACW- | PNG |
| <i>MUHLENBERGIA MEXICANA</i> | (L.) TRIN. | MUHLY, MEXICAN | FACW | FAC, FACW | PNG |
| <i>MUHLENBERGIA MINUTISSIMA</i> | (STEUD.) SWALLEN | MUHLY, LEAST | FAC- | FACU-, FAC | ANG |
| <i>MUHLENBERGIA MONTANA</i> | (NUTT.) A. HITCHC. | MUHLY, MOUNTAIN | FACU | UPL, FACU | PNG |
| <i>MUHLENBERGIA RACEMOSA</i> | (MICHX.) B.S.P. | MUHLY, GREEN | FACW | FACU, FACW | PNG |
| <i>MUHLENBERGIA REVERCHONII</i> | VASEY & SCRIBN. | MUHLY, SEEP | FAC | FAC | PNG |
| <i>MUHLENBERGIA RIGENS</i> | (BENTH.) A. HITCHC. | DEERGRASS | FACU* | UPL, FACW | PNG |
| <i>MUHLENBERGIA SCHREBERI</i> | J.F. GMEL. | NIMBLE-WILL | FAC- | FACU, FAC | PNG |
| <i>MUHLENBERGIA SYLVATICA</i> | TORR. EX GRAY | MUHLY, FOREST | FACW- | FAC+, FACW | PNG |

MECARDONIA VANDELLIOIDES

MUHLENBERGIA SYLVATICA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|----------------------------|-------------------------------|------------------------------|-------|--------------|--------|
| MUHLENBERGIA UTILIS | (TORR.) A. HITCHC. | GRASS, APAREJO | FACW+ | FACW, OBL | PNG |
| MUHLENBERGIA WRIGHTII | VASEY EX COULT. | MUHLV; SPIKE | NI | FACU | PNG |
| MURDANNIA NUDIFLORA | (L.) J.P.N. BREMAN | DEWFLOWER, NAKED-STEM | FACW- | FAC, FACW- | PI@F |
| MYOSOTIS MACROSPERMA | ENGELM. | FORGET-ME-NOT, LARGE-SEED | FAC | FAC | ANF |
| MYOSOTIS VERNA | NUTT. | FORGET-ME-NOT, SPRING | FAC | FAC-, FAC | AIF |
| MYOSURUS CUPULATUS | S. WATS. | MOUSE-TAIL, ARIZONA | NI | FAC, FACW | ANF |
| MYOSURUS MINIMUS | L. | MOUSE-TAIL, TINY | FACW+ | FACW-, OBL | ANF |
| MYRICA CERIFERA | L. | BAYBERRY, SOUTHERN | FAC | FAC, FAC+ | NST |
| MYRICA HETEROPHYLLA | RAF. | BAYBERRY, EVERGREEN | FAC+ | FAC, FACW | NS |
| MYRICA PUSILLA | RAF. | BAYBERRY, DWARF | FAC | FACU, FAC | NS |
| MYRIOPHYLLUM BRASILIENSE | CAMBESS. | PARROT-FEATHER | OBL | OBL | PNZF |
| MYRIOPHYLLUM HETEROPHYLLUM | MICHX. | WATER-MILFOIL, TWO-LEAF | OBL | OBL | PNZF |
| MYRIOPHYLLUM PINNATUM | (WALTER) B.S.P. | WATER-MILFOIL, CUT-LEAF | OBL | OBL | PNEZF |
| MYRIOPHYLLUM SPICATUM | L. | WATER-MILFOIL, EURASIAN | OBL | OBL | PNZF |
| MYRIOPHYLLUM VERTICILLATUM | L. | WATER-MILFOIL, WHORLED | OBL | OBL | PNZF |
| NAJAS GUADALUPENSIS | (SPRENG.) MORONG | NAIAD, SOUTHERN | OBL | OBL | ANZF |
| NAJAS MARINA | L. | NAIAD, SPINY | OBL | OBL | ANZF |
| NAMA JAMAICENSE | L. | WEED, JAMAICA | FACW- | UPL, FACW- | PNF |
| NAMA STENOCARPUM | GRAY | FIDDLE-LEAF, MUD | FACW | FACW | ANF |
| NAMA TORYNOPHYLLUM | GREENM. | FIDDLE-LEAF, MAT | FACW | FACW | ANF |
| NASTURTIUM OFFICINALE | R. BR. IN W.T. AIT. | WATER-CRESS, TRUE | OBL | OBL | PIZEF |
| NELUMBO LUTEA | (WILLD.) PERS. | LOTUS, AMERICAN | OBL | OBL | PNZF/F |
| NEMOPHILA APHYLLA | (L.) BRUMMITT | BABY-BLUE-EYES, SMALL-FLOWER | FAC | FAC, FACW | ANF |
| NEPETA CATARIA | L. | CATNIP | FAC | FACU-, FACW- | PIF |
| NEPHROLEPIS EXALTATA | (L.) SCHOTT | SWORDFERN, BOSTON | FACU | FACU, FACU+ | PI@F3 |
| NEPTUNIA LUTEA | (LEAVENW.) BENTH. | YELLOW-PUFF | FACU | FACU | PNF |
| NEPTUNIA PLENA | (L.) BENTH. | NEPTUNIA, WATER | FACW | FACW | PN/F |
| NEPTUNIA PUBESCENS | BENTH. | NEPTUNIA, TROPICAL | FAC+ | FAC, FAC+ | PNF |
| NESAEA LONGIPES | GRAY | HEIMIA, STALK-FLOWER | FACW+ | FACW+ | PNF |
| NICOTIANA GLAUCA | R. GRAH. | TOBACCO, TREE | FAC | FAC | IST |
| NICOTIANA PLUMBAGINIFOLIA | VIVIANI | TOBACCO, TEX-MEX | FAC | FAC-, FAC | PIF |
| NICOTIANA REPANDA | WILLD. | TOBACCO, FIDDLE-LEAF | FAC | FAC | ANF |
| NICOTIANA TRIGONOPHYLLA | DUNAL | TOBACCO, DESERT | FACU | FACU | BPNF |
| NUPHAR LUTEUM | (L.) SIBTH. & J.E. SMITH | COW-LILY, YELLOW | OBL | OBL | PNZF |
| NYMPHAEA ELEGANS | HOOK. | WATER-LILY, BLUE | OBL | OBL | PNZ/F |
| NYMPHAEA MEXICANA | ZUCCAR. | WATER-LILY, BANANA | OBL | OBL | PNZ/F |
| NYMPHAEA ODORATA | SOLAND. IN AIT. | WATER-LILY, WHITE | OBL | OBL | PNZ/F |
| NYMPHAEA TUBEROSA | PAINE | WATER-LILY, WHITE | OBL | OBL | PNZF |
| NYMPHOIDES AQUATICA | (WALTER EX J.F. GMEL.) KUNTZE | FLOATING-HEART, BIG | OBL | OBL | PNZ/F |
| NYMPHOIDES PELTATA | (S.G. GMEL.) KUNTZE | FLOATING-HEART, YELLOW | OBL | OBL | PIZ/F |
| NYSSA AQUATICA | L. | WATER-TUPELO | OBL | OBL | NT |
| NYSSA SYLVATICA | MARSHALL | TUPELO, SWAMP | OBL | FACW+, OBL | NT |
| NYSSA SYLVATICA | MARSHALL | GUM, BLACK | FAC | FAC | NT |
| OENOTHERA BIENNIS | L. | EVENING-PRIMROSE, COMMON | FACU+ | FACU-, FACU+ | BIF |
| OENOTHERA CANESCENS | TORR. & FREM. | EVENING-PRIMROSE, SPOTTED | FAC | FAC, FACW- | PNF |
| OENOTHERA ELATA | H.B.K. | EVENING-PRIMROSE, HOOKER'S | FACW | FACU-, FACW | BPNF |
| OENOTHERA FRUTICOSA | L. | SUNDROPS, NARROW-LEAF | FAC- | FACU, FAC | PNF |
| OENOTHERA JAMESII | TORR. & GRAY | EVENING-PRIMROSE, TRUMPET | FACW+ | FACW+ | BNF |
| OENOTHERA KUNTHIANA | (SPACH) MUNZ | EVENING-PRIMROSE, KUNTH'S | FAC | FAC | APNF |
| OENOTHERA LACINIATA | J. HILL | EVENING-PRIMROSE, CUT-LEAF | FACU | FACU-, FAC | ANF |
| OENOTHERA PILOSELLA | RAF. | EVENING-PRIMROSE, MEADOW | FAC | FACU+, FAC | PNF |
| OENOTHERA RHOMBIPETALA | NUTT. EX TORR. & GRAY | EVENING-PRIMROSE, FOUR-POINT | FACU | FACU-, FACU | ABNF |

MUHLENBERGIA UTILIS

OENOTHERA RHOMBIPETALA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|--------------------------------------|---|-----------------------------|-------|--------------|-------|
| <i>OENOTHERA ROSEA</i> | L'HER. EX AIT. | EVENING-PRIMROSE, ROSE | FACW | FACW | PNF |
| <i>OENOTHERA TETRAPTERA</i> | CAV. | EVENING-PRIMROSE, FOUR-WING | FAC+ | FAC+ | ANF |
| <i>OENOTHERA TEXENSIS</i> | RAVEN & D.R. PARNELL | EVENING-PRIMROSE, TEXAS | FACW | FACW | PNF |
| <i>OENOTHERA VILLOSA</i> | THUNB. | EVENING-PRIMROSE, HAIRY | FAC | FACU, FACW | BPNF |
| <i>OLDENLANDIA BOSCHII</i> | (DC.) CHAPM. | BLUET, BOSCH'S | FACW | FACW-, OBL | PNF |
| <i>OLDENLANDIA CORYMBOSA</i> | L. | BLUET, FLAT-TOP | FAC | FAC, FAC+ | AIF |
| <i>OLDENLANDIA UNIFLORA</i> | L. | BLUET, CLUSTERED | FACW | FACW-, FACW+ | AIF |
| <i>ONOCLEA SENSIBILIS</i> | L. | FERN, SENSITIVE | FACW | FACW | PNF3 |
| <i>OPHIOGLOSSUM CROTALOPHOROIDES</i> | WALTER | ADDER'S-TONGUE, BULBOUS | FAC- | FAC- | PNF3 |
| <i>OPHIOGLOSSUM ENGELMANNII</i> | PRANTL | ADDER'S-TONGUE, LIMESTONE | FACU | FACU-, FACW | PNF3 |
| <i>OPHIOGLOSSUM NUDICAULE</i> | L.F. | ADDER'S-TONGUE, LEAST | FAC | FAC | PNF3 |
| <i>OPHIOGLOSSUM PETIOLATUM</i> | HOOK. | ADDER'S-TONGUE, LONG-STEM | FAC+ | FAC, FAC+ | PNF3 |
| <i>OPHIOGLOSSUM VULGATUM</i> | L. | ADDER'S-TONGUE, NORTHERN | FACW- | FAC, FACW | PNF3 |
| <i>OPLISMENUS HIRTELLUS</i> | (L.) BEAUV. | GRASS, BASKET | FACU+ | FACU+ | PNG |
| <i>OPUNTIA STRICTA</i> | (HAW.) HAW. | PRICKLY-PEAR, ERECT | FACU | UPL, FACU | N\$S |
| <i>ORNITHOGALUM UMBELLATUM</i> | L. | STAR-OF-BETHLEHEM, COMMON | NI | FACU, FAC- | PIF |
| <i>ORONTIUM AQUATICUM</i> | L. | CLUB, GOLDEN | OBL | OBL | PNZF |
| <i>ORYZA SATIVA</i> | L. | RICE, CULTIVATED | OBL | OBL | AIG |
| <i>ORYZOPSIS HYMENOIDES</i> | (ROEM. & J.A. SCHULTES) RICKER EX PIPER | RICEGRASS, INDIAN | FACU+ | UPL, FACU+ | PNG |
| <i>OSMORHIZA LONGISTYLIS</i> | (TORR.) DC. | SWEETCICELY, SMOOTHER | FACW | FACU-, FACW | PNF |
| <i>OSMUNDA CINNAMOMEA</i> | L. | FERN, CINNAMON | FACW | FACW, FACW+ | PNF3 |
| <i>OSMUNDA REGALIS</i> | L. | FERN, ROYAL | OBL | OBL | PNF3 |
| <i>OSTRYA VIRGINIANA</i> | (MILL.) K. KOCH | HOP-HORNBEAM, EASTERN | FACU+ | FACU-, FACU+ | NT |
| <i>OXALIS CORNICULATA</i> | L. | WOODSORREL, CREEPING | FACU | UPL, FACU | PIF |
| <i>OXALIS EUROPAEA</i> | JORDAN | WOODSORREL, UPRIGHT YELLOW | FACU | UPL, FACU | PIF |
| <i>OXYDENDRUM ARBOREUM</i> | (L.) DC. | SOURWOOD | NI | FACU? | NT |
| <i>OXYPOLIS FILIFORMIS</i> | (WALTER) BRITTON | COBANE, WATER | FACW | FACW, OBL | PNF |
| <i>OXYPOLIS RIGIDIOR</i> | (L.) RAF. | COBANE, STIFF | OBL | OBL | PNF |
| <i>OXYTROPIS LAMBERTII</i> | PURSH | CRAZY-WEED, LAMBERT'S | FACU | UPL, FACU | PNF |
| <i>PANICUM AMARUM</i> | ELLIOTT | GRASS, BITTER PANIC | FACU- | FACU-, FAC | PNG |
| <i>PANICUM ANCEPS</i> | MICHX. | GRASS, BEAKED PANIC | FAC+ | FAC-, FACW | PNG |
| <i>PANICUM BRACHYANTHUM</i> | STEUD. | GRASS, PRAIRIE PANIC | FACU+ | FACU+, FAC | ANG |
| <i>PANICUM CAPILLARE</i> | L. | WITCHGRASS | FAC | FACU, FAC | ANG |
| <i>PANICUM DICHOTOMIFLORUM</i> | MICHX. | GRASS, FALL PANIC | FACW | FAC, FACW | ANG |
| <i>PANICUM DIFFUSUM</i> | SWARTZ | GRASS, SPREADING PANIC | FAC | FAC | PNG |
| <i>PANICUM FLEXILE</i> | (GATT.) SCRIBN. | WITCHGRASS, WIRY | FACW- | FACU, FACW+ | ANG |
| <i>PANICUM HALLII</i> | VASEY | GRASS, HALL'S PANIC | FACU | UPL, FACU | PNG |
| <i>PANICUM HEMITOMON</i> | J.A. SCHULTES | MAIDEN-CANE | OBL | FACW+, OBL | PNEG |
| <i>PANICUM HILLMANII</i> | CHASE | GRASS, HILLMAN'S PANIC | FACU | FACU, FAC- | ANG |
| <i>PANICUM LONGIFOLIUM</i> | TORR. | GRASS, PANIC | OBL | OBL | PNG |
| <i>PANICUM MAXIMUM</i> | JACQ. | GRASS, GUINEA | FAC- | FAC- | PIG |
| <i>PANICUM OBTUSUM</i> | H.B.K. | VINE-MESQUITE | FAC+ | FACU, FACW | PNG |
| <i>PANICUM PILCOMAYENSE</i> | HACK. | GRASS, PARAGUAY PANIC | FACW- | FACW- | PNG |
| <i>PANICUM REPENS</i> | L. | GRASS, TORPEDO | FAC+ | FAC+, FACW- | PIG |
| <i>PANICUM RIGIDULUM</i> | BOSC EX NEES | GRASS, RED-TOP PANIC | FACW | FAC, FACW+ | PNG |
| <i>PANICUM TENERUM</i> | BEYR. | GRASS, BLUEJOINT PANIC | FACW- | FACW-, FACW | PNEG |
| <i>PANICUM VERRUCOSUM</i> | MUHL. | GRASS, WARTY PANIC | FACW- | FACW-, FACW | ANG |
| <i>PANICUM VIRGATUM</i> | L. | SWITCHGRASS | FACW | FAC, FACW | PNG |
| <i>PARAPHOLIS INCURVA</i> | (L.) HUBB. | GRASS, SICKLE | NI | FAC, OBL | AIG |
| <i>PARIETARIA FLORIDANA</i> | NUTT. | PELLITORY, FLORIDA | NI | FAC- | ANF |
| <i>PARIETARIA PENNSYLVANICA</i> | MUHL. EX WILLD. | PELLITORY, PENNSYLVANIA | FAC | FACU-, FACW- | ANF |
| <i>PARKINSONIA ACULEATA</i> | L. | JERUSALEM-THORN | FACW- | FAC-, FACW | NT |

OENOTHERA ROSEA

PARKINSONIA ACULEATA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-----------------------------------|---------------------------|---------------------------------|-------|-------------|-------|
| <i>PARNASSIA ASARIFOLIA</i> | VENTENAT | GRASS-OF-PARNASSUS,KIDNEY-LEAF | OBL | OBL | PNF |
| <i>PARNASSIA GRANDIFOLIA</i> | DC. | GRASS-OF-PARNASSUS,LARGE-FLOWER | OBL | OBL | PNF |
| <i>PARTHENOISSUS QUINQUEFOLIA</i> | (L.) PLANCH. | CREEPER,VIRGINIA | FAC | FACU,FAC | NWV |
| <i>PARTHENOISSUS VITACEA</i> | (KNERR) A. HITCHC. | CREEPER,THICKET | FAC | FACU,FACW- | NWV |
| <i>PASPALIDIUM GEMINATUM</i> | (FORSK.) STAFF | WATER PANICUM | OBL | OBL | PNG |
| <i>PASPALUM ACUMINATUM</i> | RADDI | PASPALUM,BROOK | OBL | OBL | PNEG |
| <i>PASPALUM BIFIDUM</i> | (BERTOL.) NASH | PASPALUM,PITCHFORK | FAC+ | FAC+,FACW | PNG |
| <i>PASPALUM BOSCIANUM</i> | FLUEGGE | PASPALUM,BULL | FACW- | FACW-,FACW | ANG |
| <i>PASPALUM CONJUGATUM</i> | BERG | PASPALUM,SOUR | FAC | FAC | PNG |
| <i>PASPALUM DILATATUM</i> | POIR. | DALLISGRASS | FAC | FAC,FAC+ | PIG |
| <i>PASPALUM DISSECTUM</i> | (L.) L. | PASPALUM,MUDBANK | OBL | OBL | PNG |
| <i>PASPALUM DISTICHUM</i> | L. | PASPALUM,JOINT | FACW+ | FACW,OBL | PNEG |
| <i>PASPALUM FLORIDANUM</i> | MICHX. | PASPALUM,FLORIDA | FACW- | FACW-,FACW | PNG |
| <i>PASPALUM FLUITANS</i> | (ELLIOTT) KUNTH | PASPALUM,WATER | OBL | OBL | AN/EG |
| <i>PASPALUM HARTWEGIANUM</i> | FOURN. | PASPALUM,HARTWEG'S | FACW+ | FACW+ | PNG |
| <i>PASPALUM LAEVE</i> | MICHX. | PASPALUM,FIELD | FACW- | FAC,FACW- | PNG |
| <i>PASPALUM LIVIDUM</i> | TRIN. | LONGTOM | OBL* | OBL | PNEG |
| <i>PASPALUM MONOSTACHYUM</i> | VASEY | PASPALUM,GULFDUNE | FACW+ | FACW,FACW+ | PNG |
| <i>PASPALUM NOTATUM</i> | FLUEGGE | GRASS,BAHIA | FAC | FACU+,FAC | PIG |
| <i>PASPALUM ORBICULARE</i> | G. FORST. | PASPALUM,INDIA | NI | NI | PIG |
| <i>PASPALUM PLAGIATULUM</i> | MICHX. | PASPALUM,BROWN-SEED | FAC | FAC | PNG |
| <i>PASPALUM PRAECOX</i> | WALTER | PASPALUM,EARLY | FACW* | FACW,OBL | PNG |
| <i>PASPALUM PUBIFLORUM</i> | RUPR. EX FOURN. | PASPALUM,HAIRY-SEED | FACW | FAC,FACW | PNG |
| <i>PASPALUM REPENS</i> | BERGIUS | PASPALUM,WATER | OBL | OBL | G |
| <i>PASPALUM SETACEUM</i> | MICHX. | PASPALUM,THIN | FAC | UPL,FAC | PNG |
| <i>PASPALUM URVILLEI</i> | STEUD. | GRASS,VASEY | FAC | FAC | PIG |
| <i>PASPALUM VAGINATUM</i> | SWARTZ | PASPALUM,SEASHORE | FACW* | FACW,OBL | PNG |
| <i>PASPALUM VIRGATUM</i> | L. | TALQUEZEAL | FACW | FACW | PNG |
| <i>PASSIFLORA EDULIS</i> | SIMS | PASSION-FLOWER,PURPLE | FACU | UPL,FACU | NWV |
| <i>PASSIFLORA FOETIDA</i> | L. | PASSION-FLOWER,RED-FRUIT | NI | NI | ANF |
| <i>PEDICULARIS CANADENSIS</i> | L. | LOUSEWORT,EARLY WOOD | FAC+ | FACU,FAC+ | PNF |
| <i>PELTANDRA LUTEOSPADIX</i> | FERNALD | ARUM,GREEN ARROW | OBL | OBL | PNEF |
| <i>PELTANDRA VIRGINICA</i> | (L.) KUNTH | ARUM,ARROW | OBL | OBL | PNEF |
| <i>PENSTEMON DIGITALIS</i> | NUTT. | BEARDTONGUE,FOXGLOVE | FACW- | FAC-,FACW- | PNF |
| <i>PENSTEMON LAXIFLORUS</i> | PENNELL | BEARDTONGUE,MUSKOGEE | FAC* | FAC-,FAC | PNF |
| <i>PENSTEMON RYDBERGII</i> | A. NELS. | BEARDTONGUE,RYDBERG'S | NI | FACU,FAC | PNF |
| <i>PENSTEMON TENUIS</i> | SMALL | BEARDTONGUE,SHARP-SEPAL | FACW+ | FACW+ | PNF |
| <i>PENTHORUM SEDOIDES</i> | L. | DITCH-STONECROP | OBL | OBL | PNF |
| <i>PENTODON PENTANDRUS</i> | (SCHUMACH.) VATKE | PENTODON,HALL'S | OBL | OBL | ANEF |
| <i>PERILLA FRUTESCENS</i> | (L.) BRITTON | PLANT,BEEF-STEAK | FAC+ | FACU+,FAC+ | AIF |
| <i>PERSEA BORBONIA</i> | (L.) SPRENG. | BAY,RED | FACW | FACW | NT |
| <i>PETUNIA PARVIFLORA</i> | JUSS. | PETUNIA,SEASIDE | FACW | FAC,FACW | ANF |
| <i>PHACELIA LAXA</i> | SMALL | SCORPION-WEED,COAST | FAC- | FAC- | ANF |
| <i>PHALARIS ANGUSTA</i> | NEES EX TRIN. | GRASS,TIMOTHY CANARY | FACW+ | FACW,FACW+ | ANG |
| <i>PHALARIS AQUATICA</i> | L. | GRASS,HARDING | NI | FAC+,FACW+ | PNG |
| <i>PHALARIS ARUNDINACEA</i> | L. | GRASS,REED CANARY | FACW+ | FACW,OBL | PNG |
| <i>PHALARIS CANARIENSIS</i> | L. | GRASS,COMMON CANARY | FACU | UPL,FACU+ | AIG |
| <i>PHALARIS CAROLINIANA</i> | WALTER | GRASS,CAROLINA CANARY | FACW | FACW | ANG |
| <i>PHANOPYRUM GYMNOCARPON</i> | (ELLIOTT) NASH | GRASS,SAVANNAH PANIC | OBL | OBL | PNG |
| <i>PHILOXERUS VERMICULARIS</i> | (L.) R. BR. EX J.E. SMITH | SILVERHEAD | FACW- | FACW-,FACW+ | APNSF |
| <i>PHLEUM PRATENSE</i> | L. | TIMOTHY | FACU | FACU | PIG |
| <i>PHLOX CAROLINA</i> | L. | PHLOX,THICK-LEAF | NI | FACU,FACW | PNF |

PARNASSIA ASARIFOLIA

PHLOX CAROLINA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|------------------------------------|----------------------------------|--------------------------------|-------|-------------|-------|
| <i>PHLOX DIVARICATA</i> | L. | PHLOX, WOODLAND | FACU- | UPL, FACU | PNF |
| <i>PHLOX GLABERRIMA</i> | L. | PHLOX, SMOOTH | FAC | FAC, FACW | PNF |
| <i>PHLOX PANICULATA</i> | L. | PHLOX, FALL | NI | FACU | PNF |
| <i>PHLOX PILOSA</i> | L. | PHLOX, DOWNY | FAC | FACU, FAC | PNF |
| <i>PHRAGMITES AUSTRALIS</i> | (CAV.) TRIN. EX STEUD. | REED, COMMON | FACW | FACW, FACW+ | PNEG |
| <i>PHRYMA LEPTOSTACHYA</i> | L. | LOPSEED, AMERICAN | NI | UPL, FAC | PNF |
| <i>PHYLA CUNEIFOLIA</i> | (TORR.) GREENE | FROG-FRUIT, WEDGE-LEAF | FAC | FAC, FACW | PNF |
| <i>PHYLA INCISA</i> | SMALL | FROG-FRUIT, SAW-TOOTH | FAC | FAC, FACW | PNF |
| <i>PHYLA LANCEOLATA</i> | (MICHX.) GREENE | FROG-FRUIT, LANCE-LEAF | FACW | FACW, OBL | PNF |
| <i>PHYLA NODIFLORA</i> | (L.) GREENE | FROG-FRUIT, COMMON | FACW | FACW, OBL | PNF |
| <i>PHYLA STRIGULOSA</i> | (M. MARTENS & GALEOTTI) MOLDENKE | FROG-FRUIT, DIAMOND-LEAF | FAC | FAC | PNF |
| <i>PHYLLANTHUS CAROLINIENSIS</i> | WALTER | LEAF-FLOWER, CAROLINA | FAC+ | FAC, FAC+ | ANF |
| <i>PHYLLANTHUS PUDENS</i> | L.C. WHEELER | LEAF-FLOWER, BIRD-SEED | FACW- | FAC-, FACW | ANF |
| <i>PHYLLANTHUS URINARIA</i> | L. | LEAF-FLOWER, PEEWATER | NI | FAC | AIF |
| <i>PHYSALIS ANGULATA</i> | L. | GROUND-CHERRY, CUT-LEAF | FAC- | FACU, FAC | ANF |
| <i>PHYSALIS PUBESCENS</i> | L. | GROUND-CHERRY, LOW HAIRY | FACU | UPL, FAC | ANF |
| <i>PHYSOCARPUS MONOGYNUS</i> | (TORR.) COULT. | NINEBARK, MOUNTAIN | FAC | UPL, FAC | NS |
| <i>PHYSOSTEGIA ANGUSTIFOLIA</i> | FERNALD | DRAGON-HEAD, NARROW-LEAF FALSE | FACW | FAC, FACW | PNF |
| <i>PHYSOSTEGIA CORRELLII</i> | (LUNDELL) SHINNERS | DRAGON-HEAD, CORRELL'S | OBL | OBL | PNF |
| <i>PHYSOSTEGIA DIGITALIS</i> | SMALL | DRAGON-HEAD, FINGER | FACW- | FAC, FACW- | PNF |
| <i>PHYSOSTEGIA INTERMEDIA</i> | (NUTT.) ENGELM. & GRAY | DRAGON-HEAD, SLENDER | OBL | FACW-, OBL | PNF |
| <i>PHYSOSTEGIA PARVIFLORA</i> | NUTT. EX GRAY | DRAGON-HEAD, PURPLE | NI | FACW-, OBL | PNF |
| <i>PHYSOSTEGIA PRAEMORSA</i> | SHINNERS | DRAGON-HEAD, BLUNT | FACW | FACW | PNF |
| <i>PHYSOSTEGIA PULCHELLA</i> | LUNDELL | DRAGON-HEAD, SHOWY | FACW | FACW, OBL | PNF |
| <i>PHYSOSTEGIA VIRGINIANA</i> | (L.) BENTH. | DRAGON-HEAD, FALSE | FACW* | FAC+, OBL | PNF |
| <i>PHYTOLACCA AMERICANA</i> | L. | POKEWEEED, COMMON | FAC- | FACU+, FAC | PNF |
| <i>PHYTOLACCA RIGIDA</i> | SMALL | POKEWEEED, FLORIDA | FAC- | FACU, FAC- | PNF |
| <i>PILEA PUMILA</i> | (L.) GRAY | CLEARWEEED, CANADA | FAC | FAC, FACW | ANF |
| <i>PILLULARIA AMERICANA</i> | A. BRAUN | PILLWORT, AMERICAN | OBL | OBL | PNEP3 |
| <i>PINGUICULA PUMILA</i> | MICHX. | BUTTERWORT, SMALL | OBL | OBL | APNF |
| <i>PINUS ELLIOTTII</i> | ENGELM. | PINE, SLASH | NI | FACW | NT |
| <i>PINUS PALUSTRIS</i> | MILL. | PINE, LONG-LEAF | FAC- | FACU+, FAC | NT |
| <i>PINUS PONDEROSA</i> | DOUGL. EX P. & C. LAWSON | PINE, PONDEROSA | FACU | UPL, FACU | NT |
| <i>PINUS TAEDA</i> | L. | PINE, LOBLOLLY | FAC- | UPL, FAC | NT |
| <i>PISTIA STRATIOTES</i> | L. | WATER-LETTUCE | OBL | OBL | PN/F |
| <i>PLANERA AQUATICA</i> | WALTER EX J.F. GMEL. | PLANER-TREE | OBL | OBL | NET |
| <i>PLANTAGO ELONGATA</i> | PURSH | PLANTAIN, SLENDER | FACW- | FAC, FACW+ | ANF |
| <i>PLANTAGO HETEROPHYLLA</i> | NUTT. | PLANTAIN, SLENDER | FACW- | FAC+, FACW | ANF |
| <i>PLANTAGO INSULARIS</i> | EASTW. | INDIANWHEAT, DESERT | FAC | UPL, FAC | ANF |
| <i>PLANTAGO LANCEOLATA</i> | L. | PLANTAIN, ENGLISH | FAC | UPL, FAC | ABP1F |
| <i>PLANTAGO MAJOR</i> | L. | PLANTAIN, COMMON | FAC+ | FACU, FACW | PIF |
| <i>PLANTAGO PATAGONICA</i> | JACQ. | PLANTAIN, WOOLLY | FACU- | UPL, FACU- | ANF |
| <i>PLANTAGO PUSILLA</i> | NUTT. | PLANTAIN, DWARF | FAC | UPL, FAC | ANF |
| <i>PLANTAGO RHODOSPERMA</i> | DECNE. | PLANTAIN, RED-SEED | FACU | UPL, FAC+ | ANF |
| <i>PLANTAGO RUGELII</i> | DECNE. | PLANTAIN, BLACK-SEED | FAC | FACU, FAC | PNF |
| <i>PLANTAGO VIRGINICA</i> | L. | PLANTAIN, PALE-SEED | FACU- | UPL, FACW | ANF |
| <i>PLATANThERA BLEPHARIGLOTTIS</i> | (WILLD.) LINDL. | ORCHID, WHITE FRINGE | OBL | OBL | PNF |
| <i>PLATANThERA CILIARIS</i> | (L.) LINDL. | ORCHID, YELLOW-FRINGE | FACW | FACW | PNF |
| <i>PLATANThERA CRISTATA</i> | (MICHX.) LINDL. | ORCHID, YELLOW-CREST | OBL | FACW+, OBL | PNF |
| <i>PLATANThERA FLAVA</i> | (L.) LINDL. | ORCHID, PALE GREEN | FACW | FACW | PNF |
| <i>PLATANThERA INTEGRATA</i> | (NUTT.) GRAY EX L.C. BECK | ORCHID, YELLOW FRINGELESS | OBL | OBL | PNF |
| <i>PLATANThERA LACERA</i> | (MICHX.) G. DON | ORCHID, GREEN-FRINGE | FACW | FACW | PNF |

PHLOX DIVARICATA

PLATANThERA LACERA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------|----------------------------------|------------------------------|-------|-------------|-------|
| PLATANHERA LEUCOPHAEA | (NUTT.) LINDL. | ORCHID, PRAIRIE WHITE-FRIDGE | OBL | FACW, OBL | PNF |
| PLATANHERA NIVEA | (NUTT.) LUER | ORCHID, SNOW | FACW | FACW | PNF |
| PLATANHERA X CHAPMANII | (SMALL) LUER | BOGORCHID | FACW | FACW | PNF |
| PLATANHERA X CLAVELLATA | (MICHX.) LUER | ORCHID, SMALL GREEN WOODLAND | OBL | FACW+, OBL | PNF |
| PLATANUS OCCIDENTALIS | L. | SYCAMORE, AMERICAN | FAC+ | FAC, FACW | NT |
| PLUCHEA CAMPHORATA | (L.) DC. | CAMPHOR-WEED, SALT MARSH | FACW+ | FACW-, FACW | AP IF |
| PLUCHEA FOETIDA | (L.) DC. | CAMPHOR-WEED, STINKING | FACW+ | FACW+, OBL | PNF |
| PLUCHEA PURPURASCENS | (SWARTZ) DC. | CAMPHOR-WEED, SALT MARSH | OBL | FACW+, OBL | A IEF |
| PLUCHEA ROSEA | R.K. GODFR. | CAMPHOR-WEED, ROSY | FACW | FACW | PNF |
| PLUCHEA SERICEA | (NUTT.) COVILLE | ARROW-WEED | NI | FACW-, FACW | NS |
| POA ANNUA | L. | BLUEGRASS, ANNUAL | FAC | FACU, FACW- | AIG |
| POA ARIDA | VASEY | BLUEGRASS, PLAINS | FAC- | UPL, FAC | PNG |
| POA AUTUMNALIS | MUHL. EX ELLIOTT | BLUEGRASS, AUTUMN | FAC- | FAC-, FACW- | PNG |
| POA CHAPMANIANA | SCRIBN. | BLUEGRASS, CHAPMAN'S | NI | UPL, FAC | ANG |
| POA COMPRESSA | L. | BLUEGRASS, CANADA | FAC- | FACU-, FAC | PIG |
| POA MEMORALIS | L. | BLUEGRASS, WOODS | NI | FAC-, FACW | PNG |
| POA PRATENSIS | L. | BLUEGRASS, KENTUCKY | FACU+ | FACU, FAC- | PNG |
| POA SYLVESTRIS | GRAY | BLUEGRASS, WOODLAND | FAC | FACU, FACW | PNG |
| PODOPHYLLUM PELTATUM | L. | MAY-APPLE | FACU- | FACU-, FACU | PNF |
| PODOSTEMUM CERATOPHYLLUM | MICHX. | RIVERWEED, HORN-LEAF | OBL | OBL | PNZF |
| POGONIA OPHIOGLOSSOIDES | (L.) JUSS. | POGONIA, ROSE | OBL | OBL | PNEF |
| POLANISIA DODECANDRA | (L.) DC. | CLAMMY-WEED, ROUGH-SEED | FACU | UPL, FACU | ANF |
| POLEMONIUM PAUCIFLORUM | S. WATS. | JACOB'S-LADDER, FEW-FLOWER | FACW- | FACW-, FACW | PNF |
| POLEMONIUM REPTANS | L. | VALERIAN, GREEK | FAC* | FACU, FAC | PNF |
| POLYGALA CRUCIATA | L. | MILKWORT, CROSS-LEAF | OBL | FACW+, OBL | ANF |
| POLYGALA HOOKERI | TORR. & GRAY | MILKWORT, HOOKER'S | FACW | FACW, FACW+ | ANF |
| POLYGALA INCARNATA | L. | MILKWORT, PINK | FAC- | UPL, FAC- | ANF |
| POLYGALA LEPTOCALYX | TORR. & GRAY | MILKWORT, SWAMP | FACW+ | FACW+ | ANF |
| POLYGALA MARIANA | MILL. | MILKWORT, MARYLAND | FACW | FACW | ANF |
| POLYGALA NANA | (MICHX.) DC. | MILKWORT, DWARF | FAC+ | FAC+ | ANF |
| POLYGALA POLYGAMA | WALTER | MILKWORT, RACEMED | FACU | UPL, FACU | BNF |
| POLYGALA RAMOSA | ELLIOTT | MILKWORT, LOW PINEBARREN | OBL | FACW+, OBL | ANF |
| POLYGALA SANGUINEA | L. | MILKWORT, RED | FACW | FACU, FACW | ANF |
| POLYGALA VERTICILLATA | L. | MILKWORT, WHORLED | FAC- | UPL, FAC- | ANF |
| POLYGONATUM BIFLORUM | (WALTER) ELLIOTT | SOLOMON'S-SEAL, SMALL | FACU* | UPL, FAC- | PNF |
| POLYGONATUM COMMUTATUM | (J.A. & J.H. SCHULTES) A. DIETR. | SOLOMON'S-SEAL, GREAT | FAC | UPL, FAC | PNF |
| POLYGONUM AMPHIBIUM | L. | SMARTWEED, WATER | OBL | OBL | PNE/F |
| POLYGONUM ARGYROCOLEON | STEUD. EX KUNZE | KNOTWEED, SILVER-SHEATH | OBL | FAC, OBL | AIF |
| POLYGONUM AVICULARE | L. | KNOTWEED, PROSTRATE | FAC+ | UPL, FACW | AP IF |
| POLYGONUM CONVOLVULUS | L. | BINDWEED, BLACK | FAC | FACU-, FAC | AIVF |
| POLYGONUM DENSIFLORUM | MEISN. | SMARTWEED, DENSE-FLOWER | OBL | OBL | PNEF |
| POLYGONUM ERECTUM | L. | KNOTWEED, ERECT | NA | FACU-, OBL | ANEF |
| POLYGONUM HYDROPIPER | L. | SMARTWEED, MARSHPEPPER | OBL | FACW, OBL | A IEF |
| POLYGONUM HYDROPIPEROIDES | MICHX. | SMARTWEED, SWAMP | OBL | OBL | PNEF |
| POLYGONUM LAPATHIFOLIUM | L. | WILLOW-WEED | FACW- | FAC, OBL | ANF |
| POLYGONUM MEISNERANUM | CHAM. & SCHLECHT. | TEARTHUMB, BRANCHED | NI | OBL | PF |
| POLYGONUM OPELOUSANUM | RIDDELL EX SMALL | PEPPER, LITTLE WATER | OBL | OBL | PNF |
| POLYGONUM ORIENTALE | L. | FEATHER, PRINCE'S | FACW | UPL, FACW | AIF |
| POLYGONUM PENNSYLVANICUM | L. | SMARTWEED, PENNSYLVANIA | FACW- | FACW-, OBL | ANEF |
| POLYGONUM PERSICARIA | L. | THUMB, LADY'S | FACW+ | FAC, OBL | AIF |
| POLYGONUM PUNCTATUM | ELLIOTT | SMARTWEED, DOTTED | FACW | FACW, OBL | PNEF |
| POLYGONUM RAMOSISSIMUM | MICHX. | KNOTWEED, BUSHY | FACW | FACU-, FACW | ANF |

PLATANHERA LEUCOPHAEA

POLYGONUM RAMOSISSIMUM

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-----------------------------------|------------------------|---------------------------|-------|--------------|--------|
| <i>POLYGONUM SAGITTATUM</i> | L. | TEARTHUMB, ARROW-LEAF | OBL | OBL | APNF |
| <i>POLYGONUM SCANDENS</i> | L. | FALSE-BUCKWHEAT, CLIMBING | FACW | FACU, FACW | PNV |
| <i>POLYGONUM SETACEUM</i> | BALDW. | SMARTWEED, SWAMP | OBL | FACW, OBL | PNEF |
| <i>POLYGONUM TEXENSE</i> | M. JOHNST. | KNOTWEED, TEXAS | FACW- | FACW- | ANF |
| <i>POLYGONUM VIRGINIANUM</i> | L. | KNOTWEED, VIRGINIA | FAC | FAC, FACW | APNF |
| <i>POLYPOGON INTERRUPTUS</i> | H.B.K. | GRASS, DITCH RABBIT-FOOT | OBL | FACW, OBL | PIG |
| <i>POLYPOGON MONSPELIENSIS</i> | (L.) DESF. | GRASS, ANNUAL RABBIT-FOOT | FACW+ | FACW, OBL | AIG |
| <i>POLYSTICHUM ACROSTICHOIDES</i> | (MICHX.) SCHOTT | FERN, CHRISTMAS | FACU* | UPL, FAC | PNF3 |
| <i>PONTEDERIA CORDATA</i> | L. | WEED, PICKEREL | OBL | OBL | PNEF |
| <i>PONTHIEVA RACEMOSA</i> | (WALTER) C. MOHR | SHADOW-WITCH | FACW | FACW, OBL | PNF |
| <i>POPULUS ANGUSTIFOLIA</i> | E. JAMES | COTTON-WOOD, NARROW-LEAF | FACW | FAC, FACW | NT |
| <i>POPULUS DELTOIDES</i> | W. BARTRAM EX MARSHALL | COTTON-WOOD, EASTERN | FAC | FAC, FACW | NT |
| <i>POPULUS FREMONTII</i> | S. WATS. | COTTON-WOOD, FREMONT'S | FACW- | FACW-, FACW | NT |
| <i>POPULUS TREMULA</i> | L. | ASPEN, QUAKING | FAC- | FACU, FAC+ | IT |
| <i>POPULUS X ACUMINATA</i> | RYDB. (PRO SP.) | COTTON-WOOD, LANCE-LEAF | FAC+ | FAC, FACW | NT |
| <i>POPULUS X HINCKLEYANA</i> | CORRELL (PRO SP.) | COTTON-WOOD, GOAT CANYON | FAC- | FAC- | NT |
| <i>PORTULACA OLERACEA</i> | L. | PURSLANE, COMMON | FAC | FACU, FAC | ANSF |
| <i>PORTULACA UMBRATICOLA</i> | H.B.K. | PURSLANE, WING-POD | FAC- | FAC-, FAC | ANSF |
| <i>POSIDONIA OCEANIA</i> | DELILE | | NI | OBL? | PIZF |
| <i>POTAMOGETON AMPLIFOLIUS</i> | TUCKERMAN | PONDWEED, LARGE-LEAF | OBL | OBL | PN/F |
| <i>POTAMOGETON BICUPULATUS</i> | FERNALD | PONDWEED, SNAIL-SEED | NI | OBL | PN/F |
| <i>POTAMOGETON CLYSTOCARPUS</i> | FERNALD | PONDWEED, FERNALD'S | OBL | OBL | PNZF |
| <i>POTAMOGETON CRISPUS</i> | L. | PONDWEED, CURLY | OBL | OBL | PIZF |
| <i>POTAMOGETON DIVERSIFOLIUS</i> | RAF. | PONDWEED, WATER-THREAD | OBL | OBL | PN/F |
| <i>POTAMOGETON FOLIOSUS</i> | RAF. | PONDWEED, LEAFY | OBL | OBL | PNZF |
| <i>POTAMOGETON ILLINOENSIS</i> | MORONG | PONDWEED, ILLINOIS | OBL | OBL | PN/F |
| <i>POTAMOGETON LATIFOLIUS</i> | (J.W. ROBBINS) MORONG | PONDWEED, BROAD-LEAF | OBL | OBL | PNZF |
| <i>POTAMOGETON NATANS</i> | L. | PONDWEED, FLOATING-LEAF | OBL | OBL | PN/F |
| <i>POTAMOGETON NODOSUS</i> | POIR. | PONDWEED, LONG-LEAF | OBL | OBL | PN/F |
| <i>POTAMOGETON PECTINATUS</i> | L. | PONDWEED, SAGO | OBL | OBL | PNZF |
| <i>POTAMOGETON PULCHER</i> | TUCKERMAN | PONDWEED, SPOTTED | OBL | OBL | PN/F |
| <i>POTAMOGETON PUSILLUS</i> | L. | PONDWEED, SMALL | OBL | OBL | PNZF |
| <i>POTENTILLA ARGUTA</i> | PURSH | CINQUEFOIL, TALL | FACU+ | UPL, FACU+ | PNF |
| <i>POTENTILLA MILLEGRANA</i> | ENGELM. EX LEHM. | CINQUEFOIL, DIFFUSE | FACW | FAC+, OBL | ABNF |
| <i>POTENTILLA NORVEGICA</i> | L. | CINQUEFOIL, NORWEGIAN | FAC | FACU, FAC | ABPNF |
| <i>POTENTILLA PARADOXA</i> | NUTT. | CINQUEFOIL, BUSHY | FACW+ | FAC, OBL | ABPNF |
| <i>POTENTILLA PENTANDRA</i> | ENGELM. | CINQUEFOIL, FIVE-STAMEN | FACW | FACW, FACW+ | PNF |
| <i>POTENTILLA RIVALIS</i> | NUTT. | CINQUEFOIL, BROOK | FACW+ | FACW, OBL | ANF |
| <i>PRENANthes ASPERA</i> | MICHX. | RATTLESNAKE-ROOT, ROUGH | NI | UPL | PNF |
| <i>PRIONOPSIS CILIATA</i> | (NUTT.) NUTT. | GOLDEN-WEED, FALSE | FAC | UPL, FAC | ANF |
| <i>PROBOSCIDIA LOUISIANICA</i> | (MILL.) THELL. | UNICORN-PLANT, LOUISIANA | FAC- | UPL, FAC+ | ANF |
| <i>PROSERPINACA PALUSTRIS</i> | L. | MERMAID-WEED, MARSH | OBL | OBL | PNEZF |
| <i>PROSERPINACA PECTINATA</i> | LAM. | MERMAID-WEED, COMB-LEAF | OBL | OBL | PNZF |
| <i>PROSOPIS JULIFLORA</i> | (SWARTZ) DC. | MESQUITE | FACU- | UPL, FACU | 1ST |
| <i>PROSOPIS PUBESCENS</i> | BENTH. | MESQUITE, SCREWBEAN | FAC+ | FAC, FACW- | NST |
| <i>PRUNELLA VULGARIS</i> | L. | HEAL-ALL | FAC | FACU, FACW | PIF |
| <i>PRUNUS AMERICANA</i> | MARSHALL | PLUM, AMERICAN | NI | UPL, FACU | NST |
| <i>PRUNUS NIGRA</i> | AIT. | PLUM, CANADA | NI | UPL, FACU- | NT |
| <i>PRUNUS SEROTINA</i> | EHRH. | CHERRY, BLACK | FACU | FACU | NT |
| <i>PRUNUS VIRGINIANA</i> | L. | CHERRY, CHOKE | FACU- | FACU-, FAC | NST |
| <i>PSILOCLARYA NITENS</i> | (VAHL) A. WOOD | BALDRUSH, SHORT-BEAK | OBL | OBL | APNEGL |
| <i>PSILOLOTUM NUDUM</i> | (L.) BEAUV. | FERN, WHISK | FACW+ | FACU+, FACW+ | PNF3 |

POLYGONUM SAGITTATUM

PSILOLOTUM NUDUM

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------------|--|-----------------------------|-------|--------------|-------|
| <i>PSORALEA PSORALIOIDES</i> | (WALTER) CORY | SCURFPEA, FALSE | NI | UPL, FACU | PNF |
| <i>PSORALEA SIMPLEX</i> | NUTT. EX TORR. & GRAY | SCURFPEA, SINGLE-STEM | NI | FAC | PNF |
| <i>PTELEA TRIFOLIATA</i> | L. | WAFER-ASH | FAC | UPL, FAC | NST |
| <i>PTERIDIUM AQUILINUM</i> | (L.) KUHN | FERN, BRACKEN | FAC- | FACU, FAC- | PNF3 |
| <i>PTEROCALON VIRGATUM</i> | (L.) DC. | BLACKROOT, WAND | FAC | FAC-, FAC | PNF |
| <i>PTILIMNIUM CAPILLACEUM</i> | (MICHX.) RAF. | BISHOP-WEED, HAIR-LIKE MOCK | FACW | FACW, OBL | ANEF |
| <i>PTILIMNIUM COSTATUM</i> | (ELLIOTT) RAF. | BISHOP-WEED, RIBBED MOCK | OBL | FACW, OBL | ANEF |
| <i>PTILIMNIUM NUTTALLII</i> | (DC.) BRITTON | BISHOP-WEED, NUTTALL'S MOCK | FACW | FAC+, FACW+ | ANF |
| <i>PTILIMNIUM X TEXENSE</i> | COULT. & ROSE | BISHOP-WEED, MOCK | OBL | OBL | ANEF |
| <i>PYCNANTHEMUM ALBESCENS</i> | TORR. & GRAY | MOUNTAIN-MINT, WHITE-LEAF | FAC | UPL, FAC | PNF |
| <i>PYCNANTHEMUM FLEXUOSUM</i> | (WALTER) B.S.P. | MOUNTAIN-MINT, NARROW-LEAF | FAC | FACU, FACW | PNF |
| <i>PYCNANTHEMUM TENUIFOLIUM</i> | SCHRAD. | MOUNTAIN-MINT, SLENDER | FAC | FAC-, FACW | PNF |
| <i>PYCNANTHEMUM VIRGINIANUM</i> | (L.) TH. DURAND & B.D. JACKS. EX B. ROB. & FERNALD | MOUNTAIN-MINT, VIRGINIA | NI | FAC, FACW+ | PNF |
| <i>QUERCUS ALBA</i> | L. | OAK, WHITE | FACU+ | FACU-, FACU+ | NT |
| <i>QUERCUS BICOLOR</i> | WILLD. | OAK, SWAMP WHITE | FACW+ | FACW+, OBL | NT |
| <i>QUERCUS FALCATA</i> | MICHX. | OAK, SOUTHERN RED | FACU | FACU-, FACU | NT |
| <i>QUERCUS FALCATA</i> | MICHX. | OAK, CHERRY-BARK | FAC+ | FAC+, FACW | NT |
| <i>QUERCUS IMBRICARIA</i> | MICHX. | OAK, SHINGLE | FAC | FACU, FAC | NT |
| <i>QUERCUS LAURIFOLIA</i> | MICHX. | OAK, LAUREL | FACW | FACW-, FACW | NT |
| <i>QUERCUS LYRATA</i> | WALTER | OAK, OVERCUP | OBL | OBL | NT |
| <i>QUERCUS MACROCARPA</i> | MICHX. | OAK, BUR | FAC- | FACU, FAC | NTS |
| <i>QUERCUS MICHAUXII</i> | NUTT. | OAK, SWAMP CHESTNUT | FACW | FACW-, FACW | NT |
| <i>QUERCUS MUEHLENBERGII</i> | ENGELM. | OAK, CHINKAPIN | FAC* | FAC | NT |
| <i>QUERCUS NIGRA</i> | L. | OAK, WATER | FAC+ | FAC, FACW | NT |
| <i>QUERCUS NUTTALLII</i> | PALMER | OAK, NUTTALL | FACW | FACW, OBL | NT |
| <i>QUERCUS PALUSTRIS</i> | MUENCHH. | OAK, PIN | FAC | FAC, FACW | NT |
| <i>QUERCUS PHELLOS</i> | L. | OAK, WILLOW | FACW | FAC+, FACW | NT |
| <i>QUERCUS PRINOIDES</i> | WILLD. | OAK, DWARF CHINKAPIN | NI | UPL, FACU- | NS |
| <i>QUERCUS RUBRA</i> | L. | OAK, NORTHERN RED | FACU+ | FACU-, FACU+ | NT |
| <i>QUERCUS SHUMARDII</i> | BUCKLEY | OAK, SHUMARD | FAC | FAC, FACW- | NT |
| <i>QUERCUS STELLATA</i> | WANGENH. | OAK, POST | NA* | UPL, FACU | NT |
| <i>QUERCUS STELLATA</i> | WANGENH. | OAK, DELTA POST | FACW* | FACW | NT |
| <i>QUERCUS VIRGINIANA</i> | MILL. | OAK, LIVE | FACU+ | FACU, FACU+ | NT |
| <i>QUERCUS X BEADLEI</i> | TRELEASE | OAK, BEADLE | FACW- | FACW-, FACW | NT |
| <i>QUERCUS X MACNABIANA</i> | SUDW. | OAK, MACNAB | FACU | FACU | NT |
| <i>RANUNCULUS ABORTIVUS</i> | L. | BUTTER-CUP, SUBALPINE | FAC+ | FAC, FACW | BPNF |
| <i>RANUNCULUS CAROLINIANUS</i> | DC. | BUTTER-CUP, CAROLINA | FACW | FACW | PNEF |
| <i>RANUNCULUS CYMBALARIA</i> | PURSH | BUTTER-CUP, SEASIDE | OBL | OBL | PNEF |
| <i>RANUNCULUS FASCICULARIS</i> | MUHL. EX BIGEL. | BUTTER-CUP, EARLY | FAC | FACU, FAC | PNF |
| <i>RANUNCULUS FLABELLARIIS</i> | RAF. | BUTTER-CUP, YELLOW WATER | OBL | OBL | PNEF |
| <i>RANUNCULUS HARVEYI</i> | (GRAY) BRITTON | BUTTER-CUP, HARVEY'S | FACU+ | FACU-, FACU+ | PNF |
| <i>RANUNCULUS HISPIDUS</i> | MICHX. | BUTTER-CUP, BRISTLY | FAC | FAC, FACW | PNF |
| <i>RANUNCULUS LAXICAILLIS</i> | (TORR. & GRAY) DARBY | BUTTER-CUP, MISSISSIPPI | OBL | OBL | APNEF |
| <i>RANUNCULUS LONGIROSTRIS</i> | GODR. | BUTTER-CUP, LONG-BEAK WATER | OBL | OBL | PNZ/F |
| <i>RANUNCULUS MACRANTHUS</i> | SCHEELE | BUTTER-CUP, LARGE | FACW+ | FACW, FACW+ | PNEF |
| <i>RANUNCULUS MICRANTHUS</i> | NUTT. | BUTTER-CUP, ROCK | FACU+ | FACU, FAC | PNF |
| <i>RANUNCULUS MURICATUS</i> | L. | BUTTER-CUP, SPINY-FRUIT | FACW- | FACW-, FACW+ | APIF |
| <i>RANUNCULUS PARVIFLORUS</i> | L. | BUTTER-CUP, SMALL-FLOWER | FAC | FAC | AIF |
| <i>RANUNCULUS PLATENSIS</i> | SPRENG. | BUTTER-CUP, PRAIRIE | FACW | FAC+, FACW | AIF |
| <i>RANUNCULUS PUSILLUS</i> | POIR. | SPEARWORT, LOW | OBL | FACW+, OBL | ANEF |
| <i>RANUNCULUS RECURVATUS</i> | POIR. | BUTTER-CUP, HOOKED | FACW+ | FAC, FACW+ | PNF |
| <i>RANUNCULUS REPENS</i> | L. | BUTTER-CUP, CREEPING | FACW+ | FAC, FACW+ | PIF |

PSORALEA PSORALIOIDES

RANUNCULUS REPENS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-----------------------------------|----------------------|----------------------------|-------|--------------|-------|
| <i>RANUNCULUS SARDOUS</i> | CRANTZ | BUTTER-CUP, HAIRY | FAC* | UPL, FAC+ | APIF |
| <i>RANUNCULUS SCELERATUS</i> | L. | BUTTER-CUP, CELERY-LEAF | OBL | OBL | APNEF |
| <i>RANUNCULUS SEPTENTRIONALIS</i> | POIR. | BUTTER-CUP, NORTHERN SWAMP | OBL | FACW+, OBL | PNF |
| <i>RANUNCULUS SUBRIGIDUS</i> | W.B. DREW | BUTTER-CUP, POND | OBL | OBL | PNZ/F |
| <i>RELBUNIMUM MICROPHYLLUM</i> | (GRAY) HEMSL. | BEDSTRAW, BRACTED | FAC- | FAC-, FAC | PNF |
| <i>RHAMNUS BETULIFOLIA</i> | GREENE | BUCKTHORN, BIRCH-LEAF | FACU+ | FACU+, FACW- | NST |
| <i>RHAMNUS CAROLINIANA</i> | WALTER | BUCKTHORN, CAROLINA | FACU- | FACU-, FAC | NST |
| <i>RHAMNUS LANCEOLATA</i> | PURSH | BUCKTHORN, LANCE-LEAF | NI | NI | NS |
| <i>RHEXIA ALIFANUS</i> | WALTER | MEADOW-BEAUTY, ROSE | NI | FACW | PNF |
| <i>RHEXIA LUTEA</i> | WALTER | MEADOW-BEAUTY, YELLOW | FACW+ | FACW+ | PNF |
| <i>RHEXIA MARTIANA</i> | L. | MEADOW-BEAUTY, MARYLAND | FACW+ | FACW+, OBL | PNF |
| <i>RHEXIA PETIOLATA</i> | WALTER | MEADOW-BEAUTY, CILIAE | FACW | FACW, OBL | PNF |
| <i>RHEXIA VIRGINICA</i> | L. | MEADOW-BEAUTY, VIRGINIA | OBL | FACW+, OBL | PNF |
| <i>RHODODENDRON CANADENSE</i> | (L.) B.S.P. | RHODORA | NI | FACW | NS |
| <i>RHODODENDRON CANESCENS</i> | (MICHX.) SWEET | AZALEA, HOARY | FACW- | FACW-, FACW | NS |
| <i>RHODODENDRON CORYI</i> | SHINNERS | AZALEA, TEXAS BOG | FACW | FACW | NS |
| <i>RHODODENDRON OBLONGIFOLIUM</i> | (SMALL) MILLAIS | AZALEA, TEXAS | FACW+ | FACW, FACW+ | NS |
| <i>RHODODENDRON PRINOPHYLLUM</i> | (SMALL) MILLAIS | AZALEA, EARLY | FAC+ | FAC, FAC+ | NS |
| <i>RHUS COPALLINUM</i> | L. | SUMAC, WINGED | NI | UPL | NST |
| <i>RHUS TRILOBATA</i> | NUTT. | SUMAC, SMOOTH | NI | FAC? | NS |
| <i>RHYNCHOSPORA ALBA</i> | (L.) VAHL | BEAKRUSH, WHITE | OBL | OBL | PNGL |
| <i>RHYNCHOSPORA CADUCA</i> | ELLIOTT | BEAKRUSH, FALLING | OBL | OBL | PNGL |
| <i>RHYNCHOSPORA CAPILLACEA</i> | TORR. | BEAKRUSH, NEEDLE | OBL | OBL | PNGL |
| <i>RHYNCHOSPORA CAPITELLATA</i> | (MICHX.) VAHL | BEAKRUSH, BROWNISH | OBL | OBL | PNGL |
| <i>RHYNCHOSPORA CEPHALANTHA</i> | GRAY | BEAKRUSH, CLUSTERED | OBL | OBL | PNGL |
| <i>RHYNCHOSPORA CORNICULATA</i> | (LAM.) GRAY | BEAKRUSH, SHORT-BRISTLE | OBL | OBL | PNEGL |
| <i>RHYNCHOSPORA DIVERGENS</i> | M.A. CURT. | BEAKRUSH, SPREADING | OBL | OBL | APNGL |
| <i>RHYNCHOSPORA ELLIOTTII</i> | A. DIETR. | BEAKRUSH, ELLIOTT'S | FACW | FACW | PNGL |
| <i>RHYNCHOSPORA FASCICULARIS</i> | (MICHX.) VAHL | BEAKRUSH, FASCICULATE | OBL | FACW+, OBL | PNGL |
| <i>RHYNCHOSPORA FILIFOLIA</i> | GRAY | BEAKRUSH, THREAD-LEAF | FAC | FAC, FACW- | PNGL |
| <i>RHYNCHOSPORA GLOBULARIS</i> | (CHAPM.) SMALL | BEAKRUSH, GLOBE | FACW | FACW, OBL | PNGL |
| <i>RHYNCHOSPORA GLOMERATA</i> | (L.) VAHL | BEAKRUSH, CLUSTERED | OBL | OBL | PNGL |
| <i>RHYNCHOSPORA GRACILENTA</i> | GRAY | BEAKRUSH, SLENDER | OBL | OBL | PNEGL |
| <i>RHYNCHOSPORA GRAYI</i> | KUNTH | BEAKRUSH, GRAY'S | FAC+ | FACU-, FAC+ | PNGL |
| <i>RHYNCHOSPORA HARVEYI</i> | W. BOOTT | BEAKRUSH, HARVEY'S | FAC+ | FAC, FAC+ | PNGL |
| <i>RHYNCHOSPORA INDIANOLENSIS</i> | SMALL | BEAKRUSH, INDIANOLA | FACW+ | FACW+ | PNGL |
| <i>RHYNCHOSPORA INEXPANSA</i> | (MICHX.) VAHL | BEAKRUSH, NODDING | FACW | FACW | PNGL |
| <i>RHYNCHOSPORA MACRA</i> | (C.B. CLARKE) SMALL | BEAKRUSH, LARGE | OBL | OBL | PNGL |
| <i>RHYNCHOSPORA MACROSTACHYA</i> | TORR. | BEAKRUSH, TALL | OBL | OBL | PNEGL |
| <i>RHYNCHOSPORA MICROCARPA</i> | BALDW. EX GRAY | BEAKRUSH, SOUTHERN | FACW+ | FACW+ | PNGL |
| <i>RHYNCHOSPORA MILIACEA</i> | (LAM.) GRAY | BEAKRUSH, MILLET | NI | OBL | PNEGL |
| <i>RHYNCHOSPORA MIXTA</i> | BRITTON | BEAKRUSH, MINGLED | OBL | OBL | APNGL |
| <i>RHYNCHOSPORA OLIGANTHA</i> | GRAY | BEAKRUSH, FEW-FLOWER | OBL | OBL | PNEGL |
| <i>RHYNCHOSPORA PERPLEXA</i> | BRITTON | BEAKRUSH, PINELAND | OBL | FACW+, OBL | PNGL |
| <i>RHYNCHOSPORA PLUMOSA</i> | ELLIOTT | BEAKRUSH, PLUMED | FACW | FACW | PNGL |
| <i>RHYNCHOSPORA PUSILLA</i> | CHAPM. EX M.A. CURT. | BEAKRUSH, HUMBLE | FACW+ | FACW, FACW+ | PNGL |
| <i>RHYNCHOSPORA RARIFLORA</i> | (MICHX.) ELLIOTT | BEAKRUSH, FEW-FLOWER | OBL | OBL | PNGL |
| <i>RIBES AUREUM</i> | PURSH | CURRANT, GOLDEN | FAC- | FAC-, FACW | NS |
| <i>RIBES CEREUM</i> | DOUGL. | CURRANT, WHITE SQUAW | NI | FACU? | NS |
| <i>RIBES ODORATUM</i> | H.L. WENDL. | CURRANT, BUFFALO | FAC- | FACU, FAC | NS |
| <i>RICINUS COMMUNIS</i> | L. | CASTOR-BEAN | FACU | UPL, FAC- | APIFS |
| <i>ROBINIA PSEUDOACACIA</i> | L. | LOCUST, BLACK | FACU* | UPL, FAC | NT |

RANUNCULUS SARDOUS

ROBINIA PSEUDOACACIA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|------------------------|--------------------|----------------------------|--------|--------------|-------|
| RORIPPA PALUSTRIS | (L.) BESSER | YELLOW-CRESS, BOG | OBL | FAC, OBL | ANEF |
| RORIPPA RAMOSA | ROLLINS | YELLOW-CRESS, DURANGO | FACW- | FACW- | PNF |
| RORIPPA SESSILIFLORA | (NUTT.) A. HITCHC. | YELLOW-CRESS, STALKLESS | OBL | FACW+, OBL | ANEF |
| RORIPPA SINUATA | (NUTT.) A. HITCHC. | YELLOW-CRESS, SPREADING | FACW- | FAC+, FACW | PNF |
| RORIPPA SPHAEROCARPA | (GRAY) BRITTON | YELLOW-CRESS, ROUND-FRUIT | OBL | FAC+, OBL | ANEF |
| RORIPPA TENERRIMA | GREENE | YELLOW-CRESS, MODOC COUNTY | NI | FAC | ANEF |
| RORIPPA TERES | (MICHX.) STUCKEY | YELLOW-CRESS, MARSH | OBL | FACW, OBL | ANEF |
| RORIPPA TRUNCATA | (JEPS.) STUCKEY | YELLOW-CRESS, WILD | NI | FAC, FACW | ANEF |
| ROSA ARKANSANA | T. PORTER | ROSE, PRAIRIE | NI | FAC? | NSH |
| ROSA BRACTEATA | J.C. WENDL. | ROSE, MACARTNEY | FACU* | FACU | IHW |
| ROSA CAROLINA | L. | ROSE, CAROLINA | FACU | UPL, FACU | NS |
| ROSA MICRANTHA | J.E. SMITH | ROSE, SMALL-FLOWER | FACU | FACU-, FACU | IS |
| ROSA SETIGERA | MICHX. | ROSE, PRAIRIE | FACU- | FACU-, FACU+ | NHW |
| ROSA WOODSII | LINDL. | ROSE, WOODS | FACU | UPL, FAC- | NS |
| ROTALA RAMOSIOR | (L.) KOEHNE | TOOTH CUP | OBL | OBL | ANF |
| RUBUS APOGAEUS | L.H. BAILEY | DEWBERRY, FALLING | NI | UPL | NS |
| RUBUS ARGUTUS | LINK | BLACKBERRY, SERRATE-LEAF | NI | FACU-, FAC- | NS |
| RUBUS ARVENSIS | L.H. BAILEY | BLACKBERRY, FIELD | FAC* | FAC-, FAC | NS |
| RUBUS ENSLENI | TRATT. | DEWBERRY, ENSLEN'S | NI | UPL, FACU | NS |
| RUBUS IDAEUS | L. | RASPBERRY, COMMON RED | NI | UPL, FAC | IS |
| RUBUS LOUISIANUS | BERGER | BLACKBERRY, LOUISIANA | FACW- | FACU, FACW- | NS |
| RUBUS OKLAHOMUS | L.H. BAILEY | BLACKBERRY, OKLAHOMA | FAC | FACU, FAC | NS |
| RUBUS STRIGOSUS | MICHX. | RASPBERRY, RED | NI | FACU, FACW | PNS |
| RUBUS SUUS | L.H. BAILEY | BLACKBERRY, BRANCHED | NI | FAC- | NS |
| RUBUS TRIVIALIS | MICHX. | DEWBERRY, SOUTHERN | FAC | FACU, FAC | NS |
| RUDBECKIA FULGIDA | AIT. | CONEFLOWER, ORANGE | NI | FAC, OBL | PNF |
| RUDBECKIA HIRTA | L. | SUSAN, BLACK-EYED | FACU | FACU-, FACU | BPNF |
| RUDBECKIA LACINIATA | L. | CONEFLOWER, CUT-LEAF | FAC+ | FACU, FACW+ | PNF |
| RUDBECKIA MAXIMA | NUTT. | CONEFLOWER, GREAT | FAC+ | FAC+ | PNF |
| RUDBECKIA NITIDA | NUTT. | CONEFLOWER, SHINY | FACU-* | FACU-, FACW- | PNF |
| RUDBECKIA SUBTOMENTOSA | PURSH | CONEFLOWER, SWEET | FAC | FACU+, FAC+ | PNF |
| RUDBECKIA TRILOBA | L. | SUSAN, BROWN-EYED | NI | FACU-, FAC- | PNF |
| RUELLIA BRITTONIANA | E. LEONARD | WILD-PETUNIA, BRITTON'S | NI | FAC | P1F |
| RUELLIA HUMILIS | NUTT. | WILD-PETUNIA, HAIRY | FAC- | UPL, FAC- | PNF |
| RUELLIA NUDIFLORA | (GRAY) URBAN | WILD-PETUNIA, VIOLET | NI | NI | PNHF |
| RUELLIA STREPENS | L. | WILD-PETUNIA, LIMESTONE | FAC | FAC-, FAC+ | PNF |
| RUELLIA X MALACOSPERMA | GREENM. | WILD-PETUNIA, SOFT-SEED | FACW- | FACU, FACW- | P1F |
| RUMEX ACETOSA | L. | SORREL, GARDEN | NI | UPL, FAC | P1F |
| RUMEX ACETOSELLA | L. | SORREL, SHEEP | FACW- | UPL, FACW | P1F |
| RUMEX ALTISSIMUS | A. WOOD | DOCK, PALE | FACW+ | FAC, FACW+ | PNF |
| RUMEX CHRYSOCARPUS | MORIS | AMAMASTLA | FACW | FACW | PNF |
| RUMEX CONGLOMERATUS | MURRAY | DOCK, CLUSTERED | FACW* | FAC, FACW | P1F |
| RUMEX CRISPUS | L. | DOCK, CURLY | FACW | FACU, FACW | P1F |
| RUMEX HASTATULLUS | BALDW. | SORREL, HEART-WING | FAC- | FACU-, FAC | PNF |
| RUMEX MARITIMUS | L. | DOCK, GOLDEN | FACW- | FACW-, OBL | ABNF |
| RUMEX MEXICANUS | MEISN. | DOCK, MEXICAN | FAC- | FAC-, FACW | PNF |
| RUMEX OBTUSIFOLIUS | L. | DOCK, BITTER | FACW- | FACU-, FACW | P1F |
| RUMEX PULCHER | L. | DOCK, FIDDLE | FACW- | FAC-, FACW | P1F |
| RUMEX SPIRALIS | SMALL | DOCK, WINGED | FACW- | FACW- | PNF |
| RUMEX STENOPHYLLUS | LEDEB. | DOCK, NARROW-LEAF | NI | FACW-, FACW+ | P1F |
| RUMEX TRIANGULIVALVIS | (DANSER) RECH. F. | DOCK, TRIANGULAR-VALVE | NI | FACU, FACW | PNF |
| RUMEX VENOSUS | PURSH | DOCK, VEINY | NI | UPL, FACW | PNF |

RORIPPA PALUSTRIS

RUMEX VENOSUS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------------|------------------------|---------------------------|-------|--------------|--------|
| <i>RUMEX VERTICILLATUS</i> | L. | DOCK, SWAMP | FACW+ | FACW, OBL | PNF |
| <i>RUMEX VIOLASCENS</i> | RECH. F. | DOCK, VIOLET | FACW- | FACW-, FACW+ | ABPNF |
| <i>RUPPIA MARITIMA</i> | L. | WIDGEON-GRASS | OBL | OBL | PNZF |
| <i>SABAL MINOR</i> | (JACQ.) PERS. | PALMETTO, DWARF | FACW | FACW | NST |
| <i>SABATIA ANGULARIS</i> | (L.) PURSH | ROSE-GENTIAN, SQUARE-STEM | FAC | FAC, FAC+ | ANF |
| <i>SABATIA ARENICOLA</i> | GREENM. | ROSE-GENTIAN, SAND | FACW- | FACW- | ANF |
| <i>SABATIA CALYCINA</i> | (LAM.) A. HELLER | ROSE-GENTIAN, COAST | FACW+ | FACW+, OBL | PNF |
| <i>SABATIA CAMPANULATA</i> | (L.) TORR. | ROSE-GENTIAN, SLENDER | NI | FACW | PNF |
| <i>SABATIA CAMPESTRIS</i> | NUTT. | ROSE-GENTIAN, PRAIRIE | FACU | FACU | ANF |
| <i>SABATIA DODECANDRA</i> | (L.) B.S.P. | ROSE-GENTIAN, LARGE | OBL | OBL | PNF |
| <i>SABATIA GENTIANOIDES</i> | ELLIOTT | ROSE-GENTIAN, PINEWOODS | FACW+ | FACW+, OBL | ANF |
| <i>SACCIOLEPIS INDICA</i> | (L.) CHASE | GRASS, GLENWOOD | NI | FAC | AIG |
| <i>SACCIOLEPIS STRIATA</i> | (L.) NASH | CUPSCALE, AMERICAN | OBL | OBL | PNG |
| <i>SAGINA DECUMBENS</i> | (ELLIOTT) TORR. & GRAY | PEARLWORT, TRAILING | FACW | FACU+, FACW | ANF |
| <i>SAGITTARIA AMBIGUA</i> | J.G. SMITH | ARROW-HEAD, KANSAS | OBL | OBL | PNF |
| <i>SAGITTARIA BREVIROSTRA</i> | MACKENZ. & BUSH | ARROW-HEAD, SHORT-BEAK | OBL | OBL | PNF |
| <i>SAGITTARIA CALYCINA</i> | ENGELM. | ARROW-HEAD, HOODED | OBL | OBL | PNF |
| <i>SAGITTARIA CUNEATA</i> | SHELDON | ARROW-HEAD, NORTHERN | OBL | OBL | PNF |
| <i>SAGITTARIA FALCATA</i> | PURSH | ARROW-HEAD, COASTAL | OBL | OBL | PNF |
| <i>SAGITTARIA GRAMINEA</i> | MICHX. | ARROW-HEAD, GRASS-LEAF | OBL | OBL | PNF |
| <i>SAGITTARIA LANCIFOLIA</i> | L. | ARROW-HEAD, BULL-TONGUE | OBL | OBL | PNF |
| <i>SAGITTARIA LATIFOLIA</i> | WILLD. | ARROW-HEAD, BROAD-LEAF | OBL | OBL | PNF |
| <i>SAGITTARIA LONGILOBA</i> | ENGELM. | ARROW-HEAD, LONG-BARB | OBL | OBL | PNF |
| <i>SAGITTARIA MONTEVIDENSIS</i> | CHAM. & SCHLECHT. | ARROW-HEAD, LONG-LOBED | OBL | OBL | PIEF |
| <i>SAGITTARIA PAPILLOSA</i> | BUCHENAU | ARROW-HEAD, NIPPLE-BRACT | OBL | OBL | PNF |
| <i>SAGITTARIA PLATYPHYLLA</i> | (ENGELM.) J.G. SMITH | ARROW-HEAD, DELTA | OBL | OBL | PNF |
| <i>SALICORNIA BIGELOVII</i> | TORR. | GLASSWORT, DWARF | OBL* | OBL | ANF\$F |
| <i>SALICORNIA PERENNIS</i> | MILL. | GLASSWORT, WOODY | NI | OBL | PNF\$F |
| <i>SALICORNIA UTAHENSIS</i> | TIDEST. | GLASSWORT, UTAH | FACW* | FACW, OBL | PNF\$H |
| <i>SALICORNIA VIRGINICA</i> | L. | GLASSWORT, VIRGINIA | OBL* | OBL | NE\$H |
| <i>SALIX AMYGDALOIDES</i> | ANDERS. | WILLOW, PEACH-LEAF | FACW | FACW | NT |
| <i>SALIX BABYLONICA</i> | L. | WILLOW, WEeping | FACW- | FAC+, FACW | IT |
| <i>SALIX CAROLINIANA</i> | MICHX. | WILLOW, COASTAL-PLAIN | FACW+ | FACW+, OBL | NT |
| <i>SALIX EXIGUA</i> | NUTT. | WILLOW, SANDBAR | FACW+ | FACW, OBL | NS |
| <i>SALIX FRAGILIS</i> | L. | WILLOW, CRACK | NI | FAC, FAC+ | IT |
| <i>SALIX GOODINGII</i> | C.R. BALL | WILLOW, GOODING | FACW+ | FACW, OBL | NT |
| <i>SALIX HUMILIS</i> | MARSHALL | WILLOW, TALL PRAIRIE | FACU | FACU | NS |
| <i>SALIX LASIOLEPIS</i> | BENTH. | WILLOW, ARROYO | FACW | FACW | NS |
| <i>SALIX NIGRA</i> | MARSHALL | WILLOW, BLACK | FACW+ | UPL, OBL | NT |
| <i>SALIX PETIOLARIS</i> | J.E. SMITH | WILLOW, MEADOW | OBL | FACW+, OBL | NS |
| <i>SALIX TAXIFOLIA</i> | H.B.K. | WILLOW, YEW-LEAF | FAC+ | FAC+, FACW- | NT |
| <i>SALSOLA KALI</i> | L. | THISTLE, RUSSIAN | FACU | FACU-, FACU+ | AIF |
| <i>SALSOLA PESTIFER</i> | A. NELS. | THISTLE, RUSSIAN | FACU | FACU-, FACU | I |
| <i>SALVIA LYCIOIDES</i> | GRAY | SAGE, CANYON | FACU | FACU | NS |
| <i>SALVIA LYRATA</i> | L. | SAGE, LYRE-LEAF | FAC | UPL, FACW- | PNF |
| <i>SALVIA PENSTEMONOIDES</i> | KUNTH & C. BOUCHE | SAGE, BIG RED | FACW+ | FACW+ | PNF |
| <i>SAMBUCUS CANADENSIS</i> | L. | ELDER, AMERICAN | FAC+ | UPL, FACW | NS |
| <i>SAMBUCUS CERULEA</i> | RAF. | ELDER, BLUE | FAC- | FACU, FAC | NST |
| <i>SAMBUCUS MEXICANA</i> | K. PRESL EX DC. | ELDER, MEXICAN | FAC | FACU, FAC | NST |
| <i>SAMOLUS CUNEATUS</i> | SMALL | BROOKWEED, LIMEROCK | FACW+ | FACW+, OBL | PNF |
| <i>SAMOLUS EBRACTEATUS</i> | H.B.K. | PIMPERNEL, COAST WATER | FACW* | FACW, OBL | PNF |
| <i>SAMOLUS PARVIFLORUS</i> | RAF. | PIMPERNEL, WATER | OBL* | OBL | PNF |

RUMEX VERTICILLATUS

SAMOLUS PARVIFLORUS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------------|--------------------------------|----------------------------|-------|--------------|--------|
| <i>SANICULA GREGARIA</i> | BICKN. | BLACK-SNAKEROOT, CLUSTERED | FAC | FACU, FAC+ | PNF |
| <i>SAPINDUS SAPONARIA</i> | L. | SOAPBERRY, WING-LEAF | FACU- | UPL, FACU | NT |
| <i>SAPIUM SEBIFERUM</i> | (L.) ROXB. | TALLOW-TREE, CHINESE | FACU+ | FACU+, FAC | IT |
| <i>SAPONARIA OFFICINALIS</i> | L. | BOUNCING-BET | FACU | UPL, FACU | PIF |
| <i>SARCOBATUS VERMICULATUS</i> | (HOOK.) TORR. | GREASEWOOD, BLACK | FACU+ | FACU, FACU+ | NS |
| <i>SARCOSTEMMA CYNANCHOIDES</i> | DECNE. | TWINEVINE, COMMON CLIMBING | FACU* | FACU, FAC | PNVH |
| <i>SARRACENIA ALATA</i> | A. WOOD | TRUMPETS, YELLOW | OBL | OBL | PNEF |
| <i>SASSAFRAS ALBIDUM</i> | (NUTT.) NEES | SASSAFRAS | FACU | FACU-, FACU | NT |
| <i>SATUREJA ARKANSANA</i> | (NUTT.) BRIQ. | SAVORY, LIMESTONE | FAC- | FACU, FACW | PNF |
| <i>SATUREJA BROWNEI</i> | (SWARTZ) BRIQ. | SAVORY, BROWN'S | OBL | OBL | PNF |
| <i>SAURURUS CERNUUS</i> | L. | TAIL, LIZARD'S | OBL | OBL | PNEF |
| <i>SAXIFRAGA TEXANA</i> | BUCKLEY | SAXIFRAGE, TEXAS | FACW | FAC, FACW | PNF |
| <i>SAXIFRAGA VIRGINIENSIS</i> | MICHX. | SAXIFRAGE, VIRGINIA | FAC | FAC-, FAC | PNF |
| <i>SCAEOVOLA PLUMIERI</i> | (L.) VAHL | NAUPAKA, PLUMIER'S | FAC | FAC | PN\$SF |
| <i>SCHIZACHYRIUM SCOPARIUM</i> | (MICHX.) NASH | BLUESTEM, LITTLE | FACU+ | FACU-, FACU+ | PNG |
| <i>SCHOENOLIRION GROCEUM</i> | (MICHX.) A. WOOD | SUNNY-BELL, YELLOW | OBL | OBL | PNF |
| <i>SCHOENOLIRION TEXANUM</i> | (SCHEELE) GRAY | SUNNY-BELL, TEXAS | FACW+ | FACW+, OBL | PNF |
| <i>SCHOENUS NIGRICANS</i> | L. | BLACK-SEDGE | OBL | OBL | PNGL |
| <i>SCIRPUS ACUTUS</i> | MUHL. EX BIGEL. | BULRUSH, HARD-STEM | OBL | OBL | PNEGL |
| <i>SCIRPUS AMERICANUS</i> | PERS. | BULRUSH, OLNEY'S | OBL | OBL | PNEGL |
| <i>SCIRPUS ATROVIRENS</i> | WILLD. | BULRUSH, GREEN | OBL | OBL | PNEGL |
| <i>SCIRPUS CALIFORNICUS</i> | (C.A. MEYER) STEUD. | BULRUSH, CALIFORNIA | OBL | OBL | PNEGL |
| <i>SCIRPUS CUBENSIS</i> | POEPP. & KUNTH | BULRUSH, CUBAN | OBL | OBL | PNEGL |
| <i>SCIRPUS CYPERINUS</i> | (L.) KUNTH | WOOL-GRASS | OBL | FACW+, OBL | PNEGL |
| <i>SCIRPUS DIVARICATUS</i> | ELLIOTT | BULRUSH, SPREADING | NI | OBL | PNEGL |
| <i>SCIRPUS ERECTUS</i> | POIR. | BULRUSH, SHARP-SCALE | OBL | OBL | PNEGL |
| <i>SCIRPUS ETUBERCULATUS</i> | (STEUD.) KUNTZE | BULRUSH, CANBY'S | OBL | OBL | PNZGL |
| <i>SCIRPUS GEORGIANUS</i> | R.M. HARPER | BULRUSH, DARK-GREEN | OBL | OBL | PNEGL |
| <i>SCIRPUS HALLII</i> | GRAY | BULRUSH, HALL'S | OBL | OBL | PNEGL |
| <i>SCIRPUS HETEROCHAETUS</i> | CHASE | BULRUSH, SLENDER | OBL | OBL | PNEGL |
| <i>SCIRPUS KOILOLEPIS</i> | (STEUD.) GLEASON | BULRUSH, KEELED | NI | FACW+, OBL | ANGL |
| <i>SCIRPUS MARITIMUS</i> | L. | BULRUSH, SALT MARSH | NI | OBL | PNEGL |
| <i>SCIRPUS MOLESTUS</i> | M. JOHNST. | BULRUSH, GULF COAST | OBL | OBL | ANGL |
| <i>SCIRPUS PALLIDUS</i> | (BRITTON) FERNALD | BULRUSH, CLOAKED | OBL | OBL | PNEGL |
| <i>SCIRPUS PENDULLUS</i> | MUHL. | BULRUSH, DROOPING | OBL | OBL | PNEGL |
| <i>SCIRPUS PUNGENS</i> | VAHL | BULRUSH, THREE-SQUARE | OBL | FACW+, OBL | PNEGL |
| <i>SCIRPUS ROBUSTUS</i> | PURSH | BULRUSH, ALKALI | OBL | OBL | PNEGL |
| <i>SCIRPUS SAXIMONTANUS</i> | FERNALD | BULRUSH, ROCKY MOUNTAIN | OBL | OBL | PNEGL |
| <i>SCIRPUS VALIDUS</i> | VAHL | BULRUSH, SOFT-STEM | OBL | OBL | PNEGL |
| <i>SCLERANTHUS ANNUUS</i> | L. | KNAWEL, ANNUAL | FACU | UPL, FACU | AIF |
| <i>SCLERIA BALDWINII</i> | (TORR.) STEUD. | NUTRUSH, BALDWIN'S | FACW+ | FACW+ | PNGL |
| <i>SCLERIA CILIATA</i> | MICHX. | NUTRUSH, FRINGED | FAC | FAC | PNGL |
| <i>SCLERIA GEORGIANA</i> | E.L. CORE | NUTRUSH, GEORGIA | FACW+ | FACW, FACW+ | PNGL |
| <i>SCLERIA MINOR</i> | (BRITTON) W. STONE | NUTRUSH, SLENDER | FACW- | FACW-, FACW | GL |
| <i>SCLERIA OLIGANTHA</i> | MICHX. | NUTRUSH, LITTLE-HEAD | FAC | FACU, FAC | PNGL |
| <i>SCLERIA PAUCIFLORA</i> | MUHL. EX WILLD. NOMEN SUPERFL. | NUTRUSH, FEW-FLOWER | FACW | FACU, FACW | PNGL |
| <i>SCLERIA RETICULARIS</i> | MICHX. | NUTRUSH, NETTED | OBL | OBL | ANGL |
| <i>SCLERIA SETACEA</i> | POIR. | NUTRUSH, TORREY'S | FAC | FAC, FAC+ | PNGL |
| <i>SCLERIA TRIGLOMERATA</i> | MICHX. | NUTRUSH, WHIP | FAC | FACU+, FAC | PNGL |
| <i>SCLERIA VERTICILLATA</i> | MUHL. EX WILLD. | NUTRUSH, LOW | OBL | OBL | ANGL |
| <i>SCOPARIA DULCIS</i> | L. | WEED, LICORICE | FACU* | FACU, FAC | AIF |
| <i>SCROPHULARIA LANCEOLATA</i> | PURSH | FIGWORT, LANCE-LEAF | NI | UPL, FACW | PNF |

SANICULA GREGARIA

SCROPHULARIA LANCEOLATA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|----------------------------|---------------------------|-----------------------------|-------|--------------|-------|
| SCROPHULARIA MARILANDICA | L. | SQUARE, CARPENTER'S | NI | FACU- | PNF |
| SCUTELLARIA CARDIOPHYLLA | ENGELM. & GRAY | SKULLCAP, HEART-LEAF | FAC | FAC | ANF |
| SCUTELLARIA GALERICULATA | L. | SKULLCAP, HOODED | FACW+ | FACW+, OBL | PNF |
| SCUTELLARIA INTEGRIFOLIA | L. | SKULLCAP, HYSSOP | FACW- | FAC, FACW | PNF |
| SCUTELLARIA LATERIFLORA | L. | SKULLCAP, BLUE | FACW+ | FACW, OBL | PNF |
| SCUTELLARIA OVATA | J. HILL | SKULLCAP, EGG-LEAF | FACU | FACU | PNF |
| SEBASTIANA FRUTICOSA | (W. BARTRAM) FERNALD | SEBASTIAN-BUSH, GULF | FAC | FAC, FACW | NS |
| SEDUM PULCHELLUM | MICHX. | STONECROP, ROCK | NA* | UPL, FACU | ABNSF |
| SELAGINELLA APODA | (L.) SPRING | SPIKE-MOSS, MEADOW | FACW- | FACW-, FACW+ | PNC |
| SELENIA DISSECTA | TORR. & GRAY | SELENIA, TEXAS | FACW+ | FACW+ | ANF |
| SELENIA GRANDIS | R.F. MARTIN | SELENIA, LARGE | FACW+ | FACW+ | ANF |
| SELENIA JONESII | CORY | SELENIA, JONES' | FACW | FACW | ANF |
| SENECIO AUREUS | L. | RAGWORT, GOLDEN | NI | FACW | PNF |
| SENECIO GLABELLUS | POIR. | GROUNDSEL, GRASS-LEAF | FACW | FACW, OBL | ANF |
| SENECIO IMPARIPINNATUS | KLATT | GROUNDSEL, THREAD-LEAF | NI | FACW, FACW+ | ANF |
| SENECIO OBOVATUS | MUHL. EX WILLD. | GROUNDSEL, ROUND-LEAF | NI | FACU-, FACU+ | PNF |
| SENECIO PLATTENSIS | NUTT. | GROUNDSEL, PRAIRIE | NI | UPL, FACU | BPNF |
| SENECIO TOMENTOSUS | MICHX. | GROUNDSEL, WOOLLY | NI | FACU, FAC- | PNF |
| SENECIO VULGARIS | L. | GROUNDSEL, COMMON | NI | UPL, FAC | AIF |
| SESBANIA DRUMMONDII | (RYDB.) CORY | RATTLE-BUSH, DRUMMOND'S | FACW | FACW | NSH |
| SESBANIA EXALTATA | (RAF.) RYDB. | HEMP, SESBANIA | FACW- | FAC, FACW | ANF |
| SESBANIA PUNICEA | (CAV.) BENTH. | RATTLE-BUSH, PURPLE | FACW- | FAC+, FACW- | IS |
| SESBANIA VESICARIA | (JACQ.) ELLIOTT | RATTLE-BUSH, BAG-POD | FAC+ | FAC+ | ANF |
| SESUVIUM ERECTUM | CORRELL | SEA-PURSLANE, RIO GRANDE | FACW | FACW | PNSF |
| SESUVIUM MARITIMUM | (WALTER) B.S.P. | SEA-PURSLANE, PUERTO RICO | FACW | FACW | ANSF |
| SESUVIUM PORTULACASTRUM | (L.) L. | SEA-PURSLANE | FACW | FACW | PNSF |
| SESUVIUM SESSILE | PERS. | SEA-PURSLANE, WESTERN | FACW | FACW | PNSF |
| SESUVIUM TRIANTHEMOIDES | CORRELL | SEA-PURSLANE, TEXAS | OBL* | OBL | ANSF |
| SESUVIUM VERRUCOSUM | RAF. | SEA-PURSLANE, VERRUCOSE | FACW- | FACW-, FACW+ | APNSF |
| SETARIA GENICULATA | (LAM.) BEAUV. | GRASS, KNOTROOT BRISTLE | FAC | FAC | PNG |
| SETARIA GLAUCA | (L.) BEAUV. | GRASS, YELLOW BRISTLE | FAC | FACU, FAC | AIG |
| SETARIA ITALICA | (L.) BEAUV. | GRASS, FOX-TAIL BRISTLE | FACU | FACU, FAC | AIG |
| SETARIA MAGNA | GRISEB. | GRASS, GIANT BRISTLE | FACW | FACW, FACW+ | ANEG |
| SETARIA VERTICILLATA | (L.) BEAUV. | GRASS, BUR BRISTLE | FAC | FACU, FAC | AIG |
| SHINNERSIA RIVULARIS | (GRAY) R.M. KING & H. ROB | | OBL | OBL | N |
| SIBARA VIRGINICA | (L.) ROLLINS | ROCKCRESS, VIRGINIA | NI | UPL, OBL | ANF |
| SICYOS ANGULATUS | L. | BUR-CUCUMBER, ONE-SEED | FACW- | FACU, FACW- | ANF |
| SIDA RHOMBIFOLIA | L. | SIDA, ARROW-LEAF | FACU | UPL, FACU | APIFH |
| SIDALCEA NEOMEXICANA | GRAY | CHECKER-MALLOW, NEW MEXICO | FACW | FACW | PNFH |
| SILPHIUM PERFOLIATUM | L. | CUP-PLANT | NI | FACU, FACW | PNF |
| SISYMBRIUM ALTISSIMUM | L. | MUSTARD, TALL TUMBLE | FACU+ | UPL, FAC | ABIF |
| SISYRINCHIUM ALBIDUM | RAF. | BLUE-EYE-GRASS, WHITE | FACU | UPL, FACU | PNF |
| SISYRINCHIUM ANGUSTIFOLIUM | MILL. | BLUE-EYE-GRASS, POINTED | FACW- | FACU, FACW- | PNF |
| SISYRINCHIUM ATLANTICUM | BICKN. | BLUE-EYE-GRASS, EASTERN | FACW | FACW-, FACW | PNF |
| SISYRINCHIUM BIFORME | BICKN. | BLUE-EYE-GRASS, WIRY | FACW- | FAC, FACW- | PNF |
| SISYRINCHIUM DEMISSUM | GREENE | BLUE-EYE-GRASS, STIFF | OBL | OBL | PNF |
| SISYRINCHIUM DIMORPHUM | R. OLIVER | BLUE-EYE-GRASS, TRANS PECOS | FAC+ | FAC+ | PNF |
| SISYRINCHIUM EXILE | BICKN. | BLUE-EYE-GRASS, YELLOW | FACW | FAC, FACW | AIF |
| SISYRINCHIUM IDAHOENSE | BICKN. | BLUE-EYE-GRASS, IDAHO | OBL | FACW, OBL | PNF |
| SISYRINCHIUM MINUS | ENGELM. & GRAY | BLUE-EYE-GRASS, LEAST | FACU+ | FACU+ | ANF |
| SISYRINCHIUM MONTANUM | GREENE | BLUE-EYE-GRASS, STRICT | FAC+ | FACU, FACW | PNF |
| SISYRINCHIUM ROSULATUM | BICKN. | BLUE-EYE-GRASS, ANNUAL | FAC | FAC | APNF |

SCROPHULARIA MARILANDICA

SISYRINCHIUM ROSULATUM

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|----------------------------------|-------------------------------|-------------------------------|-------|--------------|-------|
| <i>SISYRINCHIUM SAGITTIFERUM</i> | BICKN. | BLUE-EYE-GRASS, SPEAR-BRACT | FACW+ | FAC, FACW+ | PNEF |
| <i>SITANION HYSTRIX</i> | (NUTT.) J.G. SMITH | SQUIRREL-TAIL, BOTTLEBRUSH | FACU- | UPL, FACU | PNG |
| <i>SIUM SUAVE</i> | WALTER | WATER-PARSNIP, HEMLOCK | OBL | OBL | PNEF |
| <i>SMILACINA RACEMOSA</i> | (L.) DESF. | FALSE-SOLOMON'S-SEAL, FEATHER | FAC- | FACU-, FAC | PNF |
| <i>SMILACINA STELLATA</i> | (L.) DESF. | FALSE-SOLOMON'S-SEAL, STARRY | FAC- | FACU, FACW | PNF |
| <i>SMILAX BONA-NOX</i> | L. | GREENBRIER, SAW | FAC | FACU, FAC | NHV |
| <i>SMILAX HERBACEA</i> | L. | CARRION-FLOWER, SMOOTH | FAC | FAC | PNVF |
| <i>SMILAX HISPIDA</i> | MUHL. EX TORR. | GREENBRIER, BRISTLY | FAC | FAC, FAC+ | NWVS |
| <i>SMILAX LAURIFOLIA</i> | L. | GREENBRIER, LAUREL-LEAF | OBL | FACW+, OBL | NWV |
| <i>SMILAX ROTUNDIFOLIA</i> | L. | GREENBRIER, COMMON | FAC | FAC | NWV |
| <i>SMILAX SMALLII</i> | MORONG | GREENBRIER, LANCE-LEAF | FACU | FACU | NWV |
| <i>SMILAX WALTERI</i> | PURSH | GREENBRIER, CORAL | OBL* | OBL | NWV |
| <i>SOLANUM AMERICANUM</i> | MILL. | NIGHTSHADE, BLACK | FACU+ | FACU-, FAC | ANF |
| <i>SOLANUM DOUGLASII</i> | DUNAL | NIGHTSHADE, GREENSPOT | FAC- | FACU, FAC | APNF |
| <i>SOLANUM NIGRUM</i> | L. | NIGHTSHADE, BLACK | NI | FACU-, FACU+ | AIF |
| <i>SOLIDAGO ALTISSIMA</i> | L. | GOLDEN-ROD, TALL | FACU | FACU-, FACU+ | PNF |
| <i>SOLIDAGO BOOTTII</i> | HOOK. | GOLDEN-ROD, BOOTT | FACU | UPL, FACU | PNF |
| <i>SOLIDAGO CAESIA</i> | L. | GOLDEN-ROD, WREATH | FACU | FACU | PNF |
| <i>SOLIDAGO CANADENSIS</i> | L. | GOLDEN-ROD, CANADA | FACU+ | FACU, FACU+ | PNF |
| <i>SOLIDAGO ELONGATA</i> | NUTT. | GOLDEN-ROD, CREEK | NI | FACU, FAC- | PNF |
| <i>SOLIDAGO FLEXICAULIS</i> | L. | GOLDEN-ROD, ZIGZAG | NI | FACU | PNF |
| <i>SOLIDAGO GIGANTEA</i> | AIT. | GOLDEN-ROD, GIANT | FAC | FAC, FACW | PNF |
| <i>SOLIDAGO PATULA</i> | MUHL. EX WILLD. | GOLDEN-ROD, ROUGH-LEAF | NI | OBL | PNF |
| <i>SOLIDAGO RIGIDA</i> | L. | GOLDEN-ROD, STIFF | FACU | UPL, FACU | PNF |
| <i>SOLIDAGO RUGOSA</i> | MILL. | GOLDEN-ROD, WRINKLED | FAC | FAC, FAC+ | PNF |
| <i>SOLIDAGO SALICINA</i> | ELLIOTT | GOLDEN-ROD, WILLOW | FACW | FACW, OBL | PNF |
| <i>SOLIDAGO SEMPERVIRENS</i> | L. | GOLDEN-ROD, SEASIDE | FACW- | FACW-, FACW | PNF |
| <i>SOLIDAGO STRICTA</i> | AIT. | GOLDEN-ROD, WILLOW-LEAF | FACW- | FACW-, OBL | PNF |
| <i>SONCHUS ARVENSIS</i> | L. | SOWTHISTLE, FIELD | NI | UPL, FAC | PIF |
| <i>SONCHUS ASPER</i> | (L.) J. HILL | SOWTHISTLE, PRICKLY | FAC- | FACU, FACW | AIF |
| <i>SORGHASTRUM NUTANS</i> | (L.) NASH | GRASS, INDIAN | FACU | UPL, FACW | PNG |
| <i>SORGHUM BICOLOR</i> | (L.) MOENCH | BROOM-CORN | FACU* | UPL, FAC | AIG |
| <i>SORGHUM HALEPENSE</i> | (L.) PERS. | GRASS, JOHNSON | FACU | FACU, FACU+ | PIG |
| <i>SPARGANIUM AMERICANUM</i> | NUTT. | BURREED, AMERICAN | OBL | OBL | PNEF |
| <i>SPARGANIUM ANDROCLADUM</i> | (ENGELM.) MORONG | BURREED, BRANCHING | OBL | OBL | PNEF |
| <i>SPARGANIUM EURYCARPUM</i> | ENGELM. EX GRAY | BURREED, GIANT | OBL | OBL | PNEF |
| <i>SPARTINA ALTERNIFLORA</i> | LOISELEUR | CORDGRASS, SALT MARSH | OBL | OBL | PNEG |
| <i>SPARTINA CYNOSUROIDES</i> | (L.) ROTH | CORDGRASS, BIG | OBL | OBL | PNEG |
| <i>SPARTINA PATENS</i> | (AIT.) MUHL. | CORDGRASS, SALT MEADOW | FACW | FACW, OBL | PNG |
| <i>SPARTINA PECTINATA</i> | LINK | CORDGRASS, PRAIRIE | FACW+ | FACW, OBL | PNG |
| <i>SPARTINA SPARTINAE</i> | (TRIN.) MERRILL EX A. HITCHC. | CORDGRASS, GULF | FACW+ | FACW+, OBL | PNG |
| <i>SPERGULARIA ECHINOSPERMA</i> | (CELAK.) CELAK. | SANDSPURRY, BRISTLE-SEED | OBL* | OBL | AIF |
| <i>SPERGULARIA MARINA</i> | (L.) GRISEB. | SANDSPURRY, SALT MARSH | OBL* | OBL | ANF |
| <i>SPERGULARIA PLATENSIS</i> | (CAMBESS.) FENZL | SANDSPURRY, LA PLATA | FACW+ | FACW+, OBL | AIF |
| <i>SPERMACOCE GLABRA</i> | MICHX. | BUTTON-PLANT, SMOOTH | FACW | FACW, FACW+ | PNF |
| <i>SPERMACOCE TENUIOR</i> | L. | BUTTON-PLANT, SLENDER | FACW | FACU, FACW | ANF |
| <i>SPERMOLEPIS DIVARICATA</i> | (WALTER) RAF. EX SERINGE | SPERMOLEPIS, ROUGH-FRUIT | FACW | FACU, FACW | ANF |
| <i>SPHAEROPHYSA SALSULA</i> | (PALLAS) DC. | SWAINSONPEA, ALKALI | NI | UPL, FAC | PIF |
| <i>SPHENOCLEA ZEYLANICA</i> | GAERTN. | CHICKEN-SPIKE | OBL | OBL | AIEF |
| <i>SPHENOPHOLIS FILIFORMIS</i> | (CHAPM.) SCRIBN. | WEDGESCALE, LONG-LEAF | FACW+ | UPL, FACW+ | PNG |
| <i>SPHENOPHOLIS OBTUSATA</i> | (MICHX.) SCRIBN. | WEDGEGRASS, PRAIRIE | FACW+ | FAC-, FACW+ | APNG |
| <i>SPILANTHES AMERICANA</i> | (MUTIS) HIERON. | SPOTFLOWER, CREEPING | NI | FACW, FACW+ | PNF |

SISYRINCHIUM SAGITTIFERUM

SPILANTHES AMERICANA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------------|----------------------------------|-----------------------------------|-------|--------------|-------|
| <i>SPIRANTHES BREVILABRIS</i> | LINDL. | LADIES'-TRESSES, TEXAS | FAC- | FAC-, FACW- | PNF |
| <i>SPIRANTHES CERNUA</i> | (L.) L.C. RICH. | LADIES'-TRESSES, NODDING | FACW+ | FACW-, FACW+ | PNF |
| <i>SPIRANTHES DURANGENSIS</i> | AMES & SCHWEINF. | LADIES'-TRESSES, DURANGO | FAC* | FAC | PNF |
| <i>SPIRANTHES LACERA</i> | (RAF.) RAF. | LADIES'-TRESSES, NORTHERN SLENDER | FAC | FACU-, FAC+ | PNF |
| <i>SPIRANTHES LACINIATA</i> | (SMALL) AMES | LADIES'-TRESSES, LACE-LIP | OBL | FACW+, OBL | PNF |
| <i>SPIRANTHES LONGILABRIS</i> | LINDL. | LADIES'-TRESSES, GIANT SPIRAL | FACW | FACW, OBL | PNF |
| <i>SPIRANTHES ODORATA</i> | (NUTT.) LINDL. | LADIES'-TRESSES, FRAGRANT | OBL | OBL | PNF |
| <i>SPIRANTHES OVALIS</i> | LINDL. | LADIES'-TRESSES, OVAL | FAC* | FAC | PNF |
| <i>SPIRANTHES PRAECOX</i> | (WALTER) S. WATS. | LADIES'-TRESSES, GRASS LEAF | FACW | FACW, OBL | PNF |
| <i>SPIRANTHES VERNALIS</i> | ENGELM. & GRAY | LADIES'-TRESSES, SPRING | FACW- | FAC, FACW- | PNF |
| <i>SPIRODELA OLIGORRHIZA</i> | (KURZ) HEGELM. | DUCKWEED | OBL | OBL | PN/F |
| <i>SPIRODELA POLYRHIZA</i> | (L.) SCHLEID. | DUCKWEED, GREATER | OBL | OBL | PI/F |
| <i>SPOROBOLUS AIROIDES</i> | (TORR.) TORR. | SACATON, ALKALI | FAC | FAC-, FAC+ | PNG |
| <i>SPOROBOLUS CRYPTANDRUS</i> | (TORR.) GRAY | DROPSEED, SAND | FACU- | UPL, FACU | PNG |
| <i>SPOROBOLUS DOMINGENSIS</i> | (TRIN.) KUNTH | DROPSEED, CORAL | NI | FACU | PNG |
| <i>SPOROBOLUS FLEXUOSUS</i> | (THURB.) RYDB. | DROPSEED, MESA | FAC- | UPL, FAC- | PNG |
| <i>SPOROBOLUS INDICUS</i> | (L.) R. BR. | DROPSEED, WEST INDIAN | NI | FACU+ | PIG |
| <i>SPOROBOLUS JACQUEMONTII</i> | KUNTH | RUSH-GRASS, WEST INDIAN | NI | NI | G |
| <i>SPOROBOLUS NEGLECTUS</i> | NASH | DROPSEED, PUFF SHEATH | NI | UPL, FACU- | ANG |
| <i>SPOROBOLUS PYRAMIDATUS</i> | (LAM.) A. HITCHC. | DROPSEED, WHORLED | FAC | UPL, FAC | PNG |
| <i>SPOROBOLUS TEXANUS</i> | VASEY | DROPSEED, TEXAS | FAC | FAC | PNG |
| <i>SPOROBOLUS VAGINIFLORUS</i> | (TORR. EX GRAY) TORR. EX A. WOOD | DROPSEED, POVERTY | NI | UPL, FACU | ANG |
| <i>SPOROBOLUS VIRGINICUS</i> | (L.) KUNTH | DROPSEED, SEASHORE | FACW+ | FACW+ | PNG |
| <i>STACHYS AGRARIA</i> | CHAM. & SCHLECHT. | HEDGENETTLE, SHADE | FAC | FACU+, FAC | PNF |
| <i>STACHYS CORDATA</i> | RIDDELL | HEDGENETTLE, NUTTALL'S | NI | FAC | PNF |
| <i>STACHYS EPLINGII</i> | J. NELS. | HEDGENETTLE, EPLING'S | NI | FAC | PNF |
| <i>STACHYS FLORIDANA</i> | SHUTTLEW. EX BENTH. | ARTICHOKE, CHINESE | FAC | FAC | PNF |
| <i>STACHYS PALLISTRIS</i> | L. | HEDGENETTLE, MARSH | NI | FACW, OBL | PI/F |
| <i>STACHYS TENUIFOLIA</i> | WILLD. | HEDGENETTLE, SMOOTH | FACW | FACW-, OBL | PNF |
| <i>STAPHYLEA TRIFOLIA</i> | L. | BLADDERNUT, AMERICAN | FAC | FAC | NST |
| <i>STEINCHISMA HIANS</i> | (ELLIOTT) NASH | GRASS, GAPING PANIC | FACW- | FACW-, OBL | PNG |
| <i>STELLARIA CRASSIFOLIA</i> | EHRH. | STARWORT, FLESHY | FACW | FACW, OBL | PNF |
| <i>STELLARIA MEDIA</i> | (L.) VILLARS | CHICKWEED, COMMON | FACU- | UPL, FACU | AP IF |
| <i>STELLARIA PROSTRATA</i> | BALDW. | STARWORT, PROSTRATE | NI | NI | ANF |
| <i>STEMODIA DURANTIFOLIA</i> | (L.) SWARTZ | STEMODIA, WHITE-WOOLLY | OBL | OBL | ANF |
| <i>STENANTHIUM GRAMINEUM</i> | (KER-GAWL.) MORONG | FEATHER-BELLS, EASTERN | FAC | FAC, FAC | PNF |
| <i>STENOTAPHRUM SECUNDATUM</i> | (WALTER) KUNTZE | GRASS, ST. AUGUSTINE | FAC+ | FAC, FAC+ | PNG |
| <i>STREPTOPUS AMPLEXIFOLIUS</i> | (L.) DC. | TWISTED-STALK, CLASP-LEAF | NI | UPL, OBL | PNF |
| <i>STROPHOSTYLES HELVOLA</i> | (L.) ELLIOTT | WILDBEAN, TRAILING | FACU | FACU-, FAC+ | ANVF |
| <i>STROPHOSTYLES UMBELLATA</i> | (MUHL. EX WILLD.) BRITTON | WILDBEAN, PINK | FACU | FACU, FAC- | PNVF |
| <i>STYLISMA AQUATICA</i> | (WALTER) CHAPM. | MORNING-GLORY, WATER SOUTHERN | FACW- | FACW-, FACW+ | PNFV |
| <i>STYRAX AMERICANA</i> | LAM. | SNOWBELL, AMERICAN | FACW- | FACW-, OBL | NST |
| <i>STYRAX GRANDIFOLIA</i> | AIT. | SNOWBELL, BIG-LEAF | NI | FACU-, FACU | NT |
| <i>STYRAX PLATANIFOLIA</i> | ENGELM. | SNOWBELL, SYCAMORE-LEAF | FAC+ | FAC+ | NST |
| <i>SUAEDA CONFERTA</i> | (SMALL) I. JOHNST. | SEEPWEED | OBL | OBL | NS |
| <i>SUAEDA DEPRESSA</i> | (PURSH) S. WATS. | SEEPWEED, PURSH | FACW- | FACW-, FACW+ | APNF |
| <i>SUAEDA INTERMEDIA</i> | S. WATS. | SEEPWEED, ALKALI | NI | FACU, FAC | NH |
| <i>SUAEDA LINEARIS</i> | (ELLIOTT) MOQ. | SEEPWEED, ANNUAL | OBL | OBL | ANEF |
| <i>SUAEDA MEXICANA</i> | (STANDL.) STANDL. | SEEPWEED, MEXICAN | FACW- | FACW- | ANF |
| <i>SUAEDA NIGRESCENS</i> | I. JOHNST. | SEEPWEED, SMOOTH | OBL | OBL | NFS |
| <i>SUAEDA TORREYANA</i> | S. WATS. NOMEN SUPERFL. | SEEPWEED, TORREY | FACW- | FAC, FACW- | NEH |
| <i>SUCKLEYA SUCKLEYANA</i> | (TORR.) RYDB. | SUCKLEYA, POISON | NI | FAC, OBL | ANF |

SPIRANTHES BREVILABRIS

SUCKLEYA SUCKLEYANA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-----------------------------------|---------------------------|-------------------------------|-------|--------------|-------|
| <i>SYMPHORICARPOS ORBICULATUS</i> | MOENCH | CORAL-BERRY | FACU* | UPL, FAC- | NS |
| <i>SYMPLOCOS TINCTORIA</i> | (L.) L'HER. | HORSE-SUGAR | FAC+ | FAC, FAC+ | NTS |
| <i>TAMARIX AFRICANA</i> | POIR. | TAMARISK, AFRICAN | FACW | FACW | IT |
| <i>TAMARIX APHYLLA</i> | (L.) KARST. | TAMARISK, ATHEL | FACW | FAC, FACW | IT |
| <i>TAMARIX CHINENSIS</i> | LOUREIRO | TAMARISK, CHINESE | FACW | FACW | IT |
| <i>TAMARIX GALLICA</i> | L. | TAMARISK, FRENCH | FACW- | FACW-, FACW | IT |
| <i>TAMARIX PARVIFLORA</i> | DC. | TAMARISK, SMALL-FLOWER | FACW | FAC, FACW | IT |
| <i>TAMARIX RAMOSISSIMA</i> | LEDEB. | SALT CEDAR | FACW | FAC, FACW | IT |
| <i>TARAXACUM OFFICINALE</i> | G.H. WEBER | DANDELION, COMMON | FACU+ | FACU-, FACU+ | PIF |
| <i>TAUSCHIA TEXANA</i> | GRAY | TAUSCHIA, TEXAS | FACW- | FACW- | PNF |
| <i>TAXODIUM DISTICHUM</i> | (L.) L.C. RICH. | CYPRESS, BALD | OBL | OBL | NET |
| <i>TAXODIUM MUCRONATUM</i> | TENORE | CYPRESS, MONTEZUMA BALD | OBL | OBL | NT |
| <i>TEUCRIUM CANADENSE</i> | L. | GERMANDER, AMERICAN | FACW- | FAC+, FACW | PNEF |
| <i>TEUCRIUM CUBENSE</i> | JACQ. | GERMANDER, SMALL COAST | FAC+ | UPL, FACW | APNF |
| <i>THALASSIA TESTUDINUM</i> | K.D. KOENIG | TURTLE-GRASS | OBL | OBL | PNZF |
| <i>THALIA DEALBATA</i> | ROSC. | THALIA, POWDERY | OBL | OBL | PNEF |
| <i>THALICTRUM DASYCARPUM</i> | FISCH. & AVE-LALL. | MEADOW-RUE, PURPLE | FACW- | FAC, FACW | PNF |
| <i>THALICTRUM DEBILE</i> | BUCKLEY | MEADOW-RUE, SOUTHERN | NI | FAC | PNF |
| <i>THALICTRUM FENDLERI</i> | ENGELM. EX GRAY | MEADOW-RUE, FENDLER'S | FAC- | UPL, FAC | PNF |
| <i>THASPIUM BARBINODE</i> | (MICHX.) NUTT. | MEADOW-PARSNIP, HAIRY JOINT | FAC* | UPL, FAC | PNF |
| <i>THELYPTERIS DENTATA</i> | (FORSK.) E. ST. JOHN | FERN, DOWNY MAIDEN | FAC | FAC, FACW | PIF3 |
| <i>THELYPTERIS HEXAGONOPTERA</i> | (MICHX.) WEATHERBY | FERN, BROAD BEECH | FAC | FACU-, FAC | PNF3 |
| <i>THELYPTERIS HISPIDULA</i> | (DECNE) REED | FERN, HAIRY TRI-VEIN | NI | FACU- | F3 |
| <i>THELYPTERIS KUNTHII</i> | (DESV.) MORTON | FERN, WIDESPREAD MAIDEN | FAC | FAC, FACW | PNF3 |
| <i>THELYPTERIS OVATA</i> | R. ST. JOHN EX SMALL | FERN, OVATE MARSH | FACW | UPL, FACW | PNF3 |
| <i>THELYPTERIS THELYPTEROIDES</i> | (MICHX.) J. HOLUB | FERN, MARSH | OBL | FACW+, OBL | F3 |
| <i>THLASPI ARVENSE</i> | L. | PENNY-CRESS, FIELD | NI | FACU? | AIF |
| <i>TILIA AMERICANA</i> | L. | BASSWOOD, AMERICAN | FACU | FACU | NT |
| <i>TIPULARIA DISCOLOR</i> | (PURSH) NUTT. | ORCHID, CRANEFLY | FAC | FACU-, FAC | PNF |
| <i>TOFIELDIA RACEMOSA</i> | (WALTER) B.S.P. | FALSE-ASPHEDEL, COASTAL | OBL | OBL | PNF |
| <i>TOXICODENDRON QUERCIFOLIA</i> | (MICHX.) GREENE | OAK, POISON | FACU | FACU | NS |
| <i>TOXICODENDRON RADICANS</i> | (L.) KUNTZE | IVY, POISON | FAC | FACU, FACW | NWVS |
| <i>TOXICODENDRON RYDBERGII</i> | (SMALL EX RYDB.) GREENE | IVY, RYDBERG POISON | FAC | FACU, FACW | NHS |
| <i>TOXICODENDRON VERNIX</i> | (L.) KUNTZE | SUMAC, POISON | NA* | OBL | N |
| <i>TRACHELOSPERMUM DIFFORME</i> | (WALTER) GRAY | CLIMBING-DOGBANE | FACW | FACW | PNVH |
| <i>TRADESCANTIA BRACTEATA</i> | SMALL EX BRITTON & A. BR. | SPIDER-WORT, LONG-BRACT | NI | UPL, FAC | PNF |
| <i>TRADESCANTIA EDWARDSIANA</i> | THARP | SPIDER-WORT, PLATEAU | FAC- | FAC- | PNF |
| <i>TRADESCANTIA OCCIDENTALIS</i> | (BRITTON) B.B. SMYTH | SPIDER-WORT, PRAIRIE | NI | UPL, FACW | PNF |
| <i>TRADESCANTIA OHIENSIS</i> | RAF. | SPIDER-WORT, OHIO | FACW | FACU, FACW | PNF |
| <i>TRADESCANTIA WRIGHTII</i> | ROSE & BUSH | SPIDER-WORT, WRIGHT'S | FACW | FACW | PNF |
| <i>TREPOCARPUS AETHUSAE</i> | NUTT. | TREPOCARPUS, AETHUSA-LIKE | FACW | FACW | ANF |
| <i>TRIADENUM TUBULOSUM</i> | (WALTER) GLEASON | ST. JOHN'S-WORT, LARGE MARSH | NA* | OBL | PNEF |
| <i>TRIADENUM VIRGINICUM</i> | (L.) RAF. | ST. JOHN'S-WORT, MARSH | OBL | OBL | PNEF |
| <i>TRIADENUM WALTERI</i> | (J.F. GMEL.) GLEASON | ST. JOHN'S-WORT, LARGER MARSH | OBL | OBL | PNEF |
| <i>TRIANHEMA PORTULACASTRUM</i> | L. | HORSE-PURSLANE, DESERT | FACW- | UPL, FACW | APNSF |
| <i>TRIBULUS CISTOIDES</i> | L. | FEVERPLANT, JAMAICA | NI | UPL? | PIF |
| <i>TRICHOCORONIS WRIGHTII</i> | (TORR. & GRAY) GRAY | | NA* | OBL | ANF |
| <i>TRIDENS ALBESCENS</i> | (VASEY) WOOTON & STANDL. | TRIDENS, WHITE | FAC- | FAC-, FAC | PNG |
| <i>TRIDENS AMBIGUUS</i> | (ELLIOTT) J.A. SCHULTES | TRIDENS, PINEBARREN | FAC- | FAC-, FACW+ | PNG |
| <i>TRIDENS OKLAHOMENSIS</i> | (FEATHERLY) FEATHERLY | FLUFFGRASS, OKLAHOMA | FACW* | FACW | PNG |
| <i>TRIDENS STRICTUS</i> | (NUTT.) NASH | TRIDENS, LONG-SPIKE | FAC- | FACU, FACW | PNG |
| <i>TRIFOLIUM DUBIUM</i> | SIBTH. | CLOVER, SUCKLING | NI | UPL, FACU | AIF |

SYMPHORICARPOS ORBICULATUS

TRIFOLIUM DUBIUM

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-------------------------|--------------------------|-----------------------------------|-------|--------------|-------|
| TRIFOLIUM HYBRIDUM | L. | CLOVER, ALSIKE | NI | FACU-, FAC | PIF |
| TRIFOLIUM PRATENSE | L. | CLOVER, RED | FACU+ | FACU-, FAC | BPIF |
| TRIFOLIUM REPENS | L. | CLOVER, WHITE | FACU+ | FACU-, FAC | PIF |
| TRIFOLIUM RESUPINATUM | L. | CLOVER, PERSIAN | NI | UPL, FACU+ | AIF |
| TRIFOLIUM WORMSKJOLDII | LEHM. | CLOVER, COWS | NI | FAC, OBL | PNF |
| TRILLIUM RECURVATUM | L.C. BECK | TRILLIUM, PRAIRIE | FACU* | UPL, FACU | PNF |
| TRILLIUM TEXANUM | BUCKLEY | TRILLIUM, TEXAS | FAC | FACU, FAC | PNF |
| TRIODANIS PERFOLIATA | (L.) NIEUWL. | VENUS* -LOOKING-GLASS, CLASP-LEAF | FAC- | UPL, FAC | ANF |
| TRIPHORA TRIANTHOPHORA | (SWARTZ) RYDB. | POGONIA, NODDING | FACU | UPL, FAC- | PNF |
| TRIPSACUM DACTYLOIDES | (L.) L. | GRASS, EASTERN GAMA | FAC+ | FAC, FACW | PNG |
| TYPHA ANGUSTIFOLIA | L. | CATTAIL, NARROW-LEAF | OBL | OBL | PNEF |
| TYPHA DOMINGENSIS | PERS. | CATTAIL, SOUTHERN | OBL | OBL | PNEF |
| TYPHA LATIFOLIA | L. | CATTAIL, BROAD-LEAF | OBL | OBL | PNEF |
| ULMUS ALATA | MICHX. | ELM, WINGED | FACU | FACU, FACU+ | NT |
| ULMUS AMERICANA | L. | ELM, AMERICAN | FAC | FAC, FACW | NT |
| ULMUS CRASSIFOLIA | NUTT. | ELM, CEDAR | FAC | FAC | NT |
| ULMUS RUBRA | MUHL. | ELM, SLIPPERY | FAC | FAC | NT |
| ULMUS SEROTINA | SARG. | ELM, SEPTEMBER | FAC | UPL, FAC+ | NT |
| UNIOLA PANICULATA | L. | SEA-OATS | FACU | FACU-, FACU | PNG |
| URTICA CHAMAEDRYOIDES | PURSH | NETTLE, HEART-LEAF | FACU | FACU, FAC | ANF |
| URTICA DIOICA | L. | NETTLE, STINGING | FAC | FACU, FACW | PIF |
| UTRICULARIA BIFLORA | LAM. | BLADDERWORT, TWO-FLOWER | OBL | OBL | PNZ/F |
| UTRICULARIA CORNUTA | MICHX. | BLADDERWORT, HORNED | OBL | OBL | APN/F |
| UTRICULARIA FIBROSA | WALTER | BLADDERWORT, FIBROUS | OBL | OBL | PNZ/F |
| UTRICULARIA GIBBA | L. | BLADDERWORT, HUMPED | OBL | OBL | APNZ/ |
| UTRICULARIA INFLATA | WALTER | BLADDERWORT, FLOATING | OBL | OBL | PN/ZF |
| UTRICULARIA JUNCEA | VAHL | BLADDERWORT, RUSH | OBL | OBL | APN/F |
| UTRICULARIA MACRORHIZA | LECONTE | BLADDERWORT, COMMON | OBL | OBL | PN/F |
| UTRICULARIA PURPUREA | WALTER | BLADDERWORT, PURPLE | OBL | OBL | APNZ/ |
| UTRICULARIA RADIATA | SMALL | BLADDERWORT, LITTLE FLOATING | OBL | OBL | APNZ/ |
| UTRICULARIA SUBULATA | L. | BLADDERWORT, ZIGZAG | OBL | OBL | APNF |
| UVULARIA SESSILIFOLIA | L. | BELLWORT, SESSILE-LEAF | NI | FACU-, FAC+ | PNF |
| VACCINIUM AMCENUM | AIT. | BLUEBERRY, HIGHBUSH | FACW- | FACU, FACW | NS |
| VACCINIUM ARBOREUM | MARSHALL | FARKLEBERRY | FACU | FACU | NST |
| VACCINIUM CAESIUM | GREENE | DEERBERRY | FACU | FACU, FAC | NS |
| VACCINIUM CORYMBOSUM | L. | BLUEBERRY, HIGHBUSH | FACW | FACW-, FACW | NS |
| VACCINIUM DARROWII | CAMP | BLUEBERRY, DARROW'S | NI | FACU | NS |
| VACCINIUM ELLIOTTII | CHAPM. | BLUEBERRY, ELLIOTT | FACW- | FAC+, FACW | NS |
| VACCINIUM STAMINEUM | L. | DEERBERRY | FACU+ | FACU-, FACU+ | NS |
| VALERIANA TEXANA | STEYERM. | VALERIAN, GUADALUPE | FAC* | FAC | PNF |
| VALERIANELLA AMARELLA | (LINDL. EX ENGELM.) KROK | CORN SALAD, HAIRY | NI | FAC | ANF |
| VALERIANELLA FLORIFERA | SHINNERS | CORN SALAD, TEXAS | NI | NI | ANF |
| VALERIANELLA RADIATA | (L.) DUFR. | CORN SALAD, BEAKED | NA* | FAC-, FAC+ | ANF |
| VALERIANELLA STENOCARPA | (ENGELM.) KROK | CORN SALAD, NARROW-CELL | NI | FACW | ANF |
| VALERIANELLA TEXANA | DYAL | CORN SALAD, EDWARD'S PLATEAU | FAC+ | FAC+ | ANF |
| VALERIANELLA WOODSIANA | (TORR. & GRAY) WALPERS | CORN SALAD, WOODS' | NA* | FACU, FACW- | ANF |
| VERBENA BONARIENSIS | L. | VERVAIN, SOUTH AMERICAN | FACW+ | FAC+, FACW+ | PIF |
| VERBENA BRACTEATA | LAG. & RODRIG. | VERVAIN, PROSTRATE | FAC | UPL, FACW | APNF |
| VERBENA BRASILIENSIS | VELL. | VERVAIN, BRAZILIAN | NA* | UPL, FACW | AIF |
| VERBENA HASTATA | L. | VERVAIN, BLUE | NA* | FAC, FACW+ | PNF |
| VERBENA MACDOUGALII | A. HELLER | VERVAIN, NEW MEXICAN | FAC- | UPL, FAC- | PNF |
| VERBENA RUNYONII | MOLDENKE | VERVAIN, RIO GRANDE | FACW- | FACW- | ANF |

54

TRIFOLIUM HYBRIDUM

VERBENA RUNYONII

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|-----------------------------|-------------------------------|------------------------|-------|--------------|-------|
| VERBENA SCABRA | VAHL | VERVAIN, SANDPAPER | OBL | FACW, OBL | PNEFS |
| VERBENA URTICIFOLIA | L. | VERVAIN, WHITE | FAC | UPL, FAC+ | APNF |
| VERBESINA ALTERNIFOLIA | (L.) BRITTON | WINGSTEM | FAC | FAC, FACW | PNF |
| VERBESINA ENCELLOIDES | (CAV.) BENTH. & HOOK. EX GRAY | CROWNBEARD, GOLDEN | FAC | FACU-, FAC | ANF |
| VERBESINA OCCIDENTALIS | (L.) WALTER | CROWNBEARD, YELLOW | NI | UPL, FACU | PNF |
| VERBESINA VIRGINICA | L. | CROWNBEARD, WHITE | FACU | UPL, FACU | PNF |
| VERNONIA ARKANSANA | DC. | IRONWEED, BUR | FAC | FAC, FACW | PNF |
| VERNONIA BALDWINII | TORR. | IRONWEED, BALDWIN'S | NI | UPL, FACW- | PNF |
| VERNONIA FASCICULATA | MICHX. | IRONWEED, PRAIRIE | FAC | FAC, FACW | PNF |
| VERNONIA GIGANTEA | (WALTER) TRELEASE | IRONWEED, TALL | FAC | FAC, FACW | PNF |
| VERNONIA LETTERMANNII | ENGELM. | IRONWEED, NARROW-LEAF | OBL | FACW, OBL | PNF |
| VERNONIA MARGINATA | (TORR.) RAF. | IRONWEED, PLAINS | FAC | FAC | PNF |
| VERNONIA MISSURICA | RAF. | IRONWEED, MISSOURI | FACW | FACU+, FACW | PNF |
| VERNONIA TEXANA | (GRAY) SMALL | IRONWEED, TEXAS | NI | UPL | PNF |
| VERONICA AMERICANA | SCHWEINITZ EX BENTH. | SPEEDWELL, AMERICAN | NI | OBL | PNESF |
| VERONICA ANAGALLIS-AQUATICA | L. | SPEEDWELL, WATER | OBL | OBL | BPNEF |
| VERONICA ARVENSIS | L. | SPEEDWELL, CORN | NI | FACU? | AIF |
| VERONICA CATENATA | PENNELL | SPEEDWELL, PINK WATER | NI | OBL | PNEF |
| VERONICA PEREGRINA | L. | SPEEDWELL, PURSLANE | OBL | FACU-, OBL | ANEF |
| VERONICASTRUM VIRGINICUM | (L.) FARW. | CULVER'S-ROOT | FAC | FACU, FACW | PNF |
| VIBURNUM DENTATUM | L. | ARROW-WOOD | FAC | FAC | NTS |
| VIBURNUM NUDUM | L. | VIBURNUM, POSSUM-HAW | FACW+ | FACW+, OBL | NST |
| VIBURNUM PRUNIFOLIUM | L. | BLACK-HAW | FACU+ | FACU, FACU+ | NST |
| VIBURNUM RUFIDULUM | RAF. | BLACK-HAW, RUSTY | FACU- | UPL, FACU | NTS |
| VICIA AMERICANA | MUHL. EX WILLD. | VETCH, AMERICAN PURPLE | NI | FAC? | PNFV |
| VICIA SATIVA | L. | VETCH, COMMON | FAC | UPL, FACW | AIFV |
| VIGNA LUTEOLA | (JACQ.) BENTH. | COMPEA, HAIRY-POD | FACW- | FACW-, FACW | PNFV |
| VIOLA BICOLOR | PURSH | PANSY, FIELD | FAC | UPL, FAC | ANF |
| VIOLA ESCULENTA | ELLIOTT | VIOLET, EDIBLE | NI | FACW-, FACW | PNF |
| VIOLA LANCEOLATA | L. | VIOLET, LANCE-LEAF | NA* | OBL | PNF |
| VIOLA LANGLOISII | GREENE | VIOLET, BAYOU | FACW+ | FACW-, FACW+ | PNF |
| VIOLA MISSOURIENSIS | GREENE | VIOLET, MISSOURI | FACW | FAC, FACW+ | PNF |
| VIOLA NEPHROPHYLLA | GREENE | VIOLET, NORTHERN BOG | FACW | FACW, FACW+ | PNF |
| VIOLA PAPILIONACEA | PURSH | VIOLET, COMMON BLUE | FAC | FACU, FAC | PNF |
| VIOLA PEDATIFIDA | G. DON | VIOLET, PRAIRIE | FACU | UPL, FACU | PNF |
| VIOLA PENNSYLVANICA | MICHX. | VIOLET, SMOOTH YELLOW | FACW- | FACU, FACW | PNF |
| VIOLA PRATINCOLA | GREENE | VIOLET, BLUE PRAIRIE | FAC | FACU, FAC | PNF |
| VIOLA PRIMULIFOLIA | L. | VIOLET, PRIMROSE-LEAF | FAC | FAC, FACW+ | PNF |
| VIOLA PUBESCENS | AIT. | VIOLET, DOWNY YELLOW | FACU | FACU-, FAC- | PNF |
| VIOLA SAGITTATA | AIT. | VIOLET, ARROW-LEAF | FAC- | FAC-, FACW | PNF |
| VIOLA SEPTEMLOBA | LECONTE | VIOLET, SOUTHERN COAST | FAC- | FAC-, FACW | PNF |
| VIOLA SORORIA | WILLD. | VIOLET, WOOLLY BLUE | FAC- | FAC-, FAC | PNF |
| VIOLA VIARUM | POLLARD | VIOLET, TWO-FLOWER | NI | UPL, FACU | PNF |
| VIOLA VILLOSA | WALTER | VIOLET, CAROLINA | FACU | FACU-, FACU | PNF |
| VITIS AESTIVALIS | MICHX. | GRAPE, SUMMER | FAC | UPL, FAC | NWV |
| VITIS ARIZONICA | ENGELM. | GRAPE, CANYON | FACU+ | FACU-, FAC | NWVS |
| VITIS CINEREA | ENGELM. | GRAPE, PIGEON | FACW- | FAC, FACW | NWV |
| VITIS PALMATA | VAHL | GRAPE, CAT | FACW | FACW-, OBL | NWV |
| VITIS RIPARIA | MICHX. | GRAPE, RIVER-BANK | FAC | FACU, FACW | NWV |
| VITIS ROTUNDIFOLIA | MICHX. | GRAPE, MUSCADINE | FAC- | FAC-, FACW | NWV |
| VITIS RUPESTRIS | SCHEELE | GRAPE, SAND | FACU- | UPL, FACU- | NSWV |
| VITIS VULPINA | L. | GRAPE, FROST | FAC | FAC, FACW- | NWV |

VERBENA SCABRA

VITIS VULPINA

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6)

| SCI-NAME | AUTHOR | COMMON-NAME | R6IND | NAT-IND | HABIT |
|---------------------------------------|---|----------------------------------|-------|-------------|-------|
| <i>VULPIA BROMOIDES</i> | (L.) S.F. GRAY | GRASS, BROME SIX-WEEKS | FAC | UPL, FACW | AIG |
| <i>VULPIA MYUROS</i> | (L.) C.C. GMEL. | FESCUE, RAT-TAIL | FAC | UPL, FACW | AIG |
| <i>VULPIA OCTOFLORA</i> | (WALTER) RYDB. | FESCUE, SIX-WEEKS | NI | UPL, FACU+ | ANG |
| <i>WISLIZENIA REFRACTA</i> | ENGELM. | JACKASS-CLOVER, COMMON | FACW | FACU-, FACW | ANF |
| <i>WISTERIA MACROSTACHYA</i> | (TORR. & GRAY) NUTT. EX B. ROB. & FERNALD | WISTERIA, KENTUCKY | FACW | FACW, FACW+ | NWV |
| <i>WOLFFIA COLUMBIANA</i> | KARST. | WATER-MEAL, COLUMBIA | OBL | OBL | PN/F |
| <i>WOLFFIA PAPULIFERA</i> | C.H. THOMPS. | WATER-MEAL | OBL | OBL | PN/F |
| <i>WOLFFIA PUNCTATA</i> | GRISEB. | WATER-MEAL, DOTTED | OBL | OBL | PN/F |
| <i>WOLFFIELLA FLORIDANA</i> | (J.D. SMITH) C.H. THOMPS. | BOGMAT | OBL | OBL | PN/F |
| <i>WOLFFIELLA GLADIATA</i> | (HEGELM.) HEGELM. | BOGMAT, SWORD | OBL | OBL | PN/F |
| <i>WOLFFIELLA LINGULATA</i> | (HEGELM.) HEGELM. | BOGMAT, TONGUE-SHAPE | OBL | OBL | PN/F |
| <i>WOODWARDIA AREOLATA</i> | (L.) T. MOORE | CHA INFERN, NETTED | NA* | FACW+, OBL | PNEF3 |
| <i>WOODWARDIA VIRGINICA</i> | (L.) J.E. SMITH | CHA INFERN, VIRGINIA | NA* | OBL | PNF3 |
| <i>XANTHIUM SPINOSUM</i> | L. | COCKLE-BUR, SPINY | FACU | FACU, FAC+ | ANF |
| <i>XANTHIUM STRUMARIUM</i> | L. | COCKLE-BUR, ROUGH | FAC- | FAC-, FAC+ | ANF |
| <i>XANTHOCEPHALUM GYMNOSPERMOIDES</i> | (GRAY) BENTH. & J.D. HOOK | MATCHWEED, SAN DEDRO | FACW- | FACW- | ANF |
| <i>XANTHORHIZA SIMPLICISSIMA</i> | MARSHALL | YELLOW-ROOT, SHRUBBY | NI | FACW-, FACW | NS |
| <i>XYRIS AMBIGUA</i> | BEYR. EX KUNTH | YELLOW-EYED-GRASS, COASTAL-PLAIN | OBL | OBL | PNEF |
| <i>XYRIS BALDWINIANA</i> | J.A. SCHULTES | YELLOW-EYED-GRASS, BALDWIN'S | OBL | OBL | PNEF |
| <i>XYRIS CAROLINIANA</i> | WALTER | YELLOW-EYED-GRASS, CAROLINA | FACW | FACW, FACW+ | PNF |
| <i>XYRIS DIFFORMIS</i> | CHAPM. | YELLOW-EYED-GRASS, COMMON | OBL | OBL | PNEF |
| <i>XYRIS ELLIOTTI</i> | CHAPM. | YELLOW-EYED-GRASS, ELLIOTT'S | NI | OBL | PNEF |
| <i>XYRIS IRIDIFOLIA</i> | CHAPM. | YELLOW-EYED-GRASS, IRIS-LEAF | OBL | OBL | PNEF |
| <i>XYRIS JUPICAI</i> | L.C. RICH. | YELLOW-EYED-GRASS, RICHARD'S | OBL | OBL | APNEF |
| <i>XYRIS PLATYLEPIS</i> | CHAPM. | YELLOW-EYED-GRASS, TALL | OBL | OBL | PNEF |
| <i>XYRIS TORTA</i> | J.E. SMITH | YELLOW-EYED-GRASS, TWISTED | OBL | OBL | PNEF |
| <i>YEATESIA VIRIDIFLORA</i> | (NEES) SMALL | YEATESIA, GREEN-FLOWER | FACW- | FACW- | PNF |
| <i>YOUNGIA JAPONICA</i> | (L.) DC. | HAWKSBEARD, ORIENTAL | FACU | FACU | AIF |
| <i>ZANNICHELLIA PALUSTRIS</i> | L. | PONDWEED, HORNED | OBL | OBL | PNZF |
| <i>ZANTHOXYLUM CLAVA-HERCULIS</i> | L. | HERCULES-CLUB | FAC- | FAC-, FAC | NST |
| <i>ZEPHYRANTHES BRAZOSSENSIS</i> | TRAUB. | CEBOLLETA | FAC- | FACU-, FAC- | PNF |
| <i>ZEPHYRANTHES PULCHELLA</i> | J.G. SMITH | LILY, SHOWY ZEPHYR | FACW- | FACW- | PNF |
| <i>ZEPHYRANTHES X REFUGIENSIS</i> | F.B. JONES | LILY, REFUGIO ZEPHYA | FACW- | FACW- | PNF |
| <i>ZIGADENUS DENSUS</i> | (DESR.) FERNALD | CROW-POISON | FACW | FACW, OBL | PNF |
| <i>ZIGADENUS ELEGANS</i> | PURSH | DEATHCAMAS, MOUNTAIN | FACW+ | UPL, FACW+ | PNF |
| <i>ZIGADENUS GLABERRIMUS</i> | MICHX. | DEATHCAMAS, ATLANTIC | FACW+ | FACW+, OBL | PNF |
| <i>ZIGADENUS LEIMANTHOIDES</i> | GRAY | DEATHCAMAS, PINEBARREN | FACW+ | FACW, OBL | PNF |
| <i>ZIZANIA TEXANA</i> | A. HITCHC. | WILDRICE, TEXAS | OBL | OBL | PNEG |
| <i>ZIZANIOPSIS MILLIACEA</i> | (MICHX.) DOELL & ASCHERS. | WILDRICE, SOUTHERN | OBL | OBL | PNG |
| <i>ZIZIA APTERA</i> | (GRAY) FERNALD | ALEXANDERS, HEART-LEAF | NI | FACU, FACW- | PNF |
| <i>ZIZIA AUREA</i> | (L.) W. KOCH | ALEXANDERS, GOLDEN | FAC- | FAC-, FAC+ | PNF |
| <i>ZOSTERELLA DUBIA</i> | (JACQ.) SMALL | STAR-GRASS, WATER | OBL | OBL | APN/F |

TRINOMIALS

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), TRINOMIALS

| SCI-NAME | AUTHOR | TRINOM | R6IND | NAT-IND | HABIT |
|---------------------------|-------------|---|-------|-----------|-------|
| <i>ACER RUBRUM</i> | L. | SSP. DRUMMONDII (HOOK. & ARN. EX NUTT.) E. MURRAY | FACW | FACW,OBL | NT |
| <i>ACER RUBRUM</i> | L. | VAR. TRILOBUM TORR. & GRAY EX K. KOCH | NI | FACW+,OBL | NT |
| <i>AESCULUS GLABRA</i> | WILLD. | VAR. ARGUTA (BUCKLEY) B. ROB. | FACU- | FACU- | NT |
| <i>DISTICHLIS SPICATA</i> | (L.) GREENE | VAR. STRICTA (TORR.) SCRIBN. | NI | FAC+,FACW | PNG |
| <i>FAGUS GRANDIFOLIA</i> | EHRH. | VAR. CAROLINIANA (LOUD.) FERN. & REHD. | NI* | FAC+ | NT |
| <i>NYSSA SYLVATICA</i> | MARSHALL | VAR. BIFLORA (WALTER) SARG. | OBL | FACW+,OBL | NT |
| <i>QUERCUS FALCATA</i> | MICHX. | VAR. PAGODIFOLIA ELLIOTT | FAC+ | FAC+,FACW | NT |
| <i>QUERCUS STELLATA</i> | WANGENH. | VAR. PALUDOSA SARG. | FACW* | FACW | NT |

SYNONYMY

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|------------------------------------|------------------------------------|---------------------------------------|-------------------------|
| ACACIA FARNESIANA | <i>ACACIA SMALLII</i> | ISELY | 2,6,7,0 |
| ACACIA MINUTA VAR. MINUTA | <i>ACACIA SMALLII</i> | ISELY | 2,6,7,0 |
| ACALYPHA DEAMII | <i>ACALYPHA RHOMBOIDEA</i> | RAF. | 1,2,3,4,5,6 |
| ACALYPHA VIRGINICA VAR. RHOMBOIDEA | <i>ACALYPHA RHOMBOIDEA</i> | RAF. | 1,2,3,4,5,6 |
| ACER NIGRUM | <i>ACER SACCHARUM</i> | MARSHALL | 1,2,3,4,5,6,8 |
| ACERATES HIRTELLA | <i>ASCLEPIAS HIRTELLA</i> | (PENNEL) WOODSON | 1,2,3,5,6 |
| ACHYRANTHES PHILOXEROIDES | <i>ALTERNANTHERA PHILOXEROIDES</i> | GRISEB. | 1,2,6,0,C |
| ACNIDA CUSPIDATA | <i>AMARANTHUS AUSTRALIS</i> | (GRAY) SAUR. | 2,6,C |
| ACNIDA TAMARISCINA | <i>AMARANTHUS RUDIS</i> | SAUER | 1,2,3,4,5,6,7,8,0 |
| ACTINOMERIS ALTERNIFOLIA | <i>VERBESINA ALTERNIFOLIA</i> | (L.) BRITTON | 1,2,3,5,6 |
| ACUAN ILLINOENSE | <i>DESMANTHUS ILLINOENSIS</i> | (MICHX.) MACMIL. EX B. ROB. & FERNALD | 1,2,3,4,5,6,7,8 |
| ACUAN ILLINOENSIS | <i>DESMANTHUS ILLINOENSIS</i> | (MICHX.) MACMIL. EX B. ROB. & FERNALD | 1,2,3,4,5,6,7,8 |
| ACUAN VIRGATUM | <i>DESMANTHUS VIRGATUS</i> | (L.) WILLD. | 2,6,7,C,H |
| ADIANTUM MODESTUM | <i>ADIANTUM CAPILLUS-VENERIS</i> | L. | 1,2,3,4,6,7,8,0,C,H |
| ADOPOGON VIRGINICUM | <i>KRIGIA CESPITOSA</i> | (RAF.) K. CHAMB. | 1,2,3,5,6 |
| ADOPOGON VIRGINICUM | <i>KRIGIA BIFLORA</i> | (WALTER) BLAKE | 1,2,3,5,6,7,8 |
| ADOPOGON VIRGINICUS | <i>KRIGIA BIFLORA</i> | (WALTER) BLAKE | 1,2,3,5,6,7,8 |
| AESCULUS ARGUTA | <i>AESCULUS GLABRA</i> | WILLD. | 1,2,3,4,5,6 |
| AESCULUS AUSTRINA | <i>AESCULUS PAVIA</i> | L. | 1,2,3,6 |
| AESCULUS DISCOLOR | <i>AESCULUS PAVIA</i> | L. | 1,2,3,6 |
| AFZELIA PECTINATA | <i>SEYMERIA CASSIODES</i> | (WALTER) BLAKE | 1,2,6 |
| AGROPYRON INERME | <i>AGROPYRON SPICATUM</i> | (PURSH) SCRIBN. & J.G. SMITH | 4,5,6,7,8,9,0,A |
| AGROPYRON SUBSECUNDUM | <i>AGROPYRON TRACHYCAULUM</i> | (LINK) MALTE EX H.F. LEWIS | 1,2,3,4,5,6,7,8,9,0,A |
| AGROSTIS AMPLA | <i>AGROSTIS EXARATA</i> | TRIN. | 4,5,6,7,8,9,0,A |
| AGROSTIS ANTECEDENS | <i>AGROSTIS HYEMALIS</i> | (WALTER) B.S.P. | 1,2,3,4,5,6,8,9,C |
| AGROSTIS ASPERIFOLIA | <i>AGROSTIS EXARATA</i> | TRIN. | 4,5,6,7,8,9,0,A |
| AGROSTIS GIGANTEA | <i>AGROSTIS ALBA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| AGROSTIS KAUAIENSIS | <i>AGROSTIS SEMIVERTICILLATA</i> | (FORSK.) C. CHR. | 1,5,6,7,8,9,0,H |
| AGROSTIS LITTORALIS | <i>POLYPOGON INTERRUPTUS</i> | H.B.K. | 2,5,6,7,8,9,0,H |
| AGROSTIS OREOPHILA | <i>AGROSTIS PERENNANS</i> | (WALTER) TUCKERMAN | 1,2,3,4,5,6,7,8 |
| AGROSTIS PALUSTRIS | <i>AGROSTIS STOLONIFERA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| AGROSTIS RETROFRACTA | <i>AGROSTIS AVENACEA</i> | J.F. GMEL. | 1,6,0,H |
| AGROSTIS VERTICILLATA | <i>AGROSTIS SEMIVERTICILLATA</i> | (FORSK.) C. CHR. | 1,5,6,7,8,9,0,H |
| ALISMA CORDIFOLIA | <i>ECHINODORUS CORDIFOLIUS</i> | (L.) GRISEB. | 1,2,3,5,6,C,H |
| ALLIARIA OFFICINALIS | <i>ALLIARIA PETIOLATA</i> | (M. BIEB.) CAVARA & GRANDE | 1,2,3,4,5,6,9 |
| ALLIONIA NYCTAGINEA | <i>MIRABILIS NYCTAGINEA</i> | (MICHX.) MACMIL. | 1,2,3,4,5,6,7,8,9,0 |
| ALLIUM ACETABULUM | <i>ALLIUM CANADENSE</i> | L. | 1,2,3,4,5,6 |
| ALNUS NOVEBORACENSIS | <i>ALNUS SERRULATA</i> | (AIT.) WILLD. | 1,2,3,5,6 |
| ALOPECURUS ARISTULATUS | <i>ALOPECURUS AEQUALIS</i> | SOBOL. | 1,2,3,4,5,6,7,8,9,0,A |
| ALOPECURUS PALLESCENS | <i>ALOPECURUS GENICULATUS</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| ALOPECURUS RAMOSUS | <i>ALOPECURUS CAROLINIANUS</i> | WALTER | 1,2,3,4,5,6,7,8,9,0 |
| ALSINE CRASSIFOLIA | <i>STELLARIA CRASSIFOLIA</i> | EHRH. | 3,4,5,6,7,8,9,A |
| ALSINE MEDIA | <i>STELLARIA MEDIA</i> | (L.) VILLARS | 1,2,3,4,5,6,7,8,9,0,A,H |
| AMARANTHUS ANNECTENS | <i>AMARANTHUS GREGGII</i> | S. WATS. | 2,6 |
| AMARANTHUS GRAECIZANS | <i>AMARANTHUS BLITOIDES</i> | S. WATS. | 1,2,3,4,5,6,7,8,9,0,A |
| AMARANTHUS TAMARISCINUS | <i>AMARANTHUS RUDIS</i> | SAUER | 1,2,3,4,5,6,7,8,0 |
| AMBROSIA GLANDULOSA | <i>AMBROSIA ARTEMISIIIFOLIA</i> | L. | 1,2,3,4,5,6,7,8,9,0,H |
| AMBROSIA RUGELII | <i>AMBROSIA PSILOSTACHYA</i> | DC. | 1,2,3,4,5,6,7,8,9,0 |
| AMELANCHIER CUSICKII | <i>AMELANCHIER ALNIFOLIA</i> | (NUTT.) NUTT. | 3,4,5,6,8,9,0,A |
| AMELANCHIER FLORIDA | <i>AMELANCHIER ALNIFOLIA</i> | (NUTT.) NUTT. | 3,4,5,6,8,9,0,A |
| AMELANCHIER GLABRA | <i>AMELANCHIER ALNIFOLIA</i> | (NUTT.) NUTT. | 3,4,5,6,8,9,0,A |
| AMELANCHIER OBLONGIFOLIA | <i>AMELANCHIER ARBOREA</i> | (MICHX. F.) FERN. | 1,2,3,5,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|---|----------------------------------|---|-------------------------|
| AMELANCHIER PALLIDA | <i>AMELANCHIER ALNIFOLIA</i> | (NUTT.) NUTT. | 3,4,5,6,8,9,0,A |
| AMELANCHIER POLYCARPA | <i>AMELANCHIER ALNIFOLIA</i> | (NUTT.) NUTT. | 3,4,5,6,8,9,0,A |
| AMMANNIA KOEHNII | <i>AMMANNIA LATIFOLIA</i> | L. | 1,2,6,C |
| AMMANNIA TERES | <i>AMMANNIA LATIFOLIA</i> | L. | 1,2,6,C |
| AMMANNIA TERES | <i>AMMANNIA COCCINEA</i> | ROTTB. | 1,2,3,4,5,6,7,8,9,0,C,H |
| AMORPHA BUSHII | <i>AMORPHA FRUTICOSA</i> | L. | 1,2,3,4,5,6,7,8,0 |
| AMORPHA ROEMERANA | <i>AMORPHA TEXANA</i> | BUCKLEY | 6 |
| AMPHICARPAEA COMOSA | <i>AMPHICARPAEA BRACTEATA</i> | (L.) FERNALD | 1,2,3,4,5,6 |
| ANACHARIS DENSA | <i>EGERIA DENSA</i> | PLANCH. | 1,2,3,5,6,7,9,0,H |
| ANAGALLIS CAERULEA | <i>ANAGALLIS ARVENSIS</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| ANAGALLIS MINIMA | <i>CENTUNCULUS MINIMUS</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| ANASTROPHUS COMPRESSUS | <i>AXONOPUS COMPRESSUS</i> | (SWARTZ) BEAUV. | 2,6,0,C |
| ANCHISTEA VIRGINICA | <i>WOODWARDIA VIRGINICA</i> | (L.) J.E. SMITH | 1,2,3,6 |
| ANDROPOGON CABANISII | <i>ANDROPOGON TERNARIUS</i> | MICHX. | 1,2,3,5,6 |
| ANDROPOGON CHRYSOCOMUS | <i>ANDROPOGON GERARDII</i> | VITMAN | 1,2,3,4,5,6,7,8,9 |
| ANDROPOGON CONDENSATUS | <i>ANDROPOGON GLOMERATUS</i> | (WALTER) B.S.P. | 1,2,5,6,7,8,0,C,H |
| ANDROPOGON FURCATUS | <i>ANDROPOGON GERARDII</i> | VITMAN | 1,2,3,4,5,6,7,8,9 |
| ANDROPOGON HALLII | <i>ANDROPOGON GERARDII</i> | VITMAN | 1,2,3,4,5,6,7,8,9 |
| ANDROPOGON PROVINCIALIS | <i>ANDROPOGON GERARDII</i> | VITMAN | 1,2,3,4,5,6,7,8,9 |
| ANDROPOGON SCOPARIUS | <i>SCHIZACHYRIUM SCOPARIUM</i> | (MICHX.) NASH | 1,2,3,4,5,6,7,8,9 |
| ANDROSACE ARIZONICA | <i>ANDROSACE OCCIDENTALIS</i> | PURSH | 2,3,4,5,6,7,8,9,0 |
| ANDROSACE GLANDULOSA | <i>ANDROSACE SEPTENTRIONALIS</i> | L. | 3,4,6,7,8,9,0,A |
| ANEILEMA NUDIFLORUM | <i>MURDANNIA NUDIFLORA</i> | (L.) J.P.N. BRENNAN | 2,6,C |
| ANISOSTICHUS CAPREOLATA | <i>BIGNONIA CAPREOLATA</i> | L. | 1,2,3,6 |
| ANISOSTICHUS CRUCIGERA | <i>BIGNONIA CAPREOLATA</i> | L. | 1,2,3,6 |
| APIUM AMMI | <i>CYCLOSPERMUM LEPTOPHYLLUM</i> | (PERS.) T.A. SPRAGUE EX BRITTON & P. WILSON | 1,2,6,7,8,0,C,H |
| APIUM LEPTOPHYLLUM | <i>CYCLOSPERMUM LEPTOPHYLLUM</i> | (PERS.) T.A. SPRAGUE EX BRITTON & P. WILSON | 1,2,6,7,8,0,C,H |
| APIUM TENUIFOLIUM | <i>CYCLOSPERMUM LEPTOPHYLLUM</i> | (PERS.) T.A. SPRAGUE EX BRITTON & P. WILSON | 1,2,6,7,8,0,C,H |
| APOCYNUM CANNABINUM VAR. HYPERICIFOLIUM | <i>APOCYNUM SIBIRICUM</i> | JACQ. | 1,3,4,5,6,7,8,9,0 |
| APTERIA HYMENANTHERA | <i>APTERIA APHYLLA</i> | (NUTT.) BARNHART | 2,6,C |
| AQUILEGIA COCCINEA | <i>AQUILEGIA CANADENSIS</i> | L. | 1,2,3,4,5,6 |
| ARABIS VIRGINICA | <i>SIBARA VIRGINICA</i> | (L.) ROLLINS | 1,2,3,5,6,0 |
| ARENARIA PATULA | <i>MINUARTIA PATULA</i> | (MICHX.) MATTF. | 1,2,3,5,6 |
| ARISAEMA ACUMINATUM | <i>ARISAEMA TRIPHYLLUM</i> | (L.) SCHOTT | 1,2,3,4,5,6 |
| ARISAEMA STENARDSONII | <i>ARISAEMA TRIPHYLLUM</i> | (L.) SCHOTT | 1,2,3,4,5,6 |
| ARISAEMA TRIPHYLLUM SSP. QUINATUM | <i>ARISAEMA QUINATUM</i> | (NUTT.) SCHOTT | 1,2,6 |
| ARTEMISIA VULGARIS | <i>ARTEMISIA LUDOVICIANA</i> | NUTT. | 1,2,3,4,5,6,7,8,9,0 |
| ARTHRAOXON CILIARIS | <i>ARTHRAOXON HISPIDUS</i> | (THUNB.) MAKINO | 1,2,3,6 |
| ARUNCUS SYLVESTER | <i>ARUNCUS DIOICUS</i> | (WALTER) FERNALD | 1,2,3,6,9,0,A |
| ARUNCUS VULGARIS | <i>ARUNCUS DIOICUS</i> | (WALTER) FERNALD | 1,2,3,6,9,0,A |
| ARUNDINARIA TECTA | <i>ARUNDINARIA GIGANTEA</i> | (WALTER) WALTER EX MUHL. | 1,2,3,6 |
| ASCLEPIAS BREVICORNU | <i>ASCLEPIAS OENOTHEROIDES</i> | CHAM. & SCHLECHT. | 2,5,6,7 |
| ASCLEPIAS LAURIFOLIA | <i>ASCLEPIAS RUBRA</i> | L. | 1,2,6 |
| ASTER BOLTONIAE | <i>MACHAERANTHERA BOLTONIAE</i> | (GREENE) B.L. TURNER & D. HORNE | 6,7 |
| ASTER EXILIS | <i>ASTER SUBULATUS</i> | MICHX. | 1,2,3,5,6,7,8,0,C,H |
| ASTER INTERIOR | <i>ASTER SIMPLEX</i> | WILLD. | 1,2,3,4,5,6 |
| ASTER LANCEOLATUS | <i>ASTER SIMPLEX</i> | WILLD. | 1,2,3,4,5,6 |
| ASTER PANICULATUS | <i>ASTER X LANCEOLATUS</i> | WILLD. | 1,2,3,4,5,6 |
| ASTRAGALUS BREVIDENS | <i>ASTRAGALUS CANADENSIS</i> | L. | 1,2,3,4,5,6,8,9,0 |
| ATHYRIUM ASPLENIODES | <i>ATHYRIUM FILIX-FEMINA</i> | (L.) ROTH | 1,2,3,4,5,6,7,8,9,0,A |
| ATRIPLEX HASTATA | <i>ATRIPLEX PATULA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| BACOPA ACUMINATA | <i>MECARDONIA ACUMINATA</i> | (WALTER) SMALL | 1,2,3,5,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|--|---------------------------------|---------------------------|-------------------------|
| BAPTISIA LEUCANTHA | <i>BAPTISIA LACTEA</i> | (RAF.) THERET | 1,2,3,5,6 |
| BARTONIA IODANDRA | <i>BARTONIA PANICULATA</i> | (MICHX.) MUHL. | 1,2,3,6 |
| BENZOIN AESTIVALE | <i>LINDERA BENZOIN</i> | (L.) BLUME | 1,2,3,5,6 |
| BIDENS ACUTA | <i>BIDENS TRIPARTITA</i> | L. | 1,2,3,4,5,6,7,8,9 |
| BIDENS ELEGENS | <i>BIDENS LAEVIS</i> | (L.) B.S.P. | 1,2,3,6,7,8,0,H |
| BIDENS INVOLUCRATA | <i>BIDENS POLYLEPIS</i> | BLAKE | 1,2,3,5,6,7 |
| BIDENS NASHII | <i>BIDENS LAEVIS</i> | (L.) B.S.P. | 1,2,3,6,7,8,0,H |
| BIDENS VULCATA | <i>BIDENS FRONDOSA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| BIGNONIA CRUCIGERA | <i>BIGNONIA CAPREOLATA</i> | L. | 1,2,3,6 |
| BIGNONIA RADICANS | <i>CAMPISIS RADICANS</i> | (L.) SEEM. | 1,2,3,4,5,6,8 |
| BLUTAPARON VERMICULARE | <i>PHILOXERUS VERMICULARIS</i> | (L.) R. BR. EX J.E. SMITH | 2,6,C |
| BOEHMERIA DECURRENS | <i>BOEHMERIA CYLINDRICA</i> | (L.) SWARTZ | 1,2,3,4,5,6,7,C |
| BOLTONIA DECURRENS | <i>BOLTONIA ASTEROIDES</i> | (L.) L'HER. | 1,2,3,4,5,6,9 |
| BOLTONIA LATUSQUAMA | <i>BOLTONIA ASTEROIDES</i> | (L.) L'HER. | 1,2,3,4,5,6,9 |
| BONANIA AQUATICA | <i>STYLISMA AQUATICA</i> | (WALTER) CHAPM. | 1,2,6 |
| BOTRYCHUM OBLIQUUM | <i>BOTRYCHUM DISSECTUM</i> | SPRENG. | 1,2,3,5,6,7 |
| BOWLESIA SEPTENTRIONALIS | <i>BOWLESIA INCANA</i> | RUIZ & PAVON | 2,6,7,0 |
| BRACHIARIA EXTENSA | <i>BRACHIARIA PLATYPHYLLA</i> | (GRISEB.) NASH | 1,2,3,6 |
| BRACHYACTIS CILIATA | <i>ASTER BRACHYACTIS</i> | BLAKE | 1,3,4,5,6,8,9 |
| BREWERIA AQUATICA | <i>STYLISMA AQUATICA</i> | (WALTER) CHAPM. | 1,2,6 |
| BREWERIA MICHAUXII | <i>STYLISMA AQUATICA</i> | (WALTER) CHAPM. | 1,2,6 |
| BROMUS HORDEACEUS | <i>BROMUS MOLLIS</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| BRUNERA COLUMBIANA | <i>WOLFFIA COLUMBIANA</i> | KARST. | 1,2,3,4,5,6,9,0,H |
| BRUNERIA PUNCTATA | <i>WOLFFIA PUNCTATA</i> | GRISEB. | 1,2,3,5,6,8,9,0 |
| BRUNNICHIA OVATA | <i>BRUNNICHIA CIRRHOSA</i> | GAERTN. | 1,2,3,6 |
| BUCHNERA BREVIFLORA | <i>BUCHNERA AMERICANA</i> | L. | 1,2,3,5,6 |
| BULBOSCHOENUS MARITIMUS SSP. PALUDOSUS | <i>SCIRPUS MARITIMUS</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| BULBOSTYLIS FENDLERI | <i>BULBOSTYLIS JUNCOIDES</i> | (VAHL) KUEKENTH. | 6,7,C |
| BUMELIA CASSINIFOLIA | <i>BUMELIA LYCIOIDES</i> | (L.) PERS. | 1,2,3,6 |
| BUMELIA RIGIDA | <i>BUMELIA LANUGINOSA</i> | (MICHX.) PERS. | 2,3,5,6,7 |
| BURSA BURSA-PASTORIS | <i>CAPSELLA BURSA-PASTORIS</i> | (L.) MEDIC. | 1,2,3,4,5,6,7,8,9,0,A,H |
| CACALIA LANCEOLATA | <i>ARNOGLOSSUM OVATUM</i> | (WALTER) H. ROB. | 2,6 |
| CACALIA OVATA | <i>ARNOGLOSSUM OVATUM</i> | (WALTER) H. ROB. | 2,6 |
| CACALIA PLANTAGINEA | <i>ARNOGLOSSUM PLANTAGINEUM</i> | RAF. | 1,2,3,4,5,6 |
| CACALIA TUBEROSA | <i>ARNOGLOSSUM PLANTAGINEUM</i> | RAF. | 1,2,3,4,5,6 |
| CAKILE AMERICANA | <i>CAKILE EDENTULA</i> | (BIGEL.) HOOK. | 1,2,3,6,9,0,A |
| CAKILE CHAPMANII | <i>CAKILE LANCEOLATA</i> | (WILLD.) SCHULZ | 2,6,C |
| CAKILE FUSIFORMIS | <i>CAKILE LANCEOLATA</i> | (WILLD.) SCHULZ | 2,6,C |
| CALAMINTHA ARKANSANA | <i>SATUREJA ARKANSANA</i> | (NUTT.) BRIQ. | 1,2,3,5,6 |
| CALOPOGON PULCHELLUS | <i>CALOPOGON TUBEROSUS</i> | (L.) B.S.P. | 1,2,3,6 |
| CALYPTOCARPUS BLEPHAROLEPIS | <i>CALYPTOCARPUS VIALIS</i> | LESS. | 2,6 |
| CAMASSIA ANGUSTA | <i>CAMASSIA SCILLOIDES</i> | (RAF.) CORY | 1,2,3,5,6 |
| CAMPANULA ALASKANA | <i>CAMPANULA ROTUNDIFOLIA</i> | L. | 1,3,4,5,6,7,8,9,0,A |
| CAMPANULA DUBIA | <i>CAMPANULA ROTUNDIFOLIA</i> | L. | 1,3,4,5,6,7,8,9,0,A |
| CAMPANULASTRUM AMERICANUM | <i>CAMPANULA AMERICANA</i> | L. | 1,2,3,4,5,6 |
| CAMPHORA CAMPHORA | <i>CINNAMOMUM CAMPHORA</i> | (L.) J. PRESL | 2,6,C |
| CANAVALIA ROSEA | <i>CANAVALIA MARITIMA</i> | (AUBL.) THOUARS | 2,6,C |
| CANNA COCCINEA | <i>CANNA INDICA</i> | L. | 2,6,C,H |
| CANNA EDULIS | <i>CANNA INDICA</i> | L. | 2,6,C,H |
| CAPERONIA CASTANEIFOLIA | <i>CAPERONIA PALUSTRIS</i> | (L.) ST.-HIL. | 2,6,C |
| CAPNOIDES FLAVULUM | <i>CORYDALIS FLAVULA</i> | (RAF.) DC. | 1,2,3,5,6 |
| CAPRIOLA DACTYLON | <i>CYNODON DACTYLON</i> | (L.) PERS. | 1,2,3,5,6,7,8,9,0,C,H |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|-----------------------------------|----------------------------|---------------------------|-------------------------|
| CARDAMINE ARENICOLA | CARDAMINE PARVIFLORA | L. | 1,2,3,5,6,7,8 |
| CARDUUS LANCEOLATUS | CIRSIIUM VULGARE | (SAVI) TENORE | 1,2,3,4,5,6,7,8,9,0,A,H |
| CARDUUS MUTICUS | CIRSIIUM MUTICUM | MICHX. | 1,2,3,4,5,6 |
| CARDUUS SPINOSISSIMUS | CIRSIIUM HORRIDULUM | MICHX. | 1,2,3,6 |
| CAREX ATLANTICA SSP. CAPILLACEA | CAREX HOWEI | MACKENZ. | 1,2,3,6 |
| CAREX BULBOSTYLIS | CAREX AMPHIBOLA | STEUD. | 1,2,3,4,5,6 |
| CAREX IMPRESSA | CAREX HYALINOLEPIS | STEUD. | 1,2,3,5,6 |
| CAREX INCOMPERTA | CAREX ATLANTICA | L.H. BAILEY | 1,2,3,6 |
| CAREX LAXIFLORA | CAREX BLANDA | DEWEY | 1,2,3,4,5,6 |
| CAREX NIGRO-MARGINATA | CAREX NIGROMARGINATA | SCHWEINITZ | 1,2,3,5,6 |
| CAREX RIPARIA | CAREX HYALINOLEPIS | STEUD. | 1,2,3,5,6 |
| CAREX SCHORTIANA | CAREX SHORTIANA | DEWEY | 1,2,3,5,6 |
| CARYA ALBA | CARYA OVATA | (MILL.) K. KOCH | 1,2,3,4,5,6 |
| CARYA GLABRA VAR. ODORATA | CARYA OVALIS | (WANGENH.) SARG. | 1,2,3,5,6 |
| CARYA OLIVIFORMIS | CARYA ILLINOENSIS | (WANGENH.) K. KOCH | 1,2,3,5,6 |
| CARYA PECAN | CARYA ILLINOENSIS | (WANGENH.) K. KOCH | 1,2,3,5,6 |
| CASTALIA ELEGANS | NYMPHAEA ELEGANS | HOOK. | 2,6 |
| CASTALIA FLAVA | NYMPHAEA MEXICANA | ZUCCAR. | 2,6,7 |
| CASTALIA LEKOPHYLLA | NYMPHAEA ODORATA | SOLAND. IN AIT. | 1,2,3,4,5,6,7,8,9,C |
| CATALPA CATALPA | CATALPA BIGNONIODES | WALTER | 1,2,3,5,6,7 |
| CATHARTOLINUM FLORIDANUM | LINUM FLORIDANUM | (PLANCH.) TRELEASE | 1,2,6 |
| CATHARTOLINUM MEDIUM | LINUM MEDIUM | (PLANCH.) BRITTON | 1,2,3,5,6 |
| CATHARTOLINUM STRIATUM | LINUM STRIATUM | WALTER | 1,2,3,6 |
| CAYAPONIA BOYKINII | CAYAPONIA GRANDIFOLIA | (TORR. & GRAY) SMALL | 1,2,3,6 |
| CAYAPONIA BOYKINII | CAYAPONIA QUINQUELOBA | (RAF.) SHINNERS | 2,6 |
| CEBATHA CAROLINA | COCCULLUS CAROLINUS | (L.) DC. | 1,2,3,5,6 |
| CELTIS BREVIPES | CELTIS RETICULATA | TORR. | 1,2,3,5,6,7,8,9,0 |
| CELTIS DOUGLASII | CELTIS RETICULATA | TORR. | 1,2,3,5,6,7,8,9,0 |
| CELTIS MISSISSIPPIENSIS | CELTIS RETICULATA | TORR. | 1,2,3,5,6,7,8,9,0 |
| CENTAUREUM ARIZONICUM | CENTAURIUM CALYCOSUM | (BUCKLEY) FERNALD | 3,6,7,8,0 |
| CENTAURIUM ARIZONICUM | CENTAURIUM CALYCOSUM | (BUCKLEY) FERNALD | 3,6,7,8,0 |
| CENTELLA REPANDA | CENTELLA ERECTA | (L.F.) FERNALD | 1,2,6,C |
| CERASTIUM FONTANUM | CERASTIUM VULGATUM | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| CERASTIUM HOLOSTEDIDES | CERASTIUM VULGATUM | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| CERASTIUM LONGIPEDUNCULATUM | CERASTIUM NUTANS | RAF. | 1,2,3,4,5,6,7,8,9,A |
| CERASTIUM NUTANS VAR. BRACHYPODUM | CERASTIUM BRACHYPODUM | (ENGELM. EX GRAY) B. ROB. | 1,2,3,4,5,6,7,8,9 |
| CERATOPHYLLUM ECHINATUM | CERATOPHYLLUM MURICATUM | CHAM. | 1,2,3,5,6 |
| CERATOPHYLLUM FLORIDANUM | CERATOPHYLLUM MURICATUM | CHAM. | 1,2,3,5,6 |
| CERATOPTERIS SILIQUOSA | CERATOPTERIS THALICTROIDES | (L.) BRONGN. | 2,6,H |
| CEROTHAMNUS CAROLINIENSIS | MYRICA HETEROPHYLLA | RAF. | 1,2,3,6 |
| CEROTHAMNUS CERIFERA | MYRICA CERIFERA | L. | 1,2,6,C |
| CHAEROPHYLLUM FLORIDANUM | CHAEROPHYLLUM TAINTURIERI | HOOK. | 1,2,3,5,6 |
| CHAEROPHYLLUM TEXANUM | CHAEROPHYLLUM TAINTURIERI | HOOK. | 1,2,3,5,6 |
| CHAMAESYCE GLOMERIFERA | EUPHORBIA HYPERICIFOLIA | L. | 1,2,6,C,H |
| CHAMAESYCE HUMISTRATA | EUPHORBIA HUMISTRATA | ENGELM. | 1,2,3,5,6 |
| CHAMAESYCE HYPERICIFOLIA | EUPHORBIA HYPERICIFOLIA | L. | 1,2,6,C,H |
| CHAMAESYCE HYSSOPIFOLIA | EUPHORBIA HYSSOPIFOLIA | L. | 2,6,7,C |
| CHAMAESYCE MACULATA | EUPHORBIA MACULATA | L. | 1,2,3,4,5,6,7,8,9,0 |
| CHAMAESYCE MATHEWSII | EUPHORBIA MACULATA | L. | 1,2,3,4,5,6,7,8,9,0 |
| CHAMAESYCE NUTANS | EUPHORBIA NUTANS | LAG. | 1,2,3,4,5,6,0,C |
| CHAMAESYCE TRACYI | EUPHORBIA MACULATA | L. | 1,2,3,4,5,6,7,8,9,0 |
| CHASEA FLEXILIS | PANICUM FLEXILE | (GATT.) SCRIBN. | 1,2,3,4,5,6,8 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|-------------------------------|----------------------------------|--------------------------|-------------------------|
| CHENOPODIUM PRATERICOLA | <i>CHENOPODIUM LEPTOPHYLLUM</i> | (MOQ.) NUTT. EX S. WATS. | 1,2,3,4,5,6,7,8,9,0 |
| CHLORIS BARBATA | <i>CHLORIS INFLATA</i> | LINK | 6,C,H |
| CHLORIS MENDOCINA | <i>CHLORIS CRINITA</i> | LAG. | 1,6,7 |
| CHLORIS PARAGUAIENSIS | <i>CHLORIS INFLATA</i> | LINK | 6,C,H |
| CHLORIS PETRAEA | <i>EUSTACHYS PETRAEA</i> | (SWARTZ) DESV. | 1,2,6,C,H |
| CHONDROPHORA NUDATA | <i>BIGELOWIA NUDATA</i> | (MICHX.) DC. | 2,6 |
| CHRISTELLA DENTATA | <i>THELYPTERIS DENTATA</i> | (FORSK.) E. ST. JOHN | 1,2,6,C,H |
| CHRYSOPSIS GRAMINIFOLIA | <i>HETEROTHECA GRAMINIFOLIA</i> | (MICHX.) SHINNERS | 1,2,6 |
| CHRYSOPSIS MARIANA | <i>HETEROTHECA MARIANA</i> | (L.) SHINNERS | 1,2,6 |
| CHRYSOPSIS NERVOSA | <i>HETEROTHECA GRAMINIFOLIA</i> | (MICHX.) SHINNERS | 1,2,6 |
| CHRYSOPSIS TRACYI | <i>HETEROTHECA GRAMINIFOLIA</i> | (MICHX.) SHINNERS | 1,2,6 |
| CICUTA MACULATA VAR. MEXICANA | <i>CICUTA MEXICANA</i> | COULT. & ROSE | 1,2,6 |
| CIRCAEA CANADENSIS | <i>CIRCAEA LUTETIANA</i> | L. | 1,2,3,4,5,6 |
| CIRCAEA LATIFOLIA | <i>CIRCAEA LUTETIANA</i> | L. | 1,2,3,4,5,6 |
| CIRSIIUM LANCEOLATUM | <i>CIRSIIUM VULGARE</i> | (SAVI) TENORE | 1,2,3,4,5,6,7,8,9,0,A,H |
| CIRSIIUM MEGACEPHALUM | <i>CIRSIIUM UNDULATUM</i> | (NUTT.) SPRENG. | 3,4,5,6,7,8,9,0 |
| CISSUS AMPELOPSIS | <i>AMPELOPSIS CORDATA</i> | MICHX. | 1,2,3,5,6 |
| CLADIUM MARISCUS | <i>CLADIUM CALIFORNICUM</i> | (S. WATS.) O'NEILL | 6,7,8,0 |
| CLAYTONIA MEDIA | <i>CLAYTONIA VIRGINICA</i> | L. | 1,2,3,5,6 |
| CLAYTONIA ROBUSTA | <i>CLAYTONIA VIRGINICA</i> | L. | 1,2,3,5,6 |
| CLAYTONIA SIMSII | <i>CLAYTONIA VIRGINICA</i> | L. | 1,2,3,5,6 |
| CLEMATIS BREVIFOLIA | <i>CLEMATIS LIGUSTICIFOLIA</i> | NUTT. | 1,2,4,5,6,7,8,9,0 |
| CLEMATIS DIOSCOREIFOLIA | <i>CLEMATIS TERNIFLORA</i> | DC. | 1,2,3,5,6 |
| CLEMATIS MAXIMOWICZIANA | <i>CLEMATIS TERNIFLORA</i> | DC. | 1,2,3,5,6 |
| CLEMATIS MISSOURIENSIS | <i>CLEMATIS VIRGINIANA</i> | L. | 1,2,3,4,5,6 |
| CLEMATIS NEOMEXICANA | <i>CLEMATIS LIGUSTICIFOLIA</i> | NUTT. | 1,2,4,5,6,7,8,9,0 |
| CLEMATIS OBLIQUA | <i>CLEMATIS CRISPA</i> | L. | 1,2,3,6 |
| CLEMATIS PANICULATA | <i>CLEMATIS TERNIFLORA</i> | DC. | 1,2,3,5,6 |
| CLEMATIS SUKSDORFII | <i>CLEMATIS LIGUSTICIFOLIA</i> | NUTT. | 1,2,4,5,6,7,8,9,0 |
| CLEOME HOUTTEANA | <i>CLEOME SPINOSA</i> | JACQ. | 1,2,3,5,6,C |
| CLEOME SONORAE | <i>CLEOME MULTICAULIS</i> | SESSE & MOCINO EX DC. | 4,5,6,7 |
| CLINOPODIUM ARKANSANA | <i>SATUREJA ARKANSANA</i> | (NUTT.) BRIQ. | 1,2,3,5,6 |
| COMANDRA CALIFORNICA | <i>COMANDRA UMBELLATA</i> | (L.) NUTT. | 1,2,3,4,5,6,7,8,9,0,A |
| COMANDRA PALLIDA | <i>COMANDRA UMBELLATA</i> | (L.) NUTT. | 1,2,3,4,5,6,7,8,9,0,A |
| COMANDRA RICHARDSIANA | <i>COMANDRA UMBELLATA</i> | (L.) NUTT. | 1,2,3,4,5,6,7,8,9,0,A |
| COMANDRA RICHARDSONIANA | <i>COMANDRA UMBELLATA</i> | (L.) NUTT. | 1,2,3,4,5,6,7,8,9,0,A |
| COMMELINA DEBILIS | <i>COMMELINA COMMUNIS</i> | L. | 1,2,3,4,5,6 |
| COMMELINA ELEGANS | <i>COMMELINA VIRGINICA</i> | L. | 1,2,3,5,6,C |
| COMMELINA LONGICAULIS | <i>COMMELINA DIFFUSA</i> | N.L. BURM. | 1,2,3,5,6,7,C,H |
| COMMELINA NUDIFLORA | <i>COMMELINA DIFFUSA</i> | N.L. BURM. | 1,2,3,5,6,7,C,H |
| CONOBEA MULTIFIDA | <i>LEUCOSPORA MULTIFIDA</i> | (MICHX.) NUTT. | 1,2,3,5,6 |
| CONVOLVULUS SEPIUM | <i>CALYSTEGIA SEPIUM</i> | (L.) R. BR. | 1,2,3,4,5,6,7,8,9,0 |
| COOPERIA DRUMMONDII | <i>ZEPHYRANTHES BRAZOSSENSIS</i> | TRAUB. | 2,5,6,7 |
| CORALLORHIZA VREELANDII | <i>CORALLORHIZA STRIATA</i> | (RYDB.) L.C. WILLIAMS | 1,3,4,5,6,7,8,9,0 |
| COREOPSIS ATKINSONIANA | <i>COREOPSIS TRIPTERIS</i> | L. | 1,2,3,5,6 |
| COREOPSIS CARDAMINEFOLIA | <i>COREOPSIS TRIPTERIS</i> | L. | 1,2,3,5,6 |
| COREOPSIS CRASSIFOLIA | <i>COREOPSIS LANCEOLATA</i> | L. | 1,2,3,5,6,7,0 |
| COREOPSIS HETEROGYNA | <i>COREOPSIS LANCEOLATA</i> | L. | 1,2,3,5,6,7,0 |
| COREOPSIS HETEROGYNA | <i>COREOPSIS LANCEOLATA</i> | L. | 1,2,3,5,6,7,0 |
| COREOPSIS ONISCICARPA | <i>COREOPSIS LINIFOLIA</i> | NUTT. | 1,2,6 |
| CORISPERMUM VILLOSUM | <i>CORISPERMUM HYSSOPIFOLIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| CORNUS OBLIQUA | <i>CORNUS AMOMUM</i> | MILL. | 1,2,3,4,5,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|-------------------------------------|----------------------------------|---|-----------------------|
| CORNUS PRICEAE | <i>CORNUS DRUMMONDII</i> | C.A. MEYER | 1,2,3,4,5,6 |
| CORNUS PURPUSI | <i>CORNUS AMOMUM</i> | MILL. | 1,2,3,4,5,6 |
| CORNUS RACEMOSA | <i>CORNUS FOEMINA</i> | MILL. | 1,2,3,4,5,6 |
| CORNUS STRICTA | <i>CORNUS FOEMINA</i> | MILL. | 1,2,3,4,5,6 |
| CRATAEGUS BLANDA | <i>CRATAEGUS VIRIDIS</i> | L. | 1,2,3,5,6 |
| CRATAEGUS BRACHYPHYLLA | <i>CRATAEGUS MOLLIS</i> | SCHEELE | 1,2,3,4,5,6 |
| CRATAEGUS CROCINA | <i>CRATAEGUS BERBERIFOLIA</i> | TORR. & GRAY | 1,2,3,5,6,C |
| CRATAEGUS PYRACANTHOIDES | <i>CRATAEGUS CRUS-GALLI</i> | L. | 1,2,3,5,6 |
| CREPIS JAPONICA | <i>YOUNGIA JAPONICA</i> | (L.) DC. | 1,2,6,C,H |
| CRESSA DEPRESSA | <i>CRESSA TRUXILLENIS</i> | H.B.K. | 6,7,8,9,0 |
| CRESSA TRUXILLENIS VAR. VALLICOLA | <i>CRESSA NUDICAULIS</i> | GRISEB. | 6 |
| CROPTILON DIVARICATUM | <i>HAPLOPAPPUS DIVARICATUS</i> | (NUTT.) GRAY | 1,2,5,6 |
| CUBELIUM CONCOLOR | <i>HYBANTHUS CONCOLOR</i> | (T.F. FORST.) SPRENG. | 1,2,3,5,6 |
| CUCURBITA PEPO VAR. OVIFERA | <i>CUCURBITA TEXANA</i> | (SCHEELE) GRAY | 2,3,6 |
| CUPHEA BALSAMONA | <i>CUPHEA CARTHAGENENSIS</i> | (JACQ.) J.F. MACBR. | 2,6,C,H |
| CUPHEA PETIOLATA | <i>CUPHEA VISCOSISSIMA</i> | JACQ. | 1,2,3,5,6 |
| CYCLOSPERMUM AMMI | <i>CYCLOSPERMUM LEPTOPHYLLUM</i> | (PERS.) T.A. SPRAGUE EX BRITTON & P. WILSON | 1,2,6,7,8,0,C,H |
| CYNANCHUM LAEVE | <i>AMPELAMUS ALBIDUS</i> | (NUTT.) BRITTON | 1,2,3,5,6 |
| CYNANCHUM PALUSTRE | <i>CYNANCHUM ANGUSTIFOLIUM</i> | PERS. | 2,6 |
| CYNOCTONUM ANGUSTIFOLIUM | <i>CYNOCTONUM SESSILIFOLIUM</i> | (WALTER) J.F. Gmel. | 1,2,6 |
| CYNODON STOLONIFERA | <i>CYNODON DACTYLON</i> | (L.) PERS. | 1,2,3,5,6,7,8,9,0,C,H |
| CYNOSCIADIUM PINNATUM | <i>LIMNOSCIADIUM PINNATUM</i> | (DC.) MATHIAS & CONSTANCE | 2,3,5,6 |
| CYNTHIA DANDELION | <i>KRIGIA DANDELION</i> | (L.) NUTT. | 1,2,3,5,6 |
| CYNTHIA VIRGINICA | <i>KRIGIA BIFLORA</i> | (WALTER) BLAKE | 1,2,3,5,6,7,8 |
| CYPERUS CAREYI | <i>CYPERUS LAEVIGATUS</i> | L. | 2,6,7,8,0,C,H |
| CYPERUS CAYENNENSIS | <i>CYPERUS FLAVUS</i> | (VAHL) VAHL EX NEES NON J. & K. PRESL | 1,2,6,7,C |
| CYPERUS DENSUS | <i>CYPERUS LANCEOLATUS</i> | POIR. | 2,6 |
| CYPERUS DISSITIFLORUS | <i>CYPERUS HERMAPHRODITUS</i> | (JACQ.) STANDL. | 2,6,7 |
| CYPERUS FLABELLIFORMIS | <i>CYPERUS ALTERNIFOLIUS</i> | L. | 1,2,6,0,C,H |
| CYPERUS HALLI | <i>CYPERUS SETIGERUS</i> | TORR. & HOOK. | 2,3,5,6 |
| CYPERUS HALPAN | <i>CYPERUS HASPAN</i> | L. | 1,2,6,C,H |
| CYPERUS MELANOSTACHYS | <i>CYPERUS NIGER</i> | RUIZ & PAVON | 5,6,7,9,0 |
| CYPERUS MULTIFLORUS | <i>CYPERUS GLOBULOSUS</i> | AUBL. | 1,2,3,5,6,C |
| CYPERUS NANUS VAR. SUBTENUIS | <i>CYPERUS TENUIS</i> | SWARTZ | 6,C |
| CYPERUS NIGER VAR. CASTANEUS | <i>CYPERUS RIVULARIS</i> | KUNTH | 1,2,3,4,5,6,8,9,0,H |
| CYPERUS PANICULATUS | <i>CYPERUS POLYSTACHYOS</i> | ROTTB. | 1,2,3,6,C,H |
| CYPERUS POLLARDII | <i>CYPERUS RETORSUS</i> | CHAPM. | 1,2,3,6 |
| CYPERUS POLYSTACHYOS VAR. FILICINUS | <i>CYPERUS FILICULMIS</i> | VAHL | 1,2,3,4,5,6,7,8,9 |
| CYPERUS PRAELONGATUS | <i>CYPERUS SETIGERUS</i> | TORR. & HOOK. | 2,3,5,6 |
| CYPERUS RUSBYI | <i>CYPERUS FENDLERANUS</i> | BOECK. | 6,7,8 |
| CYPERUS SPECIOSUS | <i>CYPERUS ODORATUS</i> | L. | 1,2,3,4,5,6,7,0,C,H |
| CYSTOPTERIS DICKIEANA | <i>CYSTOPTERIS FRAGILIS</i> | (L.) BERNH. | 1,2,3,4,5,6,7,8,9,0,A |
| DANTHONIA ALLENII | <i>DANTHONIA SERICEA</i> | NUTT. | 1,2,6 |
| DANTHONIA EPILIS | <i>DANTHONIA SERICEA</i> | NUTT. | 1,2,6 |
| DASYSTOMA MACROPHYLLA | <i>DASYSTOMA MACROPHYLLA</i> | (NUTT.) RAF. | 1,2,3,5,6 |
| DAUBENTONIA PUNICEA | <i>SESBANIA PUNICEA</i> | (CAV.) BENTH. | 2,6 |
| DAUBENTONIA TEXANA | <i>SESBANIA DRUMMONDII</i> | (RYDB.) CORY | 2,6 |
| DENTARIA LACINIATA | <i>CARDAMINE CONCATENATA</i> | (MICHX.) O. SCHWARZ | 1,2,3,4,5,6 |
| DERINGA CANADENSIS | <i>CRYPTOTAENIA CANADENSIS</i> | (L.) DC. | 1,2,3,4,5,6 |
| DESMANTHUS VIRGATUS | <i>DESMANTHUS VIRGATUS</i> | (L.) WILLD. | 2,6,7,C,H |
| DESMODIUM DICHROMUM | <i>DESMODIUM PANICULATUM</i> | (L.) DC. | 1,2,3,5,6 |
| DESMODIUM DILLENII | <i>DESMODIUM PANICULATUM</i> | (L.) DC. | 1,2,3,5,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|---|-------------------------------------|------------------------------|-------------------------|
| DIAPEDIUM BRACHIATUM | <i>DICLIPTERA BRACHIATA</i> | (PURSH) SPRENG. | 1,2,3,5,6 |
| DICHANTHELIUM STRIGOSUM VAR. LEUCOBLEPHARIS | <i>DICHANTHELIUM LEUCOBLEPHARIS</i> | (TRIN.) GOULD & C.A. CLARK | 2,6,C |
| DICHROPHYLLUM MARGINATUM | <i>EUPHORBIA MARGINATA</i> | PURSH | 1,2,3,4,5,6,7,8,9 |
| DIGITARIA MICROBACHNE | <i>DIGITARIA SEROTINA</i> | (WALTER) MICHX. | 1,2,6 |
| DIGITARIA VIOLASCENS | <i>DIGITARIA ISCHAEMUM</i> | (SCHREB.) SCHREB. EX MUHL. | 1,2,3,4,5,6,7,8,9,0,C |
| DIODELLA TERES | <i>DIODIA TERES</i> | WALTER | 1,2,3,5,6,7 |
| DIODIA HARPERI | <i>DIODIA VIRGINIANA</i> | L. | 1,2,3,6 |
| DIODIA HIRSUTA | <i>DIODIA VIRGINIANA</i> | L. | 1,2,3,6 |
| DIOSCOREA CAYENENSIS | <i>DIOSCOREA VILLOSA</i> | L. | 1,2,3,5,6,C |
| DIOSCOREA ESCULENTA | <i>DIOSCOREA VILLOSA</i> | L. | 1,2,3,5,6,C |
| DIOSCOREA FLORIDANA | <i>DIOSCOREA VILLOSA</i> | L. | 1,2,3,5,6,C |
| DIOSCOREA GLAUCA | <i>DIOSCOREA QUATERNATA</i> | (WALTER) J.F. GMEL. | 1,2,3,6 |
| DIOSCOREA PANICULATA | <i>DIOSCOREA VILLOSA</i> | L. | 1,2,3,5,6,C |
| DIOSPYROS MOSIERI | <i>DIOSPYROS VIRGINIANA</i> | L. | 1,2,3,5,6 |
| DIPLACHNE ACUMINATA | <i>LEPTOCHLOA FASCICULARIS</i> | (LAM.) GRAY | 1,2,3,4,5,6,7,8,9,0,C |
| DIPLACHNE FASCICULARIS | <i>LEPTOCHLOA FASCICULARIS</i> | (LAM.) GRAY | 1,2,3,4,5,6,7,8,9,0,C |
| DIPLACHNE HALEI | <i>LEPTOCHLOA FASCICULARIS</i> | (LAM.) GRAY | 1,2,3,4,5,6,7,8,9,0,C |
| DIPLACHNE MARITIMA | <i>LEPTOCHLOA FASCICULARIS</i> | (LAM.) GRAY | 1,2,3,4,5,6,7,8,9,0,C |
| DIPLANTHERA WRIGHTII | <i>HALDOLLE BEAUDETTEI</i> | (DEN HARTOG) DEN HARTOG | 2,6,0,C |
| DISELLA HEDERACEA | <i>MALVELLA LEPROSA</i> | (ORTEGA) KRAPOV. | 5,6,7,8,9,0 |
| DISTICHLIS STRICTA | <i>DISTICHLIS SPICATA</i> | (L.) GREENE | 3,4,5,6,7,8,9,0 |
| DISTICHLIS STRICTA | <i>DISTICHLIS SPICATA</i> | (L.) GREENE | 1,2,3,4,5,6,7,8,9,0 |
| DISTICHLIS TEXANA | <i>ALLOLEPIS TEXANA</i> | (VASEY) SODERST. & H. DECKER | 6 |
| DODECATHEON BRACHYCARPA | <i>DODECATHEON MEADIA</i> | L. | 1,2,3,5,6 |
| DODECATHEON FRENCHII | <i>DODECATHEON MEADIA</i> | L. | 1,2,3,5,6 |
| DODECATHEON HUGERI | <i>DODECATHEON MEADIA</i> | L. | 1,2,3,5,6 |
| DONDIA MOQUINII | <i>SUAEDA TORREYANA</i> | S. WATS. NOMEN SUPERFL. | 5,6,7,8,9,0 |
| DRACOCEPHALUM CORRELLII | <i>PHYSOSTEGIA CORRELLII</i> | (LUNDELL) SHINNERS | 2,6,7 |
| DRACOCEPHALUM NUTTALLII | <i>PHYSOSTEGIA PARVIFLORA</i> | NUTT. EX GRAY | 3,4,5,6,8,9 |
| DROSERA ANNUA | <i>DROSERA BREVIFOLIA</i> | PURSH | 1,2,6 |
| DROSERA LEUCANTHA | <i>DROSERA BREVIFOLIA</i> | PURSH | 1,2,6 |
| DRYOPTERIS DENTATA | <i>THELYPTERIS DENTATA</i> | (FORSK.) E. ST. JOHN | 1,2,6,C,H |
| DRYOPTERIS HEXAGONOPTERA | <i>THELYPTERIS HEXAGONOPTERA</i> | (MICHX.) WEATHERBY | 1,2,3,5,6 |
| DRYOPTERIS MACILENTA | <i>THELYPTERIS HISPIDULA</i> | (DECNE) REED | 2,6,7,C |
| DRYOPTERIS NORMALIS | <i>THELYPTERIS KUNTHII</i> | (DESV.) MORTON | 2,6,C |
| ECHINOCHLOA MICROSTACHYA | <i>ECHINOCHLOA MURICATA</i> | (BEAUV.) FERNALD | 1,2,3,4,5,6,7,8,9,0 |
| ECHINOCHLOA OCCIDENTALIS | <i>ECHINOCHLOA CRUSGALLI</i> | (L.) BEAUV. | 1,2,3,4,5,6,7,8,9,0,C,H |
| ECHINODORUS BERTEROI | <i>ECHINODORUS CORDIFOLIUS</i> | (L.) GRISEB. | 1,2,3,5,6,C,H |
| ECHINODORUS BERTEROI | <i>ECHINODORUS ROSTRATUS</i> | (NUTT.) ENGELM. | 1,2,3,4,5,6,7,8,0,C |
| ECHINODORUS RADICANS | <i>ECHINODORUS CORDIFOLIUS</i> | (L.) GRISEB. | 1,2,3,5,6,C,H |
| ECHINODORUS TENELLUS | <i>ECHINODORUS PARVULLUS</i> | ENGELM. | 1,2,3,5,6,C,H |
| ECHINODORUS TENELLUS VAR. PARVULLUS | <i>ECHINODORUS PARVULLUS</i> | ENGELM. | 1,2,3,5,6,C,H |
| ELANTINE TEXANA | <i>BERGIA TEXANA</i> | (HOOK.) SEUBERT | 2,3,4,5,6,7,8,9,0 |
| ELATERIUM WRIGHTII | <i>ECHINOPEPON WRIGHTII</i> | (GRAY) S. WATS. | 6,7 |
| ELEOCHARIS ACICULARIS VAR. RADICANS | <i>ELEOCHARIS RADICANS</i> | (A. DIETR.) KUNTH | 1,2,3,6,7,0,C,H |
| ELEOCHARIS ACUMINATA | <i>ELEOCHARIS COMPRESSA</i> | SULLIVANT | 1,2,3,4,5,6,7 |
| ELEOCHARIS AMBIGENS | <i>ELEOCHARIS FALLAX</i> | WEATHERBY | 1,2,6,C |
| ELEOCHARIS ARENICOLA | <i>ELEOCHARIS MONTEVIDENSIS</i> | KUNTH | 2,5,6,7,0 |
| ELEOCHARIS CAPITATA | <i>ELEOCHARIS TENUIS</i> | (WILLD.) J.A. SCHULTES | 1,2,3,5,6,9 |
| ELEOCHARIS CARIBAEA | <i>ELEOCHARIS GENICULATA</i> | (L.) ROEM. & J.A. SCHULTES | 1,2,3,5,6,0,C,H |
| ELEOCHARIS DIANDBA | <i>ELEOCHARIS OVATA</i> | (ROTH) ROEM. & J.A. SCHULTES | 1,2,3,4,5,6,8,9 |
| ELEOCHARIS DIANDRA | <i>ELEOCHARIS OBTUSA</i> | (WILLD.) J.A. SCHULTES | 1,2,3,4,5,6,7,8,9,0,H |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|------------------------------|---------------------------------------|--|-------------------------|
| ELEOCHARIS ELLIPTICA | <i>ELEOCHARIS TENUIS</i> | (WILLD.) J.A. SCHULTES | 1,2,3,5,6,9 |
| ELEOCHARIS FLACCIDA | <i>ELEOCHARIS FLAVESCENS</i> | (POIR.) URBAN | 1,2,5,6,7,9,0,C |
| ELEOCHARIS MACOUNII | <i>ELEOCHARIS OBTUSA</i> | (WILLD.) J.A. SCHULTES | 1,2,3,4,5,6,7,8,9,0,H |
| ELEOCHARIS NODULOSA | <i>ELEOCHARIS MONTANA</i> | (H.B.K.) ROEM. & J.A. SCHULTES | 2,6,7,8,C |
| ELEOCHARIS OBTUSA VAR. OVATA | <i>ELEOCHARIS OVATA</i> | (ROTH) ROEM. & J.A. SCHULTES | 1,2,3,4,5,6,8,9 |
| ELEOCHARIS PALUSTRIS | <i>ELEOCHARIS MACROSTACHYA</i> | BRITTON | 1,2,3,4,5,6,7,8,9,0,A |
| ELEOCHARIS PROLIFERA | <i>ELEOCHARIS BALDWINII</i> | (TORR.) CHAMP. | 1,2,6 |
| ELEOCHARIS REVERCHONII | <i>ELEOCHARIS ACICULARIS</i> | (L.) ROEM. & J.A. SCHULTES | 1,2,3,4,5,6,7,8,9,0,A,H |
| ELEOCHARIS SIMPLEX | <i>ELEOCHARIS TORTILIS</i> | (LINK) J.A. SCHULTES | 1,2,6 |
| ELEPHANTOPUS FLEXUOSUS | <i>ELEPHANTOPUS CAROLINIANUS</i> | RAEUSCH. | 1,2,3,5,6 |
| ELEPHANTOPUS VIOLACEUS | <i>ELEPHANTOPUS CAROLINIANUS</i> | RAEUSCH. | 1,2,3,5,6 |
| ELEUSINE GRACILIS | <i>ELEUSINE INDICA</i> | (L.) GAERTN. | 1,2,3,4,5,6,7,8,9,0,C,H |
| ELEUSINE POLYDACTYLA | <i>ELEUSINE INDICA</i> | (L.) GAERTN. | 1,2,3,4,5,6,7,8,9,0,C,H |
| ELODEA Densa | <i>EGERIA Densa</i> | PLANCH. | 1,2,3,5,6,7,9,0,H |
| ELODEA IOWENSIS | <i>ELODEA CANADENSIS</i> | MICHX. | 1,2,3,4,5,6,7,8,9,0,C |
| ELODEA LATIFOLIA | <i>ELODEA CANADENSIS</i> | MICHX. | 1,2,3,4,5,6,7,8,9,0,C |
| ELODEA PLANCHONII | <i>ELODEA CANADENSIS</i> | MICHX. | 1,2,3,4,5,6,7,8,9,0,C |
| ELYMUS BRACHYSTACHYS | <i>ELYMUS CANADENSIS</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| ELYMUS ELYMIDES | <i>SITANION HYSTRIX</i> | (NUTT.) J.G. SMITH | 3,4,5,6,7,8,9,0 |
| ELYMUS REPENS | <i>AGROPYRON REPENS</i> | (L.) BEAUV. | 1,2,3,4,5,6,7,8,9,0,A |
| ELYMUS SPICATUS | <i>AGROPYRON SPICATUM</i> | (PURSH) SCRIBN. & J.G. SMITH | 4,5,6,7,8,9,0,A |
| EPIBATERIUM CAROLINUM | <i>COCCULUS CAROLINUS</i> | (L.) DC. | 1,2,3,5,6 |
| EPICAMPES RIGENS | <i>MUHLENBERGIA RIGENS</i> | (BENTH.) A. HITCHC. | 6,7,8,0 |
| EPILOBIUM BREVI-STYLUM | <i>EPILOBIUM CILIATUM</i> | RAF. | 1,2,3,4,5,6,7,8,9,0,A,H |
| EPILOBIUM CALIFORNICUM | <i>EPILOBIUM CILIATUM</i> | RAF. | 1,2,3,4,5,6,7,8,9,0,A,H |
| EPILOBIUM GLANDULOSUM | <i>EPILOBIUM CILIATUM</i> | RAF. | 1,2,3,4,5,6,7,8,9,0,A,H |
| EPILOBIUM WATSONII | <i>EPILOBIUM CILIATUM</i> | RAF. | 1,2,3,4,5,6,7,8,9,0,A,H |
| EQUISETUM AFFINE | <i>EQUISETUM HYEMALE</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| EQUISETUM CALDERI | <i>EQUISETUM ARVENSE</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| EQUISETUM FUNSTONII | <i>EQUISETUM LAEVIGATUM</i> | A. BRAUN | 1,2,3,4,5,6,7,8,9,0 |
| EQUISETUM KANSANUM | <i>EQUISETUM LAEVIGATUM</i> | A. BRAUN | 1,2,3,4,5,6,7,8,9,0 |
| EQUISETUM PRAEALTUM | <i>EQUISETUM HYEMALE</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| ERAGROSTIS ACUTA | <i>ERAGROSTIS ELLIOTTII</i> | S. WATS. | 2,6,C |
| ERAGROSTIS CAROLINIANA | <i>ERAGROSTIS PECTINACEA</i> | (MICHX.) NEES | 1,2,3,4,5,6,7,8,9,0 |
| ERAGROSTIS DIFFUSA | <i>ERAGROSTIS PECTINACEA</i> | (MICHX.) NEES | 1,2,3,4,5,6,7,8,9,0 |
| ERAGROSTIS OXYLEPSIS | <i>ERAGROSTIS SECUNDIFLORA</i> | J. PRESL | 2,5,6,7,0 |
| ERAGROSTIS PERPLEXA | <i>ERAGROSTIS PILOSA</i> | (L.) BEAUV. | 1,2,3,4,5,6,7,8,9,0,C,H |
| ERAGROSTIS WEIGELTIANA | <i>ERAGROSTIS REPTANS</i> | (MICHX.) NEES | 1,2,3,4,5,6 |
| ERIANTHUS DIVARICATUS | <i>ERIANTHUS ALOPECUROIDES</i> | (L.) ELLIOTT | 1,2,3,6 |
| ERIANTHUS SACCHAROIDES | <i>ERIANTHUS GIGANTEUS</i> | (WALTER) F.T. HUBB. NON MUHL. | 1,2,6 |
| ERIGERON CANADENSIS | <i>CONYZA CANADENSIS</i> | (L.) CRONQ. | 1,2,3,4,5,6,7,8,9,0,C,H |
| ERYNGIUM WRIGHTII | <i>ERYNGIUM HETEROPHYLLUM</i> | ENGELM. | 6,7 |
| ERYTHRAEA CALYCOSA | <i>CENTAURIUM CALYCOSUM</i> | (BUCKLEY) FERNALD | 3,6,7,8,0 |
| ESCHENBACHIA COULTERI | <i>CONYZA COULTERI</i> | GRAY | 2,6,7,8,0 |
| EUBOTRYS ELONGATA | <i>LEUCOTHOE RACEMOSA</i> | (L.) GRAY | 1,2,6 |
| EUPATORIUM ALTISSIMUM | <i>AGERATINA ALTISSIMA</i> | (L.) R.M. KING & H. ROB. | 1,2,3,4,5,6 |
| EUPATORIUM BETONICIFOLIUM | <i>CONOCLINIUM BETONICIFOLIUM</i> | (MILL.) R.M. KING & H. ROB. | 6 |
| EUPATORIUM COELESTINUM | <i>CONOCLINIUM COELESTINUM</i> | (L.) DC. | 1,2,3,5,6 |
| EUPATORIUM FISTULOSUM | <i>EUPATORIUM ADELPHUS FISTULOSUS</i> | (BARRATT EX HOOK.) R.M. KING & H. ROB. | 1,2,3,6 |
| EUPATORIUM GREGGII | <i>CONOCLINIUM GREGGII</i> | (GRAY) SMALL | 6,7 |
| EUPATORIUM INCARNATUM | <i>FLEISCHMANNIA INCARNATA</i> | (WALTER) R.M. KING & H. ROB. | 1,2,3,6 |
| EUPATORIUM PURPUREUM | <i>EUPATORIUM ADELPHUS PURPUREUS</i> | (L.) R.M. KING & H. ROB. | 1,2,3,5,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|--------------------------|---------------------------------|------------------------------|-----------------------|
| EUPATORIUM RUGOSUM | <i>AGERATINA ALTISSIMA</i> | (L.) R.M. KING & H. ROB. | 1,2,3,4,5,6 |
| EUPHORBIA CYATHOPHORA | <i>EUPHORBIA HETEROPHYLLA</i> | L. | 1,2,3,4,5,6,7,C,H |
| EUPHORBIA GLOMERIFERA | <i>EUPHORBIA HYPERICIFOLIA</i> | L. | 1,2,6,C,H |
| EUPHORBIA PRESLLI | <i>EUPHORBIA NUTANS</i> | LAG. | 1,2,3,4,5,6,0,C |
| EUPHORBIA SERPENS | <i>CHAMAESYCE SERPENS</i> | (H.B.K.) SMALL | 1,2,3,4,5,6,7,9,0,C |
| EUPHORBIA SUPINA | <i>EUPHORBIA MACULATA</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| EUSTOMA BARKLEYI | <i>EUSTOMA EXALTATUM</i> | (L.) GRISEB. | 2,6,7,0,C |
| EUSTOMA RUSSELLIANUM | <i>EUSTOMA GRANDIFLORUM</i> | (RAF.) SHINNERS | 2,4,5,6,7 |
| EUTHAMIA GYMNOSPERMOIDES | <i>EUTHAMIA CAMPORUM</i> | GREENE | 1,2,3,4,5,6 |
| EVOLVULUS MACILENTUS | <i>EVOLVULUS SERICEUS</i> | SWARTZ | 2,6,7,C |
| EVONYMUS AMERICANUS | <i>EUONYMUS AMERICANUS</i> | L. | 1,2,3,5,6 |
| EVONYMUS ATROPURPUREUS | <i>EUONYMUS ATROPURPUREUS</i> | JACO. | 1,2,3,4,5,6 |
| FESTUCA ELATIOR | <i>FESTUCA PRATENSIS</i> | HUDS. | 1,2,3,4,5,6,7,8,9,0 |
| FESTUCA FALLAX | <i>FESTUCA RUBRA</i> | L. | 1,2,3,5,6,7,8,9,0,A |
| FESTUCA NUTANS | <i>FESTUCA PARADOXA</i> | DESV. | 1,2,3,5,6 |
| FESTUCA OCTOFLORA | <i>VULPIA OCTOFLORA</i> | (WALTER) RYDB. | 1,2,3,4,5,6,7,8,9,0,H |
| FESTUCA SHORTII | <i>FESTUCA PRATENSIS</i> | HUDS. | 1,2,3,4,5,6,7,8,9,0 |
| FIMBRISTYLIS ALAMOSANA | <i>FIMBRISTYLIS ANNUA</i> | (ALL.) ROEM. & J.A. SCHULTES | 1,2,3,5,6,7 |
| FIMBRISTYLIS BALDWINIANA | <i>FIMBRISTYLIS ANNUA</i> | (ALL.) ROEM. & J.A. SCHULTES | 1,2,3,5,6,7 |
| FIMBRISTYLIS CAPILLARIS | <i>BULBOSTYLIS CAPILLARIS</i> | (L.) C.B. CLARKE | 1,2,3,4,5,6,7,9,0,C,H |
| FIMBRISTYLIS DIPHYLLA | <i>FIMBRISTYLIS DICHOTOMA</i> | (L.) VAHL | 1,2,3,6,C,H |
| FIMBRISTYLIS GENINATA | <i>FIMBRISTYLIS AUTUMNALIS</i> | (L.) ROEM. & J.A. SCHULTES | 1,2,3,4,5,6 |
| FIMBRISTYLIS HARPERI | <i>FIMBRISTYLIS CAROLINIANA</i> | (LAM.) FERNALD | 1,2,3,5,6 |
| FIMBRISTYLIS INTERIOR | <i>FIMBRISTYLIS PUBERULA</i> | (MICHX.) VAHL | 1,2,3,5,6,7 |
| FIMBRISTYLIS LAXA | <i>FIMBRISTYLIS DICHOTOMA</i> | (L.) VAHL | 1,2,3,6,C,H |
| FIMBRISTYLIS PILOSA | <i>FIMBRISTYLIS TOMENTOSA</i> | VAHL | 2,6 |
| FIMBRISTYLIS POLYMORPHA | <i>FIMBRISTYLIS DICHOTOMA</i> | (L.) VAHL | 1,2,3,6,C,H |
| FLAVERIA ANGUSTIFOLIA | <i>FLAVERIA CAMPESTRIS</i> | J.R. JOHNST. | 3,5,6,7,8 |
| FLAVERIA OPPOSITIFOLIA | <i>FLAVERIA BROWNII</i> | A. POWELL | 6 |
| FOENICULUM FOENICULUM | <i>FOENICULUM VULGARE</i> | MILL. | 1,2,3,5,6,7,8,9,0,C,H |
| FORESTIERA AUTUMNALIS | <i>FORESTIERA LIGUSTRINA</i> | (MICHX.) POIR. | 1,2,6 |
| FORESTIERA WRIGHTIANA | <i>FORESTIERA LIGUSTRINA</i> | (MICHX.) POIR. | 1,2,6 |
| FRAGARIA CANADENSIS | <i>FRAGARIA VIRGINIANA</i> | DUCHESNE | 1,2,3,4,5,6,7,8,9,0,A |
| FRAGARIA GLAUCA | <i>FRAGARIA VIRGINIANA</i> | DUCHESNE | 1,2,3,4,5,6,7,8,9,0,A |
| FRAGARIA GRAYANA | <i>FRAGARIA VIRGINIANA</i> | DUCHESNE | 1,2,3,4,5,6,7,8,9,0,A |
| FRAGARIA INDICA | <i>DUCHESNEA INDICA</i> | (ANDRZ.) FOCKE | 1,2,3,6,9,0 |
| FRAGARIA MULTICIPITA | <i>FRAGARIA VIRGINIANA</i> | DUCHESNE | 1,2,3,4,5,6,7,8,9,0,A |
| FRAGARIA OVALIS | <i>FRAGARIA VIRGINIANA</i> | DUCHESNE | 1,2,3,4,5,6,7,8,9,0,A |
| FRAGARIA PLATYPETALA | <i>FRAGARIA VIRGINIANA</i> | DUCHESNE | 1,2,3,4,5,6,7,8,9,0,A |
| FRAGARIA TRUNCATA | <i>FRAGARIA VIRGINIANA</i> | DUCHESNE | 1,2,3,4,5,6,7,8,9,0,A |
| FRASERA SPECIOSA | <i>SWERTIA RADIATA</i> | (KELLOGG) KUNTZE | 4,6,7,8,9,0 |
| FRAXINUS BILTMOREANA | <i>FRAXINUS AMERICANA</i> | L. | 1,2,3,5,6 |
| FRAXINUS CAMPESTRIS | <i>FRAXINUS PENNSYLVANICA</i> | MARSHALL | 1,2,3,4,5,6,8,9 |
| FRAXINUS DARLINGTONII | <i>FRAXINUS PENNSYLVANICA</i> | MARSHALL | 1,2,3,4,5,6,8,9 |
| FRAXINUS PAUCIFLORA | <i>FRAXINUS CAROLINIANA</i> | MILL. | 1,2,6 |
| FUIRENA HISPIDA | <i>FUIRENA SQUARROSA</i> | MICHX. | 1,2,3,6,C |
| FUNASTRUM HETEROPHYLLUM | <i>SARCOSTEMMA CYNANCHOIDES</i> | DECNE. | 2,6,7,8,0 |
| FUNASTRUM LINEARE | <i>SARCOSTEMMA CYNANCHOIDES</i> | DECNE. | 2,6,7,8,0 |
| GALACTIA VOLUBILIS | <i>GALACTIA MACREEI</i> | M.A. CURT. | 1,2,6 |
| GALIAM ASPERULUM | <i>GALIAM MEXICANUM</i> | H.B.K. | 6,7,8,9,0 |
| GALIAM CLAYTONII | <i>GALIAM TINCTORIUM</i> | L. | 1,2,3,5,6,7 |
| GALIAM COLUMBIANUM | <i>GALIAM TRIFIDUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|-----------------------------|---------------------------------------|--|-----------------------|
| GALIUM FILIFOLIUM | <i>GALIUM OBTUSUM</i> | BIGEL. | 1,2,3,4,5,6,7 |
| GALIUM HYSSOPIFOLIUM | <i>GALIUM BOREALE</i> | L. | 1,3,4,5,6,7,8,9,0,A |
| GALIUM MICROPHYLLUM | <i>RELBUNIUM MICROPHYLLUM</i> | (GRAY) HEMSL. | 6,7 |
| GATESIA LAETE-VIRENS | <i>YEATESIA VIRIDIFLORA</i> | (NEES) SMALL | 2,6 |
| GENTIANA BIGELOVII | <i>GENTIANA AFFINIS</i> | GRISEB. | 3,4,6,7,8,9,0 |
| GERARDIA APHYLLA | <i>AGALINIS APHYLLA</i> | (NUTT.) RAF. | 2,6 |
| GERARDIA FASCICULATA | <i>AGALINIS FASCICULATA</i> | (ELLIOTT) RAF. | 1,2,3,5,6,C |
| GERARDIA HETEROPHYLLA | <i>AGALINIS HETEROPHYLLA</i> | (NUTT.) SMALL EX BRITTON & A. BR. | 2,3,5,6 |
| GERARDIA MARITIMA | <i>AGALINIS MARITIMA</i> | (RAF.) RAF. | 1,2,6 |
| GERARDIA PURPUREA | <i>AGALINIS PURPUREA</i> | (L.) RAF. | 1,2,3,5,6,C |
| GLECHOMA HEDERACEA | <i>GLECOMA HEDERACEA</i> | L. | 1,2,3,4,5,6,8,9,0,A |
| GLYCERIA ARKANSANA | <i>GLYCERIA SEPTENTRIONALIS</i> | A. HITCHC. | 1,2,3,6 |
| GLYCERIA NERVATA | <i>GLYCERIA STRIATA</i> | (LAM.) A. HITCHC. | 1,2,3,4,5,6,7,8,9,0,A |
| GLYCINE APIOS | <i>APIOS AMERICANA</i> | MEDIC. | 1,2,3,4,5,6 |
| GNAPHALIUM PENNSYLVANICUM | <i>GAMOCHAETA PENNSYLVANICA</i> | (WILLD.) CABRERA | 1,2,6,0,H |
| GNAPHALIUM PEREGRINUM | <i>GAMOCHAETA PENNSYLVANICA</i> | (WILLD.) CABRERA | 1,2,6,0,H |
| GNAPHALIUM PURPUREUM | <i>GAMOCHAETA PURPUREA</i> | (L.) CABRERA | 1,2,3,5,6,7,9,0,C,H |
| GOODYERA OPHIDIDES | <i>GOODYERA REPENS</i> | (L.) R. BR. IN W.T. AIT. | 1,2,3,4,6,7,8,9,A |
| GRATIOLA SPHAEROCARPA | <i>GRATIOLA VIRGINIANA</i> | L. | 1,2,3,5,6,9 |
| GRINDELIA GYMNOSPERMOIDES | <i>XANTHOCEPHALUM GYMNOSPERMOIDES</i> | (GRAY) BENTH. & J.D. HOOK | 6,7 |
| GUTIERREZIA GYMNOSPERMOIDES | <i>XANTHOCEPHALUM GYMNOSPERMOIDES</i> | (GRAY) BENTH. & J.D. HOOK | 6,7 |
| HABENARIA BLEPHARIGLOTTIS | <i>PLATANThERA BLEPHARIGLOTTIS</i> | (WILLD.) LINDL. | 1,2,3,6 |
| HABENARIA CHAPMANII | <i>PLATANThERA X CHAPMANII</i> | (SMALL) LUER | 1,2,6 |
| HABENARIA CILIARIS | <i>PLATANThERA CILIARIS</i> | (L.) LINDL. | 1,2,3,6 |
| HABENARIA CLAVELLATA | <i>PLATANThERA X CLAVELLATA</i> | (MICHX.) LUER | 1,2,3,4,6,9 |
| HABENARIA CRISTATA | <i>PLATANThERA CRISTATA</i> | (MICHX.) LINDL. | 1,2,6 |
| HABENARIA FLAVA | <i>PLATANThERA FLAVA</i> | (L.) LINDL. | 1,2,3,6 |
| HABENARIA INTEGRATA | <i>PLATANThERA INTEGRATA</i> | (NUTT.) GRAY EX L.C. BECK | 1,2,6 |
| HABENARIA LACERA | <i>PLATANThERA LACERA</i> | (MICHX.) G. DON | 1,2,3,5,6 |
| HABENARIA LEUCOPHAEA | <i>PLATANThERA LEUCOPHAEA</i> | (NUTT.) LINDL. | 1,2,3,4,5,6 |
| HABENARIA NIVEA | <i>PLATANThERA NIVEA</i> | (NUTT.) LUER | 1,2,6 |
| HABRANTHUS TUBISPATHEUS | <i>HABRANTHUS TEXANUS</i> | (HERB.) STEUD. EX CORRELL & M. JOHNST. INED. | 2,6 |
| HALESIA MONTICOLA | <i>HALESIA MONTICOLA</i> | L. | 1,2,3,6 |
| HALESIA TETRAPTERA | <i>HALESIA CAROLINA</i> | L. | 1,2,3,6 |
| HAMAMELIS MACROPHYLLA | <i>HAMAMELIS VIRGINIANA</i> | L. | 1,2,3,6 |
| HAPLOPAPPUS CILIATUS | <i>PRIONOPSIS CILIATA</i> | (NUTT.) NUTT. | 1,2,3,5,6,7,0 |
| HAPLOPAPPUS PHYLLOCEPHALUS | <i>MACHAERANTHERA PHYLLOCEPHALA</i> | (DC.) SHINNERS | 2,5,6,7 |
| HEDYOTIS BOSCHII | <i>OLDENLANDIA BOSCHII</i> | (DC.) CHAPM. | 1,2,3,6 |
| HEDYOTIS CORYMBOSA | <i>OLDENLANDIA CORYMBOSA</i> | L. | 2,6,C,H |
| HEDYOTIS CRASSIFOLIA | <i>HOUSTONIA MINIMA</i> | L.C. BECK | 1,2,3,5,6 |
| HEDYOTIS HALEI | <i>PENTODON PENTANDRUS</i> | (SCHUMACH.) VATKE | 2,6 |
| HEDYOTIS PYGMAEA | <i>HOUSTONIA WRIGHTII</i> | GRAY | 6,7 |
| HEDYOTIS UNIFLORA | <i>OLDENLANDIA UNIFLORA</i> | L. | 1,2,3,6,C |
| HEIMIA LONGIPES | <i>NESSIA LONGIPES</i> | GRAY | 6 |
| HELEASTRUM HEMISPHERICUM | <i>ASTER HEMISPHERICUS</i> | E.J. ALEX. | 1,2,3,5,6 |
| HELENIUM FLORIDANUM | <i>HELENIUM FLEXUOSUM</i> | RAF. | 1,2,3,5,6 |
| HELENIUM GODFREYI | <i>HELENIUM FLEXUOSUM</i> | RAF. | 1,2,3,5,6 |
| HELENIUM TENUIFOLIUM | <i>HELENIUM AMARUM</i> | (RAF.) H. ROCK | 1,2,3,5,6,0 |
| HELENIUM VIRGINICUM | <i>HELENIUM AUTUMNALE</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| HELIANTHUM PARVULUM | <i>ECHINODORUS PARVULUS</i> | ENGELM. | 1,2,3,5,6,C,H |
| HELIANTHUS DALYI | <i>HELIANTHUS MAXIMILIANI</i> | SCHRAD. | 1,2,3,4,5,6,8,9,0 |
| HELIANTHUS DOWELLIANUS | <i>HELIANTHUS OCCIDENTALIS</i> | RIDDELL | 1,2,3,5,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|---------------------------|-----------------------------------|------------------------|-------------------------|
| HELIANTHUS INSTABILIS | <i>HELIANTHUS GROSSESERRATUS</i> | M. MARTENS | 1,2,3,4,5,6,7 |
| HELIOTROPIMUM SPATHULATUM | <i>HELIOTROPIMUM CURASSAVICUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,C,H |
| HERPETICA ALATA | <i>CASSIA ALATA</i> | L. | 2,6,C,H |
| HETERANTHERA DUBIA | <i>ZOSTERELLA DUBIA</i> | (JACQ.) SMALL | 1,2,3,4,5,6,7,9,0 |
| HETERANTHERA PEDUNCULARIS | <i>HETERANTHERA RENIFORMIS</i> | RUIZ & PAVON | 1,2,3,5,6,C |
| HETEROTHECA LATIFOLIA | <i>HETEROTHECA SUBAXILLARIS</i> | (LAM.) BRITTON & RUSBY | 1,2,3,4,5,6,7,8,0 |
| HETEROTHECA NERVOSA | <i>HETEROTHECA GRAMINIFOLIA</i> | (MICHX.) SHINNERS | 1,2,6 |
| HEUCHERA CALYCOSA | <i>HEUCHERA AMERICANA</i> | L. | 1,2,3,6 |
| HEUCHERA HISPIDA | <i>HEUCHERA RUBESCENS</i> | TORR. | 6,7,8,9,0 |
| HIBISCUS CALIFORNICUS | <i>HIBISCUS MOSCHEUTOS</i> | L. | 1,2,3,5,6,7,0 |
| HIBISCUS CUBENSAS | <i>HIBISCUS LAMBERTIANUS</i> | H.B.K. | 6 |
| HIBISCUS INCANUS | <i>HIBISCUS MOSCHEUTOS</i> | L. | 1,2,3,5,6,7,0 |
| HIBISCUS LASIOCARPUS | <i>HIBISCUS MOSCHEUTOS</i> | L. | 1,2,3,5,6,7,0 |
| HIBISCUS LEUCOPHYLLUS | <i>HIBISCUS MOSCHEUTOS</i> | L. | 1,2,3,5,6,7,0 |
| HIBISCUS MILITARIS | <i>HIBISCUS LAEVIS</i> | ALL. | 1,2,3,5,6 |
| HIBISCUS PALUSTRIS | <i>HIBISCUS MOSCHEUTOS</i> | L. | 1,2,3,5,6,7,0 |
| HIERACIUM LONGIPILUM | <i>HIERACIUM GRONOVII</i> | L. | 1,2,3,5,6 |
| HOFFMANSEGGIA DENIFLORA | <i>HOFFMANSEGGIA GLAUCA</i> | (ORTEGA) EIFERT | 5,6,7,8,0 |
| HOFFMANSEGGIA FALCARIA | <i>HOFFMANSEGGIA GLAUCA</i> | (ORTEGA) EIFERT | 5,6,7,8,0 |
| HOLCUS HALEPENSIS | <i>SORGHUM HALEPENSE</i> | (L.) PERS. | 1,2,3,4,5,6,7,8,9,0,C,H |
| HOLCUS SORGHUM | <i>SORGHUM BICOLOR</i> | (L.) MOENCH | 1,2,3,4,6,7,8,0,C,H |
| HYDRANGEA ASHEI | <i>HYDRANGEA ARBORESCENS</i> | L. | 1,2,3,5,6 |
| HYDRANGEA CINEREA | <i>HYDRANGEA ARBORESCENS</i> | L. | 1,2,3,5,6 |
| HYDROCOTYLE ASIATICA | <i>CENTELLA ASIATICA</i> | (L.) URBAN | 1,2,6,C,H |
| HYDROLEA AFFINIS | <i>HYDROLEA UNIFLORA</i> | RAF. | 1,2,3,6 |
| HYPERICUM AMBIGUUM | <i>HYPERICUM GALIOIDES</i> | LAM. | 2,6 |
| HYPERICUM GLOMERATUM | <i>HYPERICUM DENSIFLORUM</i> | PURSH | 1,2,3,6 |
| HYPERICUM HYPERICOIDES | <i>ASCYRUM HYPERICOIDES</i> | L. | 1,2,3,5,6,C |
| HYPERICUM PETIOLATUM | <i>TRIADENUM WALTERI</i> | (J.F. GMEL.) GLEASON | 1,2,3,6 |
| HYPERICUM SPATHULATUM | <i>HYPERICUM PROLIFICUM</i> | L. | 1,2,3,6 |
| HYPERICUM STANS | <i>ASCYRUM STANS</i> | MICHX. | 1,2,6 |
| HYPERICUM SUBPETIOLATUM | <i>HYPERICUM PUNCTATUM</i> | LAM. | 1,2,3,5,6 |
| HYPERICUM TUBULOSUM | <i>TRIADENUM TUBULOSUM</i> | (WALTER) GLEASON | 1,2,3,6 |
| HYPERICUM TURGIDUM | <i>HYPERICUM SPHAEROCARPUM</i> | MICHX. | 1,2,3,5,6 |
| HYPERICUM VIRGINICUM | <i>TRIADENUM VIRGINICUM</i> | (L.) RAF. | 1,2,3,5,6 |
| HYPTIS RADIATA | <i>HYPTIS ALATA</i> | (RAF.) SHINNERS | 2,6 |
| ILEX LUCIDA | <i>ILEX CORIACEA</i> | (PURSH) CHAPM. | 1,2,6,C |
| IMPATIENS BIFLORA | <i>IMPATIENS CAPENSIS</i> | MEERB. | 1,2,3,4,5,6,8,9 |
| IMPATIENS NORTONII | <i>IMPATIENS CAPENSIS</i> | MEERB. | 1,2,3,4,5,6,8,9 |
| INDIGOFERA ANIL | <i>INDIGOFERA SUFFRUTICOSA</i> | MILL. | 2,6,C,H |
| INULA GRAMINIFOLIA | <i>HETEROTHECA GRAMINIFOLIA</i> | (MICHX.) SHINNERS | 1,2,6 |
| INULA MARIANA | <i>HETEROTHECA MARIANA</i> | (L.) SHINNERS | 1,2,6 |
| IPOMOEA ACUMINATA | <i>IPOMOEA INDICA</i> | (N.L. BURM.) MERRILL | 2,6,0,C,H |
| IPOMOEA BARBIGERA | <i>IPOMOEA HEDERACEA</i> | JACQ. | 1,2,3,5,6,7,0,C |
| IPOMOEA BRASILIENSIS | <i>IPOMOEA PES-CAPRAE</i> | (L.) SWEET | 2,6,C,H |
| IPOMOEA CONGESTA | <i>IPOMOEA INDICA</i> | (N.L. BURM.) MERRILL | 2,6,0,C,H |
| IPOMOEA DISSECTA | <i>MERREMIA DISSECTA</i> | (JACQ.) H. HALLIER | 1,2,6,C |
| IPOMOEA HETEROPHYLLA | <i>IPOMOEA PUBESCENS</i> | LAM. | 6,7 |
| IPOMOEA HIRSUTULA | <i>IPOMOEA PURPUREA</i> | (L.) ROTH | 1,2,3,4,5,6,7,8,0,C |
| IPOMOEA IMPERATI | <i>IPOMOEA STOLONIFERA</i> | (CIRILLO) J.F. GMEL. | 2,6,C,H |
| IPOMOEA MACRANTHA | <i>IPOMOEA VIOLACEA</i> | L. | 2,6,C,H |
| IPOMOEA SINUATA | <i>MERREMIA DISSECTA</i> | (JACQ.) H. HALLIER | 1,2,6,C |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|------------------------|---------------------------------|--|---------------------------|
| IPOMOEA TRICOLOR | <i>IPOMOEA VIOLACEA</i> | L. | 2,6,C,H |
| IRECINE CELOSIA | <i>IRECINE DIFFUSA</i> | HUMB. & BONPL. EX WILLD. | 2,6,C |
| IRIS BREVIPIES | <i>IRIS BREVICAULIS</i> | RAF. | 1,2,3,5,6 |
| ISNARDIA PALUSTRIS | <i>LUDWIGIA PALUSTRIS</i> | (L.) ELLIOTT | 1,2,3,5,6,7,8,9,0,C,H |
| ISOPYRUM BITERNATUM | <i>ENEMION BITERNATUM</i> | RAF. | 1,2,3,4,5,6 |
| IVA CILIATA | <i>IVA ANNUA</i> | L. | 1,2,3,4,5,6,7 |
| JUGLANS ELAEOPYREN | <i>JUGLANS MAJOR</i> | (TORR.) A. HELLER | 6,7 |
| JUGLANS RUPESTRIS | <i>JUGLANS MICROCARPA</i> | BERLAND. | 5,6,7 |
| JUNCCELLUS LAEVIGATUS | <i>CYPERUS LAEVIGATUS</i> | L. | 2,6,7,8,0,C,H |
| JUNCUS ARISTULATUS | <i>JUNCLUS MARGINATUS</i> | ROSTK. | 1,2,3,5,6,7,8,0 |
| JUNCUS ARIZONICUS | <i>JUNCUS INTERIOR</i> | WIEGAND | 1,2,3,4,5,6,7,8,9 |
| JUNCUS BICORNIS | <i>JUNCUS TENUIS</i> | WILLD. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| JUNCUS DUDLEYI | <i>JUNCUS TENUIS</i> | WILLD. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| JUNCUS MACER | <i>JUNCUS TENUIS</i> | WILLD. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| JUNCUS ROBUSTUS | <i>JUNCUS NODATUS</i> | COVILLE | 1,2,3,5,6 |
| JUNCUS SETACEUS | <i>JUNCUS CORIACEUS</i> | MACKENZ. | 1,2,6 |
| JUSSIAEA ANGSTIFOLIA | <i>LUDWIGIA OCTOVALVIS</i> | (JACQ.) RAVEN | 2,6,C,H |
| JUSSIAEA BONARIENSIS | <i>LUDWIGIA BONARIENSIS</i> | (MICHELI) H. HARA | 2,6 |
| JUSSIAEA DECURRENS | <i>LUDWIGIA DECURRENS</i> | WALTER | 1,2,3,5,6,C |
| JUSSIAEA ERECTA | <i>LUDWIGIA OCTOVALVIS</i> | (JACQ.) RAVEN | 2,6,C,H |
| JUSSIAEA GRANDIFLORA | <i>LUDWIGIA URUGUAYENSIS</i> | (CAMBESS.) H. HARA | 1,2,3,6,9,0 |
| JUSSIAEA LEPTOCARPA | <i>LUDWIGIA LEPTOCARPA</i> | (NUTT.) H. HARA | 1,2,3,6,C |
| JUSSIAEA NEGLECTA | <i>LUDWIGIA BONARIENSIS</i> | (MICHELI) H. HARA | 2,6 |
| JUSSIAEA REPENS | <i>LUDWIGIA PEPLIOIDES</i> | (H.B.K.) RAVEN | 1,2,3,5,6,7,0,C |
| JUSSIAEA SUFFRU | <i>LUDWIGIA OCTOVALVIS</i> | (JACQ.) RAVEN | 2,6,C,H |
| JUSSIAEA URUGUAYENSIS | <i>LUDWIGIA URUGUAYENSIS</i> | (CAMBESS.) H. HARA | 1,2,3,6,9,0 |
| JUSTICA HUMILIS | <i>JUSTICIA OVATA</i> | (WALTER) LINDAU | 1,2,3,6 |
| JUSTICA LANCEOLATA | <i>JUSTICIA OVATA</i> | (WALTER) LINDAU | 1,2,3,6 |
| KOELLIA ALBESCENS | <i>RYCNANTHEMUM ALBESCENS</i> | TORR. & GRAY | 1,2,3,5,6 |
| KOELLIA FLEXUOSA | <i>RYCNANTHEMUM FLEXUOSUM</i> | (WALTER) B.S.P. | 1,2,3,5,6 |
| KOELLIA HUGERI | <i>RYCNANTHEMUM VIRGINIANUM</i> | (L.) TH. DURAND & B.D. JACKS. EX B. ROB. & FERNALD | 1,2,3,4,5,6 |
| KOELLIA MUTICA | <i>RYCNANTHEMUM MUTICUM</i> | (MICHX.) PERS. | 1,2,3,5,6 |
| KOELLIA PAUCIFLORA | <i>RYCNANTHEMUM ALBESCENS</i> | TORR. & GRAY | 1,2,3,5,6 |
| KOELLIA VIRGINIANA | <i>RYCNANTHEMUM VIRGINIANUM</i> | (L.) TH. DURAND & B.D. JACKS. EX B. ROB. & FERNALD | 1,2,3,4,5,6 |
| KRIGIA OPPOSITIFOLIA | <i>KRIGIA CESPITOSA</i> | (RAF.) K. CHAMB. | 1,2,3,5,6 |
| KYLLINGA BREVIFOLIA | <i>CYPERUS BREVIFOLIUS</i> | (ROTTB.) HASSK. | 1,2,6,0,C,H |
| KYLLINGA MONOCEPHALA | <i>CYPERUS BREVIFOLIUS</i> | (ROTTB.) HASSK. | 1,2,6,0,C,H |
| KYLLINGA PUMILA | <i>CYPERUS TENUIFOLIUS</i> | (STEUD.) DANDY | 1,2,3,5,6,C |
| LACINARIA ACIDOTA | <i>LIATRIS ACIDOTA</i> | ENGELM. & GRAY | 2,6 |
| LACINARIA PYCNOSTACHYA | <i>LIATRIS PYCNOSTACHYA</i> | MICHX. | 1,2,3,4,5,6 |
| LACTUCA SAGITTIFOLIA | <i>LACTUCA CANADENSIS</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| LACTUCA STEELEI | <i>LACTUCA CANADENSIS</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| LANTANA ACULEATA | <i>LANTANA CAMARA</i> | L. | 2,6,0,C,H |
| LAPPULA FLORIBUNDA | <i>HACKELIA FLORIBUNDA</i> | (LEHM.) I. JOHNST. | 1,3,4,5,6,7,8,9,0 |
| LAPPULA VIRGINIANA | <i>HACKELIA VIRGINIANA</i> | (L.) I. JOHNST. | 1,2,3,4,5,6 |
| LEMNA AEQUINOCTIALIS | <i>LEMNA MINIMA</i> | HUMB. EX PHILIPPI NOMEN SUPERFL. NONCHEV. | 1,2,3,5,6,7,8,9,0 |
| LEMNA AEQUINOCTIALIS | <i>LEMNA TRINERVIS</i> | (AUST.) SMALL | 1,2,3,6,7,C |
| LEMNA CYCLOSTASA | <i>LEMNA VALDIVIANA</i> | PHILIPPI | 1,2,3,4,5,6,7,8,9,0 |
| LEMNA CYCLOSTASA | <i>LEMNA MINOR</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| LEMNA MINUSCULA | <i>LEMNA MINIMA</i> | HUMB. EX PHILIPPI NOMEN SUPERFL. NONCHEV. | 1,2,3,5,6,7,8,9,0 |
| LEMNA POLYRHIZA | <i>SPIRODELA POLYRHIZA</i> | (L.) SCHLEID. | 1,2,3,4,5,6,7,8,9,0,C,H |
| LEPADENA MARGINATA | <i>EUPHORBIA MARGINATA</i> | PURSH | 1,2,3,4,5,6,7,8,9 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|----------------------------------|---------------------------------|------------------------------|-------------------------|
| LEPIDIUM NEGLECTUM | <i>LEPIDIUM DENSIFLORUM</i> | SCHRAD. | 1,2,3,4,5,6,7,8,9,0,A |
| LEPTOCHLOA ATTENUATA | <i>LEPTOCHLOA FILIFORMIS</i> | (LAM.) BEAUV. | 1,2,3,4,5,6,7,8,0,C |
| LEPTOCHLOA PANICEA | <i>LEPTOCHLOA FILIFORMIS</i> | (LAM.) BEAUV. | 1,2,3,4,5,6,7,8,0,C |
| LESQUERELLA PALLIDA | <i>LESQUERELLA GRACILIS</i> | (HOOK.) S. WATS. | 2,3,5,6 |
| LEUCAENA GLAUCA | <i>LEUCAENA LEUCOCEPHALA</i> | (LAM.) DE WIT | 2,6,C,H |
| LIATRIS KANSANA | <i>LIATRIS LANCIFOLIA</i> | (GREENE) KITTELL | 3,4,5,6,7 |
| LIATRIS MUCRONATA | <i>LIATRIS ACIDOTA</i> | ENGELM. & GRAY | 2,6 |
| LILIUM CAROLINIANUM | <i>LILIUM MICHAUXII</i> | POIR. | 1,2,6 |
| LILIUM MONTANUM | <i>LILIUM PHILADELPHICUM</i> | L. | 1,2,3,4,5,6,7,8,9 |
| LILIUM UMBELLATUM | <i>LILIUM PHILADELPHICUM</i> | L. | 1,2,3,4,5,6,7,8,9 |
| LIMODORUM PARVIFLORUM | <i>CALOPOGON BARBATUS</i> | (SWARTZ) LINDL. | 2,6 |
| LIMONIUM ANGUSTATUM | <i>LIMONIUM CAROLINIANUM</i> | (WALTER) BRITTON | 1,2,6 |
| LINDERNIA DUBIA VAR. ANAGALLIDEA | <i>LINDERNIA ANAGALLIDEA</i> | (MICHX.) PENNELL | 1,2,3,4,5,6,7,8,9,0 |
| LIPPIA CUNEIFOLIA | <i>PHYLA CUNEIFOLIA</i> | (TORR.) GREENE | 2,3,4,5,6,7,8 |
| LIPPIA GEMINATA | <i>LIPPIA ALBA</i> | (MILL.) N.E. BR. | 2,6,C |
| LIPPIA LANCEOLATA | <i>PHYLA LANCEOLATA</i> | (MICHX.) GREENE | 1,2,3,4,5,6,7,8,0 |
| LIPPIA NODIFLORA | <i>PHYLA NODIFLORA</i> | (L.) GREENE | 1,2,3,5,6,7,8,0,C,H |
| LOBELIA GATTINGERI | <i>LOBELIA APPENDICULATA</i> | A. DC. | 2,3,6 |
| LOBELIA LEPTOSTACHYS | <i>LOBELIA SPICATA</i> | LAM. | 1,2,3,4,5,6 |
| LOBELIA SPLENDENS | <i>LOBELIA CARDINALIS</i> | L. | 1,2,3,5,6,7,8,0 |
| LOPHOTOCARPUS CALIFORNICUS | <i>SAGITTARIA CALYCINA</i> | ENGELM. | 1,2,3,4,5,6,7,0 |
| LOPHOTOCARPUS CALYCINUS | <i>SAGITTARIA CALYCINA</i> | ENGELM. | 1,2,3,4,5,6,7,0 |
| LORINSERIA AREOLATA | <i>WOODWARDIA AREOLATA</i> | (L.) T. MOORE | 1,2,3,6 |
| LUDWIGIA NATANS | <i>LUDWIGIA REPENS</i> | J. FORST. | 2,3,5,6,7,8,0 |
| LUDWIGIA NUTANS | <i>LUDWIGIA REPENS</i> | J. FORST. | 2,3,5,6,7,8,0 |
| LYCOPodium CHAPMANII | <i>LYCOPodium APPRESSUM</i> | (CHAPM.) LLOYD & UNDERW. | 1,2,3,6 |
| LYCOPUS LUCIDUS | <i>LYCOPUS ASPER</i> | GREENE | 1,3,4,5,6,7,8,9,0,A |
| LYCOPUS SINUATUS | <i>LYCOPUS AMERICANUS</i> | MUHL. EX W. BARTON | 1,2,3,4,5,6,7,8,9,0 |
| LYONIA PALUSTRIS | <i>CYNANCHUM ANGUSTIFOLIUM</i> | PERS. | 2,6 |
| LYSIMACHIA LONGIFOLIA | <i>LYSIMACHIA QUADRIFLORA</i> | SIMS | 1,2,3,4,5,6 |
| LYTHRUM DACOTANUM | <i>LYTHRUM ALATUM</i> | PURSH | 1,2,3,4,5,6,8 |
| LYTHRUM LANCEOLATUM | <i>LYTHRUM ALATUM</i> | PURSH | 1,2,3,4,5,6,8 |
| MALAXIS BAYARDII | <i>MALAXIS UNIFOLIA</i> | MICHX. | 1,2,3,6 |
| MANISURIS CAMPESTRIS | <i>COELORACHIS CYLINDRICA</i> | (MICHX.) NASH | 2,3,5,6 |
| MANISURIS RUGOSA | <i>COELORACHIS RUGOSA</i> | (NUTT.) NASH | 1,2,6 |
| MARISCUS JAMAICENSIS | <i>CLADIUM JAMAICENSE</i> | CRANTZ | 1,2,6,7,C |
| MARSILEA MUCRONATA | <i>MARSILEA VESTITA</i> | HOOK. & GREV. | 2,3,4,5,6,7,8,9,0 |
| MARSILEA OLIGOSPORA | <i>MARSILEA VESTITA</i> | HOOK. & GREV. | 2,3,4,5,6,7,8,9,0 |
| MARTYNIA LOUISIANA | <i>PROBOSCIDEA LOUISIANA</i> | (MILL.) THELL. | 1,2,3,4,5,6,7,8,9,0 |
| MARJTA COTULA | <i>ANTHEMIS COTULA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| MATELEA GONOCARPA | <i>MATELEA SUBEROSA</i> | (L.) SHINNERS | 1,2,3,5,6 |
| MAZUS PUMILIS | <i>MAZUS JAPONICUS</i> | (THUNB.) KUNTZE | 1,2,3,6,9 |
| MECARDONIA PEDUNCULARIS | <i>MECARDONIA VANDELLIOIDES</i> | (H.B.K.) PENNELL | 2,6,7,C |
| MELANTHIUM DISPERSUM | <i>MELANTHIUM VIRGINICUM</i> | L. | 1,2,3,5,6 |
| MELICA BELLA | <i>MELICA BULBOSA</i> | GEYER EX T. PORTER & COULTER | 6,8,9,0 |
| MELICA INFLATA | <i>MELICA BULBOSA</i> | GEYER EX T. PORTER & COULTER | 6,8,9,0 |
| MELOTHRIA MICROCARPA | <i>MELOTHRIA PENDULA</i> | L. | 1,2,3,5,6,C |
| MELOTHRIA NASHII | <i>MELOTHRIA PENDULA</i> | L. | 1,2,3,5,6,C |
| MICRAMPELIS LOBATA | <i>ECHINOCYSTIS LOBATA</i> | (MICHX.) TORR. & GRAY | 1,2,3,4,5,6,7,8,9 |
| MICROMERIA BROWNEI | <i>SATUREJA BROWNEI</i> | (SWARTZ) BRIQ. | 2,6 |
| MICROMERIA PILOSIUSCULA | <i>SATUREJA BROWNEI</i> | (SWARTZ) BRIQ. | 2,6 |
| MIKANIA ANGULOSA | <i>MIKANIA SCANDENS</i> | (L.) WILLD. | 1,2,3,6,H |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|--------------------------|---------------------------------|--------------------------|-------------------------|
| MIMOSA BERLANDIERI | <i>MIMOSA PIGRA</i> | L. | 2,6,C |
| MIMULUS FREMONTII | <i>MIMULUS GLABRATUS</i> | H.B.K. | 3,4,5,6,7,8,9,0 |
| MIMULUS PALLIDUS | <i>MIMULUS RINGENS</i> | L. | 1,2,3,4,5,6,9 |
| MIMULUS PARVULUS | <i>MIMULUS DENTILOBUS</i> | B. ROB. & FERNALD | 6,7 |
| MITREOLA ANGUSTIFOLIA | <i>CYNOCTONUM SESSILIFOLIUM</i> | (WALTER) J.F. GMEL. | 1,2,6 |
| MITREOLA PETIOLATA | <i>CYNOCTONUM MITREOLA</i> | (L.) BRITTON | 1,2,3,6,C |
| MITREOLA SESSILIFOLIA | <i>CYNOCTONUM SESSILIFOLIUM</i> | (WALTER) J.F. GMEL. | 1,2,6 |
| MOHRODENDRON CAROLINUM | <i>HALESIA CAROLINA</i> | L. | 1,2,3,6 |
| MOHRODENDRON DIPTERUM | <i>HALESIA DIPTERA</i> | J. ELLIS | 2,6 |
| MOLLUGO BERTERIANA | <i>MOLLUGO VERTICILLATA</i> | L. | 1,2,3,4,5,6,7,8,9,0,C |
| MONARDA MENTHAEFOLIA | <i>MONARDA FISTULOSA</i> | L. | 1,2,3,4,5,6,7,8,9 |
| MONARDA MOLLIS | <i>MONARDA FISTULOSA</i> | L. | 1,2,3,4,5,6,7,8,9 |
| MONARDA SCABRA | <i>MONARDA FISTULOSA</i> | L. | 1,2,3,4,5,6,7,8,9 |
| MONOTROPA BRITTONII | <i>MONOTROPA UNIFLORA</i> | L. | 1,2,3,4,5,6,7,9,0,A |
| MUHLENBERGIA COMATA | <i>MUHLENBERGIA ANDINA</i> | (NUTT.) A. HITCHC. | 6,7,8,9,0 |
| MUHLENBERGIA COMMUTATA | <i>MUHLENBERGIA FRONDOSA</i> | (POIR.) FERNALD | 1,2,3,4,5,6 |
| MUHLENBERGIA MARSHII | <i>MUHLENBERGIA RIGENS</i> | (BENTH.) A. HITCHC. | 6,7,8,0 |
| MUHLENBERGIA MUNDULA | <i>MUHLENBERGIA RIGENS</i> | (BENTH.) A. HITCHC. | 6,7,8,0 |
| MUHLENBERGIA PALUSTRIS | <i>MUHLENBERGIA SCHREBERI</i> | J.F. GMEL. | 1,2,3,5,6,7,0 |
| MYOSURUS APETALUS | <i>MYOSURUS MINIMUS</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| MYOSURUS SESSILIS | <i>MYOSURUS MINIMUS</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| MYRICA CAROLINIENSIS | <i>MYRICA HETEROPHYLLA</i> | RAF. | 1,2,3,6 |
| MYRIOPHYLLUM AQUATICUM | <i>MYRIOPHYLLUM BRASILIENSE</i> | CAMBESS. | 1,2,3,5,6,7,9,0,H |
| MYRIOPHYLLUM EXALBESCENS | <i>MYRIOPHYLLUM SPICATUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| MYRIOPHYLLUM SCABRATUM | <i>MYRIOPHYLLUM PINNATUM</i> | (WALTER) B.S.P. | 1,2,3,4,5,6 |
| NABALUS ALTISSIMUS | <i>PRENANTHES ALTISSIMA</i> | L. | 1,2,3,6 |
| NABALUS ASPER | <i>PRENANTHES ASPERA</i> | MICHX. | 1,2,3,4,5,6 |
| NAJAS GRACILIS | <i>NAJAS MARINA</i> | L. | 1,2,3,4,6,7,8,0,C |
| NAJAS MAJOR | <i>NAJAS MARINA</i> | L. | 1,2,3,4,6,7,8,0,C |
| NAJAS MUENSCHERI | <i>NAJAS GUADALUPENSIS</i> | (SPRENG.) MORONG | 1,2,3,4,5,6,7,8,9,0,C |
| NAJAS OLIVACEA | <i>NAJAS GUADALUPENSIS</i> | (SPRENG.) MORONG | 1,2,3,4,5,6,7,8,9,0,C |
| NAMA OVATA | <i>HYDROLEA OVATA</i> | NUTT. EX CHOISY | 1,2,3,6 |
| NASTURTIUM TRACHYCARPA | <i>RORIPPA SINUATA</i> | (NUTT.) A. HITCHC. | 1,2,3,4,5,6,7,8,9,0 |
| NELUMBO PENTAPETALA | <i>NELUMBO LUTEA</i> | (WILLD.) PERS. | 1,2,3,5,6 |
| NEMASTYLIS PURPUREA | <i>EUSTYLIS PURPUREA</i> | (HERB.) ENGELM. & GRAY | 2,6 |
| NEMOPHILA MICROCALYX | <i>NEMOPHILA APHYLLA</i> | (L.) BRUMMITT | 1,2,6 |
| NEMOPHILA TRILOBA | <i>NEMOPHILA APHYLLA</i> | (L.) BRUMMITT | 1,2,6 |
| NEOBECKIA AQUATICA | <i>ARMORACIA AQUATICA</i> | (A. EAT.) WIEGAND | 1,2,3,6 |
| NEOCLEOME SPINOSA | <i>CLEOME SPINOSA</i> | JACQ. | 1,2,3,5,6,C |
| NEPETA HEDERACEA | <i>GLEGOMA HEDERACEA</i> | L. | 1,2,3,4,5,6,8,9,0,A |
| NEPTUNIA FLORIDANA | <i>NEPTUNIA PUBESCENS</i> | BENTH. | 2,6 |
| NEPTUNIA PALMERI | <i>NEPTUNIA PUBESCENS</i> | BENTH. | 2,6 |
| NICOTIANA PALMERI | <i>NICOTIANA TRIGONOPHYLLA</i> | DUNAL | 6,7,8,0 |
| NINTODA JAPONICA | <i>LONICERA JAPONICA</i> | THUNB. | 1,2,3,5,6,7,8,0,C |
| NORTA ALTISSIMA | <i>SISYMBRIUM ALTISSIMUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| NOTHOLCUS LANATUS | <i>HOLCUS LANATUS</i> | L. | 1,2,3,5,6,7,8,9,0,A,H |
| NOTHOSCODUM BIVALVE | <i>ALLIUM BIVALVE</i> | (L.) KUNTZE | 1,2,3,5,6 |
| NUPHAR ADVENA | <i>NUPHAR LUTEUM</i> | (L.) SIBTH. & J.E. SMITH | 1,2,3,4,5,6,7,8,9,0,A |
| NUPHAR MICROPHYLLUM | <i>NUPHAR LUTEUM</i> | (L.) SIBTH. & J.E. SMITH | 1,2,3,4,5,6,7,8,9,0,A |
| NUPHAR POLYSEPALUM | <i>NUPHAR LUTEUM</i> | (L.) SIBTH. & J.E. SMITH | 1,2,3,4,5,6,7,8,9,0,A |
| NUPHAR SAGITTIFOLIUM | <i>NUPHAR LUTEUM</i> | (L.) SIBTH. & J.E. SMITH | 1,2,3,4,5,6,7,8,9,0,A |
| NUPHAR VARIEGATUM | <i>NUPHAR LUTEUM</i> | (L.) SIBTH. & J.E. SMITH | 1,2,3,4,5,6,7,8,9,0,A |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|---------------------------|-------------------------------------|---|-------------------------|
| NYCTELEA NYCTELEA | <i>ELLISIA NYCTELEA</i> | L. | 1,2,3,4,5,6,7,8,9 |
| NYMPHOIDES NYMPHAEOIDES | <i>NYMPHOIDES PELTATA</i> | (S.G. GMEL.) KUNTZE | 1,2,3,6 |
| NYMPHOIDES PILTATUM | <i>NYMPHOIDES PELTATA</i> | (S.G. GMEL.) KUNTZE | 1,2,3,6 |
| OAKESIELLA SESSILIFOLIA | <i>UVULARIA SESSILIFOLIA</i> | L. | 1,2,3,4,6 |
| OENOTHERA HOOKERI | <i>OENOTHERA ELATA</i> | H.B.K. | 1,2,3,4,5,6,7,8,9,0 |
| OENOTHERA MURICATA | <i>OENOTHERA BIENNIS</i> | L. | 1,2,3,4,5,6,8,9 |
| OENOTHERA RYDBERGII | <i>OENOTHERA VILLOSA</i> | THUNB. | 1,2,3,4,5,6,7,8,9 |
| OIANATHERA AMERICANA | <i>JUSTICIA AMERICANA</i> | (L.) VAHL | 1,2,3,5,6 |
| OPHIOGLOSSUM DENDRONEURON | <i>OPHIOGLOSSUM NUDICAULE</i> | L.F. | 2,6,H |
| OPHIOGLOSSUM ELLIPTICUM | <i>OPHIOGLOSSUM NUDICAULE</i> | L.F. | 2,6,H |
| OPLISMENUS BURMANII | <i>OPLISMENUS HIRTELLUS</i> | (L.) BEAUV. | 2,6,C,H |
| OPLISMENUS SETARIUS | <i>OPLISMENUS HIRTELLUS</i> | (L.) BEAUV. | 2,6,C,H |
| OPULASTER INTERMEDIUS | <i>PHYSOCARPUS OPULIFOLIUS</i> | (L.) MAXIM. | 1,2,3,4,5,6,8,9 |
| OPULASTER MONOGYNUS | <i>PHYSOCARPUS MONOGYNUS</i> | (TORR.) COULT. | 4,5,6,7,8,9 |
| OPULASTER OPULIFOLIUS | <i>PHYSOCARPUS OPULIFOLIUS</i> | (L.) MAXIM. | 1,2,3,4,5,6,8,9 |
| OPUNTIA ATROCAPENSIS | <i>OPUNTIA STRICTA</i> | (HAW.) HAW. | 1,2,6,C |
| OPUNTIA BENTONII | <i>OPUNTIA STRICTA</i> | (HAW.) HAW. | 1,2,6,C |
| OPUNTIA DILLENII | <i>OPUNTIA STRICTA</i> | (HAW.) HAW. | 1,2,6,C |
| OPUNTIA MACRARTHA | <i>OPUNTIA STRICTA</i> | (HAW.) HAW. | 1,2,6,C |
| OPUNTIA MAGNIFICA | <i>OPUNTIA STRICTA</i> | (HAW.) HAW. | 1,2,6,C |
| OPUNTIA NITENS | <i>OPUNTIA STRICTA</i> | (HAW.) HAW. | 1,2,6,C |
| OPUNTIA TUNOIDEA | <i>OPUNTIA STRICTA</i> | (HAW.) HAW. | 1,2,6,C |
| ORBEXILUM SIMPLEX | <i>PSORALEA SIMPLEX</i> | NUTT. EX TORR. & GRAY | 2,6 |
| ORYZOPSIS CONTRACTA | <i>ORYZOPSIS HYMENOIDES</i> | (ROEM. & J.A. SCHULTES) RICKER EX PIPER | 3,4,5,6,7,8,9,0 |
| OXALIS ALBICANS | <i>OXALIS CORNICULATA</i> | L. | 1,2,3,4,5,6,7,8,9,0,C,H |
| OXALIS PILOSA | <i>OXALIS CORNICULATA</i> | L. | 1,2,3,4,5,6,7,8,9,0,C,H |
| OXALIS REPENS | <i>OXALIS CORNICULATA</i> | L. | 1,2,3,4,5,6,7,8,9,0,C,H |
| OXALIS STRICTA | <i>OXALIS EUROPAEA</i> | JORDAN | 1,2,3,4,5,6 |
| OXYBAPHUS NYCTAGINEUS | <i>MIRABILIS NYCTAGINEA</i> | (MICHX.) MACHIL. | 1,2,3,4,5,6,7,8,9,0 |
| OXYTRIA CROCEA | <i>SCHOENOLIRION CROCEUM</i> | (MICHX.) A. WOOD | 2,6 |
| OXYTROPIS INVOLUTA | <i>OXYTROPIS LAMBERTII</i> | PURSH | 3,4,5,6,7,8,9 |
| PANICULARIA SEPTRIONALIS | <i>GLYCERIA SEPTENTRIONALIS</i> | A. HITCHC. | 1,2,3,6 |
| PANICUM ACULEATUM | <i>DICHANTHELIUM SCABRIUSCULUM</i> | (ELLIOTT) GOULD & C.A. CLARK | 1,2,4,6 |
| PANICUM AGROSTOIDES | <i>PANICUM RIGIDULUM</i> | BOSC EX NEES | 1,2,3,5,6,0,C |
| PANICUM AMARULUM | <i>PANICUM AMARUM</i> | ELLIOTT | 1,2,6 |
| PANICUM AMARULUM | <i>PANICUM VIRGATUM</i> | L. | 1,2,3,4,5,6,7,8,9,H |
| PANICUM ANGUSTIFOLIUM | <i>DICHANTHELIUM ACICULARE</i> | (DESV. EX POIR.) GOULD & C.A. CLARK | 1,2,3,6,C |
| PANICUM BARBINODE | <i>BRACHIARIA MUTICA</i> | (FORSK.) STAPP | 2,6,9,C,H |
| PANICUM BARBIPULVINATUM | <i>PANICUM CAPILLARE</i> | L. | 1,2,3,4,5,6,7,8,9,0,C |
| PANICUM CAERULESCENS | <i>DICHANTHELIUM DICHOTOMUM</i> | (L.) GOULD | 1,2,3,6,C |
| PANICUM CHAMAELONCHE | <i>DICHANTHELIUM DICHOTOMUM</i> | (L.) GOULD | 1,2,3,6,C |
| PANICUM CILIATUM | <i>DICHANTHELIUM LEUCOBLEPHARIS</i> | (TRIN.) GOULD & C.A. CLARK | 2,6,C |
| PANICUM CLANESTINUM | <i>DICHANTHELIUM CLANESTINUM</i> | (L.) GOULD | 1,2,3,5,6 |
| PANICUM COLONUM | <i>ECHINOCHLOA COLONA</i> | (L.) LINK | 1,2,3,5,6,7,9,0,C,H |
| PANICUM COMBSII | <i>PANICUM RIGIDULUM</i> | BOSC EX NEES | 1,2,3,5,6,0,C |
| PANICUM COMMUTATUM | <i>DICHANTHELIUM COMMUTATUM</i> | (J.A. SCHULTES) GOULD | 1,2,3,6 |
| PANICUM CONDENSUM | <i>PANICUM RIGIDULUM</i> | BOSC EX NEES | 1,2,3,5,6,0,C |
| PANICUM CONSANGUINEUM | <i>DICHANTHELIUM CONSANGUINEUM</i> | (KUNTH) GOULD & C.A. CLARK | 1,2,3,6 |
| PANICUM CRYPTANTHUM | <i>DICHANTHELIUM SCABRIUSCULUM</i> | (ELLIOTT) GOULD & C.A. CLARK | 1,2,4,6 |
| PANICUM CURTIFOLIUM | <i>DICHANTHELIUM ACUMINATUM</i> | (SWARTZ) GOULD & C.A. CLARK | 1,2,3,4,5,6,7,8,9,0,C |
| PANICUM DICHOTOMUM | <i>DICHANTHELIUM DICHOTOMUM</i> | (L.) GOULD | 1,2,3,6,C |
| PANICUM ENSIFOLIUM | <i>DICHANTHELIUM DICHOTOMUM</i> | (L.) GOULD | 1,2,3,6,C |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|----------------------------------|-------------------------------------|--------------------------------------|-----------------------|
| PANICUM FASCICULATUM | <i>BRACHIARIA FASCICULATA</i> | (SWARTZ) S.T. BLAKE | 2,6,7,C |
| PANICUM FILIPES | <i>PANICUM HALLII</i> | VASEY | 2,5,6,7,8 |
| PANICUM GEMINATUM | <i>PASPALIDIUM GEMINATUM</i> | (FORSK.) STAPP | 2,3,6,C |
| PANICUM GLUTINOSCARBRUM | <i>DICHANTHELIUM ACUMINATUM</i> | (SWARTZ) GOULD & C.A. CLARK | 1,2,3,4,5,6,7,8,9,0,C |
| PANICUM GYMNOCARPON | <i>PHANOPYRUM GYMNOCARPON</i> | (ELLIOTT) NASH | 2,6 |
| PANICUM HIANS | <i>STEINCHISMA HIANS</i> | (ELLIOTT) NASH | 1,2,3,6,7 |
| PANICUM IMPLICATUM | <i>DICHANTHELIUM ACUMINATUM</i> | (SWARTZ) GOULD & C.A. CLARK | 1,2,3,4,5,6,7,8,9,0,C |
| PANICUM LANCEARIUM | <i>DICHANTHELIUM SABULORUM</i> | (LAM.) GOULD & C.A. CLARK | 1,2,3,6,C |
| PANICUM LANUGINOSUM | <i>DICHANTHELIUM ACUMINATUM</i> | (SWARTZ) GOULD & C.A. CLARK | 1,2,3,4,5,6,7,8,9,0,C |
| PANICUM LEUCOTHRIX | <i>DICHANTHELIUM ACUMINATUM</i> | (SWARTZ) GOULD & C.A. CLARK | 1,2,3,4,5,6,7,8,9,0,C |
| PANICUM LONGILIGULATUM | <i>DICHANTHELIUM ACUMINATUM</i> | (SWARTZ) GOULD & C.A. CLARK | 1,2,3,4,5,6,7,8,9,0,C |
| PANICUM LUCIDUM | <i>DICHANTHELIUM DICHOTOMUM</i> | (L.) GOULD | 1,2,3,6,C |
| PANICUM MATTAMUSKEETENSE | <i>DICHANTHELIUM DICHOTOMUM</i> | (L.) GOULD | 1,2,3,6,C |
| PANICUM MICROCARPON | <i>DICHANTHELIUM SPHAEROCARPON</i> | (ELLIOTT) GOULD | 1,2,3,5,6 |
| PANICUM MUNDUM | <i>DICHANTHELIUM OVALE</i> | (ELLIOTT) GOULD & C.A. CLARK | 1,2,3,6,C |
| PANICUM MUTICUM | <i>BRACHIARIA MUTICA</i> | (FORSK.) STAPP | 2,6,9,C,H |
| PANICUM NITIDUM | <i>DICHANTHELIUM DICHOTOMUM</i> | (L.) GOULD | 1,2,3,6,C |
| PANICUM PALUDIVAGUM | <i>PASPALIDIUM GEMINATUM</i> | (FORSK.) STAPP | 2,3,6,C |
| PANICUM POLYANTHES | <i>DICHANTHELIUM SPHAEROCARPON</i> | (ELLIOTT) GOULD | 1,2,3,5,6 |
| PANICUM PORTORICENSE | <i>DICHANTHELIUM SABULORUM</i> | (LAM.) GOULD & C.A. CLARK | 1,2,3,6,C |
| PANICUM PURPURASCENS | <i>BRACHIARIA PURPURASCENS</i> | (RADDI) HENR. | 2,6,C |
| PANICUM RECOGNITUM | <i>DICHANTHELIUM SCABRIUSCULUM</i> | (ELLIOTT) GOULD & C.A. CLARK | 1,2,4,6 |
| PANICUM RHIZOMATUM | <i>PANICUM ANCEPS</i> | MICHX. | 1,2,3,5,6 |
| PANICUM RIGIDULUM VAR. PUBESCENS | <i>PANICUM LONGIFOLIUM</i> | TORR. | 1,2,3,6 |
| PANICUM ROANOKENSE | <i>DICHANTHELIUM DICHOTOMUM</i> | (L.) GOULD | 1,2,3,6,C |
| PANICUM SCABRISCULOM | <i>DICHANTHELIUM SCABRIUSCULUM</i> | (ELLIOTT) GOULD & C.A. CLARK | 1,2,4,6 |
| PANICUM SCOPARIUM | <i>DICHANTHELIUM SCOPARIUM</i> | (LAM.) GOULD | 1,2,3,5,6,C |
| PANICUM SERETUM | <i>DICHANTHELIUM ACUMINATUM</i> | (SWARTZ) GOULD & C.A. CLARK | 1,2,3,4,5,6,7,8,9,0,C |
| PANICUM SPHAEROCARPON | <i>DICHANTHELIUM SPHAEROCARPON</i> | (ELLIOTT) GOULD | 1,2,3,5,6 |
| PANICUM STIPITATUM | <i>PANICUM RIGIDULUM</i> | BOSC EX NEES | 1,2,3,5,6,0,C |
| PANICUM STRIGOSUM | <i>DICHANTHELIUM LEUCOBLEPHARIS</i> | (TRIN.) GOULD & C.A. CLARK | 2,6,C |
| PANICUM TENUE | <i>DICHANTHELIUM DICHOTOMUM</i> | (L.) GOULD | 1,2,3,6,C |
| PANICUM THERMALE | <i>DICHANTHELIUM ACUMINATUM</i> | (SWARTZ) GOULD & C.A. CLARK | 1,2,3,4,5,6,7,8,9,0,C |
| PANICUM WRIGHTIANUM | <i>DICHANTHELIUM ACUMINATUM</i> | (SWARTZ) GOULD & C.A. CLARK | 1,2,3,4,5,6,7,8,9,0,C |
| PARIETARIA NUMMULARIA | <i>PARIETARIA FLORIDANA</i> | NUTT. | 1,2,6,7,8,0 |
| PARIETARIA OBTUSA | <i>PARIETARIA PENNSYLVANICA</i> | MUHL. EX WILLD. | 1,2,3,4,5,6,7,8,9,0 |
| PARSONSIA BALSAMONA | <i>CUPHEA CARTHAGENENSIS</i> | (JACQ.) J.F. MACBR. | 2,6,C,H |
| PARSONSIA PETIOLATA | <i>CUPHEA VISCOSISSIMA</i> | JACQ. | 1,2,3,5,6 |
| PARTHENOCISSUS HIRSUTA | <i>PARTHENOCISSUS QUINQUEFOLIA</i> | (L.) PLANCH. | 1,2,3,4,5,6,7,9 |
| PARTHENOCISSUS INSERTA | <i>PARTHENOCISSUS VITACEA</i> | (KNERR) A. HITCHC. | 1,2,3,4,5,6,7,8,0 |
| PASPALUM CIRCLARE | <i>PASPALUM LAEVE</i> | MICHX. | 1,2,3,5,6 |
| PASPALUM DEBILE | <i>PASPALUM SETACEUM</i> | MICHX. | 1,2,3,5,6,7,C |
| PASPALUM GEMINUM | <i>PASPALUM PUBIFLORUM</i> | RUPR. EX FOURN. | 1,2,3,5,6,8 |
| PASPALUM GLABRATUM | <i>PASPALUM FLORIDANUM</i> | MICHX. | 1,2,3,5,6 |
| PASPALUM LARRANAGAI | <i>PASPALUM URVILLEI</i> | STEUD. | 1,2,6,0,C,H |
| PASPALUM LENTIFERUM | <i>PASPALUM PRAECOX</i> | WALTER | 1,2,3,6 |
| PASPALUM MUCRONATUM | <i>PASPALUM FLUITANS</i> | (ELLIOTT) KUNTH | 1,2,3,5,6 |
| PASPALUM TEXANUM | <i>PASPALUM PPLICATULUM</i> | MICHX. | 2,6,C |
| PASSIFLORA INCARNATA | <i>PASSIFLORA EDULIS</i> | SIMS | 1,2,3,5,6,C,H |
| PAULOWNIA IMPERIALIS | <i>PAULOWNIA TOMENTOSA</i> | (THUNB.) SIEBOLD & ZUCCAR. EX STEUD. | 1,2,3,6 |
| PEDICULARIS GLADIATA | <i>PEDICULARIS CANADENSIS</i> | L. | 1,2,3,4,5,6,7,8 |
| PELTANDRA THARPII | <i>PELTANDRA VIRGINICA</i> | (L.) KUNTH | 1,2,3,5,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|--------------------------------------|----------------------------------|---------------------------|---------------------------|
| PELTANDRA VIRGINICA SSP. LUTEOSPADIX | <i>PELTANDRA LUTEOSPADIX</i> | FERNALD | 1,2,3,6 |
| PENSTEMON OREDCCHARIS | <i>PENSTEMON RYDBERGII</i> | A. NELS. | 6,7,8,9,0 |
| PEPLIS DIANDRA | <i>DIDIPLIS DIANDRA</i> | (NUTT. EX DC.) A. WOOD | 1,2,3,5,6 |
| PERITOMA SERRULATUM | <i>CLEOME SERRULATA</i> | PURSH | 1,2,3,4,5,6,7,8,9,0 |
| PERITOMA SONORAE | <i>CLEOME MULTICAULIS</i> | SESSE & MOCINO EX DC. | 4,5,6,7 |
| PERSEA LITTORALIS | <i>PERSEA BORBONIA</i> | (L.) SPRENG. | 1,2,6 |
| PERSICARIA HYDROPIPER | <i>POLYGONUM HYDROPIPER</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| PERSICARIA MESOCHORA | <i>POLYGONUM AMPHIBIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| PERSICARIA NEBRASKENSIS | <i>POLYGONUM AMPHIBIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| PERSICARIA PSYCROPHILA | <i>POLYGONUM AMPHIBIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| PERSICARIA VESTITA | <i>POLYGONUM AMPHIBIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| PHACA SALSULA | <i>SPHAEROPHYSA SALSULA</i> | (PALLAS) DC. | 4,6,7,8,9,0 |
| PHASEOLUS HELVOLUS | <i>STROPHOSTYLES HELVOLA</i> | (L.) ELLIOTT | 1,2,3,4,5,6 |
| PHASEOLUS UMBELLATUS | <i>STROPHOSTYLES UMBELLATA</i> | (MUHL. EX WILLD.) BRITTON | 1,2,3,6 |
| PHILOTRIA Densa | <i>EGERIA Densa</i> | PLANCH. | 1,2,3,5,6,7,9,0,H |
| PHLOX ARGILLACEA | <i>PHLOX PILOSA</i> | L. | 1,2,3,4,5,6 |
| PHLOX OVATA | <i>PHLOX CAROLINA</i> | L. | 1,2,3,6 |
| PHOLIURUS INCURVUS | <i>PARAPHOLIS INCURVA</i> | (L.) HUBB. | 1,2,6,9,0 |
| PHRAGMITES COMMUNIS | <i>PHRAGMITES AUSTRALIS</i> | (CAV.) TRIN. EX STEUD. | 1,2,3,4,5,6,7,8,9,0,C |
| PHRAGMITES PHRAGMITES | <i>PHRAGMITES AUSTRALIS</i> | (CAV.) TRIN. EX STEUD. | 1,2,3,4,5,6,7,8,9,0,C |
| PHYLA NODIFLORA VAR. INCISA | <i>PHYLA INCISA</i> | SMALL | 2,5,6,7,8,0 |
| PHYLLANTHUS NIRURI | <i>PHYLLANTHUS URINARIA</i> | L. | 2,6,C,H |
| PHYLLANTHUS PRUINOSUS | <i>PHYLLANTHUS CAROLINIENSIS</i> | WALTER | 1,2,3,5,6 |
| PHYSALIS LANCEIFOLIA | <i>PHYSALIS ANGULATA</i> | L. | 1,2,3,5,6,7,8,0,C,H |
| PHYSALIS PENDULA | <i>PHYSALIS ANGULATA</i> | L. | 1,2,3,4,5,6,7,8,0,C,H |
| PHYSOSTEGIA DENTICULATA | <i>PHYSOSTEGIA VIRGINIANA</i> | (L.) BENTH. | 1,2,3,4,5,6,7,8 |
| PHYSOSTEGIA EDWARDSIANA | <i>PHYSOSTEGIA ANGUSTIFOLIA</i> | FERNALD | 2,3,5,6 |
| PHYSOSTEGIA MICRANTHA | <i>PHYSOSTEGIA INTERMEDIA</i> | (NUTT.) ENGELM. & GRAY | 1,2,3,5,6 |
| PHYSOSTEGIA OBOVATA | <i>PHYSOSTEGIA PULCHELLA</i> | LUNDELL | 2,6 |
| PHYSOSTEGIA SPECIOSA | <i>PHYSOSTEGIA VIRGINIANA</i> | (L.) BENTH. | 1,2,3,4,5,6,7,8 |
| PHYTOLACCA DECANDRA | <i>PHYTOLACCA AMERICANA</i> | L. | 1,2,3,5,6,7,9,0 |
| PITYOPSIS ASPERA | <i>HETEROTHECA GRAMINIFOLIA</i> | (MICHX.) SHINNERS | 1,2,6 |
| PITYOPSIS GRAMINIFOLIA | <i>HETEROTHECA GRAMINIFOLIA</i> | (MICHX.) SHINNERS | 1,2,6 |
| PITYOPSIS OLIGANTHA | <i>HETEROTHECA OLIGANTHA</i> | (CHAPM.) V.L. HARMS | 2,6 |
| PLANTAGO HALOPHILA | <i>PLANTAGO MAJOR</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| PLANTAGO HYBRIDA | <i>PLANTAGO HETEROPHYLLA</i> | NUTT. | 1,2,3,5,6,7,0 |
| PLANTAGO PURSHII | <i>PLANTAGO PATAGONICA</i> | JACQ. | 1,2,3,4,5,6,7,8,9,0 |
| PLUCHEA PETIOLATA | <i>PLUCHEA CAMPHORATA</i> | (L.) DC. | 1,2,3,5,6,7,8 |
| PLUCHEA TENUIFOLIA | <i>PLUCHEA FOETIDA</i> | (L.) DC. | 1,2,3,6 |
| POA AGASSIENSIS | <i>POA PRATENSIS</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| POA BREVIPANICULATA | <i>POA FENDLERANA</i> | (STEUD.) VASEY | 4,5,6,7,8,9,0 |
| POA EATONI | <i>POA FENDLERANA</i> | (STEUD.) VASEY | 4,5,6,7,8,9,0 |
| POA INTERIOR | <i>POA MEMORALIS</i> | L. | 1,3,4,5,6,7,8,9,0,A |
| POA LONGIPEDUNCULATA | <i>POA FENDLERANA</i> | (STEUD.) VASEY | 4,5,6,7,8,9,0 |
| POA LONGILIGULA | <i>POA FENDLERANA</i> | (STEUD.) VASEY | 4,5,6,7,8,9,0 |
| POA PSEUDOPRATENSIS | <i>POA ARIDA</i> | VASEY | 3,4,5,6,7,8,9 |
| POA SCABRIUSCULA | <i>POA FENDLERANA</i> | (STEUD.) VASEY | 4,5,6,7,8,9,0 |
| PODOSTEMUM ABROTANOIDES | <i>PODOSTEMUM CERATOPHYLLUM</i> | MICHX. | 1,2,3,6 |
| POGONIA DIVARICATA | <i>CLEISTES DIVARICATA</i> | (L.) AMES | 1,2,6 |
| POGONIA TRIANTHOPHORA | <i>TRIPHORA TRIANTHOPHORA</i> | (SWARTZ) RYDB. | 1,2,3,5,6,C |
| POLANISIA GRAVEOLENS | <i>POLANISIA DODECANDRA</i> | (L.) DC. | 1,2,3,4,5,6,7,8,9,0 |
| POLANISIA TRACHYSPERMA | <i>POLANISIA DODECANDRA</i> | (L.) DC. | 1,2,3,4,5,6,7,8,9,0 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|------------------------------------|----------------------------------|----------------------------------|---------------------------|
| POLEMONIUM LONGEE | <i>POLEMONIUM REPTANS</i> | L. | 1,2,3,5,6 |
| POLYGALA ABORIGINA | <i>POLYGALA POLYGAMA</i> | WALTER | 1,2,3,6 |
| POLYGALA AMBIGUA | <i>POLYGALA VERTICILLATA</i> | L. | 1,2,3,4,5,6,9 |
| POLYGALA HARPERI | <i>POLYGALA MARIANA</i> | MILL. | 1,2,6 |
| POLYGALA RAMOSIOR | <i>POLYGALA CRUCIATA</i> | L. | 1,2,3,6,C |
| POLYGALA VIRIDESCENS | <i>POLYGALA SANGUINEA</i> | L. | 1,2,3,4,5,6,7 |
| POLYGONATUM CANALICULATUM | <i>POLYGONATUM COMMUTATUM</i> | (J.A. & J.H. SCHULTES) A. DIETR. | 1,2,3,4,5,6,7 |
| POLYGONATUM GIGANTEUM | <i>POLYGONATUM COMMUTATUM</i> | (J.A. & J.H. SCHULTES) A. DIETR. | 1,2,3,4,5,6,7 |
| POLYGONATUM MELLEUM | <i>POLYGONATUM BIFLORUM</i> | (WALTER) ELLIOTT | 1,2,3,4,5,6,7 |
| POLYGONUM ACRE | <i>POLYGONUM PUNCTATUM</i> | ELLIOTT | 1,2,3,4,5,6,7,8,9,0,C,H |
| POLYGONUM BICORNE | <i>POLYGONUM PENSYLVANICUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM COCCICEUM | <i>POLYGONUM AMPHIBIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM CRISTATUM | <i>POLYGONUM SCANDENS</i> | L. | 1,2,3,4,5,6,8,9 |
| POLYGONUM DUBIUM | <i>POLYGONUM PERSICARIA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| POLYGONUM DUMETORUM | <i>POLYGONUM SCANDENS</i> | L. | 1,2,3,4,5,6,8,9 |
| POLYGONUM EXSERTUM | <i>POLYGONUM RAMOSISSIMUM</i> | MICHX. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM FLUITANS | <i>POLYGONUM AMPHIBIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM INCARNATUM | <i>POLYGONUM LAPATHIFOLIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM INTERIOR | <i>POLYGONUM RAMOSISSIMUM</i> | MICHX. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM LONGISTYLUM | <i>POLYGONUM PENSYLVANICUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM MEXICANUM | <i>POLYGONUM PENSYLVANICUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM MINUS | <i>POLYGONUM PERSICARIA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| POLYGONUM MONSPELIENSIS | <i>POLYGONUM AVICULARE</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| POLYGONUM MUHLENBERGII | <i>POLYGONUM AMPHIBIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM NATANS | <i>POLYGONUM AMPHIBIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM ONEILLII | <i>POLYGONUM HYDROPIPEROIDES</i> | MICHX. | 1,2,3,4,5,6,7,8,9,0,A,C |
| POLYGONUM PROLIFICUM | <i>POLYGONUM RAMOSISSIMUM</i> | MICHX. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM SCABRUM | <i>POLYGONUM LAPATHIFOLIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POLYGONUM SPAETHII | <i>POLYGONUM ORIENTALE</i> | L. | 1,2,3,5,6 |
| POLYPOGON LUTOSUS | <i>POLYPOGON INTERRUPTUS</i> | H.B.K. | 2,5,6,7,8,9,0,H |
| PONTEDERIA LANCEOLATA | <i>PONTEDERIA CORDATA</i> | L. | 1,2,3,5,6 |
| PONTHIEVA BRITTONAE | <i>PONTHIEVA RACEMOSA</i> | (WALTER) C. MOHR | 1,2,6,C |
| PONTHIEVA BRITTONIAE | <i>PONTHIEVA RACEMOSA</i> | (WALTER) C. MOHR | 1,2,6,C |
| POPULUS ARIZONICA | <i>POPULUS FREMONTII</i> | S. WATS. | 6,7,8,0 |
| POPULUS MACDOUGALII | <i>POPULUS FREMONTII</i> | S. WATS. | 6,7,8,0 |
| POPULUS SALICIFOLIA | <i>POPULUS ANGUSTIFOLIA</i> | E. JAMES | 4,5,6,7,8,9,0 |
| POPULUS SARGENTII | <i>POPULUS DELTOIDES</i> | W. BARTRAM EX MARSHALL | 1,2,3,4,5,6,7,8,9 |
| POPULUS TREMULOIDES | <i>POPULUS TREMULA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| PORTULACA CORONATA | <i>PORTULACA UMBRATICOLA</i> | H.B.K. | 2,6,7 |
| PORTULACA PORTULACASTRUM | <i>SESUVIUM PORTULACASTRUM</i> | (L.) L. | 1,2,6,C,H |
| POTAMOGETON AMERICANUS | <i>POTAMOGETON NODOSUS</i> | POIR. | 1,2,3,4,5,6,7,8,9,0,C,H |
| POTAMOGETON ANGUSTIFOLIUS | <i>POTAMOGETON ILLINOENSIS</i> | MORONG | 1,2,3,4,5,6,7,8,9,0 |
| POTAMOGETON CAPILLACEUS | <i>POTAMOGETON DIVERSIFOLIUS</i> | RAF. | 1,2,3,4,5,6,7,8,9,0 |
| POTAMOGETON CURTISII | <i>POTAMOGETON FOLIOSUS</i> | RAF. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| POTAMOGETON FIBRILLOSUS | <i>POTAMOGETON FOLIOSUS</i> | RAF. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| POTAMOGETON FLUITANS | <i>POTAMOGETON NODOSUS</i> | POIR. | 1,2,3,4,5,6,7,8,9,0,C,H |
| POTAMOGETON GEMMIPARUS | <i>POTAMOGETON PUSILLUS</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POTAMOGETON HETEROPHYLLUS | <i>POTAMOGETON ILLINOENSIS</i> | MORONG | 1,2,3,4,5,6,7,8,9,0 |
| POTAMOGETON LUCENS | <i>POTAMOGETON ILLINOENSIS</i> | MORONG | 1,2,3,4,5,6,7,8,9,0 |
| POTAMOGETON PANORMITANUS | <i>POTAMOGETON PUSILLUS</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POTAMOGETON PAUCIFLORUS | <i>POTAMOGETON FOLIOSUS</i> | RAF. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| POTENTILLA CANADENSIS VAR. SIMPLEX | <i>POTENTILLA SIMPLEX</i> | MICHX. | 1,2,3,5,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|---------------------------------------|-----------------------------|----------------------|---------------------------|
| POTENTILLA CONVALLARIA | POTENTILLA ARGUTA | PURSH | 1,2,3,4,5,6,7,8,9,A |
| POTENTILLA LEUCOCARPA | POTENTILLA RIVALIS | NUTT. | 1,3,4,5,6,7,8,9,0 |
| POTENTILLA MONSPELIENSIS | POTENTILLA NORVEGICA | L. | 1,2,3,4,5,6,7,8,9,0,A |
| POTENTILLA RIVALIS VAR. MILLEGRANA | POTENTILLA MILLEGRANA | ENGELM. EX LEHM. | 1,3,4,5,6,7,9,0 |
| POTENTILLA RIVULARIS VAR. PENTANDRA | POTENTILLA PENTANDRA | ENGELM. | 2,3,4,5,6 |
| PROSERPINACA AMBLYGONA | PROSERPINACA PALUSTRIS | L. | 1,2,3,6 |
| PROSERPINACA PLATYCARPA | PROSERPINACA PALUSTRIS | L. | 1,2,3,6 |
| PRUNUS ALABAMENSIS | PRUNUS SEROTINA | EHRH. | 1,2,3,4,5,6,7,9 |
| PRUNUS DEMISSA | PRUNUS VIRGINIANA | L. | 1,2,3,4,5,6,7,8,9,0,A |
| PRUNUS LANATA | PRUNUS NIGRA | AIT. | 1,2,3,6,9 |
| PRUNUS LANATA | PRUNUS AMERICANA | MARSHALL | 1,2,3,4,5,6,7,8,9 |
| PRUNUS VIRENS | PRUNUS SEROTINA | EHRH. | 1,2,3,4,5,6,7,9 |
| PSEDERA HIRSUTA | PARTHENOCISSUS QUINQUEFOLIA | (L.) PLANCH. | 1,2,3,4,5,6,7,9 |
| PSEDERA QUINQUEFOLIA | PARTHENOCISSUS QUINQUEFOLIA | (L.) PLANCH. | 1,2,3,4,5,6,7,9 |
| PSEDERA VITACEA | PARTHENOCISSUS VITACEA | (KNERR) A. HITCHC. | 1,2,3,4,5,6,7,8,0 |
| PSILOCARYA PORTORICENSIS | PSILOCARYA NITENS | (VAHL) A. WOOD | 1,2,3,6,C |
| PTELEA ANGUSTIFOLIA | PTELEA TRIFOLIATA | L. | 1,2,3,5,6,7,8 |
| PTELEA BALDWINII | PTELEA TRIFOLIATA | L. | 1,2,3,5,6,7,8 |
| PTELEA LUTESCENS | PTELEA TRIFOLIATA | L. | 1,2,3,5,6,7,8 |
| PTELEA MICROCARPA | PTELEA TRIFOLIATA | L. | 1,2,3,5,6,7,8 |
| PTELEA PALLIDA | PTELEA TRIFOLIATA | L. | 1,2,3,5,6,7,8 |
| PTELEA POLYADENIA | PTELEA TRIFOLIATA | L. | 1,2,3,5,6,7,8 |
| PTELEA SERRATA | PTELEA TRIFOLIATA | L. | 1,2,3,5,6,7,8 |
| PTELEA TOMENTOSA | PTELEA TRIFOLIATA | L. | 1,2,3,5,6,7,8 |
| PTERIDIUM ARACHNOIDEUM | PTERIDIUM AQUILINUM | (L.) KUHN | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| PTEROCAULON PYCNOSTACHYUM | PTEROCAULON VIRGATUM | (L.) DC. | 2,6,C |
| PYCREUS POLYTACHYOS | CYPERUS POLYSTACHYOS | ROTTB. | 1,2,3,6,C,H |
| PYCREUS RIVULARIS | CYPERUS RIVULARIS | KUNTH | 1,2,3,4,5,6,8,9,0,H |
| QUAMOCLIT COCCINEA | IPOMOEA COCCINEA | L. | 1,2,3,5,6,7,C |
| QUAMOCLIT QUAMOCLIT | IPOMOEA QUAMOCLIT | L. | 1,2,3,5,6,C |
| QUAMOCLIT VULGARIS | IPOMOEA QUAMOCLIT | L. | 1,2,3,5,6,C |
| QUERCUS ACUMINATA | QUERCUS MUHLENBERGII | ENGELM. | 1,2,3,5,6,7 |
| QUERCUS HOUSTONIANA | QUERCUS MICHAUXII | NUTT. | 1,2,3,5,6,7 |
| QUERCUS MISSISSIPPIENSIS | QUERCUS STELLATA | WANGENH. | 2,6 |
| QUERCUS OBTUSA | QUERCUS LAURIFOLIA | MICHX. | 1,2,6 |
| QUERCUS PAGODA | QUERCUS FALCATA | MICHX. | 1,2,3,6 |
| QUERCUS PAGODIFOLIA | QUERCUS FALCATA | MICHX. | 1,2,3,6 |
| QUERCUS PRINOIDES VAR. ACUMINATA | QUERCUS MUHLENBERGII | ENGELM. | 1,2,3,5,6,7 |
| QUERCUS SIMILIS | QUERCUS STELLATA | WANGENH. | 1,2,3,5,6 |
| QUERCUS SIMILIS | QUERCUS STELLATA | WANGENH. | 2,6 |
| QUERCUS SUCCULENTA | QUERCUS LAURIFOLIA | MICHX. | 1,2,6 |
| RADICULA TRACHYCARPA | RORIPPA SINUATA | (NUTT.) A. HITCHC. | 1,2,3,4,5,6,7,8,9,0 |
| RANUNCULUS CIRCINATUS | RANUNCULUS LONGIROSTRIS | GODR. | 1,2,3,4,5,6,7,8,9 |
| RANUNCULUS CIRCINATUS VAR. SUBRIGIDUS | RANUNCULUS SUBRIGIDUS | W.B. DREW | 1,3,4,5,6,7,8,9,0,A |
| RANUNCULUS DELPHINIFOLIUS | RANUNCULUS FLABELLARIUS | RAF. | 1,2,3,4,5,6,8,9,0 |
| RANUNCULUS LINDHEIMERI | RANUNCULUS PUSILLUS | POIR. | 1,2,3,5,6,0 |
| RANUNCULUS PALMATUS | RANUNCULUS HISPIDUS | MICHX. | 1,2,3,4,5,6 |
| RANUNCULUS PARVULUS | RANUNCULUS SARDUS | CRANTZ | 1,2,3,5,6,9,0 |
| RANUNCULUS TEXENSIS | RANUNCULUS LAXICALLIS | (TORR. & GRAY) DARBY | 1,2,3,5,6 |
| RHAMNUS BETULAEOFOLIA | RHAMNUS BETULIFOLIA | GREENE | 6,7,8 |
| RHAMNUS CAROLINIANUS | RHAMNUS CAROLINIANA | WALTER | 1,2,3,5,6 |
| RHEXIA CILIOSA | RHEXIA PETIOLATA | WALTER | 1,2,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|--------------------------------------|----------------------------------|-------------------------------|---------------------------|
| RHEXIA INTERIOR | <i>RHEXIA MARIANA</i> | L. | 1,2,3,5,6 |
| RHEXIA STRICTA | <i>RHEXIA VIRGINICA</i> | L. | 1,2,3,6 |
| RHEXIA VENTRICOSA | <i>RHEXIA MARIANA</i> | L. | 1,2,3,5,6 |
| RHOMBOLYTRUM ALBESCENS | <i>TRIDENS ALBESCENS</i> | (VASEY) WOOTON & STANDL. | 2,5,6,7 |
| RHUS TOXICODENDRON | <i>TOXICODENDRON RADICANS</i> | (L.) KUNTZE | 1,2,3,4,5,6,7,8,9 |
| RHUS VERNIX | <i>TOXICODENDRON VERNIX</i> | (L.) KUNTZE | 1,2,3,6 |
| RHYNCHOSPORA AXILLARIS | <i>RHYNCHOSPORA CEPHALANTHA</i> | GRAY | 1,2,6 |
| RHYNCHOSPORA CYMOSEA | <i>RHYNCHOSPORA GLOBULARIS</i> | (CHAPM.) SMALL | 1,2,3,5,6,0,C |
| RHYNCHOSPORA DEBILIS | <i>RHYNCHOSPORA FASCICULARIS</i> | (MICHX.) VAHL | 1,2,6,C |
| RHYNCHOSPORA EARLEI | <i>RHYNCHOSPORA HARVEYI</i> | W. BOOTT | 1,2,3,5,6 |
| RHYNCHOSPORA EDISONIANA | <i>RHYNCHOSPORA MICROCARPA</i> | BALDW. EX GRAY | 2,6,C |
| RHYNCHOSPORA FUSCOIDES | <i>RHYNCHOSPORA FILIFOLIA</i> | GRAY | 1,2,6 |
| RHYNCHOSPORA LATIFOLIA | <i>DICROMENA LATIFOLIA</i> | BALDW. EX ELLIOTT | 2,6 |
| RHYNCHOSPORA LEPTOCARPA | <i>RHYNCHOSPORA CAPITELLATA</i> | (MICHX.) VAHL | 1,2,3,6,9,0 |
| RHYNCHOSPORA OBLITERATA | <i>RHYNCHOSPORA GLOBULARIS</i> | (CHAPM.) SMALL | 1,2,3,5,6,0,C |
| RHYNCHOSPORA PATULA | <i>RHYNCHOSPORA CADUCA</i> | ELLIOTT | 1,2,6 |
| RHYNCHOSPORA PLANCKII | <i>RHYNCHOSPORA HARVEYI</i> | W. BOOTT | 1,2,3,5,6 |
| RHYNCHOSPORA PROLIFERA | <i>RHYNCHOSPORA MIXTA</i> | BRITTON | 2,6 |
| RHYNCHOSPORA SCHOENOIDES | <i>RHYNCHOSPORA ELLIOTTII</i> | A. DIETR. | 2,3,6 |
| RHYNCHOSPORA SEMIPLUMOSA | <i>RHYNCHOSPORA PLUMOSA</i> | ELLIOTT | 2,6,C |
| RORIPPA AMERICANA | <i>ARMORACIA AQUATICA</i> | (A. EAT.) WIEGAND | 1,2,3,6 |
| RORIPPA ISLANDICA | <i>RORIPPA PALUSTRIS</i> | (L.) BESSER | 1,2,3,4,5,6,7,8,9,0,A,C |
| RORIPPA NASTURTIUM-AQUATICUM | <i>NASTURTIUM OFFICINALE</i> | R. BR. IN W.T. AIT. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| RORIPPA OBTUSA | <i>RORIPPA TERES</i> | (MICHX.) STUCKEY | 2,3,5,6,7,8,9 |
| RORIPPA TRACHYCARPA | <i>RORIPPA SINUATA</i> | (NUTT.) A. HITCHC. | 1,2,3,4,5,6,7,8,9,0 |
| RORIPPA WALTERI | <i>RORIPPA TERES</i> | (MICHX.) STUCKEY | 2,3,5,6,7,8,9 |
| ROSA ARIZONICA | <i>ROSA WOODSII</i> | LINDL. | 3,4,5,6,7,8,9,0,A |
| ROSA FENDLERI | <i>ROSA WOODSII</i> | LINDL. | 3,4,5,6,7,8,9,0,A |
| ROSA SERRULATA | <i>ROSA CAROLINA</i> | L. | 1,2,3,5,6 |
| RUBUS LUNDELLIORSUM | <i>RUBUS APOGAEUS</i> | L.H. BAILEY | 2,6 |
| RUBUS MELANOLASIUS | <i>RUBUS STRIGOSUS</i> | MICHX. | 1,2,3,4,5,6,7,8,9,A |
| RUBUS MISSISSIPPIANUS | <i>RUBUS TRIVIALIS</i> | MICHX. | 1,2,3,6 |
| RUBUS NIGROBACCUS | <i>RUBUS ALLEGHENIENSIS</i> | T. PORTER | 1,2,3,5,6,0 |
| RUBUS PLEXUS | <i>RUBUS ENSLENI</i> | TRATT. | 1,2,3,5,6 |
| RUBUS RIBRISETUS | <i>RUBUS TRIVIALIS</i> | MICHX. | 1,2,3,6 |
| RUBUS UNEUS | <i>RUBUS APOGAEUS</i> | L.H. BAILEY | 2,6 |
| RUDBECKIA ACUMINATA | <i>RUDBECKIA FULGIDA</i> | AIT. | 1,2,3,6 |
| RUDBECKIA AMPLA | <i>RUDBECKIA LACINIATA</i> | L. | 1,2,3,4,5,6,7,8,9,H |
| RUDBECKIA AMPLECTANS | <i>RUDBECKIA HIRTA</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| RUDBECKIA AMPLEXICAULIS | <i>DRACOPIS AMPLEXICAULIS</i> | (VAHL) CASS. | 2,3,4,5,6,7 |
| RUDBECKIA BICOLOR | <i>RUDBECKIA HIRTA</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| RUDBECKIA BRITTONII | <i>RUDBECKIA HIRTA</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| RUDBECKIA CHAPMANNII | <i>RUDBECKIA FULGIDA</i> | AIT. | 1,2,3,6 |
| RUDBECKIA DEAMII | <i>RUDBECKIA FULGIDA</i> | AIT. | 1,2,3,6 |
| RUDBECKIA DIVERGENS | <i>RUDBECKIA HIRTA</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| RUDBECKIA FLORIDANA | <i>RUDBECKIA HIRTA</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| RUDBECKIA FULGIDA VAR. MISSOURIENSIS | <i>RUDBECKIA MISSOURIENSIS</i> | ENGELM. EX C. BOYNT. & BEADLE | 2,3,6 |
| RUDBECKIA HETEROPHYLLA | <i>RUDBECKIA LACINIATA</i> | L. | 1,2,3,4,5,6,7,8,9,H |
| RUDBECKIA LONGIPES | <i>RUDBECKIA HIRTA</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| RUDBECKIA PALUSTRIS | <i>RUDBECKIA FULGIDA</i> | AIT. | 1,2,3,6 |
| RUDBECKIA PINNATILoba | <i>RUDBECKIA TRILOBA</i> | L. | 1,2,3,5,6 |
| RUDBECKIA RUPESTRIS | <i>RUDBECKIA TRILOBA</i> | L. | 1,2,3,5,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|--------------------------------------|--------------------------------|------------------------|---------------------------|
| RUDBECKIA SEROTINA | <i>RUDBECKIA HIRTA</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| RUDBECKIA SPATHULATA | <i>RUDBECKIA FULGIDA</i> | AIT. | 1,2,3,6 |
| RUDBECKIA SPECIOSA | <i>RUDBECKIA FULGIDA</i> | AIT. | 1,2,3,6 |
| RUDBECKIA SULLIVANTII | <i>RUDBECKIA FULGIDA</i> | AIT. | 1,2,3,6 |
| RUDBECKIA TENAX | <i>RUDBECKIA FULGIDA</i> | AIT. | 1,2,3,6 |
| RUDBECKIA TRUNCATA | <i>RUDBECKIA FULGIDA</i> | AIT. | 1,2,3,6 |
| RUDBECKIA UMBROSA | <i>RUDBECKIA FULGIDA</i> | AIT. | 1,2,3,6 |
| RUPELLIA CILIOSA | <i>RUPELLIA HUMILIS</i> | NUTT. | 1,2,3,5,6 |
| RUPELLIA TWEEDIANA | <i>RUPELLIA BRITTONIANA</i> | E. LEONARD | 2,6,C,H |
| RUMEX ANGIOCARPUS | <i>RUMEX ACETOSELLA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| RUMEX BERLANDIERI | <i>RUMEX CHRYSOCARPUS</i> | MORIS | 2,6 |
| RUMEX ELLIPTICUS | <i>RUMEX ALTISSIMUS</i> | A. WOOD | 1,2,3,4,5,6,7,8 |
| RUMEX PERSICARIOIDES | <i>RUMEX MARITIMUS</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| RUMEX THYRSIFLORUS | <i>RUMEX ACETOSA</i> | L. | 1,3,5,6,9,0,A |
| RUMEX UTAHENSIS | <i>RUMEX MEXICANUS</i> | MEISN. | 1,2,3,4,5,6,7,8,9,0,A |
| RUPIA OCCIDENTALIS | <i>RUPPIA MARITIMA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| SABAL DEERINGIANA | <i>SABAL MINOR</i> | (JACQ.) PERS. | 2,6 |
| SABAL LOUISIANA | <i>SABAL MINOR</i> | (JACQ.) PERS. | 2,6 |
| SABATIA CARNOSA | <i>SABATIA ARENICOLA</i> | GREENM. | 2,6 |
| SABATIA CUBENSIS | <i>SABATIA CALYCINA</i> | (LAM.) A. HELLER | 1,2,6 |
| SABATIA GRACILIS | <i>SABATIA CAMPANULATA</i> | (L.) TORR. | 1,2,3,6 |
| SAGINA OCCIDENTALIS | <i>SAGINA DECUMBENS</i> | (ELLIOTT) TORR. & GRAY | 1,2,3,5,6,7,9,0,A,H |
| SAGITTARIA ANGUSTIFOLIA | <i>SAGITTARIA LANCIFOLIA</i> | L. | 2,6,C |
| SAGITTARIA ANGUSTIFOLIA | <i>SAGITTARIA LATIFOLIA</i> | WILLD. | 1,2,3,4,5,6,7,8,9,0,H |
| SAGITTARIA ARIFOLIA | <i>SAGITTARIA CUNEATA</i> | SHELDON | 1,3,4,5,6,7,8,9,0,A |
| SAGITTARIA CHAPMANII | <i>SAGITTARIA GRAMINEA</i> | MICHX. | 1,2,3,4,5,6,7 |
| SAGITTARIA EATONII | <i>SAGITTARIA GRAMINEA</i> | MICHX. | 1,2,3,4,5,6,7 |
| SAGITTARIA ESCULENTA | <i>SAGITTARIA LATIFOLIA</i> | WILLD. | 1,2,3,4,5,6,7,8,9,0,H |
| SAGITTARIA MOHRI | <i>SAGITTARIA PLATYPHYLLA</i> | (ENGELM.) J.G. SMITH | 1,2,3,5,6 |
| SAGITTARIA ORNITHORHYNCHA | <i>SAGITTARIA LATIFOLIA</i> | WILLD. | 1,2,3,4,5,6,7,8,9,0,H |
| SAGITTARIA PLANIPES | <i>SAGITTARIA LATIFOLIA</i> | WILLD. | 1,2,3,4,5,6,7,8,9,0,H |
| SALICORNIA PACIFICA | <i>SALICORNIA VIRGINICA</i> | L. | 1,2,6,7,9,0,C,H |
| SALIX FALCATA | <i>SALIX NIGRA</i> | MARSHALL | 1,2,3,5,6,7,8 |
| SALIX LONGIFOLIA | <i>SALIX EXIGUA</i> | NUTT. | 1,2,3,4,5,6,7,8,9,0,A |
| SALIX MICROPHYLLA | <i>SALIX TAXIFOLIA</i> | H.B.K. | 6,7 |
| SALIX PARKSIANA | <i>SALIX EXIGUA</i> | NUTT. | 1,2,3,4,5,6,7,8,9,0,A |
| SALIX PITCHERANA | <i>SALIX CAROLINIANA</i> | MICHX. | 1,2,3,5,6 |
| SALSOLA AUSTRALIS | <i>SALSOLA PESTIFER</i> | A. NELS. | 1,2,3,4,5,6,7,8,9,0,H |
| SALSOLA AUSTRALIS | <i>SALSOLA KALI</i> | L. | 1,2,3,4,5,6,7,8,9,0 |
| SAMBUCUS GLAUCA | <i>SAMBUCUS CERULEA</i> | RAF. | 6,7,8,9,0 |
| SAMBUCUS SIMPSONII | <i>SAMBUCUS CANADENSIS</i> | L. | 1,2,3,4,5,6,8,9 |
| SAMODIA EBRACTEATA | <i>SAMOLUS EBRACTEATUS</i> | H.B.K. | 2,5,6,7,8 |
| SAMOLUS EBRACTEATUS VAR. CUNEATUS | <i>SAMOLUS CUNEATUS</i> | SMALL | 5,6,7 |
| SAMOLUS VALERANDI SPP. PARVIFLORUS | <i>SAMOLUS PARVIFLORUS</i> | RAF. | 1,2,3,5,6,7,8,0 |
| SAPINDUS DRUMMONDII | <i>SAPINDUS SAPONARIA</i> | L. | 2,3,5,6,7,C,H |
| SARRACENIA SLEDGEI | <i>SARRACENIA ALATA</i> | A. WOOD | 2,6 |
| SCHIZACHYRIUM CONDENSATUM | <i>ANDROPOGON GLOMERATUS</i> | (WALTER) B.S.P. | 1,2,5,6,7,8,0,C,H |
| SCHIZACHYRIUM LITTORALE | <i>SCHIZACHYRIUM SCOPARIUM</i> | (MICHX.) NASH | 1,2,3,4,5,6,7,8,9 |
| SCHOENOLIRION WRIGHTII | <i>SCHOENOLIRION TEXANUM</i> | (SCHEELE) GRAY | 2,6 |
| SCHOENOPECTUS CALIFORNICUS | <i>SCIRPUS CALIFORNICUS</i> | (C.A. MEYER) STEUD. | 2,6,7,0,H |
| SCHOENOPECTUS LACUSTRIS SPP. VALIDUS | <i>SCIRPUS VALIDUS</i> | VAHL | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| SCHWALBEA AUSTRALIS | <i>SCHWALBEA AMERICANA</i> | L. | 1,2,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|--------------------------------|------------------------------|--|---------------------------|
| SCIRPUS CARINATUS | SCIRPUS KOILOLEPIS | (STEUD.) GLEASON | 1,2,3,5,6,0 |
| SCIRPUS ERISMANAE | SCIRPUS ERECTUS | POIR. | 2,6 |
| SCIRPUS FONTINALIS | SCIRPUS PENDULLUS | MUHL. | 1,2,3,4,5,6 |
| SCIRPUS GENICULATUS | ELEOCHARIS GENICULATA | (L.) ROEM. & J.A. SCHULTES | 1,2,3,5,6,0,C,H |
| SCIRPUS LACUSTRIS SSP. VALIDUS | SCIRPUS VALIDUS | VAHL | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| SCIRPUS LINEATUS | SCIRPUS PENDULLUS | MUHL. | 1,2,3,4,5,6 |
| SCIRPUS MICRANTHUS | HEMICARPUS MICRANTHA | (VAHL) PAX | 1,2,3,4,5,6,7,8,9,0,C |
| SCIRPUS NANUS | ELEOCHARIS PARVULA | (ROEM. & J.A. SCHULTES) LINK EX BLUFF & FINGERH. | 1,2,3,4,5,6,7,8,9,0 |
| SCIRPUS OCCIDENTALIS | SCIRPUS ACUTUS | MUHL. EX BIGEL. | 1,2,3,4,5,6,7,8,9,0,A |
| SCIRPUS OLNEYI | SCIRPUS AMERICANUS | PERS. | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| SCIRPUS PACIFICUS | SCIRPUS MARITIMUS | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| SCIRPUS PALUDOSUS | SCIRPUS MARITIMUS | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| SCIRPUS RUBRICOSUS | SCIRPUS CYPERINUS | (L.) KUNTH | 1,2,3,4,6,9 |
| SCIRPUS STEIMETZII | SCIRPUS VALIDUS | VAHL | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| SCIRPUS TABERNAEMONTANII | SCIRPUS VALIDUS | VAHL | 1,2,3,4,5,6,7,8,9,0,A,C,H |
| SCIRPUS TENUICULMIS | SCIRPUS HETEROCHAETUS | CHASE | 1,3,4,5,6,9 |
| SCIRPUS WILKENSII | SCIRPUS ERECTUS | POIR. | 2,6 |
| SCLERIA COSTATA | SCLERIA BALDWINII | (TORR.) STEUD. | 2,6 |
| SCLERIA GRACILIS | SCLERIA GEORGIANA | E.L. CORE | 2,6,C |
| SCLERIA MUEHLENBERGII | SCLERIA RETICULARIS | MICHX. | 1,2,3,6,C |
| SCUTELLARIA AUSTRALIS | SCUTELLARIA PARVULA | MICHX. | 1,2,3,4,5,6 |
| SCUTELLARIA CUTHBERTII | SCUTELLARIA OVATA | J. HILL | 1,2,3,5,6 |
| SCUTELLARIA EPILOBIIFOLIA | SCUTELLARIA GALERICULATA | L. | 1,2,3,4,5,6,7,8,9,0,A |
| SEBASTIANA LIGUSTRINA | SEBASTIANA FRUTICOSA | (W. BARTRAM) FERNALD | 2,6 |
| SEDUM VIGILIMONTIS | SEDUM PULCHELLUM | MICHX. | 1,2,3,5,6 |
| SENNA ALATA | CASSIA ALATA | L. | 2,6,C,H |
| SERAPIAS GIGANTEA | EPIPACTIS GIGANTEA | DOUGL. EX HOOK. | 4,6,7,8,9,0 |
| SESBANIA MACROCARPA | SESBANIA EXALTATA | (RAF.) RYDB. | 1,2,3,5,6,7,0 |
| SETARIA CARNEI | SETARIA VERTICILLATA | (L.) BEAUV. | 1,2,3,4,5,6,7,8,9,0,H |
| SETARIA GRACILIS | SETARIA GLAUCA | (L.) BEAUV. | 1,2,3,4,5,6,7,8,9,0,C,H |
| SETARIA LUTESCENS | SETARIA GLAUCA | (L.) BEAUV. | 1,2,3,4,5,6,7,8,9,0,C,H |
| SETARIA PUMILA | SETARIA GLAUCA | (L.) BEAUV. | 1,2,3,4,5,6,7,8,9,0,C,H |
| SETARIA PURPURASCENS | SETARIA GLAUCA | (L.) BEAUV. | 1,2,3,4,5,6,7,8,9,0,C,H |
| SETISCAPELLA SUBULATA | UTRICULARIA SUBULATA | L. | 1,2,6,C |
| SIDA ALBA | SIDA SPINOSA | L. | 1,2,3,5,6,7,C,H |
| SIDA ANGUSTIFOLIA | SIDA SPINOSA | L. | 1,2,3,5,6,7,C,H |
| SIDA HEDERACEA | MALVELLA LEPROSA | (ORTEGA) KRAPOV. | 5,6,7,8,9,0 |
| SIDA LEPROSA | MALVELLA LEPROSA | (ORTEGA) KRAPOV. | 5,6,7,8,9,0 |
| SIDERANTHUS MEGACEPHALUM | MACHAERANTHERA PHYLLOCEPHALA | (DC.) SHINNERS | 2,5,6,7 |
| SILPHIUM CONNATUM | SILPHIUM PERFOLIATUM | L. | 1,2,3,4,5,6 |
| SISYRINCHIUM APICULATUM | SISYRINCHIUM ATLANTICUM | BICKN. | 1,2,3,6 |
| SISYRINCHIUM BERMUDIANA | SISYRINCHIUM ANGUSTIFOLIUM | MILL. | 1,2,3,4,5,6,8,9 |
| SISYRINCHIUM BROWNEI | SISYRINCHIUM EXILE | BICKN. | 2,6,C |
| SISYRINCHIUM CAPILLARE | SISYRINCHIUM ALBIDUM | RAF. | 1,2,3,6 |
| SISYRINCHIUM INTERMEDIUM | SISYRINCHIUM ANGUSTIFOLIUM | MILL. | 1,2,3,4,5,6,8,9 |
| SISYRINCHIUM LONGIPEDUNCULATUM | SISYRINCHIUM DEMISSUM | GREENE | 6,7,8 |
| SISYRINCHIUM MACOUNTII | SISYRINCHIUM IDAHOENSE | BICKN. | 6,7,8,9,0 |
| SISYRINCHIUM MICRANTHUM | SISYRINCHIUM EXILE | BICKN. | 2,6,C |
| SISYRINCHIUM OCCIDENTALE | SISYRINCHIUM IDAHOENSE | BICKN. | 6,7,8,9,0 |
| SISYRINCHIUM STRICTUM | SISYRINCHIUM MONTANUM | GREENE | 1,2,3,4,5,6,7,8,9,A |
| SITANION CILIATUM | SITANION HYSTRIX | (NUTT.) J.G. SMITH | 3,4,5,6,7,8,9,0 |
| SITANION CINEREUM | SITANION HYSTRIX | (NUTT.) J.G. SMITH | 3,4,5,6,7,8,9,0 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|--------------------------------|---------------------------------|---|-----------------------|
| SITANION ELYMOIDES | <i>SITANION HYSTRIX</i> | (NUTT.) J.G. SMITH | 3,4,5,6,7,8,9,0 |
| SITANION GLABRUM | <i>SITANION HYSTRIX</i> | (NUTT.) J.G. SMITH | 3,4,5,6,7,8,9,0 |
| SITANION INSULARE | <i>SITANION HYSTRIX</i> | (NUTT.) J.G. SMITH | 3,4,5,6,7,8,9,0 |
| SITANION LONGIFOLIUM | <i>SITANION HYSTRIX</i> | (NUTT.) J.G. SMITH | 3,4,5,6,7,8,9,0 |
| SITANION MOLLE | <i>SITANION HYSTRIX</i> | (NUTT.) J.G. SMITH | 3,4,5,6,7,8,9,0 |
| SITANION RIGIDUM | <i>SITANION HYSTRIX</i> | (NUTT.) J.G. SMITH | 3,4,5,6,7,8,9,0 |
| SITANION STRIGOSUM | <i>SITANION HYSTRIX</i> | (NUTT.) J.G. SMITH | 3,4,5,6,7,8,9,0 |
| SMILACINA AMPLEXICAULIS | <i>SMILACINA RACEMOSA</i> | (L.) DESF. | 1,2,3,4,5,6,7,8,9,0,A |
| SMILACINA SESSILIFOLIA | <i>SMILACINA STELLATA</i> | (L.) DESF. | 1,2,3,4,5,6,7,8,9,0,A |
| SMILAX LANCEOLATA | <i>SMILAX SMALLII</i> | MORONG | 1,2,6,C |
| SOLANUM MODIFLORUM | <i>SOLANUM AMERICANUM</i> | MILL. | 1,2,3,4,5,6,7,9,0,C |
| SOLIDAGO GRAMINIFOLIA | <i>EUTHAMIA GRAMINIFOLIA</i> | (L.) NUTT. | 1,2,3,4,5,6,9 |
| SOLIDAGO LATIFOLIA | <i>SOLIDAGO FLEXICAULIS</i> | L. | 1,2,3,4,5,6 |
| SOLIDAGO PATULA VAR. STRICTULA | <i>SOLIDAGO SALICINA</i> | ELLIOTT | 1,2,6 |
| SOLIDAGO PERLONGA | <i>SOLIDAGO BOOTTII</i> | HOOK. | 1,2,3,6 |
| SOLOMONIA COMMUTATA | <i>POLYGONATUM COMMUTATUM</i> | (J.A. & J.H. SCHULTES) A. DIETR. | 1,2,3,4,5,6,7 |
| SONCHUS ULIGINOSUS | <i>SONCHUS ARVENSIS</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| SORGHASTRUM AVENACEUM | <i>SORGHASTRUM NUTANS</i> | (L.) NASH | 1,2,3,4,5,6,7,8 |
| SORGHUM CERNUUM | <i>SORGHUM BICOLOR</i> | (L.) MOENCH | 1,2,3,4,6,7,8,0,C,H |
| SORGHUM SACCHARATUM | <i>SORGHUM BICOLOR</i> | (L.) MOENCH | 1,2,3,4,6,7,8,0,C,H |
| SORGHUM SUDANENSE | <i>SORGHUM BICOLOR</i> | (L.) MOENCH | 1,2,3,4,6,7,8,0,C,H |
| SORGHUM VULGARE | <i>SORGHUM BICOLOR</i> | (L.) MOENCH | 1,2,3,4,6,7,8,0,C,H |
| SPARGANIUM CALIFORNICUM | <i>SPARGANIUM EURYCARPUM</i> | ENGELM. EX GRAY | 1,3,4,5,6,7,8,9,0 |
| SPARGANIUM GREENEI | <i>SPARGANIUM EURYCARPUM</i> | ENGELM. EX GRAY | 1,3,4,5,6,7,8,9,0 |
| SPARTINA MICHAXTANA | <i>SPARTINA PECTINATA</i> | LINK | 1,2,3,4,5,6,7,8,9 |
| SPEGULARIA PERFOLIATA | <i>TRIODANIS PERFOLIATA</i> | (L.) NIEUWL. | 1,2,3,4,5,6,7,8,9,0 |
| SPEGULARIA SALINA | <i>SPEGULARIA MARINA</i> | (L.) GRISEB. | 1,2,3,4,5,6,7,8,9,0,H |
| SPERMACOCE RIPARIA | <i>SPERMACOCE TENUIOR</i> | L. | 2,6,C |
| SPHENOPHOLIS INTERMEDIA | <i>SPHENOPHOLIS OBTUSATA</i> | (MICHX.) SCRIBN. | 1,2,3,4,5,6,7,8,9,0,A |
| SPHENOPHOLIS LONGIFLORA | <i>SPHENOPHOLIS OBTUSATA</i> | (MICHX.) SCRIBN. | 1,2,3,4,5,6,7,8,9,0,A |
| SPHENOPHOLIS ROBUSTA | <i>SPHENOPHOLIS OBTUSATA</i> | (MICHX.) SCRIBN. | 1,2,3,4,5,6,7,8,9,0,A |
| SPIRANTHES BECKII | <i>SPIRANTHES LACERA</i> | (RAF.) RAF. | 1,2,3,5,6 |
| SPIRANTHES GRACILIS | <i>SPIRANTHES LACERA</i> | (RAF.) RAF. | 1,2,3,5,6 |
| SPIRANTHES TUBEROSA | <i>SPIRANTHES GRAYI</i> | AMES | 1,2,3,5,6 |
| SPOROBOLUS ANGUSTUS | <i>SPOROBOLUS INDICUS</i> | (L.) R. BR. | 1,2,3,5,6,9,0,C |
| SPOROBOLUS ARGUTUS | <i>SPOROBOLUS PYRAMIDATUS</i> | (LAM.) A. HITCHC. | 1,2,3,5,6,7,C |
| SPOROBOLUS ASPERIFOLIUS | <i>MUHLENBERGIA ASPERIFOLIA</i> | (NEES & MEYEN EX TRIN.) PARODI | 1,3,4,5,6,7,8,9,0 |
| SPOROBOLUS BERTOANUS | <i>SPOROBOLUS INDICUS</i> | (L.) R. BR. | 1,2,3,5,6,9,0,C |
| SPOROBOLUS DRUMMONDII | <i>SPOROBOLUS ASPER</i> | (MICHX.) KUNTH | 1,2,3,4,5,6,7,8,9 |
| SPOROBOLUS MACER | <i>SPOROBOLUS ASPER</i> | (MICHX.) KUNTH | 1,2,3,4,5,6,7,8,9 |
| SPOROBOLUS MACRUS | <i>SPOROBOLUS ASPER</i> | (MICHX.) KUNTH | 1,2,3,4,5,6,7,8,9 |
| SPOROBOLUS POTRETI | <i>SPOROBOLUS INDICUS</i> | (L.) R. BR. | 1,2,3,5,6,9,0,C |
| STACHYS ARENICOLA | <i>STACHYS PALUSTRIS</i> | L. | 1,3,4,5,6,7,8,9,0,A |
| STACHYS CRENATA | <i>STACHYS AGRARIA</i> | CHAM. & SCHLECHT. | 2,6,7 |
| STACHYS NUTTALLI | <i>STACHYS CORDATA</i> | RIDDELL | 1,2,3,6 |
| STACHYS NUTTALLII | <i>STACHYS PALUSTRIS</i> | L. | 1,3,4,5,6,7,8,9,0,A |
| STACHYS SIEBOLDII | <i>STACHYS FLORIDANA</i> | SHUTTLEW. EX BENTH. | 1,2,6 |
| STEIRONEMA VALIDULUM | <i>LYSIMACHIA CILIATA</i> | L. | 1,2,3,4,5,6,7,8,9 |
| STEMODIA ARIZONICA | <i>STEMODIA DURANTIFOLIA</i> | (L.) SWARTZ | 6,7,0,C |
| STENANTHIUM ROBUSTUM | <i>STENANTHIUM GRAMINEUM</i> | (KER-GAWL.) MORONG | 1,2,3,6 |
| STIPORYZOPSIS BLOOMERI | <i>ORYZOPSIS HYMENOIDES</i> | (ROEM. & J.A. SCHULTES) RICKER EX PIPER | 3,4,5,6,7,8,9,0 |
| STOMOISIA JUNCEA | <i>UTRICULARIA JUNCEA</i> | VAHL | 1,2,6,C |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|---------------------------------|------------------------------------|----------------------------|-----------------------|
| STREPTOPUS X OREOPOLUS | <i>STREPTOPUS AMPLEXIFOLIUS</i> | (L.) DC. | 1,2,3,4,6,7,8,9,0,A |
| STROPHOSTYLES MISSOURIENSIS | <i>STROPHOSTYLES HELVOLA</i> | (L.) ELLIOTT | 1,2,3,4,5,6 |
| STYRAX PULVERULENTA | <i>STYRAX AMERICANA</i> | LAM. | 1,2,3,5,6 |
| SUAEDA CALCEOLIFORMIS | <i>SUAEDA DEPRESSA</i> | (PURSH) S. WATS. | 1,3,4,5,6,7,8,9,0,A |
| SUAEDA FRUTICOSA | <i>SUAEDA INTERMEDIA</i> | S. WATS. | 4,5,6,7,8,9,0,C |
| SUAEDA MINUTIFLORA | <i>SUAEDA DEPRESSA</i> | (PURSH) S. WATS. | 1,3,4,5,6,7,8,9,0,A |
| SUAEDA MOQUINII | <i>SUAEDA TORREYANA</i> | S. WATS. NOMEN SUPERFL. | 5,6,7,8,9,0 |
| SUAEDA MOQUINII | <i>SUAEDA INTERMEDIA</i> | S. WATS. | 4,5,6,7,8,9,0,C |
| SUAEDA SUFFRUTESCENS | <i>SUAEDA NIGRESCENS</i> | I. JOHNST. | 6,7 |
| SWAINSONA SALSULA | <i>SPHAEROPHYSA SALSULA</i> | (PALLAS) DC. | 4,6,7,8,9,0 |
| SYMPHORICARPOS SYMPHORICARPOS | <i>SYMPHORICARPOS ORBICULATUS</i> | MOENCH | 1,2,3,4,5,6,7,8,9 |
| SYMPHORICARPOS UTAHENSIS | <i>SYMPHORICARPOS OREOPHILLUS</i> | GRAY | 4,6,7,8,9,0 |
| SYMPHORICARPOS VULGARIS | <i>SYMPHORICARPOS ORBICULATUS</i> | MOENCH | 1,2,3,4,5,6,7,8,9 |
| SYNTHESIS ISCHAEMUM | <i>DIGITARIA ISCHAEMUM</i> | (SCHREB.) SCHREB. EX MUHL. | 1,2,3,4,5,6,7,8,9,0,C |
| SYRINGODIUM FILIFORMIS | <i>CYMODOCCEA FILIFORMIS</i> | (KUETZ.) CORRELL | 2,6,C |
| SYSYRINCHIUM HETEROCARPUM | <i>SISYRINCHIUM MONTANUM</i> | GREENE | 1,2,3,4,5,6,7,8,9,A |
| TAMARIX ARTICULATA | <i>TAMARIX APHYLLA</i> | (L.) KARST. | 6,7,8,0,C |
| TAMARIX PENTANDRA | <i>TAMARIX CHINENSIS</i> | LOUREIRO | 2,4,5,6,7,8,9,0 |
| TAXODIUM ASCENDENS | <i>TAXODIUM DISTICHUM</i> | (L.) L.C. RICH. | 1,2,3,6 |
| TECOMA RADICANS | <i>CAMPISIS RADICANS</i> | (L.) SEEM. | 1,2,3,4,5,6,8 |
| TESSARIA SERICEA | <i>PLUCHEA SERICEA</i> | (NUTT.) COVILLE | 6,7,8,0 |
| TEUCRIUM DEPRESSUM | <i>TEUCRIUM CUBENSE</i> | JACQ. | 2,6,7,0 |
| TEUCRIUM OCCIDENTALE | <i>TEUCRIUM CANADENSE</i> | L. | 1,2,3,4,5,6,7,8,9 |
| THALIA BARBATA | <i>THALIA DEALBATA</i> | ROSC. | 2,3,6 |
| THELYPTERIS NORMALIS | <i>THELYPTERIS KUNTHII</i> | (DESV.) MORTON | 2,6,C |
| THELYPTERIS PALUSTRIS | <i>THELYPTERIS THELYPTEROIDES</i> | (MICHX.) J. HOLUB | 1,2,3,4,5,6 |
| THELYPTERIS QUADRANGULARIS | <i>THELYPTERIS HISPIDULA</i> | (DECNE) REED | 2,6,7,C |
| THELYPTERIS TORRESIANA | <i>MACROTHELYPTERIS TORRESIANA</i> | (GAUD.) CHING | 2,6,H |
| THELYPTERIS UNCA | <i>THELYPTERIS KUNTHII</i> | (DESV.) MORTON | 2,6,C |
| THYELLA TAMNIFOLIA | <i>JACQUEMONTIA TAMNIFOLIA</i> | (L.) GRISEB. | 1,2,3,6,C |
| THYRSANTHEMA SEMIFLOSCULARE | <i>CHAPTALIA TOMENTOSA</i> | VENTENAT | 2,6 |
| TILLAEA AQUATICA | <i>CRASSULA AQUATICA</i> | (L.) SCHOENL. | 1,2,3,6,7,8,9,0,A |
| TILLAEA DRUMMONDII | <i>CRASSULA AQUATICA</i> | (L.) SCHOENL. | 1,2,3,6,7,8,9,0,A |
| TILLAESTRUM AQUATICUM | <i>CRASSULA AQUATICA</i> | (L.) SCHOENL. | 1,2,3,6,7,8,9,0,A |
| TILLAESTRUM VAILLANTII | <i>CRASSULA AQUATICA</i> | (L.) SCHOENL. | 1,2,3,6,7,8,9,0,A |
| TIPULARIA UNIFOLIA | <i>TIPULARIA DISCOLOR</i> | (PURSH) NUTT. | 1,2,3,6 |
| TISSA MARINA | <i>SPERGULARIA MARINA</i> | (L.) GRISEB. | 1,2,3,4,5,6,7,8,9,0,H |
| TITHYMALUS COMMUTATUS | <i>EUPHORBIA COMMUTATA</i> | ENGELM. | 1,2,3,5,6 |
| TORRULINIUM ODORATUM | <i>CYPERUS ODORATUS</i> | L. | 1,2,3,4,5,6,7,0,C,H |
| TORTIPES AMLEXIFOLIUS | <i>STREPTOPUS AMPLEXIFOLIUS</i> | (L.) DC. | 1,2,3,4,6,7,8,9,0,A |
| TOVARA VIRGINIANA | <i>POLYGONUM VIRGINIANUM</i> | L. | 1,2,3,5,6 |
| TOXICODENDRON DESERTORUM LUNELL | <i>TOXICODENDRON RYDBERGII</i> | (SMALL EX RYDB.) GREENE | 1,2,3,4,5,6,7,8,9 |
| TOXICODENDRON TOXICARIUM | <i>TOXICODENDRON QUERCIFOLIA</i> | (MICHX.) GREENE | 1,2,3,5,6,9 |
| TOXYLON POMIFERUM | <i>MACLURA POMIFERA</i> | (RAF.) C.K. SCHNEID. | 1,2,3,4,5,6,7,8,9 |
| TRADESCANTIA CANALICULATA | <i>TRADESCANTIA OHIENSIS</i> | RAF. | 1,2,3,5,6 |
| TRADESCANTIA FOLIOSA | <i>TRADESCANTIA OHIENSIS</i> | RAF. | 1,2,3,5,6 |
| TRADESCANTIA INCARNATA | <i>TRADESCANTIA OHIENSIS</i> | RAF. | 1,2,3,5,6 |
| TRADESCANTIA LARAMIENSIS | <i>TRADESCANTIA OCCIDENTALIS</i> | (BRITTON) B.B. SMYTH | 1,2,3,4,5,6,7,8,9 |
| TRADESCANTIA REFLEXA | <i>TRADESCANTIA OHIENSIS</i> | RAF. | 1,2,3,5,6 |
| TRADESCANTIA SCOPULORUM | <i>TRADESCANTIA OCCIDENTALIS</i> | (BRITTON) B.B. SMYTH | 1,2,3,4,5,6,7,8,9 |
| TRADESCANTIA UNIVERSITATIS | <i>TRADESCANTIA OCCIDENTALIS</i> | (BRITTON) B.B. SMYTH | 1,2,3,4,5,6,7,8,9 |
| TRIADENUM LONGIFOLIUM | <i>TRIADENUM TUBULOSUM</i> | (WALTER) GLEASON | 1,2,3,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|-----------------------------------|------------------------------------|---------------------------|-------------------------|
| TRIADENUM PETIOLATUM | <i>TRIADENUM WALTERI</i> | (J.F. GMEL.) GLEASON | 1,2,3,6 |
| TRIADICA SEBIFERA | <i>SAPIUM SEBIFERUM</i> | (L.) ROXB. | 2,6 |
| TRIANTHEMA PORTULACASTRUM | <i>SESUVIUM PORTULACASTRUM</i> | (L.) L. | 1,2,6,C,H |
| TRICHACHNE INSULARIS | <i>DIGITARIA INSULARIS</i> | (L.) MEZ | 1,2,3,6,7,C,H |
| TRICHLORIS CRINITA | <i>CHLORIS CRINITA</i> | LAG. | 1,6,7 |
| TRICHOCORONIS RIVULARIS | <i>SHINNERSIA RIVULARIS</i> | (GRAY) R.M. KING & H. ROB | 6 |
| TRIDENS CHAPMANII | <i>TRIDENS FLAVUS</i> | (L.) A. HITCHC. | 1,2,3,5,6,7 |
| TRIFOLIUM FENDLERI | <i>TRIFOLIUM WORMSKIOLDII</i> | LEHM. | 6,7,8,9,0,A |
| TRIFOLIUM SAXICOLA | <i>TRIFOLIUM REPENS</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| TRIFOLIUM SPINULOSUM | <i>TRIFOLIUM WORMSKIOLDII</i> | LEHM. | 6,7,8,9,0,A |
| TRIODIA FLAVA | <i>TRIDENS FLAVUS</i> | (L.) A. HITCHC. | 1,2,3,5,6,7 |
| TRIODIA STRICTA | <i>TRIDENS STRICTUS</i> | (NUTT.) NASH | 1,2,3,5,6 |
| ULMUS FLORIDANA | <i>ULMUS AMERICANA</i> | L. | 1,2,3,4,5,6,8 |
| ULMUS FULVA | <i>ULMUS RUBRA</i> | MUHL. | 1,2,3,4,5,6 |
| UNIOLA LATIFOLIA | <i>CHASMANTHIUM LATIFOLIUM</i> | (MICHX.) H. YATES | 1,2,3,5,6,7 |
| UNIOLA LAXA | <i>CHASMANTHIUM LAXUM</i> | (L.) H. YATES | 1,2,3,6 |
| UNIOLA LONGIFOLIA | <i>CHASMANTHIUM SESSILIFLORUM</i> | (POIR.) H. YATES | 1,2,6 |
| UNIOLA SESSILIFLORA | <i>CHASMANTHIUM SESSILIFLORUM</i> | (POIR.) H. YATES | 1,2,6 |
| URTICA CALIFORNICA | <i>URTICA DIOICA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| URTICA GRACILIS | <i>URTICA DIOICA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| URTICA HOLOSERICEA | <i>URTICA DIOICA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| URTICA LYALLII | <i>URTICA DIOICA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| URTICA PROCERA | <i>URTICA DIOICA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| URTICA SERRA | <i>URTICA DIOICA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| URTICASTRUM DIVARICATUM | <i>LAPORTEA CANADENSIS</i> | (L.) WEDD. | 1,2,3,4,5,6 |
| UTRICULARIA BIFIDA | <i>UTRICULARIA GIBBA</i> | L. | 1,2,3,5,6,9,0,C,H |
| UTRICULARIA PUMILA | <i>UTRICULARIA BIFLORA</i> | LAM. | 1,2,3,5,6 |
| UTRICULARIA VIRGATULA | <i>UTRICULARIA JUNCEA</i> | VAHL | 1,2,6,C |
| UTRICULARIA VULGARIS | <i>UTRICULARIA MACRORHIZA</i> | LECONTE | 1,2,3,4,5,6,7,8,9,0,A |
| VACCINIUM ARKANSANUM | <i>VACCINIUM CORYMBOSUM</i> | L. | 1,2,3,6 |
| VACCINIUM ATROCOCUM | <i>VACCINIUM CORYMBOSUM</i> | L. | 1,2,3,6 |
| VACCINIUM MYRSINITES VAR. GLAUCUM | <i>VACCINIUM DARROWII</i> | CAMP | 2,6 |
| VACCINIUM VIRGATUM | <i>VACCINIUM CORYMBOSUM</i> | L. | 1,2,3,6 |
| VACHELLIA DENSIFLORA | <i>ACACIA SMALLII</i> | ISELY | 2,6,7,0 |
| VAGNERA AMPLEXICAULIS | <i>SMILACINA RACEMOSA</i> | (L.) DESF. | 1,2,3,4,5,6,7,8,9,0,A |
| VAGNERA AUSTRALIS | <i>SMILACINA RACEMOSA</i> | (L.) DESF. | 1,2,3,4,5,6,7,8,9,0,A |
| VAGNERA RACEMOSA | <i>SMILACINA RACEMOSA</i> | (L.) DESF. | 1,2,3,4,5,6,7,8,9,0,A |
| VAGNERA STELLATA | <i>SMILACINA STELLATA</i> | (L.) DESF. | 1,2,3,4,5,6,7,8,9,0,A |
| VERBENA IMBRICATA | <i>VERBENA BRACTEATA</i> | LAG. & RODRIG. | 1,2,3,4,5,6,7,8,9,0 |
| VERBENA LITORALIS | <i>VERBENA BRASILIENSIS</i> | VELL. | 1,2,5,6,0 |
| VERBESINA ALBA | <i>ECLIPTA ALBA</i> | (L.) HASSK. | 1,2,3,4,5,6,7,0,C,H |
| VERNONIA ABORIGINA | <i>VERNONIA MISSURICA</i> | RAF. | 1,2,3,5,6,7 |
| VERNONIA ALTISSIMA | <i>VERNONIA GIGANTEA</i> | (WALTER) TRELEASE | 1,2,3,5,6 |
| VERNONIA CORYMBOSA | <i>VERNONIA FASCICULATA</i> | MICHX. | 1,2,3,4,5,6,9 |
| VERNONIA CRINITA | <i>VERNONIA ARKANSANA</i> | DC. | 1,2,3,5,6 |
| VERNONIA INTERIOR | <i>VERNONIA BALDWINII</i> | TORR. | 2,3,4,5,6 |
| VERONICA GLANDIFERA | <i>VERONICA ANAGALLIS-AQUATICA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A |
| VESICULINA PURPUREA | <i>UTRICULARIA PURPUREA</i> | WALTER | 1,2,3,6 |
| VIBURNUM BUSHII | <i>VIBURNUM PRUNIFOLIUM</i> | L. | 1,2,3,5,6 |
| VIBURNUM NITIDUM | <i>VIBURNUM NUDUM</i> | L. | 1,2,6 |
| VICIA ANGUSTIFOLIA | <i>VICIA SATIVA</i> | L. | 1,2,3,4,5,6,7,8,9,0,A,H |
| VICIA MICRANTHA | <i>VICIA MINUTIFLORA</i> | D. DIETR. | 2,3,6 |

NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: 1988--SOUTH PLAINS (REGION 6), SYNONYMY

| SYNONYMY | SCI-NAME | AUTHOR | REGION |
|--------------------------------|-----------------------------------|--|-------------------------|
| VICIA PRODUCTA | <i>VICIA LUDOVICIANA</i> | NUTT. | 2,3,5,6,7,8,9,0 |
| VICIA REVERCHONII | <i>VICIA MINUTIFLORA</i> | D. DIETR. | 2,3,6 |
| VIGNA REPENS | <i>VIGNA LUTEOLA</i> | (JACQ.) BENTH. | 2,6,C |
| VIGNERA RACEMOSA | <i>SMILACINA RACEMOSA</i> | (L.) DESF. | 1,2,3,4,5,6,7,8,9,0,A |
| VIOLA EMARGINATA | <i>VIOLA SAGITTATA</i> | AIT. | 1,2,3,5,6 |
| VIOLA ERIOCARPA | <i>VIOLA PUBESCENS</i> | AIT. | 1,2,3,4,5,6 |
| VIOLA PUBESCENS VAR. ERIOCARPA | <i>VIOLA PENSYLVANICA</i> | MICHX. | 1,2,3,4,5,6 |
| VIOLA RUGOSA | <i>VIOLA VILLOSA</i> | WALTER | 1,2,3,6 |
| VIOLA VITTATA | <i>VIOLA LANCEOLATA</i> | L. | 1,2,3,6,9,0 |
| VIORNA CRISPA | <i>CLEMATIS CRISPA</i> | L. | 1,2,3,6 |
| VIORNA GLAUCOPHYLLA | <i>CLEMATIS GLAUCOPHYLLA</i> | SMALL | 1,2,6 |
| VIORNA OBLIQUA | <i>CLEMATIS CRISPA</i> | L. | 1,2,3,6 |
| VITIS ARGENTIFOLIA | <i>VITIS AESTIVALIS</i> | MICHX. | 1,2,3,5,6 |
| VITIS LECONTIANA | <i>VITIS AESTIVALIS</i> | MICHX. | 1,2,3,5,6 |
| VITIS MUNSONIANA | <i>VITIS ROTUNDFOLIA</i> | MICHX. | 1,2,3,6 |
| VITIS TRELEASEI | <i>VITIS ARIZONICA</i> | ENGELM. | 6,7,8 |
| VULPIA DERTONENSIS | <i>VULPIA BROMOIDES</i> | (L.) S.F. GRAY | 1,2,3,6,9,0,C,H |
| VULPIA MEGALURA | <i>VULPIA MYUROS</i> | (L.) C.C. GMEL. | 1,2,3,5,6,7,8,9,0,A,H |
| WASHINGTONIA LONGISTYLIS | <i>OSMORHIZA LONGISTYLIS</i> | (TORR.) DC. | 1,2,3,4,5,6,7,8,9 |
| WISLIZENIA DIVARICATA | <i>WISLIZENIA REFRACTA</i> | ENGELM. | 6,7,8,0 |
| WISLIZENIA MELILOTOIDES | <i>WISLIZENIA REFRACTA</i> | ENGELM. | 6,7,8,0 |
| WOLFFIA ARRHZIZA | <i>WOLFFIA COLUMBIANA</i> | KARST. | 1,2,3,4,5,6,9,0,H |
| WOLFFIA BRAZILIENSIS | <i>WOLFFIA PAPULIFERA</i> | C.H. THOMPS. | 1,2,3,5,6,9,0 |
| WOLFFIA BRAZILIENSIS | <i>WOLFFIA PUNCTATA</i> | GRISEB. | 1,2,3,5,6,8,9,0 |
| XANTHIUM SACCHARATUM | <i>XANTHIUM STRUMARIUM</i> | L. | 1,2,3,4,5,6,7,8,9,0,C,H |
| XANTHAXALIS CORNICULATA | <i>OXALIS CORNICULATA</i> | L. | 1,2,3,4,5,6,7,8,9,0,C,H |
| XANTHOXYLUM CLAVA-HERCULIS | <i>ZANTHOXYLUM CLAVA-HERCULIS</i> | L. | 1,2,6 |
| XIMENESIA ENCELIOIDES | <i>VERBESINA ENCELIOIDES</i> | (CAV.) BENTH. & HOOK. EX GRAY | 1,2,3,4,5,6,7,8,0,C,H |
| XOLISMA LIGUSTRINA | <i>LYONIA LIGUSTRINA</i> | (L.) DC. | 1,2,3,6,A |
| XYRIS BAYARDI | <i>XYRIS DIFFORMIS</i> | CHAPM. | 1,2,3,6 |
| XYRIS COMMUNIS | <i>XYRIS JUPICAI</i> | L.C. RICH. | 1,2,3,6,C |
| XYRIS CURTISSII | <i>XYRIS DIFFORMIS</i> | CHAPM. | 1,2,3,6 |
| XYRIS FLEXUOSA | <i>XYRIS CAROLINIANA</i> | WALTER | 1,2,3,6,C |
| ZANTHOXYLUM MACROPHYLLUM | <i>ZANTHOXYLUM CLAVA-HERCULIS</i> | L. | 1,2,6 |
| ZIGADENSIS MUSCAETOXICUS | <i>AMIANTHIUM MUSCAETOXICUM</i> | (WALTER) GRAY | 1,2,3,6 |
| ZIGADENUS ALPINA | <i>ZIGADENUS ELEGANS</i> | PURSH | 1,2,3,4,5,6,7,8,9,A |
| ZIPHYRANTHES TEXANA | <i>HABRANTHUS TEXANUS</i> | (HERB.) STEUD. EX CORRELL & M. JOHNST. INED. | 2,6 |

LITERATURE CITED

- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U.S. Fish Wildl. Serv. FWS/OBS-79/31. 103 pp.
- Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Technical Report 4-87-1. Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Huffman, R.T. 1981. Multiple-parameter approach to the field identification and delineation of aquatic and wetland ecosystems. Technical Report EL-81. U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Kartesz, J.T. Unpublished plant species geographic data base. Biota of North America program. North Carolina Botanical Garden, Chapel Hill.
- Kartesz, J.T., and J. Thieret. Common names for North American plants. In press.
- Reed, P.B., Jr. 1986. 1986 National wetland plant list - regional indicator compilation. U.S. Fish Wildl. Serv. WELUT 86/W17.01. 121 pp.
- Sipple, W.S. 1988. Wetland identification and delineation manual. Volume I. Rationale, wetland parameters, and overview of jurisdictional approach. Volume II. Field methodology. U.S. Environmental Protection Agency, Washington, DC. Vol. 1:30 pp., Vol. 2:40 pp.
- U.S. Department of Agriculture. 1971. National List of scientific plant names. U.S. Soil Conservation Service, Lincoln, NE. 281 pp.
- U.S. Department of Agriculture. 1982. National List of scientific plant names. Vol. 1. List of plant names. Vol. 2. Synonymy. U.S. Soil Conservation Service, SCS-TP-159, Washington, DC. Vol. 1:416 pp., Vol. 2:438 pp.
- U.S. Department of Agriculture. 1987. Hydric soils of the United States. Soil Conservation Service, Washington, DC. np.
- Wentworth, T.R., and G.P. Johnson. 1986. Use of vegetation for the designation of wetlands. U.S. Fish Wildl. Serv., Washington DC. 107 pp.

APPENDIX A. REVIEW PROCEDURE

The procedure for adding, deleting, or changing the Indicator status of plant species on the National List is given below.

We welcome improvement of the National List and encourage the submission of Indicator changes to misclassified, unclassified, or unlisted species. We also encourage any additional suggestions for changes to any of the data contained in the National List, especially improved information on distribution and additional synonyms, or for improvement of the format of data presentation.

If certain species should be removed, added, or remain on the National List with a revised Indicator status, gather the information to support your recommendation and submit it on the enclosed review sheet to:

Porter B. Reed, Jr.
National Ecology Research Center
U.S. Fish & Wildlife Service
Monroe Building - Suite 101
9720 Executive Center Drive
St. Petersburg, FL 33702-2440

Proposed changes and supporting information will be presented to the appropriate Regional Review Panel for consideration. The National Review Panel will review all regional Indicator assignments for consistency and accuracy and serve as the final arbitrator for the Regional Review Panels.

The National List will be updated as changes to the current list are made, and revised editions will be printed as needed. Improvement of the National List is dependent on a strong review by knowledgeable botanists and ecologists from across the country. We sincerely appreciate your help in completing this task.

APPENDIX B. INSTRUCTIONS FOR COMPLETING THE REVIEW SHEET FOR PLANT SPECIES THAT OCCUR IN WETLANDS

Reviewer: Reviewer's name

Address: Mailing address and phone number of reviewer

Species Symbol: The symbol given in the National List of Scientific Plant Names (1982)

Scientific Name: Genus, species, and any additional infraspecific designations as well as the author's name.

Geographic area

covered by reviewer: The area of your fieldwork and experience from which your review is derived. Be as specific as possible with the regional wetland plant list area.

Action: Check appropriate line.

Indicator: Complete appropriate lines. Deleted species will not have a recommended Indicator. Added species will not have a current indicator.

Review Comments:

This is the primary section for explaining the rationale for any regional or subregional changes, deletions, or additions to the list. Information on the specific habitats, microsites, or soils that the species occurs in should be provided. Use the back of the page if additional space is needed.

Site-specific information supporting review comments:

This section is for the description of the specific community (or communities) in which the species is found and which support your review comments. Use additional sheets for more community descriptions - staple all sheets for each species together. The soils and hydrology sections are optional, but it will be very useful if you can enter this information. Provide as much information as possible on the composition of the plant communities, soils, and hydrology that contain the species of concern. Include, where possible, community composition, soils, and hydrology data on other sites, drier or wetter, that the species also occurs in, which help support your suggested Indicator status. Include site-specific information, with the locations well specified, to identify the field sites where information has been gathered. Present quantitative data to support your change in a form that can be readily reviewed. If possible, enter the soil series and water regime as described in Cowardin et al. (1979).

APPENDIX C. REVIEW SHEET FOR PLANT SPECIES THAT OCCUR IN WETLANDS

Reviewer _____ Address _____
Species symbol _____
Scientific name _____
Geographic area covered by reviewer _____

| <u>Action</u> | <u>Indicator</u> |
|-------------------------|-------------------|
| ___ Addition | |
| ___ Change of Indicator | Current _____ |
| ___ Deletion | Recommended _____ |

REVIEW COMMENTS.

Including physiographic setting and additional data sources - cite specific reference(s), other than standard botanical texts, if used.

Site-specific information supporting review comments.

Community composition and dominants:

Overstory

Shrub

Herbaceous

Soil

Hydrology

APPENDIX D. INTERAGENCY REVIEW PANEL MEMBERS AND REGIONAL REVIEWERS

National Interagency Review Panel

U.S. Fish and Wildlife Service

* Joseph Dowhan
U.S. Fish & Wildlife Service
Dept. of the Interior, Rm. 2553
Washington, DC 20240

Porter B. Reed, Jr.
National Wetlands Inventory
U.S. Fish and Wildlife Service
Monroe Bldg., Suite 101
9720 Executive Center Drive
St. Petersburg, FL 33702

Russell Kologiski
Dept. of Biology
Univ. of NC, Charlotte
Charlotte, NC 28223

Stephen S. Talbot
Refuge Division
U.S. Fish and Wildlife Service
1011 E. Tudor Road
Anchorage, AK 99503

U.S. Army Corps of Engineers

* Richard Macomber, Chief
Environmental Division
Board of Engineers for
Rivers and Harbors
U.S. Army Corps of Engineers
Kingman Building
Ft. Belvoir, VA 22060

* Dana Sanders
Waterways Experiment Station
U.S. Army Corps of Engineers
P.O. Box 631
Vicksburg, MS 39180

Charles J. Newling
Waterways Experiment Station
U.S. Army Corps of Engineers
P.O. Box 631
Vicksburg, MS 39180

Fred Weinmann, Chief
Estuarine Research Unit
U.S. Army Corps of Engineers
Seattle District
P.O. Box C-3755
Seattle, WA 98124

Robert Pierce
U.S. Army Corps of Engineers
CECW-OR
20 Mass. Ave., NW
Washington, DC 20314-1000

(* - Former Panel Members)

U.S. Environmental Protection Agency

Charles Rhodes
U.S. Environ. Protect. Agcy.
Environmental Impact & Marine
Policy Branch 3ES40
841 Chestnut Bldg.
Philadelphia, PA 19107

William Sipple
Office of Wetlands Protection
A-104F
U.S. Environmental Pr. Agcy.
401 M Street, SW
Washington, DC 20460

Ralph Rogers
U.S. Environ. Protect. Agcy.
Oregon Operations Office
522 Southwest 5th Ave.
Yeon Building
Portland, OR 97204

U.S. Soil Conservation Service

* Robert S. Maclauchlan
Nat. Plant Materials Special.
USDA-Soil Conservation Service
P.O. Box 2890
Washington, DC 20013

Billy Teels, Nat'l Biologist
USDA-Soil Conservation Service
P.O. Box 2890
Washington, DC 20013

* Donald Pendleton
National Range Conservationist
USDA-Soil Conservation Service
P.O. Box 2890
Washington, DC 20013

* Carl Thomas
National Biologist
USDA-Soil Conservation Service
P.O. Box 2890
Washington, DC 20013

* Thomas N. Shiflet
Director of Ecological Sciences
USDA-Soil Conservation Service
P.O. Box 2890
Washington, DC 20013

Regional Interagency Review Panel: South Plains and Southwest (Regions 6 & 7)

U.S. Fish and Wildlife Service

Warren Hagenbuck
Regional Wetland Coordinator
U.S. Fish and Wildlife Service
500 Gold Ave., SW, Room 4012
P.O. Box 1306
Albuquerque, NM 87103

* Russell Kologiski
Dept. of Biology
Univ. of NC, Charlotte
Charlotte, NC 28223

U.S. Army Corps of Engineers

Vicki Goodknight
U.S. Army Corps of Engineers
SW Division (SWDCO-RR)
1114 Commerce Street
Dallas, TX 76011

U.S. Environmental Protection Agency

Tom Nystrom (GE-FT)
U.S. EPA
Region 6
1201 Elm Street
Dallas, TX 75270

U.S. Soil Conservation Service

John York
USDA-Soil Conservation Service
201 East Indianola
Suite 200
Phoenix, AZ 85012

Regional Reviewers: South Plains and Southwest (Regions 6 & 7)

Geyata Ajilvsqi
Herbarium
Dept. of Biology
Texas A&M University
College Station, TX 77843

Terry Johnson
Non-game Supervisor
Arizona Game & Fish Dept.
P.O. Box 9099
Phoenix, AZ 85068

Fred Anthamatten
U.S. Army Corps of Engineers
P.O. Box 1229
Galveston, TX 77553-1229

Paul Knight
Natural Resource Dept.
Villagra Bldg.
Santa Fe, NM 87503

Mary Butterwick
U.S. Bureau of Land Management
Phoenix District Office
2015 West Deer Valley Road
Phoenix, AZ 85027

William F. Mahler
Herbarium
Southern Methodist University
Dallas, TX 75275

Tom Daniel
Herbarium
Dept. of Botany & Microbiology
Arizona State University
Tempe, AZ 85287

Gayle Marrs-Smith
3560 Yosemite Place
Reno, NV 89503

Jim Estes
Dept. of Botany & Microbiology
University of Oklahoma
Norman, OK 73019

Bill Martin
Dept. of Biology
University of New Mexico
Albuquerque, NM 87131

Reggie Fletcher
U.S. Forest Service
Range Management Texas
517 Gold, SW
Albuquerque, NM 87102

Steve L. Orzell
Staff Botanist
Natural Heritage Program
Texas Parks and Wldl. Dept.
Stephen F. Austin Bldg.
1700 North Congress
Austin, TX 78701

Brian Hill
University of Texas
Graduate Program of
Environmental Science
P.O. Box 688
Richardson, TX 75080

Charles Perino
Bureau of Location & Environ.
IL Dept. of Transportation
2300 S. Dirksen Parkway
Springfield, IL 62764

Arthur Phillips
Museum of Northern Arizona
Rt. 4, Box 720
Flagstaff, AZ 86001

John Taylor
Dept. of Biology
Southeastern OK State Univ.
Durant, OK 74701

Barbara Phillips
Museum of Northern Arizona
Rt. 4, Box 720
Flagstaff, AZ 86001

David A. Tilton
Wildlife Biologist
USFWS, Ecological Services
819 Taylor St. # 9A33
Ft. Worth, TX 76102

Donald Pinkava
Dept. of Botany & Microbiology
Arizona State University
Tempe, AZ 85287

Roy Tyr1
Dept. of Botany & Microbiology
Oklahoma State University
Stillwater, OK 74078

Jackie Poole
Natural Heritage Program
General Land Office
Stephen F. Austin Bldg.
Austin, TX 78701

Milton Weller
Dept. of Wildlife & Fisheries
Sciences
Texas A&M University
College Station, TX 77843

Fred Smeins
Dept. of Range Science
Texas A&M University
College Station, TX 77843

Hugh Wilson
Dept. of Biology
Texas A&M University
College Station, TX 77843


Richard Spellenburg
Dept. of Biology
New Mexico State University
Box 3AF
Las Cruces, NM 88001

Richard Worthington
Dept. of Biological Sciences
UTEP
El Paso, TX 79968

Frank Sprague, Biologist
USDA-Soil Conservation Service
101 South Main
Temple, TX 76501-7682

Thomas Van Devender
Arizona Sonora-Desert Museum
Rt. 9, Box 900
Tucson, AZ 85743

| | | | |
|--|--|---|-------------------------------------|
| REPORT DOCUMENTATION PAGE | 1. REPORT NO. Biological Report 88(26.6) | 2. | 3. Recipient's Accession No. |
| 4. Title and Subtitle National List of Plant Species That Occur in Wetlands: South Plains (Region 6) | | 5. Report Date May 1988 | |
| 7. Author(s) Proter B. Reed, Jr. | | 6. | |
| 9. Performing Organization Name and Address National Ecology Research Center U.S. Fish and Wildlife Service Creekside One Bldg., 2627 Redwing Rd. Fort Collins, CO 80526-2899 | | 8. Performing Organization Rept. No. | |
| 12. Sponsoring Organization Name and Address Department of the Interior U.S. Fish and Wildlife Service Research and Development Washington, DC 20240 | | 10. Project/Task/Work Unit No. | |
| | | 11. Contract(C) or Grant(G) No. (C) (G) | |
| | | 13. Type of Report & Period Covered | |
| 15. Supplementary Notes | | 14. | |
| 16. Abstract (Limit: 200 words) | | | |
| <p>The <u>National List of Plant Species That Occur in Wetlands</u> represents the combined efforts of many biologists over the last decade to define the wetland flora of the United States. The U.S. Fish and Wildlife Service initially developed the list in order to provide an appendix to the <u>Classification of Wetlands and Deepwater Habitats of the United States</u> (FWS/OBS 79/31) to assist in the field identification of wetlands. Plant species that occur in wetlands, as used in the <u>National List</u>, are defined as species that have demonstrated an ability to achieve maturity and reproduce in an environment where all or portions of the soil within the root zone become, periodically or continuously, saturated or inundated during the growing season. The list will facilitate the implementation and management of the wetland regulatory programs of the Federal Government and most State governments.</p> <p>This list for the South Plains (Region 6) is a subset of the <u>National List</u>.</p> | | | |
| 17. Document Analysis a. Descriptors | | | |
| Plants Plant ecology | | | |
| b. Identifiers/Open-Ended Terms | | | |
| Wetland plant species South Plains (Region 6) | | | |
| c. COSATI Field/Group | | | |
| 18. Availability Statement Release unlimited | | 19. Security Class (This Report) Unclassified | 21. No. of Pages 94 |
| | | 20. Security Class (This Page) Unclassified | 22. Price |



REGION 1

Regional Director
 U.S. Fish and Wildlife Service
 Lloyd Five Hundred Building, Suite 1692
 500 N.E. Multnomah Street
 Portland, Oregon 97232

REGION 2

Regional Director
 U.S. Fish and Wildlife Service
 P.O. Box 1306
 Albuquerque, New Mexico 87103

REGION 3

Regional Director
 U.S. Fish and Wildlife Service
 Federal Building, Fort Snelling
 Twin Cities, Minnesota 55111

REGION 4

Regional Director
 U.S. Fish and Wildlife Service
 Richard B. Russell Building
 75 Spring Street, S.W.
 Atlanta, Georgia 30303

REGION 5


Regional Director
 U.S. Fish and Wildlife Service
 One Gateway Center
 Newton Corner, Massachusetts 02158

REGION 6

Regional Director
 U.S. Fish and Wildlife Service
 P.O. Box 25486
 Denver Federal Center
 Denver, Colorado 80225

REGION 7

Regional Director
 U.S. Fish and Wildlife Service
 1011 E. Tudor Road
 Anchorage, Alaska 99503



Preserve Our Natural Resources



DEPARTMENT OF THE INTERIOR
U.S. FISH AND WILDLIFE SERVICE



As the Nation's principal conservation agency, the Department of the Interior has responsibility for most of our nationally owned public lands and natural resources. This includes fostering the wisest use of our land and water resources, protecting our fish and wildlife, preserving the environmental and cultural values of our national parks and historical places, and providing for the enjoyment of life through outdoor recreation. The Department assesses our energy and mineral resources and works to assure that their development is in the best interests of all our people. The Department also has a major responsibility for American Indian reservation communities and for people who live in island territories under U.S. administration.