# **Meeting Request Form**

set up done

Meeting

Group: 7C	Originator:_	molly	mcCammon
		0	278-8072

**Teleconference Operator** 

1-800-235-0684 ALASCOM 1-800-770-2121 GCI

1-907-465-4648 LIO (258-8174 direct into monitoring room) 278-8072 - 4th Floor, Large Conference Room

#### **Participants**

Name	₽Number	Confirmed Atte	
·1 Steve Pennoyer	907-586-7221		
.2 Dan Easton	907-465-513	5 1	
.3 Frank Rue	907-789-5510	<u>'o</u> 1	
· 4 Craig Tillery	269-5274		
· 5 Bob anderson	206-220-401	9 11	Horce mail 8:30
. 6 Jim Wolfe	907-586-795	7 /1	
.7 Barry Roth D.	OR 703-821-1335	5 <u>/                                   </u>	
· 8 Louise Milkman		18 11	voice mail 8:30 + written msg w/secretary
. 9 Teresa Patrick F	202-305-029	96 11	
10 Maria Lisowski	- US Deptop Ag	vic	
11			
12			
13			
Equipment Teleconference: V	White Board: Overhead	ad:	

Slide Projector: Screen: TV/VCR: Flip Chart:

# Exxon Valdez Oil Spill Trustee Council

645 G Street, Suite 401, Anchorage, AK 99501-3451 907/278-8012 fax:907/276-7178



## **FAX COVER SHEET**

#### TO TRUSTEE COUNCIL MEMBERS

Jim Wolfe

Frank Rue

Michele Brown

Steven Pennoyer

Robert Anderson

Bruce Botelho

1	FKOM; _	Mally	TOTAL PAGES: 2 W/comer
[	DATE: _	12/30/98	TOTAL PAGES: 2 1 Comer
	<u></u>	Draft -	Motion
		7	
			CAY COMPLETE

## TRUSTEE COUNCIL ALTERNATES

Dave Gibbons Dan Easton Barry Roth

Rob Bosworth Bill Hines, Bruce Wright Craig Tillery, Alex Swiderski

HARD COPY T	O FOLLOW NO	

FAX SENT BY:

National Oceanic and Atmospheric Administration

MOTION: To authorize an amount not to exceed \$100,000 in additional funds as needed for documented expenses incurred by Eyak Corporation for the additional ratification vote required by the purchase agreement and necessary for the closing of the land transaction with Eyak previously approved by the Trustee Council. This payment is to be considered part of the purchase price and will be paid following closing and upon submittal of the expenses and their review and approval by the Executive Director..

DILLET

12/30 TC teleconf.