
- 1993 SHORELINE ASSESSMENT DATA REPORT: VOLUME 3 (Ground Surveys KN209A through LA015D)



Prepared by the

Alaska Department of Environmental Conservation (ADEC)
Exxon Valdez Oil Spill Restoration
410 Willoughby Avenue
Juneau, Alaska 99801

for the

Exxon Valdez Oil Spill Trustee Council 645 "G" Street Anchorage, Alaska 99501

Project #930380


Project Manager
Ernest Piper, ADEC

Principal Surveyors
Dianne Munson, ADEC
Joni Matthews, ADEC
Marianne Profita, ADEC
Clara Crosby, ADEC

Compilation and Analysis by James C. Gibeaut, Ph.D., Consulting Geologist



January, 1994





SEGMENT: KN 209 A

LOCATION: Knight Island Outer Group, east shore of Knight Island outside of Louis

Bay.

OTHER STUDIES

ADEC transect station #56.

PHYSICAL SETTING

Coastal Morphology and Sedimentology

This is a pocket beach with exposed cliffs and areas of large boulders on the limbs. The pocket is partitioned by shallow and low outcrops that divide the southern third of the beach from the northern two thirds. In the southern third, the beach is composed of large, subrounded to rounded boulders and scattered low-lying bedrock. The mid intertidal of the northern two thirds consist of rounded large cobbles and small boulders on the surface showing reverse grading to large pebbles and small cobbles with depth. The subsurface has a large cobble and small boulder framework with a sandy, pebbly, granular matrix. High-tide pebble and drift log berms are present and the surface grain size increases toward the lower intertidal. Several very subtle berms are present in the mid intertidal. These berms are slightly finer grained on top than on the seaward berm face. These berms may have been caused by extensive tilling and berm relocation activity in 1990. The drift log storm berm in the northern two thirds of the pocket is also in a jumbled, unnatural state caused by the 1990 treatment. Along the northern limb of the beach, a relatively protected boulder field is present at the base of the cliff.

Environmental Sensitivity Index (ESI)

Type 1, exposed rocky.

Type 7; gravel beach.

Fetches and Directions (kilometers)

NE= 55; E= 55; SE= 31

Energy Level

Overall high with some moderate areas protected by bedrock and very large boulders.

GENERAL BIOLOGICAL SETTING


Eagle nest.


OILING SUMMARY

The only appreciable surface oil occurs as CT on logs along the storm berm in the northern part of the beach. This oiling was also present in 1991. In 1991 along the cliff on the northern limb and in the boulder field at the base of the cliff, AP and CV was reported that was not present in 1991.

Subsurface oil in 1993 occurs in two distinct areas one along the northern limb near the base of the cliff and the other spanning the southern part of the beach. Both sites contain

substantial amounts of OP oil in a distinct layer below clean sediments. The southern site, which lies in boulders and among low-lying bedrock, did not improve since 1991 despite manual treatment. Aggressive mechanical treatment of the northern site in 1991, however, reduced the amount of subsurface oil by about 50%. The subsurface oil in the northern site formerly extended across the beach and away from the cliff.








Prince William Sound Central area #2 Beach Sub—Segment Map Map Projection: UTM, Zone 6

Date:	1/15/92		Beach Segr	nents
File Name:	CESSEGS	×	Subdivision	Endticks



1993 ADEC RESTORATION PROJECT #930380 SHORELINE SURVEY COMMENT SHEET

KNIGHT SEGMENT KNOZOG SUBDIVISION A DATE 7/21/93
ME TO Mean VSCG SIGNATURE
Conver -/Shoreliner Oiling Summan, as written. Shoreline Thirting conducted, during this survey not expected to Treat in on-water release.
μ.
MAME Vic Base U.S. F.S. SIGNATURE Des
Wind rowed logs stacked above high tide should have been pulled down by heavy equip. For tide action effect. The way equip. is every in area this could be done, but do not recommend equip. be brought out specifically or this work.
MAFFILIATION NAME KATIF FARIEY ADNR DOL SIGNATURE KATHLEEN M Failey
Ihere is a section of heavily-oiled tidelands however. The brock is of high energy so gradually-the oil way become diluted. The only "environmental sensitivity listed is an eagle nest in the vicinity. If the man me mot found to be directly affected by the presence of the oil, then no further destruction will be necessary to
AFFILIATION USGNATURE SIGNATURE

1993 ADEC RESTORATION PROJECT # 930380 SHORELINE OILING SUMMARY

PAGE OF 3

TEAM MEMBERS.	DIANNE MUNSON CHARA CROSBI' I'M GIDEALT
TEAM MEMBERS:	JOH! MATTHEW! (ADEC)
	VIC BAER CUSES) KATIE FARLEY (ADAR)
	PHIL MEANS (VICE)
	ED OWENS SAM STOKER CEXXON \

SEGMENT KN0209

SUBDIVISION A

DATE 7/21/93

LI	-		SUF	FAC	E OII	L CH	ARA	CTE	R		SURFACE	SHORE	Al	REA					
5											SEDIMENT	SLOPE	WIDTH	LENGTH		Z	ONE		w). 11 tag.
	AP	MS	TB	BOF	CV	CT	ST	FL	DB	NO	TYPE	VHML	m	m	S	UI	М	U	NOTES
1						2					R.B	V	2	11		15			PROTECTED SIDES
51		C		C	1						RBCP	M	1.	1					COZING FROM UNDER BLO
							S				BCP	p/	15	70					
1			1			P	P			20	BC PDb	H	1	40					DILED DEBRIS IN A
						P	P	Tune!			R.BCP	A	1	2					The second second
						S	2				R	V	1.5	15		500			
7																			No. 1
																_	_		ELIANES VA
T																			

DISTRIBUTION: C = 61-100%; B = 61-90%; P= 11-60%; 8= 1-10%; T=<1%

				UBSU					OILED	CLEAN		COLOR			AT ME		SURFACE- SUBSURFACE	
	DEPTH	OB	Off	MOR	ILOB	OF	TR	NO		YAN	the Real Property lies	BRSN	S			Ц	SEDIMENTS	NOTES
-	(cm)	OP	HON	MON	5011	-	-		•	1111	(cent)	011011				-	BCP/PG	110120
	29			-							18-29	7				STATE OF TAXABLE PARTY.	BCPIPG	
	21	200	-	-					8-17	7	10 -1						BCPIPG	
	22	-	1111	MARKE					9 -12	4							369196	
	17	19/2							3 - 7	14						THE RESERVE	B. C. PIPG.	N - N'AND
	23								2 - 19	17	100						BC. 919.6	
	18								•								RC.PIP6	
	23	354							11 -15	IY	Mall						BCPIPG	21 12
	19								5-11	1		1					BCPIPGS	
	25					Trial.			12 -19	IY							BCP1P6	
	28	7			-				25-28	N				No.			BCPIP	Rock under
	33				C-MAN				14-21	14							BCPIPG	
	22			100					•								B.C. P1P65	
9	21								•						1		BEPIPES	
	19								-								BCPIP 125	
	26	100						1	•								BCPIPGS	
	17		400						13 - 9								G. 9196	
3	28								•								B.CP10,6	
	32					_			•					No.			B, G, P/P, 65	
	Charles and property of the last					-		Self	-							_	RI, PIPILS	
	49					-			•				_			_	CPICP	ON TRANSECT
	41					-			-								3.610.6	DNTRANSECT
	21							STATE OF	-								BCIP	LON TRANSELT

RESTORATION SHORELINE OILING SUMMARY (cont.) . EAM NO. _ DATE 7 121 198 EGMENT KNO209 SUBDIVISION A PIT SURFACE-SUBSURFACE OILED CLEAN SHEEN H20 ZONE SUBSURFACE ZONE OIL CHARACTER BELOW LEVEL COLOR "O.JUEPTH OP HOR MOR LOR OF TR NO BASN S UI MI LI SEDIMENTS cm-cm NOTES Y/N (cm) (cm) 20-0 B.C/P.6 28-38 B 38 C1P 5 30 19-24 B RCPIPG CP1P. 6 -25 -27 C.P/P. 6 PI + AT ROSE OF ROCK CH 27 2429 5 on Heurier to words suite -10 B.CPID 6 -


SHEEN COLOR: 8 = BROWN; R = RAINBOW; S = SILVER; N = NONE

SECURITION.	THE RESERVE AND ADDRESS.	A TO SECOND	
OG	COM	ME	VTS:

KN209 A

D. MUNSON

KNIGHT ISLAND



1993 Surface Oil Summary Segment KN209 Subdivision A

Location	Area AP	of Oiling MS	Type in SOR		Meters CT	
A	0.	0.			1.32	
В	0.	0.95			0.	
C	0.	0.	0.	0.	0.	
D	0.	0.	0.	0.	12.	
E	0.	0.	0.	0.	0.6	note the see that they wise that the see that the see
F	0.	0.	0.		1.35	
TOTALS=	0.	0.95		0.	15.27	

AP= asphalt; MS= mousse; SOR= surface oil residue; CV= cover; CT= coat Areas are computed by multiplying the affected area by the percent coverage of each oil type. Field categories of percent oil coverage are converted to the median percent value as follows: continuous= 95%; broken= 70%; patchy= 30%; sporadic= 6%; trace= 0.5%

SUBSURFACE OIL SUMMARY FOR SEGMENT KN209A

						TREA	TMENT	1993	OILE	D SED	. Voi	(m3)	1992	OILE	SED	. VOL	. (m3)	1991	OILED	SED.	VOL.	(m3)	WT.	ed OI	L VOL.	% CHANG	GE WT. '	ed VOL.
Loc.	1993 PIT	# Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to 93	91 to 92	91 to
ZA	3-12	BCP-GPCB	U	Н		Rs, MR	Rs, MR	8.2	0.0	1.7	0.0	0.0	?	?	?	?	?	7.9	1.0	0.0	0.7	0.0	46.3	?	45.0	?	?	2.
ZB	24,26-29	PC-GPC	su	Н		МО	ET, Rs	7.4	4.5	12.5	0.0	0.0	?	?	?	?	?	23.7	7.5	0.0	19.4	4.9	92.2	?	187.6	?	?	-50.
••••	•••••	••••••		••••		***********	TOTALS-	15.6	4.5	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.6	8.6	0.0	20.1	4.9	138.	0.0	232.6	Inf	-100.0	-40.

Loc.= location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.

En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.

TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.

OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.

WT.'ed OIL VOL.= weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2

% CHANGF WT.'ed VOL. = % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of cative values indicate decreases, "Inf" (infinite percent increase) indicate increases in the amount of cative values indicate decreases, "Inf" (infinite percent increase) indicate decreases, "In









EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/21/93

TIME: -0-

SEGMENT#: KN0209

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: WIDE ANGLE PHOTO OF SURFACE MOUSSE AMONG BOULDERS AND UNDER COBBLES IN AREA B ON SKETCH MAP.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRMO01 FRAME #:

EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/21/93

TIME: -0-

SEGMENT#: KN0209

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: PHOTO IN AREA B. ROLLING BACK B/C TOP LAYER REVEALS MOUSSE AT PEBBLE LAYER BUT DOES NOT

EXTEND INTO SUBSURFACE SEDIMENTS LIKE SURROUNDING

PITS.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRMO01 FRAME #: 28 EVIDENCE ID#:

BOFF #: 02DBWOOJ LBYWE #: 52 EAIDENCE ID#: :SJAITINI TAKEN BY: DIANNE MUNSON

BOULDERS AND UNDER COBBLES IN AREA B ON SKETON MAP REASON FOR TAKING PHOTO: CLOSEUP PHOTO OF SURFACE MS AMONG KELMOKD2: -0-

LOCATION: NE KNIGHT ISLAND

-0- : #NOITATS

SECMENT#: KNOZ09

11ME: -0-

DATE: 07/21/93

OFFICE: ANCHORAGE,

EXXON AVEDEZ OIL SPILL

OFFICIAL PHOTOGRAPH ADEC

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

STATION#: -0-

OFFICE: ANCHORAGE

DATE: 07/21/93

TIME: -0-

SEGMENT#: KN0209

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: BEACH OVERVIEW OF KNO209 LOOKING SOUTH FROM MIDDLE OF BEACH IN AREA B ON SKETCH MAP. SURVEY TEAM DOCUMENTING OIL.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRM001 FRAME #: 27 EVIDENCE ID#









EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/21/93

TIME: -0-

SEGMENT#: KN0209

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: WIDE ANGLE PHOTO OF PIT 4 SHOWING SUBSURFACE OIL IN AREA B.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRMO01 FRAME #: 30 EVIDENCE ID#

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/21/93

TIME: -0-

SEGMENT#: KN0209

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

REASON FOR TAKING PHOTO: CLOSEUP PHOTO OF PIT 10 SHOWING OP/MS LENS 6 CM IN DEPTH.

TAKEN BY: DIANNE MUNSON ROLL #: 93DRM001 FRAME #: 32 EVIDENCE ID#:

INITIALS:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/21/93

TIME: -0-

SEGMENT#: KN0209

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: CLOSEUP PHOTO OF 21 CM PIT 3 SHOWING OP LENS 9 CM IN DEPTH IN AREA B.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRMO01 FRAME #: 29 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

STATION#: -0-

OFFICE: ANCHORAGE

DATE: 07/21/93

TIME: -0-

SEGMENT#: KN0209

LOCATION: NE KNIGHT ISLAND


KEYWORDS: -0-

REASON FOR TAKING PHOTO: CLOSEUP PHOTO OF PIT 8 SHOWING OP LENS 4 CM IN DEPTH.

TAKEN BY: DIANNE MUNSON

INITIALS: ROLL #: 93DRMO01 FRAME #: 31 EVIDENCE ID#:





SEGMENT: KN 211 B

LOCATION: Knight Island Outer Group, northeast coast of Knight Island.

OTHER STUDIES

PHYSICAL SETTING Coastal Morphology and Sedimentology

Deeply embayed pocket beach at the head of a broad bay. The pocket is approximately 100 m across. The limbs of the pocket are steep bedrock and subrounded boulders. Boulder beaches are in each corner of the pocket and grade along shore to a well rounded cobble and pebble beach with berms at the head of the pocket beach. Reverse grading is evident in the cobble and pebble sediments with cobbles and large pebbles grading with depth to small pebbles and then to a pebble gravel with a sandy, granular matrix at about 30 cm depth. Several bedrock outcrops occur along the head of the beach.

Environmental Sensitivity Index (ESI)

Type 1; exposed rocky. Type 7; gravel beach.

Fetches and Directions (kilometers)

E= 55.5; NE= 65; SE= 33

Energy Level

High.

GENERAL BIOLOGICAL SETTING


Anadromous stream.


OILING SUMMARY

Three significant areas of soft (MS and SOR) surface oil remain at this site. All three areas contain oil in the interstices of boulder and cobble sediments in the corners of the pocket beach. The 1991 and 1992 surveys recorded about the same amounts of SOR and MS in the area of location 'B' in the south corner of the pocket, and no improvement is detectable from the 1993 survey. Some AP recorded in this same general area in 1991, however, was not discovered in 1993. In addition, a location of SOR was recorded in 1991 along the southern limb, but only a much smaller area of CV and CT (1993 location 'A') was discovered here in 1993. In 1993, surveyors found about the same amounts of surface oil in locations 'D' and 'F' in the north corner that were recorded in 1991. An area of MS patties discovered around the northern stream was not present in 1993. Finally, one large and concentrated area of CV and CT occurs on the north limb (location 'G').

One area of significant subsurface oil remains. A brown, emulsified OP lens occurs at about 20 cm below the surface in the upper intertidal zone in cobble, pebble gravel near the southern corner of the site. This subsurface oil was not discovered in 1991 or 1993. While the survey team prepared to leave the beach MS was found just below the surface in the mid-intertidal zone in the center of the beach. There was not enough time to investigate the extent of this oil.

Two other areas of significant subsurface oil occurred in 1991 that greatly improved by 1993. In the southern corner, manual removal in 1991 caused a significant decrease in a HOR area that was associated with heavy SOR conditions. This area is approximately coincident with surface location 'B' in the 1993 survey. Extensive manual removal and tilling in 1991 around the northern stream eliminated HOR from the upper and mid intertidal zone, although discovery of the subsurface MS in the mid intertidal zone, as mentioned above, may be a remnant.





CESSEGS


File Nome:



Prince William Sound Central area #2 Beach Sub—Segment Map Map Projection: UTM, Zone 6

-	1
×	(

Beach Segments
Subdivision Endticks



1993 ADEC RESTORATION PROJECT #930380 SHORELINE SURVEY COMMENT SHEET

C. N KNIGHTIS SEGMENT KNO211 SUBDIVISION B DATE 7 / 20 / 93
NHME THE THE SIGNATURE TRATE CON UT) This by
Acr 2" seemed to have the viest concentration of orl.
the segment and mopitup with sorbent material.
After sociecting the bulk of the Mexical oil, just
dispersion action would help accelerate he cleansing
process A lot of logs and plastics have united service here
NAME TO MONS / DECG SIGNATURE MANA
moncur u/Shoreline Oiling Suramany as written. Shoreline activities - anducted during this survey not expected not expected fo
inducted during this survey not expected not expected to
result in on-water release.
· · · · · · · · · · · · · · · · · · ·
rest
AFFILIATION
I'ME Y I'C BOOK U.S. F.S. SIGNATURE DE AST
The need for further treatment. Not used heavily by recreation ists.
FFILIATION NAME SIGNATURE

1993 ADEC RESTORATION PROJECT # 930380 SHORELINE OILING SUMMARY

2405	1	3
PAGE_	OF	

																			SEGMENT	K	NOSII
ΓE	AM	ME	MBI	ERS	: 2.1	Matt	hews	Pul	مملك	DI	leans us	+ADE	c						SUBDIVISI	ON	B
											V-EXXON										
					Na	tali	e Fo	bes	-ph	whoa	apper								DATE _O	<u> </u>	<u>20</u> 193
											VICBAE										. /
																					H □M M
SUF	RVEY	ED	FRO	M:	F	00	т 🗀	BOA	т [HE	LO	WEATH	ER:	SUN		CLO	UDS		FOG F	RAIN	SNOW
гот	TAL L	ENG	HTE	SHO	RELI	NE	SUR	/EYE	:D: _		m	N	EAR SH	IORE SH	IEEN	: [R	RB S	SL	NONE
EST	r. 01	IL C	ATE	EGO	RY	LE	NGT	H:	н_		_m M_		n L_	m	VL			m	Nm	ı N	Sm
L			SUR	FAC	E OII	CI-	ARA	CTE	R		SURFACE SEDIMENT			REA	н		ZON	ΙE	T		
c	AP	MS	ТВ	SOR	CV	CT	ST	FL	DB			VHML	m	m		3 1	A II	AI I	ш	NO	TES
Ā			-			5					B.R	M	5	2	工						
B		P		P					_		BCP	M	9	13	_			_		_	
							\vdash	\vdash	\rightarrow		PG	-		1.0	+	-1		+	Subsi	wf	ace oil lens
THAMMON		P		P			\vdash	-	\rightarrow		BCP		2	19	-	-	-	+		-	
=		Ĭ		Jo	+	T	\vdash	-1	\dashv		BCP	H	4	12	+	-		+	+		
-		9		1	0	_	\vdash	-	\dashv			M	7	40	+	-		+			
5		_				-	\vdash		\neg		CP	L	3	3	+				not sur	vev	edductotimelin
-		1					\Box						· · · · · · · · · · · · · · · · · · ·			1					
		DIS	TRIB	UTIO	N: C	- 41	1000				_							,			
-											P = 11-604										
			VERT	CAL	H=	HIGI	H ANG	BLE:	M = N	AEDII	M ANGLE:	L = LOW	ANGLE	PHOTO	ROL				QI IDEACE	. 1	FRAMES
TI	PI	Γ	VERT	ICAL:	H-	HIGH	H ANG	E	M - N	AEDII	MANGLE:	CLEAN	ANGLE H2O	PHOTO	ROL	P	П	_	SURFACE SURFACE		
PIT 10.	PI	TH	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE	CLEAN BELOW	H20	SHEEN COLOR		ZO	NE NE		SUBSURFA	CE	
PIT 10.	PEP (cr	TH n)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	MANGLE:	CLEAN BELOW	H2O LEVEL (om)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT	CE	
10.	DEP (cr	TH n)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	MANGLE: OILED ZONE cm-cm	CLEAN BELOW	H20	SHEEN COLOR		ZO	NE NE		SUBSURFA SEDIMENT P / PG-	CE	NOTES
10.	DEP (cr	TH n)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm	CLEAN BELOW YAN	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P / PG-	CE	NOTES Monesplens
10. 10.	PEP (cr 2:	TH (F)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm 	CLEAN BELOW YAN	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P / PG- P / PG-	CE	NOTES
10. 10.	PDEP (cr. 2! 40 49	TH (n)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	MANGLE: OILED ZONE cm-cm 31-40 22-39	CLEAN BELOW YAN	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG-	CE	Movestiens Mousse Lens
10. 12.3 4.5	Pri DEP (cri 24 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	TH (F)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	MANGLE: OILED ZONE cm-cm 31 -40 22-39	CLEAN SELOW Y/N - - - -	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG-R	CE IS	Mousselens Mousse Lens
10. 12.3 4.5	PDEP (cm 2! 40 40 30 2.34	TH (n)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	MANGLE: OILED ZONE cm-cm 31-40 22-39	CLEAN SELOW Y/N - - - -	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG-R	CE IS	Movestiens Mousse Lens
10. 12. 3. 4. 5.	PDEP (cm 29 40 40 30 20 20 21	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm 31 -40 22-39 21 - 28	CLEAN SELOW YIN Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- B/PG- P/PG-	CE IS	Mousselens Mousse Lens
PIT 10.	PDEP (cm 2! 40 40 30 20 20 40 40 40 40 40 40 40 40 40 40 40 40 40	TH m)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm 31 -40 22-39 21 - 28	CLEAN SELOW YIN Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
PIT 10.	Pri DEP (cr 2' 4' 4' 4' 4' 4' 4' 4' 4' 4' 4' 4' 4' 4'	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm 	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- PG-/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
123 4 5 7 8	Pri DEP (cri 2! 40 45 30 2 34 45 50 47 50 60 60 60 60 60 60 60 60 60 60 60 60 60	TH (n)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm 31 -40 27-39	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- PG-/PG- CP/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
123 45 67 8	Pri DEF (cri 2! 40 40 30 2 7 40 40 30 30 30 30 30 30 30 30 30 30 30 30 30	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm 31 -40 22-39	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
12345	Pri DEP (cri 2! 40 45 30 2 34 45 50 47 50 60 60 60 60 60 60 60 60 60 60 60 60 60	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm 31 -40 22-39	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- PG-/PG- CP/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
12345	Pri DEF (cri 2! 40 40 30 2 7 40 40 30 30 30 30 30 30 30 30 30 30 30 30 30	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm 31 -40 22 - 39 21 - 28	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- PG-/PG- CP/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
123 45 67 8	Pri DEF (cri 2! 40 40 30 2 7 40 40 30 30 30 30 30 30 30 30 30 30 30 30 30	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm 31 -40 22 - 39 21 - 28	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- PG-/PG- CP/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
123 45 67 8	Pri DEF (cri 2! 40 40 30 2 7 40 40 30 30 30 30 30 30 30 30 30 30 30 30 30	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- PG-/PG- CP/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
123 45 67 8	Pri DEF (cri 2! 40 40 30 2 7 40 40 30 30 30 30 30 30 30 30 30 30 30 30 30	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- PG-/PG- CP/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
123 45 67 8	Pri DEF (cri 2! 40 40 30 2 7 40 40 30 30 30 30 30 30 30 30 30 30 30 30 30	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- PG-/PG- CP/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
12345	Pri DEF (cri 2! 40 40 30 2 7 40 40 30 30 30 30 30 30 30 30 30 30 30 30 30	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- PG-/PG- CP/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock
12345	Pri DEF (cri 2! 40 40 30 2 7 40 40 30 30 30 30 30 30 30 30 30 30 30 30 30	TH (1)	VERT	CAL	H- SUBS	HIGH	H ANG	E E ER	<u>M = N</u>	AEDII	M ANGLE: OILED ZONE cm-cm	CLEAN SELOW YM - Y	H2O LEVEL (com)	SHEEN COLOR B R S N		ZO	NE NE		SUBSURFA SEDIMENT P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- P/PG- PG-/PG- CP/PG-	CE	Mousselens Mousse Lens Doct on bottom behind lauge-rock

RESTORATION SHORELINE OILING SUMMARY (cont.)

PAGE 2 OF 3

TEAM NO. ____

SEGMENT KN0211

SUBDIVISION _____B


DATE 7 1 20 198

PIT DEPTH		OIL	JBSUF	RACTE	ER			OILED ZONE cm-cm	CLEAN	H2O LEVEL	SHEEN		ZC	ONE		SURFACE- SUBSURFACE	
(cm)	OP	HOR	MOR	LOR	OF	TR	NO		Y/N	(cm)	BRSN	S	UI	М	LI	SEDIMENTS	NOTES
								10.2									
								-									
								-									
								-									
								- 4									
								-									
								-									
			.,					-									
								-									
								•									
								-									
								-									
								-									
								-									
								-									
								-/									
								-									
						-		-									
								-									
								-					1				
								-									
								-									
								-									

SHEEN COLOR: B = BROWN; R = RAINBOW; S = SILVER; N = NONE

OG COMMENTS:

LOCATION (#): At end of survey, ever located M5 after rolling cabble in MITZ. It's likely survey ever missed some oil on this segment due to Rising tide.



1993 Surface Oil Summary Segment KN211 Subdivision B

						
Location	AP		SOR	CV	CT	_
A	0.	0.	0.	0.6	0.6	
В	0.	35.1	35.1	0.		
C						
D	0.	28.5	28.5	0.		
Е	0.	0.24	0.24	0.		
F	0.	9.	9.	0.15		
G		0.				
Н						
TOTALS=	0.	72.84	72.84	12.75	12.75	
AP= asphalt; MS Areas are compu coverage of eac	ted by	multiplyi	ng the a	ffected	area by the	percent

AP= asphalt; MS= mousse; SOR= surface oil residue; CV= cover; CT= coat Areas are computed by multiplying the affected area by the percent coverage of each oil type. Field categories of percent oil coverage are converted to the median percent value as follows: continuous= 95%; broken= 70%; patchy= 30%; sporadic= 6%; trace= 0.5%

SUBSURFACE OIL SUMMARY FOR SEGMENT KN211B

						TREA	TREATMENT		1993 OILED SED. VOL. (m3)					1992 OILED SED. VOL. (m3)				1991 OILED SED. VOL. (m3)					WT.'ed OIL VOL.			& CHANGE WT. 'ed VOL.		
Loc.	1993 PIT	Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to 93	91 to 92	91 to
ZA	1-7	P-PGPt	U	Н		NO	NO	8.9	0.0	0.0	0.0	0.0	?	?	?	?	?	0.0	0.0	0.0	0.0	0.0	44.7	?	0.0	?	?	Inf
ZB		BPC-PG	U	м		MR, Rs	Rs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	40.0	0.0	-100.0	-100.0
ZC		PC-SG	U	Н		NO	Rb, MT	0.0	0.0	0.0	0.0	0.0	?	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	?	2.0	3	?	-100.0
ZD		CPG-SG	UM	Н		NO	MT, Rb	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	0.0	0.0		0.0				-100.0	
'	• • • • • • • •				.'		TOTALS-	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	15.2	0.0	0.0			0.0		Inf	-100.0	

Loc.= location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.

En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.

TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.

OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.

WT.'ed OIL VOL.= weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2

% CHANGF WT.'ed VOL. = % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of gative values indicate decreases, "Inf" (infinite percent increase) indicate increase) indicate increases in the gative values indicate decreases, "Inf" (infinite percent increase) indicate decreases, "Inf" (infinite percent increase) indicate increase) indicate increases in the gative values indicate decreases, "Inf" (infinite percent increase) indicate increases in the gative values indicate decreases, "Inf" (infinite percent increase) indicate decreases, "In









EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE: 07/20/93

TIME: -0-

SEGMENT#: KNO211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: CLOSEUP OF MOUSSE UNDER BOULDER AND OIL ON SURFACE WITH SHEEN IN AREA B.

TAKEN BY: DIANNE MUNSON

INITIALS: DRM

ROLL #: 93DRM001 FRAME #: 2 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: PHOTO OF MOUSSE UNDER BOULDER WITH SCALE IN AREA B.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRM001 FRAME #:

4 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

STATION#: -0-

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-REASON FOR TAKING PHOTO: CLOSEUP OF MOUSSE UNDER BOULDER AND

OIL ON SURFACE WITH SHEEN IN AREA B.

TAKEN BY: DIANNE MUNSON

INITIALS: DRM

ROLL #: 93DRM001 FRAME #: 1 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: PHOTO OF MOUSSE UNDER BOULDER AND OIL

ON SURFACE WITH SHEEN IN AREA B.

TAKEN BY: DIANNE MUNSON

INITIALS: DKM

ROLL #: 93DRM001 FRAME #: 3 EVIDENCE ID#:









EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: PHOTO OF OP/MS LENS IN 46 CM PIT (2). LENS NOT RECORDED IN FINSAP DATA. NO FLASH IN

PHOTO.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRMO01 FRAME #:

EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: PHOTO OF OP/MS LENS IN 45 CM PIT (3).

LENS NOT RECORDED IN FINSAP DATA.

TAKEN BY: DIANNE MUNSON

ROLL #: 93DRMO01 FRAME #: 9 EVIDENCE ID#:

TAKEN BY: DIANNE MUNSON ROLL #: 93DRM001 FRAME #:

INITIALS: DE 7 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

STATION#: -0-

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

....

SEGMENT#: KN0211

LOCATION: NE KNIGHT ISLAND KEYWORDS: -0-

REASON FOR TAKING PHOTO: PHOTO OF OP/MS LENS IN 46 CM PIT (2).

LENS NOT RECORDED IN FINSAP DATA.

TAKEN BY: DIANNE MUNSON

INITIALS: DRM

ROLL #: 93DRM001 FRAME #:

5 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

LOCATION: NE KNIGHT ISLAND

STATION#: -0-

KEYWORDS: -0-REASON FOR TAKING PHOTO: PHOTO OF OP/MS LENS IN 46 CM PIT (2). LENS NOT RECORDED IN FINSAP DATA.









EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: PHOTO OF OP/MS LENS IN 45 CM PIT (3). LENS NOT RECORDED IN FINSAP DATA.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRM001 FRAME #: 11 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: PHOTO OF SUBSURFACE OP/MS OILING TYPE ON COBBLE BEACH BETWEEN PITS IN AREA E.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRMO01 FRAME #: 13 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

REASON FOR TAKING PHOTO: PHOTO OF OP/MS LENS IN 45 CM PIT (3). LENS NOT RECORDED IN FINSAP DATA.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRM001 FRAME #: 10 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND


KEYWORDS: -0-


REASON FOR TAKING PHOTO: PHOTO OF OP/MS OILING TYPE FROM PIT 3.

TAKEN BY: DIANNE MUNSON ROLL #: 93DRMO01 FRAME #: 12 EVIDENCE ID#:

INITIALS: DRM









1993 ADEC RESTORATION PROJECT # 930380 SHORELINE OILING SUMMARY

			0
PAGE	- 1	OF	2

																		SEGMENT _	
A	и ме	MBI	ERS:	0	cina	e Mu	n Sor	, 3	50.	Matthe &	Ern	ie Piper						SUBDIVISION	C
				I	n C	bear	4	(0 0	= Va	AS ADE	25								
				Ke	m S	tok	164	ED	CW	S PHILM	eans (c	(26)					1	DATE 7	20193
				_															
	07	: 30	2_	to _	10	_:_	5			TIDE	EVEL _	-1.0 p	L to 1.	0	t.	ENE	RG	Y LEVEL:	H M L
												3 10 2						FOG RAIN	
1	EYED	FRO	M:		-00		BUA		٦		WEAT	icr. [J-00.		Ш.	OG	
ı	LEN	GTH:	SHO	REL	INE !	SUR	/EYE	:D:_		m		EAR SH	ORE SH	EEN:		BR		RB SL	NONE
												T.							
	OIL C	CATI	EGO	RY	LE	NGT	H:	H_		_m M_	-	n L_	m	VL		_m	r	m · N	ISm
		SUR	FAC	EOI	L CH	IARA	CTE	R		SURFACE			REA	T					
										SEDIMENT	SLOPE	WIDTH			- Translation	ME			707 11
Ā	PMS	TB				ST	FL	DB	NO	TYPE	VHML	m	m	_	UI	MI	u	NO	TES
1	3		B	5	-					PCRR		4	15	-	-				
			11	B	B	100				BR	H	4	12	+	- 20			-	
2	>	-	5	-	5			7.00		RB	H	4	30	-				75 6	
P		-	5	3	12					B	M	20	15		150				
0		-		5	5					B	M	5	12						
1	+	-	F	9	P					R	V	2	20						
_	-	-	S									Ь	30						
5										BC	M	_ 0							
	DI		UTIC							P=11-80	%; S=1-	-10%; T=	<1%	1	L.			-	FRAMES
OP	DIE: V=	VERT	UTIC	: H =	HIGH	H ANG	E.	M = A	#EDI	P = 11-80 UM ANGLE OILED	%; 8=1- L=LOV	-10%; Tay	PHOTO	POL	PIT			SURFACE-	
P	DIE: V=	VERT	UTICAL	SUB	SUR	FAC	E FR	M = A	4EDI	P = 11-80 UM ANGLE OILED ZONE	%; S = 1- L = LOW CLEAN BELOW	-10%; T=	PHOTO SHEEN COLOR	PIOL	ZON	E	_ 8	UBSURFACE	Mark to
P	PIT EPTH (cm)	VERT	UTICAL	SUB	SUR	FAC	E FR	M = A	4EDI	P = 11-80 UM ANGLE OILED	%; S = 1- L = LOW CLEAN BELOW	-10%; T=	PHOTO	PIOL	ZON	E	8	UBSURFACE SEDIMENTS	NOTES
POC	DIE: V= PIT EPTH (cm)	VERT	UTICAL	SUB	SUR	FAC	E FR	M = A	4EDI	P = 11-80 UM ANGLE OILED ZONE cm-cm	%; S = 1- L = LOW CLEAN SELOW Y/N	-10%; TeVANGLE HSO LEVEL (cm)	PHOTO SHEEN COLOR BRSN	PIOL	ZON	E	S	UBSURFACE SEDIMENTS	NOTES
P	DISTRICT OF THE COMMENT OF THE COMME	VERT	UTICAL	SUB	SUR	FAC	E FR	M = A	4EDI	P = 11-60 UM ANGLE OILED ZONE cm-cm	%; S=1- L=LOW CLEAN SELOW Y/N	-10%; TeVANGLE HEO LEVEL (Com)	PHOTO SHEEN COLOR B R S N	PIOL	ZON	E	S	UBSURFACE SEDIMENTS RCP6/P6	NOTES
POLIT	DIE: V= PIT EPTH (cm) 23 21	VERT	UTICAL	SUB	SUR	FAC	E FR	M = A	4EDI	P = 11-60 UM ANGLE OILED ZONE cm-cm	W: S = 1- L = LOW CLEAN SELOW Y/N	-10%; TeVANGLE HEO LEVEL (Com)	PHOTO SHEEN COLOR B R S N	PIOL	ZON	E	8 R	UBSURFACE SEDIMENTS BCP6/P6 CCP/P6	NOTES
P 0 (14.4)	DIE: V=PIT EPTH (cm) 23 21 22 27	VERT	UTICAL	SUB	SUR	FAC	E FR	M = A	4EDI	P = 11-80 UM ANGLE OILED ZONE cm-cm	%; S=1- L=LOW CLEAN SELOW Y/N	-10%; TeVANGLE HEO LEVEL (Com)	PHOTO SHEEN COLOR B R S N	PIOL	ZON	E L	R	UBSURFACE SEDIMENTS TCP6/P6 CCP/P6 CP/CP6	NOTES
P 0 (1414)	DI: V = PIT EPTH (cm) 23 21 22 27 18	VERT	UTICAL	SUB	SUR	FAC	E FR	M = A	4EDI	P = 11-80 UM ANGLE OILED ZONE cm-cm	SELOV	-1094; T = V ANGLE II HEO V LEVEL (com)	PHOTO SHEEN COLOR B R S N	PIOL	PIT		R	UBSURFACE SEDIMENTS BCP6/P6 CP/P6 CP/CP6	NOTES
P 0 (14.4)	DIE: V=PIT EPTH (cm) 23 21 22 27	VERT	UTICAL	SUB	HIGH SUR HAR OR I	FACTACTILOR	E R OF	M = A	4EDI	P = 11-80 UM ANGLE OILED ZONE cm-cm	W: S = 1- L = LOW CLEAN SELOW Y/N	-1094; T = V ANGLE II HEO V LEVEL (com)	PHOTO SHEEN COLOR B R S N	PIOL	ZON US M		S R	UBSURFACE SEDIMENTS TCP6/P6 CCP/P6 CP/CP6	NOTES
D (DIII E: V= PIT EPTH (cm) 23 21 22 27 18 20	VERT	O	SUB	SURHAR	FACTACTI	E R OF	TR	NO	P = 11-60 UM ANGLE OILED ZONE cm-cm	W: S = 1- L = LOW CLEAN SELOW Y/N	-1094; T = V ANGLE II HEO V LEVEL (com)	PHOTO SHEEN COLOR B R S N	PIOL	PIT		R R R R	UBSURFACE SEDIMENTS BCP6/P6 CP/P6 CP/CP6 CP/CP6	NOTES
D	DIII E: V= PIT EPTH (cm) 23 21 22 27 18 20 21	VERT	O	SUB EL CI R M	SURHAR	H ANG FAC ACTI LOR	E R OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OILED ZONE cm-cm	W: S = 1- L = LOW CLEAN SELOW Y/N	-1094; T = V ANGLE II HEO V LEVEL (com)	PHOTO SHEEN COLOR B R S N	PIOL	PIT		R R R R R	UBSURFACE SEDIMENTS R C P 6 P 6 P G 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6	UNDER CLEAN SEOS
OPP O	DIII EPTH (cm) 23 21 22 27 18 20 21 25	VERT	O	SUB EL CI R M	HIGH	FACTACTILOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OILED ZONE cm-cm	W: S = 1- L = LOW CLEAN SELOW Y/N	-10%; T = V ANGLE I HSO V LEVEL (com)	PHOTO SHEEN COLOR B R S N	PIOL	PIT		S R R R R R R R R	UBSURFACE SEDIMENTS B C P 6 P 6 P G 1 P 6 C P 1 C P 6 C P 1 C P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6	NOTES
D) (DII E- V = PIT (cm) 23 21 22 27 18 20 21 25 28	VERT	O	SUB EL CI R M	HIGH	H ANG FAC ACTI LOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OILED ZONE cm-cm	W: S = 1- L = LOW CLEAN SELOW Y/N	-1094; T = V ANGLE II HEO V LEVEL (com)	PHOTO SHEEN COLOR B R S N	PIOL	PIT		R R R R R R R R R R R R R R R R R R R	UBSURFACE SEDIMENTS R C P 6 P 6 P 6 1 P 6 C P 1 C P 6 C P 1 C P 6 C P 1 C P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6	UNDER CLEAN SEOS
DE	DIII E- V= PIT E-PTH (cm) 23 21 22 27 18 20 21 25 28 13 12	VERT	O	SUB EL CI R M	HIGH	FACTACTILOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OGLED ZONE CM-CM	W: S = 1- L = LOW CLEAN SELOW Y/N	-10%; T = V ANGLE I HSO V LEVEL (com)	PHOTO SHEEN COLOR BRSN	SI	PIT		R R R R R R R R R R R R R R R R R R R	UBSURFACE SEDIMENTS R C P 6 P 6 P 6 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6	UNDER CLEAN SEOS
DI	DIII EPTH (cm) 23 21 22 27 18 20 21 25 28 13 12 19 19	VERT	O	SUB EL CI R M	HIGH	FACTACTILOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OGLED ZONE cm-cm	M: S = 1- L = LOW CLEAN SELOW Y/N	-10%; T = V ANGLE I HSO V LEVEL (com)	PHOTO SHEEN COLORI B R S N	PIOL	PIT		R R R R R R R R R R R R R R R R R R R	UBSURFACE SEDIMENTS R C P 6 P 6 P G 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6	MOTES UNDER CLEAN SEOS UNDER CLEAN SEOS MOUSE ON UNDER AF RIVINGO ROUL
DI	DIE: V= PIT EPTH (cm) 23 21 22 27 18 20 21 25 19 19 25	VERT	O	SUB EL CI R M	HIGH	FACTACTILOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OILED ZONE CM-CM	Mi: 8=1- L=LOW SELOW Y/N N	-10%; T= V ANGLE HSO V LEVEL (com)	PHOTO SHEEN COLOR B R S N	SI	PIT		R R R R R R R R R R R R R R R R R R R	UBSURFACE SEDIMENTS R & P6/P6 P 6/P 6 P 6/P 6 C P/P 6	UNDER CLEAN SEOS
DP	DII E- V = PIT (cm) 23 21 22 27 18 25 28 13 12 19 25 21	VERT	O	SUB EL CI R M	HIGH	FACTACTILOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OILED ZONE cm-cm	M: S = 1- L = LOW CLEAN SELOW Y/N	-10%; T = V ANGLE I HSO V LEVEL (com)	PHOTO SHEEN COLOR BRSN	SI	PIT		R R R R R R R R R R R R R R R R R R R	UBSURFACE SEDIMENTS R C P 6 P 6 P 6 1 P 6 P 6 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6	MOTES UNDER CLEAN SEOS UNDER CLEAN SEOS MOUSE ON UNDER AF RIVINGO ROUL
DI	DIII EPTH (cm) 23 22 27 18 20 21 25 28 13 12 19 25 21 24	VERT	O	SUB EL CI R M	HIGH	FACTACTILOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OILED ZONE cm-cm	Mi: 8=1- L=LOW SELOW Y/N N	-10%; T= V ANGLE HSO V LEVEL (com)	PHOTO SHEEN COLOR BRSN	SI	PIT		R R R R R R R R R R R R R R R R R R R	UBSURFACE SEDIMENTS R C P 6 P 6 P 6 1 P 6 P 6 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6	MOTES UNDER CLEAN SEOS UNDER CLEAN SEOS MOUSE ON UNDER AF RIVINGO ROUL
DE	DIII E- V= PIT E-PTH (cm) 23 21 22 27 18 20 21 25 28 13 12 19 19 25 21 29 18	VERT	O	SUB EL CI R M	HIGH	FACTACTILOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OGLED ZONE CM-CM	M: S = 1- L = LOW CLEAN SELOW Y/N	-10%; T= V ANGLE HSO V LEVEL (com)	PHOTO SHEEN COLOR B R S N	SI	PIT		S S S S S S S S S S S S S S S S S S S	UBSURFACE SEDIMENTS R C P / P 6 P 6 / P 6 P 6 / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6	MOTES UNDER CLEAN SECTION OF RIVING ROULD ROUNDER
D) (DIII EPTH (cm) 23 21 22 27 18 20 21 25 28 13 12 19 19 25 21 27 18 11	VERT	O	SUB EL CI R M	HIGH	FACTACTILOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OGLED ZONE cm-cm	Mi: 8=1- L=LON CLEAN BELON Y/N	-10%; T= V ANGLE HSO V LEVEL (com)	PHOTO SHEEN COLOR BRSN	SI	PIT		R R R R R R R R R R R R R R R R R R R	UBSURFACE SEDIMENTS R C P / P 6 P 6 / P 6 P 6 / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6	MOTES UNDER CLEAN SEOS UNDER CLEAN SEOS MOUSE ON UNDER AF RIVINGO ROUL
DP	DII E: V= PIT EPTH (cm) 23 21 22 27 18 20 21 25 28 13 12 19 19 25 21 27 18 11 25	VERT	O	SUB EL CI R M	HIGH	FACTACTILOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OGLED ZONE CM-CM	MI: 8=1- CLEAN SELON Y/N	-10%; T= V ANGLE I HSO V LEVEL (com)	PHOTO SHEEN COLOR B R S N	SI	PIT		R R R R R R R R R R R R R R R R R R R	UBSURFACE SEDIMENTS R C P 6 P 6 P 6 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6 C P 1 P 6	MOTES UNDER CLEAN SEOS OF WORK CLEAN SEOS ON UNDER PROMED MS ON SM
D	DIII EPTH (cm) 23 21 22 27 18 20 21 25 28 13 12 19 19 25 21 27 18 11	VERT	O	SUB EL CI R M	HIGH	FACTACTILOR	E FR OF	TR	NC STATE OF THE ST	P=11-80 UM ANGLE OILED ZONE CM-CM	MI: 8=1- CLEAN SELON Y/N	-10%; T= V ANGLE HSO V LEVEL (com)	PHOTO SHEEN COLOR B R S N	SI	PIT		R R R R R R R R R R R R R R R R R R R	UBSURFACE SEDIMENTS R C P / P 6 P 6 / P 6 P 6 / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6 C P / P 6	MOTES UNDER CLEAN SEOS OF WORK CLEAN SEOS ON UNDER PROMED MS ON SM


BCP1P6


1993 ADEC RESTORATION PROJECT #930380 SHORELITE SURVEY COMMENT SHEET RUA COVE CATION KNIGHT IS SEGMENT KNO213 SUBDIVISION C DATE 7 / 20 / 93 ATTON DNR, DIVISION of Land SIGNATURE ______ VAME Thes site was still hearly orlot delings & regions. On the uplands of Rua cove (preately owned) is an abandoned copper mine site. The area was list actively mined in the 1930's. It's possible that a mineral transfer facility may be requested and constructed on the tidelands. The presence of oil should be noted but probably wouldn't deter the NAME This Mean' SIGNATURE Shorelinen Oilling Summary as minor asphalt coverings) not expected to result **AFFILIATION** NAME SIGNATURE

AFFILIATION

NAME

SIGNATURE





the subsurface sandy, recorded in 1991 and						
amounts of subsurface properly recorded in	oil in 1993 and	showed i	тргочет	ent since 19	92 (they were	not
of the site.		,				
			,	•		
		•		,		
	,		-			
				•		
,						
		•				
					-	
					•	
• •		•				,
				recover F. La.		

 $(E_{ij}) = f(ij) = f(ij) = (ij) = ($

SEGMENT: KN 213 C

LOCATION: Knight Island Outer Group, eastern shore of Knight Island in Rua Cove.

OTHER STUDIES

ADEC transect station #49

PHYSICAL SETTING

Coastal Morphology and Sedimentology

Irregular embayment. This site is separated from an anadromous stream to the south by irregular bedrock outcrops and a pebble berm that spans an area between the landward cliff a seaward bedrock outcrop. The area surveyed includes subangular boulders and cobbles with a sandy, granular matrix in the subsurface. The boulders are generally larger at the base of the cliff in the supra and upper part of the upper intertidal zone than in the lower part of the upper and upper part of the mid-intertidal zone. The boulders in the lower mid-intertidal and the lower intertidal zones are also comparatively large. Bedrock outcrops in the lower intertidal and along the south border of this site exert much control on the sediment dynamics.

Environmental Sensitivity Index (ESI)

Type 1; exposed rocky.

Type 7; gravel beach.

Fetches and Directions (kilometers)

NE= 65; E= 24; SE= 14; S= 33

Energy Level

High with some bedrock-protected moderate locations.

GENERAL BIOLOGICAL SETTING

Anadromous stream bordering to the south.

OILING SUMMARY

Six locations of significant AP and SOR were found at this site. At all locations, the surface oil occurred between surface boulders (some very large) and on or between bedrock outcrops. All locations except 'E' are in the upper intertidal. Location 'E' is in the mid-intertidal zone. It appears that significant improvement has occurred in the concentrations and overall amounts of surface oil since 1991 on the south side of the site (general area of locations 'A', 'B', 'C', and 'E' in 1993). In 1991, concentrations of 30 to 60% AP and SOR were reported for this area, and in 1991, concentrations had dropped to less than 11%. Considerable manual removal was performed in this area in 1991 and 1992. Area 'E' does not appear to have improved since 1991, and in fact, 1993 surveyors recorded more oil here than in 1991. Surface oil in the large boulders along the back of the beach (locations 'D' and 'H'), and on the north side (location 'F') do not appear to have improved much since 1991. Locations 'D' and 'H' apparently were not treated in 1991 but location 'F' was manually treated. Some significant CV and CT areas persist at this site.

KN 213 C

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: BEACH OVERVIEW PHOTO LOOKING SOUTH TOWARD AREA D AND E IN SKETCH MAP.

TAKEN BY: DIANNE MUNSON

ROLL #: 93DRMO01 FRAME #: 22 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0- *

REASON FOR TAKING PHOTO: BEACH OVERVIEW PHOTO LOOKING NORTH IN AREA G IN SKETCH MAP. END OF SEGMENT.

TAKEN BY: DIANNE MUNSON

INITIALS:_//

ROLL #: 93DRMO01 FRAME #: 24 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE ____ DATE: 07/20/93

TIME: -0-

SEGMENT#: KNO211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-REASON FOR TAKING PHOTO: BEACH OVERVIEW PHOTO LOOKING SOUTH

TOWARD AREA B IN SKETCH MAP.

TAKEN BY: DIANNE MUNSON

ROLL #: 93DRM001 FRAME #: 21 EVIDENCE ID#:

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KNO211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

OFFICIAL PHOTOGRAPH ADEC

KEYWORDS: -0-


REASON FOR TAKING PHOTO: BEACH OVERVIEW PHOTO LOOKING NORTH IN AREA F IN SKETCH MAP. SURVEY TEAM DOCUMENTING OIL.


TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93DRM001 FRAME #: 23 EVIDENCE ID#:









EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: CLOSEUP OF SUBSURFACE OP/M\$ OILING TYPE IN PIT WITH SCALE.

TAKEN BY: DIANNE MUNSON

ROLL #: 93DRM001 FRAME #: 16 EVIDENCE ID#:

INITIALS: JUL M

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: BEACH OVERVIEW PHOTO LOOKING SOUTH

TOWARD AREA B IN SKETCH MAP.

TAKEN BY: DIANNE MUNSON

INITIALS: T

ROLL #: 93DRMO01 FRAME #: 20 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND KEYWORDS: -0-

REASON FOR TAKING PHOTO: CLOSEUP OF SUBSURFACE OP/MS OILING

TYPE ON COBBLE BEACH WITH SCALE.

TAKEN BY: DIANNE MUNSON

INITIALS: 1/24 ROLL #: 93DRM001 FRAME #: 14 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 07/20/93

TIME: -0-

SEGMENT#: KN0211

STATION#: -0-

LOCATION: NE KNIGHT ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: PHOTO OF SURFACE MOUSSE BETWEEN BOULDERS IN AREA E.

TAKEN BY: DIANNE MUNSON

INITIALS: DE

ROLL #: 93DRM001 FRAME #: 17 EVIDENCE ID#:

RESTORATION SHORELINE OILING SUMMARY (cont.) PAGE 2 OF 3 TEAM NO. _ SEGMENT KNO213 DATE 7 120 1913 SUBDIVISION SUBSURFACE OILED PIT SURFACE-CLEAN H2O SHEEN PIT ZONE ZONE SUBSURFACE J. DEPTH OIL CHARACTER BELOW LEVEL COLOR OP HOR MOR LOR OF TR NO cm-cm (cm) BRSN S UI MI LI SEDIMENTS Y/N NOTES (cm) REPIPLS 0-2 BCIPG APONSURFACE ---SHEEN COLOR: B = BROWN; R = RAINBOW; S = SILVER; N = NONE **OG COMMENTS:**

1993 Surface Oil Summary Segment KN213 Subdivision C

Location	Area	of Oiling MS	Type in	Square CV	Meters CT	
A		0.				
В	0.	0.		8.4	8.4	
C		0.				
D		0.				
E	18.	0.	18.	0.	0.	
F	18.	0.	18.	3.6	3.6	
G	0.	0.	0.	0.	12.	
Н	10.8	0.	10.8	0.	0.	
TOTALS=	128.4	0.	128.4	22.8	38.4	

AP= asphalt; MS= mousse; SOR= surface oil residue; CV= cover; CT= coat Areas are computed by multiplying the affected area by the percent coverage of each oil type. Field categories of percent oil coverage are converted to the median percent value as follows: continuous= 95%; broken= 70%; patchy= 30%; sporadic= 6%; trace= 0.5%

SUBSURFACE OIL SUMMARY FOR SEGMENT KN213C

						TREA	TMENT	1993	OILE	D SED	. VO	L. (m3)	1992	OILE	D SED	. VOI	. (m3)	1991	OILED	SED.	VOL.	(m3)	WT.	ed OII	VOL.	& CHANG	E WT. '	ed VOL.
Loc.	1993 PIT #	Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to	91 to	91 to
ZA	10,11,14, 15,18,19, 21	BCPR-PG	U	Н	,	MR, Rs	NO	6.8	3.2	0.0	0.0	0.0	?	?	?	?	?	0.0	0.0	0.0	0.0	0.0	47.0	?	0.0	?	?	Inf
ZB	6,7,9	BCP-PG	U	М		MT, Rs	Rs, MR	0.0	1.0	0.0	0.0	0.0	3.8	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	23.3	0.0	-82.5	Inf	Inf
2C	3-5,8	BCP-PG	υ	М		MT, Rs	Rs, MR	0.6	0.0	0.0	0.0	0.6	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	3.0	6.4	0.8	-53.1	700.0	275.0
	********	********					TOTALS-	7.4	4.2	0.0	0.0	0.6	3.8	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	54.0	29.7	0.8	82.3	3606.3	6655.0

Loc.= location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.

En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.

TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.

OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.

WT.'ed OIL VOL. = weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2

% CHANGE WT.'ed VOL.= % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of capacitive values indicate decreases, "Inf" (infinite percent increase) indicate decreases in the infinite percent increases i









Date: July 20, 1993 Time: 08:27 (8:27 am) Location (segment #): KN213C

Reason for taking photo: Coat with spruce needles (close-up, with flash) in rocks near intertidal zone

Taken by: L.J. Evans WE Roll #: _LJE002 _ Frame #: <u>033</u>

OFFICIAL PHOTOGRAPH ADEC

, 4. . . bi

Date: July 20, 1993 Time: 09:00 (9:00 am) Location (segment #): KN213C Reason for taking photo: Pit 7 Taken by: L.J. Evans Roll #: _LJE003

Frame #:

OFFICIAL PHOTOGRAPH ADEC

Date: July 20, 1993 Time: ___ 08:15 (8:15 am) Location (segment #): KN213C Reason for taking photo: Overview from right under cliff; OP in frame 28 just to the right Taken by: L.J. Evans Roll #: __LJE002

OFFICIAL PHOTOGRAPH ADEC

Date: July 20, 1993 Time: 08:28 (8:28 am) KN213C Location (segment #):___ Coat with spruce Reason for taking photo: _ needles (without flash) in rocks near intertidal zone. Taken by: L.J. Evans (QG) Roll #: LJE002 Frame #:









The Shirth of the state of

OFFICIAL PHOTOGRAPH ADEC

Inda 250 8 - - -

Date: July 20, 1993 Time: 09:12 (9:12 am)

Location (segment #): KN213C

Reason for taking photo: Pit 11 & area just to side, showing surface HOR between cobble

Taken by: L.J. Evans Roll #: LJE003 Frame #: 006

OFFICIAL PHOTOGRAPH ADEC

Tarahari .

Date:	July	20,	1993	Tir	ne:	09:00) (9	9:00	am)
Locat	ion (seg	ment	#):_K	12130	C		-	-	
	n for ta	-					of	foci	1s -
Taken	by:I	2003	Evans	4	14	002			

OFFICIAL PHOTOGRAPH ADEC

Date: Jul	y 20,	1993_Time	09:10	(9:10	am)
Location (se	gment #)	:_KN213C			
Reason for ta	aking pho	oto: Pit 1	1, Jon:	i Mattl	hews
Taken by:					
Roll #: LJE	003	Frame #: _	005		










OFFICIAL PHOTOGRAPH ADEC

OFFICIAL PHOTOGRAPH ADEC

E Treposit

Date: _	July	20,	1993	Time:	09:05	(9:05	am)
Reaso	n for tal	dng pl	noto: _	Pit 10			
Taken	hv:	L.J	. Evai	ns (٤		**********
Roll #:	LJE	003	Fran	7 ne #:	003		

OFFICIAL PHOTOGRAPH ADEC









". I make the water of

Date: July 20, 1993	Time: _	09:30	(9:30	am
Location (segment #):				_
Reason for taking photo:	Pit 19)		_
Taken by: L.J. Evans	1051			
Roll #:LJE003 Fran	ne #:0	15		_

OFFICIAL PHOTOGRAPH ADEC
Date: July 20, 1993Time: 09:38 (9:38 pm) Location (segment #): KN213C
Reason for taking photo: Pit 21
Taken by: L.J. Evans (1987) Roll #: LJE003 Frame #: 020


OFFICIAL PHOTOG	RAPH	P	DEC		
Date: July 20, 1993 Location (segment #): KN		09:	23 (9:	23	am)
Reason for taking photo:	Pit	18 (c	lose-u	ıp)	_
Taken by: L.J. Evans (1				_

OFFICIAL PHOTOGRAPH ADEC
Date:
Reason for taking photo: Pit 19 (close-up)
Taken by: L.J. Evans 4: 017









THE HIGH 250 OF LEGS

OFFICIAL PHOTOGRAPH ADEC

Date: July 20, 1993 Time: 09:41 (9:41 am)

Location (segment #): KN213C

Reason for taking photo: Pit 25

Taken by: L.J. Evans 9

Roll #: LJE003 Frame #: 024

EM FMB OZZ HHBH 550 BMT Ma

OFFICIAL PHOTOGRAPH ADEC

Roll #: __LJE003 __ Frame #: __027

Date: July 20, 1993 Time: 09:41 (9:41 am)

Location (segment #): KN213C

Reason for taking photo: Pit 25

Taken by: L.J. Evans


OFFICIAL PHOTOGRAPH ADEC

"In laws a just the

OFFICIAL PHOTOGRAPH ADEC









Date: July 20, 1993 Time: 09:42 (9:42 am)

Location (segment #): KN213C

Reason for taking photo: Dr. Gibeaut pointing

out datum.

Taken by: L.J. Evans

-- TS HMBH SSO JV i Bu

OFFICIAL PHOTOGRAPH **ADEC**

Date: July 20, 1993 Time: 09:43 (9:43 am)

Location (segment #): KN213C

Dr. Gibeaut pointing Reason for taking photo: -

out datum

Taken by: L.J. Evans

Roll #: LJE003 Frame #: _

OFFICIAL PHOTOGRAPH ADEC

The Halpert Decrees

Date: July 20, 1993 Time: 09:41 (9:41 am)

Location (segment #): KN213C

View up transect Reason for taking photo: __

toward datum at base of cliff. Float

coat on rock point is datum point.

Taken by: L.J. Evans

OFFICIAL PHOTOGRAPH **ADEC**

Date: July 20, 1993 Time: 09:42 (9:42 am)

Location (segment #): KN213C


Reason for taking photo: __Dr. Gibeaut pointing

out datum

Taken by: L.J. Evans


Roll #: __LJE003

Frame #:









_f Hillia 250 action

Date: July 20, 1993 Time: 09:45 (9:45 am)

Location (segment #): KN213C

Reason for taking photo: View back up transect.

Dr. Gibeaut. DEC. Katie Farley. DNR.

Ped (loat coat at farley) of haved wak's datum.

Taken by: L.J. Evans (1993)

Roll #: LJE003 Frame #: 033

SM TVB 061 THMM 26.

OFFICIAL PHOTOGRAPH ADEC

Date: July 20, 1993 Time: 07:46 (7:46 am)

Location (segment #): KN213C

Reason for taking photo: Overview from S edge of segment

Taken by: L.J. Evans Q

Roll #: L.IE002 Frame #: 026

OFFICIAL PHOTOGRAPH ADEC

"all thought.

Date: July 20, 1993	Time: 0	9:44	(9:	44 am)
Location (segment #): KN	213C			
Reason for taking photo:)vervie	v of	tra	nsect,
just slightly N or				
red float coat on da	atum a	c1:	iff	wall.
Taken by: L.J. Eva				
Roll #: LJE003 Fran	ne #:	32		

OFFICIAL PHOTOGRAPH ADEC

Date: July 20, 1993 Time: 09:50 (9:50 am)

Location (segment #): KN213C

Reason for taking photo: View back up length
of transect

Taken by: L.J. Evans 034

Roll #: LJE003 Frame #:







Date: July 20, 1993 Time: 08:00

Location (segment #): OP between boulders near base of cliff

Taken by: L.J. Evans LOC LJE002 028

Frame #:

OFFICIAL PHOTOGRAPH ADEC

Date:	July	20,	1993Time:	07:47	(7:47	am)	
Location (segment #):		VN213	VN213C				
Reason f				iew fr	om S		
Taken by	L.J.	Eva	ns Of	027			

OFFICIAL PHOTOGRAPH ADEC

Date: July 20, 1993 Time: 08:05 (8:05 am)

Location (segment #): KN213C

Reason for taking photo: Cliff above OP
patch in frame 28

Taken by: L.J. Evans 4

Roll #: LJE002 Frame #:

Top

SEGMENT: KN 300 A

LOCATION: Knight Island North Group, northwest mouth of Herring Bay at Herring

Pt.

OTHER STUDIES

PHYSICAL SETTING

Coastal Morphology and Sedimentology

Three irregular pocket beaches separated by headlands. The western most beach, beach 'A', contains subangular boulders and bedrock outcrops on its western end while the eastern portion is more open and contains a rounded pebble, cobble, gravel beach with an underlying sandy matrix and peat in some locations. Pebble berms are also present here as is a mussel bed. Fresh water runoff is significant at all three beaches.

The middle beach, beach 'B', has a prominent bedrock outcrop in the lower intertidal zone protecting a cobble, pebble gravel beach with pebble berms. Peat was also found in the bottom of some pits dug in this beach. Oiled mussels occur on the landward side of the lower intertidal bedrock.

The eastern most beach, beach 'C', is the smallest of the three and contains more boulders than the others.

Environmental Sensitivity Index (ESI)

Type 1; exposed rocky.

Type 7; gravel beach.

Fetches and Directions (kilometers)

N = 48

Energy Level

Moderate with some low areas.

GENERAL BIOLOGICAL SETTING

Mussel beds.

Eagle nest.

OILING SUMMARY

One area of MS (location 'A') and another of AP (location 'B') between and beneath boulders and cobbles in a protected portion of the west end of beach 'A' are the only remaining locations of significant surface oil. AP in location 'C' apparently decreased from 1992 to 1993. Another location to the east of location 'B' that contained AP and SOR in a 3 by 10 m area and with a 5 to 10% concentration apparently cleaned up from 1992 to 1993.


Significant subsurface oil exists in at least three locations. Location ZC (pits 4,5,7, and 8, beach 'A') in an area of cobble, pebble gravel with a granular, sandy matrix and underlying


peat did not improve with respect to weighted oiled-sediment volume since 1991 and still contains HOR oil despite it being mechanically tilled in 1991. It should be noted, however, that the amount of OP oil significantly decreased at this site.

Location ZD (pits 12-14), which is in the fucus zone of beach 'B', was not discovered in 1991 or 1992 and contained OP and HOR in 1993.

Location ZE (pits 15-19, 21-23), which spans the upper, mid, and lower intertidal zones still contains significant amounts of LOR, MOR, and HOR oil. A mussel bed also occurs in this area. This area was mechanically tilled in 1991 and has greatly improved since 1991 with none of the OP oil present in 1991 remaining in 1993.


Locations ZF, ZG, and ZH, which span the upper to lower intertidal of beach 'C', had MOR and a lesser amount of HOR in 1991. Only small amounts of LOR and MOR remain here in 1993, thus this beach greatly improved since 1991 despite the lack of treatment.





Prince William Sound Central area #2 Beach Sub—Segment Map Map Projection: UTM, Zone 6

	Beach	Segi	ments
×	Subdivi	sion	Endtick



1993 ADEC RESTORATION PROJECT #930380 SHORELINE SURVEY COMMENT SHEET

יין:	TION KNIGHT IS SEGMENT KNO300 SUBDIVISION A DATE 6 1 221 93
1 ~	FILIATION DWR
NAM	of Wan Menetel SIGNATURE WAN Monetel
G	it is my the hard rocks out crossing mussels have LOR below them increaks.
•	Tome cheen given when disturbed. The oil tourd substitute at the
"1 /	the fresh oil, not seen disgraded vary heary.
tojaki a	is dalle beach seems to be the worse with heavy oil subsurface. Even minimal
es a	1. I have a little horac mil to suitare, In pits with worth in the off in the off
_ L	lockers the water manimed Disturbance brings oder, mussed growing norland some significant
٠,	enoil. such had unusual acomentation of literines inone spot. Photographial. On oil.
50	2 water catchers immature eacle, a Hen trail in woods, Fur then tractment Recommend
300	7-797-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
A. NAM	FFILIATION NE <u>IVAN NANCE, LT, USCOR</u> SIGNATURE A WALL
	UBSUNFACE OIL PRESENT AS NOTEY WOILING SUMMARY.
* 1	V LU V M M M M M M M M M M M M M M M M M M
;	·
**	
1 .	
**	
AF	FILIATION U-S. Forest Service SIGNATURE Vie Base
147/4	Miner emanuts of surface tar/asphalt. Several small
	areas with significant subsurface oil, but question need
No.	for additional treatment of subsurface oil.
•	for additional Treatment of subsurface of the

-	
	FILIATION
MAM	SIGNATURESIGNATURE
1	
ı	
.	
(10*	
1	

1993 ADEC RESTORATION PROJECT # 930380

SHORELINE OILING SUMMARY	PAGEOF
	SEGMENT KN0300
TEAM MEMBERS: E PIPER - ADEC D MUNSON - ADEC	SUBDIVISION A
M. PROFITA - ADEC V. BAER - USFS	DATE 6 122193
W. MENEFEE - ADNR I NAUCE - USCG	
TIME 10: 10 to 13:00 TIDE LEVEL 2.8 ft. to 4.0 ft. ENER	GY LEVEL: H MM L
SURVEYED FROM: FOOT BOAT HELO WEATHER: SUN CLOUDS	FOG RAIN SNOW
TOTAL LENGTH SHORELINE SURVEYED: m NEAR SHORE SHEEN: BR [RB SL NONE
EST. OIL CATEGORY LENGTH: Hm Mm Lm VLm	Nm NSm

L	Ī		SUF	FAC	EOI	L CH	ARA	CTE	R		SURFACE	SHORE		REA					
0											SEDIMENT	SLOPE	WIDTH	LENGTH	<u> </u>	Z	ONE		
C	AP	MS	TB	BOR	CV	CT	ST	FL	DB	NO	TYPE	VHML	m	m	S	UI		U	NOTES
A		3					,				BIC		3	9					·
R	3										BP		5	20					
~	3					S	5				BIC		Ŋ	3					INTERSTICIAL AP/S
											·								
																	<u> </u>		
														·					
																		<u> </u>	

	SL.	OPE: V=	VERT	TCAL;	H = HK	H ANG	ILE:	M = N	EDIL	M ANGLE:	L = LOW	ANGLE	PHOTO	O ROL	LP					FRAMES
-	PIT	PIT	Π	3	UBSU	RFAC	E			OILED	CLEAN	HIZO	SHEEN		-	ग		SUF	FACE-	
	NO.	DEPTH		OIL	CHA	RACTI	ER_			ZONE	BELOW	LEVEL	COLOR			ME		SUBS	URFACE	
		(cm)	OP	HOR	MOR	LOR	OF	TR	NO	cm-cm	YAN	(cm)	BRSN	3	UI	MI	u		MENTS	NOTES
=	1	36								•		34						PIG	PIG	
Ξ	2	29								•								CIP	PIGIO	
	3	29					<u> </u>	w M		1								CB	P16	
	4	31								16-30	LY	29	B					CIP	PIA	PEAT AT SICH
	5	31					<u> </u>			6-11	u	27	3					8/2	PIS	
	6	26								•		20		\perp				CIP	CIPIG	19 (10)
l	7	29								15-37	7	2						BCP		STRONG ODOR
	8	23			-					8-U	u			_	_			BCP	P6	HZO FILLED
	9	31				43				-								BC	P6	b ta
	10	22				Acres 18 Miles			4						*			BC	PG	
	11	29								9-27		Carried Street	* *					BP	PG	
	12	22					Spiles :			6-11	3							BP		LINDER FUCUS
- {	13	17				1			,	4-4		15	5.6					RP		
	14	18								1-1		II.	B					BP		FUCUS AREA -
1	15	24		74 G 2		.,				3-9	Y	7	1					CP	PG	MURELS ON R
1	14	19			*	, ,			2	7-13	Y							CP	PG	
	17	34								-								BC	P6	pp.
	18	28							199	4-11			B					BC	PM	
	19	21					1		,	6-10	У	17	B					BC	74	IN MUSSEL"
	20	2								•	Ÿ							BP	P6M	
	51	35								20-24	Y						è	CP	P6 M	
	2	31								-	Y	28	B					BCP	PGM	Mark Street
	23	28								19-25	LY	27	B					CP	P6	NEXT TO BE BUCK

SEGMENT KN0300A

SUBDIVISION __ A

DATE 6 1221 93

OLL	1	S	UBSU	RFAC	E			OILED	CLEAN	H2O	SHEEN			भा				
corru		ΔII	CHAI	RACTI	ER			ZONE	BELOW	LEVEL	COLOR							
(cm)	OP	HOR	MOR	LOR	OF	TR	NO	cm-cm	Y/N	(cm)	BASN	S	UI	MI	ב	SEDII	MENTS	NOTES
29		· ,					<u> </u>	19 - 23	Y									PEAT BELOW
29							<u> </u>	-	Y									IN MUSSELS
18							<u> </u>	-					,					
28						ļ												
19								6-14	I Y									
15							-	-								BC	ρ6	BOWDER FIELD
									-									
						_												
									-									
										-								
									+ -						_			
									-				,	-				
									-						_			
					-										-			
									 									
												-						
					_			-				-			_			
								_	1							V /		
						\neg	1	-							_			
								-	i			_						
	-+							-	1 1								-	
	-+							-										
	-							-										
	-+							-										
	29 29 18	(cm) OP	CCM) OP HOR	(cm) OP HOR MOR 29 18 28 19 15 15 15 15 15 15 15 15 15 15 15 15 15	CEPTH OIL CHARACTI (cm) OP HOR MOR LOR 29 18 28 19 15	CEPTH OIL CHARACTER	Cepth OIL CHARACTER Cem OP HOR MOR LOR OF TR Cepth Cepth	Cepth OIL CHARACTER OF TR NO A	CCM OP HOR MOR LOR OF TR NO CM-cm	CEPTH OIL CHARACTER ZONE BELOW Cm CP HOR MOR LOR OF TR NO Cm Cm Y/N	CEPTH OIL CHARACTER ZONE BELOW LEVEL	CEPTH OIL CHARACTER ZONE BELOW LEVEL COLOR	CEPTH OIL CHARACTER ZONE BELOW LEVEL COLOR	CEPTH OIL CHARACTER ZONE BELOW LEVEL COLOR ZUNE COLOR CO	CHOR OP HOR MOR LOR OF TR NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S U MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) B SN S UI MI NO Cm-cm YN (cm) Cm-cm YN (cm) Cm-cm To To To To To To To T	Composition Composition	CEPTH	### OIL CHARACTER

SHEEN COLOR: 8 - BROWN; R - RAINBOW; 5 - SILVER: N - NONE


G COMMENTS:

LOCA MS DIRECTLY UNDER B/C/P - 3X9m At WITE EXTENDING DOWN BEACH DILING GRADES TO HOR MOR


20M - This used communes trom SITE A WITH OILING GRADING DOWN TO HOE) MOR

- OTTER TRAIL
- EAGLE
- 7 BABY BROWN SPARROW (3) FOLLOWING CREW ON BEACH
- 2 DYSTER CATCHERS
- HIGH CONCENTRATION OF LITERINES IN ONE ROUNDED SPOT

KN0300A 6/22/93 M. PROFITA



KNIGHT ISLAND



1993 Surface Oil Summary Segment KN300 Subdivision A

Location	Area AP	2 200		CV	Meters CT	
A	0,	1.62			0.	
В	6.	0.	0.	0.	0.	
С	0.54	0.	0.	0.	0.54	
TOTALS=	6.54	1.62	0.	0.	0.54	

AP= asphalt; MS= mousse; SOR= surface oil residue; CV= cover; CT= coat Areas are computed by multiplying the affected area by the percent coverage of each oil type. Field categories of percent oil coverage are converted to the median percent value as follows: continuous= 95%; broken= 70%; patchy= 30%; sporadic= 6%; trace= 0.5%

SUBSURFACE OIL SUMMARY FOR SEGMENT KN300A

							TREA	TMENT	1993	OILE	D SED	. vo	L. (m3)	1992	OILE	SED	. VOI	(m3)	1991	OILED	SED.	VOL.	(m3)	WT.	ed OII	VOL.	8 CHANG	E WT. 'e	d VOL
oc.	1993	PIT #	Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to	91 to	91 to
A			BC-PG	U	L		NO	NO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	Inf	0.0	Designation of the last
В		11	BP-PG	U	L		NO	NO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
C	4,5,7	, 8	CP-PGPt	М	М	ORGANICS	NO	ET, Rb	0.0	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	7.7	0.0	0.0	0.0	61.2	0.0	48.3	Inf	-100.0	26.
D	12-14		BP-PG	L	М	FUCUS	NO	NO	4.4	4.4	2.1	0.0	0.0	0.0	0.3	0.2	0.0	0.0	?	?	?	?	?	46.2	1.6	?	2787.5	?	
E	15-19 23	, 21-	BCP-PGPt	UML	L	MUSSELS	NO	ET	0.0	5.1	10.6	7.1	35.4	0.0	2.2	1.2	0.0	0.0	17.8	15.3	2.0	0.0	0.0	66.4	12.4	156.2	434.3	-92.0	-57.
F		25	C-GP	L	М	MUSSELS		ИО	?	0.0	0.0	?	1.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	15.0	0.0	0.0	?	0.4	45.0	?	-99.1	
G			CP-GP	UM	М	ORGANICS	NO	NO	0.0	0.0	0.8	0.8	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	3.8	1.0	30.0	290.6	-96.8	-87.
Н	26-28		BCP-PG	U	М		NO	NO	0.0	0.0	0.0	1.1	6.2	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	2.2	0.0	20.0	Inf	-100.0	-88.
	!			Į	h	L	J	TOTALS=	4.4	24.9	13.5	8.9	42.8	0.0	2.7	1.4	0.2	0.0	21.3	28.0	27.0	0.0	0.0	180.	15.4	299.5	1069.3	-94.9	-39.

Loc.= location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.


En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.

TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.


OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.

WT.'ed OIL VOL.= weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2

% CHANGE WT.'ed VOL.= % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of gative values indicate decreases, "Inf" (infinite percent increase) indic yearly discovered oil.










OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL OFFICE: ANCHORAGE DATE: 06/22/93 TIME: -0-SEGMENT#: KN0300 STATION#: -0-LOCATION: KNIGHT ISLAND KEYWORDS: -0-REASON FOR TAKING PHOTO:PIT 5 HOR IN THE LITZ. BROWN GLOBULES ON BACK HOLE; RAINBOW SHEEN FRONT HOLE. TAKEN BY: MARIANNE PROFITA INITIALS: ROLL #: 93MSP003 FRAME #: 17 EVIDENCE ID#: Sheen front hole Taken by:_ Roll #:93 MSPOU3 Frame #: OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL DATE: 06/22/93 TIME: -0-OFFICE: ANCHORAGE STATION#: -0-SEGMENT#: KN0300 LOCATION: KNIGHT ISLAND KEYWORDS: -0-REASON FOR TAKING PHOTO:PIT 7 HOR IN THE LITZ. BROWN GLOBULES ON WATER. INITIALS: TAKEN BY: MARIANNE PROFITA ROLL #: 93MSP003 FRAME #: 19 EVIDENCE ID#:

Roll #: 93/nSp 203 Frame #:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL
OFFICE: ANCHORAGE DATE: 06/22/93 TIME: -0-
SEGMENT: KN0300 STATION: -0- LOCATION: KNIGHT ISLAND KEYWORD: -0-
REASON FOR TAKING PHOTO:HOR IN THE MITZ AT PIT 4.
AKEN BY: MARIANNE PROFITA INITIALS:
Taken by: M. PRofita
Roll #: 93/015/2003 Frame #:
Roll #: Y S M S & S & S & S & S & S & S & S & S &
2
Taken by:
TAKEN BY: Marianne Profita 37 EVIDENCE ID#:
sfrong odor.
KEYWORD: -0- KEYWORD: -0-
LOCATION: Knight Island SEGMENT: KNO300 STATION: -0-
OEEICE: WACHORAGE DATE: 06/22/93 TIME: 1030
OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL









SEGMENT#: KN0300	STATION#: -0-
LOCATION: KNIGHT ISLAND KEYWORDS: -O-	
REASON FOR TAKING PHOTO: MOUSSE U CAVE LIKE STRUCTURE-3	NDER BOULDER COBBLE PEBBLE AT x 9 METER AREA.
TAKEN BY: MARIANNE PROFITA ROLL #: 93MSP003 FRAME #: 21	INITIALS:EVIDENCE ID#:
Taken by: M PROFIT	
Roll #: 13mspoo3 Frame	#: 21
	•
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
OFFICIAL PHOTOGRAPH ADEC	EXXON VALDEZ OIL SPILL
OFFICE: ANCHORAGE DATE: 0	06/22/93 TIME: -0-
SEGMENT#: KN0300 LOCATION: KNIGHT ISLAND KEYWORDS: -0-	STATION#: -0-
REASON FOR TAKING PHOTO:OVERVIEW METER AREA OF MOUSSE U	OF CAVE LIKE CLIFF WITH 3 x 9
TAKEN BY: MARIANNE PROFITA ROLL #: 93MSP003 FRAME #: 23	INITIALS:EVIDENCE ID#:
Taken by: M PRO	ofita
Roll #: 93MSPOD3 Frame	#: _ 3

DATE: 06/22/93

EXXON VALDEZ OIL SPILL

TIME: -0-


OFFICIAL PHOTOGRAPH ADEC

OFFICE: ANCHORAGE

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL
OFFICE: ANCHORAGE DATE: 06/22/93 TIME: -0-
SEGMENT#: KN0300 STATION#: -0- LOCATION: KNIGHT ISLAND KEYWORDS: -0- REASON FOR TAKING PHOTO:MOUSSE UNDER BOULDER COBBLE PEBBLE AT CAVE LIKE STRUCTURE-3 x 9 METER AREA.
TAKEN BY: MARIANNE PROFITA ROLL #: 93MSP003 FRAME #: 20 EVIDENCE ID#:
Taken by: Mr 120fita
Roll #: 73mspoo3 Frame #: 20
OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL
OFFICE: ANCHORAGE DATE: 06/22/93 TIME: -0-
SEGMENT#: KN0300 STATION#: -0- LOCATION: KNIGHT ISLAND KEYWORDS: -0-
REASON FOR TAKING PHOTO: MOUSSE UNDER BOULDER COBBLE PEBBLE AT CAVE LIKE CLIFF-3 x 9 METER AREA.
TAKEN BY: MARIANNE PROFITA INITIALS:ROLL #: 93MSP003 FRAME #: 22 EVIDENCE ID#:
ROLL #: 93MSP003 FRAME #: 22 EVIDENCE ID#:
n Partita









	:# emera Cooperatel :# lloA
	Taken by: // / // 17
The same of the sa	TAKEN BY: MARIANNE PROFITA ROLL #: 93MSP003 FRAME #: 25 EVIDENCE
BOULDER.	KEYRON LOK TAKING PHOTO: MOUSSE ON AND UNDER LOCATION: KNIGHT ISLAND LOCATION: KNIGHT ISLAND
TIME: -0-	OFFICE: ANCHORAGE DATE: 06/22/93 SEGMENT#: KNO300 STA
TOEZ OIL SPILL	OFFICIAL PHOTOGRAPH ADEC EXXON VA

OFFICIAL PHOTOGRA	PH ADEC	EXXON VA	LDEZ OIL SPILL
OFFICE: ANCHORAGE	DATE: 0	06/22/93	TIME: -0-
SEGMENT#: KNO3 LOCATION: KNIGHT I KEYWORDS: -0-		STA	TION#: -0-
REASON FOR TAKING PHOTO OF SNAILS.	:BEACH C-	OVERVIEW OF	HIGH CONCENTRATI
AKEN BY: MARIANNE PROFI OLL #: 93MSP003 FRAME		INITIAL: EVIDENCE	
Taken by:	PROI	Lite	
Roll #: 93175P	003 Fran	ne #:	27

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL
OFFICE: ANCHORAGE DATE: 06/22/93 TIME: -0-
SEGMENT#: KN0300 STATION#: -0- LOCATION: KNIGHT ISLAND KEYWORDS: -0- EASON FOR TAKING PHOTO:BEACH 1 SITE A OVERVIEW-MOUSSE UNDE B/C.
EN BY: MARIANNE PROFITA INITIALS:
Taken by: M PROFITCE
Boll #: 93/7/2 POO3 Frame #: 24
OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPIN
OFFICE: ANCHORAGE DATE: 06/22/93 TIME: -0-
SEGMENT#: KN0300 STATION#: -0- LOCATION: KNIGHT ISLAND KEYWORDS: -0- REASON FOR TAKING PHOTO:BEACH C-HIGH CONCENTRATION OF SM AT NORTH CLIFF.
TAKEN BY: MARIANNE PROFITA INITIALS:ROLL #: 93MSP003 FRAME #: 26 EVIDENCE ID#:
Taken by: M Profitz

Roll #: 73/758023 Frame #:

Date:	OFFICIAL PHOTO	GRAPH	ADEC	•
Location (segment #): KN405A Reason for taking photo: Pit 23 Taken by: L.J. Evans	Date: July 17, 199	93Time:	09:15	
Taken by: L.J. Evans				
•	Reason for taking photo	Pit 23		
	-			-

The Head Case Const.

OFFICIAL PHOTOGRAPH ADEC										
Date: July 17, 1993 Time: 08:50										
Location (segment #): KN405A										
Reason for taking photo: Pit 18										
Taken by: L.J. Evans										
Roll #:LJE001 Frame #:005										

of the state of the state of


The Bull of Committee

OFFIC	IAL PHOTOG	GRAPH	ADEC	
Date:	July 17, 19	93_Time:	09:30	
Location	ı (segment #): <u>K</u>	N405A		
Reason	for taking photo:	Pit 25		
Taken h	L.J. Evans			•
-			007	•

JE

TOP

4









OFFICIAL PHOTOGRAPH ADEC

HARLES TO SEE

Reason for taking photo: Tarry, tacky coat supra intertidal zone in logs & cobble

Taken by: L.J. Evans

Roll #: LJE 001 Frame #: 002

42

OFFICIAL PHOTOGRAPH ADEC

Date: <u>July 17, 1993</u> Time: <u>08:40</u>

Location (segment #): <u>KN405A</u>

4460 36 10 100

Reason for taking photo: Pit 15, LOR

Taken by: L.J. Evans

Roll #: LJE001 Frame #: ____002

OFFICIAL PHOTOGRAPH ADEC

Date: July 17, 1993 Time: 08:00

Location (segment #): KN405A

Reason for taking photo: Tarry, tacky coat in supra intertidal zone in logs & cobble.

Taken by: L.J. Evans

Roll #: LJE 001 Frame #: 001

45

OFFICIAL PHOTOGRAPH ADEC

Date: July 17, 1993 Time: 08:23

Location (segment #): KN 405A

Reason for taking photo: Tarry, tacky coat in in supra intertidal zone in logs and cobble.

Taken by: L.J. Evans

Roll #: <u>LJE001</u> Frame #: ______003

42

42









SUBSURFACE OIL SUMMARY FOR SEGMENT KN405A

						TREA	TMENT	1993	OILE	D SED	. VO	L. (m3)	1992	OILE	SED	. VOL	(m3)	1991	OILED	SED.	VOL.	(m3)	WT.	ed OIL	VOL.	8 CHANG	E WT.	d VOL.
Loc.	1993 PIT	₩ Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to	91 to 92	91 to
ZA	40-41	C-CPG	М	Н	SOR ON SURFACE	МО	BR	5.6	0.0	0.0	0.0	0.0	3	?	?	?	?	?	?	?	?	?	28.0	?	3	?	?	. ?
ZB	14-27	BCR-CPG	UM	Н		NO	BR, Rs,	0.0	9.1	68.4	57.	37.8	?	?	?	?	?	3	?	?	?	?	356. 8	?	?	?	?	?
2C	1-12	BCR-PG	U	Н		МО	BR	0.0	0.0	31.3	21.	25.0	?	?	?	?	3	?	?	?	?	?	136.	?	3	?	3	?
							TOTALS=	5.6	9.1	99.7	78.	62.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	521.	0.0		Inf	0.0	

Loc.= location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.

En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.

TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from subsurface, Rs= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.

OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.


WT.'ed OIL VOL.= weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2


% CHANGE WT.'ed VOL.= % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of compagative values indicate decreases, "Inf" (infinite percent increase) indicates newly discovered oil.

1993 Surface Oil Summary Segment KN405 Subdivision A

Location	Area AP	of Oiling MS	Type in SOR	Square CV	Meters CT	
Α	0.	0.	0.	0.	0.	
В	0.	26.6	26.6	0.	0.	
TOTALS=	0.	26.6	26.6	0.	0.	

AP= asphalt; MS= mousse; SOR= surface oil residue; CV= cover; CT= coat Areas are computed by multiplying the affected area by the percent coverage of each oil type. Field categories of percent oil coverage are converted to the median percent value as follows: continuous= 95%; broken= 70%; patchy= 30%; sporadic= 6%; trace= 0.5%





TEAM NO. ____

SEGMENT KN0405

SUBDIVISION A

DATE 7 /17 /95

Ŧ	PIT		SI	JBSUI	RFAC	E			OILED	CLEAN	H2O	SHEEN			PIT		SURFACE-	
INO.	DEPTH			CHAP					ZONE	BELOW		COLOR			ONE		SUBSURFACE	
	(cm)	OP	HOR	MOR	LOR	OF	TR	NO	cm-cm	Y/N	(cm)	BASN	S	UI	MI	u		NOTES
7.7	52								12 -32	7	23-32	B					RBC/CP6	Directly Behind
25	29		e demand						16-29	N	_						BLIP	
26	21				. .				11 -26	V	24-31	B					BCIPG	
23	4 년								27-44	N				٠			BC196	
29	33								29-33	N							BCIPG	
29	45								32 -45	И							BCIPG	
30	25								-								RCIPG	
31	31								16 -31	N		_					BIRCDUS	
32 33	32								-								BIRCARS	
33	29					<u> </u>			-			-					C18.6	
34	32								-			-					BC/C,D	
35	27								-			_					BUD	
36	34								-								BCIPG	
37	32								13 -22								c/c.p	
39.	36								-								C.PIPM	
39	33								13 - 22	N							C, 016.5	
40	24								2 -23	7		-					c/c,P.G	
41	23								4 -23	N							c/c,p.c	
42	36											-					BCICP	
43	33								-								BCICD	
44	29																CIPG	
45	26								-	=			$-\frac{1}{2}$				CAP 6 5	
1/6	25										_	=				-	C19.65 BC18.65	
3	27											=					861065	
76	36										=	=					R.C.IC.P	
49	28																CICIP	
50	34		SHEE	N COL	OR: R	- BP	OWN	: R.=	RAINBOW;	9 - 311	ÆR: N =	NONE						<u> </u>
151	32		gnes		D	- wr										K	C, P/C, P	

OG COMMENTS: Difficult to reach clean sediments when digging pits due to Rock, Boulder and cobble in substrate.

- Subsurface orling was heaviest in the vicinity of "2 METER HIGH ROCK" and at Location \$2150 meters to the couth of "CABLE ROCK".

- Two Humplack whales and several sea lions were observed just offshore.

1993 ADEC RESTORATION PROJECT # 930380 SHORELINE OILING SUMMARY

PAGE	 OF	'


SEGMENT KNOHOS


	M	ME	МВ	ERS:								٠ <u>٩</u> ٧	EC EC									_A	
۷.						: 5	. v	AN	<u> </u>	OA	EC									(DATE	1_17_1 93	
2 :W												NR											
																						н 🗆м 🗆]L
SU	RVE	/ED	FRO	M:	FC	TOC		BO	AT [⊒н	ELO		WEATH	HER: [SUN		CLC	عاد	s		FOG RAI	n snow	
ት ዕ	TAL I	ENC	ЭТН	SHO	RELIN	IE S	UR	VEY	ED: .			m		IEAR SH	IORE SH	HEEN	l:		8R		RB SL	NONE	
57	Г. О														m	VI			_m	N	m · N	/Sm	
L			SUF	RFAC	E OIL	CHA	ARA	CTE	A		1		SHORE		REA						7,0		
"" "	_	1.40	r_	505	<u> </u>	~- 1	CT	6	np.	NO	SEDI	MENT			LENGT			<u> 20</u>				-	
<u></u>	AP	MS	TB	SOR	CV	31 1	<u>51</u>	<u>r</u> L	UB	NO	0.0	PE	V M	m_	300		3	U	MI	ш	NC	NES	_
丹马		2	<u> </u>	٦	\dashv	-+	-		_	_	B 6	, 0		<u>5</u>	7	'					EXTENDS TO	J SUBSURFACE	a
	├	-		┼⋍┤	-						13,6	,			 	-	十				,		
464 T					-	十						-				十	十	\dashv					
			_		_	-									1		\top	寸				***************************************	
W1																							
							_										_	_					
						4	_				<u> </u>					_	\bot	_	_			·	_
				$ldsymbol{\sqcup}$							<u> </u>												
		Dis	TDIE																				
														10%; T							· 1	,	
		V=1		TCAL:	H=H	IGH A	DNA	LE:	M - I	4EDN	UM AI	HELE	L-LOW	ANGLE	<1% PHOTO	ROL						FRAMES 1	-10
. T	PIT	V=1		TCAL:	H=H	IGH A	DNA	LE:	M - I	4EDN	M AU	KELE:	L-LOW	ANGLE	PHOTO	PIOL	F	ना		T	SURFACE-		-10
T ₩0.	PN DEP	V=\ Γ ΤΗ	VERT	TGAL: S	H=H UBSI	JRF.	ACE	E R	M - !	AEDN	UM AI	IED ONE	CLEAN BELOW	ANGLE HEO LEVEL	PHOTO SHEEN COLOR		Z (YT XNE		St	SURFACE- JBSURFACE		-10
	PIT DEP (cri	V=\ TH n)	VERT	TGAL: S	H=H	JRF.	ACE	E R	M - !	AEDN	OI ZX	IED ONE	CLEAN BELOW Y/N	ANGLE HEO LEVEL (bm)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		8t 8	BURFACE- JBSURFACE EDIMENTS		-10
₩ 10. *	PI DEP (cri	V=\ TH n)	VERT	TGAL: S	H=H UBSI	JRF.	ACE	E R	M - !	NO	OI ZX	MELE DNE -cm	CLEAN BELOW YAN	ANGLE HEO LEVEL (bm)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		St	BURFACE- IBSURFACE EDIMENTS C. P/P G		-10
#O.	PITOEP (cn 25	V=\ TH n)	VERT	TGAL: S	H=H UBSI	JRF.	ACE	E R	M - !	NO	OII ZX	MELE DONE -cm -25 -32	CLEAN BELOW Y/M	ANGLE HEO LEVEL (om)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		St	BURFACE- IBSURFACE EDIMENTS C.P/P G C.D/P G		-10
T 00.	PI OEP (cn 25 32 28	V=\ TH n)	VERT	TGAL: S	H=H UBSI	JRF.	ACE	E R	M - !	NO	OH 20 CTT 14 18 13	MELE DNE -cm	CLEAN BELOW Y/M N	ANGLE HEO LEVEL (om)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		81 81 81 81 81 81	BURFACE- IBSURFACE EDIMENTS C. P/Q G C. P/C		-10
T 0.	PI Con 25 32 28 30	V= \ ТН ()	VERT	TGAL: S	H=H UBSI	JRF.	ACE	E R	M - !	NO	OI 20 CTT 14 18 12	ME	CLEAN BELOW Y/M	ANGLE HEO LEVEL (om)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		8 9 1 5 5 6	BURFACE- JBSURFACE EDIMENTS C.P/P G C.P/P G C.P/P G C.P/P G		-10
#O.	PI DEP (cm 25 3 2 2 8 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	У=\ Г ТН г)	VERT	TGAL: S	H=H UBSI	JRF.	ACE	E R	M - !	NO	ON 20 20 19 19 18	LED NE	CLEAN SELOW N N N N N N N N N N N N N N N N N N N	ANGLE HEO LEVEL (om)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		8 9 1 5 6	BURFACE- JBSURFACE EDIMENTS C.P/P G C.P/P G C./P.G G.L/P G G.L/P G		-10
#O.	PT DEP (CT 25 32 32 33 36	V=\ TH n)	VERT	TGAL: S	H=H UBSI	JRF.	ACE	E R	M - !	NO	OH 20 CT 14 18 1/2	HELE NE 	CLEAN SELOW Y/M	ANGLE H2O LEVEL (om)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		8 9 A B B B A A	BURFACE- JBSURFACE EDIMENTS C.P/P G C.P/P G C.P/P G C.P/P G C.P/P G C.P/P G C.P/P G	NOTES	
	PT DEP (cr. 25 3 2 2 3 3 3 3 4 4 2 4	V=V	VERT	TGAL: S	H=H UBSI	URF VRAC RILC	ANG ACE CTE DR	E R	M - !	NO	OH 20 CT 14 18 1/2	LED NE	CLEAN SELOW Y/M N N N N N N N N N N N N N N N N N N N	ANGLE H2O LEVEL (one)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		8 5 L C C C L C	BURFACE- JBSURFACE EDIMENTS C.P/P G C.P/P G C.P/P G C.P/P G C.P/P G C.P/P G C.P/P G		
T 0.	PT CCT 25 32 32 33 36 24 36	V=V	VERT	TGAL: S	H=H UBSI	JRF. VRAC	ANG ACI CTE DR	E R	M - !	NO	OM AN OI 2X 19 19 19 19 12 13	ME	CLEAN SELOW Y/M Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	ANGLE HEO LEVEL (om)	PHOTO SHEEN COLOR BRSN 		Z (YT XNE		8 5 4 E E E E E E E	BURFACE- IBSURFACE EDIMENTS C.P.P.G C.P.G C.P.G G.P.G C.P.G B.C.P.G B.C.P.G B.C.P.G	NOTES	
T 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 : 1 2 0 :	PT DEP (cm 25 32 32 33 36 42 43 61 31	V=V	VERT	TGAL: S	H=H UBSI	IGH APAI	ACC CTE OR	E R	M - !	NO	UM AN OI ZX CM 19 18 13 13 13	ME -25 -28 -29 -29 -29	CLEAN SELOW YM N N N N N N N N N N N N N N N N N N	ANGLE HEO LEVEL (one)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		3 3 4 C C 2 A 4 C L C L	BURFACE- JBSURFACE EDIMENTS C.P/P G C.P/P G C.P/P G C.P/P G C.P/P G BCIP G BCIP G C.P/P G	NOTES	
T 9	PT DEP (CT 25 2 2 2 3 3 3 4 2 4 3 6 1 3 8	V=\r TH n)	VERT	TGAL: S	H=H UBSI	URF ARAI RILC	ANG ACI CITE DR	E R	M - !	NO	UM AN OI ZX CATT 11 18 12 13 12 12	HELE NE -25 -32 -28 -33 -29 -29 -29	CLEAN SELOW YM N N N N N N N N N N N N N N N N N N	ANGLE HEO LEVEL (om)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		St S LE C B B L R R C B C	SURFACE- JBSURFACE EDIMENTS C.P/P G C.P/P G C.P/P G G.P/P G G.P/P G C.P/P G C.P/P G C.P/P G C.P/P G	NOTES Rock at Got	ton
T 9 - 2	PTDEP (cm 25 2 2 8 3 3 3 6 2 4 2 4 3 6 1 3 2 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	V=\ TH n)	VERT	TGAL: S	H=H UBSI	URF ARAI RILC	ACC CTE OR	E R	M - !	NO	UM AN OI ZX CTT 19 17 18 12 12 12 12 12 12	HELE NE -25 -32 -28 -33 -29 -29 -17	CLEAN SELOW YM Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	ANGLE HEO LEVEL (bm)	PHOTO SHEEN COLOR BRSN		Z (YT XNE	U	St S L C B B B R R B B B C B C B	BURFACE- JBSURFACE EDIMENTS C.P.P.G C.P.G G.I.P.G G.I.P.G B.C.I.P.G B.C.I.P.G C.I.P.G C.I.P.G C.I.P.G C.I.P.G C.I.P.G	NOTES Rock at Got	tom
T 9 1 2/m 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	PTDEP (cm 25 32 28 3033 36 24 24 36 132 47 20	V=\ TH n)	VERT	TGAL: S	H=H UBSI	URF ARAI RILC	ANG ACI CITE DR	E R	M - !	NO	UM AN OI ZX 142 12 12 12 12 12 13 12 12	HELE NE 	CLEAN SELOW Y/M N N N N N N N N N N N N N N N N N N N	ANGLE HEO LEVEL (bm)	PHOTO SHEEN COLOR B R S N		Z (YT XNE	U	St S R C S A L R L C P C C B	BURFACE- JBSURFACE EDIMENTS C.P/Q G C.P/Q G	Rock at Got	tom
T 9 1 20 1 20 1 20 1	PTDEP (cm 25 3 2 2 8 3 3 3 3 4 2 4 4 7 2 0 3 4	V=\ TH n)	VERT	TGAL: S	H=H UBSI	URF ARAI RILC	ANG ACI CITE DR	E R	M - !	NO	UM AN OI ZX 178 178 179 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174 174	-24 -27 -27 -27 -27 -27 -27 -27 -27 -27 -27	CLEAN SELOW Y/M N N N N N N N N N N N N N N N N N N N	ANGLE HEO LEVEL (om)	PHOTO SHEEN COLOR BRSN		Z (YT XNE	U	S S LC CAA LR LC BC C BC	BURFACE- JBSURFACE EDIMENTS C.P/P.G C.	NOTES Rock at Got	tom
	PTDEP (cm 25 3 2 2 8 3 3 3 3 4 4 7 2 9 3 4 2 7 2 9 3 4 2 7 2 9 3 4 2 7 2 9 3 4 2 7 2 9 3 4 2 7 2 9 3 4 2 7 2 9 3 4 2 7 2 9 3 4 2 7 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	V=\rangle	VERT	TGAL: S	H=H UBSI	URF ARAI RILC	ANG ACI CITE DR	E R	M - !	NO	UM AN OI ZX 142 12 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142	-25 -28 -27 -29 -17 -17 -29 -17 -29 -29 -29 -29 -29 -34 -34 -34	CLEAN BELOW YAN ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	ANGLE HEO LEVEL (one)	PHOTO SHEEN COLOR B R S N		Z (YT XNE		S S L C C S A L R X C S C C S C S	SURFACE- JBSURFACE EDIMENTS C. P. Q. G. C. P. G. G. P. G.	Rock at Got	tom
TO	PTDEP (cm 25 3 2 2 8 3 3 3 6 2 4 4 7 2 9 4 2 7 3 2 4 3 2 7 3 2 4 3 2 7 3 2 4 3 2 7 3 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	V=\	VERT	TGAL: S	H=H UBSI	URF ARAI RILC	ANG ACI CITE DR	E R	M - !	NO	UM AN OI ZX 19 19 12 13 12 142 19 19 19 19 19 19 19 1	-25 -27 -29 -29 -29 -29 -29 -29 -29 -29 -29 -29	GLEAN BELOW YIN ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	ANGLE HEO LEVEL (one) 21-23	PHOTO SHEEN COLOR BRSN 		Z (YT XNE			BURFACE- JBSURFACE EDIMENTS C.P/P.G C.P/P.C C.	Rock at Got	tom
TO TO THE POPULATION OF THE PARTY OF THE PAR	PTDEP (cm 25 3 2 2 8 3 3 3 6 4 2 4 4 2 9 4 2 7 3 2 4 4 2 9 4 2 7 3 2 4 2 9 4 2 7 3 2 4 2 9 4 2 7 3 2 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4	V=V	VERT	TGAL: S	H=H UBSI	URF ARAI RILC	ANG ACI CITE DR	E R	M - !	NO	142 12 13 142 142 143 144 144 144 144 144 144 144 144 144	-25 -32 -25 -32 -27 -29 -29 -17 -29 -29 -17 -20 -34 -22	GLEAN SELOW YM ZZZ ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	ANGLE HEO LEVEL (one) 21-27	PHOTO SHEEN COLOR BRSN 		Z (YT XNE	U	S S L C C B A A P L C B C B C B C B C B C B C B C B C B C	SURFACE- JBSURFACE EDIMENTS C.P/P.G. C.P/P.C. C.	Rock at Got	tom
TO TO THE POPULATION OF THE PARTY OF THE PAR	PTDEP (cm 25 32 33 33 34 24 47 20 34 32 45 32 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32	V=\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\	VERT	TGAL: S	H=H UBSI	URF ARAI RILC	ANG ACI CITE DR	E R	M - !	NO	UM AN OI ZX 17 18 12 12 13 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142 142	-25 -27 -29 -29 -29 -29 -29 -29 -29 -29 -29 -29	CLEAN SELOW Y/M Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	ANGLE HEO LEVEL (omb)	PHOTO SHEEN COLOR BRSN 		Z (YT XNE	U	S S L C C S A S R R R R R R R R R R R R R R R R R	SURFACE- JBSURFACE EDIMENTS C.P/P.G C.	Rock at Got	tom
	PTDEP (cm 25 2 2 8 3 3 3 3 3 4 2 4 4 7 2 9 3 4 6 3 2 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1	V=\rangle	VERT	TGAL: S	H=H UBSI	URF ARAI RILC	ANG ACI CITE DR	E R	M - !	NO	14 13 12 13 14 14 14 14 19 19 18 19	-25 -27 -29 -29 -29 -29	GLEAN SELOW YAN ZZZ ZZ Z	ANGLE HEO LEVEL (one) 21-27	PHOTO SHEEN COLOR BRSN 		Z (YT XNE	U	S S L C C S A L R R C C C C C C C C C C C C C C C C C	SURFACE- JBSURFACE EDIMENTS C.P/P.G C.	Rock at Got	tom
	PTDEP (cm 25 32 33 33 34 24 47 20 34 32 45 32 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32 45 32	V=\rac{1}{1}	VERT	TGAL: S	H=H UBSI	URF ARAI RILC	ANG ACI CITE DR	E R	M - !	NO	142 142 142 143 144 144 144 144 144 144 144 144 144	-25 -25 -25 -27 -27 -27 -27 -27 -29 -29	GLEAN SELOW YAN ZZZ ZZ Z	ANGLE HEO LEVIEL (omb)	PHOTO SHEEN COLOR B R S N		zu Ui	YT XNE		S S L C L A L R L L L L L L L L L L L L L L L L	SURFACE- JBSURFACE EDIMENTS C.P/P.G C.	Rock at Got	tom


10 -46 N

1993 ADEC RESTORATION PROJECT #930380 SHORELINE SURVEY COMMENT SHEET

ATTON KNIGHT TELAND	MENT_KN-4-	SUBDIVISION	DATE / 93
AFRILIATION Means	SIGNATURE	WAL	· ·
dielat sover	led substitute of "relatively" free to be 4 1,7:	to (vicinity of reprind	Y mearing it. Y Mearing it.
AFFILIATION DNE	DIV. 0+ Land SIGNATURE	Koll sen W	7. tarley
The areas u	shere the subs	urfoce oil was	heaviest
should be	e cleansed f	or restoration	purposes.
The two a	reas near "2 me	eter high rock"	and 'cable
rock" at	e close in promongh to warra	oximity and ar	e both
this avea	18 significant	for commercial tagers, and apparen	rishing, subsistence ntly for deer harvestys
AFFILIATION			
IAME		SIGNATURE	
AFFILIATION			
IAME	SIGNATURE		









X

Prince William Sound Central area #1 Beach Sub—Segment Map Map Projection: UTM, Zone 6

Date:	1/15/92
File Name:	CEISEGS

Beach	Segr	rents	
Subdivi	Sion	Endtic	ks

Three locations of significant subsurface oil were recorded in 1993. ZA is an OP location associated with surface oil in location 'B' described above. Subsurface oil was not recorded here in 1991.

Location ZB includes pits 14 through 27, which contains LOR through HOR oil below clean boulders and cobbles and adjacent to bedrock. This location encompasses "2-Meter High Rock." Because of differences in previous surveys it is impossible to judge the trend in total oiled-sediment volume, but it does appear that OP oil has decreased here since 1991.

Location ZC is defined by pits 1 through 12 and contains LOR and MOR below clean boulders and cobbles in the southern portion of the site. There has been no discernible improvement here since 1991.

All the above subsurface locations were aggressively treated in 1991.

SEGMENT: KN 405 A

LOCATION: Knight Island Outer Group, Point Helen.

OTHER STUDIES

ADEC transect station #36 NOAA transect station #N-1

PHYSICAL SETTING

Coastal Morphology and Sedimentology

Straight beach with rounded boulders and cobbles in the mid to lower intertidal zones. The upper intertidal zone includes well-developed pebble berms, and the supra intertidal consist of a prominent drift log and cobble storm berm. This storm berm was relocated in 1991 along most of the site. Beach sediments consist of 2 to 4 layers of boulders and cobbles overlying boulders and cobbles with a granular, sandy matrix. Several layers of large pebbles are often present just below the surface armor layer and above the matrix layer. Bedrock outcrops are locally important along this long stretch of beach. Multiple berms and mid to upper intertidal swash bars oriented to the south have been observed. Lower intertidal boulder swash bars have also been observed. Profile data at the ADEC and NOAA transects, however, indicate that the mid-intertidal region of this beach does not exhibit large net sediment erosion or deposition. Overall, grain size tends to increase from the upper to the lower intertidal.

Environmental Sensitivity Index (ESI)

Type 7; gravel beach.

Fetches and Directions (kilometers)

NE= 93; E= 14; SE= 19; S=19

Energy Level

High with some local bedrock protected areas being moderate.

GENERAL BIOLOGICAL SETTING

Eagle nest.

Deer harvesting.

Fish harvesting.

OILING SUMMARY

In 1993, this site was surveyed from the NOAA transect site south to the point. Only one area had significant surface oil. This area is location 'B' and is a 4 by 7 m area with over 90% coverage of MS and SOR between boulders and cobbles in the mid intertidal zone. Location 'B' is located about 150 m south of "Cable Rock." Although this location of surface oiling was not recorded in 1991, several other areas of high concentrations of SOR were present in 1991 that were not present in 1993. Overall, surface oiling has probably significantly decreased since 1991. Tarry CV, CT, and ST still occur in trace amounts on cobbles and logs in the storm berm.





"OF MIBINGS AND AND SOL

OFFICIAL PHOTOGRAPH ADEC

Date: July 17, 1993 Time: 10:42 Docation (segment #): KN405A										
Reason for taking photo:	Pit 40									
Taken by: L.J. Evans	(DE)									
	7 010									

OFFICIAL PHOTOGRAPH ADEC
Date: July 17, 1993 Time: 10:00
Location (segment #): KN405A
Reason for taking photo:oiled log in supra
intertidal zone, underneath other logs
Taken by: L.J. Evans
Roll #: LJE001 Frame #:009

Frame #: ____009

1.1.



SEGMENT: KN 500 A

LOCATION: Knight Island North Group, west side of Knight Island west and south of

Herring Point.

OTHER STUDIES

PHYSICAL SETTING

Coastal Morphology and Sedimentology

Two separate sites were surveyed. Site #1 is a portion of an embayment, and an anadromous stream flows across it. A pebble tidal flat associated with the steam dominates the site. A dense mussel bed occurs on the flat. The northern portion of the site is partitioned by bedrock outcrops and contains a pebble, cobble beach.

Site #2 is a pocket beach with a pebble lower beach and pebble and cobble upper beach. The mid-intertidal pebble beach has a peat layer at 20 to 25 cm below the surface. The northwest and southeast corners of the beach have protective bedrock outcrops.

Environmental Sensitivity Index (ESI)

Type 7; gravel beach

Fetches and Directions (kilometers)

NW= 37; W= 9; SW= 16

Energy Level

Moderate with some low areas.

GENERAL BIOLOGICAL SETTING

Eagle nest.

Anadromous stream (site #1).


Mussel bed (site #1).


OILING SUMMARY

No significant surface oil was found in 1993. No surface oil was observed in site #1 in 1991, but several areas of SOR completely cleaned up in site #2. Three areas of CV in site #2 completely cleaned up or reduced to CT from 1991 to 1993 (locations B and C).

Two locations with HOR occur in the mid to lower intertidal in site #2. The oil layer begins 5 to 20 cm below the clean surface and lies on a peat layer about 25 cm below the surface. Mostly MOR was present in 1993, but HOR was abundant in 1991, and subsurface oil covered twice the area of the beach as in 1993. Therefore, significant improvement has occurred here despite no cleanup in 1991 or 1992.

Only minor amounts of subsurface oil occur in site #1 in 1993, and only small amounts were present in 1991.








Prince William Sound Central area #2 Beach Sub—Segment Map Map Projection: UTM, Zone 6

Date:	1/15/92
File Name:	CESSEGS

 Beach	Segr	nents
Subdivi	sion	Endticks



1993 ADEC RESTORATION PROJECT #930380 SHORELINE SURVEY COMMENT SHEET

AFFILIATION ADNR	
IAME INVENTAGE	SIGNATURE Wyn Manefer
C+1: 4 0	t lone innature). Found oil beyond where past wed oil. No treatment recommended.
5, to 2: One band of	of oil traverses beach. Oil is down far enough ce disturbance won't bring up oil, some
mussale by a	28,27 in amongst the focus. No treatment
recommended	le de la companya de
AFFILIATION U.S. Forest	SIGNATURE VCC 150
Small amounts	of surface tar/asphalt present.
Small amounts Additional treatm	of surface tar asphalt present.
Small amounts Additional treatm	of surface tar/asphalt present. ent not necessary.
Small amounts Additional treatm	of surface tar/asphalt present. ent not necessary.
Small amounts Additional treatm	of surface tarksphalt present. ent not necessary.
Small amounts Additional treatm	of surface tar/asphalt present. ent not necessary.
Small amounts Additional treatm	of surface tar asphalt present. ent not necessary.
Small amounts Additional treatm	of surface tar/asphalt present. ent not necessary.
Small amounts Additional treatm	of surface tar asphalt present. nent not necessary.
Additional treatm	ent not necessary.
AFFILIATION NAME I VAN NANCELT, USGA	ent not necessary. SIGNATURE & MANY
Additional treatm	ent not necessary. SIGNATURE & MANY
AFFILIATION NAME I VAN NANCELT, USGA	ent not necessary. SIGNATURE & MANY
AFFILIATION NAME I VAN NANCELT, USGA	ent not necessary. SIGNATURE & MANY
AFFILIATION NAME I VAN NANCELT, USGA	ent not necessary. SIGNATURE & MANY
AFFILIATION NAME I VAN NANCELT, USGA	ent not necessary. SIGNATURE & MANY
AFFILIATION NAME I VAN NANCELT, USGA	ent not necessary. SIGNATURE & MARK
AFFILIATION NAME I VAN NANCELT, USGA	ent not necessary. SIGNATURE & MARK
AFFILIATION NAME I VAN NANCELT, USGA	ent not necessary. SIGNATURE & MARK
Affiliation AFFILIATION HAME I VAN NANCELT, USGA	ent not necessary. SIGNATURE & MANY

1993 ADEC RESTORATION PROJECT # 930380 SHORELINE OILING SUMMARY

PAGE	_OF.	4
------	------	---

						•												SEGMENT _	KN0500
	`1	MI	EMB	ERS:	MA	A A	NE	PR FEE	0 F17 - A	A-AOEC	Ar (C)	くれた アし	mson-	A C) E	ني ر			SUBDIVISION	1 <u>A</u>
						C BA	EQ	:	٤٢									/	
					I	VAN	NAN	E	٤ ن -	CG								DATE 6	125/93
F	OR (, IT	= ±;	<u> </u>	ART	WEI	VER	- 0 NI	٤, ٠	MARK KUL	<u> </u>	10 FG;	Alison	الإجا	Ŋ	۱۷٥	FS		
ΓΙΑ	ME _	-9	_: <u></u>	15	to	<u> </u>	45	_		TIDEL	EVEL _	1.6	ft. to + A	8	_ft.	(ENEF	RGY LEVEL:	Н ■М □L
SU	IAVE	YED	FRC	ж: [FO	от []BO	AT [HE	LO	WEATH	IER:	SUN		CL	מטכ	s [FOG RA	IN SNOW
 	TAL	LEN	GTH	SHOF	RELIN	E SUF	RVEY	ED: _	-	m	N	IEAR SH	HORE SI	HEE	N :		3R	RB SL	NONE
-ES	т. о	IL (CAT	EGO	RY L	ENG	ΓH:	H_		_m M_		n L_	m	V	Լ		m	Nm - 1	NSm
LO						CHAR				SURFACE SEDIMENT			REA LENG	тн		ZOI	VE.		
C	AP	MS	TB	BOR	CVC	TST	FL	DB	NO	TYPE	VHML		m		S	_	MI		
ΕĀ				5						R	٧		6			Marie		SUBSURFA	CEMOR
AB SIO					2					R	V	0.5	1 3	_					
<u> </u>					3					В	V	1	10						
0										ß	V		120	\dashv					
E										R	V		1.5	_					
F					5	_				R		0.5	12	_		٤.			
G										R	V	<u>کب۵</u>	1 18						
H						4_	<u> </u>			_R	V		1 4	-		-		Taken tram	field notes
l	<u> </u>		<u> </u>			_	ļ						 	_	\dashv	+			
		<u> </u>	<u>l .</u>																
§4.		DI	STRIB	MOTTON	t C = 1	91-100	% ;	- 5 1-	80% ;	P = 11-504	4; 8 = 1-	10%; T	<1%						•
SL	OPE:	٧.	VERT	TCAL	H = H	GH AN	GLE:	M = A	AEDIL	M ANGLE	L = LOW	ANGLE	PHOTO	OR C	LL#		_		FRAMES
	P									OILED	CLEAN	H2O	SHEEN			11		SURFACE-	
NO	DEF	тн	1	OIL	. CHA	RACT	ER			ZONE	BELOW	LEVEL	COLOR		ZC	WE		SUBSURFACE	
	(CI	n)	OP	HOR	MOF	TLOR	OF	TR	NO	cm-cm	YAN	(cm)	BRSN	S	J	MI	ב	SEDIMENTS	NOTES
	3									-		-	-					PG/P6	
_	24							<u> </u>		-								PG/PG	
دـ	127	_						<u> </u>										PCIPG	
1	2	Н						<u> </u>		16 -23								PCPG	
	2 8		•			<u> </u>	ـــــــــــــــــــــــــــــــــــــ			4-7			-					P B / P 6	
Ь	16	1					 		ļ.,	12 - 0		12.19						P B 18 6	
7	2	9					1			17 - 28	N	23-28	IN					P6/P6	Sitting on Belgark

19-22

9-13

17-21

12-17

B

B

147

PG/PB

P 6 /P 6

C 619 6

P. 6 1 P. 6

BCP/PG

8 -15

#17 -U

1-8-13

11 - 1

9 - 0

, 334.

13

17

30

17

MAYSAP SHORELINE OILING SUMMARY (cont.) PAGE 2 OF H

TEAM NO. _

SEGMENT KNOSOOA


SUBDIVISION __A_


DATE 6 / 23 / 93


1	PIT PIT		SUBSURFACE OIL CHARACTER OP HOR MOR LOR OF TR NO						ZONE BELOV	CLEAN BELOW	1	SHEEN		ZC	AL SNE		SURFACE- SUBSURFACE	1
	(cm)	OP	HOR	MOR	LOR	OF	TR	NO	cm-cm	Y/N	(cm)	BRSN	S	UI	MI	Ц	SEDIMENTS	NOTES
24									U -	U		-					3c1965	
25		\top							12-22	イ		-					BCPIPG	SITE = 2 BEGIN
									8-17	4							P/63	PEAT LAYER AT P
27									8-14	1							P165	
28		1							12-18	7							P165	PEAT LAYER AT
28		1							18-20	Y							9165	
29		1							-								P/45	
30	-																9/45	
31	23								11 - 22								P16 5	PEAT LAYER AT BE
32				υ.					17-23								865	PEAT LAYER AT BO
33					2				20-26	N							1145	
34	_				ž				13-21	Y							1/45	PEAT LAYER AT THE
35									12-21	7							PIGS	PEAT LAYER AT BA
36	21								1 - V		18-21	3					PGS	
37		T							12-U	V	25-26	B					PIGS	PEAT LAYER AT E
38									2-10	N							PIGS	
380									10-20		20-21	B					PIGS	
39				·					7-0	V							PGS	PEAT LAYER AT B
40									5-11					7025		*	·	From Makey
41				بحرا					5-0									0, 5 2 3 3 5
								_	-						_			
									-									
								_	-									
								_	-					_				
									-:-									
						1	1		-			I	l		1	l		

OG COMMENTS:

- 4 EAGLES (1 IMMATURE)
- FWS DYSTER CATCHER STUDY MEMBERS STATED THEY HAVE FOUND OIL ON LEGS OF BARY DYSTER CATCHERS PER-WYN MENEFF - HONR







1993 Surface Oil Summary Segment KN500 Subdivision A

Location	Area o: AP	f Oiling MS		Square CV	Meters CT	
A	0.		1.08	0.	0.	
В	0.	0.	0.	0.	0.21	***************************************
С	0.	0.	0.	0.	0.6	
D	0.	0.	0.	0.	0.1	
E	0.		0.		1.425	
F	0.		0.		0.06	
G	0.	0.	0.	0.	0.045	
Н	0.	0.	0.	0.	0.24	
TOTALS=	0.	0.	1.08	0.	2.68	

AP= asphalt; MS= mousse; SOR= surface oil residue; CV= cover; CT= coat Areas are computed by multiplying the affected area by the percent coverage of each oil type. Field categories of percent oil coverage are converted to the median percent value as follows: continuous= 95%; broken= 70%; patchy= 30%; sporadic= 6%; trace= 0.5%

SUBSURFACE OIL SUMMARY FOR SEGMENT KN500A

						TREA	TMENT	1993	OILE	D SED	. VO	L. (m3)	1992	OILE	SED.	. VOL	(m3)	1991	OILED	SED.	VOL.	(m3)	WT.	ed OII	VOL.	8 CHANG	E WT.	ed VOL.
Loc.	1993 PIT #	Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to	91 to	91 to
ZA	27-39	P-SPGPt	ML	м		NO	NO	0.0	2.1	11.6	2.9	3.9	?	0.0	12.2	6.1	11.0	0.0	40.0	10.0	0.0	0.0	49.0	?	190.0	-	THE RESERVE THE PERSON NAMED IN	-74.2
ZB	25,26	BCP-PGSPt	L	М		NO	NO	0.0	0.7	0.6	0.0	0.0	?	?	?	?	?	?	?	3	?	?	4.7	?	?	?	?	1
ZC	22-24	BCP-PG	LM	М		NO	NO	0.0	0.0	0.0	0.0	2.4	?	?	?	?	?	0.0	0.0	0.0	0.2	0.0	0.0	?	0.4	?	?	-100.0
ZD	1-15	PG-PGS	UM	L		NO	мт	0.0	0.2	2.1	0.4	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.6	0.0	0.0	8.0	0.0	1.8	Inf	-100.0	346.0
ZE	40,41	?	U	М		NO	NO	0.0	0.0	0.9	0.0	0.0	?	?	?	?	?	?	?	?	?	?	2.7	?	?	?	?	
ZF		P-PG	UML	м		NO	мт	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.8	-100.0	-50.0	-100.0
							TOTALS-	0.0	3.0	15.2	3.3	6.3	0.0	0.0	12.2	6.3	11.7	0.0	40.0	10.6	0.6	0.0	64.4	0.4	193.0	15999. 6	-99.8	-66.

Loc.= location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.

En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.

TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.

OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.

WT.'ed OIL VOL.= weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2

% CHANGE WT.'ed VOL.= % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of egative values indicate decreases, "Inf" (infinite percent increase) indic newly discovered oil.

SEGMENT: KN 500 B

LOCATION: Knight Island North Group, west shore of Knight Island south of Herring

Point.

OTHER STUDIES

PHYSICAL SETTING

Coastal Morphology and Sedimentology

Pocket beach with an anadromous stream entering at the head. The beach is a low-angle sandy, granular, pebble gravel. Large swash bars extending half the length of the beach have been observed here in the previous years. Well-developed high-tide berms are present. Boulder and cobble sediments occur at the base of the cliffs on the limbs of the pocket.

Environmental Sensitivity Index (ESI)

Type 6; mixed sand and gravel beach.

Fetches and Directions (kilometers)

Energy Level

NW= 37; W= 9; SW= 16

GENERAL BIOLOGICAL SETTING

Anadromous stream.


Eagle nest.


Mussel beds.

OILING SUMMARY

Only trace amounts of AP, CT, and ST occur across the beach and in the mid and lower intertidal. A small amount of CT present on the bedrock on the northern limb in 1992 was not found in 1993. There was little surface oil in 1991, and 1992 and the 1993 survey detected even less. This is a dynamic beach and as it erodes and recovers after storms one may expect to see varying surface oil conditions in the future, but never significant amounts.

Only one location of subsurface oil remains at this site, and it is a location in granular, pebble, cobble sediments in the southeast corner of the beach. LOR conditions were discovered here in 1993. Large amounts of LOR and MOR with minor volumes of HOR occurred across the beach in the mid and lower intertidal zone in 1991. This oil has apparently completely disappeared, at least partly due to aggressive mechanical tilling in 1991 and manual tilling and removal in 1992.






Date:	1/15/92
File Name:	CESSEGS



Prince William Sound Central area #2 Beach Sub—Segment Map Map Projection: UTM, Zone 6

Date:	1/15/92		Beach Seg	ments
File Nome:	CESSERS	×	Subdivision	Endticks



1993 ADEC RESTORATION PROJECT #930380 SHORELINE SURVEY COMMENT SHEET

affiliation ame <u>Iva<i>n Nanc</i>e,</u>	LT, USCAR SIGNATURE Am Rymae
COMPARED TO L	AST YEAR THE AREA SEEMEN MUCH CLEANER, SHEEMING WAS ONLY
DNCUA WITH CON	PAUS, LASTYBAR SHEENING WAS GVIDENT WHENEVER THE TIDE CAMBIN, UPITIONS NOTED ON CHART AND OILING SUMMARY,
	THE STATE OF CHAIN WAS STATED
FFILIATION U.S. F	SIGNATURE Dec Base
Venu 17+10	Surface tor/asada I+ Drasant
Sulsurface	oiled areas much improved over last year and
JUBSUT 10CE	
- and it in the	treatment not necessary.
addition -	surface ter/asphalt present. oiledarees much improved over last year, and treatment not necessary.
eddition =	treatment not neclessary.
addition -	treatment not neclessary.
addition -	treatment not neclessary.
addition -	treatment not neclessary.
	· · · · · · · · · · · · · · · · · · ·
FFILIATION ADM	NR SIGNATURE Wyn Menefle
FFILIATION ADM	NR SIGNATURE Wyn Menefle
$FILIATION \qquad AD_{\alpha}$	NR SIGNATURE Wyn Menefle
FFILIATION ADM	NR SIGNATURE Wyn Menefle
FFILIATION ADM	NR SIGNATURE Wyn Menefle
FFILIATION ADM	NR SIGNATURE Wyn Menefle
FFILIATION ADM	NR SIGNATURE Wyn Menefle
FFILIATION ADM	NR SIGNATURE Wyn Menefle
FFILIATION ADM	NR SIGNATURE Wyn Menefle
AFFILIATION ADM	NR SIGNATURE Wyn Menefle

1993 ADEC RESTORATION PROJECT # 930380 SHORELINE OILING SUMMARY

BC

PG

PG

PG PG

PG

PG

CP

CP

CP

CP

5

2

S

GS

GS

<u>65</u>

GS

PG

PG

₽6

PG PG

PG

BOULDER/MUSSES

mussels

																			SE	GMENT _	KN0500
	•	MI	ЕМВ	ERS	: <u>I</u>	1	nu	<u>05</u>	00		ADEC		M	<uu< td=""><td>ade</td><td>K-1</td><td>ADF</td><td>=+&</td><td>SU</td><td>BDIVISION</td><td></td></uu<>	ade	K-1	ADF	=+ &	SU	BDIVISION	
											ADEC USFS		A. 1	REIN	,	-	usi	F 5			
					<u>-x</u> -		ne	nte	22	_	ADNR								DA	TE 6	<u> </u>
6-9					A	, (WE	IN	EL	-	ADIVR										
 }	NE Z	2	_:_4	20	to _	13	_: =	20	_		TIDEL	EVEL _	1.1	t. to	4.0	_ft.	(ENE	AGY I	LEVEL:]н ТМ []L
SU	AVE	YED	FRC	: MK	F	001	r <u> </u>	ВО	AT [⊒ні	ELO	WEATH	HER: [SUN		CL	OUD:	s [FO	G RAI	N SNOW
	TAL I	EN	GTH	зно	RELI	NE :	SUR	VEY	ED:		m	•	KEAR SH	IORE SI	HEE	N:		3R	□ P	B SL	NONE
ES.	Г. О	IL (CAT	EGO	RY 1	LEN	NGT	H:	H_		m M_	t	n L_	m	V	L		_m	N_	m · N	ism
""			SUF	FAC	E OIL	, CH	ARA	CTE	Я		SURFACE			REA							
0	40	1140	170	500	m/T	~	et.	EI	DB		SEDIMENT TYPE	V H M L	Į.	LENG		9	ZOI			NO	TES
		MS	T	BUH		<u>:</u>	31	-	100	110		M	-	-	\dashv	-	<u>.</u>	-			for length/with
R		_	╁┷		-+	7	7		1		PG		-2	-	7	-		十	C.	a Cradale	for a cen
Media:			1	-	-	-					R	M		_	十			_		£ 211100	TOP ALERA
				1	一十							· ·		Í						<u> </u>	7
W														İ	一						
, and																	T				
Wase i														·							
Mater	-										P= 11-601										
SL.	OPE:	٧.							M 1	JEDN	JM ANGLE	L = LOW	ANGLE	PHOT	0 70	U.					FRAMES
r				S							OILED	CLEAN	1	SHEEN		-	ना		1	RFACE-	
w).	DEP	TH		Oil	L CH	ARV	CT	37 _	_	144-	ZONE		LEVEL				SNE			SURFACE	
	(CII		OP	HOR	IMO	RIL	OR	OF	TH	NO	ст-ст		(bm)	BREN	3	U	M	ш		DIMENTS	NOTES
	_3					+			ļ		6-17	 Y				_				P6	
1	3				 	+		-	-		-	-				_			PA		MUSSEL RED
3	3			<u> </u>	+-	+		-	-		574	+				-			PE		MUSSEL BED
_	<u> </u>				+	+		-	-			 				-			40		MUSSEL REA
-	_3_				+-	+		 	 			 				-					MUSSEL BED

18

32

•

15-32 U

-24

29

28

30

13

MAYSAP SHORELINE OILING SUMMARY (cont.) PAGE 2 OF 3

TEAM NO. ____

SEGMENT KN 500

SUBDIVISION ________

DATE 6 123 / 93

PIT PIT SUBSU NO. DEPTH OIL CHA (cm) OP HOR MOR		CHAF	RACTI	E39			OILED ZONE	BELOW	LEVEL	COLOR		Z	PIT ONE	,	SURF	RFACE			
	(cm)	OP	HOR	MOR	LOR	OF	TR	NO	cm-cm	Y/N	(cm)	BRSN	S	UI	МІ	U	SEDIM	ENTS	NOTES
4	34								•								PG	G	
25	34								-								PG	G	
16	27								•								PG	G	
									-										
+									•										
\dashv									•										
\dashv									•										
十									-										
_									-										
\dashv									•										
\neg																			
									-	·									
									*										
T																			
		T							-		-								
									-										
1									*										
7		T							-										
T									-										
T									•										
T									-										
T		.]							•										
T									-										
T								\bot	**										
T							1		-										

SHEEN COLOR: 8 - BROWN; R - RAINBOW; S - SILVER; N - NONE



N KNIGHT ISLAND KN0500 B 6/23 /93 M. PROFITA FRESH WATER PINE NEEDLES STREAM ALDERS IN TAR BACKSIDE OF LARGE BOULDER PRIFT LOG PEBBLE BERM TRACE TAR D24 PEBBLE / CUBALE BALLS / BLOS PIC E 19 19 421 I AIS AZZOF HIGH TRACE AR CT. ST UN PIB VERTICAL BAR. CLIFFS SWASH BAR 49 A14 AII A12 **Δ13** BOULDERS [ALE FUCUS AI OF A3

1993 Surface Oil Summary Segment KN500 Subdivision B

	segme	TE KNOU	`	Supaivisi	on B	
	AP	MS	SOR		Meters CT	
A						
В	0.09					
C						
TOTALS=						
AP= asphalt; Areas are concoverage of are converted continuous= 9	mputed by meach oil ty d to the mea	ultiplyi pe. Fiel dian per	ng the af ld catego cent valu	fected a ories of ue as fol	rea by the percent oil lows:	percent coverage

SUBSURFACE OIL SUMMARY FOR SEGMENT KN500B

						TREAT	MENT	1993	OILE	D SED	. V O	L. (m3)	1992	OILE	D SED	VOL	. (m3)	1991	OILED	SED.	VOL.	(m3)	WT.	ed OII	VOL.	& CHANG	E WT.	ed VOL.
Loc.	1993 PIT #	Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	Ο₽	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to 93	91 to 92	91 to
ZA	1	BC-PG	s	М		МО	ET	0.0	0.0	0.0	0.0	0.2	?	?	?	?	?	?	?	?	3	?	0.0	?	?	?	3	?
	18,19,21, 22	CP-PG	U	М		ио	NO	0.0	0.0	0.0	3.3	3.7	0.0	0.0	0.0	0.0	0.0	3	3	?	?	?	6.5	0.0	?	Inf	?	?
		BCP-SPG	L	М	MUSSELS	МО	NO	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	Inf	0.0	Inf
ZD		GP-SPG	L	М		МТ	ET,MT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	7.7	0.0	7.3	1.8	1.9	0.0	0.0	8.4	38.2	-100.0	-78.1	-100.0
ZE		PG-PGS	ML	н		MT, Rs	ET,MT,	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.0	0.0	0.0	58.5	159. 7	46.8	0.0	2.4	494.9	-100.0	-99.5	-100.0
ZF		P-PGS	М	м		но	ET, MT		'	0.0					0.0	ſ	Į	0.0		1	0.8				1		-100.0	-100.0
						*	TOTALS=	0.0	0.0	0.0	3.5	4.1	0.0	0.0	0.0	5.4	9.1	0.0	7.3	60.3	162. 4	46.8	7.0	10.8	534.7	-34.7	-98.0	-98.

Loc. = location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.

En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.

TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.

OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.

WT.'ed OIL VOL.= weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2

% CHANGE WT.'ed VOL.= % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of oil, negative values indicate decreases, "Inf" (infinite percent increase) indicates newly discovered oil.

SEGMENT: KN 702 A

LOCATION: Knight Island Outer Group, on small island in the mouth of Marsha Bay.

OTHER STUDIES

PHYSICAL SETTING

Coastal Morphology and Sedimentology

Protected cove with pebble cobble tidal flat fronting a lagoon. Sediments are subangular cobbles and pebbles on the surface with smaller pebbles and sandy, granular matrix in the subsurface. A sheltered narrow, gravel beach occurs around the perimeter of the lagoon. Along the entrance to this cove is a high-angle boulder slope with angular boulders. Another cove that branches away from the lagoon area is a long narrow protected area with cobble and pebble sediments and a peat bog at the upper end. Boulders occur along the sides of this cove.

Environmental Sensitivity Index (ESI)

Type 7; gravel beach.

Type 8; sheltered rocky.

Type 9, sheltered tidal flats.

Fetches and Directions (kilometers)

NE= 65; but obscured by beach orientation, rocks, and islands.

Energy Level

Low with some very low areas.

GENERAL BIOLOGICAL SETTING

Eagle nest.

OILING SUMMARY


Two locations with significant amounts and concentrations of AP and SOR occur at this site. At location 'D', friable AP and SOR occur amongst boulders and cobbles and appear buried in places. At location 'G' exceptionally hard AP occurs between cobbles and boulders. Conditions do not appear to have improved much since 1991 despite manual removal at both locations in 1991 and at 'D' in 1992.


Large and concentrated areas of CV and CT occur on the cliff and boulders at the base of the cliff at the entrance of the site (locations 'A' and 'B'). This condition does not appear to have improved since 1991.


Sheening still occurs when gravely sediments are disturbed around the edge of the lagoon (see photo LJE001-23). In 1992, surveyors suggested that a closer look be taken at the biological conditions of the lagoon area.

A small area of HOR exists in the narrow cove in the vicinity of pits 23 and 24 (subsurface location ZA). This area was not recorded as having subsurface oil in 1991 or 1992.

Area ZB, which includes pits 8 through 12, contains MOR and what appears to be buried AP (see photo LJE001-19). This site occurs in the upper intertidal zone in sandy, granular pebble and cobble gravel. Improvement has occurred here since 1991 as is evidenced by the total reduction of HOR. Manual tilling and removal in 1991 and 1992 enhanced the observed reduction.







1993 ADEC RESTORATION PROJECT #930380 SHORELINE SURVEY COMMENT SHEET

	THE TOTAL OF THE CONTINUE OF THE PARTY OF TH
7. TON	MARSHA BAY SEGMENT KN0702 SUBDIVISION A DATE 7 1 18 193
<i>-</i> 24	
· Frit	LATION DNR, Division of Land
NA IE	Katie Farley SIGNATURE + 2000 2000 1000 2000 1000 1000 1000 10
	us site was located on an island near the outlet of marke
	Eux. The PUS Mea Plan (june 1988) iders jed maisha
	Bar on a note to a lectoral by
	Bais as a potential hoterous are. This size received heavy
55	impact-along with other areas within marsha Bay.
	There was high mortality among Mytilus edulis in the logoon at
	the site but I did see live mussels interspersed
\$1900	around the Algment.
rysé	
FFIL	IATION ·
NAME	SIGNATURE
ana)	•
传统经生	·
die to	
cresse-	
digit	
AFFILL	ATION
<u> </u>	SIGNATURE
19 40 000	
f* 9878	
H-100	
COMPANY.	
legans.	
\$1000 E	
A 5788 V	
A FILIA	TION SIGNATURE
****	OCIATIONS.

1993 ADEC RESTORATION PROJECT # 930380 SHORELINE OILING SUMMARY


PAGE ____ OF _____

Pent IN AREA

														O TATTA						
																		SEGMENT _	KHOTOJ	
TE	AM	ME	EMB	ERS	: <u>E.P</u>	EVAN	T.G.	AD	EC.	J.M	1threws D	Munsa	^					SUBDIVISIO	ν_Αν	
					Ka	ie Fau	روع	1-0	DIE									0.7	. 10	
					Ph) WELL	9	<u>- U</u> 2	SCG Stol	HEN.	-Exxm							DATE07	<u>// 93</u>	
TIM	1E _	16	_:_	10	to _	3	: <u>5</u>	0			TIDE L	EVEL	6.0	% to <u>2</u>	.6	_ft.	ENE	RGY LEVEL:]н []м [[][
Ct i	DVE	ven	EB0	M 1.		nor!	_,	BOA	тГ	ТНЕ	1. 0	WEAT	HER:	- SUN		CLOU	os i	FOG RA	IN TENOW	
TO	TAL	LEN	GTH	SHO	RELI	NE SL	JRV	EYE	D:		m	ı	IEAR SI	HORE S	HEE	N: _	BR	RB SL	NONE	
ES	г. о	IL (CATI	EGC	RY	LENC	GTF	I :	н		_m M_	1	n L_		ı V	r		Nm	NSm	
L			SUF	FAC	E OIL	CHA	RAC	TE	₹		SURFACE			REA						,
0		,	,			== 1 =					SEDIMENT				ТН		ONE			,
	_	MS	TB	-	_	_		FL	DBIL			VHML	<u>m</u>	m		S UI	MI	LI N	OTES	
A	S	-	╀	S		<u>P</u>	十	\dashv	\dashv	_	R.B.	H V H		30	\dashv					•
<u>B</u>	15 5	╁	-	S		5	+	-	_		RR	M		30	-			40 = = = 0	ARLE AMONGST	٠,
٥				0		5 5	; †	_	$\neg \uparrow$		BC	4	10	22	一				BLE SOMEAP 15 15	
E	-					5					Q	V		15						- C
F				5		2	\perp				BC	M	3	35						*
6	S			5		S	_	_		_	B, C	M	8	20	_					d
		_				+	-	\dashv	-+					<u> </u>			-			4.
							+	\dashv							\dashv		-			
		1	1 1	1 1														P P		
														1						
											P = 11-809		-							
		٧=	VERT	TCAL;	Het	A HEN	NGL	E N			M ANGLE:	L-LOW	ANGLE	PHOT					FRAMES 19-23	·
PIT	Pſ	v- T	VERT	TCAL:	Het	IIGH A	ICE	<u>e</u> k			M ANGLE	CLEAN	ANGLE	PHOT	T	PIT		SURFACE-		
PIT	PT DEF	V= T 7TH	VERT	TCAL:	Her SUBS	URFA ARAC	MGL CE	e i	1 - ME	EDIL	M ANGLE: OILED ZONE	CLEAN	ANGLE HEO LEVEL	PHOT SHEEN COLOR		PIT ZON	Ε .	SURFACE- SUBSURFACE		
PIT NO.	PF DEF (cr	V=' T TH TH	VERT	TCAL:	Her SUBS	URFA ARAC	MGL CE	e i	1 - ME	EDIL	M ANGLE	CLEAN GELOW	ANGLE HEO LEVEL	PHOT SHEEN COLOR		PIT ZON	Ε .	SURFACE- SUBSURFACE SEDIMENTS	NOTES	
PIT NO.	PT DEF	V = ' T TH n)	VERT	TCAL:	Her SUBS	URFA ARAC	MGL CE	e i	1 - ME	EDIL	M ANGLE: OILED ZONE cm-cm	CLEAN GELOW	ANGLE HEO LEVEL	PHOT SHEEN COLOR		PIT ZON	Ε .	SURFACE- SUBSURFACE SEDIMENTS	NOTES	
PT NO. — ~ ~ ~ ~ ~ ~	PT DEF (cr	V= T TH n)	VERT	TCAL:	Her SUBS	URFA ARAC	MGL CE	e i	1 - ME	EDIL	M ANGLE OILED ZONE cm-cm	CLEAN GELOW	ANGLE HEO LEVEL	PHOT SHEEN COLOR		PIT ZON	Ε .	SURFACE- SUBSURFACE SEDIMENTS & C P/P & S & C P/P & S	NOTES	
PT NO. —	Pr DEF (cr	V= T 7TH n) ら そ	VERT	TCAL:	Her SUBS	URFA ARAC	MGL CE	e i	1 - ME	EDIL	M ANGLE OILED ZONE cm-cm	CLEAN GELOW	ANGLE HEO LEVEL	PHOT SHEEN COLOR		PIT ZON	Ε .	SURFACE- SUBSURFACE SEDIMENTS B C P / P G S B C P / P G S	NOTES	
PT NO	PT DEF (cr	V= T TH n) セ 子	VERT	TCAL:	Her SUBS	URFA ARAC	MGL CE	e i	1 - ME	EDIL	M ANGLE: OILED ZONE CM-CM	CLEAN GELOW	ANGLE HEO LEVEL	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S	NOTES	
PT NO 73 4 5 6	PT DEF (cr 2)	V= T TH n) ら そ ご	VERT	TCAL:	Her SUBS	URFA ARAC	MGL CE	e i	1 - ME	EDIL	M ANGLE: OILED ZONE CM-CM	CLEAN BELOW Y/N	ANGLE HEO LEVEL (test)	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S	NOTES	
PT NO	PT DEF (cr 2)	V= T TH n) ら 子 ろ 2	VERT	TCAL:	Her SUBS	URFA ARAC	MGL CE	e i	1 - ME		M ANGLE: OILED ZONE CM-CM	CLEAN BELOW Y/N	ANGLE HEO LEVEL	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c & c p / p & c	NOTES	
PT NO 23 4 5 6 7 8	PT DEF (cr. 2)	V= T TH n) b 	VERT	TCAL:	Her SUBS	URFA ARAC RILO	MGL CE TEI A	R OF	1 - ME		M ANGLE OILED ZONE CM-CM -	CLEAN BELOW Y/N	ANGLE HEO LEVEL (test)	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS B C P / P G S B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G B C P / P G	NOTES BURGED AP FRIABLE	
PIT NO	PT DEF (cr 2 1 1 2 2 2 2 2 2 2	V= THn)	VERT	TCAL:	Her SUBS	NAPAC RILO	MGL CE TE R (C	R OF	1 - ME		M ANGLE OILED ZONE cm-cm	CLEAN SELOW Y/N	ANGLE HEO LEVEL (test)	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS G C P/V G S	NOTES	
PIT NO 2345678	Pr DEF (cr 2) 1 3 2 2 2 2 1 3	V= T 7TH m) 2 7 5 5 0 5 1	VERT	TCAL:	Her SUBS	URFA ARAC RILO	NGL CE TEI R (R OF	1 - ME		M ANGLE OILED ZONE cm-cm	CLEAN BELOW Y/N	ANGLE HEO LEVEL (test)	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS G C P/V G S G C P/V G S G C P/V G S G C P/V G	NOTES BURGED AP FRIABLE	
PT NO. 1 2 3 4 5 6 7 8 9 1	PT DEF (cr. 2)	V= T PTH m) 27 30 5 1	VERT	TCAL:	Her SUBS	HIGH A URFA ARAC RILO	NGL (CE (TE)	R OF	1 - ME	EDIT.	M ANGLE OILED ZONE cm-cm	CLEAN BELOW Y/N	ANGLE HEO LEVEL (test)	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S	NOTES BURGED AP FRIABLE	
PTT NO.	Pr DEF (cr 2) 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	V= T 7TH nn) b 27 7 5 5 5 5 5 5 5 6 6 1	VERT	TCAL:	Her SUBS	HIGH A URFA ARAC RILO	NGL (CE (TE)	R OF	1 - ME	EDIT.	M ANGLE OILED ZONE CM-CM	CLEAN BELOW Y/N	ANGLE HBO LEVEL (temp)	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & P / P & S & P / P & S	NOTES BURGED AP FRIABLE	
PT NO. 1 2 3 4 5 6 7 8 9 1	PT DEF (cr. 2)	V= T	VERT	TCAL:	Her SUBS	HIGH A URFA ARAC RILO	NGL (CE (TE)	R OF	1 - ME	EDIT.	M ANGLE OILED ZONE cm-cm	CLEAN SELOW Y/N	ANGLE HBO LEVEL (temp)	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S	NOTES BURGED AP FRIABLE	
PTT NO. 1 2 3 4 5 6 7 8 9 1 1 2 3	Pr DEF (cr 2) 1 2 2 2 2 2 3 3	V= T TH T) b 7 5 3 0 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	VERT	TCAL:	Her SUBS	HIGH A URFA ARAC RILO	NGL (CE (TE)	R OF	1 - ME	EDIT.	M ANGLE OILED ZONE cm-cm	CLEAN SELOW Y/N	ANGLE HBO LEVEL (temp)	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S C P / P & S C P / P & S C P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P & S P / P &	NOTES BURGED AP FRIABLE	
PT NO. 1234567891123456	Pr DEF (cr 2) 1 2 2 2 2 1 5 1 1 2 3 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	V= T PTH m) 27 3 0 5 1 1 7 6 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	VERT	TCAL:	Her SUBS	HIGH A URFA ARAC RILO	NGL (CE (TE)	R OF	1 - ME	EDIT.	M ANGLE OILED ZONE CM-CM	CLEAN SELOW Y/N	ANGLE HEO LEVEL (test)	PHOT SHEEN COLOR B R S N		PIT ZON	E	SURFACE- SUBSURFACE SEDIMENTS & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P / P & S & - P	NOTES BURIED AP FRIANCE BURIED AP FRIANCE	
PT NO. 123456789 011234567	Pr DEF (cr 2) 1 2 2 2 2 2 3 1 1 2 2 2 2 2 2 2 2 2 2 2	V= T PTH nn)	VERT	TCAL:	Her SUBS	HIGH A URFA ARAC RILO	NGL (CE (TE)	R OF	1 - ME	EDIT.	M ANGLE OILED ZONE cm-cm	CLEAN SELOW Y/N	ANGLE HBD LEVEL Res) 73-20 28-31 8-16	PHOT SHEEN COLOR B R S N	3	PIT ZON		SURFACE- SUBSURFACE SEDIMENTS \$ c p / \$ 6 5 \$ c p / \$ 6 5 \$ c p / \$ 6 5 \$ c p / \$ 6 \$ c p /	NOTES BURGED AP FRIABLE	
PTT NO. 1234567890112345678	Pr DEF (cr 2) 1 2 2 2 3 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2	V= T	VERT	TCAL:	Her SUBS	HIGH A URFA ARAC RILO	NGL (CE (TE)	R OF	1 - ME	EDIT.	M ANGLE OILED ZONE cm-cm	CLEAN SELOW Y/N	ANGLE HBD LEVEL Res) 73-20 28-31 8-16	PHOT SHEEN COLOR B R S N		PIT		SURFACE- SUBSURFACE SEDIMENTS & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S & C P / P & S	NOTES BURIED AP FRIANCE BURIED AP FRIANCE	
PTT NO. 123 45 67 89 01123 45 67	Pr DEF (cr 2) 1 2 2 2 2 2 3 1 1 2 2 2 2 2 2 2 2 2 2 2	V= T TH m) b 2 7 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	VERT	TCAL:	Her SUBS	HIGH A URFA ARAC RILO	NGL (CE (TE)	R OF	1 - ME	EDIT.	M ANGLE OILED ZONE cm-cm	CLEAN SELOW Y/N	ANGLE HBD LEVEL Res) 73-20 28-31 8-16	PHOT SHEEN COLOR B R S N	3	PIT		SURFACE- SUBSURFACE SEDIMENTS \$ c p / \$ 6 5 \$ c p / \$ 6 5 \$ c p / \$ 6 5 \$ c p / \$ 6 \$ c p /	NOTES BURIED AP FRIANCE BURIED AP FRIANCE	

-12

RESTORATION SHORELINE OILING SUMMARY (cont.) PAGE 2 OF 3 TEAM NO. __ ENT KN 0702 DATE 07/18/983 SUBDIVISION SUBSURFACE OILED PIT SURFACE-CLEAN SHEEN ZONE SUBSURFACE ZONE BELOW LEVEL COLOR OIL CHARACTER DEPTH OP HOR MOR LOR OF TR NO BASN S UI MI LI SEDIMENTS cm-cm Y/N (cm) NOTES (cm) 11 -15 CP6/P6 SHEEN COLOR: 5 - BROWN; R = RAINBOW; S = SILVER; N = NONE OG COMMENTS:



1993 Surface Oil Summary Segment KN702 Subdivision A

Location	AP	MS	Type in SOR	CV	CT	
A	1.8			21.		
В	0.075			4.5		
С		0.	9.	0.	9.	
D		0.	66.	0.	13.2	
E					0.9	
F	0.	0.	6.3	0.	6.3	
G	9.6	0.	9.6	0.	9.6	
TOTALS=	86.475	0.	92.775	25.5	64.5	

AP= asphalt; MS= mousse; SOR= surface oil residue; CV= cover; CT= coat Areas are computed by multiplying the affected area by the percent coverage of each oil type. Field categories of percent oil coverage are converted to the median percent value as follows: continuous= 95%; broken= 70%; patchy= 30%; sporadic= 6%; trace= 0.5%

SUBSURFACE OIL SUMMARY FOR SEGMENT KN702A

-						TREAT	MENT	1993	OILE	D SED	. V OI	(., (m3)	1992	OILE	SED.	VOL	(m3)	1991	OILED	SED.	VOL.	(m3)	WT.	ed OIL	VOL.	1 CHANG	E WT. 'e	d VOL.
Loc.	1993 PIT 1	Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to 93	91 to	91 to 93
2A	23,24	CPG-PGS	U	L		NO	MR,Rs	0.0	0.5	0.0	0.0	0.0	3	3	?	?	?	0.0	0.0	0.0	0.0	0.0	1.9	3.	0.0	?	?	Inf
28	8-12	PC-SGM	u	VI.	BURIED AP IN '93	MB, Rs	MR,Rs, MT	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	4.2	3.2	0.0	0.0	9.5	7.1	26.5	34.3	-73.2	-64.0
2 C	14-16	CP-PGSM	IJ	VL	ORGANICS	NO	NO	0.0	0.2	0.3	0.0	1.3	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4	0.0	1.9	0.8	0.8	137.6	0.0	137.6
2D		C-GP	U	VL		MB, Rs	но	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	?	?	?	?	?	0.0	0.6	?	-100.0	?	?
ZE		PCB-GP	U	VL		?	но	l	0.0	l	1	l	•	0.2			1	1	0.0		l			1.5	l	1		i
atatutut.	langang rang rang rang	. Erono o o o o o o o o	Janes et a	k	, to reconstructive reconstructive reconstructive reconstructive reconstructive reconstructive reconstructive r	.Barrere reares	-ELIATOT	0.0	0.7	3.5	0.0	1.3	ô.ô	0.2	0.4	4.0	0.0	0.0	4.2	3.2	0.4	0.0	13.4	10.0	27.3	33.3	-63.3	-51.1

Loc. = location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.

En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.

TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.

OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.

WT.'ed OIL VOL.= weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2

% CHANGE WT.'ed VOL.= % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of active values indicate decreases, "Inf" (infinite percent increase) indicate decreases,









OFFICIAL PHOTOGRAPH ADEC

"get Head Take ...

Date: July 18, 1993 Time: 18:31 (6:31 pm)

Location (segment #): KN702A

Reason for taking photo: Overall view, asphalt in frame 019 at lower left, canyon to right of frame, lagoon to left

Taken by: L.J. Evans

Roll #: LJE001 Frame #: 020

OFFICIAL PHOTOGRAPH ADEC

Reason for taking photo: Lagoon overview; frame taken from cliff wall visible in frame

Taken by: L.J. Evans

Roll #: LJE001 Frame #: 02

OFFICIAL PHOTOGRAPH ADEC

OFFICIAL PHOTOGRAPH ADEC

TO I ...

Date: July 18, 1993 Time: 18:32 (6:32 pm)

Location (segment #): KN702A

Reason for taking photo: Asphalt right on surface, near site of photo 019

Taken by: L.J. Evans

Roll #: LJE001 Frame #: 021





OFFICIAL PHOTOGRAPH ADEC

Market Street

Location (segment #):_	KN702A
Reason for taking photo	Sheen resulting from
disturbing sedime	ents in back of lagoon

SEGMENT: LA 015 B

LOCATION: Chenega Area Group, north end of Latouche Island east of Sleepy Bay.

OTHER STUDIES

PHYSICAL SETTING

Coastal Morphology and Sedimentology

Rounded, boulder and cobble gravel beach, wave cut platforms with boulder veneers, and rocky outcrops. This beach is partitioned by several bedrock outcrops that project seaward perpendicular to shore. Gravel berms and storm berms are well developed. The gravel beach portion on the west end of the site contains well-rounded surface cobbles and small boulders with increasing grain size down beach. In the subsurface, a pebble and granular matrix occurs. Large boulders and bedrock outcrops form protective areas on the margins of this gravel beach.

Environmental Sensitivity Index (ESI)

Type 1; exposed rocky.

Type 2; exposed wave-cut platform.

Type 7; gravel beach.

Fetches and Directions (kilometers)

NE= 110

Energy Level

High.

GENERAL BIOLOGICAL SETTING

Eagle nest.

Finfish harvesting.

OILING SUMMARY

Several locations of AP and SOR exist at this site amongst boulders and cobbles and in vertical fractures of bedrock. It is difficult to evaluate, but it does appear that surface oil has reduced since 1991, particularly in the western gravel beach area.


Several areas of HOR and OP subsurface locations persist at this site. The largest area is location ZA, which is beneath clean boulder and cobble surface sediments in the western beach (pits 10,11,12-25, 27, and 28). The amount of OP oil has significantly reduce at this location since 1991, but the overall amount of oil has remained constant.


Another location (ZB, pits 1,3,5, and 6) to the west of ZA is in a very large boulder field. This location reduced from OP conditions to LOR and HOR conditions from 1991 to 1993.

Location ZD (pits 34-36, and 39) contains HOR oil but has also greatly reduced since 1991 when OP was present. This area is in the upper to mid-intertidal zone and bedrock is near the surface.

No oil was recorded at location ZC (pits 31 and 32) in 1991 or 1992, but the 1993 survey discovered a small amount of HOR and OP.

Overall this site has significantly improved since 1991, and this is despite no subsurface treatment in 1991 or 1992.





1993 ADEC RESTORATION PROJECT #930380 SHORELINE SURVEY COMMENT SHEET

(TION Latouche I SEGMENT_	LA015	SUBDIVISIONB	DATE 8 / 19 / 93
ArriLIATION			
N ME	SIGNATURE		
400			
plant			
难论哪			
? note-			
; letrosie			
15,5004			
150%			
AFFILIATION			
AFFILIATION NAME	SIGNATURE		
week.			
Sec.:			
20.			
\$₽··			
-			
		•	
Ske-			
fifted			
A FIRST TARRON			
AFFILIATION		SIGNATURE	
		XONATOR S	
1944			
			
			•
- PER LATION	•.		
AFFILIATION	SIGNATURE		
AMIL	GIGHT ONE		
*			

1993 ADEC RESTORATION PROJECT # 930380 SHORELINE OILING SUMMARY

PAGE_	1	OF_	3

FEAM MEMBERS: DIANNE MUNSON, JONI MATTHEWS,

JIM GIGEAUT CLARA CROSRY (ADEC)

KATIE FARLEY CADNE)

SEGMENT ___ A 015

SUBDIVISION ___ B

DATE __ 8 /_ 19 / 93

TIME 06:40 to 10:00 TIDE LEVEL 28 ft. to -0.8 ft. ENERGY LEVEL: H M L

SURVEYED FROM: FOOT BOAT HELO WEATHER: SUN CLOUDS FOG RAIN SNOW

TOTAL LENGTH SHORELINE SURVEYED: _____ m NEAR SHORE SHEEN: BR RB SL NONE

EST. OIL CATEGORY LENGTH: H____m M___m L___m VL___m N___m NS____m

L	Г		SUF	FAC	E OI	L CH	ARA	CTE	R		SURFACE	SHORE	AF	REA					
)											SEDIMENT	SLOPE	WIDTH	LENGTH		ZC	DNE		
	AP	MS	TB	ROA	CV	CT	ST	FL	DB	NO	TYPE	VHML	m	m	S	UI	MI	Ц	NOTES
_	-	1				T	T				B		1	4		X		0	
3				P							B		2	3					
_	3			2							BCP		20	17					
7	5			Č							BC		8	19		X			
1	6			5							RC	H	23	3		X			
-	-					T	T				R		0.5	5		X			
_	0			4							BCR		52	10		X			
_	1																		
-																			

DISTRIBUTION: C=81-100%; B=51-90%; P=11-60%; B=1-10%; T=<1%

SLO	OPE: V=	VERT	TCAL:	H - HK	3H ANG	ILE;	M = h	EDIU	M ANGLE:	L = LOW	ANGLE	PHOTO) RO	TT.		_	***************************************	FRAMES
PIT	PIT DEPTH		OIL	UBSU	RFACT	E ER			OILED	CLEAN BELOW	H20	SHEEN			AL SAC		SURFACE- SUBSURFACE	and the same of
	(cm)	OP	HOR	MOR	LOR	OF	TR	NO	cm-cm	Y/N	(òm)	BRSN	S	UI	MI	П	SEDIMENTS	NOTES
1	16								U - U	U	14-16			TE.			BC186	AT BASE OF BEDR
2	12								•		7-12				1		BC196	AT BASE OF RED
3	15								0-0	U	-	-					BC 1P6	SILVER SHEEN ON PE
4	19								-	-		_				W.	BCIPE	
5	38		Mar:						28 -38	N	31-38	B					BC 1CPG	MS ON PERELE
6	14								5-11	Y	-	-					BC/CPG	MCON PERRIC
7	20							1	•	-	_	-			WEST		RCICP	
8	48				- conc				•	-	_	-					CP 19	
9 1	28				The same				-	-	21-28	N					BLILPE	
10	38				1.50		**		•	-	-	1-1					BCICPE	
11	22	-Vire				and the			6-9	N	-	-				· Kan	BC LEPG	
IB	22			CHE.					9 -22	N	_	-				-	BCTCPG	continuation of P.
2	24							198	-	_	-	-				-	BC2186	
12	29		1						15 - 17	Y	_	_					RCTCP6	THE STREET STREET
14	34								- 1	-	-	- 1				7.1	BC/PG	
15	37								-	-	_	-					BC/PG	
16	48								10-48	N	-	-				-4	RC/PG	
17	27							Table 1		-	-	-					BC196	
18	21		M. A.						4 -17	Y	_	-	-				BUICPE	
19	29		100						14 - 18	1	_	_			311		CPICPG	
20	36							1	-	-	-	-					BEPICAL	
	27		No.						6 - 16	Y	-	_	1				BCPICPG	
21			The state of	-					2 -10	V		_		1			BCPIPG	

RESTORATION SHORELINE OILING SUMMARY (cont.) PAGE 2 OF 3

TEAM NO. ____

SUBDIVISION B

DATE 8 /19 /947

PIT	011	UBSUIL CHAP	PACTE	R			ZONE	CLEAN	H2O LEVEL	SHEEN		Z	TF SNE		SURFACE- SUBSURFACE	
(cm)	OP HOP	MOR	LOR	OF	TR	ИО	cm-cm	YM	(cm)	BRSN	S	UI	MI	П	SEDIMENTS	NOTES
	746						3 -31	IN	24-31	B					BCPIPG	
31	1						2 -7	N		1					13cp/P6	
8 32							7 -32	N							BCPIPG	Below comble Ar
8 32	3:						3-0		14-23	B					PCP196	
31						a c	•								PC/PG	
7 27		-	11				4 - 0	U	17-27	S					BCPIPG	WEATHEREO / AP AL
	NAME OF THE OWNER, OWNE						8 -11	N	-	-					BCIPG	
3 22		1					11 -20	1	-	-					BLIPG	
-							•								BCPIPG	
0 1 h									14-16	7					BCICPE	the order of
32	1935	HALL					0-0		22-32	BR					BCIPG	
13		1 7					0 - U	U	7-13	B				- 1	RC 1PG	BROWN WOBERS
Total State of the last of the															BCIPG	
NAME AND ADDRESS OF THE OWNER, WHEN PERSON NAMED IN							U-11	U							BCPIPG	ON BEDROCK
13							1) - 0	V	9-13	R					BLPIPG	
-									7-10	7					BCP196	
7 16							•		7-16	7					BCP1PG	
131							N- CH								BC PICPG	AT BASE OF RE OR
17	THE REAL PROPERTY.						0 -0	υ	10-17	B		• •			BCP/P6	
STREET, SQUARE, SQUARE							•			2150					CPIP	
01 36							11 -30	N	24-30	B		-194			CPIP	
2									7-10	N					BCP1 P	LARLE GLOIBEDA
1		-16.1					5-4	V	13-20	B					BCPIP	BLACK GLOBUNIES
20							•									
-	-				014				act Control							
-							•									
-						T										

	-	NAME AND ADDRESS OF TAXABLE PARTY.
00	0014	MENTE
OG	CUM	MENTS

10.0 July

1993 Surface Oil Summary Segment LA015 Subdivision B

			·			
Location	Area o AP	f Oiling MS	Type in		Meters CT	
A	0.	0.		0.	0.02	
В	0.	0.	1.8	0.	0.	
С	20.4	0.	20.4	0.	0.	
D	9.12	0.	9.12	0.	0.	
E	4.14	0.	4.14	0.	0.	
F	0.	0.	0.	0.	0.0125	
G	31.2	0.	31.2	0.	0.	
TOTALS=	64.86	0.	66.66	0.	0.0325	
Areas are coverage of are converte	; MS= mousse omputed by m each oil ty ed to the me 95%; broken	ultiplyi pe. Fie dian per	ng the a ld categ cent val	ffected ories of ue as fo	area by the percent oi ollows:	l coverage

SUBSURFACE OIL SUMMARY FOR SEGMENT LA015B

						TREA	TMENT	1993	OILE	D SED). VO	L. (m3)	1992	OILE	D SED	. VOI	. (m3)	1991	OILED	SED.	VOL.	(m3)	WT.	ed OI	L VOL.	& CHANG	E WT.	ed VOL
Loc.	1993 PIT	Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to	91 to	91 to
	10,11,12- 25,27,28	BCP-CPG	UM	Н		NO	NO	17.5	14.1	36.5	0.0	0.0	0.0	18.0	45.0	0.0	0.0	31.9	26.1	0.0	0.0	0.0	253.	207.	263.9	22.4	-	_
ZB	1,3,5,6	BC-BCPG	U	Н	V. LARGE BOULDERS	NO	МО	0.0	8.8	0.0	8.8	8.3	?	?	?	?	?	15.0	0.0	0.0	60.0	0.0	52.8	?	195.0	?	?	-72.
zc	31,32	BC-PG	U	Н		NO	NO	1.2	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	17.4	0.0	0.0	Inf	0.0	In
ZD	34-36,39	BCP-PGR	UM	Н		NO	NO	0.0	5.0	0.0	0.0	11.0	?	?	?	?	?	20.0	0.0	0.0	0.0	0.0	20.0	?	100.0	?	?	-80.
ZE	41,43	BCPP	М	Н		NO	NO	0.0	0.0	1.4	0.0	0.0	?	?	?	?	?	0.0	0.0	0.0	0.0	0.0	4.1	?	0.0	?	?	In
ZF		PB-R	S	Н		NO	NO	0.0	0.0	0.0	0.0	0.0	?	?	?	?	?	0.3	0.0	0.0	0.0	0.0	0.0	?	1.6	?	?	-100.
ZG		CB-PSG	S	Н		NO	NO	0.0	0.0	0.0	0.0	0.0	?	?	?	?	?	0.0	0.0	0.0	0.0	0.0	0.0	?	0.1	?	?	-100.
		Janagan	J	J	l		TOTALS=	18.7	30.8	37.9	8.8	19.3	0.0	18.0	45.0	0.0	0.0	67.2	26.1	0.0	60.0	1.4	347.	207.	560.6	67.9	-63.1	-38.

Loc.= location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.

En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.


TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.


OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.

WT.'ed OIL VOL.= weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2

% CHANGF WT.'ed VOL.= % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of cative values indicate decreases, "Inf" (infinite percent increase) indicate increase) indicate decreases, "Inf" (infinite percent increase) indicate increase) indicate increases in the amount of cative values indicate decreases, "Inf" (infinite percent increase) indicate increase) indicate increases in the amount of cative values indicate increases in the c









OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO:Pit #6 located at western end of subseg. Photo showing HOR documented from -5 to -11cm.

TAKEN BY: Clara Crosby INITIALS: EVIDENCE ID#: ROLL #: 93CSC004 FRAME #:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE: 08/19/93

TIME: 0700

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORD: -0-

REASON FOR TAKING PHOTO: Location of pit #11 in MITZ. View is generally to the north/seaward showing rounded B/C surface sediment.

TAKEN BY: Clara Crosby INITIALS: ROLL #:93CSC004 FRAME #: 8 EVIDENCE ID#:

BOFF #: 63C2COO¢ EKAME #: 3 ENIDENCE ID#: TAKEN BY: Clara Crosby INITIALS: .110

B/C/Rock that provides wave shelter for persisting REASON FOR TAKING PHOTO: Seaward from Pit #6 showning large KELMOBD2: -0-

DATE: 08/19/93

LOCATION: LATOUCHE ISLAND, P.W.S. SECMENT#: LAD15

-0- : #NOITAT2

TIME: 0700

OFFICE: ANCHORAGE

EXXON AVEDEZ OIL SPILL

OFFICIAL PHOTOGRAPH ADEC

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OI SPILL

OFFICE: ANCHORAGE DATE: 08/19/93

TIME. 0700


SEGMENT#: LA015


STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S. KEYWORDS: -0-

REASON FOR TAKING PHOTO: HOR documented from -6 to -9cm in pit

TAKEN BY: Clara Crosby INITIALS: ROLL #: 93CSC004 FRAME #: 5 EVIDENCE ID#:









OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORD: -0-

REASON FOR TAKING PHOTO: Gibeaut at pit #18. HOR found from

-4 to -17cm.

TAKEN BY: Clara Crosby

. 5

INITIALS:

ROLL #:93CSC004

FRAME #: 10 EVIDENCE ID#:

EXXON VALDEZ OIL SPILL OFFICIAL PHOTOGRAPH ADEC

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

STATION#: -0-

SEGMENT#: LA015

LOCATION: LATOUCHE ISLAND, P.W.S.

REASON FOR TAKING PHOTO: Dianne, Joni, and Jim Bob at Pit #21.

View is to the northwestern end of seg.

INITIALS:_ TAKEN BY: Clara Crosby ROLL #: 93CSC004 FRAME #: 15 EVIDENCE ID#:_ 6 ENIDENCE ID#: INITIALS:

FRAME #:

BOLL #:93CSC004 TAKEN BY: CLara Crosby

showing Bld/cbl surf seds & area "C". fit tid mont insemessure to bns mistes saft of REASON FOR TAKING PHOTO: Location of pit #11 in MITZ. View is

> KELMOKD: -0-LOCATION: LATOUCHE ISLAND, P.W.S.

-0- : NOITATE

SECMENT: LAD15

DATE: 08/19/93

OFFICE: ANCHORAGE

EXXON AVEDEZ OIL SPILL

TIME: 0700

OFFICIAL PHOTOGRAPH ADEC

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-


REASON FOR TAKING PHOTO: Pit #18; HOR found from -4 to -17cm.

TAKEN BY: Clara Crosby

INITIALS:

ROLL #: 93CSC004 FRAME #: 12 EVIDENCE ID#:









OFFICE: ANCHORAGE DATE: 08/19/93

TIME: 0700

SEGMENT: LA015 LOCATION: LATOUCHE ISLAND, P.W.S. STATION: -0-

KEYWORD: -0-

REASON FOR TAKING PHOTO: Pit #19; HOR found from -14 to -18cm.

TAKEN BY: Clara Crosby ROLL #:93CSC004 INITIALS: FRAME #: 18 EVIDENCE ID#:

EXXON VALDEZ OIL SPILL OFFICIAL PHOTOGRAPH ADEC

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Example of HSOR and AP found in

location "C".

INITIALS: TAKEN BY: Clara Crosby ROLL #: 93CSC004 FRAME #: 16 EVIDENCE ID#:_

22

EXXON VALDEZ OIL SPILL OFFICIAL PHOTOGRAPH ADEC

The second of the second of

DATE: 08/19/93 OFFICE: ANCHORAGE

TIME: 0700

STATION#: -0-

SEGMENT#: LA015 LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Pit #23; OP lense from -03 to -31cm.

INITIALS: TAKEN BY: Clara Crosby ROLL #: 93CSC004 FRAME #: 22 EVIDENCE ID#:_ OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORD: -0-

REASON FOR TAKING PHOTO:Pit #23; OP lense from -03 to -31cm.

TAKEN BY: Clara Crosby INITIALS: ROLL #:93CSC004 FRAME #: 19 EVIDENCE ID#:





the sea and the sea well-





EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

SEGMENT#: LA015

STATION#: -0-

TIME: 0700

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Pan overview (photos 23-29) of area "C" and "D". Shallow bedrock platform with B/C veneer (Area "D"). Sporadic surface oiling obsd area

"C" and "D".

TAKEN BY: Clara Crosby

INITIALS:

ROLL #: 93CSC004 FRAME #: 25 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORD: -0-

REASON FOR TAKING PHOTO: Pan overview (photos 23-29). Photo is of area "C". Sporadic surface oiling obsd area "C"

TAKEN BY: Clara Crosby ROLL #:93CSC004 INITIALS: FRAME #: 27 EVIDENCE ID#:

SEGMENT#: LA015 LOCATION: LATOUCHE ISLAND, P.W.S. STATION#: -0-

KEYWORDS: -0-

OFFICIAL PHOTOGRAPH ADEC

OFFICE: ANCHORAGE

REASON FOR TAKING PHOTO:Pan overview (photos 23-29) of area "C" and "D". Photo is of shallow bedrock platform with B/C veneer (Area "D").

DATE: 08/19/93

TAKEN BY: Clara Crosby ROLL #: 93CSC004 FRAME #: 23 EVIDENCE ID#:

EXXON VALDEZ OIL SPILL OFFICIAL PHOTOGRAPH ADEC

DATE: 08/19/93 OFFICE: ANCHORAGE

TIME: 0700

EXXON VALDEZ OIL SPILL

TIME: 0700

SEGMENT#: LA015

STATION#: -0-LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Pan overview (photos 23-29) of area "C" and "D". PHoto is of shallow bedrock platform with B/C veneer (Area "D").

INITIALS: TAKEN BY: Clara Crosby ROLL #: 93CSCOO4 FRAME #: 26 EVIDENCE ID#:









EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORD: -0-

REASON FOR TAKING PHOTO: Pan overview (photos 23-29) of area "C" and "D". Shallow bedrock platform with B/C veneer (Area "D"). Sporadic surface oiling obsd area "C" and "D".

TAKEN BY: Clara Crosby

INITIALS:

ROLL #:93CSC004

FRAME #: 29 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Pan overview to west from area "E". Bedrock platform with B/C veneer.

INITIALS: TAKEN BY: Clara Crosby ROLL #: 93CSC004 FRAME #: 33 EVIDENCE ID#: OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORD: -0-

REASON FOR TAKING PHOTO: Pan overview (photos 23-29). Photos are of area "C". Sporadic surface oiling obsd area "C" and "D".

TAKEN BY: Clara Crosby ROLL #:93CSC004 FRAME #: 28 EVIDENCE ID#:_

INITIALS:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Pit #23 showing OP oiling from -2 to -10cm.

TAKEN BY: Clara Crosby

INITIALS: ROLL #: 93CSC004 FRAME #: 32 EVIDENCE ID#:



the same and the same and the same and



the term that the term term to the wind





OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Pan overview to west from area "E". Bedrock platform with B/C veneer.

TAKEN BY: Clara Crosby

INITIALS:

ROLL #: 93CSC004 FRAME #: 35 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 10:00

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S. KEYWORD: -0-

REASON FOR TAKING PHOTO: Restoration survey. One of a series of overview shots of LA15B. View is from bedrock outcrop at east end of subseg to the west.

TAKEN BY: Clara Crosby

INITIALS:

ROLL #:93CSC005

FRAME #:

7 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 0700

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Pan overview to west from area "E". Bedrock platform with B/C veneer.

TAKEN BY: Clara Crosby ROLL #: 93CSC004 FRAME #: 34 EVIDENCE ID#:

INITIALS:

EXXON VALDEZ OIL SPILL OFFICIAL PHOTOGRAPH ADEC

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 10:00

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Restoration survey. One of a series of overview shots of LA15B. View is from bedrock outcrop at east end of subseg to the west.

TAKEN BY: Clara Crosby

INITIALS:

ROLL #: 93CSC005 FRAME #:

2 EVIDENCE ID#:









OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 10:00

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORD: -0-

REASON FOR TAKING PHOTO: Restoration survey. One of a series of overview shots of LA15B. View is from bedrock outcrop at east end of subseg to the west.

TAKEN BY: Clara Crosby INITIALS: ROLL #:93CSC005 FRAME #: 11 EVIDENCE ID#:

EXXON VALDEZ OIL SPILL OFFICIAL PHOTOGRAPH ADEC

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 10:00

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Restoration survey. One of a series of overview shots of LA15B. View is from bedrock outcrop at east end of subseg to the west.

TAKEN BY: Clara Crosby INITIALS: ROLL #: 93CSC005 FRAME #: 13 EVIDENCE ID#: OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 10:00

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S. KEYWORD: -0-

REASON FOR TAKING PHOTO: Restoration survey. One of a series of overview shots of LA15B. View is from bedrock outcrop at east end of subseg to the west.

TAKEN BY: Clara Crosby INITIALS: ROLL #:93CSC005 FRAME #: 9 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/19/93

TIME: 10:00

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: Restoration survey. One of a series of overview shots of LA15B. View is from bedrock outcrop at east end of subseg to the west.

INITIALS: TAKEN BY: Clara Crosby ROLL #: 93CSC005 FRAME #: 12 EVIDENCE ID#:

gister

80.

3466

...wsty

ার্শার

.

SEGMENT: LA 015 C

LOCATION: Chenega Area Group, northeast coast of Latouche Island.

OTHER STUDIES

NOAA transect station #N-15.

PHYSICAL SETTING

Coastal Morphology and Sedimentology

This is an asymmetric pocket beach with an anadromous stream along the eastern end. A boulder area occurs along the eastern limb. The western limb is a straight boulder beach more than 400 m long, the first 200 m of which was surveyed in 1993. The central part of the site is a rounded cobble and boulder gravel beach with well-developed high-tide berms and a storm berm and upper intertidal zone that was significantly altered in 1990 during a storm berm relocation operation. Boulders increase in abundance down the beach relative to cobbles.

Environmental Sensitivity Index (ESI)

Type 7; gravel beach.

Fetches and Directions (kilometers)

NE = 110

Energy Level

High.

GENERAL BIOLOGICAL SETTING

Anadromous stream.

Eagle nest.

Deer harvesting.

OILING SUMMARY


Only one area has significant surface oil remaining in 1993. Location 'A' is located along the boulder beach on the western limb of the pocket. High concentrations of AP and SOR occur interstitially between large immobile boulders and bedrock in the upper and midintertidal zones. There may have been some improvement at this location since 1991 when SOR conditions were report as 75% coverage as opposed to less than 50% in 1993. It also appears that some of the SOR has converted to AP. Nonetheless, considerable oil remains.


An area of CT on the east side of the stream (location 'C') cleaned up considerably since 1991 when 35% coverage was reported. In 1993 less than 1% CT was reported here.

ST along the upper inter of the central gravel beach also appears to have improved since 1991.

No significant subsurface oil remains at this site, and this is a great improvement since 1991. Three subsurface locations occur in the mid to upper intertidal zones. One to the

east of the stream, one to the west of the stream in the central gravel beach, and one at the beginning of the boulder beach on the west limb. All three sites were mechanically tilled in 1991, and manual removal took place at the western most site in 1992. The central gravel beach area was also the subject of extensive tilling in the mid and upper intertidal and berm relocation in 1990.





1993 ADEC RESTORATION PROJECT #930380 SHORELINE SURVEY COMMENT SHEET

TION LATER HE IS SEGMENT 14015 SUBDIVISION DATE 3 1 1 93
ME USCH-130B TRALLS SIGNATURE Subst S. Shuffe
BEACH WAS ESSENTIALLY CLEAN; SOME COAT AND SPASH IN BOSLOGES ON BOTH SIDES OF BEACH. ONE PIT W/LOA! DID NOT OBSERVE FITS 3,5 \$19. BENERALLY CONCURR W/ CONDITIONS INDICATED ON MAP & PIT LUCS.
NAME KATTE FARLEY DIV. OF LANDSIGNATURE Kathlen M. Farley
This site is used by subsistence users and anadromous fish. These activities would be affected by the condition of the site as is. The feasibility of further restoration should be discussed.
AFFILIATION MAME SIGNATURE
AFFILIATION AMESIGNATURE

1993 ADEC RESTORATION PROJECT # 930380 SHORELINE OILING SUMMARY

SEGMENT LA015
SUBDIVISION C

TEAM MEMBERS: D.MUNGON, GP.PER, C. CROSBY,
R. KUNBE: ADEC - K. FARLEY:
ADNR - K. HARICH: FG - T.
BTRAVIS: USCG TKELLEY &
S. STOKER: EXXON

TIME 09: 30 to 12:00 TIDE LEVEL 1.0 ft. to 4.0 ft. ENERGY LEVEL: H M L

SURVEYED FROM: FOOT BOAT HELO WEATHER: SUN CLOUDS FOG RAIN SNOW

TOTAL LENGTH SHORELINE SURVEYED: ______ M NEAR SHORE SHEEN: BR RB SL NONE

EST. OIL CATEGORY LENGTH: H___m M__m L___m VL___m N___m NS____m

	T		SUR	FAC	E OI	L CH	IARA	CTE	R		SURFACE	SHORE	Al	REA					
)	-										SEDIMENT	SLOPE	WIDTH	LENGTH		Z	ONE		
	AP	MS	TB	SOR	CV	CT	ST	FL	DB	NO	TYPE	VHML	m	m	S	UI	MI	u	NOTES
	5	T	-	P	+	T	T				RBCP	M	5-7	150					SEE COMMENTS.
5	-	+		一							BCP	M	1						very It oiling.
-				丁		T				1.3	N. H.		4	15					South Side of STREAM
_		10		7	A												775		No control of the
_																			2
_					buch			14											
									-			10.0					1		
														•				_	

DISTRIBUTION: C=81-1004; B=51-804; P=11-504; B=1-104; T=<196

T	PIT DEPTH			JBSUI CHAI					ZONE	CLEAN	H2O LEVEL	SHEEN			T NE		SURFACE- SUBSURFACE	
٠.	(cm)	OP	HOR	MOR	LOR	OF	TR	NO		Y/N	(com)	BRSN	3	Name and Address of the Owner, where	THE OWNER OF THE OWNER OWNE	u	SEDIMENTS	NOTES
1	32								16-1	U	27	3		774	4.0		BCRP/PG	
2	27								-					45			BRCP1 PG	
5	24			4-10					11-22	U	22	B	-		•		BRCP/PGR	杨丁兴之
4	21								U-1	LU	18	58	11				BCRP/PGM	
5	18			144					5-13	U	13	B		3.5			BCP/PGC.	
0	24					The P			0-0	V	18	BS	×		7		9C8/ PG	
F	23								1, •					10			BERR/PG	tisemt/hold
0	20																BCP/GPC	
	23				data.	2			•				. 1				BCP/GPC	
,	39				018			20	18 - U	10			1		1-4		BCP/GPC	
1	29			. 4					21 - 29	N							CPB/CP	
7	28			1	A.V.		24				• . •						CPB/GPSC	.*
3	24				1						18	7	-			12	BCP/GPC	Male
4	29				. F				•1-6							A.L.	CP/PC	
5	43				-					page 18	-			1			CP/PC	
0	44								-				1		9-6		KP/PCG	
F	THE RESERVE OF THE PERSON NAMED IN						-		•								CPB/PC	
6	32				1	**	2							4		-	CPB/PCMG	
9	19		1		ogi.			4	9 - 19	IN							EC8/88G	
6	28								-		26							
1	17								-								BCP/PG	
7	32		-27							1				17.0			BCP/ GPC	
2	33													Marian			BCPIGSMA	

j.

RESTORATION SHORELINE OILING SUMMARY (cont.)

PAGE 2 OF 3

TEAM NO. ____ 5 T LA015

SUBDIVISION C

DATE 8 1 4 193

I	PIT DEPTH	SUBSL OIL CHA		CHAS	PACTI	FR	-	INO	ZONE	CLEAN BELOW	LEVEL			ZC	NE		SURFACE- SUBSURFACE	
1	(cm)	OP	HOR	MOR	LOR	OF	TH	NO	cm-cm	Y/N	(cm)	BASN	S	UI	MI	u	SEDIMENTS	NOTES
t	29	-							23-24								DCP/PGCM	LOR on C elem the
╁	WHEN PERSON NAMED IN COLUMN 2 IS NOT THE OWNER.		1000	TO THE					-		7						BCPIRPC	
+	26											07041	7				BC/BC	at Base of Ber
ł									U - U			1300					BCIPCG	0
L	26								-								BCIPGBC	
	30								-								BETPGL	
ļ	16		-						17-23	U	23						BCIPGC	
ļ	27							-	U- U								BCPIPGC	
Ļ	22								-									
L									25 · 140									
L				_														
L				-						THE STATE OF								
L				-				E	5 10/6	The said		18.0					1	
L					-			106		THE								
L				-										-				
L			-					148	Office State	Pa your								
L			-							25,1274							1 14 34 34 3	
L																		
L			-													1		
L																	RESENTED TO	
L			-	-					-									
		-	-	-					-					1				
-			-		- 10/4													
L			-	-								-		Aug				
_		-	-	-		1			-			Shall Co						
		-	-	-														
				-													A SEALENCE TO	


OG COMMENTS:

Surface sediment is composed of rounded BIC/P at Southern and of Subdivision. a work alder was issaed in 1991 that included mechanisal tilling is excavation for this portion of the Subdivision. Very light orling was observed in this area

during the 1995 restoration survey.

heaviest siling observed was found in the Sub-rounded. Boulder / Cobble overlying Shallow Redrock at the northern end of Subdivision. The extent of oiling (AP/ms/sop/cv/cT/sT) was noted as 150m long x 5 to 7m wide in a patchy distribution Poling was found under & around Surface B/Cand at the are of exposed Bedrock.

Throughout Subdivision the detailed examination & determination inhibited due to the weather. - Rain



1993 Surface Oil Summary Segment LA015 Subdivision C

Location	AP	MS	Type in SOR	Square CV		
A	54.	4.5	270.	4.5	4.5	
В	0.	0.	0.005	0.	0.	
С	0.	0.	0.3	0.	0.3	
TOTALS=			70.305	4.5	4.8	
Areas are con coverage of e are converted	mputed by mueach oil type i to the med	ıltiplyi pe. Fie dian per	urface on the allocategory contracts of the category contracts of the	il resid ffected ories or ue as fo	due; CV= cover; area by the pe f percent oil c	CT= coat ercent coverage

continuous= 95%; broken= 70%; patchy= 30%; sporadic= 6%; trace= 0.5%

SUBSURFACE OIL SUMMARY FOR SEGMENT LA015C

Service of the least of the lea						TREA	TMENT	1993	OILE	D SED	. VO	L. (m3)	1992	OILE	SED	VOL	. (m3)	1991	OILE	SED.	VOL.	(m3)	WT.	ed OII	VOL.	& CHANG	E WT.	ed VOL.
Loc.	1993 PIT	Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to 93	91 to 92	91 to
ZA	1-8,10,11	BCPR-GPC	UM	Н		NO	ET, SR	0.0	0.0	1.0	0.9	3.9	?	?	?	?	?	7.8	35.7	11.3	14.4	12.9	5.0	?	244.5	?	?	-98.0
ZB	19,24,27	BCP-PGS	UM	Н		NO	ET	0.0	0.4	0.0	0.0	1.0	0.0	0.5	0.2	0.3	1.0	29.7	40.1	19.3	80.3	78.5	1.6	3.2	527.9	-50.0	-99.4	-99.7
ZC	30,31	BCP-PGC	UM	Н		Rb	ET, Rs, Rb	0.0	0.0	0.0	0.0	1.1	0.2	1.2	0.0	0.0	0.0	39.4	68.3	0.0	0.0	0.0	0.0	5.9	469.9	-100.0	-98.8	-100.0
							TOTALS=	0.0	0.4	1.0	0.9	6.1	0.2	1.7	0.2	0.3	1.0	76.9	144.	30.7	94.7	91.5	6.6	9.0	1242.	-27.1	-99.3	-99.5

Loc.= location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.


En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.

TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.

OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.

WT.'ed OIL VOL.= weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2

% CHANGE WT.'ed VOL.= % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of values indicate decreases, "Inf" (infinite percent increase) indic values indicate decreases, "Inf" (infinite percent increase) indic









EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/04/93

TIME: 09:30

SEGMENT#: LA015

STATION#: -0-

LOCATION: NE SHORE OF LATOUCHE ISLAND

KEYWORDS: SHORELINE EVALUATION-SRVY

REASON FOR TAKING PHOTO: PHOTO PAN OF THE BEACH FROM SOUT TO NORTH. GOES WITH PHOTO 93RTK005 #25 - 28. #25

STARTS A SM. DRAINAGE

TAKEN BY: RUSSELL KUNIBE

INITIALS:

ROLL #: 93RTK005 FRAME #: 26 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/04/93

TIME: 09:30

SEGMENT#: LA015

STATION#: -0-

LOCATION: NE SHORE OF LATOUCHE ISLAND

KEYWORDS: SHORELINE EVALUATION-SRVY

REASON FOR TAKING PHOTO: PHOTO PAN OF THE BEACH FROM SOUT TO NORTH. GOES WITH PHOTO 93RTK005 #25 - 28. #25

STARTS A SM. DRAINAGE

TAKEN BY: RUSSELL KUNIBE

INITIALS: RTL

ROLL #: 93RTK005 FRAME #: 28 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/04/93

TIME: 09:30

SEGMENT#: LA015

STATION#: -0-

LOCATION: NE SHORE OF LATOUCHE ISLAND

KEYWORDS: SHORELINE EVALUATION-SRVY

REASON FOR TAKING PHOTO: PHOTO PAN OF THE BEACH FROM SOUT TO NORTH. GOES WITH PHOTO 93RTK005 #25 - 28. #25

STARTS A SM. DRAINAGE

TAKEN BY: RUSSELL KUNIBE

INITIALS:

ROLL #: 93RTK005 FRAME #: 25 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE: 08/04/93

TIME: 09:30

STATION#: -0-


SEGMENT#: LA015 LOCATION: NE SHORE OF LATOUCHE ISLAND


KEYWORDS: SHORELINE EVALUATION-SRVY REASON FOR TAKING PHOTO: PHOTO PAN OF THE BEACH FROM SOUT TO NORTH. GOES WITH PHOTO 93RTK005 #25 - 28. #25

STARTS A SM. DRAINAGE

TAKEN BY: RUSSELL KUNIBE ROLL #: 93RTK005 FRAME #: 27 EVIDENCE ID#:

INITIALS: _ 8









EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE: 09/14/93

TIME: 09:40

SEGMENT#: LA015

STATION#: -0-LOCATION: NORTH EAST LATOUCHE ISLAND

KEYWORDS: -0-REASON FOR TAKING PHOTO: AT AREA B, AP/SOR AMONGST BOULDERS.

COBBLE AND PEBBLES AT HITZ.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93CSC009 FRAME #:

4 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 09/14/93

TIME: 09:40

SEGMENT#: LA015

STATION#: -0-

LOCATION: NORTH EAST LATOUCHE ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: IN AREA AREA, SADDLE BEHIND BEDROCK,

AP/SOR AMONGST BOULDERS AND COBBLES

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93CSC009 FRAME #: 2 EVIDENCE ID#:

6 EVIDENCE ID#: FRAME #: BOLL #:93CSC009 TAKEN BY: DIANNE MUNSON INITIALS:

. ZIIH

REASON FOR TAKING PHOTO:AT AREA B, AP/HSOR AMONGST BCP AT

KELMOKD: -0-

LOCATION: NORTH EAST LATOUCHE ISLAND -0- : MOITATS

SECMENT: LA015

TIME: 09:40

DVIE: 08/14/93

OFFICE: ANCHORAGE

EXXON AVEDEZ OIL SPILL

OFFICIAL PHOTOGRAPH ADEC

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE: 09/14/93

TIME: 09:40

SEGMENT#: LA015

STATION#: -0-

2 1

LOCATION: NORTH EAST LATOUCHE ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO: AT AREA A, IN SADDLE BEHIND BEDROCK, AP/SOR AND CT WITH SPRUCE NEEDLES.

TAKEN BY: DIANNE MUNSON

INITIALS:

ROLL #: 93CSC009 FRAME #: 3 EVIDENCE ID#:









EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/04/93

TIME: 09:45

SEGMENT#: LA015

STATION#: -0-

LOCATION: NE SHORE OF LATOUCHE ISLAND

KEYWORDS: SHORELINE EVALUATION-SRVY

REASON FOR TAKING PHOTO: PHOTO CLOSE UP OF SOME MOOSE WHICH SEEMED TO BE COMMING OUT FROM UNDER A BOULDER.

TAKEN BY: RUSSELL KUNIBE

INITIALS:

ROLL #: 93RTK005 FRAME #: 34 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE: 08/04/93

TIME: 09:45

SEGMENT#: LA015

STATION#: -0-

LOCATION: NE SHORE OF LATOUCHE ISLAND

KEYWORDS: SHORELINE EVALUATION-SRVY

REASON FOR TAKING PHOTO: PHOTO CLOSE UP OF A PIT IN THE HITZ. THE SURFACE PEBBLES APPEARED UNDILED. THER WAS A

HOR TO MOR OILING BELOW THE SURFACE.

TAKEN BY: RUSSELL KUNIBE ROLL #: 93RTK005 FRAME #: 33 EVIDENCE ID#:

INITIALS:



SEGMENT: LA 015 D

LOCATION: Chenega Area Group, northeast shore of Latouche Island.

OTHER STUDIES

PHYSICAL SETTING

Coastal Morphology and Sedimentology

Two sites were surveyed along this highly irregular shoreline with a mix of gravel beaches, rocky shores, and wave-cut platforms. Site 'A' is a rounded, cobble, pebble, and granule gravel beach with well-developed berms and storm berm. Site 'C' is a thin boulder and cobble veneer over bedrock.

Environmental Sensitivity Index (ESI)

Type 1; exposed rocky.

Type 2; exposed wave-cut platforms.

Type 7; gravel beach.

Fetches and Directions (kilometers)

NE= 110

Energy Level

High.

GENERAL BIOLOGICAL SETTING

Eagle nest.


Finfish harvesting.


OILING SUMMARY

In site, two locations contain significant amounts of AP and SOR. Location 'A' is a 10 by 10 m area with 15% coverage of SOR and AP plus CT and CV. This location is in a low area behind a protective bedrock outcrop, and the oil resides between subangular boulders and cobbles. There has been no detectable decrease here since 1991. Location 'B' contains lesser amounts of AP and SOR amongst rounded boulders and cobbles. Location 'B' appears to have cleaned up considerably since 1991. Both of these locations were aggressively treated in 1991

Site 'A' contains minor amounts of AP and SOR mostly in a single 6 by 3 m area (location 'C'). Site 'A' also appears to have greatly improved since 1991 when most of the upper intertidal and supra tidal zones contained SOR, CV, CT, and ST.

Subsurface oil remains at both sites in the central parts of the beaches. Relatively small amounts of HOR and OP remain below clean surface sediments. These locations each had considerable amounts of HOR and OP in 1991 when they were mechanically tilled. Subsurface oil at site 'A' especially had large amounts of oil. Tremendous improvement has occurred here at least partly due to the aggressive treatment.





1993 ADEC RESTORATION PROJECT # 930380 SHORELINE OILING SLIMMARY

PAGE 1 OF 3

)11			TAL O	ши	σ σ	IATIATY	TL.	L			
																		SEGMENT _	LA 015
-					^	N	= 1	- F	ERN	1=	PIPER								0
TE	M	ME	MBI	ERS	-	720	- 1 24 2	r	nun	Son	V CLAR	ACQ	100					SUBDIVISION 9	
					_	210	A IV				,	A C PO	- 61					9	1 14 193
																		DATE 9	17193
		G		1207															
		,		3		1	0: 6	10					5.0	7.	0			RGY LEVEL:	
ПМ	E _	0.	: 0	Ç	to .		<u>`</u> : _	50			TIDE LE	EVEL _	15	t. to	<u>'</u> _f		ENEF	IGY LEVEL:	H M M
							-	100		Jue	10		1	CUIN		N OUD	۰ ٦	7500 DAI	u Davaw
SUF	IVEY	ED	FRO	M:		FOO		BUA			LU	WEATH	ER:	30N	Ц,	LOOD	5 L	FOG RAII	MSNOW
			~	CUO	051	INE	SLIBA	/FYF	=D:		m	N	FAR SH	ORE SH	FEN:		BR	RB SL	NONE
101	AL L	ENC	2111	SHU	nci	71146	00				***					Ш.			· · · · · · · · · · · · · · · · · · ·
CCT	01	п С	ATE	300	DV	IF	NGT	H:	Н		m M	m	1 I.	m	VI.		m	Nm · N	
اد	. 01	IL C	AIL	200	KI							-							.ош
L			SUR	FAC	EO	IL CI	HARA	CTE	R		SURFACE	SHORE	A	REA				. 4	
0											SEDIMENT	SLOPE	WIDTH	LENGT	-	ZO			
C	AP	MS	TB					FL	DB	NO	TYPE	VHML	m	m	S	UI	MI	LI NO	TES
A	P			P	2	ACCRECATION AND PERSONS ASSESSMENT	-			_	NAME AND ADDRESS OF THE OWNER,	M	10	10					
B	2			2		5	S					M	4	22	-	- 112			
C	2			2							the later of the same of the same of	W	3	6					
0				1 16					P	H		10			-		orcy on Pettics		
							\vdash							-	1111		+	STORIN TO	ERM
						-	\vdash	-						-	+	++	+		
						\vdash	+					-		1:	+	++	+		
						-	+								-	+	+		
				_		+	+						With Street Land		_	+	-		
							1000	-	_ ==	0004	D - 44 COM								
											P = 11-60%								
NAME OF TAXABLE PARTY.	STATE OF STREET	THE RESERVE							M = A		M ANGLE		_	-	ROU			SURFACE-	FRAMES
	P		SUBSURFACE OILED CLEAN H20 SHEEN PIT OIL CHARACTER ZONE BELOW LEVEL COLOR ZONE												SUBSURFACE				
10.		TH		0	LC	HAF	I CP	IOE	TD	INO		THE RESIDENCE OF	Constitution and the local division in the l	A STATE OF THE PARTY OF THE PAR	01	ZONE UI MI		SEDIMENTS	
_	(cr		OP	HOI	IM	Un	LUN	100	100	110	cm-cm 5-10	YAN	-	BRSN	3	OI ISSI	1-	THE RESERVE THE PERSON NAMED IN COLUMN TWO	
H	16	A STATE OF THE PARTY OF THE PAR	to ver	_	+	-	and the same of				n-0	-	24	B	-		1.	RCIPAC	Brown Global
2	2			-	+			-	-	MA	-		38	The supplemental supplemental states of	-		1	RCIPE	-
2	3	28. 2	-	115				-		1	33 -40	N	40		100			RC 186	
1	4	Commence of the	-	W. S. A.	-		olure e su	1			-						1	BC 186	
5	CONTROL CONTROL			-	+		ALL VALUE OF THE				-							BUICPG	
67		1			+				1	13	33 - 0	V				AL ST			WATER Flowing
8	100	2			1		1	-			- 44		7				T	CPIP	T FIRE TO
9		9								Town.	13-11	U	23					CP186	
10		7			*						-					1		29190	
11		7						100.44			14-0	U	14	B		1		CPIPG	
2	2	100			1	-		A STATE OF THE PARTY OF THE PAR	2.5		13-26	The same of the same of	9	B		H	-	CPIPE	
	2			200	8					-	48-U		12	B		1		19196	
	2					1		1			11-13		21	S				PC/PG	2 1077
5	4	4			T					10.1	-							PC/P6	
16	2				T					CER.								CPING	
					T			TO CO			36-U	U	36	5				COIPE	
17	4	U			_	_													

34


40

CPIPG

P1 PG

PIPG

ATOUCH Sept. 14 1993 US COAST & GEODETIC Sept. and 17, 1993 SULTEY MARKET. MUNSON LOCATION "E" BOULDER VENEER OVER BEDROCK LOCATION "D" BOULDER VENEER OVER PLATFORM LOCATION 1C" APISOR 15% Sheen on zloog pools COBBLE/BOULDER BEACH Amongst sub-Angular Bid 10065 In Suddle area behind Bedrock CTICY 590 ON Redrock and kirge Blds. 10 X 10 METERS LOCATION" B" Angular Boulder/Cobble APIHSOR 1090 SAND/GRAMME InterHitial Amongst Bid/cob AT HITZ. CTIST on surface Survey included total on of 512100bb 190 "C" and tocation "A" Site 4 X 22 METERS LOCATION "A" due to very little EXPANDED SKETCH oiling observed in 1992 FINSAP Survey



EXPANDED SKETCH AA 15 O Sept 17, 1993 D. MUNSON

1993 Surface Oil Summary Segment LA015 Subdivision D

Location	Area o	of Oiling MS	Type in SOR	Square CV	Meters CT	
A	30.	0.	30.	6.	6.	
В	5.28		5.28	0.	5.28	
С	2.88	0.		0.	0.	
D	0.	0.	0.	3.	0.	
TOTALS=	38.16	0.	38.16	9.	11.28	

AP= asphalt; MS= mousse; SOR= surface oil residue; CV= cover; CT= coat Areas are computed by multiplying the affected area by the percent coverage of each oil type. Field categories of percent oil coverage are converted to the median percent value as follows: continuous= 95%; broken= 70%; patchy= 30%; sporadic= 6%; trace= 0.5%

SUBSURFACE OIL SUMMARY FOR SEGMENT LA015D

						TREA	TMENT	1993	OILE	D SED	. VO	L. (m3)	1992	OILE	D SED	. VOL	. (m3)	1991	OILED	SED.	VOL.	(m3)	WT.	ed OII	VOL.	& CHANG	SE WT. '	ed VOL.
Loc.	1993 PIT	Gr. Sz.	Zn.	En.	Note	1992	1991	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	OP	HOR	MOR	LOR	OF/TR	1993	1992	1991	92 to 93	91 to	91 to
ZA	1-4,7	BC-BCP	U	Н		MR, Rs	Rs, BR, ET	1.3	1.8	0.0	2.4	0.0	0.0	1.2	0.0	0.0	0.0	5.0	13.4	0.0	0.0	0.0	18.7	4.8	78.4	290.5	-93.9	-76.1
ZB		BC-SGR	S	Н		MR, Rs	Rs	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	3	?	?	?	?	0.0	0.8	?	-100.0	?	
ZC	9-14,16, 17	CP-PGS	UM	Н		NO	ET, BR	2.3	3.0	0.0	0.0	2.3	0.0	24.1	2.8	0.0	0.0	20.1	72.3	30.1	0.0	0.0	23.3	104.	479.9	-77.8	-78.2	-95.2
ZD		B-CPR	U	Н		Rs, MR	NO	?	?	?	?	?	0.0	0.0	0.0	0.0	0.0	1.7	1.7	2.6	0.0	0.0	?	0.0	22.5	?	-100.0	1
ZE		B-CPR	U	Н		Rs, MR	Rs	?	?	?	?	?	0.2	0.0	0.0	0.0	0.0	10.0	11.0	5.0	0.0	0.0	?	1.0	109.0	?	-99.1	
ZF		BC-SGCR	U	Н		NO	Rs	?	?	?	?	?	0.0	0.0	0.4	0.0	0.8	0.8	0.0	0.0	0.0	0.0	?	1.2	4.0	?	-70.0	1
••••		J			4		TOTALS-	3.6	4.8	0.0	2.4	2.3	0.2	25.5	3.2	0.0	0.8	37.5	98.3	37.7	0.0	0.0	42.0	112.	693.8	-62.7		

Loc. = location name of specific oiling area (subsite).

1993 PIT #= the number designations, as indicated on the 1993 survey forms, of the pits in the subsite.

Gr. Sz.= grain size, a dash separates surface from subsurface sediments, B= boulders, C= cobbles, P= pebbles, G= granules, S= sand, M= mud, Pt= peat.

Zn.= inter tidal zone, S= supra tidal, H= high inter tidal, M= mid inter tidal, L= low inter tidal.


En.= wave-energy level, H= high, M= moderate, L= low, VL= very low.

TREATMENT= cleanup treatment occurring at the subsite for the given year, ET= equipment tilling (heavy equipment), MT= manual tilling, BR= berm relocation, SR= sediment relocation, Rb= oiled-sediment removal from the surface, MB= manual breakup, MR= manual raking, ?= unknown, NO= no treatment.

OILED SED. VOL.= oiled-sediment volume in cubic meters by year and oil type, OP= oil pore, pore spaces are completely filled with oil resulting in oil oozing out of sediments - water cannot penetrate OP zone, HOR= heavy oil residue, pore spaces partially filled with oil residue but not generally flowing out of sediments, MOR= medium oil residue, heavily coated sediments; pore spaces are not filled with oil - pore spaces may be filled with water, LOR= light oil residue, sediments lightly coated with oil, OF= oil film, continuous layer of sheen or film on sediments - water may bead on sediments, TR= trace, discontinuous film; spots of oil on sediments; an odor or tackiness with no visible evidence of oil, ?= area of subsite not visited or adequately surveyed.

WT.'ed OIL VOL.= weighted oiled-sediment volume = (OP VOL.)*5 + (HOR VOL.)*4 + (MOR VOL.)*3 + (LOR VOL.)*2

% CHANGF WT.'ed VOL.= % change in weighted oiled-sediment volume between the given years = ((year 2 - year1)/(year 1))*100, positive values indicate increases in the amount of gative values indicate decreases, "Inf" (infinite percent increase) indicate decreases,









OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 09/14/93

TIME: 11:30

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORD: -0-

REASON FOR TAKING PHOTO: PAN OVERVIEW OF SEGMENT VIEW IS UPLAND TOWARD THE WEST.

TAKEN BY: CLARA CROSBY ROLL #:93CSC008 FRAME #: 24 EVIDENCE ID#

EXXON VALDEZ OIL SPILL OFFICIAL PHOTOGRAPH ADEC

OFFICE: ANCHORAGE

DATE: 09/14/93

TIME: 11:30

STATION#: -0-

SEGMENT#: LA015

LOCATION: LATOUCHE ISLAND, P.W.S.

REASON FOR TAKING PHOTO:PAN OVERVIEW OF SEGMENT VIEW IS TOWARD THE SOUTHERN END OF THE SEGMENT

TAKEN BY: CLARA CROSBY ROLL #: 93CSC008 FRAME #: 27 EVIDENCE ID#: OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 09/14/93

TIME: 11:00

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORD: -0-

REASON FOR TAKING PHOTO:CT/ST/CV ON BEDROCK AT LOCATION A

SBY INITIALS: C5C
FRAME #: 23 EVIDENCE ID#: TAKEN BY: CLARA CROSBY ROLL #:93CSC008

OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 09/14/93

TIME: 11:30

SEGMENT: LA015

STATION: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORD: -0-

REASON FOR TAKING PHOTO: PAN OVERVIEW OF SEGMENT VIEW IS TOWARD THE SOUTH.

TAKEN BY: CLARA CROSBY ROLL #:93CSC008 FRAME #: 25 EVIDENCE ID#:









OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE DATE

DATE: 09/14/93

TIME: 11:30

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: EXAMPLE OF SURFACE OILING, HSOR/AP ON SEGMENT.

TAKEN BY: CLARA CROSBY

ROLL #: 93CSC008 FRAME #: 30 EVIDENCE ID#:

BOFF #: 63C2C006 ERAME #: 1 EVIDENCE ID#:

KEYWORDS: -0TARBALL ON A BOULDER AT HITZ.
TARBALL ON A BOULDER AT HITZ.

COCATION: NORTH EAST LATOUCHE ISLAND
SEGMENT#: LA015

11ME: 09:40

DATE: 09/14/93

OFFICE: ANCHORAGE

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 09/14/93

TIME: 11:30

SEGMENT#: LA015

STATION#: -0-

LOCATION: LATOUCHE ISLAND, P.W.S.

KEYWORDS: -0-

REASON FOR TAKING PHOTO: EXAMPLE OF SURFACE OILING, HSOR/AP ON SEGMENT.

TAKEN BY: CLARA CROSBY INITIALS: CC ROLL #: 93CSC008 FRAME #: 29 EVIDENCE ID#:

OFFICIAL PHOTOGRAPH ADEC EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 09/14/93

TIME: 09:40

SEGMENT#: LA015

STATION#: -0-

LOCATION: NORTH EAST LATOUCHE ISLAND

KEYWORDS: -0-

REASON FOR TAKING PHOTO:PIT 4 WITH HOR OILING FROM 33 TO 40 CM AT UITZ.

TAKEN BY: CLARA CROSBY INITIALS:______ROLL #: 93CSC008 FRAME #: 34 EVIDENCE ID#:_____





EXXON VALDEZ OIL SPILL OFFICIAL PHOTOGRAPH ADEC

OFFICE: ANCHORAGE

DATE: 08/04/93

TIME: 09:30

STATION#: -0-

LOCATION: NE SHORE OF LATOUCHE ISLAND

REASON FOR TAKING PHOTO: PHOTO OVERVIEW LOOKING TO THE NORTH ACROSS THE BOULDER AREA AT THE NORTH END OF THE

SUBDIV.

TAKEN BY: RUSSELL KUNIBE ROLL #: 93RTK005 FRAME #: 30

EVIDENCE ID#

EXXON VALDEZ OIL SPILL OFFICIAL PHOTOGRAPH ADEC

OFFICE: ANCHORAGE

DATE: 08/04/93

TIME: 09:30

SEGMENT#: LA015

STATION#: -0-

LOCATION: NE SHORE OF LATOUCHE ISLAND KEYWORDS: SHORELINE EVALUATION-SRVY

REASON FOR TAKING PHOTO:PHOTO OF THE AP TO HOR TRAPPED UNDER THE BOULDERS IN THE HITZ IN THE BOULDER AREA AT THE N. END OF THE BEACH.

TAKEN BY: RUSSELL KUNIBE ROLL #: 93RTK005 FRAME #: 32 OFFICIAL PHOTOGRAPH ADEC

EXXON VALDEZ OIL SPILL

OFFICE: ANCHORAGE

DATE: 08/04/93

TIME: 09:30

SEGMENT#: LA015

STATION#: -0-

LOCATION: NE SHORE OF LATOUCHE ISLAND

KEYWORDS: SHORELINE EVALUATION-SRVY

REASON FOR TAKING PHOTO: PHOTO OVERVIEW LOOKING TO THE SOUTH ACROSS THE BOULDER AREA AT THE NORTH END OF THE SUBDIV.

TAKEN BY: RUSSELL KUNIBE

ROLL #: 93RTK005 FRAME #: 29 EVIDENCE ID#:

EXXON VALDEZ OIL SPILL OFFICIAL PHOTOGRAPH ADEC

OFFICE: ANCHORAGE

DATE: 08/04/93

TIME: 09:30

SEGMENT#: LA015

STATION#: -0-

LOCATION: NE SHORE OF LATOUCHE ISLAND

KEYWORDS: SHORELINE EVALUATION-SRVY

REASON FOR TAKING PHOTO:PHOTO OF THE AP OILING BETWEEN THE BOULDERS AND COBBLES. THE BAND OF OILING IS IN THE HITZ IN THE BOULDER AREA OF THE BEACH.

TAKEN BY: RUSSELL KUNIBE ROLL #: 93RTK005 FRAME #: 31 EVIDENCE ID#: