PMF Data Files

Response to FERC 2/16/84 Request

Schedule B, Comment 1

Attachment 1
HARZA-EBASCO
Susitna Joint Venture
Document Number

1182

Please Return To
DOCUMENT CONTROL

0011

RESPONSE TO FERC LETTER OF FEBRUARY 16, 1984 REQUEST

SCHEDULE B

Comment No. 1

"State the purpose of each of ACRES' thirteen data files on Tape No. 830525 included with your letter of November 18, 1983."

Response

Description of the data files are given below. Printout of the files also are provided as attachment 1.

File No. 1: SSARR Model Input, ACRE'S sensitivity analysis using Corps' summer PMF; input indicates that rainfall and initial snowpack were changed.

File No. 2: SSARR Model Input, ACRE'S sensitivity analysis using Corps' spring PMF; input indicates that rainfall, temperatures and initial snowpack were changed.

File No. 3: SSARR Model Input, ACRE'S sensitivity analysis using Corps' spring PMF; input indicates that rainfall and initial snowpack were changed.

File No. 4: SSARR Model Input, Corps' spring PMF.

File No. 5: SSARR Model Input, ACRE'S sensitivity analysis using Corps' summer PMF; input indicates that rainfall and initial snowpack were changed.

File No. 6: SSARR Model Input, Reconstitution of August 1967 flood by ACRES

File No. 7: SSARR Model Output, Reconstitution of August 1967 flood by ACRES

File No. 8: SSARR Model Input, Reconstitution of August 1971 flood by ACRES

File No. 9: SSARR Model Output, Reconstitution of August 1971 flood by ACRES

File No. 10: SSARR Model Input, Reconstitution of May-July 1972 flood by ACRES

File No. 11: SSARR Model Output, Reconstitution of May-July 1972 flood by ACRES

File No. 12: SSARR Model Input, ACRE'S spring PMF.

File No. 13: SSARR Model Output, ACRE'S spring PMF.

PMF Data Files

Response to FERC 2/16/84 Request

Schedule B, Comment 1

Attachment 1

```
JOB       010675   1    1 DEVILS CANYON SUMMER MPF ON SUSITNA RIVR
CP  1480    4620          GUKGL
CP  2000    3000          BASAV
CP  8811    2001          SUMMIT
CP  9139    2550          CRACTO
CP  9410    2408          TRIMS
CT01  1015   2  0 95      999      100    SMI GL
CT01  1018   2  0 10      2.5 20  5 40 SMI
CT02  1018  12 60 15 75      999 80
CT01  1020   2  0 10  2 20  5 40 SMI
CT02  1020  12 60 15 85     9999 85
CT01  1021   2  0  5 99  5     9999  5 SMI
CT01  1022   2  0      100 99      100     9999      100 SMILK
CT01  2009   2  0 60      0.1 50      0.2 45 BII
CT02  2009          0.3 37      0.4 32      0.5 29      0.6MCKENZ
CT03  2009  27      1.0 20      2.0 10     9999 10
CT01  2011   2  0 50      0.1 47      0.2 45 BII
CT02  2011          0.3 37      0.4 32      0.5 29      0.6
CT03  2011  27  1 20  2  8  3  4
CT04  2011   5  2      999  1
CT01  2012   2  0 70 .5 50  3 20 BII
CT02  2012   5 10 10      .05 99      .05
CT01  2017   2  0      100      1.0 95     9999 95 BIIGL
CT01  3003   2  0  0    .016    .0026    .033    .008 S-SS
CT02  3003          .05     .015     .067     .024     .083     .036     .100MCKENZ
CT03  3003          .05      2.0     1.20      999      999
CT01  3008   2  0  0      .01    .0005     .02    .0015 S-SS
CT02  3008          .03     .003     .04     .005     .05     .008     .06
CT03  3008         .012     .07     .017     .08     .023     .09     .03
CT04  3008          .10     .038      999      999
CT01  3009   2  0  0      .05     .001     0.5     .05  S/SS
CT02  3009          1.0      0.2     9999     9000       GLAC
CT01  4008   2  4     0.03  5     0.09  6     0.11   ETI
CT02  4008   7     0.35  8     0.35  9     0.20
CT01  4009   2  4     0.03  5     0.05  6     0.06   ETI
CT02  4009   7     0.07  8     0.08  9     0.06   GLAC
CT01  4010   2  4     0.03  5     0.09  6     0.20   ETI
CT02  4010   7     0.45  8     0.45  9     0.20
CT01  5001   2  0      100 .5 30  1 20   KE
CT02  5001          1.5 20      999 20
CT01  6004   2  0      100      100      100     9999      100 SCDGL
CT01  6006   2  0      100  8 80 20 60  SCD
CT02  6006  36 40 59 20      100  0      999
CT03  6006   0
CT01  7005   2  0     0.32      100     0.32     9999     0.32 MELTR
CT01  7009   2  0     0.12      100     0.12     9999     0.12 MELTR
CT01  7010   2  0     0.10 20     0.15 40    0.24 METSUS
CT02  7010  50     0.30 80     0.40      100     0.45     9999
CT01  7011   2  0      .08      100      .08     9999      .08 MELTG
CB01    10     1          SUSITNA GLACIER
CB02    10  2214  6 4  12 4  24    100 50016004     40091015
CB03    10  2017 10  3009      7011   35 32 33
CB04    10  32000132414801003148011 5
CB 1    10  2800    0  3000 45 4000  177 5000  359 6000  611 7000  848
CB 2    10  8000  961 9000  99813832  9999999999999
CB01    20     1          SUSITNA NON-GLACIER ABV USGS GAGE
CB02    20  6944  8 8  20 5 156    100 50016006     40081018
CB03    20  2011 10  3008      7005   35 32 33
CB04    20  32000132488111003148011 0
CB 1    20  2400    0  3000  277 4000  532 5000  813 6000  928 7000  971
CB 2    20  8000  984 9000  98910000  99813832  9999999999999
CBOT    30     1          SUSITNA RIVER NEAR DENALI CALCULATED
CR01    55     1          30.100 ROUT DENALI GAGE TO DENALI DAMSITE
CR02    55     2 2  11
```

DATA FILE 1 - ACRES SENSITIVITY ANALYSIS USING COE SPRING PMF, RAINFALL AND INITIAL SNOW PACK CHANGED SSARR MODEL INPUT

FORM 1411-2

PRINTED IN U.S.A.

```
C3 2   480  7000  980 7200  999999999999
CC01   500     1          WATANA INFLOW
CL01   501    .1          WATANA OUTFLOW
CL02   501          2225   2165
C110   501  2165  34000        8050000 2170    44200    8600000
C111   501  2175  54400        8800000 2180    70800    8950000
C112   501  2185  87000        9100000 2190   103100    9275000
C113   501  2195 119300        9450000 2200   139400    9625000
C114   501  2201 150600        9660000 2202   160700    9695000
C115   501  2203 171800        9730000 2204   182900    9765000
C116   501  2205 193000        9800000 2210   248100   10000000
C117   501  2215 258200       10200000 2220   268300   10400000
C118   501  2225 278400      1060000099999  9999999   99999999
CR01   525     1          500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI
CR02   525   3 1   3
CB01   580     1          TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI
CB02   580  6284  8 4  15 5 156   100 50016006    40081020
CB03   580   2009  9  3008       7005   35 32 33
CB04   580   32000106488111003913 9125
C3 1   580 910    0 1000  2 2000   84 3000  441 4000  795 5000  962
C3 2   580  6000  998 6910  999999999999
CC01   600     1          DEVIL CANYON INFLOW
CL01   601     1          DEVILS CANYON OUTFLOW
CL02   601          1464   1445
C119   601  1445 170000        932500 1446   177000     939000
C111   601  1447 184000        945500 1448   191000     952000
C112   601  1449 198000        958500 14500  205000     965000
C113   601  1451 212000        971500 1452   219000     978000
C114   601  1453 226000        984500 1454   233000     991000
C115   601  1455 240000        997500 1458   261000    1025000
C116   601  1461 282000       1043750 1464   303000    1062500
C117   601  1467 324000       1081250 9999  9999999    9999999
CR01   625     1          600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD
CR02   625   1 1   5
CB01   680     1          PORTAGE AND GOLD CREEK LOCAL 345 SQ MI
CB02   680  3454  8 4  15 5 156   100 50016006    40081020
CB03   680   2009  9  3008       7005   35 32 33
CB04   680   32000088488111003913 9125
C3 1   680 677    0 1000 32 2000  261 3000  510 4000  809 5000  971
C3 2   680  6000  998 6018  999999999999
CC01   700     1          SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM
P       10     30
P       20     30
P       30     55
P       55    100
P       80    100
P      100    125
P      125    300
P      180    300
P      210    230
P      220    230
P      230    255
P      255    300
P      280    300
P      300    325
P      325    350
P      330    335
P      335    350
P      340    350
P      350    375
P      375    400
P      380    400
P      400    500
P      400    500
P      500    501
```

PRINTED IN U.S.A.

```
CR02    80   5124  3 4   8 5 156   100 50016006    40081018
CB03    80   2009  9  3008       7010   35 32 33
CB04    80   32060 6548811110039139 90
C3 1    80   2370    0 3000  359 4000  744 5600  971 6000  997 6100  999
C3 2    80 9999999999
CC01   100      1          DENALI DAMSITE  1260 SQ MI
CR01   125      1          100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF
CR02   125    3 2  11
CB01   180      1          SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477
CB02   180   4774  3 4   8 5 156   100 50016006    40081018
CB03   180   2009  9  3008       7010   35 32 33
CB04   180   32000 6448811110039139 90
C3 1   180   2350    0 3000  350 4000  820 5000  964 6000  965 6200  999
C3 2   180 9999999999
CB01   210      1          MACLAREN GLACIER
CB02   210    445  6 3  12 3  24   100 50016004    40061015
CB03   210   2017 10  3009       7009   9  35 32 33
CB04   210   32000 9741480100314801 00
C3 1   210   3150    0  4000  109 5000  241 6000  672 7000  96  8000  998
C3 2   210   8850  9999999999999
CB01   220      1          MACLAREN NON-GLACIER ABV USGS GAGE
CR02   220   2324  5 4   20 5 156 75 50016006    40081018
CB03   220   2012 10  3003       7005   35 32 33
CB04   220   32000 9748811110031480100
C3 1   220   2866    0  3000 82 4000  505 5000  801 6000  949 7000  986
C3 2   220   8000  998 8850  9999999999999
CC01   230      1          MACLAREN RIVER NEAR PAXSON CALCULATED
CR01   255      1          230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL
CR02   255    6 2  10
CB01   280      1          MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307
CB02   280   3074  3 4   8 5 156   100 50016006    40081018
CB03   280   2009  9  3008       7010   35 32 33
CB04   280   32000 6448811110039139 90
C3 1   280   2350    0 3000  498 4000  967 5000  968 5275  9999999999999
CC01   300      1          CONFLUENCE OF MACLAREN RIVER WITH SUSITNA
CR01   325      1          300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE
CR02   325    5 2  9
CB01   330      1          LAKE LOUISE AND SUSITNA LAKE  48 SQ MI
CB02   330    483 15 1   0 1   0   100 50016006    40081022
CB03   330   2009  9 3008       7010   35 32 33
CB04   330   32000 6448811110039139 90
C3 1   330   2361    0 2363  9999999999999
CR01   335      1          330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV
CR02   335    3 4 100
CB01   340      1          TYONE RIVER BASIN 1047 SQ MI
CB02   340  10478 10 8   48 8 200   100 50016006    40101021
CB03   340   2009  9  3008       7010   35 32 33
CB04   340   32000 6448811110039139 90
C3 1   340   2100    0 3000  687 4000  952 5000  998 5275  9999999999999
CC01   350      1          COLLECTION ONE MI ABV CONFL OF OSHET & SUS
CR01   375      1          350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)
CR02   375    1 2  9
CB01   380      1          OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI
CB02   380   7353  3 4   8 4  96   100 50016006    40081018
CB03   380   2009  9  3008       7010   35 32 33
CB04   380   32000111488111003 9139 90
C3 1   380   1910    0 2000  2 3000  156 4000  491 5000  784 6000  960
C3 2   380   7000  998 7770  9999999999999
CC01   400      1          SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M
CR01   425      1          400-500 ROUT VEE DAMSITE TO WATANA DAMSITE
CR02   425    4 1  3
CB01   480      1          WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI
CB02   480  10454  8 4   15 5 156   100 50016006    40081020
CB03   480   2009  9  3008       7005   35 32 33
CB04   480   32000139488111003 9139125
```

FORM 1411-3

PRINTED IN U.S.A.

```
C3 2   480  7000   989 7200  9999999999999
CC01   500     1          WATANA INFLOW
CL01   501     1          WATANA OUTFLOW
CC02   501              2225   2165
C110   501  2165  38000          8850000 2170    44200     8600000
C111   501  2175  54400          8800000 2180    70800     8950000
C112   501  2185  87000          9100000 2190   103100     9275000
C113   501  2195 119300          9450000 2200   139400     9625000
C114   501  2201 150600          9660000 2202   160700     9695000
C115   501  2203 171800          9730000 2204   182900     9765000
C116   501  2205 193000          9800000 2210   248100    10000000
C117   501  2215 258200         10200000 2220   268300    10400000
C118   501  2225 278400         1060000099999  9999999    99999999
CR01   525     1          500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI
CR02   525     3 1   3
CB01   580     1          TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI
CB02   580  6280  8 4  15 5 156   100 50016006    40081020
CB03   580  2009  9  3008      7005   35 32 33
CB04   580  32000106488111003913912 5
C3 1   580 910    0 1000  2 2000   84 3000  441 4000  795 5000  962
C3 2   580  6000  998 6910  9999999999999
CC01   600     1          DEVIL CANYON INFLOW
CL01   601     1          DEVILS CANYON OUTFLOW
CL02   601              1464   1445
C110   601  1445 170000          932500 1446    177000     939000
C111   601  1447 184000          945500 1448    191000     952000
C112   601  1449 198000          958500 14500   205000     965000
C113   601  1451 212000          971500 1452    219000     978000
C114   601  1453 226000          984500 1454    233000     991000
C115   601  1455 240000          997500 1458    261000    1025000
C116   601  1461 282000         1043750 1464    303000    1062500
C117   601  1467 324000         1081250 9999    9999999   9999999
CR01   625     1          600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD
CR02   625     1 1   3
CB01   680     1          PORTAGE AND GOLD CREEK LOCAL 345 SQ MI
CB02   680  3454  8 4  15 5 156   100 50016006    40081020
CB03   680  2009  9  3008      7005   35 32 33
CB04   680  32000088488111003913912 5
C3 1   680 677    0 1000 32 2000  261 3000  510 4000  809 5000  971
C3 2   680  6000  998 6018  9999999999999
CC01   700     1          SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM
P       10      30
P       20      30
P       30      55
P       55     100
P       80     100
P      100     125
P      125     500
P      180     500
P      210     230
P      220     230
P      230     255
P      255     300
P      280     300
P      300     325
P      325     350
P      330     335
P      335     350
P      340     350
P      350     375
P      375     400
P      380     400
P      400     500
P      480     500
P      500     501
```

FORM 1413-3

PRINTED IN U.S.A.

```
P   580     600
P   600     601
P   601     625
P   680     700
P   625     700
P   700
T   14 0605712A 14 010771 6 14 310871
2B00    10 14 060571     4   03  100 1      0 99
2B02    10 14 060571    10    10   10  10  10
2B03    10 14 060571    30    30   30  30  30
2B04    10 14 060571    60    60   60  60  60
2B00    20 14 060571     2   03  100 01     0 12
2B02    20 14 060571    10    10   10  10  10
2B03    20 14 060571    50    50   50  50  50
2B04    20 14 060571    60    60   60  60  60 60     60     60
2B00    80 14 060571     2   03  100    87
2B02    80 14 060571     5     5    5   5   5
2B03    80 14 060571    10    10   10  10  10
2B04    80 14 060571    70    70   70  70  70
2B00   180 14 060571     2   03  100    67
2B02   180 14 060571     7     7    7   7   7
2B03   180 14 060571    10    10   10  10  10
2B04   180 14 060571   108   108  108 108 108    108
2B00   210 14 060571     4   03  100 1      0 99
2B02   210 14 060571    10    10   10  10  10
2B03   210 14 060571    10    10   10  10  10
2B04   210 14 060571    10    10   10  10  10
2B00   220 14 060571     2   03  100 01     0 195
2B02   220 14 060571    10    10   10  10  10
2B03   220 14 060571    10    10   10  10  10
2B04   220 14 060571    60    60   60  60  60 60     60     60
2B00   280 14 060571     2   03  100    67
2B02   280 14 060571     4     4    4   4   4
2B03   280 14 060571    10    10   10  10  10
2B04   280 14 060571    70    70   70  70  70 70
2B00   330 14 060571     2   03  100    36
2B02   330 14 060571    18    18   18  18  18
2B03   330 14 060571     0     0    0   0   0
2B04   330 14 060571     0     0    0   0   0
2B00   340 14 060571     2   03  100    36
2B02   340 14 060571    18    18   18  18  18
2B03   340 14 060571    20    20   20  20  20 20     20     20
2B04   340 14 060571   120   120  120 120 120    120    120    120
2B00   380 14 060571     2   03  100    69
2B02   380 14 060571     8     8    8   8   8
2B03   380 14 060571    20    20   20  20  20
2B04   380 14 060571   130   130  130 130 130
2B00   480 14 060571     2   03  100    74
2B02   480 14 060571    16    16   16  16  16
2B03   480 14 060571    30    30   30  30  30
2B04   480 14 060571   420   420  420 420 420
2L01   501 14 060571  2000  2200 9625000
2B00   580 14 060571     2   03  100    74
2B02   580 14 060571     5     5    5   5   5
2B03   580 14 060571    15    15   15  15  15
2B04   580 14 060571   260   260  260 260 260
2L01   601 14 060571  2000  1450  950000
2B00   680 14 060571     2   03  100    74
2B02   680 14 060571     4     4    4   4   4
2B03   680 14 060571    10    10   10  10  10
2B04   680 14 060571   140   140  140 140 140
4D  1480 14 0605713  47  55  04  08  04  04  04  20  24  08      12
4D  1480 14 2005713  04  04      08  08  04  20  20  04  16  12
4D  1480 14 0306713      20  35
4D  1460 14 1706713      08  04  08      43  87
```

FORM 1411-3
PRINTED IN U.S.A.

40	6	1480	14	0107715	05	03	05	05	03	05	05	03							
40	6	1480	8	0407713			01	01	01	01									
40	6	1480	14	0807713				01	01										
40	6	1480	8	1107713	01	01	01	01	01	41	40	40	40	19	19	19	18	18	
40	6	1480	14	1507713	02	02	02	02	23	23	22	22	01	01	01	01			
40	6	1480	8	1807713		09	09	09	08	03	03	03	03						
40	6	1480	14	2207713		01	01	01	01	24	24	23	23	43	43				
40	6	1480	8	2507713	42	42	01	01	01	01	12	12	12	11	04	04	04	04	
40	6	1480	14	2907713	05	05	05	05		15	15	15	15						
40	6	1480	14	0108713	50	49	49	49	14	14	14	15	03	03	03	03			
40	6	1480	8	0408713		02	02	02	02	19	19	19	18	20	21	21	21		
40	6	1480	14	0808713															
40	6	1480	8	1108713															
40	6	1480	14	1508713															
40	6	1480	8	1808713		01	01	01	01	03	03	03	03						
40	6	1480	14	2208713	06	06	06	06		03	03	03	03	01	01				
40	6	1480	8	2508713	01	01	14	15	15	15									
40	6	1480	14	2908713															
40	1480	14	0109713	24	59	71	31	39		04	04	47	08		04	51			
40	1480	14	1509713		08		08	51	24	102	08	04		04	08				
40	1480	14	2909713	08	47														
40	1480	14	0605714	295	255	255	255	280	320	345	277	270	277	306	295	367	338		
40	1480	14	2005714	320	295	313	338	392	392	345	338	360	284	295	331	291	270		
40	1480	14	0306714	338	403	489	511	457	432	489	478	428	385	360	374	410	457		
40	1480	14	1706714	428	420	466	504	471	453	579	554	536	507	500	482	370	367		
40	6	1480	14	0107714	43	43	43	43	42	42	42	44	45	46	47	48	49	50	
40	6	1480	8	0407714	50	49	48	47	47	46	44	45	45	46	58	58	58	58	
40	6	1480	14	0807714	57	56	55	54	54	53	53	52	51	51	51	50	51	50	
40	6	1480	8	1107714	50	49	48	48	48	48	37	37	37	37	37	37	37	37	
40	6	1480	14	1507714	40	40	40	40	40	40	40	40	43	43	43	43	48	48	
40	6	1480	8	1807714	48	48	48	48	48	48	47	47	47	47	41	41	41	41	
40	6	1480	14	2207714	41	41	41	41	41	41	41	41	39	39	39	39	44	44	
40	6	1480	8	2507714	44	44	48	48	48	48	47	47	47	47	45	45	45	45	
40	6	1480	14	2907714	40	40	40	40	45	45	45	45	45	45	45	45			
40	6	1480	14	0108714	45	45	45	45	44	44	44	44	40	40	40	40	43	43	
40	6	1480	8	0408714	43	43	42	42	42	42	39	39	39	39	41	41	41	41	
40	6	1480	14	0808714	42	42	42	42	45	45	45	45	46	46	46	46	44	44	
40	6	1480	8	1108714	44	44	45	45	45	45	40	40	40	40	38	38	38	38	
40	6	1480	14	1508714	39	39	39	39	44	44	44	44	44	44	44	44	45	45	
40	6	1480	8	1808714	45	45	43	43	43	43	40	40	40	40	39	39	39	39	
40	6	1480	14	2208714	40	40	40	40	42	42	42	42	39	39	39	39	39	39	
40	6	1480	8	2508714	39	39	39	39	39	39	39	39	39	39	41	41	41	41	
40	1480	14	0109714	432	381	345	356	356	345	338	334	342	338	360	342	338	327		
40	1480	14	1509714	349	360	345	309	331	349	331	327	309	298	309	248	219	223		
40	1480	14	2909714	293	288														
40	8811	14	0205714	340	280	300	320	340	310	270	260	280	340	360	360	320	310		
40	8811	14	1605714	300	300	390	360	380	360	320	350	350	370	330	370	410	370		
40	8811	14	3005714	330	390	380	340	380	440	520	470	480	480	510	510	490	410		
40	8811	14	1306714	420	410	420	430	450	430	510	470	560	550	620	620	640	590		
40	8811	14	2706714	590	510	430	420												
40	6	8811	14	0107714	45	45	45	45	48	48	48	48	50	50	50	50	53	53	
40	6	8811	8	0407714	53	53	54	54	54	54	54	54	54	54	58	58	58	58	
40	6	8811	14	0807714	58	58	58	58	59	59	59	59	62	62	62	62	56	56	
40	6	8811	8	1107714	56	56	54	54	54	54	51	51	51	51	45	45	45	45	
40	6	8811	14	1507714	47	47	47	47	49	49	49	49	53	53	53	53	52	52	
40	6	8811	8	1807714	52	52	54	54	54	54	48	48	48	48	47	47	47	47	
40	6	8811	14	2207714	44	44	44	44	45	45	45	45	48	48	48	48	48	48	
40	6	8811	8	2507714	48	48	50	50	50	50	44	44	44	44	47	47	47	47	
40	6	8811	14	2907714	47	47	47	47	47	47	47	47	49	49	49	49			
40	6	8811	14	108714	51	51	51	51	52	52	52	52	49	49	49	49	49	49	
40	6	8811	8	408714	49	49	48	48	48	48	49	49	49	49	48	48	48	48	
40	6	8811	14	808714	48	48	48	48	49	49	49	49	51	51	51	51	56	56	
40	6	8811	8	1108714	56	56	54	54	54	54	51	51	51	51	46	46	46	46	
40	6	8811	14	1508714	47	47	47	47	50	50	50	50	53	53	53	53	57	57	
40	6	8811	8	1808714	57	57	53	53	53	53	45	45	45	45	47	47	47	47	
40	6	8811	14	2208714	50	50	50	50	53	53	53	53	49	49	49	49	48	48	

FORM 1411-S
PRINTED IN U.S.A.

```
4D   6  8811 14 2908714 51  51  51  51  45  45  45  45  50  50  50  50
4D 8811 14 0109714 44  45  38  40  38  40  41  44  43  44  42  43  40  37
4D 8811 14 1509714 38  41  36  39  36  40  41  40  39  39  39  34  34  31
4D 8811 14 2909714 32  33
4D 9139 14 0605713      17      02
4D 9139 14 2005713  01  01
4D 9139 14 0306713
4D   6  9139  2 1206713      01  04  05  01      14  03  01  06  07
4D   6  9139 14 1606713  06  06
4D   6  9139  2 2006713          15
4D   6  9139 14 2306713
4D   6  9139  2 2706713      02  25  46  07  08  06
4D   6  9139 14 3006713  11
4D   6  9139  2 0107713          02
4D   6  9139 14 0407713
4D   6  9139  2 0807713
4D   6  9139 14 1107713  02  01  03  07  04  05  01  02  04  04
4D   6  9139  2 1507713  02  02  14      03  04
4D   6  9139 14 1807713      19
4D   6  9139  2 2207713          02      03
4D   6  9139 14 2507713  02      04  30  02  05  10  15
4D   6  9139  2 2907713  05      01  03  08  10  05  02
4D   6  9139  2 0108713  16  35  10  02  02  03  01
4D   6  9139 14 0408713    11      19  40  21  15  03  02
4D   6  9139  2 0808713
4D   6  9139 14 1108713
4D   6  9139  2 1508713
4D   6  9139 14 1808713    71  37      15
4D   6  9139  2 2208713        19  09
4D   6  9139 14 2508713  28    10
4D   6  9139  2 2908713          06  08  03
4D   6  9139  2 0109713        40  37  11      25  14  07
4D   6  9139 14  409713  01  03  01  01      08    08  03  02  12
4D   6  9139  2  809713      02      09  03  06  01
4D   6  9139 14 1509713
4D   6  9139  2 1509713    09  02
4D   6  9139 14 1809713          10
4D   6  9139  2 2209713  32
4D   6  9139 14 2509713    04
4D   6  2000 14 1008713  10  20  48  16  40  82 186  62  12  26  60  20
4D   6  2000 14 1608713  50 100 224  76 120 240 540 180  30  60 134  46
6S   501 14 0605712 22000014 31082 220000
6S   601 14 0605712 14500014 31082 1450
PQ   5001     5010      14 06057114 310871  6 0 400000
PHC 20003  50P91393  50A      14 06057114 310871  6     10       0
PEC   501F         14 06057114 310871  6    2165   2215
PQ   6001     6010      14 06057114 310871  6 0 400000
PHC 20003  50P91393  50A      14 06057114 310871  6     10       0
PEC   601F         14 06057114 310871  6    1415   1465
EOF..
```

FORM 11813

PRINTED IN U.S.A.

```
JSSARR,T170,CM170000,P02.
USER,5/005U,AALASKA.D.CRAWFORD/AAI,BUFFALO/716-853-7525
GET,OLAYS=SSARR8/UN=CHCLELR.
OLAYS,INPUT,SARROT.
EXIT,U.
REPLACE,SARROT/NA.
COST,LO=F.
DAYFILE,SSPRNG.
REPLACE,SSPRNG.
/*EOR.
JOB       290181    1    1 DEVIL CANYON SPRING PMF ON SUSITNA RIVER
CP  1480     4620          GUKGL
CP  2000     3000          BASAV
CP  8810     2401          SUMMIT
CP  9139     2550          GRACIO
CP  9410     2408          TRIMS
CT01  1015   2  0 95       999     100     SMI GL
CT01  1018   2  0 10       2.5 20  5 40 SMI
CT02  1018  12 60 15 75       999 80
CT01  1020   2  0 10  2 20  5 40 SMI
CT02  1020  12 60 15 85     9999 85
CT01  1021   2  0  5 99  5     9999  5 SMI
CT01  1022   2  0       100 99      100     9999      100 SMILK
CT01  2009   2  0 60       0.1 50       0.2 45 BII
CT02  2009          0.3 37       0.4 32       0.5 29      0.6MCKENZ
CT03  2009  27       1.0 20       2.0 10       9999 10
CT01  2011   2  0 50       0.1 47       0.2 45 BII
CT02  2011          0.3 37       0.4 32       0.5 29      0.6
CT03  2011  27  1 20  2  8  3  4
CT04  2011   5  2       999  1
CT01  2012   2  0 70 .5 50  3 20 BII
CT02  2012   5 10 10       .05 99      .05
CT01  2017   2  0       100       1.0 95     9999 95 BIIGL
CT01  3003   2  0  0     .016     .0026      .033     .008 S-SS
CT02  3003          .05      .015      .067      .024      .083      .036      .100MCKENZ
CT03  3003          .05       2.0      1.20       999       999
CT01  3008   2  0  0       .01      .0005       .02      .0015 S-SS
CT02  3008          .03       .003       .04       .005       .05       .008       .06
CT03  3008         .012       .07       .017       .08       .023       .09       .03
CT04  3008          .10       .038       999       999
CT01  3009   2  0  0       .05      .001       0.5       .05  S/SS
CT02  3009          1.0       0.2       9999       9000         GLAC
CT01  4008   2  4      0.03  5      0.09  6      0.11    ETI
CT02  4008   7     0.35  8     0.35  9     0.20
CT01  4009   2  4      0.03        0.05  6      0.06    ETI
CT02  4009   7     0.07  8     0.08  9     0.06       GLAC
CT01  4010   2  4      0.03  5      0.09  6      0.20    ETI
CT02  4010   7     0.45  8     0.45  9     0.20
CT01  5001   2  0       100 .5 30  1 20   KE
CT02  5001          1.5 20       999 20
CT01  6004   2  0       100       100       100     9999      100 SCDGL
CT01  6006   2  0       100  8 80 20 60  SCD
CT02  6006  36 40 59 20       100  0      999
CT03  6006   0
CT01  7005   2  0      0.32       100      0.32     9999     0.32 MELTR
CT01  7009   2  0      0.12       100      0.12     9999     0.12 MELTR
CT01  7010   2  0      0.10 20      0.15 40     0.24 METSUS
CT01  7010  50     0.30 80      0.40       100      0.45     9999
CT02  7010  50       .08       100       .08     9999       .08 MELTG
CT01  7011   2  0       .08       100       .08     9999       .08 MELTG
CB01    10     1          SUSITNA GLACIER
CB02    10  2214  6 4  12 4  24    100 50016004     40091015
CB03    10  2017 10  3009       7011     35 32 33
CB04    10  32000132488810100
CB11    10  2800    0  3000 45 4000  177 5000  359 6000  611 7000  848
```

DATA FILE 2 - ACRES SENSITIVITY ANALYSIS
USING COE SPRING PMF, RAINFALL,
TEMPERATURE AND INITIAL SNOW PACK
CHANGED SSARR MODEL INPUT

FORM 1411-3
PRINTED IN U.S.A.

```
CB01   20    1          SUSITNA NON-GLACIER ABV USGS GAGE
CB02   20  6944  8 4  20 5 156   100 50016006    40081018
CB03   20  2011 10  3008      7005   35 32 33
CB04   20  3200013248810100
C3 1   20  2040   0  3000  277 4000  532 5000  813 6000  928 7000  971
C3 2   20  8000  984 9000  98910000  99813832  9999999999999
CC01   30          SUSITNA RIVER NEAR DENALI CALCULAIED
CR01   55          30-100 ROUT DENALI GAGE TO DENALI DAMSITE
CR02   55   2 2  11
CB01   80          LOCAL ABOVE DENALI DAMSITE  312 SQ MI
CB02   80  3124  3 4   8 5 156   100 50016006    40081018
CB03   80  2009  9  3008      7010   35 32 33
CB04   80  3200005548810100
C3 1   80  2370    6 3000  359 4000  744 5000  971 6000  997 6100  999
C3 2   80  9999999999
CC01   100         DENALI DAMSITE  1260 SQ MI
CR01   125         100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF
CR02   125   3 2  11
CB01   160    1          SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477
CB02   160  4774  3 4   8 5 156   100 50016006    40081018
CB03   160  2009  9  3008      7010   35 32 33
CB04   160  3200006448810100
C3 1   160  2350    0 3000  350 4000  820 5000  964 6000  965 6200  999
C3 2   160  9999999999
CB01   210         MACLAREN GLACIER
CB02   210   443  6 3  12 3  24   100 50016004    40091015
CB03   210  2017 10  3009      7011      35 32 33
CB04   210  3200009748810100
C3 1   210  3150   0  4000  109 5000  241 6000  672 7000  96  8000  998
C3 2   210  8850  9999999999999
CB01   220         MACLAREN NON-GLACIER ABV USGS GAGE
CB02   220  2324  5 4  20 5 156 75 50016006    40081018
CB03   220  2012 10  3003      7005   35 32 33
CB04   220  3200009748810100  0
C3 1   220  2866   0  3000 82 4000  505 5000  801 6000  949 7000  986
C3 2   220  8000  998 8850  9999999999999
CC01   230         MACLAREN RIVER NEAR PAXSON CALCULATED
CR01   255         230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL
CR02   255   6 2  10
CB01   280         MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307
CB02   280  3074  3 4   8 5 156   100 50016006    40081018
CB03   280  2009  9  3008      7010   35 32 33
CB04   280  3200006448810100
C3 1   280  2350    0 3000  498 4000  967 5000  968 5275  9999999999999
CC01   300         CONFLUENCE OF MACLAREN RIVER WITH SUSITNA
CR01   325         300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE
CR02   325   5 2  9
CB01   330         LAKE LOUISE AND SUSITNA LAKE  48 SQ MI
CB02   330  483 15 1   0 1   0   100 50016006    40081022
CB03   330  2009  9  3008      7010   35 32 33
CB04   330  3200006448810100
C3 1   330  2361    0 2363  9999999999999
CR01   335         330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV
CR02   335   3 4 100
CB01   340         TYONE RIVER BASIN 1047 SQ MI
CB02   340 10478 10 8  48 8 200   100 50016006    40101021
CB03   340  2009  9  3008      7010   35 32 33
CB04   340  3200006448810100
C3 1   340  2100    0 3000  687 4000  952 5000  998 5275  9999999999999
CC01   350         COLLECTION ONE MI ABV CONFL OF OSHET & SUS
CR01   375         350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)
CR02   375   1 2  9
CB01   380         OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI
CB02   380  7353  3 4   8 4 .96   100 50016006    40081018
CB03   380  2009  9  3008      7010   35 32 33
```

FORM 1111-3
PRINTED IN U.S.A.

```
C3 1   580  1910     0 2000   2 3000   156 4000   491 5000   784 6000   960
C3 2   580  7000   998 7770   9999999999999
CC01   400     1          SUSITNA NR CANIWELL CAL(VEE DAMSITE) 41405M
CR01   425              400-500 ROUT VEE DAMSITE TO WATANA DAMSITE
CR02   425     4 1   3
CB01   480     1          WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI
CB02   480 10454  8 4  15 5 156   100 50016006    40081020
CB03   480   2009  9  3008       7005   35 32 33
CB04   480   320001948810100
C3 1   480  1450     0 2000  30 3000   277 4000   685 5000   911 6000   989
C3 2   480  7000   989 7200   9999999999999
CC01   500     1          WATANA INFLOW
CL01   501     1          WATANA OUTFLOW
CL02   501          2225   2165
C110   501  2165  34000        8450000 2170    44200     8600000
C111   501  2175  54400        8800000 2180    70800     8950000
C112   501  2185  87000        9100000 2190   103100     9275000
C113   501  2195 119300        9450000 2200   139400     9625000
C114   501  2201 150600        9660000 2202   160700     9695000
C115   501  2203 171800        9730000 2204   182900     9765000
C116   501  2205 193000        9800000 2210   248100    10000000
C117   501  2215 258200       10200000 2220   268300    10400000
C118   501  2225 278400     1060000099999  9999999    99999999
CR01   525     1          500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI
CR02   525     3 1   3
CB01   580     1          TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI
CB02   580  6284  8 4  15 5 156   100 50016006    40081020
CB03   580   2009  9  3008       7005   35 32 33
CB04   580   320001064881010O  0
C3 1   580  910     0 1000  2 2000    84 3000   441 4000   795 5000   962
C3 2   580  6000   998 6910   9999999999999
CC01   600     1          DEVIL CANYON INFLOW
CL01   601     1          DEVIL  CANYON OUTFLOW
CL02   601          1464   1445
C110   601  1445 170000        932500 1446   177000     939000
C111   601  1447 184000        945500 1448   191000     952000
C112   601  1449 198000        958500 14500  205000     965000
C113   601  1451 212000        971500 1452   219000     978000
C114   601  1453 226000        984500 1454   233000     991000
C115   601  1455 240000        997500 1458   261000    1025000
C116   601  1461 282000       1043750 1464   303000    1062500
C117   601  1467 324000       1081250 9999  9999999   9999999
CR01   625              600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD
CR02   625     1 1   3
CB01   680              PORTAGE AND GOLD CREEK LOCAL 345 SQ MI
CB02   680  3454  8 4  15 5 156   100 50016006    40081020
CB03   680   2009  9  3008       7005   35 32 33
CB04   680   320000848810100  0
C3 1   680  677     0 1000 32 2000   261 3000   510 4000   809 5000   971
C3 2   680  6000   998 6018   9999999999999
CC01   700     1          SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM
P      10      50
P      20      30
P      30      55
P      55     100
P      80     100
P     100     125
P     125     300
P     180     300
P     210     250
P     220     230
P     230     255
P     255     300
P     280     300
P     300     325
```

FORM 1413

PRINTED IN U.S.A.

```
P  330  335
P  335  350
P  380  350
P  350  375
P  375  400
P  380  400
P  480  500
P  400  500
P  500  501
P  501  600
P  580  600
P  600  601
P  601  625
P  680  700
P  625  700
P  700
T  14 02057206 14 270672
2B00   10 14 020572    6   30  100   99
2B02   10 14 020572   10   10   10   10  10
2B03   10 14 020572   10   10   10   10  10
2B04   10 14 020572  220  220  220  220 220
2B00   20 14 020572    6   03  100   54
2B02   20 14 020572   10   10   10   10  10
2B03   20 14 020572   20   20   20   20  20
2B04   20 14 020572  170  170  170  170 170  170  170  170
2B00   80 14 020572    6   03  100   23
2B02   80 14 020572    5    5    5    5   5
2B03   80 14 020572    7    7    7    7   7
2B04   80 14 020572   50   50   50   50  50
2B00  180 14 020572    6   03  100   21
2B02  180 14 020572    7    7    7    7   7
2B03  180 14 020572    7    7    7    7   7
2B04  180 14 020572   80   80   80   80  80 80
2B00  210 14 020572    6   30  100   99
2B02  210 14 020572    5    5    5    5   5
2B03  210 14 020572    5    5    5    5   5
2B04  210 14 020572   90   90   90   90  90
2B00  220 14 020572    6   03  100   41
2B02  220 14 020572    5    5    5    5   5
2B03  220 14 020572   10   10   10   10  10
2B04  220 14 020572   65   65   65   65  65 65  65  65
2B00  280 14 020572    6   03  100   20
2B02  280 14 020572    5    5    5    5   5
2B03  280 14 020572    6    6    6    6   6
2B04  280 14 020572   50   50   50   50  50 50
2B00  330 14 020572   20   03  100   15
2B02  330 14 020572   15   15   15   15  15
2B03  330 14 020572    2    2    2    2   2
2B04  330 14 020572    2    2    2    2   2
2B00  340 14 020572    7  300  100   18
2B02  340 14 020572    8    8    8    8   8
2B03  340 14 020572   10   10   10   10  10 10  10  10
2B04  340 14 020572  180  180  180  180 180  180  180  180
2B00  380 14 020572    7   03  100   39
2B02  380 14 020572    6    6    6    6   6
2B03  380 14 020572   10   10   10   10  10
2B04  380 14 020572  130  130  130  130 130
2B00  480 14 020572    9   03  100   38
2B02  480 14 020572   30   30   30   30  30
2B03  480 14 020572   32   32   32   32  32
2B04  480 14 020572  870  870  870  870 870
2L01  581 14 020572 2000 2200 9625000
2B00  580 14 020572    9   03  100   32
2B02  580 14 020572   20   20   20   20  20
2B03  580 14 020572   21   21   21   21  21
```

FORM 1111-2
PRINTED IN U.S.A.

```
2L01   601 14 020572    2000 1450  950000
2B00   680 14 020572       9   03   100   32                                                                    3
2B02   680 14 020572      10   10    10   10  10                                                               4
2B03   680 14 020572      17   17    17   17  17                                                               5
2B04   680 14 020572     280  280   280  280 280                                                               6
4D  6  8810 14 0205724  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32                          7
4D  6  8810  2 0605724  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32                          8
4D  6  8810 14 0905724  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32                          9
4D  6  8810  2 1305724  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32                          10
4D  6  8810 14 1605724  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32                          11
4D  6  8810  2 2005724  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32                          12
4D  6  8810 14 2305724  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32
4D  6  8810  2 2705724  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32
4D  6  8810 14 3005724  32  32  32  32  32  32  32  32
4D  6  8810 14 0106724  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32  32
4D  6  8810  2 0506724  32  32  32  32  32  32  34  36  38  40  42  44  46  48
4D  6  8810 14 0806724  50  53  57  59  61  63  66  66  66  66  63  63  63  63
4D  6  8810  2 1206724  61  61  61  61  60  60  60  60  58  58  58  58  59  59
4D  6  8810 14 1506724  59  59  57  57  57  57  60  60  60  60  64  64  64  64
4D  6  8810  2 1906724  68  68  68  68  70  70  70  70  71  71  71  71  73  73
4D  6  8810 14 2206724  73  73  72  72  72  72  66  66  66  66  63  63  63  63
4D  6  8810  2 2606724  62  62  62  62  61  61  61  61  61  61  61  61  60  60
4D  6  8810 14 2906724  60  60  59  59  59  59  51  51
4D  6  8810 14 0107724  51  51  51  51  53  53  53  53  56  56  56  56  60  60
4D  6  8810  2 0507724  60  60  62  62  62  62  65  65  65  65  63  63  63  63
4D  6  8810 14 0807724  61  61  61  61  59  59  59  59  62  62  62  62  63  63
4D  6  8810  2 1207724  63  63  61  61  61  61  58  58  58  58  55  55  55  55
4D  6  8810 14 1507724  54  54  54  54  51  51  51  51  52  52  52  52  48  48
4D  6  8810  2 1907724  48  48  50  50  50  50  53  53  53  53  52  52  52  52
4D  6  8810 14 2207724  55  55  55  55  56  56  56  56  55  55  55  55  53  53
4D  6  8810  2 2607724  53  53  55  55  55  55  56  56  56  56  54  54  54  54
4D  6  8810 14 2907724  56  56  56  56  55  55  55  55  56  56  56  56
4D  6  8810 14 0108724  451 451 451 451 468 468 468 468 477 477 477 477 455 455
4D  6  8810  2 0508724  455 455 433 433 433 433 367 367 367 367 376 376 376 376
4D  6  8810 14 0808724  424 424 424 424 428 428 428 428 40  40  40  40  40  40
4D  6  8810  2 1208724  40  40  40  40  40  40  392 392 392 392 392 392 392 392
4D  6  8810 14 1508724  414 414 414 414 40  40  40  40  40  40  40  40  40  40
4D  6  8810  2 1908724  40  40  446 446 446 446 424 424 424 424 428 428 428 428
4D  6  8810 14 2208724  432 432 432 432 405 405 405 405 370 370 370 370 388 388
4D  6  8810  2 2608724  388 388 397 397 397 397 374 374 374 374 387 387 387 387
4D  6  8810 14 2908724  361 361 361 361 356 356 356 356 354 354 354 354
4D  6  2000 14 3005723   04  07  17  06  14  29  65  22  04  09  21  07
4D  6  2000  2 1406723   25  50 112  38  60 120 270  90  15  30  67  23
6S  501 14 0205722 22000014 31072 220000
6S  601 14 0205722 14500014 31072 1450
PQ  501I     501O      14 02057214 310772 06 0 400000
PHC 20003 100P         14 02057214 310772 06     10      0
PHC 88104 100T         14 02057214 310772 06     20    120
PEC   501E          14 02057214 310772 06    2165   2215
PQ  601I     601O      14 02057214 310772 06 0 400000
PHC 20003 100P         14 02057214 310772 06     10      0
PHC 88104 100T         14 02057214 310772 06     20    120
PEC   601E          14 02057214 310772 06    1415   1465
/*EOF.
EOF..
```

FORM 1411-3

PRINTED IN U.S.A.

```
JSSARK,T170,CM170000,P02.
USER,5700SD,AALASKA.D.CRAWFORD/716-8537525/AAI,BUFFALO
GET,OLAYS=SSARRB/UN=CFCFLB.
OLAYS,INPUT,SSAR01.
EXIT,U.
REPLACE,SSAR01/NA.
COST,LO=F.
DAYFILE,SSPRNG.
REPLACE,SSPRNG.
/*EOR.
JOB       010475   1   1 DEVIL CANYON SPRING PMF ON SUSITNA RIVER
CP  1480    4620          GOKGL
CP  2000    3000          BASAV
CP  8810    2401          SUMMIT
CP  9139    2550          GRACTO
CP  9410    2408          TRIMS
CT01  1015   2  0 95       999      100     SMI GL
CT01  1018   2  0 10       2.5 20   5 40 SMI
CT02  1018  12 60 15 75       999 80
CT01  1020   2  0 10   2 20   5 40 SMI
CT02  1020  12 60 15 85     9999 85
CT01  1021   2  0  5 99  5     9999  5 SMI
CT01  1022   2  0      100 99      100     9999      100 SMILK
CT01  2009   2  0 60       0.1 50      0.2 45 BII
CT02  2009          0.3 37      0.4 32      0.5 29      0.6MCKENZ
CT03  2009  27       1.0 20      2.0 10      9999 10
CT01  2011   2  0 50       0.1 47      0.2 45 BII
CT02  2011          0.3 37      0.4 32      0.5 29      0.6
CT03  2011  27  1 20   2  8  3  4
CT04  2011   5  2      999  1
CT01  2012   2  0 70 .5 50   3 20 BII
CT02  2012   5 10 10       .05 99      .05
CT01  2017   2  0      100      1.0 95     9999 95 BIIGL
CT01  3003   2  0  0     .016    .0026     .033     .008 S-SS
CT02  3003          .05     .015     .067     .024     .083     .036     .100MCKENZ
CT03  3003          .05      2.0     1.20      999      999
CT01  3008   2  0  0      .01    .0005     .02    .0015 S-SS
CT02  3008          .03     .003     .04     .005     .05     .008     .06
CT03  3008         .012     .07     .017     .08     .023     .09     .03
CT04  3008          .10     .038      999      999
CT01  3009   2  0  0      .05     .001      0.5      .05  S/SS
CT02  3009          1.0      0.2     9999     9000        GLAC
CT01  4008   2  4     0.03  5     0.09  6     0.11   ETI
CT02  4008   7     0.35  8     0.35  9     0.20
CT01  4009   2  4     0.03  5     0.05  6     0.06   ETI
CT02  4009   7     0.07  8     0.08  9     0.06      GLAC
CT01  4010   2  4     0.03  5     0.09  6     0.20   ETI
CT02  4010   7     0.45  8     0.45  9     0.20
CT01  5001   2  0      100 .5 30  1 20   KF
CT02  5001          1.5 20      999 20
CT01  6004   2  0      100      100      100     9999      100 SCDGL
CT01  6006   2  0      100  8 80 20 60  SCD
CT02  6006  36 40 59 20      100  0      999
CT03  6006   0
CT01  7005   2  0     0.32      100     0.32     9999     0.32 MELTR
CT01  7009   2  0     0.12      100     0.12     9999     0.12 MELTR
CT01  7010   2  0     0.10 20     0.15 40    0.24 METSUS
CT02  7010  50     0.30 80     0.40      100     0.45     9999
CT01  7011   2  0      .08      100      .08     9999      .08 MELTG
CB01    10     1          SUSITNA GLACIER
CB02    10  2214   6 4   12 4   24    100 50016004    40091015
CB03    10  2017 10  3009       7011    35 32 33
CB04    10  5200013246810100
CS 1    10  2800   0  3000 45 4000  177 5000  359 6000  611 7000  848
```

FORM 1612

PRINTED IN U.S.A.

```
CR01   20      1          SUSITNA NON-GLACIER ABV USGS GAGE
CB02   20  6444  8 4  20 5 156   100 50016006    40081018
CB03   20  2011 10  3008      7005   35 32 33
CB04   20  3200013248810100
C3 1   20  2440   0  3000  277 4000  532 5000  815 6000  928 7000  971
C3 2   20  8000  964 9000  98910000  99813832  9999999999999
CC01      30      1          SUSITNA RIVER NEAR DENALI CALCULATED
CR01      55      1          30-100 ROUT DENALI GAGE TO DENALI DAMSITE
CR02   55    2 2  11
CB01   80      1          LOCAL ABOVE DENALI DAMSITE  312 SQ MI
CB02   80  3124  3 4   8 5 156   100 50016006    40081018
CB03   80  2009  9  3008      7010   35 32 33
CB04   80  3200005548810100
C3 1   80  2370   0 3000  359 4000  744 5000  971 6000  997 6100  999
C3 2   80 9999999999
CC01     100      1          DENALI DAMSITE  1260 SQ MI
CR01   125      1          100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF
CR02   125    3 2  11
CB01   180      1          SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477
CB02   180  4774  3 4   8 5 156   100 50016006    40081018
CB03   180  2009  9  3008      7010   35 32 33
CB04   180  3200006448810100
C3 1   180  2350   0 3000  350 4000  820 5000  964 6000  965 6200  999
C3 2   180 9999999999
CB01   210      1          MACLAREN GLACIER
CB02   210   443  6 3  12 3  24   100 50016004    40061015
CB03   210  2017 10  3009      7009   9  35 32 33
CB04   210  3200009748810100
C3 1   210  3150   0  4000  109 5000  241 6000  672 7000  96  8000  998
C3 2   210  8850  9999999999999
CB01   220      1          MACLAREN NON-GLACIER ABV USGS GAGE
CB02   220  2324  5 4  20 5 156 75 50016006    40081018
CB03   220  2012 10  3003      7005   35 32 33
CB04   220  3200009748810100  0
C3 1   220  2866   0  3000 82 4000  505 5000  801 6000  949 7000  986
C3 2   220  8000  998 8850  9999999999999
CC01   230      1          MACLAREN RIVER NEAR PAXSON CALCULATED
CR01   255      1          230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL
CR02   255    6 2  10
CB01   280      1          MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307
CB02   280  3074  3 4   8 5 156   100 50016006    40081018
CB03   280  2009  9  3008      7010   35 32 33
CB04   280  3200006448810100
C3 1   280  2350   0 3000  498 4000  967 5000  968 5275  9999999999999
CC01   300      1          CONFLUENCE OF MACLAREN RIVER WITH SUSITNA
CR01   325      1          300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE
CR02   325    5 2  9
CB01   330      1          LAKE LOUISE AND SUSITNA LAKE  48 SQ MI
CB02   330  483 15 1   0 1   0   100 50016006    40081022
CB03   330  2009  9  3008      7010   35 32 33
CB04   330  3200006448810100
C3 1   330  2361   0 2365  9999999999999
CR01   335      1          330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV
CR02   335    3 4 100
CB01   340      1          TYONE RIVER BASIN 1047 SQ MI
CB02   340 10478 10 8  48 8 200   100 50016006    40101021
CB03   340  2009  9  3008      7010   35 32 33
CB04   340  3200006448810100
C3 1   340  2100   0 3000  687 4000  952 5000  998 5275  9999999999999
CC01   350      1          COLLECTION ONE MI ABV CONFL OF OSHET & SUS
CR01   375      1          350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(0)
CR02   375    1 2  9
CB01   380      1          OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI
CB02   380  7353  3 4   8 4  96   100 50016006    40081018
CB03   380  2009  9  3008      7010   35 32 33
```

DATA FILE.3 - ACRES SENSITIVITY ANALYSIS
USING COE SPRING PMF, RAINFALL AND
INITIAL SNOW PACK CHANGED
SSARR MODEL INPUT

FORM 1413-3

PRINTED IN U.S.A.

```
C3 1   380  1910     0 2000   2 3000   156 4000   491 5000   784 6000. 960
C3 2   380  7000   998 7770   9999999999999
CC01   400     1          SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M
CR01   425     1            400-500 ROUT VEE DAMSITE TO WATANA DAMSITE
CR02   425     4 1    3
CB01   480     1          WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI
CB02   480 10454   8 4   15 5 156    100 50016006     40081020
CB03   480  2009   9   3008        7005     35 32 33
CB04   480  32000139488101 00
C3 1   480  1450     0 2000  30 3000   277 4000   683 5000   911 6000   989
C3 2   480  7000   989 7200   9999999999999
CC01   500     1          WATANA INFLOW
CL01   501     1          WATANA OUTFLOW
CL02   501          2225    2165
C110   501  2165  34000          8450000 2170     40200     8600000
C111   501  2175  54400          8800000 2180     70800     8950000
C112   501  2185  87000          9100000 2190    103100     9275000
C113   501  2195 119300          9450000 2200    139400     9625000
C114   501  2201 150600          9660000 2202    160700     9695000
C115   501  2203 171800          9730000 2204    182900     9765000
C116   501  2205 193000          9800000 2210    248100    10000000
C117   501  2215 258200         10200000 2220    268300    10400000
C118   501  2225 278400         10600000999999  9999999    99999999
CR01   525     1          500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI
CR02   525     3 1    3
CB01   580     1          TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI
CB02   580  6284   8 4   15 5 156    100 50016006     40081020
CB03   580  2009   9   3008        7005     35 52 33
CB04   580  32000106488101 00
C3 1   580  910     0 1000   2 2000    84 3000   441 4000   795 5000   962
C3 2   580  6000   998 6910   9999999999999
CC01   600     1          DEVIL CANYON INFLOW
CL01   601     1          DEVIL  CANYON OUTFLOW
CL02   601          1464    1445
C110   601  1445 170000          932500 1446     177000     939000
C111   601  1447 184000          945500 1448     191000     952000
C112   601  1449 198000          958500 14500    205000     965000
C113   601  1451 212000          971500 1452     219000     978000
C114   601  1453 226000          984500 1454     233000     991000
C115   601  1455 240000          997500 1458     261000    1025000
C116   601  1461 282000         1043750 1464     303000    1062500
C117   601  1467 324000         1081250 9999  9999999     9999999
CR01   625     1            600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD
CR02   625     1 1    3
CB01   680     1          PORTAGE AND GOLD CREEK LOCAL 345 SQ MI
CB02   680  3454   8 4   15 5 156    100 50016006     40081020
CB03   680  2009   9   3008        7005     35 52 33
CB04   680  32000098488101 00   0
C3 1   680  677     0 1000  52 2000   261 3000   510 4000   809 5000   971
C3 2   680  6000   998 6018   9999999999999
CC01   700     1          SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM
P      10      30
P      20      30
P      30      55
P      55     100
P      80     100
P     100     125
P     125     300
P     180     300
P     210     230
P     220     230
P     230     255
P     255     300
P     280     300
P     300     325
```

FORM 1411-3

PRINTED IN U.S.A.

```
P  330  355
P  335  350
P  340  350
P  350  375
P  375  400
P  380  400
P  486  500
P  400  500
P  506  501
P  501  600
P  580  600
P  600  601
P  601  625
P  680  709
P  625  700
P  700
T  14 020572206 14 270672
2B00   10 14 020572    6   30  160   99
2B02   10 14 020572   10   10   10   10   10
2B03   10 14 020572   10   10   10   10   10
2B04   10 14 020572  220  220  220  220  220
2B00   20 14 020572    6   03  100   54
2B02   20 14 020572   10   10   10   10   10
2B03   20 14 020572   20   20   20   20   20
2B04   20 14 020572  170  170  170  170  170  170  170  170
2B00   80 14 020572    6   03  100   23
2B02   80 14 020572    5    5    5    5    5
2B03   80 14 020572    7    7    7    7    7
2B04   80 14 020572   50   50   50   50   50
2B00  180 14 020572    6   03  100   21
2B02  180 14 020572    7    7    7    7    7
2B03  180 14 020572    7    7    7    7    7
2B04  180 14 020572   80   80   80   80   80  80
2B00  210 14 020572    6   03  100   99
2B02  210 14 020572    5    5    5    5    5
2B03  210 14 020572    5    5    5    5    5
2B04  210 14 020572   90   90   90   90   90
2B00  220 14 020572    6   03  100   41
2B02  220 14 020572    5    5    5    5    5
2B03  220 14 020572   10   10   10   10   10
2B04  220 14 020572   65   65   65   65   65  65   65   65
2B00  280 14 020572    6   03  100   20
2B02  280 14 020572    5    5    5    5    5
2B03  280 14 020572    6    6    6    6    6
2B04  280 14           50   50   50   50   50  50
2B00  330 14 [illegible]2   20   03  100   15
2B02  330 14 0[illegible]72   15   15   15   15   15
2B03  330 14 020572    2    2    2    2    2
2B04  330 14 020572    2    2    2    2    2
2B00  340 14 020572    7  300  100   18
2B02  340 14 020572    8    8    8    8    8
2B03  340 14 020572   10   10   10   10   10  10   10   10
2B04  340 14 020572  180  180  180  180  180  180  180  180
2B00  380 14 020572    7   03  100   39
2B02  380 14 020572    6    6    6    6    6
2B03  380 14 020572   10   10   10   10   10
2B04  380 14 020572  130  130  130  130  130
2B00  480 14 020572    9   03  100   38
2B02  480 14 020572   30   30   30   30   30
2B03  480 14 020572   32   32   32   32   32
2B04  480 14 020572   [illegible]0  870  870  870  870
2B01  501 14 020572 2000 2200 9625000
2B00  580 14 020572    9   03  100   32
2B02  580 14 020572   20   20   20   20   20
2B03  580 14 020572   21   21   21   21   21
```

FORM 1811-3

PRINTED IN U.S.A.

```
2L01   601 14 020572    2000 1450  950000
2800   680 14 020572       9   03   100   32
2802   680 14 020572      10   10    10   10  10
2803   680 14 020572      17   17    17   17  17
2804   680 14 020572     280  280   280  280 280
4D   6 8810 14 0205724 34 34 34 34 28 28 28 28 30 30 30 30 32 32
4D   6 8810  2 0605724 32 32 34 34 34 34 31 31 31 31 27 27 27 27
4D   6 8810 14 0905724 26 26 26 26 28 28 28 28 34 34 34 34 36 36
4D   6 8810  2 1305724 36 36 36 36 36 36 32 32 32 32 31 31 31 31
4D   6 8810 14 1605724 30 30 30 30 30 30 30 30 39 39 39 39 36 36
4D   6 8810  2 2005724 36 36 38 38 38 38 36 36 36 36 32 32 32 32
4D   6 8810 14 2305724 35 35 35 35 35 35 35 35 37 37 37 37 33 33
4D   6 8810  2 2705724 33 33 37 37 37 37 41 41 41 41 37 37 37 37
4D   6 8810 14 3005724 33 33 33 33 31 37 35 35
4D   6 8810 14 0106724 35 35 38 38 38 38 35 35 35 35 38 38 38 38
4D   6 8810  2 0506724 42 42 42 42 47 47 47 47 52 52 52 52 57 57
4D   6 8810 14 0806724 57 57 58 58 58 58 57 57 57 57 54 54 54 54
4D   6 8810  2 1206724 52 52 52 52 51 51 51 51 49 49 49 49 50 50
4D   6 8810 14 1506724 50 50 48 48 48 48 51 51 51 51 55 55 55 55
4D   6 8810  2 1906724 59 59 59 59 65 65 65 65 71 71 71 71 73 73
4D   6 8810 14 2206724 73 73 72 72 72 72 66 66 66 66 63 63 63 63
4D   6 8810  2 2606724 62 62 62 62 61 61 61 61 61 61 61 61 60 60
4D   6 8810 14 2906724 60 60 59 59 59 59 51 51
4D   6 8810 14 0107724 51 51 51 51 53 53 53 53 56 56 56 56 60 60
4D   6 8810  2 0507724 60 60 62 62 62 62 65 65 65 65 63 63 63 63
4D   6 8810 14 0807724 61 61 61 61 59 59 59 59 62 62 62 62 63 63
4D   6 8810  2 1207724 63 63 61 61 61 61 58 58 58 58 55 55 55 55
4D   6 8810 14 1507724 54 54 54 54 51 51 51 51 52 52 52 52 48 48
4D   6 8810  2 1907724 48 48 50 50 50 50 53 53 53 53 52 52 52 52
4D   6 8810 14 2207724 55 55 55 55 56 56 56 56 55 55 55 55 53 53
4D   6 8810  2 2607724 53 53 55 55 55 55 56 56 56 56 54 54 54 54
4D   6 8810 14 2907724 56 56 56 56 55 55 55 55 56 56 56 56
4D   6 8810 14 0108724 451 451 451 451 468 468 468 468 477 477 477 477 455 455
4D   6 8810  2 0508724 455 455 433 433 433 433 367 367 367 367 376 376 376 376
4D   6 8810 14 0808724 424 424 424 424 428 428 428 428 40  40  40  40  40  40
4D   6 8810  2 1208724 40  40  40  40  40  40  392 392 392 392 392 392 392 392
4D   6 8810 14 1508724 414 414 414 414 40  40  40  40  40  40  40  40  40  40
4D   6 8810  2 1908724 40  40  446 446 446 446 424 424 424 424 428 428 428 428
4D   6 8810 14 2208724 432 432 432 432 405 405 405 405 370 370 370 370 388 388
4D   6 8810  2 2608724 388 388 397 397 397 397 374 374 374 374 387 387 387 387
4D   6 8810 14 2908724 361 361 361 361 356 356 356 356 354 354 354 354
4D   6 2000 14 3005723  04  07  17  06  21  29  65  22  04  09  21  07
4D   6 2000  2 1406723  25  50 112  38  60 120 270  90  15  30  67  23
6S   501 14 0205722 22000014 31072 220000
6S   601 14 0205722 14500014 31072 1450
PQ   5001    5010      14 02057214 310772 06 0 400000
PHC 20003 100P         14 02057214 310772 06    10      0
PHC 88104 100T         14 02057214 310772 06    20    120
PEC   501F          14 02057214 310772 06   2165   2215
PQ   6001    6010      14 02057214 310772 06 0 400000
PHC 20003 100P         14 02057214 310772 06    10      0
PHC 88104 100T         14 02057214 310772 06    20    120
PEC   601F          14 02057214 310772 06   1415   1465
/*EOF.
EOF..
```

FORM 1113-S

PRINTED IN U.S.A.

```
JSSARR,T170,CM170000,P01.
USER,5700SU,AALASKA.D.CRAWFORD/716-8537525/AAI,BUFFALO
GET,OLAYS=SSARR6/UN=CFCELB.
OLAYS,INPUT,SSAROT.
EXIT,0.
REPLACE,SSAROT/NA.
COST,LO=F.
DAYFILE,SSPRNG.
REPLACE,SSPRNG.
/*EOR.
JOB      010475   1   1 DEVIL CANYON SPRING PMF ON SUSITNA RIVER
CP  1480    4620          GUKGL
CP  2000    3000          BASAV
CP  8810    2401          SUMMIT
CP  9139    2550          GRACIO
CP  9410    2408          TRIMS
CT01  1015   2  0 95      999     100    SMI GL
CT01  1018   2  0 10      2.5 20  5 40 SMI
CT02  1018  12 60 15 75     999 80
CT01  1020   2  0 10  2 20  5 40 SMI
CT02  1020  12 60 15 85    9999 85
CT01  1021   2  0  5 99  5    9999  5 SMI
CT01  1022   2  0     100 99     100    9999     100 SMILK
CT01  2009   2  0 60     0.1 50     0.2 45 BII
CT02  2009        0.3 37     0.4 32     0.5 29     0.6MCKENZ
CT03  2009  27     1.0 20     2.0 10    9999 10
CT01  2011   2  0 50     0.1 47     0.2 45 BII
CT02  2011        0.3 37     0.4 32     0.5 29     0.6
CT03  2011  27  1 20  2  8  3  4
CT04  2011   5  2     999  1
CT01  2012   2  0 70 .5 50  3 20 BII
CT02  2012   5 10 10     .05 99     .05
CT01  2017   2  0     100     1.0 95    9999 95 BIIGL
CT01  3003   2  0  0    .016    .0026    .033    .008 S-SS
CT02  3003       .05    .015    .067    .024    .083    .036    .100MCKENZ
CT03  3003       .05     2.0    1.20     999     999
CT01  3006   2  0  0    .01    .0005    .02   .0015 S-SS
CT02  3006       .03    .003    .04    .005    .05    .008    .06
CT03  3006      .012    .07    .017    .08    .023    .09    .03
CT04  3006      .10    .038     999     999
CT01  3009   2  0  0    .05    .001    0.5    .05  S/SS
CT02  3009       1.0     0.2    9999    9000      GLAC
CT01  4006   2  4    0.03  5    0.09  6    0.11   ETI
CT02  4006   7    0.35  8    0.35  9    0.20
CT01  4009   2  4    0.03  5    0.05  6    0.06   ETI
CT02  4009   7    0.07  8    0.08  9    0.06     GLAC
CT01  4010   2  4    0.03  5    0.09  6    0.20   ETI
CT02  4010   7    0.45  8    0.45  9    0.20
CT01  5001   2  0     100 .5 30  1 20   KE
CT02  5001       1.5 20     999 20
CT01  6004   2  0     100     100     100    9999     100 SCDGL
CT01  6006   2  0     100  8 80 20 60  SCD
CT02  6006  36 40 59 20     100  0     999
CT03  6006   0
CT01  7005   2  0     0.32     100    0.32    9999    0.32 MELTR
CT01  7009   2  0     0.12     100    0.12    9999    0.12 MELTR
CT01  7010   2  0     0.10 20    0.15 40    0.24 MELSUS
CT02  7010  50    0.30 80    0.40     100    0.45    9999
CT01  7011   2  0     .08     100     .08    9999     .08 MELTG
CR01    10      1        SUSITNA GLACIER
CB02    10  2214  6 4  12 0  24   100 50016004    40091015
CB03    10   2017 10  3009      7011   35 32 33
CB04    10  3200015248010100
C3 1    10  2800   0  3000 45 4000  177 5000  359 6000  611 7000  848
```

DATA FILE 4 - COE SPRING PMF SSARR INPUT

FORM 1013-3
PRINTED IN U.S.A.

```
CB01   20      1          SUSITNA NON-GLACIER ABV USGS GAGE
CB02   20  6944  8 4  20 5 156   100 50016006    40081018
CB03   20  2011 10  3008       7005   35 32 33
CB04   20  3200013248810100
C3 1   20  2440   0  3000  277 4000  532 5000  81[illegible] 5000  928 7000  971
C3 2   20  8000  984 9000  98910000  99813832  9999999999999
CC01       30      1          SUSITNA RIVER NEAR DENALI CALCULATED
CR01       55      1          30-100 ROUT DENALI GAGE TO DENALI DAMSITE
CR02   55      2 2  11
CB01   80      1          LOCAL ABOVE DENALI DAMSITE  312 SQ MI
CB02   80  3124  3 4   8 5 156   100 50016006    40081018
CB03   80  2009  9  3008       7010   35 32 33
CB04   80  3200005548810100
C3 1   80  2370   0 3000  359 4000  744 5000  971 6000  997 6100  999
C3 2   80 9999999999
CC01     100      1          DENALI DAMSITE  1260 SQ MI
CR01   125      1          100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF
CR02   125      3 2  11
CB01   180      1          SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477
CB02   180  4774  3 4   8 5 156   100 50016006    40081018
CB03   180  2009  9  3008       7010   35 32 33
CB04   180  3200006448810100
C3 1   180  2350   0 3000  350 4000  320 5000  964 6000  965 6200  999
C3 2   180 9999999999
CB01   210      1          MACLAREN GLACIER
CB02   210   443  6 3   12 3  24   100 50016004    40091015
CB03   210  2017 10  3009       7011      35 32 33
CB04   210  3200009748810100
C3 1   210  3150   0  4000  109 5000  241 6000  672 7000  96  8000  998
C3 2   210  8850  9999999999999
CB01   220      1          MACLAREN NON-GLACIER ABV USGS GAGE
CB02   220  2324  5 4   20 5 156 75 50016006    40081018
CB03   220  2012 10  3003       7005   35 32 33
CB04   220  3200009748810100  0
C3 1   220  2866   0  3000 82 4000  505 5000  801 6000  949 7000  986
C3 2   220  8000  998 8850  9999999999999
CC01   230      1          MACLAREN RIVER NEAR PAXSON CALCULATED
CR01   255      1          230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL
CR02   255      6 2  10
CB01   280      1          MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307
CB02   280  3074  3 4   8 5 156   100 50016006    40081018
CB03   280  2009  9  3008       7010   35 32 33
CB04   280  3200006448810100
C3 1   260  2350   0 3000  498 4000  967 5000  968 5275  9999999999999
CC01   300      1          CONFLUENCE OF MACLAREN RIVER WITH SUSITNA
CR01   325      1          300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE
CR02   325      5 2   9
CB01   330      1          LAKE LOUISE AND SUSITNA LAKE  48 SQ MI
CB02   330   483 15 1   0 1   0   100 50016006    40081022
CB03   330  2009  9  3008       7010   35 32 33
CB04   330  3200006448810100
C3 1   330  2561   0 2363  9999999999999
CR01   335      1          330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV
CR02   335      3 4 100
CB01   340      1          TYONE RIVER BASIN 1047 SQ MI
CB02   340 10478 10 8  48 8 200   100 50016006    40101021
CB03   340  2009  9  3008       7010   35 32 33
CB04   340  3200006448810100
C3 1   340  2100   0 3000  687 4000  952 5000  998 5275  9999999999999
CC01   350      1          COLLECTION ONE MI ABV CONFL OF OSHET & SUS
CR01   375      1          350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)
CR02   375      1 2   9
CB01   380      1          OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI
CB02   380  7353  3 4   8 4  96   100 50016006    40081018
CB03   380  2009  9  3008       7010   35 32 33
```

FORM 1613

PRINTED IN U.S.A.

```
C3 1   380 1410    0 2000  2 3000  156 4000  491 5000  784 6000  960
C3 2   380 7000  998 7770  9999999999999
CC01   400    1          SUSITNA NR GANTWELL CAL(VEE DAMSITE) 41405M
CR01   425    1            400-500 ROUT VEE DAMSITE TO WATANA DAMSITE
CR02   425    4 1   3
CB01   480    1          WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI
CB02   480 10454  8 4  15 5 156   100 50016006    40081020
CB03   480  2009  9  3008      7005   35 32 33
CB04   480  3200013948810100
C3 1   480 1450    0 2000 30 3000  277 4000  683 5000  911 6000  989
C3 2   480 7000  989 7200  9999999999999
CC01   500    1          WATANA INFLOW
CL01   501    1          WATANA OUTFLOW
CL02   501         2225   2165
C110   501 2165  34000       8450900 2170    44200     8600000
C111   501 2175  54400       8800000 2180    70800     8950000
C112   501 2185  87000       9100000 2190   103100     9275000
C113   501 2195 119300       9450000 2200   139400     9625000
C114   501 2201 150600       9660000 2202   160700     9695000
C115   501 2203 171800       9730000 2204   182900     9765000
C116   501 2205 193000       9800000 2210   248100    10000000
C117   501 2215 258200      10200000 2220   268300    10400000
C118   501 2225 278400    1060000099999  9999999    99999999
CR01   525    1          500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI
CR02   525    3 1   3
CB01   580    1          TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI
CB02   580 6284  8 4  15 5 156   100 50016006    40081020
CB03   580  2009  9  3008      7005   35 32 33
CB04   580  3200010648810100  0
C3 1   580 910    0 1000  2 2000   84 3000  441 4000  795 5000  962
C3 2   580 6000  998 6910  9999999999999
CC01   600    1          DEVIL CANYON INFLOW
CL01   601    1          DEVIL CANYON OUTFLOW
CL02   601         1464   1445
C110   601 1445 170000       932500 1446   177000     939000
C111   601 1447 184000       945500 1448   191000     952000
C112   601 1449 198000       958500 14500  205000     965000
C113   601 1451 212000       971500 1452   219000     978000
C114   601 1453 226000       984500 1454   233000     991000
C115   601 1455 240000       997500 1458   261000    1025000
C116   601 1461 282000      1043750 1464   303000    1062500
C117   601 1467 324000      1081250 9999  9999999    9999999
CR01   625    1            600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD
CR02   625    1 1   5
CB01   680    1          PORTAGE AND GOLD CREEK LOCAL 345 SQ MI
CB02   680 3454  8 4  15 5 156   100 50016006    40081020
CB03   680  2009  9  3008      7005   35 32 33
CB04   680  3200008848810100  0
C5 1   680 677    0 1000 32 2000  261 3000  510 4000  809 5000  971
C3 2   680 6000  998 6018  9999999999999
CC01   700    1          SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM
P   10   30
P   20   30
P   30   55
P   55  100
P   80  100
P  100  125
P  125  300
P  180  300
P  210  230
P  220  230
P  230  255
P  255  300
P  280  300
P  300  325
```

FORM 1413-3

PRINTED IN U.S.A.

```
P   330     335
P   335     350
P   340     350
P   350     375
P   375     400
P   380     400
P   480     500
P   400     500
P   500     501
P   501     600
P   580     600
P   600     601
P   601     625
P   680     700
P   625     700
P   700
I   14 020572206 14 270672
2B00     10 14 020572      6    30  100   99
2B02     10 14 020572     10    10   10   10  10
2B03     10 14 020572     10    10   10   10  10
2B04     10 14 020572    220   220  220  220 220
2B00     20 14 020572      6    03  100   36
2B02     20 14 020572     10    10   10   10  10
2B03     20 14 020572     20    20   20   20  20
2B04     20 14 020572    170   170  170  170 170  170  170  170
2B00     80 14 020572      6    03  100   15
2B02     80 14 020572      5     5    5    5   5
2B03     80 14 020572      7     7    7    7   7
2B04     80 14 020572     50    50   50   50  50
2B00    180 14 020572      6    03  100   14
2B02    180 14 020572      7     7    7    7   7
2B03    180 14 020572      7     7    7    7   7
2B04    180 14 020572     80    80   80   80  80 80
2B00    210 14 020572      6    30  100   99
2B02    210 14 020572      5     5    5    5   5
2B03    210 14 020572      5     5    5    5   5
2B04    210 14 020572     90    90   90   90  90
2B00    220 14 020572      6    03  100   27
2B02    220 14 020572      5     5    5    5   5
2B03    220 14 020572     10    10   10   10  10
2B04    220 14 020572     65    65   65   65  65 65   65   65
2B00    280 14 020572      6    03  100   13
2B02    280 14 020572      5     5    5    5   5
2B03    280 14 020572      6     6    6    6   6
2B04    280 14 020572     50    50   50   50  50 50
2B00    330 14 020572     20    03  100   10
2B02    330 14 020572     15    15   15   15  15
2B03    330 14 020572      2     2    2    2   2
2B04    330 14 020572      2     2    2    2   2
2B00    340 14 020572      7   300  100   12
2B02    340 14 020572      8     8    8    8   8
2B03    340 14 020572     10    10   10   10  10 10   10   10
2B04    340 14 020572    180   180  180  180 180  180  180  180
2B00    380 14 020572      7    03  100   26
2B02    380 14 020572      6     6    6    6   6
2B03    380 14 020572     10    10   10   10  10
2B04    380 14 020572    130   130  130  130 130
2B00    480 14 020572      9    03  100  255
2B02    480 14 020572     30    30   30   30  30
2B03    480 14 020572     32    32   32   32  32
2B04    480 14 020572    870   870  870  870 870
2L01    501 14 020572   2000 2200 9625000
2B00    580 14 020572      9    03  100   21
2B02    580 14 020572     20    20   20   20  20
2B03    580 14 020572     21    21   21   21  21
```

FORM 1411-S
PRINTED IN U.S.A.

```
2L01    601 14 020572     2000 1430  950000
2800    680 14 020572        9    03  100   215
2802    680 14 020572       10    10   10    10  10
2803    680 14 020572       17    17   17    17  17
2804    680 14 020572      280   280  280   280 280
4D   6  8810 14 0205724 34 34 34 34 28 28 28 28 30 30 30 30 32 32
4D   6  8810  2 0605724 32 32 34 34 34 34 31 31 31 31 27 27 27 27
4D   6  8810 14 0905724 26 26 26 26 28 28 28 28 34 34 34 34 36 36
4D   6  8810  2 1305724 36 36 36 36 36 36 32 32 32 32 31 31 31 31
4D   6  8810 14 1605724 30 30 30 30 30 30 30 30 39 39 39 39 36 36
4D   6  8810  2 2005724 36 36 38 38 38 38 36 36 36 36 32 32 32 32
4D   6  8810 14 2305724 35 35 35 35 35 35 35 35 37 37 37 37 33 33
4D   6  8810  2 2705724 33 33 37 37 37 37 41 41 41 41 37 37 37 37
4D   6  8810 14 3005724 33 33 33 33 31 37 35 35
4D   6  8810 14 0106724 35 35 38 38 38 38 35 35 35 35 38 38 38 38
4D   6  8810  2 0506724 42 42 42 42 47 47 47 47 52 52 52 52 57 57
4D   6  8810 14 0806724 57 57 58 58 58 58 57 57 57 57 54 54 54 54
4D   6  8810  2 1206724 52 52 52 52 51 51 51 51 49 49 49 49 50 50
4D   6  8810 14 1506724 50 50 48 48 48 48 51 51 51 51 55 55 55 55
4D   6  8810  2 1906724 59 59 59 59 65 65 65 65 71 71 71 71 73 73
4D   6  8810 14 2206724 73 73 72 72 72 72 66 66 66 66 63 63 63 63
4D   6  8810  2 2606724 62 62 62 62 61 61 61 61 61 61 61 61 60 60
4D   6  8810 14 2906724 60 60 59 59 59 59 51 51
4D   6  8810 14 0107724 51 51 51 51 53 53 53 53 56 56 56 56 60 60
4D   6  8810  2 0507724 60 60 62 62 62 62 65 65 65 65 63 63 63 63
4D   6  8810 14 0807724 61 61 61 61 59 59 59 59 62 62 62 62 63 63
4D   6  8810  2 1207724 63 63 61 61 61 61 58 58 58 58 55 55 55 55
4D   6  8810 14 1507724 54 54 54 54 51 51 51 51 52 52 52 52 48 48
4D   6  8810  2 1907724 48 48 50 50 50 50 53 53 53 53 52 52 52 52
4D   6  8810 14 2207724 55 55 55 55 56 56 56 56 55 55 55 55 53 53
4D   6  8810  2 2607724 53 53 55 55 55 55 56 56 56 56 54 54 54 54
4D   6  8810 14 2907724 56 56 56 56 55 55 55 55 56 56 56 56
4D   6  8810 14 0108724 451 451 451 451 468 468 468 468 477 477 477 477 455 455
4D   6  8810  2 0508724 455 455 433 433 433 433 367 367 367 367 376 376 376 376
4D   6  8810 14 0808724 424 424 424 424 428 428 428 428 40 40 40 40 40 40
4D   6  8810  2 1208724 40 40 40 40 40 40 392 392 392 392 392 392 392 392
4D   6  8810 14 1508724 414 414 414 414 40 40 40 40 40 40 40 40 40 40
4D   6  8810  2 1908724 40 40 446 446 446 446 424 424 424 424 428 428 428 428
4D   6  8810 14 2208724 432 432 432 432 405 405 405 405 370 370 370 370 388 388
4D   6  8810  2 2608724 388 388 397 397 397 397 374 374 374 374 387 387 387 387
4D   6  8810 14 2908724 361 361 361 361 356 356 356 356 354 354 354 354
4D   6  2000 14 3005723  04  07  17  06  21  29  65  22  04  09  21  07
4D   6  2000  2 1406723  18  35  78  27  42  84 189  63  10  21  47  16
6S   501 14 0205722 22000014 31072 220000
6S   601 14 0205722 14500014 31072 1450
PQ   5001     5010      14 02057214 310772 06 0 400000
PHC 20003 100P         14 02057214 310772 06     10       0
PHC 88104 1001         14 02057214 310772 06     20     120
PEC   501F          14 02057214 310772 06   2165   2215
PQ   6001     6010      14 02057214 310772 06 0 400000
PHC 20003 100P         14 02057214 310772 06     10       0
PHC 88104 1001         14 02057214 310772 06     20     120
PEC   601F          14 02057214 310772 06   1415   1465
/*EOF.
EOF..
```

FORM 6411-3

PRINTED IN U.S.A.

```
JOB       010675    1    1 DEVILS CANYON SUMMER OPT ON SUSITNA RIVR
CP  1480     4620          GUKGL
CP  2000     3000          BASAV
CP  8811     2401          SUMMIT
CP  9139     2550          GRACIO
CP  9410     2408          TRIMS
CT01  1015   2  0 95       999      100     SMI GL
CT01  1018   2  0 10       2.5 20   5 40 SMI
CT02  1018  12 60 15 75      999 80
CT01  1020   2  0 10   2 20   5 40 SMI
CT02  1020  12 60 15 65     9999 85
CT01  1021   2  0  5 99  5     9999  5 SMI
CT01  1022   2  0       100 99       100     9999      100 SMILK
CT01  2009   2  0 60      0.1 50      0.2 45 BII
CT02  2009        0.3 37      0.4 32      0.5 29      0.6MCKENZ
CT03  2009  27     1.0 20      2.0 10     9999 10
CT01  2011   2  0 50      0.1 47      0.2 45 BII
CT02  2011        0.3 37      0.4 32      0.5 29      0.6
CT03  2011  27  1 20   2  8   3  4
CT04  2011   5  2      999  1
CT01  2012   2  0 70 .5 50   3 20 BII
CT02  2012   5 10 10      .05 99      .05
CT01  2017   2  0       100       1.0 95     9999 95 BIIGL
CT01  3003   2  0  0     .016    .0026     .033     .008 S-SS
CT02  3003        .05     .015     .067     .024     .083     .036     .100MCKENZ
CT03  3003        .05      2.0     1.20      999      999
CT01  3008   2  0  0      .01    .0005      .02    .0015 S-SS
CT02  3008        .03     .003      .04     .005      .05     .008      .06
CT03  3008       .012      .07     .017      .08     .023      .09      .03
CT04  3008        .10     .038      999      999
CT01  3009   2  0  0      .05     .001       0.5      .05  S/SS
CT02  3009       1.0       0.2     9999     9000       GLAC
CT01  4008   2  4     0.03  5     0.09  6     0.11   ETI
CT02  4008   7     0.35  8     0.35  9     0.20
CT01  4009   2  4     0.03  5     0.05  6     0.06   ETI
CT02  4009   7     0.07  8     0.08  9     0.06      GLAC
CT01  4010   2  4     0.03  5     0.09  6     0.20   ETI
CT02  4010   7     0.45  8     0.45  9     0.20
CT01  5001   2  0       100 .5 30   1 20   KE
CT02  5001         1.5 20      999 20
CT01  6004   2  0       100      100      100     9999      100 SCDGL
CT01  6006   2  0       100   8 80 20 60   SCD
CT02  6006  36 40 59 20      100   0      999
CT03  6006   0
CT01  7005   2  0      0.32      100     0.32     9999     0.32 MELTR
CT01  7009   2  0      0.12      100     0.12     9999     0.12 MELTR
CT01  7010   2  0      0.10 20     0.15 40    0.24 METSUS
CT02  7010  50     0.50 80     0.40      100     0.45     9999
CT01  7011   2  0       .08      100      .08     9999      .08 MELTG
CB01    10     1          SUSITNA GLACIER
CB02    10  2214  6 4   12 4   24    100 50016004     40091015
CB03    10  2017 10  3009       7011    35 32 33
CB04    10  32000152014801003148011 5
C3 1    10  2800    0  3000 45 4000  177 5000  359 6000  611 7000  848
C3 2    10  8000  961 9000  99813832  999999999999
CB01    20     1          SUSITNA NON-GLACIER ABV USGS GAGE
CB02    20  6944  8 4   20 5 156    100 50016006     40081018
CB03    20  2011 10  3008       7005    35 32 33
CB04    20  32006015248811100314801 0
C3 1    20  2440    0  3000  277 4000  532 5000  813 6000  928 7000  971
C3 2    20  8810  964 9000  99810000  99813832  999999999999
CC01    30     1          SUSITNA RIVER NEAR DENALI CALCULATED
CR01    55     1          30-100 ROUT DENALI GAGE TO DENALI DAMSITE
CR02    55     2 2  11
```

FORM 1411-S

PRINTED IN U.S.A.

```
CB02    80   3124  3 4    8 5 156    300 50016006     40081018
CB03    80   2009  9 3008       7010    35 32 33
CB04    80   32000 5 4888111003139 90
C3 1    80 2370     0 3000  359 4000  744 5000  971 6000  997 6100  999
C3 2    80 9999999999
CC01   100    1          DENALI DAMSITE  1260 SQ MI
CR01   125    1          100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF
CR02   125    3 2  11
CB01   180    1          SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477
CB02   180   4774  3 4    8 5 156    100 50016006     40081018
CB03   180   2009  9 3008       7010    35 32 33
CB04   180   32000 64488111039139 90
C3 1   180 2350     0 3000  350 4000  820 5000  964 6000  965 6200  999
C3 2   180 9999999999
CB01   210    1          MACLAREN GLACIER
CB02   210    445  6 3   12 3  24    100 50016004     40061015
CB03   210   2017 10 3009       7009    9  35 32 33
CB04   210   32000 9741480100314801 00
C3 1   210 3150     0  4000  109 5000  241 6000  672 7000  96  8000  998
C3 2   210 8850  9999999999999
CB01   220    1          MACLAREN NON-GLACIER ABV USGS GAGE
CB02   220   2324  5 4   20 5 156 75 50016006     40081018
CB03   220   2012 10 3003       7005    35 32 33
CB04   220   32000 9748811100314801 00
C3 1   220 2866     0  3000 82 4000  505 5000  801 6000  949 7000  986
C3 2   220 8000  998 8850  9999999999999
CC01   230    1          MACLAREN RIVER NEAR PAXSON CALCULATED
CR01   255    1          230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL
CR02   255    6 2  10
CB01   280    1          MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 707
CB02   280   3074  3 4    8 5 156    100 50016006     40081018
CB03   280   2009  9 3008       7010    35 32 33
CB04   280   32000 64488111003913 9 90
C3 1   280 2350     0 3000  498 4000  967 5000  968 5275  9999999999999
CC01   300    1          CONFLUENCE OF MACLAREN RIVER WITH SUSITNA
CR01   325    1          300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE
CR02   325    5 2  9
CB01   330    1          LAKE LOUISE AND SUSITNA LAKE  48 SQ MI
CB02   330   483 15 1    0 1    0    100 50016006     40081022
CB03   330   2009  9 3008       7010    35 32 33
CB04   330   32000 64488111003913 9 90
C3 1   330 2361     0 2363  9999999999999
CR01   335    1          330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV
CR02   335    5 4 100
CB01   340    1          TYONE RIVER BASIN 1047 SQ MI
CB02   340 10478 10 8   48 8 200    100 50016006     40101021
CB03   340   2009  9 3008       7010    35 32 33
CB04   340   32000 64488111003913 9 90
C3 1   340 2100     0 3000  687 4000  952 5000  998 5275  9999999999999
CC01   350    1          COLLECTION ONE MI ABV CONFL OF OSHET & SUS
CR01   375    1          350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)
CR02   375    1 2  9
CB01   380    1          OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI
CB02   380   7353  3 4    8 4  96    100 50016006     40081018
CB03   380   2009  9 3008       7010    35 32 33
CB04   380   32000111488111003913 9 90
C3 1   380 1910     0 2000  2 3000  156 4000  491 5000  784 6000  960
C3 2   380 7000  998 7770  9999999999999
CC01   400    1          SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M
CR01   425    1          400-500 ROUT VEE DAMSITE TO WATANA DAMSITE
CR02   425    4 1  3
CB01   480    1          WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI
CB02   480 10454  8 4   15 5 156    100 50016006     40081020
CB03   480   2009  9 3008       7005    35 32 33
CB04   480   32000159488111003913 9125
```

DATA FILE 5 – ACRES SENSITIVITY ANALYSIS USING COE SUMMER PMF, RAINFALL AND SNOW WATER EQUIVALENT CHANGED (INITIAL CONDITIONS) INPUT

FORM 1411-3

PRINTED IN U.S.A.

```
C5 2   886  7000   989 7200  9999999999999
CC01   500     1            MATANA INFLOW
CL01   501     1            MATANA OUTFLOW
CL02   501          2225    2165
C110   501  2165  30000          8450000 2170    44200    8600000
C111   501  2175  50400          8800000 2180    70800    8950000
C112   501  2185  87000          9100000 2190   103100    9275000
C113   501  2195 119300          9450000 2200   139400    9625000
C114   501  2201 150600          9660000 2202   160700    9695000
C115   501  2203 171800          9730000 2204   182900    9765000
C116   501  2205 193000          9800000 2210   248100   10000000
C117   501  2215 258200         10200000 2220   268300   10400000
C118   501  2225 278400         1060000099999  9999999   99999999
CR01   525     1            500-600 ROUT MATANA DAM-DEVILS CANYON DAMSI
CR02   525   3 1   3
CB01   580     1            TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI
CB02   580  6284  8 4  15 5 156   100 50016006    40081020
CB03   580   2009  9  3008       7005   35 32 33
CB04   580   32000106488111003913912 5
C3 1   580 910    0 1000  2 2000   84 3000  441 4000  795 5000  962
C3 2   580  6000  998 6910  9999999999999
CC01   600     1            DEVIL CANYON INFLOW
CL01   601     1            DEVILS CANYON OUTFLOW
CL02   601          1460    1465
C110   601  1445 170000          932500 1446   177000    939000
C111   601  1447 184000          945500 1448   191000    952000
C112   601  1449 198000          958500 14500  205000    965000
C113   601  1451 212000          971500 1452   219000    978000
C114   601  1453 226000          984500 1454   233000    991000
C115   601  1455 240000          997500 1458   261000   1025000
C116   601  1461 282000         1043750 1464   303000   1062500
C117   601  1467 324000         1081250 9999  9999999   9999999
CR01   625     1            600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD
CR02   625   1 1   3
CB01   680     1            PORTAGE AND GOLD CREEK LOCAL 345 SQ MI
CB02   680  3454  8 4  15 5 156   100 50016006    40081020
CB03   680   2009  9  3008       7005   35 32 33
CB04   680   32000088488111003913912 5
C3 1   680 677    0 1000 32 2000  261 3000  510 4000  809 5000  971
C3 2   680  6000  998 6018  9999999999999
CC01   700     1            SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM
P       10      30
P       20      30
P       30      55
P       55     100
P       80     100
P      100     125
P      125     300
P      180     300
P      210     230
P      220     230
P      230     255
P      255     300
P      280     300
P      300     325
P      325     350
P      330     335
P      335     350
P      340     350
P      350     375
P      375     400
P      380     400
P      400     500
P      480     500
P      500     501
```

FORM 1411-3
PRINTED IN U.S.A.

```
P   580     600
P   600     601
P   601     625
P   680     700
P   625     700
P   700
I   14 060571124 14 010771 6 14 310871
2B00     60 14 060571      4    03  100 1       0 99
2B02     10 14 060571     10     10   10  10  10
2B03     10 14 060571     30     30   30  30  30
2B04     10 14 060571     60     60   60  60  60
2B00     20 14 060571      2    03  100 01      0 36
2B02     20 14 060571     10     10   10  10  10
2B03     20 14 060571     50     50   50  50  50
2B04     20 14 060571     60     60   60  60  60 60      60      60
2B00     80 14 060571      2    03  100   15
2B02     80 14 060571      5      5    5   5   5
2B03     80 14 060571     10     10   10  10  10
2B04     80 14 060571     70     70   70  70  70
2B00    180 14 060571      2    03  100   14
2B02    180 14 060571      7      7    7   7   7
2B03    180 14 060571     10     10   10  10  10
2B04    180 14 060571    108    108  108 108 108    108
2B00    210 14 060571      4    03  100 1       0 99
2B02    210 14 060571     10     10   10  10  10
2B03    210 14 060571     10     10   10  10  10
2B04    210 14 060571     10     10   10  10  10
2B00    220 14 060571      2    03  100 01      0 27
2B02    220 14 060571     10     10   10  10  10
2B03    220 14 060571     10     10   10  10  10
2B04    220 14 060571     60     60   60  60  60 60      60      60
2B00    280 14 060571      2    03  100   13
2B02    280 14 060571      4      4    4   4   4
2B03    280 14 060571     10     10   10  10  10
2B04    280 14 060571     70     70   70  70  70 70
2B00    330 14 060571      2    03  100   10
2B02    330 14 060571     18     18   18  18  18
2B03    330 14 060571      0      0    0   0   0
2B04    330 14 060571      0      0    0   0   0
2B00    340 14 060571      2    03  100   12
2B02    340 14 060571     18     18   18  18  18
2B03    340 14 060571     20     20   20  20  20 20      20      20
2B04    340 14 060571    120    120  120 120 120 120    120     120     120
2B00    380 14 060571      2    03  100   26
2B02    380 14 060571      8      8    8   8   8
2B03    380 14 060571     20     20   20  20  20
2B04    380 14 060571    130    130  130 130 130
2B00    480 14 060571      2    03  100   255
2B02    480 14 060571     16     16   16  16  16
2B03    480 14 060571     30     30   30  30  30
2B04    480 14 060571    420    420  420 420 420
2L01    501 14 060571   2000 2200 9625000
2B00    580 14 060571      2    03  100   21
2B02    580 14 060571      5      5    5   5   5
2B03    580 14 060571     15     15   15  15  15
2B04    580 14 060571    260    260  260 260 260
2L01    601 14 060571   2000 1450  950000
2B00    680 14 060571      2    03  100   215
2B02    680 14 060571      4      4    4   4   4
2B03    680 14 060571     10     10   10  10  10
2B04    680 14 060571    140    140  140 140 140
4D  1480 14 0605713  47  55  04  08  04  04  04  20  24  08      12
4D  1480 14 2005713  04  04      08  08  04  20  20  04  16  12
4D  1480 14 0306713      20  35
4D  1480 14 1706713      08  04  08      43  87
```

FORM 1411-3
PRINTED IN U.S.A.

4D	6	1480	14	0107713	05	05	05	05		03	03	03	03						
4D	6	1480	8	0407713			01	01	01	01									
4D	6	1480	14	0807713				01	01										
4D	6	1480	8	1107713	01	01	01	01	01	01	40	40	40	19	19	19	18	18	
4D	6	1480	14	1507713	02	02	02	02	23	23	22	22	01	01	01	01			
4D	6	1480	8	1807713		09	09	09	08	03	03	03	03						
4D	6	1480	14	2207713		01	01	01	01	24	24	23	23	43	43				
4D	6	1480	8	2507713	42	42	01	01	01	01	12	12	12	11	04	04	04	04	
4D	6	1480	14	2907713	05	05	05	05		15	15	15	15						
4D	6	1480	14	0108713	50	49	49	49	14	14	14	15	03	03	03	03			
4D	6	1480	8	0408713		02	02	02	02	19	19	19	18	20	21	21	21		
4D	6	1480	14	0808713															
4D	6	1480	8	1108713															
4D	6	1480	14	1508713															
4D	6	1480	8	1808713		01	01	01	01	03	03	03	03						
4D	6	1480	14	2208713	06	06	06	06		03	03	03	03	01	01				
4D	6	1480	8	2508713	01	01	14	15	15	15									
4D	6	1480	14	2908713															
4D	1480	14	0109713	24	59	71	31	39		04	04	47	08		04	51			
4D	1480	14	1509713		08		08	51	24	102	08	04		04	08				
4D	1480	14	2909713	08	47														
4D	1480	14	0605714	295	255	255	255	280	320	345	277	270	277	306	295	367	338		
4D	1480	14	2005714	320	295	313	338	392	392	345	338	360	284	295	331	291	270		
4D	1480	14	0306714	338	403	489	511	457	432	489	478	428	385	360	374	410	457		
4D	1480	14	1706714	428	420	468	504	471	453	579	554	536	507	500	482	370	367		
4D	6	1480	14	0107714	43	43	43	43	42	42	42	44	45	46	47	48	49	50	
4D	6	1480	8	0407714	50	49	48	47	47	46	44	45	45	46	58	58	58	58	
4D	6	1480	14	0807714	57	56	55	54	54	53	53	52	51	51	51	50	51	50	
4D	6	1480	8	1107714	50	49	48	48	48	48	37	37	37	37	37	37	37	37	
4D	6	1480	14	1507714	40	40	40	40	40	40	40	40	43	43	43	43	48	48	
4D	6	1480	8	1807714	48	48	48	48	48	48	47	47	47	47	41	41	41	41	
4D	6	1480	14	2207714	41	41	41	41	41	41	41	41	39	39	39	39	44	44	
4D	6	1480	8	2507714	44	44	48	48	48	48	47	47	47	47	45	45	45	45	
4D	6	1480	14	2907714	40	40	40	40	45	45	45	45	45	45	45	45			
4D	6	1480	14	0108714	45	45	45	45	44	44	44	44	40	40	40	40	43	43	
4D	6	1480	8	0408714	43	43	42	42	42	42	39	39	39	39	41	41	41	41	
4D	6	1480	14	0808714	42	42	42	42	45	45	45	45	46	46	46	46	44	44	
4D	6	1480	8	1108714	44	44	45	45	45	45	40	40	40	40	38	38	38	38	
4D	6	1480	14	1508714	39	39	39	39	44	44	44	44	44	44	44	44	45	45	
4D	6	1480	8	1808714	45	45	43	43	43	43	40	40	40	40	39	39	39	39	
4D	6	1480	14	2208714	40	40	40	40	42	42	42	42	39	39	39	39	39	39	
4D	6	1480	8	2508714	39	39	39	39	39	39	39	39	39	39	41	41	41	41	
4D	1480	14	0109714	432	381	345	356	356	345	338	334	342	338	360	342	338	327		
4D	1480	14	1509714	349	360	345	309	331	349	331	327	309	298	309	248	219	223		
4D	1480	14	2909714	293	288														
4D	8811	14	0205714	340	280	300	320	340	310	270	260	280	340	360	360	320	310		
4D	8811	14	1605714	300	300	390	360	380	360	320	350	350	370	330	370	410	370		
4D	8811	14	3005714	330	390	380	340	380	440	520	470	480	480	510	510	490	410		
4D	8811	14	1306714	420	410	420	430	450	470	510	470	560	550	620	620	640	590		
4D	8811	14	2706714	590	510	430	420												
4D	6	8811	14	0107714	45	45	45	45	48	48	48	48	50	50	50	50	53	53	
4D	6	8811	8	0407714	53	53	54	54	54	54	54	54	54	54	58	58	58	58	
4D	6	8811	14	0807714	58	58	58	58	59	59	59	59	62	62	62	62	56	56	
4D	6	8811	8	1107714	56	56	54	54	54	54	51	51	51	51	45	45	45	45	
4D	6	8811	14	1507714	47	47	47	47	49	49	49	49	53	53	53	53	52	52	
4D	6	8811	8	1807714	52	52	54	54	54	54	48	48	48	48	47	47	47	47	
4D	6	8811	14	2207714	44	44	44	44	45	45	45	45	48	48	48	48	48	48	
4D	6	8811	8	2507714	48	48	50	50	50	50	44	44	44	44	47	47	47	47	
4D	6	8811	14	2907714	47	47	47	47	47	47	47	47	49	49	49	49			
4D	6	8811	14	108714	51	51	51	51	52	52	52	52	49	49	49	49	49	49	
4D	6	8811	8	408714	49	49	48	48	48	48	49	49	49	49	48	48	48	48	
4D	6	8811	14	808714	48	48	48	48	49	49	49	49	51	51	51	51	56	56	
4D	6	8811	8	1108714	56	56	54	54	54	54	51	51	51	51	46	46	46	46	
4D	6	8811	14	1508714	47	47	47	47	50	50	50	50	53	53	53	53	57	57	
4D	6	8811	8	1808714	57	57	53	53	53	53	45	45	45	45	47	47	47	47	
4D	6	8811	14	2208714	50	50	50	50	53	53	53	53	49	49	49	49	48	48	

FORM 1811-3

PRINTED IN U.S.A.

```
4D   6  8811 14 2908714 51  51  51  51  45  45  45  45  50  50  50  50
4D 8811 14 0109714 44  45  38  40  38  40  41  44  43  44  42  43  40  37
4D 8811 14 1509714 38  41  36  39  36  40  41  40  39  39  39  34  34  31
4D 8811 14 2909714 32  33
4D 9139 14 0605713      17      02
4D 9139 14 2005713  01   01
4D 9139 14 0306713
4D   6  9139  2 1206713       01   04  05  01       14  03  01  06  07
4D   6  9139 14 1606713  06  06
4D   6  9139  2 2006713           15
4D   6  9139 14 2306713
4D   6  9139  2 2706713       02  25  46  07  08  06
4D   6  9139 14 3006713  11
4D   6  9139  2 0107713           02
4D   6  9139 14 0407713
4D   6  9139  2 0807713
4D   6  9139 14 1107713  02   01  03  07  04  05  01  02  04  04
4D   6  9139  2 1507713  02   02  14      03  04
4D   6  9139 14 1807713      19
4D   6  9139  2 2207713           02      03
4D   6  9139 14 2507713  02       04  30  02  05  10  15
4D   6  9139  2 2907713  05       01  03  08  10  05  02
4D   6  9139  2 0108713  16  35  10  02  02  03  01
4D   6  9139 14 0408713    11        19  40   21  15  03  02
4D   6  9139  2 0808713
4D   6  9139 14 1108713
4D   6  9139  2 1508713
4D   6  9139 14 1808713      71  37       15
4D   6  9139  2 2208713          19  09
4D   6  9139 14 2508713  28      10
4D   6  9139  2 2908713           06  08  03
4D   6  9139  2 0109713          40  37  11          25  14  07
4D   6  9139 14  409713  01  03  01  01       08     08  03  02  12
4D   6  9139  2  809713       02        09  03  06  01
4D   6  9139 14 1109713
4D   6  9139  2 1509713     09   02
4D   6  9139 14 1809713               10
4D   6  9139  2 2209713  32
4D   6  9139 14 2509713     04
4D   6  2000 14 1008713  10  20  48  16  40  82 186  62  12  26  60  20
4D   6  2000 14 1608713  50 100 224  76 120 240 540 180  30  60 154  46
6S   501 14 0605712 22000014 31082 220000
6S   601 14 0605712 14500014 31082 1450
PQ   5001      5010       14 06057114 310871   6 0 400000
PHC 20003  50P91393  50A       14 06057114 310871   6      10         0
PEC   501E           14 06057114 310871   6     2165    2215
PQ   6001      6010       14 06057114 310871   6 0 400000
PHC 20003  50P91393  50A       14 06057114 310871   6      10         0
PEC   601E           14 06057114 310871   6     1415    1465
EOF..
```

FORM 1411-S

PRINTED IN U.S.A.

```
JOB         080381   1          1    SUSITNA HEP AUG 8-17 '67 RECONST.
CP          1480     4620                                          GUKGL
CP          2006     3000                                          BASAV
CP          8611     2401                                          SUMMIT
CP          9139     2550                                          GRACIO
CP          9410     2408                                          TRIMS
CT01        1015        2       0      95     999     100           SMI GL
CT01        1018        2       0      10     2.5      20      5    40 SMI
CT02        1018       12      60      15      75     999     80
CT01        1020        2       0      20       2      30      5    60 SMI
CT02        1020        9     100      15     100    9999    100
CT01        1021        2       0       5      99       5    9999    5 SMI
CT01        2009        2       0      60     0.1      50     0.2   45 BII
CT02        2009      0.3      37     0.4      32     0.5      29  0.6MCKENZ
CT03        2009       27     1.0      20     2.0      10    9999   10
CT01        2010        2       0      75      .2      60     0.4   48 BII
CT02        2010      0.6      37     0.8      31     1.0      27  1.2WILLAM
CT03        2010       25    9999      25
CT01        2011        2       0      50     0.1      47     0.2   45 BII
CT02        2011      0.3      37     0.4      32     0.5      29  0.6
CT03        2011       27       1      20       2       8       3   4
CT04        2011        5       2     999       1
CT01        2012        2       0      70      .5      50       3   20 BII
CT02        2012        5      10      10     .05      99     .05
CT01        2017        2       0     100     1.0      95    9999   95 BIIGL
CT01        3001        2       0       0     .02    .009     .03  .013 S/SS
CT02        3001     .05     .021     .06    .025    .075    .034  .10
CT03        3001     .05    9999   99999
CT01        3003        2       0       0    .016   .0026    .033  .008 S-SS
CT02        3003     .05     .015    .067    .024    .083    .036  .100MCKENZ
CT03        3003     .05      2.0    1.20     999     999
CT01        3008        2       0       0     .01   .0005     .02  .0015 S-SS
CT02        3008     .03     .003     .04    .005     .05    .008  .06
CT03        3008    .012     .07     .017    .08     .023    .09   .03
CT04        3008     .10     .038     999     999
CT01        3009        2       0       0     .05    .001     0.5   .05  S/SS
CT02        3009      1.0      0.2    9999    9000                      GLAC
CT01        4008        2       4    0.03       5    0.09       6  0.09   ETI
CT02        4008        7    0.10       8    0.10       9    0.10
CT01        4009        2       4    0.03       5    0.05       6  0.06   ETI
CT02        4009        7    0.07       8    0.08       9    0.06        GLAC
CT01        4010        2       4    0.03       5    0.09       6  0.15   ETI
CT02        4010        7    0.15       8    0.15       9    0.15
CT01        5001        2       0     100      .5      30       1    20   KE
CT02        5001      1.5      20     999      20
CT01        6004        2       0     100     100     100    9999   100 SCDG1
CT01        6006        2       0     100       8      80      20    60  SCD
CT02        6006       36      40      59      20     100       0   999
CT03        6006        0
CT01        7005        2       0    0.32     100    0.32    9999  0.32 MELTR
CT01        7009        2       0    0.12     100    0.12    9999  0.12 MELTR
CT01        7010        2       0    0.10      20    0.15      40  0.24 METSUS
CT02        7010       50    0.30      80    0.40     100    0.45  9999
CT01        7011        2       0     .08     100     .08    9999   .08 MELTG
CB01        10          1          SUSITNA GLACIER
CB02        10    2214  6 4  12 4  24   100 50016004    40091015
CB03        10    2017 10  3099                  7011          35 32 33
CB04        10    32000200491391103913920 0
C3 1        10  2800   0  3000   45 4000  177 5000  359 6000  611 7000  848
C3 2        10  8000  961 9000  99813832  9999999999999
CB01        20          1          SUSITNA NON-GLACIER ABV USGS GAGE
CB02        20    6944  8 4  20 5 156   100 5001      40081018
CB03        20    2011 10  3008                  7005          35 32 33
CB04        20    32000200491391003913920 0
```

DATA FILE 6 - ACRES RECONSTITUTION
OF 1967 FLOOD,
SSARR MODEL INPUT

FORM 1411-3

PRINTED IN U.S.A.

```
C3 2     20  8000  984 9000  98910000  99813832  999999999999
CC01     30     1            SUSITNA RIVER NEAR DENALI CALCULATED
CR01     55     1            30-100 ROUT DENALI GAGE TO DENALI DAMSITE
CR02     55           2 2    11
CB01     80     1            LOCAL ABOVE DENALI DAMSITE  312 SQ MI
CB02     80   3124  3 4   8 4 156   100 5001        40081018
CB03     80   2009  9  3008                                  35 32 33
CB04     80   32000162491391003913915O
C3 1     80 2370    0 3000  359 4000  744 5000  971 6000  997 6100  999
C3 2     80 9999999999
CC01    100     1            DENALI DAMSITE  1260 SQ MI
CR01    125     1            100-500 ROUT DENALI DAMSITE TO SUS&MAC CONF
CR02    125           3 2    11
CB01    180     1            SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477
CB02    180   4774  3 4   8 5 156   100 5001        40081018
CB03    180   2009  9  3008                                  35 32 33
CB04    180   32000 98491391003913915O
C3 1    180 2350    0 3000  358 4000  820 5000  964 6000  965 6200  999
C3 2    180 9999999999
CB01    210     1            MACLAREN GLACIER
CB02    210   443  6 3  12 3  24   100 50016004    40091015
CB03    210   2017 10  3009                    7009  9       35 32 33
CB04    210   32000160491391103913930O
C3 1    210 5150    0  4000  109 5000  241 6000  672 7000  96  8000  998
C3 2    210 8850  999999999999
CB01    220     1            MACLAREN NON-GLACIER ABV USGS GAGE
CB02    220   2324  5 4  20 5 156    75 5001        40081020
CB03    220   2012 10  3003                                  35 32 33
CB04    220   32000160491391003913930O
C3 1    220 2866    0  3000   82 4000  505 5000  801 6000  949 7000  986
C3 2    220 8000  998 8850  9999999999999
CC01    230     1            MACLAREN RIVER NEAR PAXSON CALCULATED
CR01    255     1            230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL
CR02    255           6 2    10
CB01    280     1            MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307
CB02    280   3074  3 4   8 5 156   100 5001        40081020
CB03    280   2009  9  3008                                  35 32 33
CB04    280   32000160491391003913915O
C3 1    280 2350    0 3000  498 4000  967 5000  968 5275  9999999999999
CC01    300     1            CONFLUENCE OF MACLAREN RIVER WITH SUSITNA
CR01    325     1            300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE
CR02    325           5 2    9
CB01    330     1            LAKE LOUISE AND SUSITNA LAKE  48 SQ MI
CB02    330   483 15 1   0 1  0   100 5001        40081022
CB03    330   2009  9  3008                                  35 32 33
CB04    330   32000 98491391003913910O
C3 1    330 2361    0 2363  9999999999999
CR01    335     1            330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV
CR02    335           3 4    100
CB01    340     1            TYONE RIVER BASIN 1047 SQ MI
CB02    340  10478 10 8  48 8 200   100 5001        40101020
CB03    340   2009  9  3008                                  35 32 33
CB04    340   32000 98491391003913910O
C3 1    340 2100    0 3000  687 4000  952 5000  998 5275  9999999999999
CC01    350     1            COLLECTION ONE MI ABV CONFL OF OSHET & SUS
CR01    375     1            350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)
CR02    375           1 2    9
CB01    380     1            OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI
CB02    380   7353  3 4   8 4  72   100 5001        40081020
CB03    380   2009  9  3008                                  35 32 33
CB04    380   32000 98491391003913920O
C3 1    380 1910    0 2000    2 3000  156 4000  491 5000  784 5000  960
C3 2    380 7000  998 7770  9999999999999
CC01    400     1            SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M
CR01    425     1            400-500 ROUT VEE DAMSITE TO WATANA DAMSITE
```

FORM 1611-3

PRINTED IN U.S.A.

```
CB01  480        1          WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI
CB02  480   10   1  8 4  15 5 156   100 5001          40081020
CB03  480        19  9  3008                                  35 32 33
CB04  480     3200014049139160 39139210
C3 1  480  1450     0 2000   30 3000  277 4000  683 5000  911 6000  989
C3 2  480  7000  989 7200  9999999999999
CC01  500        1          WATANA DAM SITE 5180 SQ MI
CR01  525        1          500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI
CR02  525             3 1     3
CB01  580        1          TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI
CB02  580    6284  8 4  15 5 156   1                 40081020
CB03  580     2009  9  3008                                  35 32 33
CB04  580     3200014649139100391
C3 1  580  910     0 1000    2 2000   84 3000  441 4000  795 5000  962
C3 2  580  6000  998 6910  9999999999999
CC01  600        1          DEVIL CANYON DAM SITE 5810 SQ MI
CR01  625        1          600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD
CR02  625             1 1     3
CB01  680        1          PORTAGE AND GOLD CREEK LOCAL 345 SQ MI
CB02  680    3454  8 4  15 5 156   100 5001          40081020
CB03  680     2009  9  3008                                  35 32 33
CB04  680     3200012849139100 39139210
C3 1  680  677     0 1000   32 2000  261 3000  510 4000  809 5000  971
C3 2  680  6000  998 6018  9999999999999
CC01  700        1          SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM
P      10        30
P      20        30
P      30        55
P      55       100
P      80       100
P     100       125
P     125       300
P     180       300
P     210       230
P     220       230
P     230       255
P     255       300
P     280       300
P     300       325
P     325       350
P     330       335
P     335       350
P     340       350
P     350       375
P     375       400
P     380       400
P     400       425
P     425       500
P     480       500
P     500       525
P     525       600
P     580       600
P     600       625
P     680       700
P     625       700
P     700
T   14 01076724 14 310867
2B00      10 14 010767     3   050   100                    99
2B02      10 14 010767    10    10    10    10    10
2B03      10 14 010767    33    33    33    33    33
2B04      10 14 010767  1803  1803  1803  1803  1803
2B00      20 14 010767    45   190
2B02      20 14 010767   531   531   531   531   531
2B03      20 14 010767  3106  3106  3106  3106  3106
2B04      20 14 010767  2253  2253  2253  2253  2253  2253  2253  2253
```

FORM 1413-3

PRINTED IN U.S.A.

```
2B02      80 14 010767    370    370    370    370    370
2B03      80 14 010767    410    410    410    410    410
2B04      80 14 010767    529    529    529    529    529
2B00     180 14 010767     30    160
2B02     180 14 010767    348    348    348    348    348
2B03     180 14 010767    630    630    630    630    630
2B04     180 14 010767    756    756    756    756    756    756
2B00     210 14 010767      3    060    100                  99
2B02     210 14 010767     10     10     10     10     10
2B03     210 14 010767     10     10     10     10     10
2B04     210 14 010767    386    386    386    386    386
2B00     220 14 010767      6    130
2B02     220 14 010767    338    338    338    338    338
2B03     220 14 010767    709    709    709    709    709
2B04     220 14 010767   1107   1107   1107   1107   1107   1107   1107   1107
2B00     280 14 010767     35    070
2B02     280 14 010767    379    379    379    379    379
2B03     280 14 010767    298    298    298    298    298
2B04     280 14 010767    501    501    501    501    501    501
2B00     330 14 010767     35    010
2B02     330 14 010767    174    174    174    174    174
2B03     330 14 010767      0      0      0      0      0
2B04     330 14 010767      0      0      0      0      0
2B00     340 14 010767     30    013
2B02     340 14 010767     30     30     30     30     30     30     30     30
2B03     340 14 010767    872    872    872    872    872    872    872    872
2B04     340 14 010767   1473   1473   1473   1473   1473   1473   1473   1473
2B00     380 14 010767     30    160
2B02     380 14 010767    394    394    394    394    394
2B03     380 14 010767    735    735    735    735    735
2B04     380 14 010767    560    560    560    560    560
2B00     480 14 010767      3    160
2B02     480 14 010767    476    476    476    476    476
2B03     480 14 010767   1997   1997   1997   1997   1997
2B04     480 14 010767   2681   2681   2681   2681   2681
2B00     580 14 010767      3    200
2B02     580 14 010767    296    296    296    296    296
2B03     580 14 010767   1058   1058   1058   1058   1058
2B04     580 14 010767   1476   1476   1476   1476   1476
2B00     680 14 010767      3    190
2B02     680 14 010767    168    168    168    168    168
2B03     680 14 010767    563    563    563    563    563
2B04     680 14 010767    784    784    784    784    784
4D     91399  0607673  06  04  00        50  18  34
4D      9139  1507673      14        25  97  17  02
4D     91397  0108673 163            05  02  0
4D     91392  1908673  15  02
4D      9139  2508673  30  05        08  18
4D      9139  0107674 465 470 415 530 475 495 475 475 540 560 560 575 590 605
4D      9139  1507674 585 590 535 530 495 475 525 510 585 575 500 520 590 610
4D      9139  2907674 525 465 455 495 540 525 515 520 570 545 535 490 460 470
4D      9139  1208674 450 480 460 470 515 485 485 525 535 510 475 495 435 465
4D      9139  2608674 465 495 460 440 450 415
4D     20005  0808673  05  84 176
4D     20007  1108673 101 107 232  83  66  45  18
EOF..
```

FORM 3815
PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.07 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL	1967																							JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.00	0.30	0	0.00	0.50	0	1803	33	10	1846	1400	1
2	1400	0.00	92	0.00	0.74	1	2800	100	9.9	98	0.79	0.78	0.07	0.30	95	0.74	0.55	98	1863	42	5	1913	1400	2
3	1400	0.00	55	0.00	1.04	1	2800	100	5.2	77	0.42	0.32	0.07	0.27	95	0.31	0.50	97	2066	66	1	2135	1400	3
4	1400	0.00	100	0.00	2.29	2	2800	100	16.4	100	1.31	1.31	0.07	0.21	95	1.24	0.66	98	2426	81	2	2511	1400	4
5	1400	0.00	94	0.00	3.07	3	2800	100	10.4	99	0.83	0.82	0.07	0.21	95	0.78	0.68	97	2992	123	3	3120	1400	5
6	1400	0.12	98	0.11	4.02	4	2800	100	12.5	100	1.00	1.12	0.07	0.18	95	1.06	0.77	97	3715	154	3	3873	1400	6
7	1400	0.08	94	0.18	4.80	5	2800	100	10.4	99	0.83	0.90	0.07	0.18	95	0.85	0.78	96	4374	181	4	4559	1400	7
8	1400	0.00	94	0.18	5.58	6	2800	100	10.4	99	0.83	0.82	0.07	0.16	95	0.78	0.78	96	4801	189	3	4994	1400	8
9	1400	0.00	100	0.18	6.90	7	2800	100	17.5	100	1.40	1.40	0.07	0.13	95	1.33	0.90	96	5026	200	5	5233	1400	9
10	1400	0.00	100	0.18	8.40	8	2800	100	19.7	100	1.57	1.57	0.07	0.13	95	1.49	1.03	96	5324	260	7	5592	1400	10
11	1400	1.00	100	1.13	9.89	10	2800	100	19.7	100	1.57	2.57	0.07	0.14	95	2.44	1.33	95	6044	376	11	6432	1400	11
12	1400	0.36	100	1.47	11.51	12	2800	100	21.3	100	1.71	2.06	0.07	0.26	95	1.96	1.46	95	7303	533	12	7850	1400	12
13	1400	0.68	100	2.12	13.25	13	2800	100	23.0	100	1.84	2.51	0.07	0.32	95	2.39	1.66	95	8818	599	13	9432	1400	13
14	1400	0.00	100	2.12	15.12	15	2800	100	24.6	100	1.97	1.97	0.07	0.43	95	1.87	1.71	95	10138	628	12	10779	1400	14
15	1400	0.00	100	2.12	16.82	17	2800	100	22.4	100	1.79	1.79	0.07	0.46	95	1.70	1.71	95	10937	589	10	11538	1400	15
16	1400	0.28	100	2.38	18.57	19	2800	100	23.0	100	1.84	2.12	0.07	0.48	95	2.01	1.77	95	11147	546	11	11706	1400	16
17	1400	0.00	100	2.38	19.85	20	2800	100	16.9	100	1.35	1.35	0.07	0.54	95	1.28	1.67	95	10956	529	9	11495	1400	17
18	1400	0.00	100	2.38	21.10	21	2800	100	16.4	100	1.31	1.31	0.07	0.54	95	1.24	1.58	95	10460	456	7	10924	1400	18
19	1400	0.50	98	2.85	22.05	22	2800	100	12.5	100	1.00	1.49	0.07	0.54	95	1.41	1.54	95	9693	401	7	10103	1400	19
20	1400	1.94	94	4.57	22.83	23	2800	100	10.4	99	0.83	2.64	0.07	0.59	95	2.51	1.75	95	9076	440	11	9528	1400	20
21	1400	0.34	100	4.89	24.03	24	2800	100	15.8	100	1.27	1.60	0.07	0.71	95	1.52	1.70	95	9078	545	11	9636	1400	21
22	1400	0.04	100	4.93	25.10	25	2800	100	14.2	100	1.13	1.17	0.07	0.75	95	1.11	1.57	95	9397	507	7	9914	1400	22
23	1400	0.00	100	4.93	26.81	27	2800	100	22.4	100	1.79	1.79	0.07	0.74	95	1.70	1.60	95	9392	429	8	9830	1400	23
24	1400	0.00	100	4.93	28.42	29	2800	100	21.3	100	1.71	1.70	0.07	0.76	95	1.62	1.61	95	9106	441	9	9557	1400	24
25	1400	0.00	98	4.93	29.42	30	2800	100	13.1	100	1.05	1.04	0.07	0.78	95	0.99	1.47	95	8842	439	7	9290	1400	25
26	1400	0.00	100	4.93	30.58	31	2800	100	15.3	100	1.22	1.22	0.07	0.76	95	1.16	1.41	95	8485	374	6	8867	1400	26
27	1400	0.00	100	4.93	32.32	33	2800	100	23.0	100	1.84	1.84	0.07	0.75	95	1.74	1.48	95	8020	364	8	8394	1400	27
28	1400	0.00	100	4.93	34.23	35	2800	100	25.2	100	2.01	2.01	0.07	0.77	95	1.91	1.57	95	7853	438	10	8302	1400	28
29	1400	0.00	100	4.93	35.43	36	2800	100	15.8	100	1.27	1.26	0.07	0.80	95	1.20	1.49	95	8129	482	9	8622	1400	29
30	1400	0.00	90	4.93	36.13	36	2800	100	9.4	97	0.75	0.73	0.07	0.80	95	0.70	1.32	95	8329	409	5	8744	1400	30
31	1400	0.00	86	4.93	36.74	37	2800	100	8.4	96	0.67	0.64	0.07	0.76	95	0.61	1.17	95	7894	291	3	8190	1400	31

DATA FILE 7 - ACRES RECONSTITUTION
OF 1967 FLOOD,
SSARR MODEL OUTPUT

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.08 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	HEP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	5.26	98	7.96	37.69	38	2800	100	12.5	100	1.00	4.19	0.07	0.72	95	3.98	1.77	95	7349	345	14	7709	1400	1
2	1400	0.00	100	7.96	39.02	39	2800	100	17.5	100	1.40	1.40	0.08	0.92	95	1.33	1.68	95	7870	631	14	8516	1400	2
3	1400	0.00	100	7.96	40.22	41	2800	100	15.8	100	1.27	1.26	0.08	0.91	95	1.20	1.57	95	9131	586	7	9726	1400	3
4	1400	0.10	100	8.05	41.34	42	2800	100	14.7	100	1.18	1.28	0.08	0.89	95	1.21	1.50	95	9700	442	7	10150	1400	4
5	1400	0.00	100	8.05	42.49	43	2800	100	15.3	100	1.22	1.22	0.08	0.89	95	1.16	1.42	95	9277	374	7	9659	1400	5
6	1400	0.04	100	8.09	44.07	45	2800	100	20.8	100	1.66	1.70	0.08	0.87	95	1.61	1.47	95	8542	367	8	8918	1400	6
7	1400	0.00	100	8.09	45.44	46	2800	100	18.0	100	1.44	1.44	0.08	0.88	95	1.37	1.44	95	8049	405	8	8463	1400	7
8	1400	0.05	100	8.14	46.72	47	2800	100	16.9	100	1.35	1.40	0.08	0.87	95	1.33	1.42	95	7886	416	8	8305	1400	8
9	1400	0.84	97	8.91	47.63	48	2800	100	12.0	100	0.96	1.77	0.08	0.87	95	1.68	1.48	95	7889	411	9	8310	1400	9
10	1400	1.76	88	10.39	48.29	49	2800	100	8.9	97	0.71	2.24	0.08	0.94	95	2.12	1.62	95	8096	464	11	8572	1400	10
11	1400	1.01	92	11.27	49.02	50	2800	100	9.9	98	0.79	1.70	0.08	1.03	95	1.62	1.62	95	8607	528	10	9147	1400	11
12	1400	1.07	83	12.11	49.59	50	2800	100	7.9	94	0.63	1.49	0.08	1.10	95	1.42	1.57	95	9147	506	9	9664	1400	12
13	1400	2.32	95	14.22	50.42	51	2800	100	10.9	99	0.87	3.08	0.08	1.16	95	2.93	1.86	95	9533	512	13	10059	1400	13
14	1400	0.83	88	14.91	51.07	52	2800	100	8.9	97	0.71	1.42	0.08	1.30	95	1.35	1.75	95	10018	609	12	10640	1400	14
15	1400	0.66	92	15.49	51.81	52	2800	100	9.9	98	0.79	1.38	0.08	1.35	95	1.31	1.66	95	10419	535	8	10963	1400	15
16	1400	0.45	100	15.91	52.92	53	2800	100	14.7	100	1.18	1.63	0.08	1.40	95	1.54	1.63	95	10248	446	8	10703	1400	16
17	1400	0.18	97	16.08	53.79	54	2800	100	11.4	100	0.91	1.09	0.08	1.45	95	1.03	1.51	95	9610	414	7	10033	1400	17
18	1400	0.00	97	16.08	54.66	55	2800	100	11.4	100	0.91	0.91	0.08	1.44	95	0.87	1.37	95	8783	353	5	9143	1400	18
19	1400	0.30	100	16.36	55.86	56	2800	100	15.8	100	1.27	1.56	0.08	1.41	95	1.49	1.39	95	7910	317	7	8234	1400	19
20	1400	0.04	100	16.40	57.14	58	2800	100	16.9	100	1.35	1.39	0.08	1.44	95	1.32	1.38	95	7300	358	8	7667	1400	20
21	1400	0.00	100	16.40	58.22	59	2800	100	14.2	100	1.13	1.13	0.08	1.43	95	1.08	1.31	95	7088	373	7	7469	1400	21
22	1400	0.00	94	16.40	59.00	60	2800	100	10.4	99	0.83	0.82	0.08	1.41	95	0.78	1.20	95	6966	334	5	7307	1400	22
23	1400	0.00	98	16.40	59.95	61	2800	100	12.5	100	1.00	1.00	0.08	1.37	95	0.95	1.15	95	6639	282	5	6928	1400	23
24	1400	0.00	72	16.40	60.40	61	2800	100	6.7	89	0.53	0.47	0.08	1.34	95	0.45	1.00	95	6105	250	4	6360	1400	24
25	1400	0.60	90	16.91	61.10	62	2800	100	9.4	97	0.75	1.27	0.08	1.28	95	1.21	1.04	95	5520	220	5	5747	1400	25
26	1400	0.10	90	17.00	61.79	62	2800	100	9.4	97	0.75	0.82	0.08	1.33	95	0.78	0.99	95	5122	256	5	5384	1400	26
27	1400	0.00	98	17.00	62.74	63	2800	100	12.5	100	1.00	1.00	0.08	1.30	95	0.95	0.98	95	4998	261	5	5265	1400	27
28	1400	0.00	88	17.00	63.39	64	2800	100	8.9	97	0.71	0.69	0.08	1.27	95	0.65	0.91	95	4975	252	4	5232	1400	28
29	1400	0.16	76	17.11	63.88	65	2800	100	7.1	91	0.57	0.63	0.08	1.22	95	0.60	0.84	95	4856	217	3	5078	1400	29
30	1400	0.36	83	17.40	64.45	65	2800	100	7.9	94	0.63	0.90	0.08	1.19	95	0.85	0.85	96	4615	184	3	4809	1400	30
31	1400	0.00	55	17.40	64.76	65	2800	100	5.2	77	0.42	0.32	0.08	1.20	95	0.31	0.73	96	4339	176	2	4519	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1815-2
PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	ARA	RN-AR	ML-AR	XAR	ELEV	SCA	D-DY	XMA	MELT	MI	ETI	SMI	ROP	RGP	UII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1967																								JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.08	4.50	0	0.00	1.90	0	2253	3106	531	5890	1400	1
2	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.50	36	0.00	1.49	9	2252	2983	367	5603	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.40	35	0.00	1.17	14	2252	2491	69	4814	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.30	34	0.00	0.92	18	2252	1677	5	3936	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.20	34	0.00	0.72	21	2251	917	0	3170	1400	5
6	1400	0.12	100	0.04	0.00	0	0	0	0.0	0	0.00	0.12	0.10	4.10	33	0.04	0.58	25	2250	453	8	2712	1400	6
7	1400	0.08	100	0.07	0.00	0	0	0	0.0	0	0.00	0.08	0.10	4.10	33	0.03	0.46	27	2246	279	20	2548	1400	7
8	1400	0.00	100	0.07	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.06	32	0.00	0.36	30	2241	262	13	2518	1400	8
9	1400	0.00	100	0.07	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.96	32	0.00	0.28	34	2233	243	2	2479	1400	9
10	1400	0.00	100	0.07	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.86	31	0.00	0.22	38	2222	173	0	2396	1400	10
11	1400	1.00	100	0.37	0.00	0	0	0	0.0	0	0.00	1.00	0.10	3.76	30	0.30	0.24	43	2207	217	49	2474	1400	11
12	1400	0.36	100	0.49	0.00	0	0	0	0.0	0	0.00	0.36	0.10	4.44	36	0.13	0.22	42	2187	578	110	2877	1400	12
13	1400	0.68	100	0.75	0.00	0	0	0	0.0	0	0.00	0.68	0.10	4.62	37	0.25	0.22	44	2164	1122	98	3386	1400	13
14	1400	0.00	100	0.75	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.03	40	0.00	0.18	43	2136	1492	83	3713	1400	14
15	1400	0.00	100	0.75	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.93	39	0.00	0.14	45	2105	1456	16	3579	1400	15
16	1400	0.28	100	0.85	0.00	0	0	0	0.0	0	0.00	0.28	0.10	4.83	39	0.11	0.13	46	2070	1104	18	3193	1400	16
17	1400	0.00	100	0.85	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.94	39	0.00	0.10	46	2031	769	30	2832	1400	17
18	1400	0.00	100	0.85	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.84	39	0.00	0.08	47	1990	562	6	2560	1400	18
19	1400	0.50	100	1.04	0.00	0	0	0	0.0	0	0.00	0.50	0.10	4.74	38	0.19	0.10	48	1946	447	29	2424	1400	19
20	1400	1.94	100	1.82	0.00	0	0	0	0.0	0	0.00	1.94	0.10	5.02	40	0.78	0.25	47	1901	772	220	2894	1400	20
21	1400	0.34	100	1.97	0.00	0	0	0	0.0	0	0.00	0.34	0.10	6.16	43	0.15	0.23	41	1853	1755	341	3951	1400	21
22	1400	0.04	100	1.99	0.00	0	0	0	0.0	0	0.00	0.04	0.10	6.30	44	0.02	0.18	43	1805	2598	115	4520	1400	22
23	1400	0.00	100	1.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.23	44	0.00	0.14	45	1757	2473	20	4251	1400	23
24	1400	0.00	100	1.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.13	43	0.00	0.11	46	1710	1687	2	3400	1400	24
25	1400	0.00	100	1.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.03	43	0.00	0.09	47	1663	922	0	2587	1400	25
26	1400	0.00	100	1.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.93	43	0.00	0.07	47	1619	434	0	2054	1400	26
27	1400	0.00	100	1.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.83	42	0.00	0.05	48	1577	183	0	1761	1400	27
28	1400	0.00	100	1.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.73	42	0.00	0.04	48	1536	72	0	1609	1400	28
29	1400	0.00	100	1.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.63	42	0.00	0.03	49	1497	26	0	1524	1400	29
30	1400	0.00	100	1.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.53	42	0.00	0.03	49	1460	9	0	1470	1400	30
31	1400	0.00	100	1.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.43	41	0.00	0.02	49	1423	3	0	1427	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RC-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	3.26	100	3.32	0.00	0	0	0	0.0	0	0.00	3.26	0.10	5.33	41	1.33	0.30	49	1388	451	376	2216	1400	1
2	1400	0.00	100	3.32	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.23	46	0.00	0.24	37	1353	1802	683	3839	1400	2
3	1400	0.00	100	3.32	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.13	46	0.00	0.19	42	1320	2984	148	4453	1400	3
4	1400	0.10	100	3.37	0.00	0	0	0	0.0	0	0.00	0.10	0.10	7.03	46	0.05	0.16	45	1288	2804	18	4112	1400	4
5	1400	0.00	100	3.37	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.00	46	0.00	0.12	46	1258	1849	13	3122	1400	5
6	1400	0.04	100	3.38	0.00	0	0	0	0.0	0	0.00	0.04	0.10	6.90	45	0.02	0.10	47	1231	1036	5	2274	1400	6
7	1400	0.00	100	3.38	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.83	45	0.00	0.08	47	1207	544	5	1757	1400	7
8	1400	0.05	100	3.41	0.00	0	0	0	0.0	0	0.00	0.05	0.10	6.73	45	0.02	0.07	48	1185	289	4	1479	1400	8
9	1400	0.84	100	3.78	0.00	0	0	0	0.0	0	0.00	0.84	0.10	6.66	45	0.38	0.13	48	1166	311	62	1540	1400	9
10	1400	1.76	100	4.59	0.00	0	0	0	0.0	0	0.00	1.76	0.10	7.11	46	0.81	0.28	46	1149	966	284	2401	1400	10
11	1400	1.01	100	5.08	0.00	0	0	0	0.0	0	0.00	1.01	0.10	8.04	49	0.49	0.32	39	1135	2386	455	3977	1400	11
12	1400	1.07	100	5.62	0.00	0	0	0	0.0	0	0.00	1.07	0.10	8.53	50	0.54	0.37	36	1123	3936	391	5451	1400	12
13	1400	2.32	100	6.82	0.00	0	0	0	0.0	0	0.00	2.32	0.10	9.05	52	1.20	0.55	34	1114	5259	781	7156	1400	13
14	1400	0.83	100	7.27	0.00	0	0	0	0.0	0	0.00	0.83	0.10	10.15	55	0.45	0.53	28	1108	6643	1083	8835	1400	14
15	1400	0.66	100	7.64	0.00	0	0	0	0.0	0	0.00	0.66	0.10	10.50	56	0.37	0.49	28	1106	7574	499	9181	1400	15
16	1400	0.45	100	7.89	0.00	0	0	0	0.0	0	0.00	0.45	0.10	10.77	56	0.25	0.44	29	1110	7273	263	8648	1400	16
17	1400	0.18	100	7.99	0.00	0	0	0	0.0	0	0.00	0.18	0.10	10.93	57	0.10	0.37	31	1119	6032	151	7304	1400	17
18	1400	0.00	100	7.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	10.93	57	0.00	0.29	34	1134	4463	60	5658	1400	18
19	1400	0.30	100	8.16	0.00	0	0	0	0.0	0	0.00	0.30	0.10	10.83	57	0.17	0.26	38	1154	2976	40	4171	1400	19
20	1400	0.04	100	8.19	0.00	0	0	0	0.0	0	0.00	0.04	0.10	10.90	57	0.02	0.21	40	1180	1932	59	3173	1400	20
21	1400	0.00	100	8.19	0.00	0	0	0	0.0	0	0.00	0.00	0.10	10.83	57	0.00	0.17	44	1211	1323	19	2554	1400	21
22	1400	0.00	100	8.19	0.00	0	0	0	0.0	0	0.00	0.00	0.10	10.73	56	0.00	0.13	46	1245	869	2	2118	1400	22
23	1400	0.00	100	8.19	0.00	0	0	0	0.0	0	0.00	0.00	0.10	10.63	56	0.00	0.10	46	1282	492	0	1775	1400	23
24	1400	0.00	100	8.19	0.00	0	0	0	0.0	0	0.00	0.00	0.10	10.53	56	0.00	0.08	47	1320	241	0	1561	1400	24
25	1400	0.60	100	8.52	0.00	0	0	0	0.0	0	0.00	0.60	0.10	10.43	56	0.33	0.13	48	1357	228	50	1636	1400	25
26	1400	0.10	100	8.58	0.00	0	0	0	0.0	0	0.00	0.10	0.10	10.66	56	0.06	0.12	46	1393	553	99	2047	1400	26
27	1400	0.00	100	8.58	0.00	0	0	0	0.0	0	0.00	0.00	0.10	10.62	56	0.00	0.09	47	1427	911	35	2375	1400	27
28	1400	0.00	100	8.58	0.00	0	0	0	0.0	0	0.00	0.00	0.10	10.52	56	0.00	0.07	47	1458	903	4	2367	1400	28
29	1400	0.16	100	8.67	0.00	0	0	0	0.0	0	0.00	0.16	0.10	10.42	55	0.09	0.08	48	1484	648	13	2147	1400	29
30	1400	0.36	100	8.87	0.00	0	0	0	0.0	0	0.00	0.36	0.10	10.42	55	0.20	0.10	48	1507	535	54	2097	1400	30
31	1400	0.00	100	8.87	0.00	0	0	0	0.0	0	0.00	0.00	0.10	10.53	56	0.00	0.08	47	1524	662	59	2247	1400	31

PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1967																								JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.50	0	0.00	1.90	0	529	410	370	1309	1400	1
2	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.50	28	0.00	1.49	11	528	283	8	821	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.40	27	0.00	1.17	15	528	53	0	583	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.30	26	0.00	0.92	18	528	4	0	532	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.20	26	0.00	0.72	21	526	0	0	527	1400	5
6	1400	0.09	100	0.02	0.00	0	0	0	0.0	0	0.00	0.09	0.10	3.10	25	0.02	0.57	25	524	41	6	573	1400	6
7	1400	0.06	100	0.04	0.00	0	0	0	0.0	0	0.00	0.06	0.10	3.98	25	0.01	0.45	28	521	101	4	627	1400	7
8	1400	0.00	100	0.04	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.03	24	0.00	0.36	30	516	64	0	580	1400	8
9	1400	0.00	100	0.04	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.93	23	0.00	0.28	34	509	11	0	521	1400	9
10	1400	0.00	100	0.04	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.83	23	0.00	0.22	39	501	0	0	503	1400	10
11	1400	0.75	100	0.20	0.00	0	0	0	0.0	0	0.00	0.75	0.10	2.73	22	0.16	0.21	43	492	228	38	759	1400	11
12	1400	0.27	100	0.27	0.00	0	0	0	0.0	0	0.00	0.27	0.10	3.29	26	0.07	0.18	44	481	512	17	1010	1400	12
13	1400	0.51	100	0.41	0.00	0	0	0	0.0	0	0.00	0.51	0.10	3.43	27	0.14	0.17	46	469	452	31	953	1400	13
14	1400	0.00	100	0.41	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.77	30	0.00	0.13	46	456	382	0	840	1400	14
15	1400	0.00	100	0.41	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.67	29	0.00	0.11	48	443	76	0	520	1400	15
16	1400	0.21	100	0.47	0.00	0	0	0	0.0	0	0.00	0.21	0.10	3.57	29	0.06	0.10	50	430	79	12	523	1400	16
17	1400	0.00	100	0.47	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.65	29	0.00	0.08	50	416	134	0	552	1400	17
18	1400	0.00	100	0.47	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.55	28	0.00	0.06	52	403	29	0	433	1400	18
19	1400	0.38	100	0.58	0.00	0	0	0	0.0	0	0.00	0.38	0.10	3.45	28	0.10	0.07	54	390	119	19	529	1400	19
20	1400	1.46	100	1.00	0.00	0	0	0	0.0	0	0.00	1.46	0.10	3.68	29	0.43	0.15	53	377	704	82	1165	1400	20
21	1400	0.26	100	1.10	0.00	0	0	0	0.0	0	0.00	0.26	0.10	4.68	37	0.10	0.13	48	364	1063	22	1451	1400	21
22	1400	0.03	100	1.11	0.00	0	0	0	0.0	0	0.00	0.03	0.10	4.78	38	0.01	0.11	48	353	435	2	792	1400	22
23	1400	0.00	100	1.11	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.70	38	0.00	0.09	50	343	90	0	434	1400	23
24	1400	0.00	100	1.11	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.60	37	0.00	0.07	51	335	10	0	346	1400	24
25	1400	0.00	100	1.11	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.50	36	0.00	0.05	53	328	0	0	330	1400	25
26	1400	0.00	100	1.11	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.40	35	0.00	0.04	55	322	0	0	323	1400	26
27	1400	0.00	100	1.11	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.30	34	0.00	0.03	56	317	0	0	318	1400	27
28	1400	0.00	100	1.11	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.20	34	0.00	0.03	57	312	0	0	313	1400	28
29	1400	0.00	100	1.11	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.10	33	0.00	0.02	57	307	0	0	308	1400	29
30	1400	0.00	100	1.11	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.00	32	0.00	0.02	58	302	0	0	303	1400	30
31	1400	0.00	100	1.11	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.90	31	0.00	0.01	58	297	0	0	297	1400	31

FORM 1611-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

...SULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE | RUN NO. | INITIAL DATE, HOUR | JOB DESCRIPTION
80381 | 1 JUL 1967 1400 | 0 SUSITNA HEP AUG 6-17 '67 RECONST. | N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	O-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	RTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	2.44	100	1.85	0.00	0	0	0	0.0	0	0.00	2.44	0.10	3.80	30	0.74	0.17	59	291	744	153	1189	1400	1
2	1400	0.00	100	1.85	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.48	41	0.00	0.13	47	285	1352	3	1642	1400	2
3	1400	0.00	100	1.85	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.38	41	0.00	0.10	48	281	293	0	575	1400	3
4	1400	0.08	100	1.88	0.00	0	0	0	0.0	0	0.00	0.08	0.10	5.28	41	0.03	0.09	50	278	60	6	345	1400	4
5	1400	0.00	100	1.88	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.24	41	0.00	0.07	51	277	69	0	347	1400	5
6	1400	0.03	100	1.90	0.00	0	0	0	0.0	0	0.00	0.03	0.10	5.14	40	0.01	0.06	53	277	28	2	308	1400	6
7	1400	0.00	100	1.90	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.06	40	0.00	0.04	54	277	26	0	305	1400	7
8	1400	0.04	100	1.91	0.00	0	0	0	0.0	0	0.00	0.04	0.10	4.96	40	0.02	0.04	56	279	23	2	305	1400	8
9	1400	0.68	100	2.18	0.00	0	0	0	0.0	0	0.00	0.68	0.10	4.89	39	0.27	0.09	56	281	319	47	638	1400	9
10	1400	1.43	100	2.76	0.00	0	0	0	0.0	0	0.00	1.43	0.10	5.28	41	0.58	0.19	51	282	1219	135	1838	1400	10
11	1400	0.82	100	3.11	0.00	0	0	0	0.0	0	0.00	0.82	0.10	6.10	43	0.35	0.23	45	285	1843	82	2211	1400	11
12	1400	0.87	100	3.50	0.00	0	0	0	0.0	0	0.00	0.87	0.10	6.54	44	0.39	0.26	43	289	1683	92	2066	1400	12
13	1400	1.88	100	4.36	0.00	0	0	0	0.0	0	0.00	1.88	0.10	7.00	46	0.86	0.39	40	296	2416	340	3053	1400	13
14	1400	0.67	100	4.68	0.00	0	0	0	0.0	0	0.00	0.67	0.10	8.00	49	0.33	0.38	33	306	2995	97	3400	1400	14
15	1400	0.53	100	4.95	0.00	0	0	0	0.0	0	0.00	0.53	0.10	8.32	49	0.26	0.35	33	319	1917	74	2312	1400	15
16	1400	0.36	100	5.13	0.00	0	0	0	0.0	0	0.00	0.36	0.10	8.56	50	0.18	0.32	34	336	1335	50	1723	1400	16
17	1400	0.15	100	5.21	0.00	0	0	0	0.0	0	0.00	0.15	0.10	8.69	51	0.07	0.26	36	357	840	20	1219	1400	17
18	1400	0.00	100	5.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	8.69	51	0.00	0.21	40	380	340	0	722	1400	18
19	1400	0.22	100	5.32	0.00	0	0	0	0.0	0	0.00	0.22	0.10	8.59	50	0.11	0.19	44	405	209	25	641	1400	19
20	1400	0.03	100	5.33	0.00	0	0	0	0.0	0	0.00	0.03	0.10	8.63	50	0.02	0.15	46	431	304	3	740	1400	20
21	1400	0.00	100	5.33	0.00	0	0	0	0.0	0	0.00	0.00	0.10	8.55	50	0.00	0.12	47	456	97	0	555	1400	21
22	1400	0.00	100	5.33	0.00	0	0	0	0.0	0	0.00	0.00	0.10	8.45	50	0.00	0.09	49	480	12	0	493	1400	22
23	1400	0.00	100	5.33	0.00	0	0	0	0.0	0	0.00	0.00	0.10	8.35	50	0.00	0.07	51	502	0	0	503	1400	23
24	1400	0.00	100	5.33	0.00	0	0	0	0.0	0	0.00	0.00	0.10	8.25	49	0.00	0.06	53	521	0	0	522	1400	24
25	1400	0.45	100	5.55	0.00	0	0	0	0.0	0	0.00	0.45	0.10	8.15	49	0.22	0.09	54	537	247	41	827	1400	25
26	1400	0.08	100	5.59	0.00	0	0	0	0.0	0	0.00	0.08	0.10	8.34	50	0.04	0.08	51	549	495	8	1053	1400	26
27	1400	0.00	100	5.59	0.00	0	0	0	0.0	0	0.00	0.00	0.10	8.29	49	0.00	0.06	52	558	179	0	738	1400	27
28	1400	0.00	100	5.59	0.00	0	0	0	0.0	0	0.00	0.00	0.10	8.19	49	0.00	0.05	54	564	25	0	590	1400	28
29	1400	0.12	100	5.65	0.00	0	0	0	0.0	0	0.00	0.12	0.10	8.09	49	0.06	0.05	55	567	66	10	645	1400	29
30	1400	0.27	100	5.78	0.00	0	0	0	0.0	0	0.00	0.27	0.10	8.07	49	0.13	0.07	55	567	263	24	856	1400	30
31	1400	0.00	100	5.78	0.00	0	0	0	0.0	0	0.00	0.00	0.10	8.14	49	0.00	0.05	53	565	290	0	857	1400	31

...SULTS - STATION 8.0 LOCAL ACCEPTANCE

RUN DATE | RUN NO. | INITIAL DATE, HOUR | JOB DESCRIPTION

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1967																								JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.00	0	0.00	1.60	0	756	630	348	1734	1400	1
2	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.00	24	0.00	1.26	14	755	435	7	1199	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.90	23	0.00	0.99	17	755	82	0	839	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.80	22	0.00	0.78	20	755	6	0	762	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.70	22	0.00	0.61	24	755	0	0	756	1400	5
6	1400	0.09	100	0.02	0.00	0	0	0	0.0	0	0.00	0.09	0.10	2.60	21	0.02	0.48	27	755	51	8	815	1400	6
7	1400	0.06	100	0.03	0.00	0	0	0	0.0	0	0.00	0.06	0.10	2.58	21	0.01	0.38	30	753	126	5	886	1400	7
8	1400	0.00	100	0.03	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.54	20	0.00	0.30	33	752	79	0	832	1400	8
9	1400	0.00	100	0.03	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.44	20	0.00	0.24	37	749	14	0	764	1400	9
10	1400	0.00	100	0.03	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.34	19	0.00	0.19	42	745	1	0	747	1400	10
11	1400	0.75	100	0.17	0.00	0	0	0	0.0	0	0.00	0.75	0.10	2.24	19	0.14	0.18	46	740	290	48	1079	1400	11
12	1400	0.27	100	0.23	0.00	0	0	0	0.0	0	0.00	0.27	0.10	2.82	23	0.06	0.15	46	734	650	21	1406	1400	12
13	1400	0.51	100	0.36	0.00	0	0	0	0.0	0	0.00	0.51	0.10	2.97	24	0.12	0.14	47	726	577	40	1344	1400	13
14	1400	0.00	100	0.36	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.33	27	0.00	0.11	48	717	492	0	1210	1400	14
15	1400	0.00	100	0.36	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.23	26	0.03	0.09	49	706	98	0	805	1400	15
16	1400	0.21	100	0.41	0.00	0	0	0	0.0	0	0.00	0.21	0.10	3.13	25	0.05	0.08	51	694	104	16	815	1400	16
17	1400	0.00	100	0.41	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.22	26	0.00	0.06	52	681	176	0	858	1400	17
18	1400	0.00	100	0.41	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.12	25	0.00	0.05	54	668	38	0	706	1400	18
19	1400	0.38	100	0.50	0.00	0	0	0	0.0	0	0.00	0.38	0.10	3.02	24	0.09	0.06	55	653	156	25	835	1400	19
20	1400	1.46	100	0.88	0.00	0	0	0	0.0	0	0.00	1.46	0.10	3.25	26	0.38	0.13	54	638	931	109	1679	1400	20
21	1400	0.26	100	0.96	0.00	0	0	0	0.0	0	0.00	0.26	0.10	4.31	34	0.09	0.12	49	622	1416	30	2070	1400	21
22	1400	0.03	100	0.98	0.00	0	0	0	0.0	0	0.00	0.03	0.10	4.41	35	0.01	0.10	49	606	590	4	1201	1400	22
23	1400	0.00	100	0.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.34	35	0.00	0.08	50	591	123	0	715	1400	23
24	1400	0.00	100	0.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.24	34	0.00	0.06	52	575	14	0	590	1400	24
25	1400	0.00	100	0.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.14	33	0.00	0.05	54	560	0	0	562	1400	25
26	1400	0.00	100	0.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.04	32	0.00	0.04	55	546	0	0	547	1400	26
27	1400	0.00	100	0.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.94	31	0.00	0.03	56	533	0	0	533	1400	27
28	1400	0.00	100	0.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.84	31	0.00	0.02	57	520	0	0	521	1400	28
29	1400	0.00	100	0.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.74	30	0.00	0.02	58	509	0	0	509	1400	29
30	1400	0.00	100	0.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.64	29	0.00	0.01	58	497	0	0	498	1400	30
31	1400	0.00	100	0.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.54	28	0.00	0.01	59	487	0	0	487	1400	31

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	O-DY	%MA	MELT	MI	ETI	SMI	ROP	RGF	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	2.44	100	[illegible]5	0.00	0	0	0	0.0	0	0.00	2.44	0.10	3.44	27	0.67	0.15	59	476	1030	195	1703	1400	1
2	1400	0.00	100	[illegible]	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.19	41	0.00	0.12	47	466	1671	4	2343	1400	2
3	1400	0.00	10[illegible]	[illegible]	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.09	40	0.00	0.09	49	456	405	0	862	1400	3
4	1400	0.08	100	[illegible]	0.00	0	0	0	0.0	0	0.00	0.08	0.10	4.99	40	0.03	0.08	51	447	87	9	544	1400	4
5	1400	0.00	100	1.68	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.94	40	0.00	0.06	52	439	102	0	542	1400	5
6	1400	0.03	100	1.69	0.00	0	0	0	0.0	0	0.00	0.03	0.10	4.84	39	0.01	0.05	54	432	42	3	478	1400	6
7	1400	0.00	100	1.69	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.77	38	0.00	0.04	55	425	38	0	464	1400	7
8	1400	0.02	100	1.70	0.00	0	0	0	0.0	0	0.00	0.02	0.10	4.67	37	0.01	0.03	56	420	23	2	446	1400	8
9	1400	0.41	100	1.85	0.00	0	0	0	0.0	0	0.00	0.41	0.10	4.59	37	0.15	0.06	57	416	274	41	732	1400	9
10	1400	0.86	100	2.18	0.00	0	0	0	0.0	0	0.00	0.86	0.10	4.80	38	0.33	0.12	54	413	1025	96	1535	1400	10
11	1400	0.49	100	2.38	0.00	0	0	0	0.0	0	0.00	0.49	0.10	5.31	41	0.20	0.14	49	410	1523	66	2000	1400	11
12	1400	0.52	100	2.60	0.00	0	0	0	0.0	0	0.00	0.52	0.10	5.57	42	0.22	0.15	48	408	1360	72	1842	1400	12
13	1400	1.14	100	3.08	0.00	0	0	0	0.0	0	0.00	1.14	0.10	5.85	42	0.48	0.22	47	408	1893	169	2472	1400	13
14	1400	0.41	100	3.26	0.00	0	0	0	0.0	0	0.00	0.41	0.10	6.48	44	0.18	0.21	43	408	2293	67	2770	1400	14
15	1400	0.32	100	3.41	0.00	0	0	0	0.0	0	0.00	0.32	0.10	6.67	45	0.14	0.20	44	410	1392	52	1855	1400	15
16	1400	0.22	100	3.51	0.00	0	0	0	0.0	0	0.00	0.22	0.10	6.79	45	0.10	0.18	45	413	941	35	1391	1400	16
17	1400	0.09	100	3.55	0.00	0	0	0	0.0	0	0.00	0.09	0.10	6.84	45	0.04	0.15	46	418	587	14	1020	1400	17
18	1400	0.00	100	3.55	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.80	45	0.00	0.12	48	425	237	0	664	1400	18
19	1400	0.22	100	3.65	0.00	0	0	0	0.0	0	0.00	0.22	0.10	6.70	45	0.10	0.11	49	434	231	32	698	1400	19
20	1400	0.03	100	3.66	0.00	0	0	0	0.0	0	0.00	0.03	0.10	6.76	45	0.01	0.09	49	445	378	5	829	1400	20
21	1400	0.00	100	3.66	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.68	45	0.00	0.07	51	457	122	0	580	1400	21
22	1400	0.00	100	3.66	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.58	45	0.00	0.06	53	471	16	0	487	1400	22
23	1400	0.00	100	3.66	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.48	44	0.00	0.04	54	485	1	0	487	1400	23
24	1400	0.00	100	3.66	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.38	44	0.00	0.04	56	500	0	0	500	1400	24
25	1400	0.45	100	3.86	0.00	0	0	0	0.0	0	0.00	0.45	0.10	6.28	44	0.20	0.07	56	514	321	53	890	1400	25
26	1400	0.08	100	3.89	0.00	0	0	0	0.0	0	0.00	0.08	0.10	6.50	44	0.03	0.06	53	529	642	10	1182	1400	26
27	1400	0.00	100	3.89	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.45	44	0.00	0.05	54	542	232	0	776	1400	27
28	1400	0.00	100	3.89	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.35	44	0.00	0.04	55	554	32	0	587	1400	28
29	1400	0.12	100	3.94	0.00	0	0	0	0.0	0	0.00	0.12	0.10	6.25	44	0.05	0.04	56	565	88	14	668	1400	29
30	1400	0.27	100	4.06	0.00	0	0	0	0.0	0	0.00	0.27	0.10	6.23	44	0.12	0.06	56	574	351	32	959	1400	30
31	1400	0.00	100	4.06	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.32	44	0.00	0.05	54	581	387	0	971	1400	31

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.07 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%PA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1967																								JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	3.00	0	0.00	0.60	0	386	10	10	406	1400	1
2	1400	0.00	98	0.00	1.10	1	3150	100	9.6	100	1.16	1.15	0.07	3.00	95	1.16	0.71	97	450	18	2	472	1400	2
3	1400	0.00	58	0.00	1.50	2	3150	100	4.1	87	0.49	0.43	0.07	2.99	95	0.40	0.64	96	585	25	0	611	1400	3
4	1400	0.00	100	0.00	3.35	3	3150	100	16.2	100	1.95	1.95	0.07	2.94	95	1.85	0.90	97	768	35	1	805	1400	4
5	1400	0.00	99	0.00	4.51	5	3150	100	10.2	100	1.22	1.22	0.07	2.97	95	1.16	0.96	95	1034	55	1	1091	1400	5
6	1400	0.18	100	0.17	5.92	6	3150	100	12.4	100	1.49	1.66	0.07	2.96	95	1.58	1.09	95	1283	67	1	1353	1400	6
7	1400	0.12	99	0.28	7.08	7	3150	100	10.2	100	1.22	1.34	0.07	2.99	95	1.27	1.13	95	1433	77	1	1513	1400	7
8	1400	0.00	99	0.28	8.24	8	3150	100	10.2	100	1.22	1.22	0.07	3.00	95	1.16	1.14	95	1484	73	1	1560	1400	8
9	1400	0.00	100	0.28	10.22	10	3150	100	17.3	100	2.08	2.08	0.07	2.99	95	1.97	1.32	95	1518	83	2	1603	1400	9
10	1400	0.00	100	0.28	12.44	13	3150	100	19.5	100	2.34	2.34	0.07	3.02	95	2.23	1.51	95	1686	108	2	1798	1400	10
11	1400	1.50	100	1.71	14.67	15	3150	100	19.5	100	2.34	3.84	0.07	3.07	95	3.65	1.97	95	2074	147	3	2226	1400	11
12	1400	0.54	100	2.22	17.08	17	3150	100	21.2	100	2.54	3.08	0.07	3.24	95	2.93	2.17	95	2604	178	3	2787	1400	12
13	1400	1.02	100	3.19	19.68	20	3150	100	22.8	100	2.74	3.76	0.07	3.38	95	3.57	2.47	95	3064	185	4	3254	1400	13
14	1400	0.00	100	3.19	22.47	23	3150	100	24.5	100	2.94	2.94	0.07	3.55	95	2.79	2.54	95	3342	186	3	3532	1400	14
15	1400	0.00	100	3.19	25.01	25	3150	100	22.3	100	2.67	2.67	0.07	3.63	95	2.54	2.54	95	3390	166	3	3560	1400	15
16	1400	0.42	100	3.59	27.61	28	3150	100	22.8	100	2.74	3.16	0.07	3.69	95	3.00	2.64	95	3294	160	3	3459	1400	16
17	1400	0.00	100	3.59	29.52	30	3150	100	16.8	100	2.01	2.01	0.07	3.82	95	1.91	2.48	95	3158	150	2	3311	1400	17
18	1400	0.00	100	3.59	31.37	32	3150	100	16.2	100	1.95	1.95	0.07	3.85	95	1.85	2.35	95	2907	123	2	3033	1400	18
19	1400	0.75	100	4.30	32.78	33	3150	100	12.4	100	1.49	2.23	0.07	3.88	95	2.12	2.30	95	2620	115	2	2739	1400	19
20	1400	2.91	99	7.03	33.94	34	3150	100	10.2	100	1.22	4.10	0.07	3.97	95	3.90	2.64	95	2600	150	4	2755	1400	20
21	1400	0.51	100	7.52	35.73	36	3150	100	15.7	100	1.88	2.39	0.07	4.16	95	2.27	2.56	95	2848	173	3	3026	1400	21
22	1400	0.06	100	7.58	37.33	38	3150	100	14.0	100	1.68	1.74	0.07	4.26	95	1.66	2.37	95	2919	137	2	3059	1400	22
23	1400	0.00	100	7.58	39.87	40	3150	100	22.3	100	2.67	2.67	0.07	4.28	95	2.54	2.40	95	2742	123	2	2869	1400	23
24	1400	0.00	100	7.58	42.28	43	3150	100	21.2	100	2.54	2.54	0.07	4.34	95	2.41	2.41	95	2636	135	2	2775	1400	24
25	1400	0.00	100	7.58	43.75	44	3150	100	12.9	100	1.55	1.55	0.07	4.40	95	1.47	2.21	95	2566	123	1	2691	1400	25
26	1400	0.00	100	7.58	45.48	46	3150	100	15.1	100	1.82	1.81	0.07	4.41	95	1.72	2.10	95	2378	102	1	2483	1400	26
27	1400	0.00	100	7.58	48.08	49	3150	100	22.8	100	2.74	2.74	0.07	4.43	95	2.60	2.21	95	2247	114	2	2365	1400	27
28	1400	0.00	100	7.58	50.93	51	3150	100	25.0	100	3.00	3.00	0.07	4.49	95	2.85	2.35	95	2363	143	3	2510	1400	28
29	1400	0.00	100	7.58	52.72	53	3150	100	15.7	100	1.88	1.88	0.07	4.57	95	1.79	2.23	95	2542	140	2	2686	1400	29
30	1400	0.00	98	7.58	53.75	54	3150	100	9.1	100	1.09	1.09	0.07	4.60	95	1.03	1.97	95	2459	103	1	2564	1400	30
31	1400	0.00	96	7.58	54.66	55	3150	100	8.0	100	0.96	0.96	0.07	4.58	95	0.91	1.74	95	2095	70	1	2168	1400	31

FORM 141-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. 80381 INITIAL DATE, HOUR 1 JUL 1967 1400 JOB DESCRIPTION 0 SUSITNA REP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.08 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-SR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	4.89	100	12.22	56.07	57	3150	100	12.4	100	1.49	6.37	0.07	4.56	95	6.05	2.67	95	2111	145	5	2263	1400	1
2	1400	0.00	100	12.22	58.05	59	3150	100	17.3	100	2.08	2.08	0.08	4.86	95	1.97	2.52	95	2751	212	3	2968	1400	2
3	1400	0.00	100	12.22	59.83	60	3150	100	15.7	100	1.88	1.88	0.08	4.88	95	1.79	2.36	95	3106	150	2	3260	1400	3
4	1400	0.15	100	12.36	61.50	62	3150	100	14.6	100	1.75	1.90	0.08	4.90	95	1.80	2.24	95	2879	115	2	2998	1400	4
5	1400	0.00	100	12.36	63.22	64	3150	100	15.1	100	1.82	1.81	0.08	4.93	95	1.72	2.13	95	2538	105	2	2646	1400	5
6	1400	0.06	100	12.41	65.57	66	3150	100	20.6	100	2.48	2.53	0.08	4.94	95	2.41	2.19	95	2331	113	2	2448	1400	6
7	1400	0.00	100	12.41	67.61	68	3150	100	17.9	100	2.15	2.14	0.08	4.99	95	2.04	2.16	95	2306	124	2	2433	1400	7
8	1400	0.04	100	12.45	69.52	70	3150	100	16.8	100	2.01	2.05	0.08	5.02	95	1.95	2.11	95	2325	119	2	2447	1400	8
9	1400	0.67	100	13.09	70.87	72	3150	100	11.8	100	1.42	2.09	0.08	5.05	95	1.99	2.09	95	2302	115	2	2420	1400	9
10	1400	1.41	97	14.39	71.84	73	3150	100	8.5	100	1.02	2.39	0.08	5.13	95	2.27	2.13	95	2294	119	2	2417	1400	10
11	1400	0.81	98	15.14	72.94	74	3150	100	9.6	100	1.16	1.95	0.08	5.23	95	1.85	2.07	95	2311	120	2	2434	1400	11
12	1400	0.86	94	15.91	73.78	75	3150	100	7.5	99	0.90	1.70	0.08	5.31	95	1.61	1.97	95	2263	108	1	2373	1400	12
13	1400	1.86	100	17.67	75.01	76	3150	100	10.7	100	1.29	3.14	0.08	5.38	95	2.98	2.19	95	2248	121	3	2373	1400	13
14	1400	0.66	97	18.28	75.98	77	3150	100	8.5	100	1.02	1.67	0.08	5.52	95	1.58	2.06	95	2341	131	2	2475	1400	14
15	1400	0.53	98	18.77	77.07	78	3150	100	9.6	100	1.16	1.67	0.08	5.58	95	1.59	1.96	95	2320	106	1	2429	1400	15
16	1400	0.36	100	19.12	78.74	80	3150	100	14.6	100	1.75	2.11	0.08	5.64	95	2.00	1.97	95	2186	102	2	2292	1400	16
17	1400	0.14	100	19.25	80.02	81	3150	100	11.3	100	1.35	1.50	0.08	5.70	95	1.42	1.85	95	2084	101	1	2188	1400	17
18	1400	0.00	100	19.25	81.31	82	3150	100	11.3	100	1.35	1.35	0.08	5.71	95	1.29	1.73	95	1952	86	1	2040	1400	18
19	1400	0.45	100	19.68	83.09	84	3150	100	15.7	100	1.88	2.33	0.08	5.76	95	2.21	1.83	95	1855	93	2	1951	1400	19
20	1400	0.06	100	19.74	85.01	86	3150	100	16.8	100	2.01	2.07	0.08	5.79	95	1.97	1.86	95	1921	112	2	2036	1400	20
21	1400	0.00	100	19.74	86.61	87	3150	100	14.0	100	1.68	1.68	0.08	5.82	95	1.60	1.81	95	2020	108	1	2131	1400	21
22	1400	0.00	99	19.74	87.77	89	3150	100	10.2	100	1.22	1.22	0.08	5.82	95	1.16	1.67	95	1975	90	1	2068	1400	22
23	1400	0.00	100	19.74	89.18	90	3150	100	12.4	100	1.49	1.48	0.08	5.80	95	1.41	1.61	95	1817	78	1	1897	1400	23
24	1400	0.00	80	19.74	89.83	91	3150	100	5.9	97	0.71	0.69	0.08	5.79	95	0.65	1.41	95	1619	66	0	1687	1400	24
25	1400	0.90	98	20.57	90.87	92	3150	100	9.1	100	1.09	1.97	0.08	5.75	95	1.87	1.51	95	1468	68	1	1539	1400	25
26	1400	0.15	98	20.71	91.90	93	3150	100	9.1	100	1.09	1.24	0.08	5.83	95	1.17	1.44	95	1459	82	1	1544	1400	26
27	1400	0.00	100	20.71	93.31	94	3150	100	12.4	100	1.49	1.48	0.08	5.83	95	1.41	1.43	95	1498	78	1	1579	1400	27
28	1400	0.00	97	20.71	94.28	95	3150	100	8.5	100	1.02	1.02	0.08	5.82	95	0.97	1.33	95	1480	72	1	1554	1400	28
29	1400	0.24	85	20.90	95.00	96	3150	100	6.4	98	0.77	0.96	0.08	5.79	95	0.91	1.24	95	1389	60	1	1452	1400	29
30	1400	0.54	94	21.39	95.84	97	3150	100	7.5	99	0.90	1.40	0.08	5.79	95	1.33	1.26	95	1294	62	1	1358	1400	30
31	1400	0.00	58	21.39	96.25	97	3150	100	4.1	87	0.49	0.43	0.08	5.83	95	0.40	1.08	95	1217	55	0	1274	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

FORM 1413-2 PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%CA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL	1967																							JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.08	6.00	0	0.00	1.30	0	1107.	709	338	2154	1400	1
2	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.00	70	0.00	0.94	40	1106	660	103	1891	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.90	69	0.00	0.68	45	1106	568	1	1677	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.80	68	0.00	0.49	48	1106	383	0	1490	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.70	67	0.00	0.36	50	1106	209	0	1316	1400	5
6	1400	0.18	100	0.18	0.00	0	0	0	0.0	0	0.00	0.18	0.10	5.60	66	0.12	0.29	56	1105	109	37	1252	1400	6
7	1400	0.12	100	0.20	0.00	0	0	0	0.0	0	0.00	0.12	0.10	5.59	66	0.08	0.23	58	1103	92	39	1235	1400	7
8	1400	0.00	100	0.20	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.54	65	0.00	0.17	61	1101	115	10	1227	1400	8
9	1400	0.00	100	0.20	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.44	64	0.00	0.12	63	1097	118	0	1216	1400	9
10	1400	0.00	100	0.20	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.34	63	0.00	0.09	65	1092	87	0	1179	1400	10
11	1400	1.50	100	1.13	0.00	0	0	0	0.0	0	0.00	1.50	0.10	5.24	62	0.94	0.32	66	1085	114	221	1421	1400	11
12	1400	0.54	100	1.50	0.00	0	0	0	0.0	0	0.00	0.54	0.10	5.79	68	0.37	0.33	57	1076	316	206	1599	1400	12
13	1400	1.02	100	2.21	0.00	0	0	0	0.0	0	0.00	1.02	0.10	5.93	69	0.71	0.44	57	1065	633	265	1965	1400	13
14	1400	0.00	100	2.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.22	72	0.00	0.32	53	1053	874	94	2022	1400	14
15	1400	0.00	100	2.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.12	71	0.00	0.23	57	1040	878	1	1920	1400	15
16	1400	0.42	100	2.50	0.00	0	0	0	0.0	0	0.00	0.42	0.10	6.02	70	0.30	0.25	61	1026	676	81	1784	1400	16
17	1400	0.00	100	2.50	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.11	71	0.00	0.18	60	1012	470	35	1518	1400	17
18	1400	0.00	100	2.50	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.01	70	0.00	0.13	63	998	340	0	1339	1400	18
19	1400	0.75	100	3.02	0.00	0	0	0	0.0	0	0.00	0.75	0.10	5.91	69	0.52	0.24	65	984	264	128	1377	1400	19
20	1400	2.91	100	5.09	0.00	0	0	0	0.0	0	0.00	2.91	0.10	6.12	71	2.07	0.74	61	971	428	932	2332	1400	20
21	1400	0.51	100	5.50	0.00	0	0	0	0.0	0	0.00	.51	0.10	6.93	79	0.40	0.65	47	958	960	531	2451	1400	21
22	1400	0.06	100	5.54	0.00	0	0	0	0.0	0	0.00	.06	0.10	7.01	80	0.05	0.48	48	946	1446	88	2481	1400	22
23	1400	0.00	100	5.54	0.00	0	0	0	0.0	0	0.00	0	0.10	6.93	79	0.00	0.35	51	936	1411	8	2357	1400	23
24	1400	0.00	100	5.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.83	78	0.00	0.25	56	928	987	0	1916	1400	24
25	1400	0.00	100	5.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.73	77	0.00	0.18	60	922	549	0	1472	1400	25
26	1400	0.00	100	5.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.63	76	0.00	0.13	63	919	262	0	1181	1400	26
27	1400	0.00	100	5.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.53	75	0.00	0.10	65	918	112	0	1030	1400	27
28	1400	0.00	100	5.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.43	74	0.00	0.07	66	919	44	0	964	1400	28
29	1400	0.00	100	5.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.33	73	0.00	0.05	67	921	16	0	938	1400	29
30	1400	0.00	100	5.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.23	72	0.00	0.04	68	924	5	0	931	1400	30
31	1400	0.00	100	5.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.13	71	0.00	0.03	69	928	2	0	931	1400	31

PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	4.89	100	8.98	0.06	0	0	0	0.0	0	0.00	4.89	0.10	6.03	70	3.44	0.97	69	931	188	1324	2445	1400	1
2	1400	0.00	100	8.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.46	85	0.00	0.70	44	934	752	573	2261	1400	2
3	1400	0.00	100	8.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.36	84	0.00	0.51	48	937	1246	8	2192	1400	3
4	1400	0.15	100	9.11	0.00	0	0	0	0.0	0	0.00	0.15	0.10	7.26	83	0.12	0.40	50	940	1176	43	2160	1400	4
5	1400	0.00	100	9.11	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.21	82	0.00	0.29	54	943	794	18	1757	1400	5
6	1400	0.06	100	9.16	0.00	0	0	0	0.0	0	0.00	0.06	0.10	7.11	81	0.05	0.22	58	948	470	14	1434	1400	6
7	1400	0.00	100	9.16	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.03	80	0.00	0.16	61	955	266	6	1228	1400	7
8	1400	0.04	100	9.19	0.00	0	0	0	0.0	0	0.00	0.04	0.10	6.93	79	0.03	0.13	64	963	150	8	1122	1400	8
9	1400	0.67	100	9.71	0.00	0	0	0	0.0	0	0.00	0.67	0.10	6.84	78	0.53	0.24	65	973	126	133	1233	1400	9
10	1400	1.41	100	10.83	0.00	0	0	0	0.0	0	0.00	1.41	0.10	6.96	80	1.12	0.48	61	983	295	407	1686	1400	10
11	1400	0.81	100	11.50	0.00	0	0	0	0.0	0	0.00	0.81	0.10	7.23	82	0.66	0.53	51	994	708	383	2087	1400	11
12	1400	0.86	100	12.21	0.00	0	0	0	0.0	0	0.00	0.86	0.10	7.35	83	0.71	0.58	50	1006	1188	355	2551	1400	12
13	1400	1.86	100	13.79	0.00	0	0	0	0.0	0	0.00	1.86	0.10	7.47	85	1.57	0.85	49	1019	1605	959	3584	1400	13
14	1400	0.66	100	14.37	0.00	0	0	0	0.0	0	0.00	0.66	0.10	7.73	87	0.58	0.78	46	1032	2006	590	3629	1400	14
15	1400	0.53	100	14.83	0.00	0	0	0	0.0	0	0.00	0.53	0.10	7.79	88	0.46	0.69	47	1046	2244	275	3567	1400	15
16	1400	0.36	100	15.15	0.00	0	0	0	0.0	0	0.00	0.36	0.10	7.82	88	0.32	0.59	48	1061	2120	193	3375	1400	16
17	1400	0.14	100	15.27	0.00	0	0	0	0.0	0	0.00	0.14	0.10	7.82	88	0.13	0.46	49	1077	1732	97	2908	1400	17
18	1400	0.00	100	15.27	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.75	88	0.00	0.33	52	1096	1264	20	2381	1400	18
19	1400	0.45	100	15.66	0.00	0	0	0	0.0	0	0.00	0.45	0.10	7.65	87	0.39	0.35	57	1115	847	119	2083	1400	19
20	1400	0.06	100	15.72	0.00	0	0	0	0.0	0	0.00	0.06	0.10	7.68	87	0.05	0.27	56	1136	596	67	1801	1400	20
21	1400	0.00	100	15.72	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.59	86	0.00	0.19	59	1158	469	7	1636	1400	21
22	1400	0.00	100	15.72	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.49	85	0.00	0.14	62	1180	343	0	1524	1400	22
23	1400	0.00	100	15.72	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.39	84	0.00	0.10	64	1202	205	0	1409	1400	23
24	1400	0.00	100	15.72	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.29	83	0.00	0.07	66	1223	104	0	1328	1400	24
25	1400	0.90	100	16.45	0.00	0	0	0	0.0	0	0.00	0.90	0.10	7.19	82	0.74	0.26	67	1243	96	171	1511	1400	25
26	1400	0.15	100	16.58	0.00	0	0	0	0.0	0	0.00	0.15	0.10	7.33	83	0.13	0.22	60	1260	230	109	1600	1400	26
27	1400	0.00	100	16.58	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.28	83	0.00	0.16	61	1275	381	16	1673	1400	27
28	1400	0.00	100	16.58	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.18	82	0.00	0.12	64	1287	382	0	1670	1400	28
29	1400	0.24	100	16.77	0.00	0	0	0	0.0	0	0.00	0.24	0.10	7.08	81	0.19	0.14	65	1296	277	47	1621	1400	29
30	1400	0.54	100	17.21	0.00	0	0	0	0.0	0	0.00	0.54	0.10	7.06	81	0.44	0.22	65	1301	230	129	1661	1400	30
31	1400	0.00	100	17.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	7.14	81	0.00	0.16	61	1304	286	47	1638	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONSI. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1967																								JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.50	0	0.00	0.70	0	501	298	379	1178	1400	1
2	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.50	45	0.00	0.55	25	500	206	8	715	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.40	44	0.00	0.43	28	500	39	0	540	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.30	43	0.00	0.34	31	500	2	0	504	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.20	42	0.00	0.27	35	500	0	0	501	1400	5
6	1400	0.09	100	0.04	0.00	0	0	0	0.0	0	0.00	0.09	0.10	3.10	41	0.04	0.22	40	500	53	8	563	1400	6
7	1400	0.06	100	0.06	0.00	0	0	0	0.0	0	0.00	0.06	0.10	3.07	41	0.02	0.18	44	499	131	5	636	1400	7
8	1400	0.00	100	0.06	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.01	40	0.00	0.14	46	498	81	0	580	1400	8
9	1400	0.00	100	0.06	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.91	39	0.00	0.11	48	496	14	0	511	1400	9
10	1400	0.00	100	0.06	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.81	38	0.00	0.09	50	494	1	0	495	1400	10
11	1400	0.75	100	0.34	0.00	0	0	0	0.0	0	0.00	0.75	0.10	2.71	37	0.28	0.13	51	490	326	54	872	1400	11
12	1400	0.27	100	0.45	0.00	0	0	0	0.0	0	0.00	0.27	0.10	3.16	42	0.11	0.12	49	486	732	24	1244	1400	12
13	1400	0.51	100	0.67	0.00	0	0	0	0.0	0	0.00	0.51	0.10	3.25	43	0.22	0.14	49	481	650	45	1177	1400	13
14	1400	0.00	100	0.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.52	45	0.00	0.11	48	476	552	0	1030	1400	14
15	1400	0.00	100	0.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.42	44	0.00	0.09	49	469	110	0	580	1400	15
16	1400	0.21	100	0.76	0.00	0	0	0	0.0	0	0.00	0.21	0.10	3.32	43	0.09	0.09	51	462	115	17	596	1400	16
17	1400	0.00	100	0.76	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.34	44	0.00	0.07	51	455	194	0	651	1400	17
18	1400	0.00	100	0.76	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.26	43	0.00	0.05	53	447	42	0	490	1400	18
19	1400	0.38	100	0.92	0.00	0	0	0	0.0	0	0.00	0.38	0.10	3.16	42	0.16	0.08	55	439	175	28	644	1400	19
20	1400	1.46	100	1.55	0.00	0	0	0	0.0	0	0.00	1.46	0.10	3.34	43	0.63	0.20	52	432	1031	146	1611	1400	20
21	1400	0.26	100	1.68	0.00	0	0	0	0.0	0	0.00	0.26	0.10	4.14	51	0.13	0.18	45	424	1548	32	2005	1400	21
22	1400	0.03	100	1.69	0.00	0	0	0	0.0	0	0.00	0.03	0.10	4.20	52	0.02	0.15	46	416	624	4	1045	1400	22
23	1400	0.00	100	1.69	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.12	51	0.00	0.11	48	409	127	0	537	1400	23
24	1400	0.00	100	1.69	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.02	50	0.00	0.09	49	402	14	0	417	1400	24
25	1400	0.00	100	1.69	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.92	49	0.00	0.07	51	397	0	0	398	1400	25
26	1400	0.00	100	1.69	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.82	48	0.00	0.06	53	392	0	0	392	1400	26
27	1400	0.00	100	1.69	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.72	47	0.00	0.04	54	387	0	0	388	1400	27
28	1400	0.00	100	1.69	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.62	46	0.00	0.03	56	384	0	0	384	1400	28
29	1400	0.00	100	1.69	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.52	45	0.00	0.03	57	381	0	0	382	1400	29
30	1400	0.00	100	1.69	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.42	44	0.00	0.02	57	379	0	0	379	1400	30
31	1400	0.00	100	1.69	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.32	43	0.00	0.02	58	376	0	0	377	1400	31

FORM 1113
PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA REP AUG 8-17 '67 RECONST. U.S.D.A., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	2.44	100	2.72	0.00	0	0	0	0.0	0	0.00	2.44	0.10	3.22	42	1.03	0.23	58	374	1015	250	1640	1400	1
2	1400	0.00	100	2.72	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.61	56	0.00	0.18	42	372	1844	5	2222	1400	2
3	1400	0.00	100	2.72	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.51	55	0.00	0.14	46	370	399	0	770	1400	3
4	1400	0.68	100	2.76	0.00	0	0	0	0.0	0	0.00	0.08	0.10	4.41	54	0.04	0.12	48	368	82	8	459	1400	4
5	1400	0.00	100	2.76	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.36	54	0.00	0.10	49	366	94	0	462	1400	5
6	1400	0.03	100	2.78	0.00	0	0	0	0.0	0	0.00	0.03	0.10	4.26	53	0.02	0.08	50	365	39	3	408	1400	6
7	1400	0.00	100	2.78	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.17	52	0.00	0.06	52	365	35	0	401	1400	7
8	1400	0.04	100	2.80	0.00	0	0	0	0.0	0	0.00	0.04	0.10	4.07	51	0.02	0.05	54	3	30	3	399	1400	8
9	1400	0.67	100	3.14	0.00	0	0	0	0.0	0	0.00	0.67	0.10	4.00	50	0.34	0.11	55	366	409	61	838	1400	9
10	1400	1.41	100	3.88	0.00	0	0	0	0.0	0	0.00	1.41	0.10	4.31	53	0.75	0.25	49	367	1576	210	2155	1400	10
11	1400	0.81	100	4.37	0.00	0	0	0	0.0	0	0.00	0.81	0.10	4.95	60	0.48	0.30	41	369	2458	136	2964	1400	11
12	1400	0.86	100	4.90	0.00	0	0	0	0.0	0	0.00	0.86	0.10	5.25	63	0.54	0.35	37	371	2402	178	2953	1400	12
13	1400	1.86	100	6.12	0.00	0	0	0	0.0	0	0.00	1.86	0.10	5.55	66	1.22	0.54	35	374	3558	708	4642	1400	13
14	1400	0.66	100	6.59	0.00	0	0	0	0.0	0	0.00	0.66	0.10	6.17	72	0.48	0.52	28	379	4429	194	5003	1400	14
15	1400	0.53	100	6.98	0.00	0	0	0	0.0	0	0.00	0.53	0.10	6.33	73	0.39	0.49	29	384	2877	130	3392	1400	15
16	1400	0.36	100	7.25	0.00	0	0	0	0.0	0	0.00	0.36	0.10	6.44	74	0.27	0.45	29	392	2042	79	2514	1400	16
17	1400	0.14	100	7.36	0.00	0	0	0	0.0	0	0.00	0.14	0.10	6.49	75	0.11	0.37	31	401	1303	31	1737	1400	17
18	1400	0.00	100	7.36	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.44	74	0.00	0.29	33	413	530	0	945	1400	18
19	1400	0.22	100	7.52	0.00	0	0	0	0.0	0	0.00	0.22	0.10	6.34	73	0.17	0.27	38	428	335	41	806	1400	19
20	1400	0.03	100	7.54	0.00	0	0	0	0.0	0	0.00	0.03	0.10	6.33	73	0.02	0.21	40	444	491	6	943	1400	20
21	1400	0.00	100	7.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.25	72	0.00	0.17	44	463	156	0	620	1400	21
22	1400	0.00	100	7.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.15	71	0.00	0.13	47	483	20	0	504	1400	22
23	1400	0.00	100	7.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.05	70	0.00	0.10	48	504	1	0	506	1400	23
24	1400	0.00	100	7.54	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.95	69	0.00	0.08	50	525	0	0	525	1400	24
25	1400	0.45	100	7.85	0.00	0	0	0	0.0	0	0.00	0.45	0.10	5.85	68	0.31	0.13	52	546	358	59	965	1400	25
26	1400	0.08	100	7.90	0.00	0	0	0	0.0	0	0.00	0.08	0.10	5.95	70	0.05	0.11	49	566	716	12	1295	1400	26
27	1400	0.00	100	7.90	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.88	69	0.00	0.09	49	585	259	0	845	1400	27
28	1400	0.00	100	7.90	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.78	68	0.00	0.07	51	603	36	0	640	1400	28
29	1400	0.12	100	7.98	0.00	0	0	0	0.0	0	0.00	0.12	0.10	5.68	67	0.08	0.07	53	618	93	15	728	1400	29
30	1400	0.27	100	8.16	0.00	0	0	0	0.0	0	0.00	0.27	0.10	5.64	66	0.18	0.10	53	631	370	34	1037	1400	30
31	1400	0.00	100	8.16	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.67	67	0.00	0.07	50	643	407	0	1052	1400	31

FORM 1813
PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

BASIN RESULTS - STATION 43.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1967																								JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.50	0	0.00	0.10	0	0	0	174	174	1400	1
2	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.50	100	0.00	0.08	50	0	0	143	143	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.40	100	0.00	0.06	52	9	0	72	72	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.30	100	0.00	0.05	54	0	0	18	19	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.20	100	0.00	0.04	55	0	0	3	4	1400	5
6	1400	0.06	100	0.06	0.00	0	0	0	0.0	0	0.00	0.06	0.10	3.10	100	0.06	0.04	56	43	32	0	77	1400	6
7	1400	0.04	100	0.10	0.00	0	0	0	0.0	0	0.00	0.04	0.10	3.01	100	0.04	0.04	56	28	21	1	51	1400	7
8	1400	0.00	100	0.10	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.91	100	0.00	0.03	56	0	0	1	1	1400	8
9	1400	0.00	100	0.10	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.81	100	0.00	0.03	57	0	0	0	0	1400	9
10	1400	0.00	100	0.10	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.71	100	0.00	0.02	57	0	0	0	0	1400	10
11	1400	0.50	100	0.60	0.00	0	0	0	0.0	0	0.00	0.50	0.10	2.61	100	0.50	0.12	58	373	257	2	634	1400	11
12	1400	0.18	100	0.78	0.00	0	0	0	0.0	0	0.00	0.18	0.10	2.58	100	0.18	0.14	49	113	112	6	233	1400	12
13	1400	0.34	100	1.12	0.00	0	0	0	0.0	0	0.00	0.34	0.10	2.51	100	0.34	0.18	48	211	215	8	436	1400	13
14	1400	0.00	100	1.12	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.46	100	0.00	0.14	46	0	0	7	8	1400	14
15	1400	0.00	100	1.12	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.36	100	0.00	0.11	48	0	0	4	4	1400	15
16	1400	0.14	100	1.26	0.00	0	0	0	0.0	0	0.00	0.14	0.10	2.26	100	0.14	0.12	49	89	86	1	178	1400	16
17	1400	0.00	100	1.26	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.18	100	0.00	0.09	49	0	0	2	2	1400	17
18	1400	0.00	100	1.26	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.08	100	0.00	0.07	51	0	0	1	1	1400	18
19	1400	0.25	100	1.51	0.00	0	0	0	0.0	0	0.00	0.25	0.10	1.98	100	0.25	0.11	53	170	144	1	317	1400	19
20	1400	0.97	100	2.48	0.00	0	0	0	0.0	0	0.00	0.97	0.10	1.91	100	0.97	0.29	49	619	584	11	1215	1400	20
21	1400	0.17	100	2.65	0.00	0	0	0	0.0	0	0.00	0.17	0.10	1.89	100	0.17	0.27	37	82	130	23	236	1400	21
22	1400	0.02	100	2.67	0.00	0	0	0	0.0	0	0.00	0.02	0.10	1.81	100	0.02	0.21	40	10	14	18	43	1400	22
23	1400	0.00	100	2.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	1.72	100	0.00	0.17	44	0	0	6	7	1400	23
24	1400	0.00	100	2.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	1.62	100	0.00	0.13	47	0	0	1	2	1400	24
25	1400	0.00	100	2.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	1.52	100	0.00	0.10	48	0	0	0	0	1400	25
26	1400	0.00	100	2.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	1.42	100	0.00	0.08	50	0	0	0	0	1400	26
27	1400	0.00	100	2.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	1.32	100	0.00	0.06	52	0	0	0	0	1400	27
28	1400	0.00	100	2.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	1.22	100	0.00	0.05	54	0	0	0	0	1400	28
29	1400	0.00	100	2.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	1.12	100	0.00	0.04	55	0	0	0	0	1400	29
30	1400	0.00	100	2.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	1.02	100	0.00	0.03	56	0	0	0	0	1400	30
31	1400	0.00	100	2.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.92	100	0.00	0.02	57	0	0	0	0	1400	31

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80341 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	UII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	1.63	100	4.30	0.00	0	0	0	0.0	0	0.00	1.63	0.10	0.82	100	1.63	0.37	58	1210	805	15	2032	1400	1
2	1400	0.00	100	4.30	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.80	100	0.00	0.29	34	0	0	35	36	1400	2
3	1400	0.00	100	4.30	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.70	100	0.00	0.23	38	0	0	26	27	1400	3
4	1400	0.05	100	4.35	0.00	0	0	0	0.0	0	0.00	0.05	0.10	0.60	100	0.05	0.19	43	27	35	7	71	1400	4
5	1400	0.00	100	4.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.50	100	0.00	0.15	46	0	0	2	2	1400	5
6	1400	0.02	100	4.37	0.00	0	0	0	0.0	0	0.00	0.02	0.10	0.40	100	0.02	0.12	48	12	12	0	26	1400	6
7	1400	0.00	100	4.37	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.31	100	0.00	.10	49	0	0	0	0	1400	7
8	1400	0.02	100	4.39	0.00	0	0	0	0.0	0	0.00	0.02	0.10	0.21	100	0.02	0.08	50	15	14	0	31	1400	8
9	1400	0.41	100	4.81	0.00	0	0	0	0.0	0	0.00	0.41	0.10	0.11	100	0.41	0.15	52	276	242	2	521	1400	9
10	1400	0.86	100	5.67	0.00	0	0	0	0.0	0	0.00	0.86	0.10	0.07	100	0.86	0.30	47	528	541	13	1083	1400	10
11	1400	0.49	100	6.16	0.00	0	0	0	0.0	0	0.00	0.49	0.10	0.05	100	0.49	0.34	37	235	378	25	640	1400	11
12	1400	0.52	100	6.69	0.00	0	0	0	0.0	0	0.00	0.52	0.10	0.01	100	0.52	0.36	35	235	412	29	678	1400	12
13	1400	1.14	100	7.82	0.00	0	0	0	0.0	0	0.00	1.14	0.10	0.00	100	1.14	0.54	33	481	881	41	1405	1400	13
14	1400	0.41	100	8.23	0.00	0	0	0	0.0	0	0.00	0.41	0.10	0.00	100	0.41	0.52	28	147	355	58	561	1400	14
15	1400	0.32	100	8.55	0.00	0	0	0	0.0	0	0.00	0.32	0.10	0.00	100	0.32	0.47	29	119	282	46	449	1400	15
16	1400	0.22	100	8.78	0.00	0	0	0	0.0	0	0.00	0.22	0.10	0.00	100	0.22	0.42	30	84	189	24	299	1400	16
17	1400	0.09	100	8.86	0.00	0	0	0	0.0	0	0.00	0.09	0.10	0.00	100	0.09	0.35	31	35	74	13	123	1400	17
18	1400	0.00	100	8.86	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.27	35	0	0	6	7	1400	18
19	1400	0.15	100	9.01	0.00	0	0	0	0.0	0	0.00	0.15	0.10	0.00	100	0.15	0.25	39	75	112	3	191	1400	19
20	1400	0.02	100	9.03	0.00	0	0	0	0.0	0	0.00	0.02	0.10	0.00	100	0.02	0.20	41	10	14	3	28	1400	20
21	1400	0.00	100	9.03	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.16	45	0	0	2	2	1400	21
22	1400	0.00	100	9.03	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.12	47	0	0	0	1	1400	22
23	1400	0.00	100	9.03	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.10	49	0	0	0	0	1400	23
24	1400	0.00	100	9.03	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.08	50	0	0	0	0	1400	24
25	1400	0.30	100	9.33	0.00	0	0	0	0.0	0	0.00	0.30	0.10	0.00	100	0.30	0.12	52	203	174	1	380	1400	25
26	1400	0.05	100	9.38	0.00	0	0	0	0.0	0	0.00	0.05	0.10	0.00	100	0.05	0.11	49	31	31	4	67	1400	26
27	1400	0.00	100	9.38	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.09	50	0	0	3	3	1400	27
28	1400	0.00	100	9.38	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.07	52	0	0	1	1	1400	28
29	1400	0.08	100	9.46	0.00	0	0	0	0.0	0	0.00	0.08	0.10	0.00	100	0.08	0.07	53	55	45	0	102	1400	29
30	1400	0.18	100	9.64	0.00	0	0	0	0.0	0	0.00	0.18	0.10	0.00	100	0.18	0.09	53	123	103	2	229	1400	30
31	1400	0.00	100	9.64	0.00	0	0	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.07	51	0	0	2	3	1400	31

FORM 1611-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.15 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1967																								JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.00	0	0.00	0.13	0	1473	872	30	2375	1400	1
2	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.15	3.00	40	0.00	0.10	49	1473	871	29	2375	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.85	39	0.00	0.08	50	1473	871	26	2372	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.70	37	0.00	0.06	52	1473	871	17	2362	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.55	35	0.00	0.05	54	1473	870	7	2351	1400	5
6	1400	0.06	100	0.02	0.00	0	0	0	0.0	0	0.00	0.06	0.15	2.40	34	0.02	0.04	55	1472	867	2	2343	1400	6
7	1400	0.04	100	0.03	0.00	0	0	0	0.0	0	0.00	0.04	0.15	2.30	33	0.01	0.04	56	1472	860	1	2335	1400	7
8	1400	0.00	100	0.03	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.19	32	0.00	0.03	56	1472	847	4	2326	1400	8
9	1400	0.00	100	0.03	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.04	30	0.00	0.02	57	1472	827	6	2307	1400	9
10	1400	0.00	100	0.03	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.89	29	0.00	0.02	58	1472	797	5	2276	1400	10
11	1400	0.50	100	0.18	0.00	0	0	0	0.0	0	0.00	0.50	0.15	1.74	29	0.14	0.04	58	1472	759	2	2235	1400	11
12	1400	0.18	100	0.23	0.00	0	0	0	0.0	0	0.00	0.18	0.15	2.05	30	0.05	0.05	56	1472	712	9	2195	1400	12
13	1400	0.34	100	0.34	0.00	0	0	0	0.0	0	0.00	0.34	0.15	2.06	31	0.10	0.06	55	1472	659	29	2162	1400	13
14	1400	0.00	100	0.34	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.22	32	0.00	0.05	54	1472	604	44	2121	1400	14
15	1400	0.00	100	0.34	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.07	31	0.00	0.04	55	1472	548	46	2067	1400	15
16	1400	0.14	100	0.38	0.00	0	0	0	0.0	0	0.00	0.14	0.15	1.92	30	0.04	0.04	56	1472	497	33	2003	1400	16
17	1400	0.00	100	0.38	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.90	29	0.00	0.03	56	1471	454	17	1944	1400	17
18	1400	0.00	100	0.38	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.75	29	0.00	0.02	57	1471	423	12	1907	1400	18
19	1400	0.25	100	0.45	0.00	0	0	0	0.0	0	0.00	0.25	0.15	1.60	28	0.07	0.03	58	1470	402	9	1883	1400	19
20	1400	0.97	100	0.72	0.00	0	0	0	0.0	0	0.00	0.97	0.15	1.68	28	0.28	0.09	57	1469	391	10	1872	1400	20
21	1400	0.17	100	0.78	0.00	0	0	0	0.0	0	0.00	0.17	0.15	2.34	33	0.06	0.08	51	1468	388	31	1888	1400	21
22	1400	0.02	100	0.79	0.00	0	0	0	0.0	0	0.00	0.02	0.15	2.34	33	0.01	0.06	52	1466	389	68	1925	1400	22
23	1400	0.00	100	0.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.21	32	0.00	0.05	54	1464	394	74	1934	1400	23
24	1400	0.00	100	0.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.06	31	0.00	0.04	55	1462	402	46	1912	1400	24
25	1400	0.00	100	0.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.91	30	0.00	0.03	56	1460	415	19	1895	1400	25
26	1400	0.00	100	0.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.76	29	0.00	0.02	57	1457	433	5	1896	1400	26
27	1400	0.00	100	0.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.61	28	0.00	0.02	58	1453	456	1	1911	1400	27
28	1400	0.00	100	0.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.46	27	0.00	0.01	58	1449	482	0	1932	1400	28
29	1400	0.00	100	0.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.31	27	0.00	0.01	59	1444	504	0	1951	1400	29
30	1400	0.00	100	0.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.16	26	0.00	0.01	59	1439	524	0	1965	1400	30
31	1400	0.00	100	0.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.01	25	0.00	0.01	59	1434	534	0	1968	1400	31

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
B03A1 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.15 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																							AUG 1967	
1	1400	1.63	100	1.18	0.00	0	0	0	0.0	0	0.00	1.63	0.15	0.86	24	0.40	0.09	59	1427	532	1	1962	1400	1
2	1400	0.00	100	1.18	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.05	31	0.00	0.07	51	1420	519	23	1964	1400	2
3	1400	0.00	100	1.18	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.91	30	0.00	0.06	53	1413	496	68	1978	1400	3
4	1400	0.05	100	1.20	0.00	0	0	0	0.0	0	0.00	0.05	0.15	1.76	29	0.01	0.05	54	1405	466	74	1946	1400	4
5	1400	0.00	100	1.20	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.66	28	0.00	0.04	55	1396	435	41	1874	1400	5
6	1400	0.02	100	1.20	0.00	0	0	0	0.0	0	0.00	0.02	0.15	1.51	28	0.01	0.03	56	1387	409	16	1814	1400	6
7	1400	0.00	100	1.20	0.00	0	0	0	0.0	0	0.00	0.00	0.15	1.38	27	0.00	0.02	57	1377	393	6	1778	1400	7
8	1400	0.02	100	1.21	0.00	0	0	0	0.0	0	0.00	0.02	0.15	1.23	26	0.01	0.02	58	1367	387	3	1759	1400	8
9	1400	0.41	100	1.31	0.00	0	0	0	0.0	0	0.00	0.41	0.15	1.10	26	0.10	0.04	58	1356	391	2	1751	1400	9
10	1400	0.86	100	1.54	0.00	0	0	0	0.0	0	0.00	0.86	0.15	1.34	27	0.23	0.08	56	1345	401	9	1756	1400	10
11	1400	0.49	100	1.69	0.00	0	0	0	0.0	0	0.00	0.49	0.15	1.94	30	0.15	0.09	52	1333	413	35	1783	1400	11
12	1400	0.52	100	1.86	0.00	0	0	0	0.0	0	0.00	0.52	0.15	2.24	32	0.17	0.11	51	1320	424	75	1821	1400	12
13	1400	1.14	100	2.27	0.00	0	0	0	0.0	0	0.00	1.14	0.15	2.55	36	0.40	0.17	49	1308	433	102	1843	1400	13
14	1400	0.41	100	2.44	0.00	0	0	0	0.0	0	0.00	0.41	0.15	3.26	43	0.17	0.17	46	1294	441	128	1865	1400	14
15	1400	0.32	100	2.58	0.00	0	0	0	0.0	0	0.00	0.32	0.15	3.43	44	0.14	0.17	46	1281	455	167	1904	1400	15
16	1400	0.22	100	2.68	0.00	0	0	0	0.0	0	0.00	0.22	0.15	3.52	45	0.10	0.15	47	1267	482	174	1924	1400	16
17	1400	0.09	100	2.72	0.00	0	0	0	0.0	0	0.00	0.09	0.15	3.54	45	0.04	0.13	47	1252	529	144	1926	1400	17
18	1400	0.00	100	2.72	0.00	0	0	0	0.0	0	0.00	0.00	0.15	3.46	45	0.00	0.10	49	1238	603	104	1946	1400	18
19	1400	0.15	100	2.79	0.00	0	0	0	0.0	0	0.00	0.15	0.15	3.31	43	0.06	0.09	50	1223	705	66	1995	1400	19
20	1400	0.02	100	2.79	0.00	0	0	0	0.0	0	0.00	0.02	0.15	3.27	43	0.01	0.07	51	1208	832	37	2079	1400	20
21	1400	0.00	100	2.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	3.14	41	0.00	0.06	53	1193	975	26	2196	1400	21
22	1400	0.00	100	2.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.99	40	0.00	0.05	54	1178	1121	20	2321	1400	22
23	1400	0.00	100	2.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.84	38	0.00	0.04	55	1163	1257	10	2432	1400	23
24	1400	0.00	100	2.79	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.69	37	0.00	0.03	56	1148	1368	4	2521	1400	24
25	1400	0.30	100	2.90	0.00	0	0	0	0.0	0	0.00	0.30	0.15	2.54	35	0.11	0.05	57	1133	1446	1	2582	1400	25
26	1400	0.05	100	2.92	0.00	0	0	0	0.0	0	0.00	0.05	0.15	2.65	36	0.02	0.04	55	1119	1485	6	2611	1400	26
27	1400	0.00	100	2.92	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.54	35	0.00	0.03	56	1104	1483	20	2609	1400	27
28	1400	0.00	100	2.92	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.39	34	0.00	0.02	57	1090	1445	24	2560	1400	28
29	1400	0.08	100	2.95	0.00	0	0	0	0.0	0	0.00	0.08	0.15	2.24	32	0.03	0.02	58	1077	1375	15	2468	1400	29
30	1400	0.18	100	3.00	0.00	0	0	0	0.0	0	0.00	0.18	0.15	2.16	32	0.06	0.03	58	1064	1283	7	2356	1400	30
31	1400	0.00	100	3.00	0.00	0	0	0	0.0	0	0.00	0.00	0.15	2.17	32	0.00	0.02	57	1051	1177	9	2240	1400	31

FORM 1213
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI.

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL																							JUL 1967	
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.15	3.00	0	0.00	1.60	0	560	735	394	1689	1400	1
2	1400	0.00	100	0.00	0.09	0	0	0	0.0	0	0.00	0.00	0.10	3.00	40	0.00	1.26	14	559	508	1	1069	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.90	39	0.00	0.99	17	556	96	0	653	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.80	38	0.00	0.78	20	549	7	0	556	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.70	37	0.00	0.61	24	534	0	0	534	1400	5
6	1400	0.12	100	0.04	0.00	0	0	0	0.0	0	0.00	0.12	0.10	2.60	36	0.04	0.49	27	511	183	31	725	1400	6
7	1400	0.08	100	0.07	0.00	0	0	0	0.0	0	0.00	0.08	0.10	2.59	36	0.03	0.39	29	482	450	20	952	1400	7
8	1400	0.00	100	0.07	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.56	36	0.00	0.31	33	448	285	0	735	1400	8
9	1400	0.00	100	0.07	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.46	35	0.00	0.24	37	413	51	0	466	1400	9
10	1400	0.00	100	0.07	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.36	34	0.00	0.19	42	377	3	0	381	1400	10
11	1400	1.00	100	0.40	0.00	0	0	0	0.0	0	0.00	1.00	0.10	2.26	33	0.33	0.22	46	343	1027	174	1545	1400	11
12	1400	0.36	100	0.54	0.00	0	0	0	0.0	0	0.00	0.36	0.10	2.91	39	0.14	0.20	44	320	2325	78	2725	1400	12
13	1400	0.68	100	0.82	0.00	0	0	0	0.0	0	0.00	0.68	0.10	3.08	41	0.28	0.22	45	318	2126	150	2596	1400	13
14	1400	0.00	100	0.82	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.46	45	0.00	0.17	44	344	1821	0	2167	1400	14
15	1400	0.00	100	0.82	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.36	44	0.00	0.13	46	392	364	0	757	1400	15
16	1400	0.28	100	0.93	0.00	0	0	0	0.0	0	0.00	0.28	0.10	3.26	43	0.12	0.13	48	451	384	60	897	1400	16
17	1400	0.00	100	0.93	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.36	44	0.00	0.10	48	510	649	0	1161	1400	17
18	1400	0.00	100	0.93	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.26	43	0.00	0.08	50	562	140	0	703	1400	18
19	1400	0.50	100	1.14	0.00	0	0	0	0.0	0	0.00	0.50	0.10	3.16	42	0.21	0.11	52	601	589	98	1290	1400	19
20	1400	1.94	100	2.00	0.00	0	0	0	0.0	0	0.00	1.94	0.10	3.42	44	0.86	0.27	50	636	3495	614	4747	1400	20
21	1400	0.34	100	2.19	0.00	0	0	0	0.0	0	0.00	0.34	0.10	4.48	55	0.19	0.25	40	692	5319	113	6125	1400	21
22	1400	0.04	100	2.21	0.00	0	0	0	0.0	0	0.00	0.04	0.10	4.58	56	0.02	0.20	41	785	2241	13	3041	1400	22
23	1400	0.00	100	2.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.51	55	0.00	0.16	45	908	471	0	1380	1400	23
24	1400	0.00	100	2.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.41	54	0.00	0.12	47	1035	53	0	1089	1400	24
25	1400	0.00	100	2.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.31	53	0.00	0.10	49	1142	3	0	1146	1400	25
26	1400	0.00	100	2.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.21	52	0.00	0.08	50	1214	0	0	1214	1400	26
27	1400	0.00	100	2.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.11	51	0.00	0.06	52	1244	0	0	1245	1400	27
28	1400	0.00	100	2.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.01	50	0.00	0.05	54	1235	0	0	1236	1400	28
29	1400	0.00	100	2.21	0.00	0	0		.0	0	0.00	0.00	0.10	3.91	49	0.00	0.04	55	1192	0	0	1192	1400	29
30	1400	0.00	100	2.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.81	48	0.00	0.03	56	1122	0	0	1123	1400	30
31	1400	0.00	100	2.21	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.71	47	0.00	0.02	57	1034	0	0	1034	1400	31

FORM 1412
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONSI. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	3.26	100	3.71	0.00	0	0	0	0.0	0	0.00	3.26	0.10	3.61	46	1.50	0.34	58	949	3510	1167	5628	1400	1
2	1400	0.00	100	3.71	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.34	63	0.00	0.27	35	916	6376	4	7297	1400	2
3	1400	0.00	100	3.71	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.24	62	0.00	0.21	40	968	1381	0	2350	1400	3
4	1400	0.10	100	3.77	0.00	0	0	0	0.0	0	0.00	0.10	0.10	5.14	61	0.06	0.18	44	1091	305	33	1431	1400	4
5	1400	0.00	100	3.77	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.10	61	0.00	0.14	46	1245	366	0	1612	1400	5
6	1400	0.04	100	3.80	0.00	0	0	0	0.0	0	0.00	0.04	0.10	5.00	60	0.02	0.12	48	1390	150	12	1553	1400	6
7	1400	0.00	100	3.80	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.92	59	0.00	0.09	49	1499	137	0	1637	1400	7
8	1400	0.02	100	3.81	0.00	0	0	0	0.0	0	0.00	0.02	0.10	4.82	58	0.01	0.07	51	1562	69	6	1638	1400	8
9	1400	0.41	100	4.05	0.00	0	0	0	0.0	0	0.00	0.41	0.10	4.73	57	0.24	0.11	53	1576	723	110	2410	1400	9
10	1400	0.86	100	4.55	0.00	0	0	0	0.0	0	0.00	0.86	0.10	4.87	59	0.51	0.19	50	1557	2665	266	4489	1400	10
11	1400	0.49	100	4.86	0.00	0	0	0	0.0	0	0.00	0.49	0.10	5.20	62	0.31	0.22	45	1530	3903	166	5600	1400	11
12	1400	0.52	100	5.19	0.00	0	0	0	0.0	0	0.00	0.52	0.10	5.36	64	0.33	0.24	44	1522	3453	185	5162	1400	12
13	1400	1.14	100	5.93	0.00	0	0	0	0.0	0	0.00	1.14	0.10	5.52	65	0.74	0.35	42	1545	4855	616	7017	1400	13
14	1400	0.41	100	6.21	0.00	0	0	0	0.0	0	0.00	0.41	0.10	5.89	69	0.28	0.33	38	1608	5970	183	7762	1400	14
15	1400	0.32	100	6.44	0.00	0	0	0	0.0	0	0.00	0.32	0.10	5.98	70	0.23	0.37	35	1708	3775	144	5629	1400	15
16	1400	0.22	100	6.59	0.00	0	0	0	0.0	0	0.00	0.22	0.10	6.02	70	0.15	0.28	36	1829	2601	97	4528	1400	16
17	1400	0.09	100	6.66	0.00	0	0	0	0.0	0	0.00	0.09	0.10	6.02	70	0.06	0.23	39	1947	1623	37	3609	1400	17
18	1400	0.00	100	6.66	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.96	70	0.00	0.18	42	2041	650	0	2692	1400	18
19	1400	0.30	100	6.86	0.00	0	0	0	0.0	0	0.00	0.30	0.10	5.86	69	0.21	0.19	46	2096	749	109	2955	1400	19
20	1400	0.04	100	6.89	0.00	0	0	0	0.0	0	0.00	0.04	0.10	5.89	69	0.03	0.15	46	2108	1264	15	3388	1400	20
21	1400	0.00	100	6.89	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.81	68	0.00	0.12	47	2086	411	0	2492	1400	21
22	1400	0.00	100	6.89	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.71	67	0.00	0.09	49	2017	53	0	2071	1400	22
23	1400	0.00	100	6.89	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.61	66	0.00	0.07	51	1922	3	0	1926	1400	23
24	1400	0.00	100	6.89	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.51	65	0.00	0.06	53	1800	0	0	1801	1400	24
25	1400	0.60	100	7.27	0.00	0	0	0	0.0	0	0.00	0.60	0.10	5.41	64	0.38	0.13	54	1663	1020	175	2858	1400	25
26	1400	0.10	100	7.34	0.00	0	0	0	0.0	0	0.00	0.10	0.10	5.60	66	0.07	0.11	49	1527	2050	34	3612	1400	26
27	1400	0.00	100	7.34	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.55	65	0.00	0.09	49	1409	758	0	2168	1400	27
28	1400	0.00	100	7.34	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.45	64	0.00	0.07	51	1311	108	0	1420	1400	28
29	1400	0.16	100	7.44	0.00	0	0	0	0.0	0	0.00	0.16	0.10	5.35	63	0.10	0.08	53	1227	284	47	1559	1400	29
30	1400	0.36	100	7.67	0.00	0	0	0	0.0	0	0.00	0.36	0.10	5.33	63	0.23	0.11	52	1153	1132	107	2394	1400	30
31	1400	0.00	100	7.67	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.41	64	0.00	0.09	50	1092	1252	0	2346	1400	31

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80561 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1967																								JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.00	0	0.00	1.60	0	2681	1997	476	5154	1400	1
2	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.00	40	0.00	1.26	14	2680	1841	329	4851	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.90	39	0.00	0.99	17	2680	1304	62	4048	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.80	38	0.00	0.78	20	2680	609	4	3295	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.70	37	0.00	0.61	24	2679	184	0	2864	1400	5
6	1400	0.13	100	0.05	0.00	0	0	0	0.0	0	0.00	0.13	0.10	2.60	36	0.05	0.49	27	2677	112	14	2805	1400	6
7	1400	0.08	100	0.08	0.00	0	0	0	0.0	0	0.00	0.08	0.10	2.60	36	0.03	0.39	29	2673	291	35	3001	1400	7
8	1400	0.00	100	0.08	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.56	36	0.00	0.31	32	2667	463	22	3153	1400	8
9	1400	0.00	100	0.08	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.46	35	0.00	0.24	37	2657	387	4	3049	1400	9
10	1400	0.00	100	0.08	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.36	34	0.00	0.19	42	2644	183	0	2829	1400	10
11	1400	1.05	100	0.42	0.00	0	0	0	0.0	0	0.00	1.05	0.10	2.26	33	0.34	0.22	46	2626	444	80	3152	1400	11
12	1400	0.38	100	0.57	0.00	0	0	0	0.0	0	0.00	0.38	0.10	2.95	40	0.15	0.21	43	2603	1529	183	4317	1400	12
13	1400	0.71	100	0.86	0.00	0	0	0	0.0	0	0.00	0.71	0.10	3.17	41	0.30	0.23	44	2576	2685	169	5432	1400	13
14	1400	0.00	100	0.86	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.53	45	0.00	0.18	43	2544	3025	145	5716	1400	14
15	1400	0.00	100	0.86	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.43	44	0.00	0.14	46	2508	2354	29	4892	1400	15
16	1400	0.29	100	0.99	0.00	0	0	0	0.0	0	0.00	0.29	0.10	3.33	43	0.13	0.14	48	2468	1315	30	3815	1400	16
17	1400	0.00	100	0.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.43	44	0.00	0.11	48	2425	839	52	3317	1400	17
18	1400	0.00	100	0.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.33	43	0.00	0.08	50	2379	701	11	3092	1400	18
19	1400	0.52	100	1.21	0.00	0	0	0	0.0	0	0.00	0.52	0.10	3.23	42	0.22	0.11	52	2332	618	47	2998	1400	19
20	1400	2.04	100	2.13	0.00	0	0	0	0.0	0	0.00	2.04	0.10	3.51	45	0.92	0.29	49	2283	1844	384	4513	1400	20
21	1400	0.36	100	2.33	0.00	0	0	0	0.0	0	0.00	0.36	0.10	4.61	56	0.20	0.27	38	2234	4543	615	7394	1400	21
22	1400	0.04	100	2.35	0.00	0	0	0	0.0	0	0.00	0.04	0.10	4.71	57	0.02	0.22	40	2185	5749	223	8157	1400	22
23	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.64	56	0.00	0.17	44	2137	4038	41	6218	1400	23
24	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.54	55	0.00	0.13	47	2092	1742	4	3839	1400	24
25	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.44	54	0.00	0.10	48	2050	536	0	2587	1400	25
26	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.34	53	0.00	0.08	50	2012	130	0	2143	1400	26
27	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.24	52	0.00	0.06	52	1978	27	0	2006	1400	27
28	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.14	51	0.00	0.05	54	1947	5	0	1953	1400	28
29	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.04	50	0.00	0.04	55	1920	0	0	1921	1400	29
30	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.94	49	0.00	0.03	56	1895	0	0	1895	1400	30
31	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.84	48	0.00	0.02	57	1871	0	0	1872	1400	31

FORM 1315-5
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. 80381 INITIAL DATE, HOUR 1 JUL 1967 1400 JOB DESCRIPTION 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN=AR	ML=AR	%AR	ELEV	SCA	O-DY	%MA	MELT	MI	ETI	SMI	ROF	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	3.42	100	3.98	0.00	0	0	0	0.0	0	0.00	3.42	0.10	3.74	47	1.62	0.37	58	1849	1362	582	3794	1400	1
2	1400	0.00	100	3.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.52	65	0.00	0.29	34	1827	4691	1058	7578	1400	2
3	1400	0.00	100	3.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.42	64	0.00	0.23	36	1806	6070	229	8106	1400	3
4	1400	0.10	100	4.04	0.00	0	0	0	0.0	0	0.00	0.10	0.10	5.32	63	0.07	0.19	43	1787	3798	3	5620	1400	4
5	1400	0.00	100	4.04	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.27	63	0.00	0.15	45	1771	1501	30	3303	1400	5
6	1400	0.04	100	4.07	0.00	0	0	0	0.0	0	0.00	0.04	0.10	5.17	62	0.03	0.12	47	1759	683	12	2456	1400	6
7	1400	0.00	100	4.07	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.09	61	0.00	0.10	49	1752	376	11	2141	1400	7
8	1400	0.04	100	4.09	0.00	0	0	0	0.0	0	0.00	0.04	0.10	4.99	60	0.02	0.08	50	1750	231	6	1989	1400	8
9	1400	0.59	100	4.44	0.00	0	0	0	0.0	0	0.00	0.59	0.10	4.91	59	0.35	0.14	52	1752	532	80	2354	1400	9
10	1400	1.23	100	5.19	0.00	0	0	0	0.0	0	0.00	1.23	0.10	5.12	61	0.75	0.27	40	1757	2126	368	4253	1400	10
11	1400	0.71	100	5.66	0.00	0	0	0	0.0	0	0.00	0.71	0.10	5.58	66	0.47	0.31	39	1766	4955	596	7319	1400	11
12	1400	0.75	100	6.17	0.00	0	0	0	0.0	0	0.00	0.75	0.10	5.80	68	0.51	0.35	36	1777	7209	526	9514	1400	12
13	1400	1.62	100	7.20	0.00	0	0	0	0.0	0	0.00	1.62	0.10	6.01	70	1.14	0.52	34	1792	8864	1056	11714	1400	13
14	1400	0.58	100	7.74	0.00	0	0	0	0.0	0	0.00	0.58	0.10	6.48	75	0.43	0.50	29	1811	11063	1462	14336	1400	14
15	1400	0.46	100	8.09	0.00	0	0	0	0.0	0	0.00	0.46	0.10	6.60	76	0.35	0.47	29	1834	11812	682	14329	1400	15
16	1400	0.32	100	8.33	0.00	0	0	0	0.0	0	0.00	0.32	0.10	6.67	77	0.24	0.42	30	1862	9774	362	11999	1400	16
17	1400	0.13	100	8.43	0.00	0	0	0	0.0	0	0.00	0.13	0.10	6.69	77	0.10	0.35	31	1896	6920	212	9030	1400	17
18	1400	0.00	100	8.43	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.64	76	0.00	0.28	34	1937	4408	84	6430	1400	18
19	1400	0.31	100	8.67	0.00	0	0	0	0.0	0	0.00	0.31	0.10	6.54	75	0.24	0.27	39	1983	2569	76	4630	1400	19
20	1400	0.04	100	8.70	0.00	0	0	0	0.0	0	0.00	0.04	0.10	6.56	76	0.03	0.22	40	2035	1937	123	4097	1400	20
21	1400	0.00	100	8.70	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.47	75	0.00	0.17	44	2091	1720	39	3853	1400	21
22	1400	0.00	100	8.70	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.37	74	0.00	0.13	46	2150	1056	5	3213	1400	22
23	1400	0.00	100	8.70	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.27	73	0.00	0.11	48	2211	392	0	2604	1400	23
24	1400	0.00	100	8.70	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.17	72	0.00	0.08	50	2270	105	0	2376	1400	24
25	1400	0.63	100	9.14	0.00	0	0	0	0.0	0	0.00	0.63	0.10	6.07	71	0.45	0.16	52	2328	471	93	2893	1400	25
26	1400	0.10	100	9.22	0.00	0	0	0	0.0	0	0.00	0.10	0.10	6.23	72	0.08	0.14	47	2381	1632	186	4201	1400	26
27	1400	0.00	100	9.22	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.17	72	0.00	0.11	48	2430	2287	68	4787	1400	27
28	1400	0.00	100	9.22	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.07	71	0.00	0.09	49	2473	1598	9	4081	1400	28
29	1400	0.17	100	9.34	0.00	0	0	0	0.0	0	0.00	0.17	0.10	5.97	70	0.12	0.09	51	2509	752	25	3288	1400	29
30	1400	0.38	100	9.60	0.00	0	0	0	0.0	0	0.00	0.38	0.10	5.95	69	0.26	0.13	51	2538	856	101	3496	1400	30
31	1400	0.00	100	9.60	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.02	70	0.00	0.10	48	2560	1501	111	4174	1400	31

FORM 1113-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	%CA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1967																								JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.00	0	0.00	2.00	0	1476	1058	296	2830	1400	1
2	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.00	40	0.00	1.57	10	1475	975	204	2656	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.90	39	0.00	1.23	14	1475	691	38	2206	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.80	38	0.00	0.97	18	1475	323	2	1802	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.70	37	0.00	0.76	21	1475	97	0	1573	1400	5
6	1400	0.13	100	0.05	0.00	0	0	0	0.0	0	0.00	0.13	0.10	2.60	36	0.05	0.61	24	1474	66	8	1549	1400	6
7	1400	0.08	100	0.08	0.00	0	0	0	0.0	0	0.00	0.08	0.10	2.60	36	0.03	0.48	27	1471	180	22	1675	1400	7
8	1400	0.00	100	0.08	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.56	36	0.00	0.38	29	1468	288	13	1771	1400	8
9	1400	0.00	100	0.08	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.46	35	0.00	0.30	33	1463	241	2	1707	1400	9
10	1400	0.00	100	0.08	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.36	34	0.00	0.24	37	1455	114	0	1570	1400	10
11	1400	1.05	100	0.42	0.00	0	0	0	0.0	0	0.00	1.05	0.10	2.26	33	0.34	0.26	42	1446	282	51	1780	1400	11
12	1400	0.38	100	0.57	0.00	0	0	0	0.0	0	0.00	0.38	0.10	2.95	40	0.15	0.23	40	1433	973	116	2524	1400	12
13	1400	0.71	100	0.86	0.00	0	0	0	0.0	0	0.00	0.71	0.10	3.13	41	0.30	0.25	42	1418	1704	106	3230	1400	13
14	1400	0.00	100	0.86	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.53	45	0.00	0.19	41	1400	1909	91	3402	1400	14
15	1400	0.00	100	0.86	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.43	44	0.00	0.15	45	1380	1479	18	2879	1400	15
16	1400	0.29	100	0.99	0.00	0	0	0	0.0	0	0.00	0.29	0.10	3.33	43	0.13	0.15	47	1358	822	18	2200	1400	16
17	1400	0.00	100	0.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.43	44	0.00	0.12	48	1335	517	51	1885	1400	17
18	1400	0.00	100	0.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.33	43	0.00	0.09	49	1310	428	6	1746	1400	18
19	1400	0.52	100	1.21	0.00	0	0	0	0.0	0	0.00	0.52	0.10	3.23	42	0.22	0.12	51	1284	376	28	1690	1400	19
20	1400	2.04	100	2.13	0.00	0	0	0	0.0	0	0.00	2.04	0.10	3.51	45	0.92	0.29	49	1257	1118	232	2610	1400	20
21	1400	0.36	100	2.33	0.00	0	0	0	0.0	0	0.00	0.36	0.10	4.61	56	0.20	0.27	38	1231	2749	372	4353	1400	21
22	1400	0.04	100	2.35	0.00	0	0	0	0.0	0	0.00	0.04	0.10	4.71	57	0.02	0.22	39	1204	3475	134	4815	1400	22
23	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.64	56	0.00	0.17	44	1178	2440	25	3644	1400	23
24	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.54	55	0.00	0.13	46	1154	1052	2	2210	1400	24
25	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.44	54	0.00	0.11	48	1132	323	0	1456	1400	25
26	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.34	53	0.00	0.08	50	1112	78	0	1191	1400	26
27	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.24	52	0.00	0.07	52	1095	16	0	1112	1400	27
28	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.14	51	0.00	0.05	53	1079	3	0	1083	1400	28
29	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.04	50	0.00	0.04	55	1066	0	0	1067	1400	29
30	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.94	49	0.00	0.03	56	1054	0	0	1055	1400	30
31	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.84	48	0.00	0.02	57	1043	0	0	1044	1400	31

FORM 1417-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	3.42	100	3.98	0.00	0	0	0	0.0	0	0.00	3.42	0.10	3.74	47	1.62	0.37	56	1033	819	350	2203	1400	1
2	1400	0.00	100	3.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.52	65	0.00	0.29	34	1023	2821	637	4482	1400	2
3	1400	0.00	100	3.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.42	64	0.00	0.23	38	1013	3650	138	4802	1400	3
4	1400	0.10	100	4.04	0.00	0	0	0	0.0	0	0.00	0.10	0.10	5.32	63	0.07	0.19	43	1005	2284	20	3311	1400	4
5	1400	0.00	100	4.04	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.27	63	0.00	0.15	45	999	902	18	1921	1400	5
6	1400	0.04	100	4.07	0.00	0	0	0	0.0	0	0.00	0.04	0.10	5.17	62	0.03	0.12	47	995	410	7	1414	1400	6
7	1400	0.00	100	4.07	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.09	61	0.00	0.10	49	994	226	6	1228	1400	7
8	1400	0.04	100	4.09	0.00	0	0	0	0.0	0	0.00	0.04	0.10	4.99	60	0.02	0.08	50	995	139	4	1140	1400	8
9	1400	0.61	100	4.45	0.00	0	0	0	0.0	0	0.00	0.61	0.10	4.91	59	0.36	0.14	52	999	323	50	1374	1400	9
10	1400	1.28	100	5.24	0.00	0	0	0	0.0	0	0.00	1.28	0.10	5.14	61	0.79	0.28	48	1006	1333	235	2575	1400	10
11	1400	0.74	100	5.73	0.00	0	0	0	0.0	0	0.00	0.74	0.10	5.61	66	0.49	0.32	39	1014	3118	386	2519	1400	11
12	1400	0.78	100	6.26	0.00	0	0	0	0.0	0	0.00	0.78	0.10	5.84	68	0.53	0.37	36	1023	4551	346	5922	1400	12
13	1400	1.69	100	7.46	0.00	0	0	0	0.0	0	0.00	1.69	0.10	6.06	71	1.20	0.55	34	1035	5615	705	7356	1400	13
14	1400	0.61	100	7.91	0.00	0	0	0	0.0	0	0.00	0.61	0.10	6.54	75	0.46	0.53	28	1049	7018	980	9047	1400	14
15	1400	0.48	100	8.28	0.00	0	0	0	0.0	0	0.00	0.48	0.10	6.66	77	0.37	0.49	28	1065	7493	454	9014	1400	15
16	1400	0.33	100	8.54	0.00	0	0	0	0.0	0	0.00	0.33	0.10	6.74	77	0.25	0.44	29	1085	6202	239	7528	1400	16
17	1400	0.13	100	8.64	0.00	0	0	0	0.0	0	0.00	0.13	0.10	6.76	78	0.10	0.37	31	1109	4395	137	5642	1400	17
18	1400	0.00	100	8.64	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.71	77	0.00	0.29	34	1136	2804	54	3995	1400	18
19	1400	0.31	100	8.88	0.00	0	0	0	0.0	0	0.00	0.31	0.10	6.61	76	0.24	0.28	38	1167	1630	47	2846	1400	19
20	1400	0.04	100	8.91	0.00	0	0	0	0.0	0	0.00	0.04	0.10	6.63	76	0.03	0.23	39	1202	1213	76	2492	1400	20
21	1400	0.00	100	8.91	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.54	75	0.00	0.18	43	1239	1066	24	2331	1400	21
22	1400	0.00	100	8.91	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.44	74	0.00	0.14	46	1278	653	3	1935	1400	22
23	1400	0.00	100	8.91	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.34	73	0.00	0.11	48	1317	242	0	1560	1400	23
24	1400	0.00	100	8.91	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.24	72	0.00	0.09	50	1357	64	0	1422	1400	24
25	1400	0.63	100	9.36	0.00	0	0	0	0.0	0	0.00	0.63	0.10	6.14	71	0.45	0.16	51	1394	288	56	1740	1400	25
26	1400	0.10	100	9.44	0.00	0	0	0	0.0	0	0.00	0.10	0.10	6.30	73	0.08	0.15	47	1430	997	114	2542	1400	26
27	1400	0.00	100	9.44	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.24	72	0.00	0.11	48	1462	1397	41	2901	1400	27
28	1400	0.00	100	9.44	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.14	71	0.00	0.09	49	1491	975	5	2473	1400	28
29	1400	0.17	100	9.56	0.00	0	0	0	0.0	0	0.00	0.17	0.10	6.04	70	0.12	0.10	51	1515	459	15	1990	1400	29
30	1400	0.38	100	9.82	0.00	0	0	0	0.0	0	0.00	0.38	0.10	6.01	70	0.27	0.13	50	1535	521	61	2118	1400	30
31	1400	0.00	100	9.82	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.08	71	0.00	0.10	48	1550	913	68	2533	1400	31

FORM 2115-S
PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL	1967																							JUL 1967
1	1400	0.00	0	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.00	0	0.00	1.90	0	784	563	168	1515	1400	1
2	1400	0.00	100	0.00	0.00	9	0	0	0.0	0	0.00	0.00	0.10	3.00	40	0.00	1.49	11	783	519	116	1419	1400	2
3	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.90	39	0.00	1.17	15	783	367	22	1174	1400	3
4	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.80	38	0.00	0.92	18	783	171	1	957	1400	4
5	1400	0.00	100	0.00	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.70	37	0.00	0.72	21	783	51	0	836	1400	5
6	1400	0.13	100	0.05	0.00	0	0	0	0.0	0	0.00	0.13	0.10	2.60	36	0.05	0.58	25	782	35	4	824	1400	6
7	1400	0.08	100	0.08	0.00	0	0	0	0.0	0	0.00	0.08	0.10	2.60	36	0.03	0.46	27	781	98	11	892	1400	7
8	1400	0.00	100	0.08	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.56	36	0.00	0.36	30	779	156	7	945	1400	8
9	1400	0.00	100	0.08	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.46	35	0.00	0.28	34	777	131	1	910	1400	9
10	1400	0.00	100	0.08	0.00	0	0	0	0.0	0	0.00	0.00	0.10	2.36	34	0.00	0.22	38	773	62	0	836	1400	10
11	1400	1.05	100	0.42	0.00	0	0	0	0.0	0	0.00	1.05	0.10	2.26	33	0.34	0.25	43	768	152	27	949	1400	11
12	1400	0.38	100	0.57	0.00	0	0	0	0.0	0	0.00	0.38	0.10	2.95	40	0.15	0.23	41	761	526	63	1352	1400	12
13	1400	0.71	100	0.86	0.00	0	0	0	0.0	0	0.00	0.71	0.10	3.13	41	0.30	0.24	43	753	923	58	1735	1400	13
14	1400	0.00	100	0.86	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.53	45	0.00	0.19	42	744	1036	49	1830	1400	14
15	1400	0.00	100	0.86	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.43	44	0.00	0.15	45	733	803	9	1547	1400	15
16	1400	0.29	100	0.99	0.00	0	0	0	0.0	0	0.00	0.29	0.10	3.33	43	0.13	0.14	48	721	447	10	1180	1400	16
17	1400	0.00	100	0.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.43	44	0.00	0.11	48	709	282	17	1010	1400	17
18	1400	0.00	100	0.99	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.33	43	0.00	0.09	49	696	234	3	935	1400	18
19	1400	0.52	100	1.21	0.00	0	0	0	0.0	0	0.00	0.52	0.10	3.23	42	0.22	0.12	51	683	206	15	905	1400	19
20	1400	2.04	100	2.13	0.00	0	0	0	0.0	0	0.00	2.04	0.10	3.51	45	0.92	0.29	49	669	613	127	1410	1400	20
21	1400	0.36	100	2.33	0.00	0	0	0	0.0	0	0.00	0.36	0.10	4.61	56	0.20	0.27	38	655	1507	204	2367	1400	21
22	1400	0.04	100	2.35	0.00	0	0	0	0.0	0	0.00	0.04	0.10	4.71	57	0.02	0.22	39	641	1906	73	2622	1400	22
23	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.64	56	0.00	0.17	44	628	1338	13	1981	1400	23
24	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.54	55	0.00	0.13	46	615	577	1	1195	1400	24
25	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.44	54	0.00	0.11	48	604	177	0	782	1400	25
26	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.34	53	0.00	0.08	50	594	43	0	638	1400	26
27	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.24	52	0.00	0.07	52	585	9	0	595	1400	27
28	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.14	51	0.00	0.05	53	578	1	0	580	1400	28
29	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	4.04	50	0.00	0.04	55	572	0	0	572	1400	29
30	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.94	49	0.00	0.03	56	566	0	0	567	1400	30
31	1400	0.00	100	2.35	0.00	0	0	0	0.0	0	0.00	0.00	0.10	3.84	48	0.00	0.02	57	561	0	0	561	1400	31

FORM 1411-2
PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
80381 1 JUL 1967 1400 0 SUSITNA HEP AUG 8-17 '67 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.000 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1967																								AUG 1967
1	1400	3.42	100	3.98	0.00	0	0	0	0.0	0	0.00	3.42	0.10	3.74	47	1.62	0.37	58	556	449	192	1199	1400	1
2	1400	0.00	100	3.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.52	65	0.00	0.29	34	551	1549	349	2451	1400	2
3	1400	0.00	100	3.98	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.42	64	0.00	0.23	38	547	2005	75	2628	1400	3
4	1400	0.10	100	4.04	0.00	0	0	0	0.0	0	0.00	0.10	0.10	5.32	63	0.07	0.19	43	543	1254	11	1810	1400	4
5	1400	0.00	100	4.04	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.27	63	0.00	0.15	45	540	495	10	1047	1400	5
6	1400	0.04	100	4.07	0.00	0	0	0	0.0	0	0.00	0.04	0.10	5.17	62	0.03	0.12	47	539	225	4	769	1400	6
7	1400	0.00	100	4.07	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.09	61	0.00	0.10	49	539	124	3	668	1400	7
8	1400	0.03	100	4.09	0.00	0	0	0	0.0	0	0.00	0.03	0.10	4.99	60	0.02	0.08	50	540	75	2	619	1400	8
9	1400	0.54	100	4.40	0.00	0	0	0	0.0	0	0.00	0.54	0.10	4.91	59	0.32	0.13	52	543	159	24	728	1400	9
10	1400	1.13	100	5.09	0.00	0	0	0	0.0	0	0.00	1.13	0.10	5.10	61	0.69	0.25	48	547	640	107	1296	1400	10
11	1400	0.65	100	5.51	0.00	0	0	0	0.0	0	0.00	0.65	0.10	5.52	65	0.42	0.29	41	552	1484	167	2205	1400	11
12	1400	0.68	100	5.97	0.00	0	0	0	0.0	0	0.00	0.60	0.10	5.72	67	0.46	0.32	38	558	2144	141	2844	1400	12
13	1400	1.48	100	7.00	0.00	0	0	0	0.0	0	0.00	1.48	0.10	5.92	69	1.03	0.47	36	564	2614	282	3461	1400	13
14	1400	0.53	100	7.39	0.00	0	0	0	0.0	0	0.00	0.53	0.10	6.35	74	0.39	0.46	30	572	3248	391	4212	1400	14
15	1400	0.42	100	7.71	0.00	0	0	0	0.0	0	0.00	0.42	0.10	6.47	75	0.32	0.43	30	581	3465	184	4231	1400	15
16	1400	0.29	100	7.92	0.00	0	0	0	0.0	0	0.00	0.29	0.10	6.53	75	0.22	0.38	31	591	2864	101	3557	1400	16
17	1400	0.12	100	8.01	0.00	0	0	0	0.0	0	0.00	0.12	0.10	6.54	75	0.09	0.32	33	603	2022	61	2687	1400	17
18	1400	0.00	100	8.01	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.49	75	0.00	0.25	36	617	1284	24	1926	1400	18
19	1400	0.31	100	8.24	0.00	0	0	0	0.0	0	0.00	0.31	0.10	6.39	74	0.23	0.25	41	632	753	23	1410	1400	19
20	1400	0.04	100	8.27	0.00	0	0	0	0.0	0	0.00	0.04	0.10	6.41	74	0.03	0.20	41	649	586	38	1275	1400	20
21	1400	0.00	100	8.27	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.33	73	0.00	0.16	45	667	532	12	1213	1400	21
22	1400	0.00	100	8.27	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.23	72	0.00	0.12	47	686	329	1	1017	1400	22
23	1400	0.00	100	8.27	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.13	71	0.00	0.10	49	705	122	0	828	1400	23
24	1400	0.00	100	8.27	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.03	70	0.00	0.08	50	723	32	0	757	1400	24
25	1400	0.63	100	8.71	0.00	0	0	0	0.0	0	0.00	0.63	0.10	5.93	69	0.44	0.15	52	741	150	29	922	1400	25
26	1400	0.10	100	8.79	0.00	0	0	0	0.0	0	0.00	0.10	0.10	6.10	71	0.07	0.14	47	758	521	59	1339	1400	26
27	1400	0.00	100	8.79	0.00	0	0	0	0.0	0	0.00	0.00	0.10	6.04	70	0.00	0.11	48	773	730	21	1526	1400	27
28	1400	0.00	100	8.79	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.94	69	0.00	0.08	50	786	511	3	1300	1400	28
29	1400	0.17	100	8.90	0.00	0	0	0	0.0	0	0.00	0.17	0.10	5.84	68	0.11	0.09	52	797	241	8	1047	1400	29
30	1400	0.38	100	9.16	0.00	0	0	0	0.0	0	0.00	0.38	0.10	5.82	68	0.26	0.13	51	806	275	32	1114	1400	30
31	1400	0.00	100	9.16	0.00	0	0	0	0.0	0	0.00	0.00	0.10	5.89	69	0.00	0.10	49	812	483	36	1332	1400	31

FORM 1413-3
PRINTED IN U.S.A.

FORM 1111-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 1.0 SUSITNA GLACIER		STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE			STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	1,850.			5,890.			7,740.			140 1 JUL 67
2 JUL 67 1400	1,910.			5,600.			7,520.			140 2 JUL 67
3 JUL 67 1400	2,130.			4,810.			6,950.			140 3 JUL 67
4 JUL 67 1400	2,510.			3,940.			6,450.			140 4 JUL 67
5 JUL 67 1400	3,120.			3,170.			6,290.			140 5 JUL 67
6 JUL 67 1400	3,870.			2,710.			6,590.			140 6 JUL 67
7 JUL 67 1400	4,560.			2,550.			7,110.			140 7 JUL 67
8 JUL 67 1400	4,990.			2,520.			7,510.			140 8 JUL 67
9 JUL 67 1400	5,230.			2,480.			7,710.			140 9 JUL 67
10 JUL 67 1400	5,590.			2,400.			7,990.			140 10 JUL 67
11 JUL 67 1400	6,430.			2,470.			8,910.			140 11 JUL 67
12 JUL 67 1400	7,850.			2,880.			10,700.			140 12 JUL 67
13 JUL 67 1400	9,430.			3,390.			12,800.			140 13 JUL 67
14 JUL 67 1400	10,800.			3,710.			14,500.			140 14 JUL 67
15 JUL 67 1400	11,500.			3,580.			15,100.			140 15 JUL 67
16 JUL 67 1400	11,700.			3,190.			14,900.			140 16 JUL 67
17 JUL 67 1400	11,500.			2,830.			14,300.			140 17 JUL 67
18 JUL 67 1400	10,900.			2,560.			13,500.			140 18 JUL 67
19 JUL 67 1400	10,100.			2,420.			12,500.			140 19 JUL 67
20 JUL 67 1400	9,530.			2,890.			12,400.			140 20 JUL 67
21 JUL 67 1400	9,640.			3,950.			13,600.			140 21 JUL 67
22 JUL 67 1400	9,910.			4,520.			14,400.			140 22 JUL 67
23 JUL 67 1400	9,830.			4,250.			14,100.			140 23 JUL 67
24 JUL 67 1400	9,560.			3,400.			13,000.			140 24 JUL 67
25 JUL 67 1400	9,290.			2,590.			11,900.			140 25 JUL 67
26 JUL 67 1400	8,870.			2,050.			10,900.			140 26 JUL 67
27 JUL 67 1400	8,390.			1,760.			10,200.			140 27 JUL 67
28 JUL 67 1400	6,300.			1,610.			9,910.			140 28 JUL 67
29 JUL 67 1400	8,620.			1,520.			10,100.			140 29 JUL 67
30 JUL 67 1400	8,740.			1,470.			10,200.			140 30 JUL 67
31 JUL 67 1400	8,190.			1,430.			9,620.			140 31 JUL 67

FORM 1211-2
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 1.0 SUSITNA GLACIER			STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE			STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	7,710.			2,220.			9,930.			140 1 AUG 67
2 AUG 67 1400	8,520.			3,840.			12,400.			140 2 AUG 67
3 AUG 67 1400	9,730.			4,450.			14,200.			140 3 AUG 67
4 AUG 67 1400	10,200.			4,110.			14,300.			140 4 AUG 67
5 AUG 67 1400	9,660.			3,120.			12,800.			140 5 AUG 67
6 AUG 67 1400	8,920.			2,270.			11,200.			140 6 AUG 67
7 AUG 67 1400	8,460.			1,760.			10,200.			140 7 AUG 67
8 AUG 67 1400	8,310.			1,480.			9,780.			140 8 AUG 67
9 AUG 67 1400	8,310.			1,540.			9,850.			140 9 AUG 67
10 AUG 67 1400	8,570.			2,400.			11,000.			140 10 AUG 67
11 AUG 67 1400	9,150.			3,980.			13,100.			140 11 AUG 67
12 AUG 67 1400	9,660.			5,450.			15,100.			140 12 AUG 67
13 AUG 67 1400	10,100.			7,160.			17,200.			140 13 AUG 67
14 AUG 67 1400	10,600.			8,840.			19,500.			140 14 AUG 67
15 AUG 67 1400	11,000.			9,180.			20,100.			140 15 AUG 67
16 AUG 67 1400	10,700.			8,650.			19,400.			140 16 AUG 67
17 AUG 67 1400	10,000.			7,300.			17,300.			140 17 AUG 67
18 AUG 67 1400	9,140.			5,660.			14,800.			140 18 AUG 67
19 AUG 67 1400	8,230.			4,170.			12,400.			140 19 AUG 67
20 AUG 67 1400	7,670.			3,170.			10,800.			140 20 AUG 67
21 AUG 67 1400	7,470.			2,550.			10,000.			140 21 AUG 67
22 AUG 67 1400	7,310.			2,120.			9,420.			140 22 AUG 67
23 AUG 67 1400	6,930.			1,770.			8,700.			140 23 AUG 67
24 AUG 67 1400	6,360.			1,560.			7,920.			140 24 AUG 67
25 AUG 67 1400	5,750.			1,640.			7,380.			140 25 AUG 67
26 AUG 67 1400	5,380.			2,050.			7,430.			140 26 AUG 67
27 AUG 67 1400	5,260.			2,380.			7,640.			140 27 AUG 67
28 AUG 67 1400	5,230.			2,370.			7,600.			140 28 AUG 67
29 AUG 67 1400	5,080.			2,150.			7,230.			140 29 AUG 67
30 AUG 67 1400	4,810.			2,100.			6,910.			140 30 AUG 67
31 AUG 67 1400	4,520.			2,250.			6,770.			140 31 AUG 67

FORM 1411-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 5.5 30-100 SOUT DENALI GAGE TO DENALI DAMSITE LOCAL FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 8.0 DENALI DAMSITE 312 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 10.0 DENALI DAMSITE 1260 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	7,740.			1,310.			9,050.			140 1 JUL 67
2 JUL 67 1400	7,630.			821.			8,450.			140 2 JUL 67
3 JUL 67 1400	7,230.			583.			7,820.			140 3 JUL 67
4 JUL 67 1400	6,700.			532.			7,230.			140 4 JUL 67
5 JUL 67 1400	6,370.			527.			6,900.			140 5 JUL 67
6 JUL 67 1400	6,440.			573.			7,010.			140 6 JUL 67
7 JUL 67 1400	6,850.			627.			7,470.			140 7 JUL 67
8 JUL 67 1400	7,310.			580.			7,890.			140 8 JUL 67
9 JUL 67 1400	7,610.			521.			8,130.			140 9 JUL 67
10 JUL 67 1400	7,850.			503.			8,350.			140 10 JUL 67
11 JUL 67 1400	8,450.			759.			9,210.			140 11 JUL 67
12 JUL 67 1400	9,820.			1,010.			10,800.			140 12 JUL 67
13 JUL 67 1400	11,800.			953.			12,700.			140 13 JUL 67
14 JUL 67 1400	13,700.			840.			14,500.			140 14 JUL 67
15 JUL 67 1400	14,800.			520.			15,300.			140 15 JUL 67
16 JUL 67 1400	15,000.			523.			15,500.			140 16 JUL 67
17 JUL 67 1400	14,600.			552.			15,200.			140 17 JUL 67
18 JUL 67 1400	13,900.			433.			14,300.			140 18 JUL 67
19 JUL 67 1400	13,000.			529.			13,500.			140 19 JUL 67
20 JUL 67 1400	12,500.			1,160.			13,600.			140 20 JUL 67
21 JUL 67 1400	13,000.			1,450.			14,500.			140 21 JUL 67
22 JUL 67 1400	14,000.			792.			14,800.			140 22 JUL 67
23 JUL 67 1400	14,300.			434.			14,700.			140 23 JUL 67
24 JUL 67 1400	13,500.			346.			13,900.			140 24 JUL 67
25 JUL 67 1400	12,400.			330.			12,700.			140 25 JUL 67
26 JUL 67 1400	11,400.			323.			11,700.			140 26 JUL 67
27 JUL 67 1400	10,500.			318.			10,900.			140 27 JUL 67
28 JUL 67 1400	10,000.			313.			10,300.			140 28 JUL 67
29 JUL 67 1400	10,000.			308.			10,300.			140 29 JUL 67
30 JUL 67 1400	10,200.			303.			10,500.			140 30 JUL 67
31 JUL 67 1400	9,920.			297.			10,200.			140 31 JUL 67

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE			LOCAL ABOVE DENALI DAMSITE 312 SQ MI			DENALI DAMSITE 1260 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	9,770.			1,190.			11,000.			140 1 AUG 67
2 AUG 67 1400	11,100.			1,640.			12,800.			140 2 AUG 67
3 AUG 67 1400	13,300.			575.			13,800.			140 3 AUG 67
4 AUG 67 1400	14,200.			345.			14,600.			140 4 AUG 67
5 AUG 67 1400	13,500.			347.			13,900.			140 5 AUG 67
6 AUG 67 1400	12,000.			308.			12,300.			140 6 AUG 67
7 AUG 67 1400	10,700.			305.			11,000.			140 7 AUG 67
8 AUG 67 1400	10,000.			305.			10,300.			140 8 AUG 67
9 AUG 67 1400	9,820.			648.			10,500.			140 9 AUG 67
10 AUG 67 1400	10,400.			1,640.			12,000.			140 10 AUG 67
11 AUG 67 1400	12,000.			2,210.			14,300.			140 11 AUG 67
12 AUG 67 1400	14,100.			2,070.			16,200.			140 12 AUG 67
13 AUG 67 1400	16,200.			3,050.			19,200.			140 13 AUG 67
14 AUG 67 1400	18,300.			3,400.			21,700.			140 14 AUG 67
15 AUG 67 1400	19,800.			2,310.			22,100.			140 15 AUG 67
16 AUG 67 1400	19,700.			1,720.			21,500.			140 16 AUG 67
17 AUG 67 1400	18,300.			1,220.			19,600.			140 17 AUG 67
18 AUG 67 1400	16,100.			722.			16,800.			140 18 AUG 67
19 AUG 67 1400	13,600.			641.			14,200.			140 19 AUG 67
20 AUG 67 1400	11,600.			740.			12,400.			140 20 AUG 67
21 AUG 67 1400	10,400.			555.			11,000.			140 21 AUG 67
22 AUG 67 1400	9,720.			493.			10,200.			140 22 AUG 67
23 AUG 67 1400	9,060.			503.			9,570.			140 23 AUG 67
24 AUG 67 1400	8,310.			522.			8,830.			140 24 AUG 67
25 AUG 67 1400	7,650.			827.			8,480.			140 25 AUG 67
26 AUG 67 1400	7,410.			1,050.			8,460.			140 26 AUG 67
27 AUG 67 1400	7,540.			738.			8,270.			140 27 AUG 67
28 AUG 67 1400	7,620.			590.			8,210.			140 28 AUG 67
29 AUG 67 1400	7,410.			645.			8,060.			140 29 AUG 67
30 AUG 67 1400	7,070.			856.			7,920.			140 30 AUG 67
31 AUG 67 1400	6,840.			857.			7,690.			140 31 AUG 67

FORM 1613-4
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 12.5 100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 21.0 MACLAREN GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	9,050.			1,730.			406.			140 1 JUL 67
2 JUL 67 1400	8,750.			1,200.			472.			140 2 JUL 67
3 JUL 67 1400	8,130.			839.			611.			140 3 JUL 67
4 JUL 67 1400	7,520.			762.			805.			140 4 JUL 67
5 JUL 67 1400	7,060.			756.			1,090.			140 5 JUL 67
6 JUL 67 1400	6,950.			815.			1,350.			140 6 JUL 67
7 JUL 67 1400	7,240.			886.			1,510.			140 7 JUL 67
8 JUL 67 1400	7,680.			832.			1,560.			140 8 JUL 67
9 JUL 67 1400	8,010.			764.			1,600.			140 9 JUL 67
10 JUL 67 1400	8,240.			747.			1,800.			140 10 JUL 67
11 JUL 67 1400	8,780.			1,080.			2,230.			140 11 JUL 67
12 JUL 67 1400	10,000.			1,410.			2,790.			140 12 JUL 67
13 JUL 67 1400	11,800.			1,340.			3,250.			140 13 JUL 67
14 JUL 67 1400	13,600.			1,210.			3,530.			140 14 JUL 67
15 JUL 67 1400	14,900.			805.			3,560.			140 15 JUL 67
16 JUL 67 1400	15,400.			815.			3,460.			140 16 JUL 67
17 JUL 67 1400	15,300.			858.			3,310.			140 17 JUL 67
18 JUL 67 1400	14,800.			706.			3,030.			140 18 JUL 67
19 JUL 67 1400	13,900.			835.			2,740.			140 19 JUL 67
20 JUL 67 1400	13,600.			1,680.			2,760.			140 20 JUL 67
21 JUL 67 1400	14,000.			2,070.			3,030.			140 21 JUL 67
22 JUL 67 1400	14,600.			1,200.			3,060.			140 22 JUL 67
23 JUL 67 1400	14,700.			715.			2,870.			140 23 JUL 67
24 JUL 67 1400	14,300.			590.			2,770.			140 24 JUL 67
25 JUL 67 1400	13,300.			562.			2,690.			140 25 JUL 67
26 JUL 67 1400	12,200.			547.			2,480.			140 26 JUL 67
27 JUL 67 1400	11,300.			533.			2,360.			140 27 JUL 67
28 JUL 67 1400	10,600.			521.			2,510.			140 28 JUL 67
29 JUL 67 1400	10,300.			509.			2,690.			140 29 JUL 67
30 JUL 67 1400	10,400.			498.			2,560.			140 30 JUL 67
31 JUL 67 1400	10,300.			487.			2,170.			140 31 JUL 67

FORM 1911-D

PRINTED IN U.S.A.

SUSITNA HEP AUG 8-17 '67 RECONST.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 18.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	10,600.			1,700.			2,260.			140 1 AUG 67
2 AUG 67 1400	11,900.			2,340.			2,970.			140 2 AUG 67
3 AUG 67 1400	13,300.			862.			3,260.			140 3 AUG 67
4 AUG 67 1400	14,200.			544.			3,000.			140 4 AUG 67
5 AUG 67 1400	14,200.			542.			2,650.			140 5 AUG 67
6 AUG 67 1400	13,100.			478.			2,450.			140 6 AUG 67
7 AUG 67 1400	11,700.			464.			2,430.			140 7 AUG 67
8 AUG 67 1400	10,700.			446.			2,450.			140 8 AUG 67
9 AUG 67 1400	10,400.			732.			2,420.			140 9 AUG 67
10 AUG 67 1400	11,300.			1,530.			2,420.			140 10 AUG 67
11 AUG 67 1400	13,200.			2,000.			2,430.			140 11 AUG 67
12 AUG 67 1400	15,200.			1,840.			2,370.			140 12 AUG 67
13 AUG 67 1400	17,700.			2,470.			2,370.			140 13 AUG 67
14 AUG 67 1400	20,500.			2,770.			2,480.			140 14 AUG 67
15 AUG 67 1400	21,900.			1,860.			2,430.			140 15 AUG 67
16 AUG 67 1400	21,800.			1,390.			2,290.			140 16 AUG 67
17 AUG 67 1400	20,500.			1,020.			2,190.			140 17 AUG 67
18 AUG 67 1400	18,200.			664.			2,040.			140 18 AUG 67
19 AUG 67 1400	15,500.			698.			1,950.			140 19 AUG 67
20 AUG 67 1400	13,300.			829.			2,040.			140 20 AUG 67
21 AUG 67 1400	11,700.			580.			2,130.			140 21 AUG 67
22 AUG 67 1400	10,600.			487.			2,070.			140 22 AUG 67
23 AUG 67 1400	9,890.			487.			1,900.			140 23 AUG 67
24 AUG 67 1400	9,200.			500.			1,690.			140 24 AUG 67
25 AUG 67 1400	8,660.			890.			1,540.			140 25 AUG 67
26 AUG 67 1400	8,470.			1,180.			1,540.			140 26 AUG 67
27 AUG 67 1400	8,370.			776.			1,580.			140 27 AUG 67
28 AUG 67 1400	8,240.			587.			1,550.			140 28 AUG 67
29 AUG 67 1400	8,130.			668.			1,450.			140 29 AUG 67
30 AUG 67 1400	7,990.			959.			1,360.			140 30 AUG 67
31 AUG 67 1400	7,810.			971.			1,270.			140 31 AUG 67

FORM 1413-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS-MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	2,150.			2,560.			2,560.			140 1 JUL 67
2 JUL 67 1400	1,890.			2,360.			2,460.			140 2 JUL 67
3 JUL 67 1400	1,680.			2,290.			2,330.			140 3 JUL 67
4 JUL 67 1400	1,490.			2,290.			2,290.			140 4 JUL 67
5 JUL 67 1400	1,320.			2,410.			2,350.			140 5 JUL 67
6 JUL 67 1400	1,250.			2,610.			2,510.			140 6 JUL 67
7 JUL 67 1400	1,240.			2,750.			2,680.			140 7 JUL 67
8 JUL 67 1400	1,230.			2,790.			2,770.			140 8 JUL 67
9 JUL 67 1400	1,220.			2,820.			2,800.			140 9 JUL 67
10 JUL 67 1400	1,180.			2,980.			2,900.			140 10 JUL 67
11 JUL 67 1400	1,420.			3,250.			3,310.			140 11 JUL 67
12 JUL 67 1400	1,600.			4,390.			4,010.			140 12 JUL 67
13 JUL 67 1400	1,960.			5,220.			4,800.			140 13 JUL 67
14 JUL 67 1400	2,020.			5,550.			5,390.			140 14 JUL 67
15 JUL 67 1400	1,920.			5,480.			5,520.			140 15 JUL 67
16 JUL 67 1400	1,780.			5,240.			5,360.			140 16 JUL 67
17 JUL 67 1400	1,520.			4,830.			5,040.			140 17 JUL 67
18 JUL 67 1400	1,340.			4,370.			4,600.			140 18 JUL 67
19 JUL 67 1400	1,380.			4,120.			4,240.			140 19 JUL 67
20 JUL 67 1400	2,330.			5,090.			4,600.			140 20 JUL 67
21 JUL 67 1400	2,450.			5,480.			5,280.			140 21 JUL 67
22 JUL 67 1400	2,480.			5,540.			5,510.			140 22 JUL 67
23 JUL 67 1400	2,360.			5,230.			5,380.			140 23 JUL 67
24 JUL 67 1400	1,920.			4,690.			4,960.			140 24 JUL 67
25 JUL 67 1400	1,470.			4,160.			4,430.			140 25 JUL 67
26 JUL 67 1400	1,180.			3,660.			3,910.			140 26 JUL 67
27 JUL 67 1400	1,030.			3,400.			3,530.			140 27 JUL 67
28 JUL 67 1400	964.			3,470.			3,430.			140 28 JUL 67
29 JUL 67 1400	938.			3,620.			3,550.			140 29 JUL 67
30 JUL 67 1400	931.			3,500.			3,560.			140 30 JUL 67
31 JUL 67 1400	931.			3,100.			3,300.			140 31 JUL 67

FORM 1413

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	2,440.			4,710.			3,900.			140 1 AUG 67
2 AUG 67 1400	2,260.			5,230.			4,960.			140 2 AUG 67
3 AUG 67 1400	2,190.			5,450.			5,340.			140 3 AUG 67
4 AUG 67 1400	2,160.			5,160.			5,300.			140 4 AUG 67
5 AUG 67 1400	1,760.			4,400.			4,780.			140 5 AUG 67
6 AUG 67 1400	1,430.			3,080.			4,140.			140 6 AUG 67
7 AUG 67 1400	1,230.			3,660.			3,770.			140 7 AUG 67
8 AUG 67 1400	1,120.			3,570.			3,620.			140 8 AUG 67
9 AUG 67 1400	1,230.			3,650.			3,610.			140 9 AUG 67
10 AUG 67 1400	1,690.			4,100.			3,880.			140 10 AUG 67
11 AUG 67 1400	2,090.			4,520.			4,310.			140 11 AUG 67
12 AUG 67 1400	2,550.			4,920.			4,720.			140 12 AUG 67
13 AUG 67 1400	3,580.			5,960.			5,440.			140 13 AUG 67
14 AUG 67 1400	3,630.			6,100.			6,050.			140 14 AUG 67
15 AUG 67 1400	3,570.			6,000.			6,050.			140 15 AUG 67
16 AUG 67 1400	3,380.			5,670.			5,830.			140 16 AUG 67
17 AUG 67 1400	2,910.			5,100.			5,380.			140 17 AUG 67
18 AUG 67 1400	2,380.			4,420.			4,760.			140 18 AUG 67
19 AUG 67 1400	2,080.			4,030.			4,230.			140 19 AUG 67
20 AUG 67 1400	1,800.			3,840.			3,940.			140 20 AUG 67
21 AUG 67 1400	1,640.			3,770.			3,800.			140 21 AUG 67
22 AUG 67 1400	1,520.			3,590.			3,680.			140 22 AUG 67
23 AUG 67 1400	1,410.			3,310.			3,450.			140 23 AUG 67
24 AUG 67 1400	1,330.			3,020.			3,160.			140 24 AUG 67
25 AUG 67 1400	1,510.			3,050.			3,030.			140 25 AUG 67
26 AUG 67 1400	1,600.			3,140.			3,100.			140 26 AUG 67
27 AUG 67 1400	1,670.			3,250.			3,200.			140 27 AUG 67
28 AUG 67 1400	1,670.			3,220.			3,240.			140 28 AUG 67
29 AUG 67 1400	1,620.			3,070.			3,150.			140 29 AUG 67
30 AUG 67 1400	1,660.			3,020.			3,050.			140 30 AUG 67
31 AUG 67 1400	1,640.			2,910.			2,970.			140 31 AUG 67

FORM 1814
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 30.0 CONFLUENCE OF MACLAREN RIVER WITH SUSITNA FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 32.5 300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	1,180.			14,500.			14,500.			140 1 JUL 67
2 JUL 67 1400	715.			13,100.			13,800.			140 2 JUL 67
3 JUL 67 1400	540.			11,800.			12,500.			140 3 JUL 67
4 JUL 67 1400	504.			11,100.			11,500.			140 4 JUL 67
5 JUL 67 1400	501.			10,700.			10,900.			140 5 JUL 67
6 JUL 67 1400	563.			10,800.			10,800.			140 6 JUL 67
7 JUL 67 1400	636.			11,400.			11,100.			140 7 JUL 67
8 JUL 67 1400	580.			11,900.			11,700.			140 8 JUL 67
9 JUL 67 1400	511.			12,100.			12,000.			140 9 JUL 67
10 JUL 67 1400	495.			12,400.			12,200.			140 10 JUL 67
11 JUL 67 1400	872.			14,000.			13,200.			140 11 JUL 67
12 JUL 67 1400	1,240.			16,700.			15,400.			140 12 JUL 67
13 JUL 67 1400	1,180.			19,100.			17,900.			140 13 JUL 67
14 JUL 67 1400	1,030.			21,200.			20,200.			140 14 JUL 67
15 JUL 67 1400	580.			21,800.			21,500.			140 15 JUL 67
16 JUL 67 1400	596.			22,200.			22,000.			140 16 JUL 67
17 JUL 67 1400	651.			21,900.			22,000.			140 17 JUL 67
18 JUL 67 1400	490.			20,500.			21,200.			140 18 JUL 67
19 JUL 67 1400	644.			19,700.			20,100.			140 19 JUL 67
20 JUL 67 1400	1,610.			21,500.			20,600.			140 20 JUL 67
21 JUL 67 1400	2,000.			23,400.			22,400.			140 21 JUL 67
22 JUL 67 1400	1,040.			22,400.			22,900.			140 22 JUL 67
23 JUL 67 1400	537.			21,400.			21,900.			140 23 JUL 67
24 JUL 67 1400	417.			20,200.			20,800.			140 24 JUL 67
25 JUL 67 1400	398.			18,700.			19,500.			140 25 JUL 67
26 JUL 67 1400	392.			17,100.			17,900.			140 26 JUL 67
27 JUL 67 1400	388.			15,700.			16,400.			140 27 JUL 67
28 JUL 67 1400	384.			14,900.			15,300.			140 28 JUL 67
29 JUL 67 1400	382.			14,800.			14,900.			140 29 JUL 67
30 JUL 67 1400	379.			14,800.			14,800.			140 30 JUL 67
31 JUL 67 1400	377.			14,500.			14,700.			140 31 JUL 67

FORM 1311-D

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307			STATION 30.0 CONFLUENCE OF MACLAREN RIVER WITH SUSITNA			STATION 32.5 300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	1,640.			17,800.			16,200.			140 1 AUG 67
2 AUG 67 1400	2,220.			21,400.			19,600.			140 2 AUG 67
3 AUG 67 1400	770.			20,300.			20,800.			140 3 AUG 67
4 AUG 67 1400	459.			20,500.			20,400.			140 4 AUG 67
5 AUG 67 1400	462.			20,000.			20,300.			140 5 AUG 67
6 AUG 67 1400	408.			18,100.			19,100.			140 6 AUG 67
7 AUG 67 1400	401.			16,300.			17,200.			140 7 AUG 67
8 AUG 67 1400	399.			15,100.			15,700.			140 8 AUG 67
9 AUG 67 1400	838.			15,600.			15,300.			140 9 AUG 67
10 AUG 67 1400	2,150.			18,800.			17,200.			140 10 AUG 67
11 AUG 67 1400	2,960.			22,400.			20,600.			140 11 AUG 67
12 AUG 67 1400	2,950.			24,700.			23,600.			140 12 AUG 67
13 AUG 67 1400	4,640.			30,300.			27,500.			140 13 AUG 67
14 AUG 67 1400	5,000.			34,300.			32,300.			140 14 AUG 67
15 AUG 67 1400	3,390.			33,200.			33,800.			140 15 AUG 67
16 AUG 67 1400	2,510.			31,500.			32,400.			140 16 AUG 67
17 AUG 67 1400	1,740.			28,700.			30,100.			140 17 AUG 67
18 AUG 67 1400	945.			24,500.			26,600.			140 18 AUG 67
19 AUG 67 1400	806.			21,200.			22,900.			140 19 AUG 67
20 AUG 67 1400	943.			19,000.			20,100.			140 20 AUG 67
21 AUG 67 1400	620.			16,700.			17,800.			140 21 AUG 67
22 AUG 67 1400	504.			15,300.			16,000.			140 22 AUG 67
23 AUG 67 1400	506.			14,300.			14,800.			140 23 AUG 67
24 AUG 67 1400	525.			13,400.			13,900.			140 24 AUG 67
25 AUG 67 1400	965.			13,500.			13,500.			140 25 AUG 67
26 AUG 67 1400	1,300.			14,000.			13,800.			140 26 AUG 67
27 AUG 67 1400	845.			13,200.			13,600.			140 27 AUG 67
28 AUG 67 1400	640.			12,700.			12,900.			140 28 AUG 67
29 AUG 67 1400	728.			12,700.			12,700.			140 29 AUG 67
30 AUG 67 1400	1,040.			13,000.			12,900.			140 30 AUG 67
31 AUG 67 1400	1,050.			12,800.			12,900.			140 31 AUG 67

FORM 1215

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 33.5 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 34.0 TYONE RIVER BASIN 1047 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	174.			174.			2,380.			140 1 JUL 67
2 JUL 67 1400	143.			170.			2,370.			140 2 JUL 67
3 JUL 67 1400	72.			152.			2,370.			140 3 JUL 67
4 JUL 67 1400	19.			114.			2,360.			140 4 JUL 67
5 JUL 67 1400	5.			72.			2,350.			140 5 JUL 67
6 JUL 67 1400	76.			47.			2,340.			140 6 JUL 67
7 JUL 67 1400	51.			39.			2,340.			140 7 JUL 67
8 JUL 67 1400	1.			40.			2,330.			140 8 JUL 67
9 JUL 67 1400	0.			37.			2,310.			140 9 JUL 67
10 JUL 67 1400	0.			28.			2,280.			140 10 JUL 67
11 JUL 67 1400	634.			32.			2,240.			140 11 JUL 67
12 JUL 67 1400	233.			130.			2,200.			140 12 JUL 67
13 JUL 67 1400	436.			310.			2,160.			140 13 JUL 67
14 JUL 67 1400	7.			290.			2,120.			140 14 JUL 67
15 JUL 67 1400	4.			163.			2,070.			140 15 JUL 67
16 JUL 67 1400	178.			85.			2,000.			140 16 JUL 67
17 JUL 67 1400	2.			71.			1,940.			140 17 JUL 67
18 JUL 67 1400	1.			69.			1,910.			140 18 JUL 67
19 JUL 67 1400	317.			63.			1,880.			140 19 JUL 67
20 JUL 67 1400	1,220.			175.			1,870.			140 20 JUL 67
21 JUL 67 1400	236.			598.			1,890.			140 21 JUL 67
22 JUL 67 1400	43.			371.			1,930.			140 22 JUL 67
23 JUL 67 1400	6.			142.			1,930.			140 23 JUL 67
24 JUL 67 1400	1.			68.			1,910.			140 24 JUL 67
25 JUL 67 1400	0.			38.			1,890.			140 25 JUL 67
26 JUL 67 1400	0.			23.			1,900.			140 26 JUL 67
27 JUL 67 1400	0.			15.			1,910.			140 27 JUL 67
28 JUL 67 1400	0.			10.			1,930.			140 28 JUL 67
29 JUL 67 1400	0.			7.			1,950.			140 29 JUL 67
30 JUL 67 1400	0.			5.			1,960.			140 30 JUL 67
31 JUL 67 1400	0.			4.			1,970.			140 31 JUL 67

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 33.5 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 34.0 TYONE RIVER BASIN 1047 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	2,030.			8.			1,960.			140 1 AUG 67
2 AUG 67 1400	35.			253.			1,960.			140 2 AUG 67
3 AUG 67 1400	26.			373.			1,980.			140 3 AUG 67
4 AUG 67 1400	70.			107.			1,950.			140 4 AUG 67
5 AUG 67 1400	2.			59.			1,870.			140 5 AUG 67
6 AUG 67 1400	26.			45.			1,810.			140 6 AUG 67
7 AUG 67 1400	0.			34.			1,780.			140 7 AUG 67
8 AUG 67 1400	31.			26.			1,760.			140 8 AUG 67
9 AUG 67 1400	521.			34.			1,750.			140 9 AUG 67
10 AUG 67 1400	1,080.			184.			1,760.			140 10 AUG 67
11 AUG 67 1400	640.			691.			1,780.			140 11 AUG 67
12 AUG 67 1400	678.			725.			1,820.			140 12 AUG 67
13 AUG 67 1400	1,400.			891.			1,840.			140 13 AUG 67
14 AUG 67 1400	561.			998.			1,860.			140 14 AUG 67
15 AUG 67 1400	449.			644.			1,900.			140 15 AUG 67
16 AUG 67 1400	299.			439.			1,920.			140 16 AUG 67
17 AUG 67 1400	123.			307.			1,930.			140 17 AUG 67
18 AUG 67 1400	6.			181.			1,950.			140 18 AUG 67
19 AUG 67 1400	191.			112.			2,000.			140 19 AUG 67
20 AUG 67 1400	28.			97.			2,080.			140 20 AUG 67
21 AUG 67 1400	2.			88.			2,200.			140 21 AUG 67
22 AUG 67 1400	1.			59.			2,320.			140 22 AUG 67
23 AUG 67 1400	0.			35.			2,430.			140 23 AUG 67
24 AUG 67 1400	0.			21.			2,520.			140 24 AUG 67
25 AUG 67 1400	380.			19.			2,580.			140 25 AUG 67
26 AUG 67 1400	66.			51.			2,610.			140 26 AUG 67
27 AUG 67 1400	3.			104.			2,610.			140 27 AUG 67
28 AUG 67 1400	1.			84.			2,560.			140 28 AUG 67
29 AUG 67 1400	102.			50.			2,470.			140 29 AUG 67
30 AUG 67 1400	229.			49.			2,360.			140 30 AUG 67
31 AUG 67 1400	2.			82.			2,240.			140 31 AUG 67

FORM 1417-3
PRINTED IN U.S.A.

SUSITNA HEP AUG 8-17 '67 RECONST.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 38.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	17,100.			17,100.			1,690.			140 1 JUL 67
2 JUL 67 1400	16,400.			16,700.			1,070.			140 2 JUL 67
3 JUL 67 1400	15,000.			15,700.			653.			140 3 JUL 67
4 JUL 67 1400	13,900.			14,500.			556.			140 4 JUL 67
5 JUL 67 1400	13,300.			13,600.			534.			140 5 JUL 67
6 JUL 67 1400	13,100.			13,200.			725.			140 6 JUL 67
7 JUL 67 1400	13,500.			13,300.			952.			140 7 JUL 67
8 JUL 67 1400	14,000.			13,800.			735.			140 8 JUL 67
9 JUL 67 1400	14,300.			14,200.			466.			140 9 JUL 67
10 JUL 67 1400	14,500.			14,400.			381.			140 10 JUL 67
11 JUL 67 1400	15,500.			15,000.			1,550.			140 11 JUL 67
12 JUL 67 1400	17,700.			16,600.			2,720.			140 12 JUL 67
13 JUL 67 1400	20,400.			19,000.			2,600.			140 13 JUL 67
14 JUL 67 1400	22,600.			21,500.			2,170.			140 14 JUL 67
15 JUL 67 1400	23,800.			23,200.			757.			140 15 JUL 67
16 JUL 67 1400	24,100.			23,900.			897.			140 16 JUL 67
17 JUL 67 1400	24,100.			24,100.			1,160.			140 17 JUL 67
18 JUL 67 1400	23,200.			23,600.			703.			140 18 JUL 67
19 JUL 67 1400	22,100.			22,600.			1,290.			140 19 JUL 67
20 JUL 67 1400	22,600.			22,300.			4,750.			140 20 JUL 67
21 JUL 67 1400	24,900.			23,800.			6,130.			140 21 JUL 67
22 JUL 67 1400	25,200.			25,100.			3,040.			140 22 JUL 67
23 JUL 67 1400	24,000.			24,600.			1,380.			140 23 JUL 67
24 JUL 67 1400	22,800.			23,400.			1,090.			140 24 JUL 67
25 JUL 67 1400	21,400.			22,100.			1,150.			140 25 JUL 67
26 JUL 67 1400	19,800.			20,600.			1,210.			140 26 JUL 67
27 JUL 67 1400	18,300.			19,100.			1,240.			140 27 JUL 67
28 JUL 67 1400	17,300.			17,800.			1,240.			140 28 JUL 67
29 JUL 67 1400	16,800.			17,100.			1,190.			140 29 JUL 67
30 JUL 67 1400	16,800.			16,800.			1,120.			140 30 JUL 67
31 JUL 67 1400	16,700.			16,700.			1,030.			140 31 JUL 67

FORM 1413-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 38.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	18,100.			17,400.			5,630.			140 1 AUG 67
2 AUG 67 1400	21,800.			20,000.			7,300.			140 2 AUG 67
3 AUG 67 1400	23,200.			22,500.			2,350.			140 3 AUG 67
4 AUG 67 1400	22,500.			22,800.			1,430.			140 4 AUG 67
5 AUG 67 1400	22,200.			22,300.			1,610.			140 5 AUG 67
6 AUG 67 1400	20,900.			21,600.			1,550.			140 6 AUG 67
7 AUG 67 1400	19,600.			20,000.			1,640.			140 7 AUG 67
8 AUG 67 1400	17,500.			18,300.			1,640.			140 8 AUG 67
9 AUG 67 1400	17,100.			17,300.			2,410.			140 9 AUG 67
10 AUG 67 1400	19,100.			18,100.			4,490.			140 10 AUG 67
11 AUG 67 1400	23,100.			21,100.			5,600.			140 11 AUG 67
12 AUG 67 1400	26,100.			24,600.			5,160.			140 12 AUG 67
13 AUG 67 1400	30,200.			28,200.			7,020.			140 13 AUG 67
14 AUG 67 1400	35,100.			32,700.			7,760.			140 14 AUG 67
15 AUG 67 1400	36,300.			35,700.			5,630.			140 15 AUG 67
16 AUG 67 1400	34,700.			35,500.			4,530.			140 16 AUG 67
17 AUG 67 1400	32,300.			33,500.			3,610.			140 17 AUG 67
18 AUG 67 1400	28,700.			30,500.			2,690.			140 18 AUG 67
19 AUG 67 1400	25,000.			26,900.			2,960.			140 19 AUG 67
20 AUG 67 1400	22,300.			23,700.			3,390.			140 20 AUG 67
21 AUG 67 1400	20,100.			21,200.			2,490.			140 21 AUG 67
22 AUG 67 1400	18,400.			19,200.			2,070.			140 22 AUG 67
23 AUG 67 1400	17,300.			17,800.			1,930.			140 23 AUG 67
24 AUG 67 1400	16,400.			16,800.			1,800.			140 24 AUG 67
25 AUG 67 1400	16,100.			16,200.			2,860.			140 25 AUG 67
26 AUG 67 1400	16,500.			16,300.			3,610.			140 26 AUG 67
27 AUG 67 1400	16,300.			16,400.			2,170.			140 27 AUG 67
28 AUG 67 1400	15,600.			16,000.			1,420.			140 28 AUG 67
29 AUG 67 1400	15,200.			15,400.			1,560.			140 29 AUG 67
30 AUG 67 1400	15,300.			15,200.			2,390.			140 30 AUG 67
31 AUG 67 1400	15,200.			15,200.			2,350.			140 31 AUG 67

FORM 1413-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 40.0 SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 42.5 400-500 ROUT VEE DAMSITE TO WATANA DAMSITE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 46.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	18,800.			18,800.			5,150.			140 1 JUL 67
2 JUL 67 1400	17,800.			18,300.			4,850.			140 2 JUL 67
3 JUL 67 1400	16,300.			17,100.			4,050.			140 3 JUL 67
4 JUL 67 1400	15,000.			15,700.			3,300.			140 4 JUL 67
5 JUL 67 1400	14,200.			14,600.			2,860.			140 5 JUL 67
6 JUL 67 1400	13,900.			14,000.			2,800.			140 6 JUL 67
7 JUL 67 1400	14,300.			14,100.			3,000.			140 7 JUL 67
8 JUL 67 1400	14,500.			14,400.			3,150.			140 8 JUL 67
9 JUL 67 1400	14,600.			14,600.			3,050.			140 9 JUL 67
10 JUL 67 1400	14,800.			14,700.			2,830.			140 10 JUL 67
11 JUL 67 1400	16,600.			15,700.			3,150.			140 11 JUL 67
12 JUL 67 1400	19,300.			17,900.			4,320.			140 12 JUL 67
13 JUL 67 1400	21,600.			20,500.			5,430.			140 13 JUL 67
14 JUL 67 1400	23,600.			22,600.			5,720.			140 14 JUL 67
15 JUL 67 1400	23,900.			23,800.			4,890.			140 15 JUL 67
16 JUL 67 1400	24,800.			24,400.			3,810.			140 16 JUL 67
17 JUL 67 1400	25,200.			25,000.			3,320.			140 17 JUL 67
18 JUL 67 1400	24,300.			24,800.			3,090.			140 18 JUL 67
19 JUL 67 1400	23,900.			24,100.			3,000.			140 19 JUL 67
20 JUL 67 1400	27,100.			25,500.			4,510.			140 20 JUL 67
21 JUL 67 1400	29,900.			28,500.			7,390.			140 21 JUL 67
22 JUL 67 1400	28,100.			29,000.			8,160.			140 22 JUL 67
23 JUL 67 1400	26,000.			27,000.			6,220.			140 23 JUL 67
24 JUL 67 1400	24,500.			25,200.			3,840.			140 24 JUL 67
25 JUL 67 1400	23,200.			23,900.			2,590.			140 25 JUL 67
26 JUL 67 1400	21,800.			22,500.			2,140.			140 26 JUL 67
27 JUL 67 1400	20,300.			21,100.			2,010.			140 27 JUL 67
28 JUL 67 1400	19,000.			19,700.			1,950.			140 28 JUL 67
29 JUL 67 1400	18,200.			18,600.			1,920.			140 29 JUL 67
30 JUL 67 1400	17,900.			18,100.			1,900.			140 30 JUL 67
31 JUL 67 1400	17,800.			17,800.			1,870.			140 31 JUL 67

FORM 1411-5

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

STATION 40.0 — SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M
STATION 42.5 — 400-500 ROUT VEE DAMSITE TO WATANA DAMSITE
STATION 48.0 — WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	23,000.			20,400.			3,790.			140 1 AUG 67
2 AUG 67 1400	27,300.			25,200.			7,580.			140 2 AUG 67
3 AUG 67 1400	24,900.			26,100.			8,110.			140 3 AUG 67
4 AUG 67 1400	24,300.			24,600.			5,620.			140 4 AUG 67
5 AUG 67 1400	23,900.			24,100.			3,300.			140 5 AUG 67
6 AUG 67 1400	23,100.			23,500.			2,460.			140 6 AUG 67
7 AUG 67 1400	21,600.			22,400.			2,140.			140 7 AUG 67
8 AUG 67 1400	19,900.			20,700.			1,990.			140 8 AUG 67
9 AUG 67 1400	19,700.			19,800.			2,350.			140 9 AUG 67
10 AUG 67 1400	22,600.			21,200.			4,250.			140 10 AUG 67
11 AUG 67 1400	26,700.			24,700.			7,320.			140 11 AUG 67
12 AUG 67 1400	29,800.			28,200.			9,510.			140 12 AUG 67
13 AUG 67 1400	35,200.			32,500.			11,700.			140 13 AUG 67
14 AUG 67 1400	40,400.			37,800.			14,300.			140 14 AUG 67
15 AUG 67 1400	41,300.			40,900.			14,300.			140 15 AUG 67
16 AUG 67 1400	40,100.			40,700.			12,000.			140 16 AUG 67
17 AUG 67 1400	37,100.			38,600.			9,030.			140 17 AUG 67
18 AUG 67 1400	33,200.			35,200.			6,430.			140 18 AUG 67
19 AUG 67 1400	29,800.			31,500.			4,630.			140 19 AUG 67
20 AUG 67 1400	27,000.			28,400.			4,100.			140 20 AUG 67
21 AUG 67 1400	23,700.			25,400.			3,850.			140 21 AUG 67
22 AUG 67 1400	21,300.			22,500.			3,210.			140 22 AUG 67
23 AUG 67 1400	19,700.			20,500.			2,600.			140 23 AUG 67
24 AUG 67 1400	18,600.			19,200.			2,380.			140 24 AUG 67
25 AUG 67 1400	19,100.			18,900.			2,890.			140 25 AUG 67
26 AUG 67 1400	19,900.			19,500.			4,200.			140 26 AUG 67
27 AUG 67 1400	18,600.			19,200.			4,790.			140 27 AUG 67
28 AUG 67 1400	17,400.			18,000.			4,080.			140 28 AUG 67
29 AUG 67 1400	17,000.			17,200.			3,290.			140 29 AUG 67
30 AUG 67 1400	17,600.			17,300.			3,500.			140 30 AUG 67
31 AUG 67 1400	17,600.			17,600.			4,170.			140 31 AUG 67

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 50.0 WATANA DAM SITE 5180 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 52.5 500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	23,900.			23,900.			2,830.			140 1 JUL 67
2 JUL 67 1400	23,100.			23,500.			2,660.			140 2 JUL 67
3 JUL 67 1400	21,100.			22,100.			2,210.			140 3 JUL 67
4 JUL 67 1400	19,000.			20,000.			1,800.			140 4 JUL 67
5 JUL 67 1400	17,500.			18,200.			1,570.			140 5 JUL 67
6 JUL 67 1400	16,900.			17,200.			1,550.			140 6 JUL 67
7 JUL 67 1400	17,100.			17,000.			1,670.			140 7 JUL 67
8 JUL 67 1400	17,500.			17,300.			1,770.			140 8 JUL 67
9 JUL 67 1400	17,600.			17,600.			1,710.			140 9 JUL 67
10 JUL 67 1400	17,600.			17,600.			1,570.			140 10 JUL 67
11 JUL 67 1400	18,800.			18,200.			1,780.			140 11 JUL 67
12 JUL 67 1400	22,200.			20,500.			2,520.			140 12 JUL 67
13 JUL 67 1400	25,900.			24,100.			3,230.			140 13 JUL 67
14 JUL 67 1400	28,300.			27,100.			3,400.			140 14 JUL 67
15 JUL 67 1400	28,700.			28,500.			2,880.			140 15 JUL 67
16 JUL 67 1400	28,200.			28,400.			2,200.			140 16 JUL 67
17 JUL 67 1400	28,300.			28,300.			1,880.			140 17 JUL 67
18 JUL 67 1400	27,900.			28,100.			1,750.			140 18 JUL 67
19 JUL 67 1400	27,100.			27,500.			1,690.			140 19 JUL 67
20 JUL 67 1400	30,000.			28,600.			2,610.			140 20 JUL 67
21 JUL 67 1400	35,900.			32,900.			4,350.			140 21 JUL 67
22 JUL 67 1400	37,200.			36,500.			4,810.			140 22 JUL 67
23 JUL 67 1400	33,200.			35,200.			3,640.			140 23 JUL 67
24 JUL 67 1400	29,000.			31,100.			2,210.			140 24 JUL 67
25 JUL 67 1400	26,400.			27,700.			1,460.			140 25 JUL 67
26 JUL 67 1400	24,700.			25,600.			1,190.			140 26 JUL 67
27 JUL 67 1400	23,100.			23,900.			1,110.			140 27 JUL 67
28 JUL 67 1400	21,600.			22,400.			1,080.			140 28 JUL 67
29 JUL 67 1400	20,600.			21,100.			1,070.			140 29 JUL 67
30 JUL 67 1400	20,000.			20,300.			1,050.			140 30 JUL 67
31 JUL 67 1400	19,700.			19,800.			1,040.			140 31 JUL 67

FORM 1413-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 50.0 WATANA DAM SITE 5180 SQ MI			STATION 52.5 500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI			STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	24,200.			21,900.			2,200.			140 1 AUG 67
2 AUG 67 1400	32,700.			28,500.			4,480.			140 2 AUG 67
3 AUG 67 1400	34,200.			33,500.			4,800.			140 3 AUG 67
4 AUG 67 1400	30,200.			32,200.			3,310.			140 4 AUG 67
5 AUG 67 1400	27,400.			28,800.			1,920.			140 5 AUG 67
6 AUG 67 1400	26,000.			26,700.			1,410.			140 6 AUG 67
7 AUG 67 1400	24,500.			25,200.			1,230.			140 7 AUG 67
8 AUG 67 1400	22,700.			23,600.			1,140.			140 8 AUG 67
9 AUG 67 1400	22,200.			22,400.			1,370.			140 9 AUG 67
10 AUG 67 1400	25,400.			23,800.			2,580.			140 10 AUG 67
11 AUG 67 1400	32,000.			28,700.			4,520.			140 11 AUG 67
12 AUG 67 1400	37,800.			34,900.			5,920.			140 12 AUG 67
13 AUG 67 1400	44,200.			41,000.			7,360.			140 13 AUG 67
14 AUG 67 1400	52,200.			48,200.			9,050.			140 14 AUG 67
15 AUG 67 1400	55,200.			53,700.			9,010.			140 15 AUG 67
16 AUG 67 1400	52,700.			54,000.			7,530.			140 16 AUG 67
17 AUG 67 1400	47,600.			50,200.			5,640.			140 17 AUG 67
18 AUG 67 1400	41,600.			44,600.			4,000.			140 18 AUG 67
19 AUG 67 1400	36,100.			38,900.			2,850.			140 19 AUG 67
20 AUG 67 1400	32,500.			34,300.			2,490.			140 20 AUG 67
21 AUG 67 1400	29,200.			30,900.			2,330.			140 21 AUG 67
22 AUG 67 1400	25,700.			27,500.			1,930.			140 22 AUG 67
23 AUG 67 1400	23,100.			24,400.			1,560.			140 23 AUG 67
24 AUG 67 1400	21,600.			22,300.			1,420.			140 24 AUG 67
25 AUG 67 1400	21,800.			21,700.			1,740.			140 25 AUG 67
26 AUG 67 1400	23,700.			22,700.			2,540.			140 26 AUG 67
27 AUG 67 1400	24,000.			23,800.			2,900.			140 27 AUG 67
28 AUG 67 1400	22,100.			23,000.			2,470.			140 28 AUG 67
29 AUG 67 1400	20,500.			21,300.			1,990.			140 29 AUG 67
30 AUG 67 1400	20,800.			20,600.			2,120.			140 30 AUG 67
31 AUG 67 1400	21,800.			21,300.			2,530.			140 31 AUG 67

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 60.0 DEVIL CANYON DAM SITE 5810 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	24,700.			1,520.			26,700.			140 1 JUL 67
2 JUL 67 1400	26,200.			1,420.			26,500.			140 2 JUL 67
3 JUL 67 1400	24,300.			1,170.			25,200.			140 3 JUL 67
4 JUL 67 1400	21,800.			957.			23,100.			140 4 JUL 67
5 JUL 67 1400	19,800.			836.			20,800.			140 5 JUL 67
6 JUL 67 1400	18,700.			824.			19,200.			140 6 JUL 67
7 JUL 67 1400	18,700.			892.			18,700.			140 7 JUL 67
8 JUL 67 1400	19,100.			945.			18,900.			140 8 JUL 67
9 JUL 67 1400	19,300.			910.			19,200.			140 9 JUL 67
10 JUL 67 1400	19,200.			836.			19,200.			140 10 JUL 67
11 JUL 67 1400	20,000.			949.			19,600.			140 11 JUL 67
12 JUL 67 1400	23,100.			1,350.			21,500.			140 12 JUL 67
13 JUL 67 1400	27,300.			1,730.			25,200.			140 13 JUL 67
14 JUL 67 1400	30,500.			1,830.			28,900.			140 14 JUL 67
15 JUL 67 1400	31,400.			1,550.			31,000.			140 15 JUL 67
16 JUL 67 1400	30,600.			1,180.			31,000.			140 16 JUL 67
17 JUL 67 1400	30,200.			1,010.			30,400.			140 17 JUL 67
18 JUL 67 1400	29,900.			935.			30,000.			140 18 JUL 67
19 JUL 67 1400	29,200.			905.			29,500.			140 19 JUL 67
20 JUL 67 1400	31,200.			1,410.			30,200.			140 20 JUL 67
21 JUL 67 1400	37,300.			2,370.			34,200.			140 21 JUL 67
22 JUL 67 1400	41,300.			2,620.			39,300.			140 22 JUL 67
23 JUL 67 1400	38,800.			1,980.			40,100.			140 23 JUL 67
24 JUL 67 1400	33,400.			1,190.			36,100.			140 24 JUL 67
25 JUL 67 1400	29,200.			782.			31,300.			140 25 JUL 67
26 JUL 67 1400	26,700.			638.			28,000.			140 26 JUL 67
27 JUL 67 1400	25,000.			595.			25,900.			140 27 JUL 67
28 JUL 67 1400	23,400.			580.			24,200.			140 28 JUL 67
29 JUL 67 1400	22,200.			572.			22,800.			140 29 JUL 67
30 JUL 67 1400	21,300.			567.			21,700.			140 30 JUL 67
31 JUL 67 1400	20,900.			561.			21,100.			140 31 JUL 67

FORM 1613

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 60.0 DEVIL CANYON DAM SITE 5810 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	24,100.			1,200.			22,500.			140 1 AUG 67
2 AUG 67 1400	32,900.			2,450.			28,500.			140 2 AUG 67
3 AUG 67 1400	38,300.			2,630.			35,600.			140 3 AUG 67
4 AUG 67 1400	35,500.			1,810.			36,900.			140 4 AUG 67
5 AUG 67 1400	30,700.			1,050.			33,100.			140 5 AUG 67
6 AUG 67 1400	28,100.			769.			29,400.			140 6 AUG 67
7 AUG 67 1400	26,500.			668.			27,300.			140 7 AUG 67
8 AUG 67 1400	24,800.			619.			25,600.			140 8 AUG 67
9 AUG 67 1400	23,800.			728.			24,300.			140 9 AUG 67
10 AUG 67 1400	26,400.			1,300.			25,100.			140 10 AUG 67
11 AUG 67 1400	33,200.			2,200.			29,800.			140 11 AUG 67
12 AUG 67 1400	40,800.			2,840.			37,000.			140 12 AUG 67
13 AUG 67 1400	48,300.			3,460.			44,600.			140 13 AUG 67
14 AUG 67 1400	57,200.			4,210.			52,800.			140 14 AUG 67
15 AUG 67 1400	62,700.			4,230.			60,000.			140 15 AUG 67
16 AUG 67 1400	61,500.			3,560.			62,100.			140 16 AUG 67
17 AUG 67 1400	55,800.			2,690.			58,600.			140 17 AUG 67
18 AUG 67 1400	48,600.			1,930.			52,200.			140 18 AUG 67
19 AUG 67 1400	41,700.			1,410.			45,200.			140 19 AUG 67
20 AUG 67 1400	36,800.			1,270.			39,300.			140 20 AUG 67
21 AUG 67 1400	33,200.			1,210.			35,000.			140 21 AUG 67
22 AUG 67 1400	29,400.			1,020.			31,300.			140 22 AUG 67
23 AUG 67 1400	26,000.			828.			27,700.			140 23 AUG 67
24 AUG 67 1400	23,800.			757.			24,900.			140 24 AUG 67
25 AUG 67 1400	23,400.			922.			23,600.			140 25 AUG 67
26 AUG 67 1400	25,300.			1,340.			24,300.			140 26 AUG 67
27 AUG 67 1400	26,700.			1,530.			26,000.			140 27 AUG 67
28 AUG 67 1400	25,500.			1,300.			26,100.			140 28 AUG 67
29 AUG 67 1400	23,200.			1,050.			24,400.			140 29 AUG 67
30 AUG 67 1400	22,700.			1,110.			23,000.			140 30 AUG 67
31 AUG 67 1400	23,800.			1,330.			23,300.			140 31 AUG 67

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 70.0 SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 67 1400	28,300.									140 1 JUL 67
2 JUL 67 1400	27,900.									140 2 JUL 67
3 JUL 67 1400	26,400.									140 3 JUL 67
4 JUL 67 1400	24,000.									140 4 JUL 67
5 JUL 67 1400	21,700.									140 5 JUL 67
6 JUL 67 1400	20,100.									140 6 JUL 67
7 JUL 67 1400	19,600.									140 7 JUL 67
8 JUL 67 1400	19,800.									140 8 JUL 67
9 JUL 67 1400	20,100.									140 9 JUL 67
10 JUL 67 1400	20,100.									140 10 JUL 67
11 JUL 67 1400	20,500.									140 11 JUL 67
12 JUL 67 1400	22,900.									140 12 JUL 67
13 JUL 67 1400	26,900.									140 13 JUL 67
14 JUL 67 1400	30,700.									140 14 JUL 67
15 JUL 67 1400	32,500.									140 15 JUL 67
16 JUL 67 1400	32,200.									140 16 JUL 67
17 JUL 67 1400	31,400.									140 17 JUL 67
18 JUL 67 1400	30,900.									140 18 JUL 67
19 JUL 67 1400	30,400.									140 19 JUL 67
20 JUL 67 1400	31,600.									140 20 JUL 67
21 JUL 67 1400	36,600.									140 21 JUL 67
22 JUL 67 1400	41,900.									140 22 JUL 67
23 JUL 67 1400	42,100.									140 23 JUL 67
24 JUL 67 1400	37,300.									140 24 JUL 67
25 JUL 67 1400	32,100.									140 25 JUL 67
26 JUL 67 1400	28,600.									140 26 JUL 67
27 JUL 67 1400	26,500.									140 27 JUL 67
28 JUL 67 1400	24,800.									140 28 JUL 67
29 JUL 67 1400	23,400.									140 29 JUL 67
30 JUL 67 1400	22,300.									140 30 JUL 67
31 JUL 67 1400	21,700.									140 31 JUL 67

FORM 1413-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 JUL 67 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 70.0			STATION 0.0			STATION 0.0			
	SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM									
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 67 1400	23,700.									140 1 AUG 67
2 AUG 67 1400	31,000.									140 2 AUG 67
3 AUG 67 1400	38,200.									140 3 AUG 67
4 AUG 67 1400	38,700.									140 4 AUG 67
5 AUG 67 1400	34,100.									140 5 AUG 67
6 AUG 67 1400	30,200.									140 6 AUG 67
7 AUG 67 1400	27,900.									140 7 AUG 67
8 AUG 67 1400	26,200.									140 8 AUG 67
9 AUG 67 1400	25,000.									140 9 AUG 67
10 AUG 67 1400	26,400.									140 10 AUG 67
11 AUG 67 1400	32,000.									140 11 AUG 67
12 AUG 67 1400	39,900.									140 12 AUG 67
13 AUG 67 1400	46,000.									140 13 AUG 67
14 AUG 67 1400	57,000.									140 14 AUG 67
15 AUG 67 1400	64,200.									140 15 AUG 67
16 AUG 67 1400	65,700.									140 16 AUG 67
17 AUG 67 1400	61,300.									140 17 AUG 67
18 AUG 67 1400	54,100.									140 18 AUG 67
19 AUG 67 1400	46,600.									140 19 AUG 67
20 AUG 67 1400	40,600.									140 20 AUG 67
21 AUG 67 1400	36,200.									140 21 AUG 67
22 AUG 67 1400	32,300.									140 22 AUG 67
23 AUG 67 1400	28,500.									140 23 AUG 67
24 AUG 67 1400	25,600.									140 24 AUG 67
25 AUG 67 1400	24,500.									140 25 AUG 67
26 AUG 67 1400	25,700.									140 26 AUG 67
27 AUG 67 1400	27,500.									140 27 AUG 67
28 AUG 67 1400	27,400.									140 28 AUG 67
29 AUG 67 1400	25,400.									140 29 AUG 67
30 AUG 67 1400	24,100.									140 30 AUG 67
31 AUG 67 1400	24,600.									140 31 AUG 67
EOF..										7

FORM 1611-4
PRINTED IN U.S.A.


```
JOB          090961   1          1      SUSITNA HEP AUG 4-10 '71 RECONST.
CP           1480     4620                                          GUKGL
CP           2000     3000                                          BASAV
CP           8811     2401                                          SUMMIT
CP           9139     2550                                          GRACIO
CP           9410     2808                                          TRIMS
CP           3000     345                                           TALK.
CT01         1015        2        0       95      999      100      SMI GL
CT01         1018        2        0       10      2.5       20       5    40 SMI
CT02         1018       12       60       15       75      999      80
CT01         1020        2        0       20        2       30       5    60 SMI
CT02         1020        9      100       15      100     9999     100
CT01         1021        2        0        5       99        5    9999     5 SMI
CT01         2009        2        0       60      0.1       50     0.2    45 BII
CT02         2009      0.3       37      0.4       32      0.5       29   0.6MCKENZ
CT03         2009       27      1.0       20      2.0       10     9999    10
CT01         2010        2        0       75       .2       60      0.4    48 BII
CT02         2010      0.6       37      0.8       31      1.0       27   1.2WILLAM
CT03         2010       25     9999       25
CT01         2011        2        0       50      0.1       47      0.2    45 BII
CT02         2011      0.3       37      0.4       32      0.5       29    0.6
CT03         2011       27        1       20        2        8        3     4
CT04         2011        5        2      999        1
CT01         2012        2        0       70       .5       50        3    20 BII
CT02         2012        5       10       10      .05       99      .05
CT01         2017        2        0      100      1.0       95     9999    95 BIIGL
CT01         3001        2        0        0      .02      .009      .03   .013 S/SS
CT02         3001      .05     .021      .03     .025     .075     .034    .10
CT03         3001      .05     9999    99999
CT01         3003        2        0        0     .016    .0026     .033   .008 S-SS
CT02         3003      .05     .015     .067     .024     .083     .036   .100MCKENZ
CT03         3003      .05      2.0     1.20      999      999
CT01         3008        2        0        0      .01    .0005      .02   .0015 S-SS
CT02         3008      .03     .003      .04     .005      .05     .008    .06
CT03         3008     .012      .07     .017      .08     .023      .09    .03
CT04         3008      .10     .038      999      999
CT01         3009        2        0        0      .05     .001      0.5    .05  S/SS
CT02         3009      1.0      0.2     9999     9000                      GLAC
CT01         4008        2        4     0.03        5     0.09        6   0.09   ETI
CT02         4008        7     0.10        8     0.10        9     0.10
CT01         4009        2        4     0.03        5     0.05        6   0.06   ETI
CT02         4009        7     0.07        8     0.08        9     0.06        GLAC
CT01         4010        2        4     0.03        5     0.09        6   0.15   ETI
CT02         4010        7     0.15        8     0.15        9     0.15
CT01         5001        2        0      100       .5       30        1     20   KE
CT02         5001      1.5       20      999       20
CT01         6004        2        0      100      100      100     9999    100 SCDGL
CT01         6006        2        0      100        8       60       20     60  SCD
CT02         6006       36       40       59       20      100        0    999
CT03         6006        0
CT01         7005        2        0     0.32      100     0.32     9999   0.32 MELTR
CT01         7009        2        0     0.12      100     0.12     9999   0.12 MELTR
CT01         7010        2        0     0.10       20     0.15       40   0.24 METSUS
CT02         7010       50     0.30       80     0.40      100     0.45   9999
CT01         7011        2        0      .08      100      .08     9999    .08 MELTG
CB01         10          1          SUSITNA GLACIER
CB02         10     2214  6 4  12 4  24   100 50016004    40091015
CB03         10     2017 10  3009                  7011          35 32 33
CB04         10     3200026033000100430001 00
C3 1         10  2800    0  3000   45 4000   177 5000   359 6000   611 7000   848
C3 2         10  8000   961 9000  99815832  9999999999999
CB01         20          1          SUSITNA NON-GLACIER ABV USGS GAGE
CB02         20     6944  8 4  20 5 156   100 50016006    40081016
CB03         20     2011 10  3008                  7005          35 32 33
```

DATA FILE 8 - ACRES RECONSTITUTION
OF 1971 FLOOD,
SSARR MODEL INPUT

FORM 1813-3

PRINTED IN U.S.A.

```
C3 1     20  2440    0  3000  277 4000  512 5000  813 6000  928 7000  971
C3 2     20  8000  984 9000  98910000  99813832  9999999999999
CC01     50        1          SUSITNA RIVER NEAR DENALI CALCULATED
CR01     55        1          30-100 ROUT DENALI GAGE TO DENALI DAMSITE
CR02     55              2 2    11
CB01     80        1          LOCAL ABOVE DENALI DAMSITE  312 SQ MI
CB02     80     3124  3 4    8 4 156   100 50016006    40081018
CB03     80     2009  9  3008                          7010          35 32 33
CB04     80     32000172530001004300010 0
C3 1     80  2370    0  5000  359 4000  744 5000  971 6000  997 6100  999
C3 2     80  9999999999
CC01    100        1          DENALI DAMSITE  1260 SQ MI
CR01    125        1          100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF
CR02    125              3 2    11
CB01    180        1          SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477
CB02    180     4774  3 4    8 5 156   100 50016006    40081018
CB03    180     2009  9  3008                          7010          35 32 33
CB04    180     32000 9433000100430001 0
C3 1    180  2350    0  3000  350 4000  820 5000  964 6000  965 6200  999
C3 2    180  9999999999
CB01    210        1          MACLAREN GLACIER
CB02    210     443  6 3   12 3   24   100 50016004    40091015
CB03    210     2017 10  3009                          7009   9      35 32 33
CB04    210     32000148330001004300010 5
C3 1    210  3152    0  4000  109 5000  241 6000  672 7000   96 8000  998
C3 2    210  8850  9999999999999
CB01    220        1          MACLAREN NON-GLACIER ABV USGS GAGE
CB02    220     2324  5 4   20 5 156    75 50016006    40081018
CB03    220     2012 10  3003                          7005          35 32 33
CB04    220     32000148330  10043000105
C3 1    220  2866    0   300   82 4000  505 5000  801 6000  949 7000  986
C3 2    220  8000  998 8850  9999999999999
CC01    230        1          MACLAREN RIVER NEAR PAXSON CALCULATED
CR01    255        1          230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL
CB02    255              6 2    10
CB01    280        1          MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307
CB02    280     3074  3 4    8 5 156   100 50016006    40081018
CB03    280     2009  9  3008                          7010          35 32 33
CB04    280     32000148330001004300010 0
C3 1    280  2350    0  3000  498 4000  967 5000  968 5275  9999999999999
CC01    300        1          CONFLUENCE OF MACLAREN RIVER WITH SUSITNA
CR01    325        1          300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE
CR02    325              5 2    9
CB01    330        1          LAKE LOUISE AND SUSITNA LAKE  48 SQ MI
CB02    330     483 15 1    0 1    0   100 50016006    40081022
CB03    330     2009  9  3008                          7010          35 32 33
CB04    330     32000 9433000100430001 5
C3 1    330  2361    0  2363  9999999999999
CR01    335        1          330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV
CR02    335              3 4    100
CB01    340        1          TYONE RIVER BASIN 1047 SQ MI
CB02    340     10478 10 8   48 8 200   100 50016006    40101018
CB03    340     2009  9  3008                          7010          35 32 33
CB04    340     32000 9433000100430001 5
C3 1    340  2100    0  3000  687 4000  952 5000  998 5275  9999999999999
CC01    350        1          COLLECTION ONE MI ABV CONFL OF OSHET & SUS
CR01    375        1          350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)
CR02    375              1 2    9
CB01    380        1          OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI
CB02    380     7353  3 4    8 4  72   100 50016006    40081018
CB03    380     2009  9  3008                          7010          35 32 33
CB04    380     32000110330001004300011 5
C3 1    380  1910    0  2000    2 3000  156 4000  491 5000  784 6000  960
C3 2    380  7000  998 7770  9999999999999
CC01    400        1          SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M
```



FORM 1611-3

PRINTED IN U.S.A.

```
CR02    425             4 1     5
CB01    480       1             WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI
CR02    480   10454  8 4  15 5 156   100 50016006    40081020
CB03    480     2009  9  3008                    7010          35 32 33
CB04    480     320001503300010043000105
C3 1    480  1450     0 2000   30 3000  277 4000  683 5000  911 6000  989
C3 2    480  7000  989 7200  9999999999999
CC01    500       1             WATANA DAM SITE 5180 SQ MI
CR01    525       1             500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI
CR02    525             3 1     3
CB01    580       1             TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI
CB02    580    6284  8 4  15 5 156   100 50016006    40081020
CB03    580     2009  9  3008                    7010          35 32 33
CB04    580     320001623300010043000105
C3 1    580  910     0 1000    2 2000   84 3000  441 4000  795 5000  962
C3 2    580  6000  998 6910  9999999999999
CC01    600       1             DEVIL CANYON DAM SITE 5810 SQ MI
CR01    625       1             600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD
CR02    625             1 1     3
CB01    680       1             PORTAGE AND GOLD CREEK LOCAL 345 SQ MI
CB02    680    3454  8 4  15 5 156   100 50016006    40081020
CB03    680     2009  9  3008                    7010          35 32 33
CB04    680     320001443300010043000105
C3 1    680  677     0 1000   32 2000  261 3000  510 4000  809 5000  971
C3 2    680  6000  998 6018  9999999999999
CC01    700       1             SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM
P        10       30
P        20       50
P        30       55
P        55      100
P        80      100
P       100      125
P       125      300
P       180      300
P       210      230
P       220      230
P       230      255
P       255      300
P       280      300
P       300      325
P       325      350
P       330      335
P       335      350
P       340      350
P       350      375
P       375      400
P       380      400
P       400      425
P       425      500
P       480      500
P       500      525
P       525      600
P       580      600
P       600      625
P       680      700
P       625      700
P       700
T   14 06057124 14 300971
2B00      10 14 060571    4  030   100 1                    99
2B02      10 14 060571   10   10    10   10   10
2B03      10 14 060571   30   30    30   30   30
2B04      10 14 060571   60   60    60   60   60
2B00      20 14 060571    2  03    100 01                   12
2B02      20 14 060571   10   10    10   10   10
2B03      20 14 060571   50   50    50   50   30
```

FORM 1111-5

PRINTED IN U.S.A.

2B00	80	14	060571	2	03	100					87									
2B02	80	14	060571	5	5	5	5	5												
2B03	80	14	060571	10	10	10	10	10												
2B04	80	14	060571	70	70	70	70	70												
2B00	180	14	060571	2	03	100					67									
2B02	180	14	060571	7	7	7	7	7												
2B03	180	14	060571	10	10	10	10	10												
2B04	180	14	060571	108	108	108	108	108	108											
2B00	210	14	060571	4	030	100 1					99									
2B02	210	14	060571	10	10	10	10	10												
2B03	210	14	060571	10	10	10	10	10												
2B04	210	14	060571	10	10	10	10	10												
2B00	220	14	060571	2	03	100 01					195									
2B02	220	14	060571	10	10	10	10	10												
2B03	220	14	060571	10	10	10	10	10												
2B04	220	14	010767	60	60	60	60	60	60	60	60									
2B00	280	14	060571	2	03	100					67									
2B02	280	14	060571	4	4	4	4	4												
2B03	280	14	060571	10	10	10	10	10												
2B04	280	14	060571	70	70	70	70	70	70											
2B00	330	14	060571	2	03	100					36									
2B02	330	14	060571	18	18	18	18	18												
2B03	330	14	060571	0	0	0	0	0												
2B04	330	14	060571	0	0	0	0	0												
2B00	340	14	060571	2	03	100					36									
2B02	340	14	060571	18	18	18	18	18												
2B03	340	14	060571	20	20	20	20	20	20	20	20									
2B04	340	14	060571	120	120	120	120	120	120	120	120									
2B00	380	14	010767	2	03	100					69									
2B02	380	14	060571	8	8	8	8	8												
2B03	380	14	060571	20	20	20	20	20												
2B04	380	14	060571	130	130	130	130	130												
2B00	480	14	060571	2	03	100					74									
2B02	480	14	060571	16	16	16	16	16												
2B03	480	14	060571	30	30	30	30	30												
2B04	480	14	060571	420	420	420	420	420												
2B00	580	14	060571	2	03	100					74									
2B02	580	14	060571	5	5	5	5	5												
2B03	580	14	060571	15	15	15	15	15												
2B04	580	14	060571	260	260	260	260	260												
2B00	680	14	060571	2	03	100					74									
2B02	680	14	060571	4	4	4	4	4												
2B03	680	14	060571	10	10	10	10	10												
2B04	680	14	060571	140	140	140	140	140												
4D	3000	14	0605713	02	05				24											
4D	3000	14	2005713	04	10	29	01	03		09	02	13	09							
4D	3000	14	0106713	02	23	07							06		06					
4D	3000	14	1506713	57		08	02	03	24						01					
4D	3000	14	2906713	11	88															
4D	3000	14	0107713	87	09		06	01					06	55	01					
4D	3000	14	1507713					19		02	03	23	15	08	66	13				
4D	3000	14	2907713	22	25	62														
4D	3000	14	0108713	58	42									57						
4D	3000	14	1508713				03	05	41	08			62	02	02					
4D	3000	14	2908713			17														
4D	3000	14	0109715	37	51	04	26	56	06	04	09					01				
4D	3000	14	1509713					03	80	45										
4D	3000	14	2909713	81	16															
4D	3000	14	0605714	400	360	380	370	370	410	410	420	370	380	370	380	410	410			
4D	3000	14	2005714	430	430	390	430	430	440	440	450	470	410	430	460					
4D	3000	14	0106714	440	410	450	510	550	560	550	520	560	560	530	510	480	490			
4D	3000	14	1506714	460	500	480	520	550	530	480	580	620	610	630	640	600	520			
4D	3000	14	2906714	520	490															
4D	3000	14	0107714	490	500	530	560	600	610	580	640	650	660	670	620	580	590			
4D	3000	14	1507714	550	570	580	550	590	590	530	520	550	520	550	550	510	510			

FORM 1115

PRINTED IN U.S.A.

```
4D      3000 14 0108714 570 600 560 550 570 540 550 540 540 570 630 620 600 550
4D      3000 14 1508714 540 560 570 590 610 560 560 550 550 540 530 560 560 530
4D      3000 14 2908714 570 490 570
4D      3000 14 0109714 480 550 500 490 460 450 470 510 510 460 440 470 480 500
4D      3000 14 1509714 440 490 460 440 410 460 480 430 420 470 410 400 370 360
4D      3000 14 2909714 360 390
4D      2000714 0408713  01  19 127  80 132 184 199
EOF..
```

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BFI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.00	0.40	0	0.00	0.30	0	60	30	10	100	1400	6
7	1400	0.05	0	0.00	0.00	0	2800	100	0.0	0	0.00	0.00	0.05	0.40	95	0.00	0.24	99	58	26	4	89	1400	7
8	1400	0.00	0	0.00	0.00	0	2800	100	0.0	0	0.00	0.00	0.05	0.35	95	0.00	0.19	99	52	13	0	66	1400	8
9	1400	0.00	0	0.00	0.00	0	2800	100	0.0	0	0.00	0.00	0.05	0.30	95	0.00	0.15	99	40	4	0	44	1400	9
10	1400	0.00	0	0.00	0.00	0	2800	100	0.0	0	0.00	0.00	0.05	0.25	95	0.00	0.11	99	26	1	0	28	1400	10
11	1400	0.00	0	0.00	0.00	0	2800	100	0.5	5	0.04	0.00	0.05	0.20	95	0.00	0.09	99	16	0	0	16	1400	11
12	1400	0.00	0	0.00	0.00	0	2800	100	0.5	5	0.04	0.00	0.05	0.15	95	0.00	0.07	100	10	0	0	10	1400	12
13	1400	0.24	0	0.00	0.01	0	2800	100	1.2	9	0.10	0.01	0.05	0.10	95	0.01	0.06	100	9	0	0	10	1400	13
14	1400	0.00	0	0.00	0.01	0	2800	100	0.0	0	0.00	0.00	0.05	0.07	95	0.00	0.05	100	13	0	0	13	1400	14
15	1400	0.00	0	0.00	0.01	0	2800	100	0.0	0	0.00	0.00	0.05	0.02	95	0.00	0.04	100	16	0	0	16	1400	15
16	1400	0.00	0	0.00	0.01	0	2800	100	0.0	0	0.00	0.00	0.05	0.00	95	0.00	0.03	100	15	0	0	16	1400	16
17	1400	0.00	0	0.00	0.01	0	2800	100	0.0	0	0.00	0.00	0.05	0.00	95	0.00	0.02	100	11	0	0	12	1400	17
18	1400	0.00	0	0.00	0.02	0	2800	100	0.5	5	0.04	0.00	0.05	0.00	95	0.00	0.02	100	7	0	0	8	1400	18
19	1400	0.00	0	0.00	0.02	0	2800	100	0.5	5	0.04	0.00	0.05	0.00	95	0.00	0.01	100	5	0	0	6	1400	19
20	1400	0.04	0	0.00	0.03	0	2800	100	1.7	13	0.13	0.02	0.05	0.00	95	0.02	0.02	100	8	0	0	9	1400	20
21	1400	0.10	0	0.00	0.05	0	2800	100	1.7	13	0.13	0.02	0.05	0.00	95	0.02	0.02	100	19	0	0	20	1400	21
22	1400	0.29	0	0.00	0.05	0	2800	100	0.0	0	0.00	0.00	0.05	0.00	95	0.00	0.01	100	36	1	0	37	1400	22
23	1400	0.01	0	0.00	0.07	0	2800	100	1.7	13	0.13	0.02	0.05	0.00	95	0.02	0.01	100	49	0	0	50	1400	23
24	1400	0.00	0	0.00	0.09	0	2800	100	1.7	13	0.13	0.02	0.05	0.00	95	0.02	0.01	100	57	0	0	57	1400	24
25	1400	0.00	5	0.00	0.11	0	2800	100	2.2	17	0.17	0.03	0.05	0.00	95	0.03	0.02	100	67	0	0	68	1400	25
26	1400	0.03	5	0.00	0.14	0	2800	100	2.2	17	0.17	0.03	0.05	0.00	95	0.03	0.02	100	86	0	0	86	1400	26
27	1400	0.00	9	0.00	0.19	0	2800	100	2.5	23	0.20	0.05	0.05	0.00	95	0.04	0.03	100	112	0	0	113	1400	27
28	1400	0.09	17	0.02	0.27	0	2800	100	3.1	34	0.25	0.10	0.05	0.00	95	0.10	0.04	100	153	0	0	153	1400	28
29	1400	0.02	0	0.02	0.27	0	2800	100	0.5	5	0.04	0.00	0.05	0.00	95	0.00	0.03	100	206	0	0	207	1400	29
30	1400	0.13	0	0.02	0.29	0	2800	100	1.7	13	0.13	0.02	0.05	0.00	95	0.02	0.03	100	240	0	0	241	1400	30
31	1400	0.09	13	0.03	0.35	0	2800	100	2.8	28	0.23	0.08	0.05	0.00	95	0.07	0.04	100	237	0	0	238	1400	31

FORM 1611-3

PRINTED IN U.S.A.

DATA FILE 9 - ACRES RECONSTITUTION
OF 1971 FLOOD,
SSARR MODEL OUTPUT

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	5	0.03	0.38	0	2800	100	2.2	17	0.17	0.03	0.05	0.00	95	0.03	0.04	100	229	0	0	230	1400	1
2	1400	0.23	0	0.03	0.38	0	2800	100	0.5	5	0.04	0.00	0.06	0.00	95	0.00	0.03	100	227	0	0	228	140	2
3	1400	0.07	9	0.04	0.42	0	2800	100	2.5	23	0.20	0.05	0.06	0.00	95	0.05	0.03	100	215	0	0	216	1400	3
4	1400	0.00	41	0.04	0.63	1	2800	100	4.4	64	0.35	0.22	0.06	0.00	95	0.21	0.07	100	224	0	0	225	1400	4
5	1400	0.00	71	0.04	1.07	1	2800	100	6.6	88	0.52	0.46	0.06	0.00	95	0.44	0.15	100	366	2	0	369	1400	5
6	1400	0.00	78	0.04	1.59	2	2800	100	7.3	92	0.59	0.54	0.06	0.00	95	0.51	0.23	99	735	7	0	744	1400	6
7	1400	0.00	71	0.04	2.03	2	2800	100	6.6	88	0.52	0.46	0.06	0.00	95	0.44	0.27	99	1278	16	0	1296	1400	7
8	1400	0.00	48	0.04	2.28	2	2800	100	4.7	71	0.38	0.27	0.06	0.00	95	0.25	0.27	99	1782	22	0	1805	1400	8
9	1400	0.00	78	0.04	2.79	3	2800	100	7.3	92	0.59	0.54	0.06	0.00	95	0.51	0.32	99	2078	25	0	2105	1400	9
10	1400	0.00	78	0.04	3.30	3	2800	100	7.3	92	0.59	0.54	0.06	0.00	95	0.51	0.36	98	2233	33	0	2268	1400	10
11	1400	0.00	56	0.04	3.61	4	2800	100	5.2	78	0.42	0.33	0.06	0.00	95	0.31	0.35	98	2366	39	0	2407	1400	11
12	1400	0.06	41	0.06	3.83	4	2800	100	4.4	64	0.35	0.25	0.06	0.00	95	0.24	0.33	98	2414	36	0	2452	1400	12
13	1400	0.00	23	0.06	3.93	4	2800	100	3.5	41	0.28	0.11	0.06	0.00	95	0.11	0.28	98	2272	27	0	2301	1400	13
14	1400	0.06	28	0.07	4.07	4	2800	100	3.8	48	0.30	0.16	0.06	0.00	95	0.15	0.25	99	1958	18	0	1977	1400	14
15	1400	0.57	13	0.15	4.13	4	2800	100	2.8	28	0.23	0.14	0.06	0.00	95	0.13	0.23	99	1591	13	0	1605	1400	15
16	1400	0.00	34	0.15	4.30	4	2800	100	4.1	56	0.33	0.18	0.06	0.00	95	0.17	0.22	99	1288	11	0	1300	1400	16
17	1400	0.08	23	0.16	4.41	4	2800	100	3.5	41	0.28	0.13	0.06	0.00	95	0.12	0.20	99	1093	10	0	1104	1400	17
18	1400	0.02	48	0.17	4.67	5	2800	100	4.7	71	0.38	0.28	0.06	0.00	95	0.26	0.21	99	997	10	0	1008	1400	18
19	1400	0.00	71	0.17	5.11	5	2800	100	6.6	88	0.52	0.46	0.06	0.00	95	0.44	0.26	99	1030	13	0	1045	1400	19
20	1400	0.03	56	0.19	5.42	5	2800	100	5.2	78	0.42	0.34	0.06	0.00	95	0.33	0.27	99	1226	20	0	1248	1400	20
21	1400	0.24	23	0.24	5.52	6	2800	100	3.5	41	0.28	0.17	0.06	0.00	95	0.16	0.25	99	1477	22	0	1501	1400	21
22	1400	0.00	88	0.24	6.19	6	2800	100	9.0	97	0.72	0.70	0.06	0.00	95	0.66	0.34	99	1663	22	0	1687	1400	22
23	1400	0.00	98	0.24	7.16	7	2800	100	12.8	100	1.02	1.02	0.06	0.00	95	0.97	0.47	98	1946	40	1	1988	1400	23
24	1400	0.00	97	0.24	8.05	8	2800	100	11.8	100	0.94	0.94	0.06	0.00	95	0.90	0.56	98	2549	73	2	2625	1400	24
25	1400	0.00	99	0.24	9.10	9	2800	100	13.8	100	1.10	1.10	0.06	0.00	95	1.05	0.67	97	3380	109	3	3493	1400	25
26	1400	0.00	100	0.24	10.22	10	2800	100	14.8	100	1.18	1.18	0.06	0.00	95	1.12	0.77	97	4207	150	3	4362	1400	26
27	1400	0.01	95	0.25	11.04	11	2800	100	10.8	99	0.87	0.87	0.06	0.00	95	0.83	0.78	96	4880	184	4	5070	1400	27
28	1400	0.00	48	0.25	11.29	11	2800	100	4.7	71	0.38	0.27	0.06	0.00	95	0.25	0.67	96	5185	174	2	5361	1400	28
29	1400	0.11	48	0.30	11.55	12	2800	100	4.7	71	0.38	0.32	0.06	0.00	95	0.31	0.59	97	4901	116	1	5019	1400	29
30	1400	0.88	28	0.54	11.69	12	2800	100	3.8	48	0.30	0.40	0.06	0.00	95	0.38	0.54	97	4157	78	1	4237	1400	30

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.07 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	RTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1971																								JUL 1971
1	1400	0.87	26	0.77	11.83	12	2800	100	3.8	48	0.30	0.39	0.06	0.01	95	0.37	0.51	97	3362	65	1	3430	1400	1
2	1400	0.09	34	0.80	12.00	12	2800	100	4.1	56	0.33	0.21	0.07	0.01	95	0.20	0.44	97	2766	57	0	2825	1400	2
3	1400	0.00	56	0.80	12.31	12	2800	100	5.2	78	0.42	0.33	0.07	0.00	95	0.31	0.41	98	2346	44	0	2393	1400	3
4	1400	0.06	78	0.85	12.82	13	2800	100	7.3	92	0.59	0.58	0.07	0.00	95	0.56	0.44	98	2085	43	1	2129	1400	4
5	1400	0.00	95	0.85	13.64	14	2800	100	10.8	99	0.87	0.86	0.07	0.00	95	0.82	0.52	98	2103	59	1	2164	1400	5
6	1400	0.00	97	0.85	14.53	15	2800	100	11.8	100	0.94	0.94	0.07	0.00	95	0.90	0.60	97	2491	88	2	2582	1400	6
7	1400	0.01	88	0.86	15.20	15	2800	100	9.0	97	0.72	0.71	0.07	0.00	95	0.67	0.62	97	3110	113	2	3227	1400	7
8	1400	0.00	100	0.86	16.38	16	2800	100	10.8	100	1.18	1.18	0.07	0.00	95	1.12	0.73	97	3719	131	3	3854	1400	8
9	1400	0.00	100	0.86	17.52	18	2800	100	15.8	100	1.26	1.26	0.07	0.00	95	1.20	0.83	96	4291	172	4	4469	1400	9
10	1400	0.00	100	0.86	18.79	19	2800	100	16.8	100	1.34	1.34	0.07	0.00	95	1.27	0.92	96	4935	226	5	5167	1400	10
11	1400	0.00	100	0.86	20.14	20	2800	100	17.8	100	1.42	1.42	0.07	0.00	95	1.35	1.01	95	5627	280	6	5914	1400	11
12	1400	0.06	98	0.91	21.12	21	2800	100	12.8	100	1.02	1.08	0.07	0.00	95	1.03	1.02	95	6220	319	6	6547	1400	12
13	1400	0.55	88	1.37	21.78	22	2800	100	9.0	97	0.72	1.18	0.07	0.00	95	1.12	1.04	95	6553	320	6	6881	1400	13
14	1400	0.01	92	1.38	22.52	23	2800	100	9.9	98	0.79	0.79	0.07	0.04	95	0.75	0.98	95	6556	307	5	6869	1400	14
15	1400	0.00	71	1.38	22.96	23	2800	100	6.6	88	0.52	0.46	0.07	0.01	95	0.44	0.86	95	6212	251	3	6468	1400	15
16	1400	0.00	85	1.38	23.54	24	2800	100	8.1	95	0.65	0.62	0.07	0.00	95	0.59	0.80	96	5542	184	2	5730	1400	16
17	1400	0.00	88	1.38	24.21	24	2800	100	9.0	97	0.72	0.70	0.07	0.00	95	0.66	0.77	96	4767	155	3	4926	1400	17
18	1400	0.00	71	1.38	24.65	25	2800	100	6.6	88	0.52	0.46	0.07	0.00	95	0.44	0.70	96	4151	145	2	4297	1400	18
19	1400	0.00	92	1.38	25.39	26	2800	100	9.9	98	0.79	0.78	0.07	0.00	95	0.74	0.71	96	3754	129	2	3887	1400	19
20	1400	0.19	92	1.55	26.12	26	2800	100	9.9	98	0.79	0.95	0.07	0.00	95	0.90	0.75	96	3598	140	3	3742	1400	20
21	1400	0.00	56	1.55	26.43	27	2800	100	5.2	78	0.42	0.33	0.07	0.00	95	0.31	0.66	96	3654	149	2	3807	1400	21
22	1400	0.02	48	1.56	26.69	27	2800	100	4.7	71	0.38	0.28	0.07	0.00	95	0.26	0.57	97	3636	111	1	3750	1400	22
23	1400	0.03	71	1.58	27.13	27	2800	100	6.6	88	0.52	0.48	0.07	0.00	95	0.46	0.55	97	3336	77	1	3415	1400	23
24	1400	0.23	48	1.68	27.38	28	2800	100	4.7	71	0.38	0.38	0.07	0.00	95	0.36	0.51	97	2925	68	1	2996	1400	24
25	1400	0.15	71	1.78	27.82	28	2800	100	6.6	88	0.52	0.57	0.07	0.00	95	0.54	0.52	97	2635	66	1	2704	1400	25
26	1400	0.08	71	1.84	28.26	29	2800	100	6.6	88	0.52	0.52	0.07	0.00	95	0.49	0.51	97	2536	71	1	2609	1400	26
27	1400	0.66	41	2.09	28.48	29	2800	100	4.4	64	0.35	0.49	0.07	0.00	95	0.47	0.50	97	2578	73	1	2653	1400	27
28	1400	0.13	41	2.14	28.69	29	2800	100	4.4	64	0.35	0.28	0.07	0.01	95	0.26	0.45	97	2628	67	1	2698	1400	28
29	1400	0.22	64	2.28	29.06	29	2800	100	5.8	85	0.46	0.53	0.07	0.00	95	0.51	0.46	98	2585	56	1	2643	1400	29
30	1400	0.25	64	2.43	29.43	30	2800	100	5.8	85	0.46	0.55	0.07	0.00	95	0.52	0.48	98	2517	59	1	2578	1400	30
31	1400	0.62	71	2.84	29.87	30	2800	100	6.6	88	0.52	0.90	0.07	0.00	95	0.86	0.56	98	2593	72	1	2668	1400	31

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE

FORM 1911-2
PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.08 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.54	85	3.31	30.46	31	2800	100	8.1	95	0.65	1.11	0.07	0.03	95	1.05	0.66	97	2947	102	2	3053	1400	1
2	1400	0.42	95	3.69	31.28	32	2800	100	10.8	99	0.87	1.26	0.08	0.06	95	1.20	0.78	97	3605	148	4	3758	1400	2
3	1400	0.00	78	3.69	31.79	32	2800	100	7.3	92	0.59	0.54	0.08	0.09	95	0.51	0.72	96	4351	180	3	4535	1400	3
4	1400	0.01	71	3.70	32.23	33	2800	100	6.6	88	0.52	0.47	0.08	0.04	95	0.45	0.66	96	4742	153	2	4898	1400	4
5	1400	0.19	85	3.85	32.82	33	2800	100	8.1	95	0.65	0.78	0.08	0.00	95	0.74	0.68	97	4600	123	2	4727	1400	5
6	1400	1.17	64	4.56	33.19	34	2800	100	5.8	85	0.46	1.14	0.08	0.00	95	1.08	0.76	97	4302	136	3	4443	1400	6
7	1400	0.80	71	5.09	33.63	34	2800	100	6.6	88	0.52	1.03	0.08	0.04	95	0.98	0.81	96	4293	177	4	4475	1400	7
8	1400	1.52	64	5.89	34.00	34	2800	100	5.8	85	0.46	1.23	0.08	0.07	95	1.17	0.89	96	4621	211	5	4838	1400	8
9	1400	1.84	64	7.00	34.38	35	2800	100	5.8	85	0.46	1.56	0.08	0.12	95	1.48	1.02	96	5149	260	6	5417	1400	9
10	1400	1.99	85	8.61	34.96	35	2800	100	8.1	95	0.65	2.31	0.08	0.18	95	2.19	1.27	95	5929	360	10	6300	1400	10
11	1400	0.00	99	8.61	36.01	36	2800	100	13.8	100	1.10	1.10	0.08	0.28	95	1.05	1.22	95	6955	463	9	7429	1400	11
12	1400	0.00	98	8.61	36.98	37	2800	100	12.8	100	1.02	1.02	0.08	0.26	95	0.97	1.17	95	7725	409	6	8141	1400	12
13	1400	0.57	95	9.12	37.80	38	2800	100	10.8	99	0.87	1.40	0.08	0.23	95	1.33	1.20	95	7813	344	6	8165	1400	13
14	1400	0.00	71	9.12	38.24	39	2800	100	6.6	88	0.52	0.46	0.08	0.27	95	0.44	1.04	95	7396	320	4	7721	1400	14
15	1400	0.00	64	9.12	38.61	39	2800	100	5.8	85	0.46	0.39	0.08	0.22	95	0.37	0.90	95	6639	228	2	6871	1400	15
16	1400	0.00	78	9.12	39.12	40	2800	100	7.3	92	0.59	0.54	0.08	0.16	95	0.51	0.81	96	5582	154	2	5739	1400	16
17	1400	0.00	85	9.12	39.71	40	2800	100	8.1	95	0.65	0.62	0.08	0.10	95	0.59	0.77	96	4530	134	2	4668	1400	17
18	1400	0.03	92	9.15	40.45	41	2800	100	9.9	98	0.79	0.81	0.08	0.05	95	0.77	0.77	96	3834	139	3	3977	1400	18
19	1400	0.05	97	9.20	41.34	42	2800	100	11.8	100	0.94	0.99	0.08	0.02	95	0.94	0.80	96	3613	160	3	3778	1400	19
20	1400	0.41	78	9.50	41.85	42	2800	100	7.3	92	0.59	0.86	0.08	0.00	95	0.81	0.81	96	3783	184	4	3973	1400	20
21	1400	0.00	78	9.50	42.37	43	2800	100	7.3	92	0.59	0.54	0.08	0.01	95	0.51	0.74	96	4070	182	3	4257	1400	21
22	1400	0.06	71	9.55	42.81	43	2800	100	6.6	88	0.52	0.52	0.08	0.00	95	0.49	0.69	96	4156	150	2	4309	1400	22
23	1400	0.00	71	9.55	43.25	44	2800	100	6.6	88	0.52	0.46	0.08	0.00	95	0.44	0.64	97	3946	120	1	4069	1400	23
24	1400	0.00	64	9.55	43.62	44	2800	100	5.8	85	0.46	0.39	0.08	0.00	95	0.37	0.58	97	3568	98	1	3668	1400	24
25	1400	0.62	56	9.88	43.93	44	2800	100	5.2	78	0.42	0.67	0.08	0.00	95	0.64	0.59	97	3199	86	1	3288	1400	25
26	1400	0.02	78	9.90	44.44	45	2800	100	7.3	92	0.59	0.55	0.08	0.01	95	0.53	0.58	97	2990	92	1	3085	1400	26
27	1400	0.02	78	9.91	44.95	45	2800	100	7.3	92	0.59	0.55	0.08	0.00	95	0.53	0.57	97	2960	93	1	3056	1400	27
28	1400	0.00	56	9.91	45.26	46	2800	100	5.2	78	0.42	0.33	0.08	0.00	95	0.31	0.51	97	2968	85	1	3056	1400	28
29	1400	0.00	85	9.91	45.85	46	2800	100	8.1	95	0.65	0.62	0.08	0.00	95	0.59	0.53	97	2904	73	1	2979	1400	29
30	1400	0.00	28	9.91	45.99	46	2800	100	3.8	48	0.30	0.15	0.08	0.00	95	0.14	0.44	97	2774	68	1	2843	1400	30
31	1400	0.17	85	10.05	46.57	47	2800	100	8.1	95	0.65	0.76	0.08	0.00	95	0.72	0.50	98	2624	56	1	2682	1400	31

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	23	10.13	46.68	47	2800	100	3.5	41	0.28	0.20	0.08	0.00	95	0.19	0.44	97	2525	61	1	2588	1400	1
2	1400	0.31	71	10.34	47.12	48	2800	100	6.6	88	0.52	0.68	0.06	0.00	95	0.65	0.48	98	2496	55	1	2554	1400	2
3	1400	0.04	34	10.35	47.29	48	2800	100	4.1	56	0.33	0.20	0.06	0.00	95	0.19	0.42	98	2490	57	1	2549	1400	3
4	1400	0.26	28	10.42	47.43	48	2800	100	3.8	48	0.30	0.22	0.06	0.00	95	0.21	0.37	98	2413	45	0	2459	1400	4
5	1400	0.56	13	10.49	47.49	48	2800	100	2.8	28	0.23	0.14	0.06	0.00	95	0.13	0.32	98	2178	30	0	2210	1400	5
6	1400	0.06	9	10.50	47.54	48	2800	100	2.5	23	0.20	0.05	0.06	0.00	95	0.05	0.26	98	1814	19	0	1834	1400	6
7	1400	0.00	17	10.50	47.62	48	2800	100	3.1	34	0.25	0.08	0.06	0.00	95	0.08	0.22	99	1413	11	0	1425	1400	7
8	1400	0.04	41	10.51	47.83	48	2800	100	4.4	64	0.35	0.24	0.06	0.00	95	0.23	0.22	99	1076	8	0	1085	1400	8
9	1400	0.09	41	10.55	48.04	49	2800	100	4.4	64	0.35	0.26	0.06	0.00	95	0.25	0.23	99	911	11	0	923	1400	9
10	1400	0.00	13	10.55	48.10	49	2800	100	2.8	28	0.23	0.06	0.06	0.00	95	0.06	0.19	99	911	12	0	925	1400	10
11	1400	0.00	5	10.55	48.13	49	2800	100	2.2	17	0.17	0.03	0.06	0.00	95	0.03	0.16	99	920	8	0	929	1400	11
12	1400	0.00	17	10.55	48.21	49	2800	100	3.1	34	0.25	0.08	0.06	0.00	95	0.08	0.14	99	828	4	0	833	1400	12
13	1400	0.00	23	10.55	48.32	49	2800	100	3.5	41	0.28	0.11	0.06	0.00	95	0.11	0.13	99	686	3	0	690	1400	13
14	1400	0.01	34	10.55	48.49	49	2800	100	4.1	56	0.33	0.19	0.06	0.00	95	0.18	0.14	99	600	4	0	605	1400	14
15	1400	0.00	5	10.55	48.52	49	2800	100	2.2	17	0.17	0.03	0.06	0.00	95	0.03	0.12	99	593	4	0	599	1400	15
16	1400	0.00	28	10.55	48.66	49	2800	100	3.8	48	0.30	0.15	0.06	0.00	95	0.14	0.12	99	608	3	0	612	1400	16
17	1400	0.00	13	10.55	48.72	49	2800	100	2.8	28	0.23	0.06	0.06	0.00	95	0.06	0.11	99	603	3	0	607	1400	17
18	1400	0.00	5	10.55	48.75	49	2800	100	2.2	17	0.17	0.03	0.06	0.00	95	0.03	0.09	99	575	2	0	578	1400	18
19	1400	0.05	0	10.55	48.75	49	2800	100	0.5	5	0.04	0.00	0.06	0.00	95	0.00	0.07	100	507	1	0	509	1400	19
20	1400	0.60	13	10.65	48.81	49	2800	100	2.8	28	0.23	0.17	0.06	0.00	95	0.16	0.09	100	420	1	0	422	1400	20
21	1400	0.45	23	10.75	48.92	49	2800	100	3.5	41	0.28	0.22	0.06	0.00	95	0.20	0.12	100	407	2	0	410	1400	21
22	1400	0.00	0	10.75	48.93	49	2800	100	1.7	13	0.13	0.02	0.06	0.00	95	0.02	0.10	99	494	3	0	498	1400	22
23	1400	0.00	0	10.75	48.94	49	2800	100	1.2	9	0.09	0.01	0.06	0.00	95	0.01	0.08	100	566	2	0	569	1400	23
24	1400	0.00	17	10.75	49.02	50	2800	100	3.1	34	0.25	0.08	0.06	0.00	95	0.08	0.08	100	533	1	0	535	1400	24
25	1400	0.00	0	10.75	49.03	50	2800	100	0.5	5	0.04	0.00	0.06	0.00	95	0.00	0.06	100	443	1	0	445	1400	25
26	1400	0.00	0	10.75	49.03	50	2800	100	0.0	0	0.00	0.00	0.06	0.00	95	0.00	0.05	100	351	0	0	352	1400	26
27	1400	0.00	0	10.75	49.03	50	2800	100	0.0	0	0.00	0.00	0.06	0.00	95	0.00	0.04	100	257	0	0	258	1400	27
28	1400	0.00	0	10.75	49.03	50	2800	100	0.0	0	0.00	0.00	0.06	0.00	95	0.00	0.03	100	168	0	0	168	1400	28
29	1400	0.81	0	10.75	49.03	50	2800	100	0.0	0	0.00	0.00	0.06	0.00	95	0.00	0.02	100	99	0	0	99	1400	29
30	1400	0.16	0	10.75	49.03	50	2800	100	0.0	0	0.00	0.00	0.06	0.00	95	0.00	0.02	100	54	0	0	54	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1412

PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE | RUN NO. 90981 | INITIAL DATE, HOUR 6 MAY 1971 1400 | JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. | N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BFI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	30	0.03	0.08	7	2780	82	2.3	36	0.74	0.27	0.09	3.44	28	0.08	0.09	47	68	752	56	877	1400	1
2	1400	0.25	0	0.05	0.08	7	2811	82	0.5	11	0.16	0.02	0.09	3.60	29	0.01	0.07	47	73	787	30	892	1400	2
3	1400	0.07	37	0.04	0.99	8	2813	80	2.7	43	0.85	0.39	0.09	3.55	28	0.11	0.09	48	80	735	23	839	1400	3
4	1400	0.00	84	0.04	1.45	12	2852	73	6.5	73	2.08	1.52	0.09	3.82	31	0.46	0.20	47	89	807	121	1018	1400	4
5	1400	0.00	95	0.04	2.36	20	2983	61	9.9	71	3.16	2.24	0.09	5.17	40	0.90	0.48	45	98	1541	456	2097	1400	5
6	1400	0.00	96	0.04	3.24	27	3459	51	10.1	58	3.24	1.90	0.09	7.27	46	0.88	0.75	30	110	3220	1061	4393	1400	6
7	1400	0.00	95	0.04	3.93	33	3825	44	8.6	49	2.75	1.34	0.09	9.16	52	0.70	0.93	24	124	5369	1471	6966	1400	7
8	1400	0.00	87	0.04	4.30	36	4099	40	5.3	39	1.71	0.66	0.09	10.54	56	0.37	0.92	21	141	6956	1175	8274	1400	8
9	1400	0.00	96	0.04	4.93	41	4236	36	8.9	38	2.86	1.09	0.09	11.17	58	0.63	1.10	21	163	7402	1007	8573	1400	9
10	1400	0.00	96	0.04	5.50	46	4399	31	8.7	33	2.77	0.93	0.09	12.38	62	0.57	1.26	19	189	7199	1516	8905	1400	10
11	1400	0.00	90	0.04	5.82	48	4547	29	5.4	27	1.72	0.47	0.09	13.41	67	0.31	1.22	17	220	6928	1334	8484	1400	11
12	1400	0.06	84	0.07	5.99	50	4628	28	3.4	22	1.10	0.30	0.09	13.65	69	0.20	1.10	17	258	6416	654	7328	1400	12
13	1400	0.00	61	0.07	6.02	50	4672	28	1.0	11	0.34	0.04	0.09	14.06	70	0.03	0.88	19	301	5377	265	5944	1400	13
14	1400	0.06	70	0.10	6.08	51	4679	27	1.8	15	0.59	0.13	0.09	14.01	70	0.09	0.75	22	349	3977	81	4408	1400	14
15	1400	0.57	45	0.28	6.08	51	4695	27	0.0	0	0.00	0.26	0.09	14.03	70	0.18	0.63	24	402	2733	101	3237	1400	15
16	1400	0.00	78	0.28	6.18	51	4695	27	2.5	18	0.82	0.15	0.09	14.08	70	0.10	0.57	27	459	2046	127	2633	1400	16
17	1400	0.08	61	0.31	6.20	52	4721	26	1.0	10	0.31	0.08	0.09	14.15	71	0.06	0.48	28	518	1763	87	2370	1400	17
18	1400	0.02	87	0.33	6.38	53	4727	25	3.8	21	1.23	0.27	0.09	14.12	71	0.19	0.53	30	579	1577	107	2265	1400	18
19	1400	0.00	95	0.33	6.70	56	4774	23	6.2	23	1.99	0.45	0.09	14.34	72	0.32	0.72	28	641	1592	317	2551	1400	19
20	1400	0.03	90	0.35	6.89	57	4857	21	4.1	19	1.32	0.27	0.09	14.81	74	0.20	0.75	25	701	1948	447	3098	1400	20
21	1400	0.24	61	0.46	6.89	57	4904	21	0.7	5	0.21	0.16	0.09	15.03	75	0.12	0.62	24	760	2339	266	3366	1400	21
22	1400	0.00	98	0.46	7.30	61	4906	19	8.5	20	2.74	0.54	0.09	15.02	75	0.41	0.95	27	817	2511	458	3787	1400	22
23	1400	0.00	99	0.46	7.84	65	4986	17	12.1	18	3.88	0.71	0.09	15.64	75	0.53	1.42	21	870	2757	1560	5189	1400	23
24	1400	0.00	99	0.46	8.25	69	5154	15	10.8	16	3.47	0.55	0.09	16.60	75	0.41	1.70	15	920	3306	2444	6671	1400	24
25	1400	0.00	99	0.46	8.70	72	5301	13	12.5	15	4.01	0.59	0.09	17.42	75	0.44	2.05	12	966	3866	2625	7458	1400	25
26	1400	0.00	99	0.46	9.11	76	5458	12	13.0	13	4.17	0.55	0.09	18.44	75	0.41	2.36	8	1008	4133	3177	8320	1400	26
27	1400	0.01	98	0.46	9.33	78	5605	11	8.8	11	2.81	0.31	0.09	19.52	75	0.23	2.30	7	1046	4085	2719	7851	1400	27
28	1400	0.00	87	0.46	9.35	78	5683	11	1.6	5	0.52	0.03	0.09	20.12	75	0.02	1.85	7	1080	3709	1130	5920	1400	28
29	1400	0.11	87	0.54	9.37	78	5691	11	1.6	5	0.51	0.12	0.09	20.09	75	0.09	1.51	10	1111	2996	227	4335	1400	29
30	1400	0.88	70	1.00	9.37	78	5698	11	0.0	0	0.00	0.61	0.09	20.10	75	0.46	1.28	14	1137	2433	275	3847	1400	30

FORM 1413-3 PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1971																								JUL 1971
1	1400	0.87	70	1.45	9.37	78	5698	11	0.0	0	0.00	0.61	0.09	20.24	75	0.45	1.11	17	1160	2767	556	4485	1400	1
2	1400	0.09	78	1.50	9.37	76	5698	11	0.2	1	0.05	0.07	0.10	20.37	75	0.05	0.88	19	1179	3686	424	5290	1400	2
3	1400	0.00	90	1.50	9.41	78	5698	11	2.4	7	0.77	0.05	0.10	20.30	75	0.04	0.77	22	1195	3936	113	5245	1400	3
4	1400	0.06	96	1.55	9.51	79	5711	10	4.7	8	1.49	0.18	0.10	20.32	75	0.14	0.81	24	1206	3193	104	4504	1400	4
5	1400	0.00	98	1.55	9.68	81	5745	9	8.2	9	2.61	0.23	0.10	20.55	75	0.18	1.04	23	1214	2308	299	3823	1400	5
6	1400	0.00	99	1.55	9.86	82	5807	9	8.8	8	2.82	0.24	0.10	21.07	75	0.18	1.25	20	1219	1880	531	3632	1400	6
7	1400	0.01	98	1.55	9.96	83	5870	8	5.7	7	1.83	0.14	0.10	21.65	75	0.11	1.24	17	1220	1796	516	3533	1400	7
8	1400	0.00	99	1.55	10.17	85	5905	7	11.1	8	3.54	0.29	0.10	21.95	75	0.22	1.60	17	1218	1792	579	3591	1400	8
9	1400	0.00	99	1.55	10.38	86	5981	7	11.7	7	3.75	0.27	0.10	22.82	75	0.20	1.92	13	1214	1812	1079	4106	1400	9
10	1400	0.00	100	1.55	10.57	88	6141	6	12.4	6	3.97	0.25	0.10	23.75	75	0.19	2.21	9	1206	1868	1325	4400	1400	10
11	1400	0.00	100	1.55	10.75	90	6322	5	13.1	6	4.20	0.24	0.10	24.74	75	0.18	2.48	7	1196	1891	1456	4545	1400	11
12	1400	0.06	99	1.60	10.83	90	6490	5	8.0	4	2.57	0.17	0.10	25.80	75	0.13	2.34	6	1184	1838	1230	4254	1400	12
13	1400	0.55	98	2.00	10.86	91	6570	5	4.2	3	1.35	0.58	0.10	26.31	75	0.44	2.08	7	1170	1934	977	4083	1400	13
14	1400	0.01	98	2.01	10.90	91	6601	4	5.1	3	1.63	0.06	0.10	26.65	75	0.05	1.03	8	1154	2374	908	4438	1400	14
15	1400	0.00	95	2.01	10.91	91	6639	4	1.5	2	0.47	0.01	0.10	26.86	75	0.01	1.47	10	1137	2645	247	4028	1400	15
16	1400	0.00	97	2.01	10.93	91	6645	4	3.2	3	1.01	0.03	0.10	26.81	75	0.02	1.26	14	1117	2219	42	3379	1400	16
17	1400	0.00	98	2.01	10.96	91	6665	4	4.0	3	1.30	0.04	0.10	26.87	75	0.03	1.13	17	1097	1459	35	2592	1400	17
18	1400	0.00	95	2.01	10.97	91	6691	4	1.4	2	0.45	0.01	0.10	26.99	75	0.01	0.92	18	1075	872	32	1979	1400	18
19	1400	0.00	98	2.01	11.00	92	6697	4	4.7	3	1.51	0.04	0.10	26.93	75	0.03	0.89	21	1052	536	26	1615	1400	19
20	1400	0.19	98	2.15	11.03	92	6727	4	4.5	3	1.45	0.23	0.10	27.10	75	0.17	0.89	22	1027	452	128	1609	1400	20
21	1400	0.00	90	2.15	11.03	92	6756	4	0.0	0	0.00	0.00	0.10	27.32	75	0.00	0.70	22	1002	609	180	1792	1400	21
22	1400	0.02	87	2.16	11.03	92	6756	4	0.0	0	0.00	0.02	0.10	27.22	75	0.01	0.55	25	976	749	41	1766	1400	22
23	1400	0.03	95	2.18	11.03	92	6756	4	1.3	1	0.41	0.03	0.10	27.13	75	0.03	0.46	28	948	666	13	1628	1400	23
24	1400	0.23	87	2.33	11.03	92	6760	4	0.0	0	0.00	0.20	0.10	27.08	75	0.15	0.40	30	921	554	41	1517	1400	24
25	1400	0.15	95	2.44	11.04	92	6760	4	1.3	1	0.41	0.15	0.10	27.06	75	0.11	0.36	32	892	668	82	1644	1400	25
26	1400	0.08	95	2.50	11.04	92	6764	4	1.3	1	0.41	0.08	0.10	27.05	75	0.06	0.32	34	864	918	69	1852	1400	26
27	1400	0.66	84	2.91	11.04	92	6768	4	0.0	0	0.00	0.55	0.10	27.02	75	0.41	0.34	36	835	1197	126	2160	1400	27
28	1400	0.13	84	2.99	11.04	92	6768	4	0.0	0	0.00	0.11	0.10	27.13	75	0.08	0.28	35	807	1616	192	2616	1400	28
29	1400	0.22	93	3.15	11.04	92	6768	4	0.4	1	0.13	0.21	0.10	27.08	75	0.15	0.26	38	779	1977	92	2849	1400	29
30	1400	0.25	93	3.32	11.04	92	6769	4	0.4	1	0.13	0.23	0.10	27.07	75	0.18	0.25	40	751	2012	89	2853	1400	30
31	1400	0.62	95	3.76	11.05	92	6770	4	1.3	1	0.40	0.59	0.10	27.07	75	0.44	0.31	41	726	2005	177	2909	1400	31

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. 90981 INITIAL DATE, HOUR 6 MAY 1971 1400 JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	PN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	97	4.48	11.06	92	6774	4	2.8	2	0.88	0.58	0.10	27.22	75	0.44	0.42	36	701	2378	371	3452	1400	1
2	1400	0.42	98	4.49	11.09	92	6788	4	5.0	3	1.61	0.46	0.10	27.46	75	0.34	0.58	31	680	3058	517	4257	1400	2
3	1400	0.00	96	4.49	11.10	93	6818	4	2.0	2	0.64	0.01	0.10	27.81	75	0.01	0.50	27	661	3468	407	4537	1400	3
4	1400	0.01	95	4.50	11.10	93	6825	4	1.2	1	0.37	0.01	0.10	27.78	75	0.01	0.41	29	645	3110	84	3840	1400	4
5	1400	0.19	97	4.68	11.12	93	6828	4	2.5	2	0.79	0.20	0.10	27.71	75	0.15	0.42	32	633	2237	56	2927	1400	5
6	1400	1.17	93	5.46	11.12	93	6839	4	0.3	1	0.10	1.09	0.10	27.79	75	0.82	0.51	31	625	1880	392	2898	1400	6
7	1400	0.80	95	6.03	11.12	93	6839	4	1.1	1	0.37	0.76	0.10	28.05	75	0.57	0.54	29	621	2836	792	4250	1400	7
8	1400	1.32	93	6.95	11.12	93	6842	4	0.3	1	0.09	1.23	0.10	28.24	75	0.92	0.63	28	621	4712	917	6251	1400	8
9	1400	1.84	93	8.24	11.12	93	6843	4	0.3	1	0.09	1.72	0.10	28.53	75	1.29	0.77	27	625	6863	1602	9092	1400	9
10	1400	1.49	97	9.69	11.13	93	6843	4	2.4	2	0.76	1.95	0.10	28.94	75	1.46	0.98	24	634	9286	3010	12932	1400	10
11	1400	0.00	99	9.69	11.18	93	6853	3	6.7	3	2.15	0.07	0.10	29.51	75	0.05	1.09	20	648	11161	2966	14777	1400	11
12	1400	0.00	99	9.69	11.22	93	6900	3	5.8	3	1.86	0.05	0.10	29.90	75	0.04	1.10	19	668	10652	688	12044	1400	12
13	1400	0.57	98	10.11	11.24	94	6935	3	4.2	2	1.35	0.59	0.10	30.18	75	0.44	1.10	19	694	8041	430	9166	1400	13
14	1400	0.00	95	10.11	11.24	94	6954	3	0.8	1	0.25	0.00	0.10	30.51	75	0.00	0.87	19	726	5444	600	6772	1400	14
15	1400	0.00	93	10.11	11.24	94	6955	3	0.1	0	0.03	0.00	0.10	30.42	75	0.00	0.68	22	765	3742	128	4637	1400	15
16	1400	0.00	96	10.11	11.24	94	6955	3	1.3	1	0.40	0.00	0.10	30.33	75	0.00	0.56	26	809	2388	10	3208	1400	16
17	1400	0.00	97	10.11	11.25	94	6958	3	1.7	1	0.56	0.01	0.10	30.26	75	0.01	0.48	28	857	1302	3	2163	1400	17
18	1400	0.03	98	10.13	11.26	94	6963	3	3.3	2	1.04	0.05	0.10	30.22	75	0.04	0.48	30	909	649	15	1574	1400	18
19	1400	0.05	99	10.17	11.28	94	6976	3	4.7	2	1.51	0.08	0.10	30.28	75	0.06	0.55	30	963	384	50	1398	1400	19
20	1400	0.41	96	10.46	11.29	94	6998	3	1.0	1	0.33	0.40	0.10	30.46	75	0.30	0.51	28	1018	495	140	1655	1400	20
21	1400	0.00	96	10.46	11.29	94	7000	3	1.0	1	0.33	0.00	0.10	30.54	75	0.00	0.42	29	1072	928	168	2169	1400	21
22	1400	0.08	95	10.52	11.29	94	7005	3	0.5	0	0.16	0.08	0.10	30.46	75	0.06	0.34	31	1124	1263	46	2434	1400	22
23	1400	0.00	95	10.52	11.29	94	7007	3	0.5	0	0.16	0.00	0.10	30.40	75	0.00	0.27	35	1172	1176	23	2373	1400	23
24	1400	0.00	93	10.52	11.29	94	7008	3	0.0	0	0.00	0.00	0.10	30.30	75	0.00	0.21	39	1217	843	4	2066	1400	24
25	1400	0.62	90	10.94	11.29	94	7008	3	0.0	0	0.00	0.56	0.10	30.20	75	0.42	0.26	44	1257	670	74	2003	1400	25
26	1400	0.02	96	10.96	11.29	94	7008	3	1.0	1	0.32	0.02	0.10	30.32	75	0.02	0.22	40	1292	926	136	2356	1400	26
27	1400	0.02	96	10.97	11.29	94	7014	3	1.0	1	0.32	0.02	0.10	30.25	75	0.02	0.19	43	1322	1245	36	2604	1400	27
28	1400	0.00	90	10.97	11.29	94	7020	3	0.0	0	0.00	0.00	0.10	30.18	75	0.00	0.15	45	1345	1141	8	2496	1400	28
29	1400	0.00	97	10.97	11.30	94	7020	3	1.5	1	0.48	0.01	0.10	30.08	75	0.00	0.15	46	1363	757	1	2123	1400	29
30	1400	0.00	70	10.97	11.30	94	7033	3	0.0	0	0.00	0.00	0.10	30.02	75	0.00	0.12	46	1376	415	1	1792	1400	30
31	1400	0.17	97	11.09	11.30	94	7033	3	1.5	1	0.47	0.17	0.10	29.92	75	0.13	0.15	47	1383	249	21	1654	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
9098i 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.220 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	61	11.26	11.30	94	7046	3	0.0	0	0.00	0.23	0.10	29.94	75	0.17	0.15	46	1385	346	64	1796	1400	1
2	1400	0.31	95	11.48	11.30	94	7046	3	0.4	0	0.14	0.29	0.10	29.95	75	0.22	0.17	46	1382	695	90	2168	1400	2
3	1400	0.04	78	11.51	11.30	94	7047	3	0.0	0	0.00	0.03	0.10	29.97	75	0.02	0.14	46	1374	1079	77	2532	1400	3
4	1400	0.26	70	11.64	11.30	94	7047	3	0.0	0	0.00	0.18	0.10	29.88	75	0.14	0.14	46	1363	1232	42	2639	1400	4
5	1400	0.56	45	11.83	11.30	94	7047	3	0.0	0	0.00	0.25	0.10	29.86	75	0.19	0.15	46	1348	1205	70	2625	1400	5
6	1400	0.06	37	11.85	11.30	94	7047	3	0.0	0	0.00	0.02	0.10	29.89	75	0.02	0.12	46	1331	1191	64	2587	1400	6
7	1400	0.00	53	11.85	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	29.81	75	0.00	0.10	47	1311	1096	16	2425	1400	7
8	1400	0.04	84	11.87	11.30	94	7047	3	0.0	0	0.00	0.03	0.10	29.71	75	0.03	0.08	47	1290	819	5	2116	1400	8
9	1400	0.09	84	11.93	11.30	94	7047	3	0.0	0	0.00	0.08	0.10	29.62	75	0.06	0.07	48	1267	533	15	1817	1400	9
10	1400	0.00	45	11.93	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	29.55	75	0.00	0.06	48	1244	379	16	1641	1400	10
11	1400	0.00	30	11.93	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	29.45	75	0.00	0.05	48	1220	298	3	1522	1400	11
12	1400	0.00	53	11.93	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	29.35	75	0.00	0.04	49	1195	206	0	1403	1400	12
13	1400	0.00	61	11.93	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	29.25	75	0.00	0.03	49	1170	116	0	1287	1400	13
14	1400	0.01	78	11.94	11.30	94	7047	3	0.0	0	0.00	0.01	0.10	29.15	75	0.01	0.02	49	1145	58	0	1205	1400	14
15	1400	0.00	30	11.94	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	29.06	75	0.00	0.02	49	1119	32	1	1154	1400	15
16	1400	0.00	70	11.94	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.96	75	0.00	0.01	49	1093	23	0	1118	1400	16
17	1400	0.00	45	11.94	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.86	75	0.00	0.01	50	1067	16	0	1084	1400	17
18	1400	0.00	30	11.94	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.76	75	0.00	0.01	50	1040	9	0	1050	1400	18
19	1400	0.03	0	11.94	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.66	75	0.00	0.01	50	1012	4	0	1017	1400	19
20	1400	0.80	45	12.21	11.30	94	7047	3	0.0	0	0.00	0.36	0.10	28.56	75	0.27	0.06	50	984	96	47	1128	1400	20
21	1400	0.45	61	12.41	11.30	94	7047	3	0.0	0	0.00	0.28	0.10	28.63	75	0.21	0.09	48	955	452	116	1524	1400	21
22	1400	0.00	16	12.41	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.66	75	0.00	0.07	47	926	924	74	1926	1400	22
23	1400	0.00	1	12.41	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.56	75	0.00	0.06	48	897	1080	13	1991	1400	23
24	1400	0.00	53	12.41	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.46	75	0.00	0.05	48	867	837	1	1706	1400	24
25	1400	0.00	0	12.41	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.36	75	0.00	0.04	49	839	487	0	1327	1400	25
26	1400	0.00	0	12.41	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.26	75	0.00	0.03	49	811	237	0	1049	1400	26
27	1400	0.00	0	12.41	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.16	75	0.00	0.02	49	784	103	0	887	1400	27
28	1400	0.00	0	12.41	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	28.06	75	0.00	0.02	49	758	41	0	799	1400	28
29	1400	0.81	0	12.41	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	27.96	75	0.00	0.01	49	733	15	0	748	1400	29
30	1400	0.16	0	12.41	11.30	94	7047	3	0.0	0	0.00	0.00	0.10	27.94	75	0.00	0.01	50	709	5	0	715	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

FORM 111-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INTTIAL DATE, HOUR JOB DESCRIPTION
90961 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	ZRA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	DEP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	2.00	0	0.00	0.30	0	70	10	5	85	1400	6
7	1400	0.05	0	0.00	0.00	0	2370	100	0.0	0	0.00	0.00	0.09	2.00	18	0.00	0.24	37	69	6	0	77	1400	7
8	1400	0.00	0	0.00	0.00	0	2370	100	0.0	0	0.00	0.00	0.09	1.92	18	0.00	0.19	42	69	1	0	71	1400	8
9	1400	0.00	0	0.00	0.00	0	2370	100	0.0	0	0.00	0.00	0.09	1.83	17	0.00	0.15	46	69	0	0	70	1400	9
10	1400	0.00	0	0.00	0.00	0	2370	100	0.0	0	0.00	0.00	0.09	1.74	17	0.00	0.11	48	69	0	0	70	1400	10
11	1400	0.00	0	0.00	0.01	0	2370	100	1.2	39	0.12	0.05	0.09	1.65	17	0.01	0.09	49	69	9	1	81	1400	11
12	1400	0.00	0	0.00	0.02	0	2374	100	1.2	38	0.12	0.05	0.09	1.60	16	0.01	0.07	51	68	26	1	97	1400	12
13	1400	0.24	5	0.00	0.03	0	2378	99	1.8	50	0.19	0.11	0.09	1.54	16	0.02	0.06	53	68	40	3	112	1400	13
14	1400	0.00	0	0.00	0.03	0	2385	99	0.0	0	0.00	0.00	0.09	1.57	16	0.00	0.05	54	67	40	0	108	1400	14
15	1400	0.00	0	0.00	0.03	0	2385	99	0.0	0	0.00	0.00	0.09	1.48	16	0.00	0.04	55	66	8	0	75	1400	15
16	1400	0.00	0	0.00	0.03	0	2385	99	0.0	0	0.00	0.00	0.09	1.39	16	0.00	0.03	56	65	0	0	66	1400	16
17	1400	0.00	0	0.00	0.03	0	2385	99	0.0	0	0.00	0.00	0.09	1.30	15	0.00	0.02	57	64	0	0	64	1400	17
18	1400	0.00	0	0.00	0.04	0	2385	99	1.2	38	0.12	0.04	0.09	1.21	15	0.01	0.02	58	63	6	1	71	1400	18
19	1400	0.00	0	0.00	0.04	0	2389	99	1.2	38	0.12	0.04	0.09	1.16	15	0.01	0.02	58	61	19	1	82	1400	19
20	1400	0.04	23	0.00	0.07	1	2392	98	2.5	61	0.25	0.16	0.09	1.11	14	0.02	0.02	58	60	38	4	103	1400	20
21	1400	0.10	23	0.01	0.09	1	2403	97	2.5	60	0.25	0.17	0.09	1.17	15	0.03	0.02	58	58	72	4	136	1400	21
22	1400	0.29	0	0.01	0.09	1	2414	97	0.1	3	0.01	0.00	0.09	1.24	15	0.00	0.02	58	56	57	0	114	1400	22
23	1400	0.01	23	0.01	0.11	1	2414	97	2.4	59	0.25	0.15	0.09	1.19	15	0.02	0.02	58	55	34	3	93	1400	23
24	1400	0.00	23	0.01	0.13	2	2425	96	2.4	59	0.25	0.15	0.09	1.23	15	0.02	0.02	58	53	64	3	123	1400	24
25	1400	0.00	39	0.01	0.16	2	2436	95	3.0	70	0.31	0.22	0.09	1.27	15	0.03	0.02	58	52	83	5	142	1400	25
26	1400	0.03	39	0.01	0.20	2	2453	94	3.0	69	0.31	0.23	0.09	1.38	16	0.03	0.03	58	51	107	6	165	1400	26
27	1400	0.00	50	0.01	0.24	3	2470	93	3.6	75	0.38	0.29	0.09	1.49	16	0.05	0.03	57	50	127	8	186	1400	27
28	1400	0.09	74	0.02	0.32	4	2493	91	5.0	88	0.53	0.53	0.09	1.66	17	0.09	0.04	57	50	195	15	262	1400	28
29	1400	0.02	0	0.02	0.33	4	2532	91	0.9	29	0.10	0.03	0.09	2.06	18	0.01	0.04	56	50	195	1	248	1400	29
30	1400	0.13	23	0.03	0.35	4	2534	90	2.3	53	0.25	0.16	0.09	2.00	18	0.03	0.04	56	50	79	5	136	1400	30
31	1400	0.09	62	0.04	0.41	5	2546	88	4.1	78	0.45	0.41	0.09	2.07	18	0.07	0.05	56	52	141	13	207	1400	31

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.113 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	39	0.04	0.45	5	2579	87	2.6	62	0.30	0.19	0.09	2.37	19	0.04	0.04	55	53	198	7	259	1400	1
2	1400	0.23	0	0.04	0.45	5	2597	87	0.8	26	0.09	0.02	0.09	2.45	20	0.00	0.04	56	56	111	1	169	1400	2
3	1400	0.07	50	0.04	0.50	6	2599	86	3.3	68	0.37	0.29	0.09	2.41	20	0.06	0.04	56	59	88	10	158	1400	3
4	1400	0.00	98	0.04	0.68	8	2624	81	8.4	85	0.96	0.82	0.09	2.60	21	0.17	0.08	56	62	299	31	393	1400	4
5	1400	0.00	100	0.04	0.99	11	2710	74	12.2	81	1.46	1.17	0.09	3.32	27	0.31	0.15	52	66	728	61	857	1400	5
6	1400	0.00	100	0.04	1.42	16	2819	66	12.9	74	1.66	1.23	0.09	4.39	35	0.43	0.26	47	71	1294	115	1481	1400	6
7	1400	0.00	100	0.04	1.87	21	2964	58	11.6	66	1.63	1.08	0.09	5.51	41	0.45	0.37	40	77	1796	156	2031	1400	7
8	1400	0.00	98	0.04	2.20	25	3153	53	8.2	58	1.29	0.75	0.09	6.50	44	0.33	0.42	34	86	1926	127	2140	1400	8
9	1400	0.00	100	0.04	2.71	31	3277	46	12.0	53	2.09	1.11	0.09	7.19	46	0.52	0.57	31	98	2063	281	2443	1400	9
10	1400	0.00	100	0.04	3.24	37	3470	39	11.6	46	2.32	1.06	0.09	8.40	50	0.53	0.74	28	113	2613	364	3091	1400	10
11	1400	0.00	99	0.04	3.62	42	3655	35	8.1	39	1.83	0.71	0.09	9.69	53	0.38	0.81	25	131	2605	249	2987	1400	11
12	1400	0.06	98	0.08	3.90	45	3753	32	5.8	35	1.44	0.56	0.09	10.54	56	0.31	0.83	23	153	2147	191	2492	1400	12
13	1400	0.00	81	0.08	4.03	46	3826	31	2.7	30	0.74	0.22	0.09	11.18	58	0.13	0.74	23	177	1555	55	1788	1400	13
14	1400	0.06	88	0.11	4.20	48	3859	29	3.6	29	1.00	0.35	0.09	11.39	58	0.20	0.72	24	204	1040	93	1338	1400	14
15	1400	0.57	62	0.32	4.24	49	3904	29	1.2	17	0.36	0.41	0.09	11.75	59	0.25	0.63	25	232	1217	109	1559	1400	15
16	1400	0.00	95	0.32	4.45	51	3913	27	4.4	28	1.28	0.36	0.09	11.95	60	0.22	0.67	26	261	1331	114	1708	1400	16
17	1400	0.08	81	0.36	4.56	52	3969	26	2.3	24	0.71	0.24	0.09	12.40	62	0.15	0.62	26	290	1131	62	1485	1400	17
18	1400	0.02	98	0.37	4.88	56	3997	23	6.1	26	1.88	0.50	0.09	12.60	63	0.32	0.78	27	319	1170	225	1715	1400	18
19	1400	0.00	100	0.37	5.29	61	4128	19	8.9	23	2.84	0.64	0.09	13.30	67	0.43	1.09	24	346	1748	536	2632	1400	19
20	1400	0.03	99	0.39	5.59	64	4286	17	6.6	19	2.22	0.45	0.09	14.34	72	0.32	1.23	19	372	1994	398	2766	1400	20
21	1400	0.24	81	0.54	5.66	65	4360	17	1.7	15	0.58	0.28	0.09	14.95	75	0.21	1.08	18	397	1704	119	2221	1400	21
22	1400	0.00	100	0.54	6.17	71	4376	14	11.5	17	4.01	0.68	0.09	15.06	75	0.51	1.62	19	420	1641	1317	3379	1400	22
23	1400	0.00	100	0.54	6.76	78	4502	11	15.3	14	5.64	0.79	0.09	16.17	75	0.60	2.45	14	441	1908	2526	4876	1400	23
24	1400	0.00	100	0.54	7.21	83	4650	8	14.0	11	5.50	0.59	0.09	17.91	75	0.44	3.06	10	460	1669	2019	4149	1400	24
25	1400	0.00	100	0.54	7.61	87	4759	6	15.8	8	6.45	0.53	0.09	19.59	75	0.40	3.80	10	477	1304	1986	3768	1400	25
26	1400	0.00	100	0.54	7.92	91	4858	4	16.7	6	6.98	0.42	0.09	21.67	75	0.32	4.54	10	493	990	1637	3121	1400	26
27	1400	0.01	100	0.54	8.08	93	4936	3	11.8	4	5.04	0.22	0.09	23.99	75	0.17	4.57	10	507	731	736	1975	1400	27
28	1400	0.00	98	0.54	8.12	93	4976	3	3.2	3	1.39	0.05	0.09	25.46	75	0.03	3.82	10	519	483	47	1051	1400	28
29	1400	0.11	98	0.62	8.15	94	4984	3	3.1	3	1.34	0.15	0.09	25.72	75	0.11	3.24	10	528	433	107	1070	1400	29
30	1400	0.88	88	1.20	8.16	94	4992	3	0.9	1	0.40	0.78	0.09	26.02	75	0.58	2.70	10	536	1650	507	2694	1400	30

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.434 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL	1971																							JUL 1971
1	1400	0.87	88	1.78	8.16	94	4993	3	0.9	1	0.40	0.77	0.09	26.24	75	0.58	2.28	10	541	3462	505	4509	1400	1
2	1400	0.09	95	1.84	8.17	94	4994	3	1.4	2	0.61	0.10	0.10	26.45	75	0.07	1.87	10	543	2797	51	3394	1400	2
3	1400	0.00	99	1.84	8.21	94	4997	3	3.9	3	1.70	0.05	0.10	26.50	75	0.04	1.76	11	544	865	41	1452	1400	3
4	1400	0.06	100	1.89	8.27	95	5051	2	6.8	3	2.95	0.14	0.10	26.84	75	0.10	1.91	12	543	395	225	1164	1400	4
5	1400	0.00	100	1.89	8.35	96	5179	2	10.6	2	4.62	0.11	0.10	27.57	75	0.08	2.38	11	539	424	312	1277	1400	5
6	1400	0.00	100	1.89	8.42	97	5353	2	11.3	2	4.96	0.09	0.10	28.83	75	0.07	2.81	10	534	303	294	1133	1400	6
7	1400	0.01	100	1.89	8.46	97	5504	1	8.0	1	3.55	0.06	0.10	30.19	75	0.05	2.83	10	527	240	139	907	1400	7
8	1400	0.00	100	1.89	8.51	98	5590	1	13.9	1	6.15	0.08	0.10	31.06	75	0.06	3.43	10	519	203	280	1003	1400	8
9	1400	0.00	100	1.89	8.56	98	5716	1	14.7	1	6.53	0.06	0.10	32.83	75	0.05	3.96	10	509	153	231	894	1400	9
10	1400	0.00	100	1.89	8.60	99	5815	1	15.5	1	6.92	0.05	0.10	34.69	75	0.04	4.41	10	497	113	183	794	1400	10
11	1400	0.00	100	1.89	8.62	99	5891	0	16.4	0	7.33	0.04	0.10	36.60	75	0.03	4.78	10	484	81	141	708	1400	11
12	1400	0.06	100	1.94	8.64	99	5949	0	11.3	0	5.05	0.08	0.10	38.53	75	0.06	4.51	10	470	103	245	820	1400	12
13	1400	0.55	100	2.35	8.64	99	5976	0	7.2	0	3.24	0.56	0.10	39.61	75	0.42	4.05	10	455	680	1302	2439	1400	13
14	1400	0.01	100	2.36	8.65	99	5990	0	8.2	0	3.67	0.02	0.10	40.36	75	0.01	3.65	10	440	1072	69	1583	1400	14
15	1400	0.00	100	2.36	8.65	99	6004	0	4.2	0	1.87	0.00	0.10	40.98	75	0.00	3.07	10	423	264	4	693	1400	15
16	1400	0.00	100	2.36	8.65	99	6012	0	6.2	0	2.76	0.00	0.10	41.20	75	0.00	2.72	10	407	40	7	456	1400	16
17	1400	0.00	100	2.36	8.66	100	6022	0	7.1	0	3.20	0.00	0.10	41.57	75	0.00	2.48	10	390	20	9	421	1400	17
18	1400	0.00	100	2.36	8.66	100	6033	0	4.1	0	1.85	0.00	0.10	42.00	75	0.00	2.13	10	373	16	2	393	1400	18
19	1400	0.03	100	2.36	8.66	100	6038	0	8.1	0	3.64	0.00	0.10	42.18	75	0.00	2.03	10	357	13	9	381	1400	19
20	1400	0.19	100	2.50	8.67	100	6047	0	8.1	0	3.63	0.19	0.10	42.63	75	0.15	1.95	10	340	205	456	1002	1400	20
21	1400	0.00	99	2.50	8.67	100	6055	0	2.1	0	0.93	0.00	0.10	43.10	75	0.00	1.60	11	323	357	10	692	1400	21
22	1400	0.02	98	2.52	8.67	100	6057	0	1.1	0	0.48	0.02	0.10	43.11	75	0.02	1.30	14	307	110	6	425	1400	22
23	1400	0.03	100	2.54	8.67	100	6058	0	4.1	0	1.83	0.03	0.10	43.08	75	0.02	1.17	17	291	106	25	424	1400	23
24	1400	0.23	98	2.71	8.67	100	6061	0	1.1	0	0.48	0.23	0.10	43.21	75	0.17	0.99	18	276	424	83	784	1400	24
25	1400	0.15	100	2.82	8.67	100	6062	0	4.1	0	1.83	0.15	0.10	43.25	75	0.11	0.93	20	261	821	119	1202	1400	25
26	1400	0.08	100	2.88	8.67	100	6065	0	4.1	0	1.83	0.08	0.10	43.41	75	0.06	0.87	21	246	596	62	906	1400	26
27	1400	0.66	98	3.37	8.67	100	6068	0	0.1	0	0.03	0.64	0.10	43.53	75	0.48	0.79	22	233	1184	217	1636	1400	27
28	1400	0.13	98	3.46	8.67	100	6068	0	0.1	0	0.03	0.13	0.10	43.67	75	0.10	0.64	24	220	1870	34	2126	1400	28
29	1400	0.22	100	3.63	8.67	100	6068	0	3.1	0	1.38	0.22	0.10	43.62	75	0.17	0.63	26	209	963	119	1292	1400	29
30	1400	0.25	100	3.81	8.67	100	6070	0	3.1	0	1.37	0.25	0.10	43.74	75	0.19	0.62	27	199	919	138	1258	1400	30
31	1400	0.62	100	4.28	8.67	100	6071	0	4.1	0	1.82	0.62	0.10	43.87	75	0.47	0.70	27	191	1409	524	2126	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	100	4.71	8.67	100	6074	0	6.1	0	2.72	0.58	0.10	44.17	75	0.44	0.80	25	185	2051	749	2987	1400	1
2	1400	0.42	100	5.03	8.68	100	6077	0	9.0	0	4.06	0.42	0.10	44.53	75	0.32	0.92	24	180	1764	856	2802	1400	2
3	1400	0.00	100	5.03	8.68	100	6081	0	5.0	0	2.26	0.00	0.10	44.93	75	0.00	0.82	21	179	921	19	1120	1400	3
4	1400	0.01	100	5.04	8.68	100	6082	0	4.0	0	1.81	0.01	0.10	44.99	75	0.01	0.73	23	179	176	6	362	1400	4
5	1400	0.16	100	5.16	8.68	100	6084	0	6.0	0	2.71	0.16	0.10	45.01	75	0.12	0.71	25	182	217	178	578	1400	5
6	1400	1.01	100	5.91	8.68	100	6086	0	3.0	0	1.36	1.01	0.10	45.15	75	0.76	0.77	25	186	1534	857	2578	1400	6
7	1400	0.69	100	6.43	8.68	100	6086	0	4.0	0	1.81	0.69	0.10	45.45	75	0.52	0.78	24	192	3057	656	3906	1400	7
8	1400	1.14	100	7.28	8.68	100	6088	0	3.0	0	1.36	1.13	0.10	45.70	75	0.85	0.84	24	199	3300	1069	4570	1400	8
9	1400	1.58	100	8.47	8.68	100	6088	0	3.0	0	1.36	1.58	0.10	46.03	75	1.19	0.95	23	209	4584	1892	6686	1400	9
10	1400	1.71	100	9.76	8.68	100	6089	0	6.0	0	2.71	1.71	0.10	46.46	75	1.29	1.11	21	221	5284	3671	9178	1400	10
11	1400	0.00	100	9.76	8.68	100	6090	0	12.0	0	5.40	0.00	0.10	46.99	75	0.00	1.02	19	237	3451	83	3773	1400	11
12	1400	0.00	100	9.76	8.68	100	6092	0	11.0	0	4.95	0.00	0.10	47.12	75	0.00	0.91	20	256	645	1	904	1400	12
13	1400	0.57	100	10.18	8.68	100	6094	0	9.0	0	4.05	0.57	0.10	47.19	75	0.43	0.88	22	278	524	1250	2054	1400	13
14	1400	0.00	100	10.18	8.68	100	6095	0	4.0	0	1.81	0.00	0.10	47.41	75	0.00	0.72	22	303	865	28	1197	1400	14
15	1400	0.00	100	10.18	8.68	100	6095	0	3.0	0	1.36	0.00	0.10	47.35	75	0.00	0.58	25	329	187	0	517	1400	15
16	1400	0.00	100	10.18	8.68	100	6096	0	5.0	0	2.25	0.00	0.10	47.28	75	0.00	0.49	27	356	15	0	372	1400	16
17	1400	0.00	100	10.18	8.68	100	6096	0	6.0	0	2.70	0.00	0.10	47.23	75	0.00	0.41	29	383	1	0	384	1400	17
18	1400	0.03	100	10.21	8.68	100	6097	0	8.0	0	3.60	0.03	0.10	47.18	75	0.02	0.37	32	401	29	35	472	1400	18
19	1400	0.05	100	10.24	8.68	100	6097	0	10.0	0	4.50	0.05	0.10	47.15	75	0.04	0.34	34	429	94	74	598	1400	19
20	1400	0.41	100	10.55	8.68	100	6098	0	5.0	0	2.25	0.41	0.10	47.13	75	0.31	0.35	35	449	512	293	1255	1400	20
21	1400	0.00	100	10.55	8.68	100	6098	0	5.0	0	2.25	0.00	0.10	47.21	75	0.00	0.29	35	466	789	6	1262	1400	21
22	1400	0.08	100	10.61	8.68	100	6098	0	4.0	0	1.80	0.08	0.10	47.14	75	0.06	0.25	38	479	253	36	770	1400	22
23	1400	0.00	100	10.61	8.68	100	6098	0	4.0	0	1.80	0.00	0.10	47.09	75	0.00	0.21	41	490	167	0	659	1400	23
24	1400	0.00	100	10.61	8.68	100	6098	0	3.0	0	1.35	0.00	0.10	47.00	75	0.00	0.17	44	497	34	0	532	1400	24
25	1400	0.62	99	11.07	8.68	100	6098	0	2.0	0	0.90	0.61	0.10	46.91	75	0.46	0.24	47	502	584	185	1272	1400	25
26	1400	0.02	100	11.09	8.68	100	6098	0	5.0	0	2.25	0.02	0.10	47.04	75	0.02	0.20	42	505	1075	13	1594	1400	26
27	1400	0.02	100	11.10	8.68	100	6099	0	5.0	0	2.25	0.02	0.10	46.97	75	0.02	0.17	45	505	283	8	797	1400	27
28	1400	0.00	99	11.10	8.68	100	6099	0	2.0	0	0.90	0.00	0.10	46.89	75	0.00	0.14	46	504	59	0	564	1400	28
29	1400	0.00	100	11.10	8.68	100	6099	0	6.0	0	2.70	0.00	0.10	46.80	75	0.00	0.12	48	501	9	0	511	1400	29
30	1400	0.00	88	11.10	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	46.71	75	0.00	0.09	49	497	0	0	498	1400	30
31	1400	0.17	100	11.23	8.68	100	6099	0	6.0	0	2.70	0.17	0.10	46.61	75	0.13	0.11	51	492	139	73	705	1400	31

FORM 1312
PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.57	81	11.46	8.68	100	6099	0	0.0	0	0.00	0.30	0.10	46.59	75	0.22	0.13	50	485	532	48	1067	1400	1
2	1400	0.31	100	11.69	8.68	100	6099	0	4.0	0	1.80	0.31	0.10	46.62	75	0.23	0.16	48	478	838	111	1428	1400	2
3	1400	0.04	95	11.72	8.68	100	6099	0	0.0	0	0.00	0.04	0.10	46.65	75	0.03	0.13	47	470	653	8	1133	1400	3
4	1400	0.26	88	11.89	8.68	100	6099	0	0.0	0	0.00	0.23	0.10	46.56	75	0.17	0.14	48	462	402	36	902	1400	4
5	1400	0.56	62	12.15	8.68	100	6099	0	0.0	0	0.00	0.35	0.10	46.55	75	0.26	0.17	48	455	752	56	1265	1400	5
6	1400	0.06	50	12.17	8.68	100	6099	0	0.0	0	0.00	0.03	0.10	46.61	75	0.02	0.14	47	448	723	6	1178	1400	6
7	1400	0.00	74	12.17	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	46.53	75	0.00	0.11	48	443	192	0	635	1400	7
8	1400	0.04	98	12.20	8.68	100	6099	0	0.0	0	0.00	0.04	0.10	46.43	75	0.03	0.09	50	438	58	6	503	1400	8
9	1400	0.09	98	12.27	8.68	100	6099	0	0.0	0	0.00	0.09	0.10	46.34	75	0.07	0.08	51	434	146	13	594	1400	9
10	1400	0.00	62	12.27	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	46.28	75	0.00	0.07	52	430	158	0	590	1400	10
11	1400	0.00	39	12.27	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	46.18	75	0.00	0.05	53	426	32	0	459	1400	11
12	1400	0.00	74	12.27	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	46.08	75	0.00	0.04	55	423	2	0	426	1400	12
13	1400	0.00	81	12.27	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.98	75	0.00	0.03	56	418	0	0	419	1400	13
14	1400	0.01	95	12.28	8.68	100	6099	0	0.0	0	0.00	0.01	0.10	45.88	75	0.01	0.03	57	414	7	1	423	1400	14
15	1400	0.00	39	12.28	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.78	75	0.00	0.02	57	408	13	0	422	1400	15
16	1400	0.00	88	12.28	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.68	75	0.00	0.02	58	401	2	0	405	1400	16
17	1400	0.00	62	12.28	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.58	75	0.00	0.01	58	394	0	0	395	1400	17
18	1400	0.00	39	12.28	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.48	75	0.00	0.01	59	385	0	0	386	1400	18
19	1400	0.03	0	12.28	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.38	75	0.00	0.01	59	376	0	0	376	1400	19
20	1400	0.50	62	12.65	8.68	100	6099	0	0.0	0	0.00	0.50	0.10	45.29	75	0.37	0.09	59	365	373	63	803	1400	20
21	1400	0.45	81	12.92	8.68	100	6099	0	0.0	0	0.00	0.36	0.10	45.39	75	0.27	0.13	51	354	1005	55	1416	1400	21
22	1400	0.00	23	12.92	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.44	75	0.00	0.10	49	344	740	1	1086	1400	22
23	1400	0.00	5	12.92	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.34	75	0.00	0.08	50	334	140	0	475	1400	23
24	1400	0.00	74	12.92	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.24	75	0.00	0.06	52	326	10	0	337	1400	24
25	1400	0.00	0	12.92	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.14	75	0.00	0.05	54	319	0	0	320	1400	25
26	1400	0.00	0	12.92	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	45.04	75	0.00	0.04	55	312	0	0	313	1400	26
27	1400	0.00	0	12.92	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	44.94	75	0.00	0.03	56	307	0	0	307	1400	27
28	1400	0.00	0	12.92	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	44.84	75	0.00	0.02	57	302	0	0	302	1400	28
29	1400	0.81	0	12.92	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	44.74	75	0.00	0.02	58	297	0	0	297	1400	29
30	1400	0.16	0	12.92	8.68	100	6099	0	0.0	0	0.00	0.00	0.10	44.71	75	0.00	0.01	58	292	0	0	292	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1211-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%R	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	2.00	0	0.00	0.30	0	108	10	7	125	1400	6
7	1400	0.05	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	2.00	18	0.00	0.24	37	107	6	0	115	1400	7
8	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	1.92	18	0.00	0.19	42	107	1	0	109	1400	8
9	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	1.83	17	0.00	0.15	46	107	0	0	108	1400	9
10	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	1.74	17	0.00	0.11	48	107	0	0	108	1400	10
11	1400	0.00	0	0.00	0.01	0	2350	100	1.2	38	0.12	0.05	0.09	1.65	17	0.01	0.09	49	107	14	2	125	1400	11
12	1400	0.00	0	0.00	0.02	0	2355	99	2	38	0.12	0.05	0.09	1.60	16	0.01	0.07	51	107	40	2	151	1400	12
13	1400	0.24	6	0.00	0.03	0	2365			52	0.18	0.11	0.09	1.54	16	0.02	0.06	53	107	61	5	174	1400	13
14	1400	0.00	0	0.00	0.03	0	237		.0	0	0.00	0.00	0.09	1.57	16	0.00	0.05	54	107	61	0	169	1400	14
15	1400	0.00	0	0.00	0.03	0	237	99	0.0	0	0.00	0.00	0.09	1.48	16	0.00	0.04	55	106	12	0	119	1400	15
16	1400	0.00	0	0.00	0.03	0	2371	99	0.0	0	0.00	0.00	0.09	1.39	16	0.00	0.03	56	105	0	0	107	1400	16
17	1400	0.00	0	0.00	0.03	0	2371	99	0.0	0	0.00	0.00	0.09	1.30	15	0.00	0.02	57	105	0	0	105	1400	17
18	1400	0.00	0	0.00	0.04	1	2371	99	1.2	37	0.12	0.04	0.09	1.21	15	0.01	0.02	58	104	10	1	116	1400	18
19	1400	0.00	0	0.00	0.04	1	2375	98	1.2	37	0.12	0.04	0.09	1.16	15	0.01	0.02	58	103	29	1	134	1400	19
20	1400	0.04	23	0.00	0.06	1	2380	98	2.3	65	0.23	0.16	0.09	1.11	14	0.02	0.02	58	101	58	6	167	1400	20
21	1400	0.10	23	0.01	0.09	1	2395	97	2.3	64	0.23	0.17	0.09	1.17	15	0.03	0.02	58	100	109	6	217	1400	21
22	1400	0.29	0	0.01	0.09	1	2410	97	0.1	3	0.01	0.00	0.09	1.24	15	0.00	0.02	58	98	86	0	185	1400	22
23	1400	0.01	23	0.01	0.11	2	2410	96	2.2	64	0.23	0.15	0.09	1.19	15	0.02	0.02	58	96	51	5	154	1400	23
24	1400	0.00	23	0.01	0.13	2	2425	95	2.2	63	0.23	0.14	0.09	1.23	15	0.02	0.02	58	95	97	5	198	1400	24
25	1400	0.20	38	0.01	0.16	2	2440	94	2.7	76	0.28	0.21	0.09	1.27	15	0.03	0.02	58	93	125	8	227	1400	25
26	1400	0.03	38	0.01	0.19	3	2462	93	2.6	75	0.28	0.22	0.09	1.37	15	0.03	0.03	58	91	160	9	262	1400	26
27	1400	0.00	53	0.01	0.24	4	2465	91	3.4	79	0.37	0.29	0.09	1.49	16	0.05	0.03	57	89	193	12	295	1400	27
28	1400	0.09	81	0.02	0.32	5	2517	88	5.1	86	0.55	0.55	0.09	1.66	17	0.09	0.05	57	87	303	24	416	1400	28
29	1400	0.02	0	0.02	0.32	5	2571	88	0.8	26	0.09	0.02	0.09	2.09	18	0.00	0.04	55	86	305	1	394	1400	29
30	1400	0.13	23	0.03	0.35	5	2575	87	1.9	55	0.22	0.15	0.09	2.03	18	0.03	0.04	56	85	118	7	211	1400	30
31	1400	0.09	67	0.04	0.41	6	2589	85	4.1	78	0.46	0.42	0.09	2.09	18	0.08	0.05	56	84	212	21	318	1400	31

PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.117 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASE	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	38	0.04	0.45	7	2635	83	2.3	66	0.27	0.18	0.09	2.40	20	0.04	0.05	55	83	305	10	400	1400	1
2	1400	0.23	0	0.04	0.45	7	2659	83	0.7	22	0.08	0.02	0.09	2.49	20	0.00	0.04	55	83	166	1	251	1400	2
3	1400	0.07	53	0.05	0.50	7	2661	81	3.1	69	0.36	0.29	0.09	2.45	20	0.06	0.04	56	84	131	15	232	1400	3
4	1400	0.00	96	0.05	0.67	10	2695	77	8.6	80	1.02	0.81	0.09	2.64	21	0.17	0.08	56	85	459	48	594	1400	4
5	1400	0.00	100	0.05	0.99	15	2783	69	12.4	77	1.55	1.18	0.09	3.39	27	0.32	0.16	52	87	1138	98	1324	1400	5
6	1400	0.00	100	0.05	1.44	21	2932	58	13.1	69	1.79	1.23	0.09	4.55	36	0.45	0.29	47	90	2053	198	2342	1400	6
7	1400	0.00	100	0.05	1.89	28	3146	50	11.7	58	1.84	1.07	0.09	5.81	42	0.45	0.43	37	93	2870	273	3237	1400	7
8	1400	0.00	96	0.05	2.25	34	3325	43	8.4	50	1.57	0.78	0.09	6.95	46	0.36	0.51	31	98	3133	242	3474	1400	8
9	1400	0.00	100	0.05	2.78	41	3466	35	12.2	43	2.57	1.11	0.09	7.85	48	0.53	0.73	29	104	3381	568	4053	1400	9
10	1400	0.00	100	0.05	3.32	50	3633	28	11.9	35	2.95	1.04	0.09	9.39	53	0.55	0.98	25	112	4154	814	5082	1400	10
11	1400	0.00	96	0.05	3.71	55	3784	23	8.1	28	2.40	0.67	0.09	11.04	57	0.39	1.13	20	123	4072	582	4778	1400	11
12	1400	0.06	96	0.08	3.94	59	3890	20	5.7	21	1.80	0.44	0.09	12.20	61	0.27	1.15	19	136	3228	349	3715	1400	12
13	1400	0.00	86	0.08	4.03	60	3955	19	2.5	17	0.83	0.14	0.09	12.88	64	0.09	1.00	19	153	2105	73	2332	1400	13
14	1400	0.06	90	0.12	4.15	62	3970	19	3.4	16	1.15	0.24	0.09	13.05	65	0.15	0.93	20	172	1260	145	1578	1400	14
15	1400	0.57	67	0.37	4.17	62	3988	18	1.0	9	0.35	0.41	0.09	13.33	67	0.28	0.81	21	195	1727	208	2131	1400	15
16	1400	0.00	95	0.37	4.32	64	3992	17	4.3	15	1.47	0.22	0.09	13.48	67	0.15	0.82	23	220	2024	154	2400	1400	16
17	1400	0.05	86	0.42	4.39	66	4047	17	2.2	14	0.77	0.17	0.09	13.81	69	0.12	0.75	23	248	1394	88	1731	1400	17
18	1400	0.02	96	0.43	4.63	69	4084	15	5.7	17	2.02	0.36	0.09	13.94	70	0.25	0.92	24	277	1436	341	2056	1400	18
19	1400	0.00	100	0.43	4.97	74	4203	13	8.6	15	3.11	0.47	0.09	14.54	73	0.34	1.30	21	308	2081	885	3275	1400	19
20	1400	0.03	96	0.45	5.19	77	4374	11	6.3	13	2.39	0.33	0.09	15.46	75	0.25	1.46	17	340	2308	563	3212	1400	20
21	1400	0.24	86	0.61	5.22	78	4487	11	1.5	7	0.58	0.25	0.09	16.06	75	0.19	1.25	15	372	2055	172	2601	1400	21
22	1400	0.00	100	0.61	5.57	83	4504	8	11.1	11	4.35	0.46	0.09	16.15	75	0.35	1.89	18	404	1947	1608	3961	1400	22
23	1400	0.00	100	0.61	5.94	89	4679	6	14.8	8	6.02	0.49	0.09	17.47	75	0.37	2.90	11	435	1863	2609	4909	1400	23
24	1400	0.00	100	0.61	6.11	91	4865	4	10.2	5	4.30	0.23	0.09	19.58	75	0.18	3.16	10	465	1454	1026	2946	1400	24
25	1400	0.00	100	0.61	6.28	94	4954	3	12.1	4	5.17	0.22	0.09	20.86	75	0.16	3.60	10	494	1036	1070	2601	1400	25
26	1400	0.00	100	0.61	6.40	96	6024	2	13.0	3	5.63	0.17	0.09	22.51	75	0.13	4.08	10	521	763	891	2177	1400	26
27	1400	0.01	100	0.62	6.46	96	6078	2	8.9	2	3.90	0.09	0.09	24.36	75	0.07	3.96	10	547	563	354	1465	1400	27
28	1400	0.00	96	0.62	6.47	97	6104	2	0.8	2	0.37	0.01	0.09	25.44	75	0.00	3.17	10	570	340	10	921	1400	28
29	1400	0.11	96	0.70	6.47	97	6106	2	0.8	2	0.37	0.11	0.09	25.44	75	0.08	2.56	10	591	367	59	1019	1400	29
30	1400	0.88	90	1.29	6.47	97	6108	2	0.0	0	0.00	0.80	0.09	25.48	75	0.60	2.14	10	609	2456	604	3671	1400	30

FORM 1611-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.441 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL	1971																							JUL 1971
1	1400	0.87	90	1.88	6.47	97	6108	2	0.0	0	0.00	0.79	0.09	25.65	75	0.59	1.81	10	625	5545	605	6776	1400	1
2	1400	0.09	95	1.95	6.47	97	6108	2	0.0	0	0.00	0.09	0.10	25.83	75	0.06	1.43	12	638	4463	48	5151	1400	2
3	1400	0.00	96	1.95	6.48	97	6108	2	1.8	2	0.81	0.01	0.10	25.76	75	0.01	1.25	16	648	1228	8	1886	1400	3
4	1400	0.06	100	1.99	6.50	97	6112	1	4.8	1	2.13	0.09	0.10	25.86	75	0.07	1.36	17	656	380	134	1172	1400	4
5	1400	0.00	100	1.99	6.54	98	6122	1	8.8	1	3.90	0.05	0.10	26.34	75	0.04	1.79	16	662	430	161	1255	1400	5
6	1400	0.00	100	1.99	6.58	98	6139	1	9.8	1	4.34	0.05	0.10	27.37	75	0.03	2.22	12	664	275	183	1124	1400	6
7	1400	0.01	100	2.00	6.60	98	6153	1	6.8	1	3.01	0.03	0.10	28.53	75	0.03	2.25	10	665	209	93	969	1400	7
8	1400	0.00	100	2.00	6.62	99	6161	1	12.7	1	5.68	0.04	0.10	29.22	75	0.03	2.86	10	663	178	197	1040	1400	8
9	1400	0.00	100	2.00	6.64	99	6173	0	13.7	0	6.14	0.03	0.10	30.80	75	0.02	3.36	10	659	124	156	941	1400	9
10	1400	0.00	100	2.00	6.66	99	6182	0	14.7	0	6.59	0.02	0.10	32.43	75	0.02	3.74	10	654	84	116	855	1400	10
11	1400	0.00	100	2.00	6.67	100	6189	0	15.7	0	7.04	0.01	0.10	34.03	75	0.01	3.94	10	646	55	82	785	1400	11
12	1400	0.06	100	2.05	6.67	100	6193	0	10.7	0	4.80	0.07	0.10	35.48	75	0.05	3.59	10	637	108	306	1052	1400	12
13	1400	0.55	100	2.46	6.68	100	6195	0	6.7	0	3.00	0.55	0.10	36.16	75	0.41	3.16	10	626	1064	1787	3479	1400	13
14	1400	0.01	100	2.47	6.68	100	6196	0	7.7	0	3.45	0.01	0.10	36.65	75	0.01	2.74	10	614	1714	78	2408	1400	14
15	1400	0.00	100	2.47	6.68	100	6196	0	3.7	0	1.65	0.00	0.10	36.95	75	0.00	2.25	10	600	403	2	1006	1400	15
16	1400	0.00	100	2.47	6.68	100	6197	0	5.7	0	2.55	0.00	0.10	37.01	75	0.00	1.92	10	586	43	2	632	1400	16
17	1400	0.00	100	2.47	6.68	100	6197	0	6.7	0	3.00	0.00	0.10	37.14	75	0.00	1.67	11	570	10	3	585	1400	17
18	1400	0.00	100	2.47	6.68	100	6198	0	3.7	0	1.65	0.00	0.10	37.29	75	0.00	1.39	13	553	7	0	562	1400	18
19	1400	0.00	100	2.47	6.68	100	6198	0	7.7	0	3.45	0.00	0.10	37.31	75	0.00	1.25	16	536	5	3	546	1400	19
20	1400	0.19	100	2.61	6.68	100	6198	0	7.7	0	3.45	0.19	0.10	37.45	75	0.14	1.14	18	519	306	523	1350	1400	20
21	1400	0.00	96	2.61	6.68	100	6199	0	1.7	0	0.76	0.00	0.10	37.62	75	0.00	0.92	19	501	550	11	1064	1400	21
22	1400	0.02	96	2.62	6.68	100	6199	0	0.7	0	0.31	0.02	0.10	37.56	75	0.01	0.73	21	482	162	7	653	1400	22
23	1400	0.03	100	2.65	6.68	100	6199	0	3.7	0	1.65	0.03	0.10	37.48	75	0.02	0.63	25	464	146	26	638	1400	23
24	1400	0.23	96	2.81	6.68	100	6199	0	0.7	0	0.31	0.22	0.10	37.47	75	0.17	0.54	26	446	581	92	1120	1400	24
25	1400	0.15	100	2.92	6.68	100	6199	0	3.7	0	1.65	0.15	0.10	37.47	75	0.11	0.49	28	427	1132	131	1692	1400	25
26	1400	0.08	100	2.98	6.68	100	6199	0	3.7	0	1.65	0.08	0.10	37.50	75	0.06	0.44	29	409	837	68	1315	1400	26
27	1400	0.66	96	3.46	6.68	100	6199	0	0.0	0	0.00	0.64	0.10	37.49	75	0.48	0.45	31	391	1617	271	2280	1400	27
28	1400	0.13	96	3.56	6.68	100	6199	0	0.0	0	0.00	0.13	0.10	37.62	75	0.09	0.37	31	374	2536	47	2958	1400	28
29	1400	0.22	98	3.72	6.68	100	6199	0	2.7	0	1.20	0.22	0.10	37.57	75	0.16	0.36	33	358	1318	136	1813	1400	29
30	1400	0.25	98	3.90	6.68	100	6199	0	2.7	0	1.20	0.25	0.10	37.60	75	0.18	0.34	34	342	1267	155	1765	1400	30
31	1400	0.62	100	4.37	6.68	100	6199	0	3.7	0	1.65	0.62	0.10	37.63	75	0.47	0.40	35	328	1968	571	2868	1400	31

FORM 1411-2
PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. 90981 INITIAL DATE, HOUR 6 MAY 1971 1400

JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	100	4.80	6.68	100	6199	0	5.7	0	2.55	0.58	0.10	37.81	75	0.44	0.46	32	315	2941	870	4127	1400	1
2	1400	0.42	100	5.12	6.69	100	6199	0	8.7	0	3.90	0.42	0.10	38.00	75	0.32	0.49	30	304	2617	998	3921	1400	2
3	1400	0.00	100	5.12	6.69	100	6199	0	4.7	0	2.10	0.00	0.10	38.17	75	0.00	0.41	29	296	1408	22	1726	1400	3
4	1400	0.00	100	5.12	6.69	100	6200	0	3.7	0	1.65	0.00	0.10	38.11	75	0.00	0.35	32	289	259	3	553	1400	4
5	1400	0.09	100	5.19	6.69	100	6200	0	5.7	0	2.55	0.09	0.10	38.04	75	0.07	0.31	35	285	177	97	561	1400	5
6	1400	0.55	98	5.60	6.69	100	6200	0	2.7	0	1.20	0.54	0.10	38.02	75	0.41	0.34	36	284	1168	372	1825	1400	6
7	1400	0.38	100	5.80	6.69	100	6200	0	3.7	0	1.65	0.38	0.10	38.14	75	0.28	0.35	35	285	2333	310	2930	1400	7
8	1400	0.62	98	6.34	6.69	100	6200	0	2.7	0	1.20	0.61	0.10	38.21	75	0.46	0.38	35	289	2550	454	3295	1400	8
9	1400	0.86	98	6.97	6.69	100	6200	0	2.7	0	1.20	0.85	0.10	38.35	75	0.64	0.44	33	296	3623	752	4672	1400	9
10	1400	0.94	100	7.68	6.69	100	6200	0	5.7	0	2.55	0.93	0.10	38.55	75	0.70	0.52	31	304	4481	1661	6448	1400	10
11	1400	0.00	100	7.68	6.69	100	6200	0	11.7	0	5.25	0.00	0.10	38.79	75	0.00	0.44	29	316	3159	37	3513	1400	11
12	1400	0.00	100	7.68	6.69	100	6200	0	10.7	0	4.80	0.00	0.10	38.74	75	0.00	0.36	31	329	600	0	930	1400	12
13	1400	0.57	100	8.10	6.69	100	6200	0	8.7	0	3.90	0.57	0.10	38.67	75	0.43	0.39	34	346	777	1233	2357	1400	13
14	1400	0.00	100	8.10	6.69	100	6200	0	3.7	0	1.65	0.00	0.10	38.80	75	0.00	0.31	32	365	1332	27	1725	1400	14
15	1400	0.00	98	8.10	6.69	100	6200	0	2.7	0	1.20	0.00	0.10	38.71	75	0.00	0.25	36	386	288	0	675	1400	15
16	1400	0.00	100	8.10	6.69	100	6200	0	4.7	0	2.10	0.00	0.10	38.61	75	0.00	0.20	41	409	22	0	432	1400	16
17	1400	0.00	100	8.10	6.69	100	6200	0	5.7	0	2.55	0.00	0.10	38.52	75	0.00	0.16	45	434	1	0	436	1400	17
18	1400	0.03	100	8.13	6.69	100	6200	0	7.7	0	3.45	0.03	0.10	38.43	75	0.02	0.14	47	460	38	28	528	1400	18
19	1400	0.05	100	8.16	6.69	100	6200	0	9.7	0	4.35	0.05	0.10	38.35	75	0.04	0.12	48	487	127	61	677	1400	19
20	1400	0.41	100	8.47	6.69	100	6200	0	4.7	0	2.10	0.41	0.10	38.28	75	0.31	0.16	49	514	663	249	1427	1400	20
21	1400	0.00	100	8.47	6.69	100	6200	0	4.7	0	2.10	0.00	0.10	38.34	75	0.00	0.13	47	540	1011	5	1557	1400	21
22	1400	0.08	100	8.53	6.69	100	6200	0	3.7	0	1.65	0.08	0.10	38.24	75	0.06	0.12	48	565	326	37	930	1400	22
23	1400	0.00	100	8.53	6.69	100	6200	0	3.7	0	1.65	0.00	0.10	38.17	75	0.00	0.09	49	589	217	0	808	1400	23
24	1400	0.00	98	8.53	6.69	100	6200	0	2.7	0	1.20	0.00	0.10	38.08	75	0.00	0.07	51	611	44	0	656	1400	24
25	1400	0.62	96	8.98	6.69	100	6200	0	1.7	0	0.75	0.60	0.10	37.98	75	0.45	0.15	53	631	781	204	1617	1400	25
26	1400	0.02	100	9.00	6.69	100	6200	0	4.7	0	2.10	0.02	0.10	38.10	75	0.02	0.13	47	649	1440	15	2106	1400	26
27	1400	0.02	100	9.01	6.69	100	6200	0	4.7	0	2.10	0.02	0.10	38.01	75	0.02	0.10	49	664	383	11	1059	1400	27
28	1400	0.00	96	9.01	6.69	100	6200	0	1.7	0	0.75	0.00	0.10	37.92	75	0.00	0.08	50	677	83	0	762	1400	28
29	1400	0.00	100	9.01	6.69	100	6200	0	5.7	0	2.55	0.00	0.10	37.82	75	0.00	0.07	52	688	12	0	702	1400	29
30	1400	0.00	90	9.01	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	37.72	75	0.00	0.05	53	698	0	0	699	1400	30
31	1400	0.17	100	9.14	6.69	100	6200	0	5.7	0	2.55	0.17	0.10	37.62	75	0.13	0.07	55	705	200	88	993	1400	31

PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	86	9.58	6.69	100	6200	0	0.0	0	0.00	0.32	0.10	37.59	75	0.24	0.11	53	710	784	72	1567	1400	1
2	1400	0.31	100	9.61	6.69	100	6200	0	3.7	0	1.65	0.31	0.10	37.62	75	0.23	0.13	50	713	1259	152	2125	1400	2
3	1400	0.04	95	9.64	6.69	100	6200	0	0.0	0	0.00	0.04	0.10	37.64	75	0.03	0.11	48	715	980	12	1709	1400	3
4	1400	0.26	90	9.82	6.69	100	6200	0	0.0	0	0.00	0.24	0.10	37.56	75	0.18	0.12	49	715	612	56	1384	1400	4
5	1400	0.56	67	10.10	6.69	100	6200	0	0.0	0	0.00	0.37	0.10	37.55	75	0.28	0.16	49	714	1186	91	1992	1400	5
6	1400	0.06	53	10.12	6.69	100	6200	0	0.0	0	0.00	0.03	0.10	37.61	75	0.02	0.13	47	712	1165	9	1888	1400	6
7	1400	0.00	81	10.12	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	37.53	75	0.00	0.10	49	709	309	0	1019	1400	7
8	1400	0.04	96	10.15	6.69	100	6200	0	0.0	0	0.00	0.04	0.10	37.43	75	0.03	0.09	50	706	90	9	806	1400	8
9	1400	0.09	96	10.21	6.69	100	6200	0	0.0	0	0.00	0.09	0.10	37.35	75	0.07	0.08	51	703	220	20	944	1400	9
10	1400	0.00	67	10.21	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	37.28	75	0.00	0.06	52	700	237	0	938	1400	10
11	1400	0.00	38	10.21	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	37.18	75	0.00	0.05	54	696	48	0	745	1400	11
12	1400	0.00	81	10.21	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	37.08	75	0.00	0.04	55	693	3	0	697	1400	12
13	1400	0.00	86	10.21	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.98	75	0.00	0.03	56	690	0	0	691	1400	13
14	1400	0.01	95	10.22	6.69	100	6200	0	0.0	0	0.00	0.01	0.10	36.88	75	0.01	0.03	57	686	11	1	700	1400	14
15	1400	0.00	38	10.22	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.78	75	0.00	0.02	57	682	20	0	704	1400	15
16	1400	0.00	90	10.22	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.68	75	0.00	0.02	58	678	4	0	683	1400	16
17	1400	0.00	67	10.22	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.58	75	0.00	0.01	58	673	0	0	673	1400	17
18	1400	0.00	38	10.22	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.48	75	0.00	0.01	59	666	0	0	667	1400	18
19	1400	0.03	0	10.22	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.38	75	0.00	0.01	59	659	0	0	659	1400	19
20	1400	0.80	67	10.62	6.69	100	6200	0	0.0	0	0.00	0.54	0.10	36.29	75	0.40	0.09	59	650	615	104	1371	1400	20
21	1400	0.45	86	10.91	6.69	100	6200	0	0.0	0	0.00	0.39	0.10	36.40	75	0.29	0.13	51	641	1655	92	2389	1400	21
22	1400	0.00	23	10.91	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.46	75	0.00	0.11	48	630	1219	2	1853	1400	22
23	1400	0.00	6	10.91	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.36	75	0.00	0.08	50	619	230	0	850	1400	23
24	1400	0.00	81	10.91	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.26	75	0.00	0.07	52	607	17	0	625	1400	24
25	1400	0.00	0	10.91	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.16	75	0.00	0.05	53	595	0	0	597	1400	25
26	1400	0.00	0	10.91	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	36.06	75	0.00	0.04	55	584	0	0	584	1400	26
27	1400	0.00	0	10.91	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	35.96	75	0.00	0.03	56	572	0	0	573	1400	27
28	1400	0.00	0	10.91	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	35.86	75	0.00	0.02	57	562	0	0	562	1400	28
29	1400	0.81	0	10.91	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	35.76	75	0.00	0.02	58	551	0	0	552	1400	29
30	1400	0.16	0	10.91	6.69	100	6200	0	0.0	0	0.00	0.00	0.10	35.73	75	0.00	0.02	58	541	0	0	542	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

BASIN RESULTS - STATION 21.6 MACLAREN GLACIER

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1000 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SLA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	4.00	0	0.00	0.30	0	10	10	10	30	1400	6
7	1400	0.05	0	0.00	0.00	0	3150	100	0.0	0	0.00	0.00	0.05	4.00	95	0.00	0.24	99	9	7	2	19	1400	7
8	1400	0.00	0	0.00	0.00	0	3150	100	0.0	0	0.00	0.00	0.05	3.95	95	0.00	0.19	99	7	2	0	9	1400	8
9	1400	0.00	0	0.00	0.00	0	3150	100	0.0	0	0.00	0.00	0.05	3.90	95	0.00	0.15	99	4	0	0	5	1400	9
10	1400	0.00	0	0.00	0.00	0	3150	100	0.0	0	0.00	0.00	0.05	3.85	95	0.00	0.11	99	2	0	0	2	1400	10
11	1400	0.00	0	0.00	0.01	0	3150	100	0.9	7	0.10	0.01	0.05	3.80	95	0.01	0.09	99	1	0	0	2	1400	11
12	1400	0.00	0	0.00	0.01	0	3150	100	0.9	7	0.11	0.01	0.05	3.75	95	0.01	0.07	100	2	0	0	3	1400	12
13	1400	0.24	0	0.00	0.05	0	3150	100	1.4	11	0.17	0.02	0.05	3.70	95	0.02	0.06	100	5	0	0	6	1400	13
14	1400	0.00	0	0.00	0.03	0	3150	100	0.0	0	0.00	0.00	0.05	3.67	95	0.00	0.05	00	8	0	0	9	1400	14
15	1400	0.00	0	0.00	0.03	0	3150	100	0.0	0	0.00	0.00	0.05	3.62	95	0.00	0.04	100	8	0	0	8	1400	15
16	1400	0.00	0	0.00	0.03	0	3150	100	0.0	0	0.00	0.00	0.05	3.57	95	0.00	0.03	100	5	0	0	6	1400	16
17	1400	0.00	0	0.00	0.03	0	3150	100	0.0	0	0.00	0.00	0.05	3.52	95	0.00	0.02	100	3	0	0	3	1400	17
18	1400	0.00	0	0.00	0.04	0	3150	100	0.9	7	0.11	0.01	0.05	3.47	95	0.01	0.02	100	2	0	0	2	1400	18
19	1400	0.00	0	0.00	0.05	0	3150	100	0.9	7	0.11	0.01	0.05	3.42	95	0.01	0.02	100	3	0	0	3	1400	19
20	1400	0.04	3	0.00	0.08	0	3150	100	1.9	15	0.23	0.04	0.05	3.37	95	0.03	0.02	100	7	0	0	8	1400	20
21	1400	0.10	3	0.00	0.11	0	3150	100	1.9	15	0.23	0.04	0.05	3.33	95	0.04	0.02	100	16	0	0	17	1400	21
22	1400	0.29	0	0.00	0.11	0	3150	100	0.0	0	0.00	0.00	0.05	3.29	95	0.00	0.02	100	23	0	0	24	1400	22
23	1400	0.01	3	0.00	0.15	0	3150	100	1.9	15	0.23	0.04	0.05	3.26	95	0.03	0.02	100	24	0	0	25	1400	23
24	1400	0.00	3	0.00	0.18	0	3150	100	1.9	15	0.23	0.04	0.05	3.21	95	0.03	0.02	100	26	0	0	26	1400	24
25	1400	0.00	8	0.00	0.23	0	3150	100	2.4	19	0.29	0.06	0.05	3.16	95	0.05	0.03	100	32	0	0	33	1400	25
26	1400	0.03	8	0.01	0.29	0	3150	100	2.4	19	0.29	0.06	0.05	3.11	95	0.06	0.04	100	41	0	0	42	1400	26
27	1400	0.00	12	0.01	0.37	0	3150	100	3.0	24	0.35	0.08	0.05	3.07	95	0.08	0.05	100	53	0	0	54	1400	27
28	1400	0.09	20	0.02	0.48	0	3150	100	1.9	50	0.23	0.13	0.05	3.02	95	0.13	0.06	100	70	0	0	71	1400	28
29	1400	0.02	0	0.02	0.48	0	3150	100	0.9	7	0.11	0.01	0.05	2.99	95	0.01	0.05	100	84	0	0	84	1400	29
30	1400	0.13	3	0.03	0.52	1	3150	100	1.9	15	0.23	0.04	0.05	2.94	95	0.04	0.05	100	78	0	0	78	1400	30
31	1400	0.09	16	0.04	0.62	1	3150	100	2.4	36	0.29	0.12	0.05	2.90	95	0.11	0.06	100	69	0	0	70	1400	31

FORM 14113

PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	8	0.04	0.67	1	3150	100	2.4	19	0.29	0.06	0.05	2.86	95	0.06	0.06	100	75	0	0	75	1400	1
2	1400	0.23	0	0.04	0.68	1	3150	100	0.9	7	0.11	0.01	0.06	2.82	95	0.01	0.05	100	74	0	0	75	1400	2
3	1400	0.07	12	0.05	0.76	1	3150	100	3.0	24	0.35	0.09	0.06	2.77	95	0.09	0.06	100	66	0	0	66	1400	3
4	1400	0.00	66	0.05	1.23	1	3150	100	4.5	92	0.54	0.50	0.06	2.73	95	0.47	0.15	100	101	0	0	102	1400	4
5	1400	0.00	97	0.05	2.19	2	3150	100	8.4	100	1.01	1.01	0.06	2.69	95	0.96	0.32	99	255	3	0	259	1400	5
6	1400	0.00	98	0.05	3.27	3	3150	100	9.5	100	1.14	1.13	0.06	2.68	95	1.08	0.48	98	525	10	0	536	1400	6
7	1400	0.00	97	0.05	4.23	4	3150	100	8.4	100	1.01	1.01	0.06	2.68	95	0.96	0.58	98	794	18	0	814	1400	7
8	1400	0.00	75	0.05	4.82	5	3150	100	5.4	97	0.65	0.62	0.06	2.67	95	0.59	0.59	97	936	22	0	959	1400	8
9	1400	0.00	98	0.05	5.40	6	3150	100	9.5	100	1.14	1.13	0.06	2.64	95	1.08	0.69	97	965	26	0	992	1400	9
10	1400	0.00	98	0.05	6.97	7	3150	100	9.5	100	1.14	1.13	0.06	2.63	95	1.08	0.77	97	1007	34	0	1043	1400	10
11	1400	0.00	85	0.05	7.69	8	3150	100	6.4	98	0.77	0.75	0.06	2.63	95	0.71	0.76	96	1054	37	0	1093	1400	11
12	1400	0.06	66	0.09	8.16	8	3150	100	4.5	92	0.54	0.54	0.06	2.61	95	0.51	0.71	96	1008	31	0	1040	1400	12
13	1400	0.00	25	0.09	8.34	8	3150	100	2.4	64	0.29	0.19	0.06	2.58	95	0.18	0.59	96	855	20	0	877	1400	13
14	1400	0.06	38	0.11	8.60	9	3150	100	3.1	74	0.37	0.30	0.06	2.53	95	0.28	0.53	97	655	12	0	668	1400	14
15	1400	0.57	16	0.20	8.70	9	3150	100	2.4	36	0.29	0.20	0.06	2.49	95	0.19	0.45	97	487	8	0	496	1400	15
16	1400	0.00	52	0.20	9.06	9	3150	100	3.8	83	0.46	0.38	0.06	2.48	95	0.36	0.43	98	386	7	0	395	1400	16
17	1400	0.08	25	0.22	9.24	9	3150	100	2.4	64	0.29	0.21	0.06	2.44	95	0.20	0.38	98	343	7	0	351	1400	17
18	1400	0.02	75	0.23	9.83	10	3150	100	5.4	97	0.65	0.64	0.06	2.40	95	0.61	0.43	98	349	8	0	358	1400	18
19	1400	0.00	97	0.23	10.79	11	3150	100	8.4	100	1.01	1.01	0.06	2.37	95	0.96	0.54	98	452	14	0	468	1400	19
20	1400	0.03	85	0.25	11.50	12	3150	100	6.4	98	0.77	0.78	0.06	2.36	95	0.74	0.59	97	628	20	0	649	1400	20
21	1400	0.24	25	0.31	11.68	12	3150	100	2.4	64	0.29	0.25	0.06	2.34	95	0.23	0.51	97	717	18	0	736	1400	21
22	1400	0.00	100	0.31	12.99	13	3150	100	11.6	100	1.39	1.39	0.06	2.32	95	1.32	0.68	97	740	20	0	761	1400	22
23	1400	0.00	100	0.31	14.79	15	3150	100	15.8	100	1.89	1.89	0.06	2.33	95	1.79	0.92	97	920	42	1	964	1400	23
24	1400	0.00	100	0.31	16.47	17	3150	100	14.7	100	1.77	1.76	0.06	2.36	95	1.68	1.08	95	1257	67	1	1326	1400	24
25	1400	0.00	100	0.31	18.38	19	3150	100	16.8	100	2.02	2.02	0.06	2.39	95	1.91	1.26	95	1569	89	2	1661	1400	25
26	1400	0.00	100	0.31	20.41	21	3150	100	17.9	100	2.14	2.14	0.06	2.43	95	2.03	1.43	95	1812	106	2	1921	1400	26
27	1400	0.01	100	0.32	21.97	22	3150	100	13.7	100	1.64	1.65	0.06	2.47	95	1.57	1.46	95	1964	106	1	2073	1400	27
28	1400	0.00	75	0.32	22.56	23	3150	100	5.4	97	0.65	0.62	0.06	2.56	95	0.59	1.27	95	1897	79	0	1978	1400	28
29	1400	0.11	75	0.40	23.16	23	3150	100	5.4	97	0.65	0.71	0.06	2.47	95	0.67	1.14	95	1595	50	0	1646	1400	29
30	1400	0.88	38	0.72	23.42	24	3150	100	3.1	74	0.37	0.61	0.06	2.45	95	0.58	1.02	95	1245	39	0	1285	1400	30

FORM 1111-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.07 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%PA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL	1971																							JUL 1971
1	1400	0.87	38	1.04	23.68	24	3150	100	3.1	74	0.37	0.61	0.06	2.47	95	0.58	0.93	95	984	35	0	1021	1400	1
2	1400	0.09	52	1.08	24.04	24	3150	100	3.8	83	0.46	0.43	0.07	2.49	95	0.40	0.82	95	807	30	0	838	1400	2
3	1400	0.00	85	1.08	24.75	25	3150	100	6.4	98	0.77	0.75	0.07	2.45	95	0.71	0.79	96	700	28	0	730	1400	3
4	1400	0.06	98	1.14	25.83	26	3150	100	9.5	100	1.14	1.19	0.07	2.41	95	1.13	0.87	96	717	37	0	755	1400	4
5	1400	0.00	100	1.14	27.39	28	3150	100	13.7	100	1.64	1.64	0.07	2.41	95	1.56	1.01	96	894	55	1	951	1400	5
6	1400	0.00	100	1.14	29.06	29	3150	100	14.7	100	1.77	1.76	0.07	2.42	95	1.68	1.16	95	1177	76	1	1256	1400	6
7	1400	0.01	100	1.14	30.38	31	3150	100	11.6	100	1.39	1.40	0.07	2.44	95	1.33	1.19	95	1425	85	1	1512	1400	7
8	1400	0.00	100	1.14	32.41	33	3150	100	17.9	100	2.14	2.14	0.07	2.44	95	2.03	1.37	95	1595	92	2	1690	1400	8
9	1400	0.00	100	1.14	34.57	35	3150	100	18.9	100	2.27	2.27	0.07	2.48	95	2.15	1.54	95	1792	111	2	1906	1400	9
10	1400	0.00	100	1.14	36.84	37	3150	100	20.0	100	2.40	2.39	0.07	2.52	95	2.27	1.70	95	2030	123	2	2157	1400	10
11	1400	0.00	100	1.14	39.23	40	3150	100	21.0	100	2.52	2.52	0.07	2.57	95	2.39	1.85	95	2249	131	2	2384	1400	11
12	1400	0.06	100	1.20	41.03	41	3150	100	15.8	100	1.89	1.95	0.07	2.63	95	1.85	1.85	95	2380	127	2	2510	1400	12
13	1400	0.55	100	1.72	42.34	43	3150	100	11.6	100	1.39	1.93	0.07	2.66	95	1.84	1.85	95	2366	113	2	2483	1400	13
14	1400	0.01	100	1.73	43.78	44	3150	100	12.6	100	1.51	2.52	0.07	2.73	95	1.45	1.76	95	2237	101	1	2341	1400	14
15	1400	0.00	97	1.73	44.74	45	3150	100	8.4	100	1.01	1.01	0.07	2.74	95	0.96	1.59	95	2009	81	1	2092	1400	15
16	1400	0.00	99	1.73	45.93	46	3150	100	10.5	100	1.26	1.26	0.07	2.72	95	1.20	1.50	95	1731	67	1	1800	1400	16
17	1400	0.00	100	1.73	47.25	48	3150	100	11.6	100	1.39	1.39	0.07	2.71	95	1.32	1.46	95	1532	69	1	1604	1400	17
18	1400	0.00	97	1.73	48.21	49	3150	100	8.4	100	1.01	1.01	0.07	2.71	95	0.96	1.36	95	1428	68	1	1498	1400	18
19	1400	0.00	100	1.73	49.64	50	3150	100	12.6	100	1.51	1.51	0.07	2.69	95	1.44	1.37	95	1370	68	1	1440	1400	19
20	1400	0.19	100	1.91	51.08	52	3150	100	12.6	100	1.51	1.70	0.07	2.70	95	1.62	1.42	95	1404	80	1	1487	1400	20
21	1400	0.00	85	1.91	51.79	52	3150	100	6.4	98	0.77	0.75	0.07	2.73	95	0.71	1.27	95	1448	74	1	1524	1400	21
22	1400	0.07	75	1.93	52.39	53	3150	100	5.4	97	0.65	0.64	0.07	2.70	95	0.61	1.13	95	1335	50	0	1387	1400	22
23	1400	0.03	97	1.96	53.34	54	3150	100	8.4	100	1.01	1.04	0.07	2.66	95	0.99	1.10	95	1146	45	1	1194	1400	23
24	1400	0.23	75	2.12	53.94	54	3150	100	5.4	97	0.65	0.80	0.07	2.65	95	0.76	1.03	95	1033	48	0	1083	1400	24
25	1400	0.15	93	2.26	54.90	55	3150	100	8.4	100	1.01	1.15	0.07	2.64	95	1.10	1.04	95	999	51	1	1053	1400	25
26	1400	0.08	97	2.33	55.85	56	3150	100	8.4	100	1.01	1.09	0.07	2.64	95	1.03	1.04	95	1029	58	1	1089	1400	26
27	1400	0.66	66	2.74	56.33	57	3150	100	4.5	92	0.54	0.93	0.07	2.63	95	0.89	1.01	95	1070	57	1	1129	1400	27
28	1400	0.13	66	2.83	56.80	57	3150	100	4.5	92	0.54	0.58	0.07	2.66	95	0.55	0.91	95	1044	47	0	1093	1400	28
29	1400	0.22	94	3.02	57.64	58	3150	100	7.4	99	0.89	1.09	0.07	2.63	95	1.03	0.94	95	977	43	1	1023	1400	29
30	1400	0.25	94	3.24	58.47	59	3150	100	7.4	99	0.89	1.11	0.07	2.64	95	1.06	0.96	95	976	51	1	1029	1400	30
31	1400	0.62	97	3.81	59.43	60	3150	100	8.4	100	1.01	1.61	0.07	2.65	95	1.53	1.08	95	1079	63	1	1145	1400	31

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.08 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	99	4.36	60.63	61	3150	100	10.5	100	1.26	1.84	0.07	2.71	95	1.74	1.22	95	1279	83	1	1364	1400	1
2	1400	0.42	100	4.76	62.18	63	3150	100	13.7	100	1.64	2.06	0.08	2.78	95	1.95	1.38	95	1535	99	2	1638	1400	2
3	1400	0.00	98	4.76	63.26	64	3150	100	9.5	100	1.14	1.13	0.08	2.85	95	1.08	1.32	95	1709	94	1	1806	1400	3
4	1400	0.01	97	4.77	64.22	65	3150	100	8.4	100	1.01	1.01	0.08	2.83	95	0.96	1.24	95	1667	71	1	1740	1400	4
5	1400	0.14	99	4.90	65.41	66	3150	100	10.5	100	1.26	1.40	0.08	2.80	95	1.33	1.26	95	1515	66	1	1583	1400	5
6	1400	0.87	94	5.67	66.25	67	3150	100	7.4	99	0.89	1.69	0.08	2.81	95	1.61	1.33	95	1458	77	1	1538	1400	6
7	1400	0.59	97	6.22	67.21	68	3150	100	8.4	100	1.01	1.58	0.08	2.87	95	1.50	1.37	95	1518	86	1	1607	1400	7
8	1400	0.98	94	7.09	68.04	69	3150	100	7.4	99	0.89	1.79	0.08	2.93	95	1.71	1.44	95	1614	90	1	1707	1400	8
9	1400	1.36	94	8.30	68.88	70	3150	100	7.4	99	0.89	2.16	0.08	3.00	95	2.05	1.57	95	1741	102	2	1846	1400	9
10	1400	1.47	99	9.69	70.07	71	3150	100	10.5	100	1.26	2.72	0.08	3.09	95	2.59	1.79	95	1957	122	2	2084	1400	10
11	1400	0.00	100	9.69	71.99	73	3150	100	16.8	100	2.02	2.02	0.08	3.21	95	1.91	1.82	95	2197	130	2	2330	1400	11
12	1400	0.00	100	9.69	73.78	75	3150	100	15.8	100	1.89	1.89	0.08	3.23	95	1.80	1.81	95	2293	116	2	2412	1400	12
13	1400	0.57	100	10.23	75.34	76	3150	100	13.7	100	1.64	2.21	0.08	3.25	95	2.10	1.87	95	2266	112	2	2381	1400	13
14	1400	0.00	97	10.23	76.30	77	3150	100	8.4	100	1.01	1.01	0.08	3.33	95	0.96	1.68	95	2161	98	1	2261	1400	14
15	1400	0.00	94	10.23	77.13	78	3150	100	7.4	99	0.89	0.88	0.08	3.30	95	0.84	1.50	95	1894	87	1	1963	1400	15
16	1400	0.00	98	10.23	78.21	79	3150	100	9.5	100	1.14	1.13	0.08	3.27	95	1.08	1.41	95	1565	57	1	1625	1400	16
17	1400	0.00	99	10.23	79.41	80	3150	100	10.5	100	1.26	1.26	0.08	3.24	95	1.20	1.36	95	1363	62	1	1427	1400	17
18	1400	0.03	100	10.26	80.84	82	3150	100	12.6	100	1.51	1.54	0.08	3.23	95	1.46	1.38	95	1322	71	1	1396	1400	18
19	1400	0.05	100	10.31	82.52	83	3150	100	14.7	100	1.77	1.81	0.08	3.23	95	1.72	1.46	95	1413	85	1	1500	1400	19
20	1400	0.41	98	10.69	83.59	84	3150	100	9.5	100	1.14	1.54	0.08	3.24	95	1.46	1.46	95	1553	90	1	1646	1400	20
21	1400	0.00	98	10.69	84.67	86	3150	100	9.5	100	1.14	1.13	0.08	3.29	95	1.08	1.38	95	1607	80	1	1689	1400	21
22	1400	0.08	97	10.76	85.63	86	3150	100	8.4	100	1.01	1.09	0.08	3.26	95	1.03	1.30	95	1528	67	1	1597	1400	22
23	1400	0.00	97	10.76	86.59	87	3150	100	8.4	100	1.01	1.01	0.08	3.25	95	0.96	1.23	95	1391	60	1	1453	1400	23
24	1400	0.00	94	10.76	87.42	88	3150	100	7.4	99	0.89	0.88	0.08	3.22	95	0.84	1.14	95	1256	54	1	1312	1400	24
25	1400	0.62	85	11.26	88.13	89	3150	100	6.4	98	0.77	1.27	0.08	3.18	95	1.21	1.16	95	1168	56	1	1227	1400	25
26	1400	0.02	98	11.28	89.21	90	3150	100	9.5	100	1.14	1.15	0.08	3.22	95	1.10	1.14	95	1163	63	1	1229	1400	26
27	1400	0.02	98	11.30	90.29	91	3150	100	9.5	100	1.14	1.15	0.08	3.20	95	1.10	1.13	95	1195	64	1	1261	1400	27
28	1400	0.00	85	11.30	91.00	92	3150	100	6.4	98	0.77	0.75	0.08	3.18	95	0.71	1.04	95	1183	57	0	1242	1400	28
29	1400	0.00	99	11.30	92.20	93	3150	100	10.5	100	1.26	1.26	0.08	3.14	95	1.20	1.08	95	1138	54	1	1194	1400	29
30	1400	0.00	38	11.30	92.46	93	3150	100	3.1	74	0.37	0.28	0.08	3.12	95	0.26	0.90	95	1068	47	0	1117	1400	30
31	1400	0.17	99	11.46	93.66	95	3150	100	10.5	100	1.26	1.43	0.08	3.05	95	1.36	1.00	95	989	43	1	1034	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

EII = 0.06 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	DEPTH	%MA	MELT	MI	EII	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	25	11.54	93.83	95	3150	100	2.4	64	0.29	0.28	0.08	3.06	95	0.26	0.84	95	946	44	0	991	1400	1
2	1400	0.31	97	11.83	94.79	96	3150	100	8.4	100	1.01	1.31	0.06	3.04	95	1.24	0.93	96	938	39	1	958	1400	2
3	1400	0.04	52	11.85	95.15	96	3150	100	3.8	83	0.46	0.40	0.06	3.07	95	0.38	0.81	95	901	40	0	943	1400	3
4	1400	0.26	38	11.94	95.41	96	3150	100	3.1	74	0.37	0.37	0.06	3.03	95	0.36	0.71	96	828	26	0	856	1400	4
5	1400	0.56	16	12.03	95.51	96	3150	100	2.4	36	0.29	0.19	0.06	3.02	95	0.18	0.60	96	669	16	0	686	1400	5
6	1400	0.06	12	12.05	95.59	97	3150	100	3.0	24	0.35	0.09	0.06	3.01	95	0.09	0.49	97	495	8	0	504	1400	6
7	1400	0.00	20	12.03	95.70	97	3150	100	1.9	50	0.23	0.12	0.06	2.96	95	0.11	0.41	98	342	4	0	347	1400	7
8	1400	0.04	66	12.06	96.18	97	3150	100	4.5	92	0.54	0.52	0.06	2.90	95	0.50	0.43	98	270	6	0	277	1400	8
9	1400	0.09	66	12.12	96.65	98	3150	100	4.5	92	0.54	0.56	0.06	2.87	95	0.53	0.45	98	315	10	0	326	1400	9
10	1400	0.00	16	12.12	96.75	98	3150	100	2.4	36	0.29	0.11	0.06	2.85	95	0.10	0.37	98	380	19	0	390	1400	10
11	1400	0.00		[illegible]	96.81	98	3150	100	2.4	19	0.29	0.06	0.06	2.79	95	0.05	0.31	98	352	4	0	357	1400	11
12	1400	0.00		[illegible]2	96.91	98	3150	100	1.9	50	0.23	0.12	0.06	2.74	95	0.11	0.26	98	264	2	0	267	1400	12
13	1400	0.00		[illegible]2	97.09	98	3150	100	2.4	64	0.29	0.19	0.06	2.68	95	0.18	0.25	99	200	2	0	202	1400	13
14	1400	0.01	5	12.12	97.45	98	3150	100	3.8	83	0.46	0.38	0.06	2.63	95	0.37	0.27	99	196	3	0	200	1400	14
15	1400	0.00	8	12.12	97.51	98	3150	100	2.4	19	0.29	0.06	0.06	2.59	95	0.05	0.22	99	223	3	0	226	1400	15
16	1400	0.00	38	12.12	97.77	99	3150	100	3.1	74	0.37	0.28	0.06	2.53	95	0.26	0.23	99	228	2	0	231	1400	16
17	1400	0.00	16	12.12	97.87	99	3150	100	2.4	36	0.29	0.11	0.06	2.49	95	0.10	0.20	99	220	2	0	223	1400	17
18	1400	0.00	8	12.12	97.92	99	3150	100	2.4	19	0.29	0.06	0.06	2.43	95	0.05	0.17	99	197	1	0	199	1400	18
19	1400	0.03	0	12.12	97.93	99	3150	100	0.9	7	0.11	0.01	0.06	2.38	95	0.01	0.14	99	150	0	0	152	1400	19
20	1400	0.20	16	12.24	98.03	99	3150	100	2.4	36	0.29	0.23	0.06	2.32	95	0.22	0.15	99	118	0	0	119	1400	20
21	1400	0.45	25	12.35	98.21	99	3150	100	2.4	64	0.29	0.30	0.06	2.32	95	0.28	0.18	99	139	1	0	141	1400	21
22	1400	0.00	3	12.35	98.24	99	3150	100	1.9	15	0.23	0.04	0.06	2.31	95	0.03	0.15	99	176	1	0	178	1400	22
23	1400	0.00	0	12.35	98.26	99	3150	100	1.4	11	0.17	0.02	0.06	2.25	95	0.02	0.12	99	166	0	0	167	1400	23
24	1400	0.00	20	12.35	98.37	99	3150	100	1.9	50	0.23	0.12	0.06	2.19	95	0.11	0.12	99	128	0	0	129	1400	24
25	1400	0.00	0	12.35	98.38	99	3150	100	0.9	7	0.11	0.01	0.06	2.14	95	0.01	0.10	99	100	0	0	101	1400	25
26	1400	0.00	0	12.35	98.38	99	3150	100	0.4	3	0.04	0.00	0.06	2.08	95	0.00	0.08	100	74	0	0	75	1400	26
27	1400	0.00	0	12.35	98.38	99	3150	100	0.0	0	0.00	0.00	0.06	2.02	95	0.00	0.06	100	46	0	0	47	1400	27
28	1400	0.00	0	12.35	98.38	99	3150	100	0.0	0	0.00	0.00	0.06	1.96	95	0.00	0.05	100	25	0	0	26	1400	28
29	1400	0.01	0	12.35	98.38	99	3150	100	0.0	0	0.00	0.00	0.06	1.90	95	0.00	0.04	100	12	0	0	13	1400	29
30	1400	0.16	0	12.35	98.38	99	3150	100	0.0	0	0.00	0.00	0.06	1.88	95	0.00	0.03	100	6	0	0	6	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE - RUN NO. 90981 | INITIAL DATE, HOUR 6 MAY 1971 1400 | JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONSI. | N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.010 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR DAY
MAY 1971																						MAY 1971
6 1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.06	2.00	0	0.00	0.30	0	60	10	10	80	1400 6
7 1400	0.05	0	0.00	0.00	0	2866	100	0.0	0	0.00	0.00	0.09	2.00	18	0.00	0.22	58	59	9	3	73	1400 7
8 1400	0.00	0	0.00	0.00	0	2866	100	0.0	0	0.00	0.00	0.09	1.92	18	0.00	0.16	61	59	8	0	68	1400 8
9 1400	0.00	0	0.00	0.00	0	2866	100	0.0	0	0.00	0.00	0.09	1.83	17	0.00	0.11	64	59	5	0	65	1400 9
10 1400	0.00	0	0.00	0.00	0	2866	100	0.0	0	0.00	0.00	0.09	1.74	17	0.00	0.08	65	59	2	0	63	1400 10
11 1400	0.00	0	0.00	0.02	0	2866	100	1.5	38	0.38	0.14	0.09	1.65	17	0.02	0.07	67	59	3	5	68	1400 11
12 1400	0.00	0	0.00	0.05	0	2871	99	1.5	37	0.41	0.15	0.09	1.68	17	0.03	0.05	67	59	8	8	77	1400 12
13 1400	0.24	13	0.01	0.10	1	2876	99	2.0	50	0.58	0.32	0.09	1.71	17	0.05	0.05	68	59	21	14	96	1400 13
14 1400	0.00	0	0.01	0.10	1	2886	99	0.0	0	0.00	0.00	0.09	1.92	18	0.00	0.04	68	59	35	5	101	1400 14
15 1400	0.00	0	0.01	0.10	1	2886	99	0.0	0	0.00	0.00	0.09	1.83	17	0.00	0.03	68	59	40	0	100	1400 15
16 1400	0.00	0	0.01	0.10	1	2886	99	0.0	0	0.00	0.00	0.09	1.74	17	0.00	0.02	69	59	32	0	91	1400 16
17 1400	0.00	0	0.01	0.10	1	2886	99	0.0	0	0.00	0.00	0.09	1.65	17	0.00	0.02	69	58	19	0	78	1400 17
18 1400	0.00	0	0.01	0.12	1	2886	98	1.4	36	0.45	0.16	0.09	1.56	16	0.03	0.02	69	58	11	5	75	1400 18
19 1400	0.00	0	0.01	0.15	1	2892	98	1.4	36	0.45	0.16	0.09	1.61	16	0.03	0.02	69	58	12	8	79	1400 19
20 1400	0.04	26	0.01	0.23	1	2897	97	2.6	58	0.83	0.49	0.09	1.66	17	0.08	0.04	69	57	24	20	103	1400 20
21 1400	0.10	26	0.01	0.31	2	2914	96	2.6	57	0.82	0.49	0.09	1.99	18	0.09	0.05	68	57	48	27	134	1400 21
22 1400	0.29	0	0.01	0.32	2	2932	96	0.2	7	0.08	0.00	0.09	2.34	19	0.00	0.04	68	57	75	8	141	1400 22
23 1400	0.01	26	0.01	0.40	2	2932	95	2.5	56	0.81	0.46	0.09	2.29	19	0.09	0.05	68	57	86	19	164	1400 23
24 1400	0.00	26	0.01	0.49	3	2950	94	2.5	55	0.79	0.44	0.09	2.59	21	0.09	0.07	68	57	90	28	177	1400 24
25 1400	0.00	39	0.01	0.64	3	2969	92	3.1	63	1.00	0.63	0.09	2.87	23	0.14	0.09	67	57	107	42	207	1400 25
26 1400	0.03	39	0.02	0.80	4	3000	90	3.0	62	0.97	0.61	0.09	3.31	26	0.16	0.12	66	57	142	52	253	1400 26
27 1400	0.00	52	0.02	1.03	5	3047	87	3.6	69	1.17	0.80	0.09	3.72	30	0.20	0.16	65	58	193	75	327	1400 27
28 1400	0.09	71	0.04	1.47	8	3120	81	5.2	76	1.67	1.33	0.09	4.28	34	0.45	0.27	64	59	275	141	477	1400 28
29 1400	0.02	0	0.04	1.49	8	3251	81	0.7	19	0.23	0.04	0.09	5.27	41	0.02	0.20	59	61	377	55	495	1400 29
30 1400	0.13	26	0.05	1.59	8	3256	80	1.9	41	0.62	0.29	0.09	5.21	41	0.12	0.18	62	64	419	34	518	1400 30
31 1400	0.09	62	0.07	1.93	10	3285	77	4.0	64	1.29	0.88	0.09	5.35	41	0.36	0.26	63	67	388	109	566	1400 31

FORM 1115-5
PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE 20981 RUN NO. 6 MAY 1971 INITIAL DATE, HOUR 1400 JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	PN-AR	MI-AR	%AR	ELEV	%CA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	39	0.08	2.08	11	3393	76	2.5	47	0.75	0.37	0.09	5.94	43	0.16	0.25	60	72	380	86	540	1400	1
2	1400	0.23	0	0.08	2.09	11	3385	75	0.5	13	0.16	0.02	0.09	6.13	43	0.01	0.18	60	78	393	22	495	1400	2
3	1400	0.07	52	0.09	2.32	12	3387	73	3.0	55	0.97	0.57	0.09	6.09	43	0.24	0.22	63	86	362	65	515	1400	3
4	1400	0.00	94	0.09	3.15	16	3433	66	8.2	72	2.61	1.67	0.09	6.48	44	0.83	0.50	61	95	373	285	755	1400	4
5	1400	0.00	99	0.09	4.37	22	3600	57	11.9	66	3.80	2.52	0.09	7.92	48	1.22	0.95	50	106	622	814	1543	1400	5
6	1400	0.00	99	0.09	5.60	29	3822	49	12.4	57	3.97	2.26	0.09	10.12	55	1.23	1.38	45	118	1165	1196	2480	1400	6
7	1400	0.00	99	0.09	6.65	34	4013	42	10.9	49	3.49	1.71	0.09	12.11	61	1.04	1.67	39	132	1809	1245	3188	1400	7
8	1400	0.00	96	0.09	7.30	37	4237	39	7.5	41	2.38	0.98	0.09	13.61	68	0.67	1.69	36	149	2268	902	3321	1400	8
9	1400	0.00	99	0.09	8.31	43	4364	34	11.3	39	3.63	1.40	0.09	14.33	72	1.00	2.03	36	168	2424	1275	3868	1400	9
10	1400	0.00	99	0.09	9.20	47	4515	30	10.8	34	3.47	1.18	0.09	15.40	75	0.89	2.28	32	191	2406	1495	4092	1400	10
11	1400	0.00	97	0.09	9.71	50	4649	28	7.3	30	2.34	0.69	0.09	16.29	75	0.52	2.16	29	217	2341	953	3512	1400	11
12	1400	0.06	98	0.14	10.03	51	4727	27	5.1	26	1.63	0.48	0.09	16.81	75	0.36	1.91	30	247	2187	506	2941	1400	12
13	1400	0.00	80	0.14	10.14	52	4775	26	2.3	20	0.72	0.15	0.09	17.14	75	0.11	1.50	33	281	1883	178	2343	1400	13
14	1400	0.06	85	0.17	10.30	53	4791	25	3.0	22	0.97	0.26	0.09	17.19	75	0.20	1.27	38	319	1471	126	1917	1400	14
15	1400	0.57	62	0.44	10.32	53	4815	25	1.0	10	0.32	0.38	0.09	17.33	75	0.29	1.02	41	359	1092	167	1620	1400	15
16	1400	0.00	90	0.44	10.53	54	4819	24	3.9	22	1.23	0.27	0.09	17.43	75	0.21	0.97	44	402	865	155	1424	1400	16
17	1400	0.08	80	0.48	10.62	54	4850	24	2.0	18	0.64	0.18	0.09	17.62	75	0.14	0.82	44	447	753	97	1299	1400	17
18	1400	0.02	96	0.50	10.92	56	4863	23	5.6	23	1.79	0.43	0.09	17.68	75	0.32	0.97	46	493	673	200	1368	1400	18
19	1400	0.00	99	0.50	11.38	58	4909	21	8.5	22	2.72	0.61	0.09	18.05	75	0.46	1.31	44	540	652	399	1593	1400	19
20	1400	0.03	97	0.52	11.68	60	4978	20	6.2	20	1.99	0.42	0.09	18.70	75	0.33	1.37	40	586	723	358	1668	1400	20
21	1400	0.24	80	0.67	11.72	60	5022	19	1.5	13	0.47	0.26	0.09	19.12	75	0.19	1.10	40	630	811	177	1620	1400	21
22	1400	0.00	100	0.67	12.25	63	5030	18	11.3	19	3.61	0.70	0.09	19.19	75	0.52	1.60	43	673	845	494	2013	1400	22
23	1400	0.00	100	0.67	12.91	66	5119	16	15.3	18	4.91	0.89	0.09	20.06	75	0.66	2.27	37	714	887	1088	2690	1400	23
24	1400	0.00	100	0.67	13.47	69	5231	15	14.1	16	4.51	0.74	0.09	21.31	75	0.55	2.66	29	752	992	1244	2991	1400	24
25	1400	0.00	100	0.67	14.04	72	5325	14	16.0	15	5.13	0.77	0.09	22.44	75	0.58	3.09	24	788	1114	1361	3265	1400	25
26	1400	0.00	100	0.67	14.60	75	5422	12	16.9	14	5.42	0.73	0.09	23.76	75	0.55	3.48	20	821	1200	1446	3468	1400	26
27	1400	0.01	100	0.67	14.96	77	5516	11	12.6	12	4.03	0.50	0.09	25.17	75	0.38	3.41	18	850	1238	1120	3210	1400	27
28	1400	0.00	96	0.67	15.07	77	5578	11	4.2	10	1.34	0.14	0.09	26.16	75	0.10	2.73	18	877	1190	390	2458	1400	28
29	1400	0.11	96	0.75	15.16	78	5595	11	4.2	10	1.33	0.24	0.09	26.37	75	0.18	2.25	23	901	1033	192	2128	1400	29
30	1400	0.88	85	1.31	15.19	78	5612	11	1.3	7	0.43	0.78	0.09	26.63	75	0.58	1.84	29	922	898	480	2302	1400	30

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1971																								JUL 1971
1	1400	0.87	85	1.87	15.21	78	5615	11	1.3	7	0.42	0.77	0.09	26.86	75	0.58	1.54	34	940	980	551	2473	1400	1
2	1400	0.09	90	1.93	15.25	78	5619	11	2.2	8	0.72	0.14	0.10	27.09	75	0.10	1.24	38	956	1195	207	2359	1400	2
3	1400	0.00	97	1.93	15.37	79	5626	10	5.1	10	1.64	0.16	0.10	27.15	75	0.12	1.22	41	968	1229	94	2293	1400	3
4	1400	0.06	99	1.97	15.57	80	5646	10	8.2	10	2.61	0.33	0.10	27.44	75	0.24	1.46	41	978	1018	216	2212	1400	4
5	1400	0.00	100	1.97	15.86	81	5680	9	12.2	10	3.91	0.38	0.10	28.04	75	0.29	1.92	39	986	780	385	2152	1400	5
6	1400	0.00	100	1.97	16.14	83	5729	8	13.0	9	4.14	0.37	0.10	28.98	75	0.28	2.31	33	990	662	500	2154	1400	6
7	1400	0.01	100	1.98	16.33	84	5776	8	9.5	8	3.04	0.26	0.10	29.99	75	0.20	2.33	28	993	629	385	2009	1400	7
8	1400	0.00	100	1.98	16.52	85	5808	7	15.6	8	4.98	0.39	0.10	30.68	75	0.29	2.81	28	993	620	567	2182	1400	8
9	1400	0.00	100	1.98	16.90	87	5858	7	16.3	7	5.22	0.37	0.10	31.93	75	0.28	3.22	22	991	616	694	2302	1400	9
10	1400	0.00	100	1.98	17.16	88	5905	6	17.0	6	5.45	0.35	0.10	33.25	75	0.26	3.57	19	987	620	703	2311	1400	10
11	1400	0.00	100	1.98	17.41	89	5949	5	17.8	6	5.69	0.33	0.10	34.64	75	0.25	3.88	17	982	624	686	2293	1400	11
12	1400	0.06	100	2.03	17.56	90	5991	5	12.3	5	3.93	0.26	0.10	36.10	75	0.20	3.68	16	974	618	570	2164	1400	12
13	1400	0.55	100	2.44	17.65	91	6065	5	7.9	5	2.53	0.67	0.10	37.05	75	0.50	3.32	17	965	636	929	2532	1400	13
14	1400	0.01	100	2.45	17.74	91	6126	4	8.9	5	2.83	0.14	0.10	37.81	75	0.10	3.01	18	955	716	478	2151	1400	14
15	1400	0.00	99	2.45	17.79	91	6191	4	4.6	4	1.47	0.06	0.10	38.44	75	0.05	2.48	20	943	758	108	1811	1400	15
16	1400	0.00	100	2.45	17.86	92	6223	4	6.6	4	2.11	0.09	0.10	38.70	75	0.07	2.24	26	930	654	81	1667	1400	16
17	1400	0.00	100	2.45	17.93	92	6267	4	7.6	4	2.42	0.10	0.10	39.13	75	0.07	2.13	29	916	479	98	1494	1400	17
18	1400	0.00	99	2.45	17.97	92	6317	4	4.4	4	1.40	0.05	0.10	39.65	75	0.04	1.83	30	901	341	59	1302	1400	18
19	1400	0.00	100	2.45	18.05	93	6343	4	8.5	4	2.72	0.10	0.10	39.89	75	0.08	1.90	34	884	258	83	1227	1400	19
20	1400	0.19	100	2.59	18.12	93	6395	3	8.4	4	2.69	0.28	0.10	40.48	75	0.21	1.99	33	867	230	240	1339	1400	20
21	1400	0.00	97	2.59	18.13	93	6443	3	2.3	3	0.75	0.02	0.10	41.14	75	0.02	1.56	32	848	255	98	1203	1400	21
22	1400	0.02	96	2.60	18.14	93	6453	3	1.4	2	0.46	0.03	0.10	41.18	75	0.02	1.20	37	829	271	14	1115	1400	22
23	1400	0.03	99	2.63	18.17	93	6458	3	4.1	3	1.32	0.07	0.10	41.17	75	0.05	1.14	42	809	233	34	1077	1400	23
24	1400	0.23	96	2.79	18.18	93	6480	3	1.4	2	0.45	0.23	0.10	41.40	75	0.17	0.93	42	788	196	83	1068	1400	24
25	1400	0.15	99	2.90	18.21	93	6485	3	4.1	3	1.31	0.19	0.10	41.46	75	0.14	0.97	45	767	223	105	1095	1400	25
26	1400	0.08	99	2.96	18.24	94	6506	3	4.1	3	1.30	0.12	0.10	41.73	75	0.09	0.98	44	745	285	78	1110	1400	26
27	1400	0.66	94	3.43	18.24	94	6526	3	0.6	1	0.18	0.63	0.10	41.97	75	0.47	0.85	44	723	362	204	1290	1400	27
28	1400	0.13	94	3.52	18.24	94	6527	3	0.6	1	0.18	0.13	0.10	42.12	75	0.09	0.66	46	700	485	116	1302	1400	28
29	1400	0.22	98	3.69	18.26	94	6528	3	3.1	3	0.98	0.24	0.10	42.09	75	0.18	0.70	48	678	588	95	1362	1400	29
30	1400	0.25	98	3.87	18.28	94	6542	3	3.1	3	0.98	0.27	0.10	42.29	75	0.20	0.74	48	656	592	124	1373	1400	30
31	1400	0.62	99	4.33	18.31	94	6555	3	4.0	3	1.27	0.65	0.10	42.50	75	0.49	0.92	47	634	580	306	1521	1400	31

FORM 1413

PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. 90981 INITIAL DATE, HOUR 6 MAY 1971 1400 JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-W-Y	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	100	4.76	18.35	94	6574	3	6.0	3	1.92	0.63	0.10	42.93	75	0.48	1.18	45	613	667	435	1717	1400	1
2	1400	0.42	100	5.08	18.41	94	6602	3	9.1	3	2.92	0.50	0.10	43.52	75	0.38	1.56	42	593	825	463	1883	1400	2
3	1400	0.00	99	5.08	18.44	95	6643	3	4.9	3	1.56	0.04	0.10	44.32	75	0.03	1.44	37	574	907	161	1643	1400	3
4	1400	0.01	99	5.09	18.47	95	6663	3	3.8	2	1.22	0.04	0.10	44.60	75	0.03	1.29	39	557	804	26	1388	1400	4
5	1400	0.14	100	5.19	18.50	95	6679	3	5.7	2	1.84	0.19	0.10	44.79	75	0.14	1.34	41	541	584	100	1227	1400	5
6	1400	0.87	98	5.83	18.51	95	6702	2	2.8	2	0.89	0.87	0.10	45.20	75	0.65	1.30	40	528	468	453	1450	1400	6
7	1400	0.59	99	6.27	18.53	95	6711	2	3.6	2	1.15	0.61	0.10	45.57	75	0.46	1.29	40	516	616	465	1599	1400	7
8	1400	0.98	98	6.99	18.55	95	6725	2	2.7	2	0.88	0.98	0.10	45.96	75	0.74	1.29	41	506	944	600	2051	1400	8
9	1400	1.36	98	8.00	18.56	95	6734	2	2.7	2	0.87	1.36	0.10	46.36	75	1.02	1.36	41	498	1317	935	2751	1400	9
10	1400	1.47	100	9.10	18.59	95	6742	2	5.4	2	1.74	1.51	0.10	46.86	75	1.13	1.64	40	492	1729	1325	3548	1400	10
11	1400	0.00	100	9.10	18.65	96	6762	2	11.6	2	3.72	0.08	0.10	47.63	75	0.06	1.98	36	488	2036	507	3033	1400	11
12	1400	0.00	100	9.10	18.70	96	6803	2	10.4	2	3.31	0.07	0.10	48.47	75	0.05	2.13	32	487	1930	91	2509	1400	12
13	1400	0.57	100	9.53	18.74	96	6838	2	8.1	2	2.58	0.62	0.10	49.21	75	0.46	2.19	30	488	1464	540	2494	1400	13
14	1400	0.00	99	9.53	18.75	96	6862	2	2.8	2	0.90	0.02	0.10	49.96	75	0.01	1.76	30	492	1035	230	1759	1400	14
15	1400	0.00	98	9.53	18.76	96	6870	2	2.0	1	0.65	0.01	0.10	50.06	75	0.01	1.38	35	499	761	9	1271	1400	15
16	1400	0.00	99	9.53	18.77	96	6875	2	3.7	2	1.20	0.02	0.10	50.09	75	0.02	1.23	39	508	517	9	1036	1400	16
17	1400	0.00	100	9.53	18.79	96	6886	2	4.7	2	1.50	0.03	0.10	50.27	75	0.02	1.20	41	519	302	14	837	1400	17
18	1400	0.03	100	9.55	18.82	97	6899	2	6.7	2	2.15	0.07	0.10	50.53	75	0.05	1.31	42	532	170	38	742	1400	18
19	1400	0.05	100	9.59	18.85	97	6917	2	8.7	2	2.79	0.09	0.10	50.97	75	0.07	1.53	40	546	117	72	736	1400	19
20	1400	0.41	99	9.90	18.86	97	6940	2	3.4	1	1.09	0.42	0.10	51.57	75	0.32	1.40	38	560	147	225	934	1400	20
21	1400	0.00	99	9.90	18.88	97	6948	2	3.4	1	1.08	0.02	0.10	51.88	75	0.01	1.22	39	575	253	93	922	1400	21
22	1400	0.08	99	9.95	18.88	97	6956	2	2.3	1	0.75	0.09	0.10	52.03	75	0.07	1.04	41	589	337	31	958	1400	22
23	1400	0.00	99	9.95	18.89	97	6961	2	2.3	1	0.74	0.01	0.10	52.13	75	0.01	0.89	43	602	318	15	935	1400	23
24	1400	0.00	98	9.95	18.89	97	6966	2	1.5	1	0.49	0.01	0.10	52.19	75	0.00	0.72	45	614	235	3	853	1400	24
25	1400	0.62	97	10.41	18.90	97	6969	2	1.0	1	0.32	0.60	0.10	52.18	75	0.45	0.68	47	624	198	169	992	1400	25
26	1400	0.02	99	10.42	18.91	97	6970	1	3.3	1	1.04	0.03	0.10	52.34	75	0.03	0.70	48	632	281	83	998	1400	26
27	1400	0.02	99	10.44	18.92	97	6978	1	3.2	1	1.03	0.03	0.10	52.49	75	0.03	0.70	48	639	380	15	1036	1400	27
28	1400	0.00	97	10.44	18.92	97	6985	1	0.9	1	0.30	0.00	0.10	52.63	75	0.00	0.54	48	644	352	4	1001	1400	28
29	1400	0.00	100	10.44	18.93	97	6986	1	4.2	1	1.34	0.02	0.10	52.56	75	0.01	0.65	50	646	239	6	892	1400	29
30	1400	0.00	85	10.44	18.93	97	6995	1	0.0	0	0.00	0.00	0.10	52.78	75	0.00	0.47	48	647	136	2	787	1400	30
31	1400	0.17	100	10.56	18.95	97	6995	1	4.1	1	1.32	0.19	0.10	52.68	75	0.14	0.64	51	646	85	62	794	1400	31

FORM 1131-2

PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. 90481 INITIAL DATE, HOUR 6 MAY 1971 1400 JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	80	10.79	18.95	97	7011	1	0.0	0	0.00	0.30	0.10	52.96	75	0.22	0.52	48	643	112	108	864	1400	1
2	1400	0.31	99	11.02	18.95	97	7011	1	2.1	1	0.67	0.31	0.10	52.98	75	0.24	0.56	50	638	224	119	983	1400	2
3	1400	0.04	90	11.05	18.95	97	7024	1	0.0	0	0.00	0.04	0.10	53.15	75	0.03	0.42	49	632	348	46	1027	1400	3
4	1400	0.26	85	11.21	18.95	97	7024	1	0.0	0	0.00	0.22	0.10	53.06	75	0.17	0.35	53	624	393	59	1077	1400	4
5	1400	0.56	62	11.47	18.95	97	7024	1	0.0	0	0.00	0.35	0.10	53.05	75	0.26	0.32	56	615	380	103	1100	1400	5
6	1400	0.06	52	11.49	18.95	97	7024	1	0.0	0	0.00	0.03	0.10	53.11	75	0.02	0.24	57	605	377	42	1025	1400	6
7	1400	0.00	71	11.49	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	53.03	75	0.00	0.17	60	594	351	3	949	1400	7
8	1400	0.04	94	11.52	18.95	97	7024	1	0.0	0	0.00	0.04	0.10	52.93	75	0.03	0.13	63	583	263	7	854	1400	8
9	1400	0.09	94	11.59	18.95	97	7024	1	0.0	0	0.00	0.08	0.10	52.84	75	0.06	0.11	65	571	167	19	758	1400	9
10	1400	0.00	62	11.59	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	52.77	75	0.00	0.08	65	559	109	6	676	1400	10
11	1400	0.00	39	11.59	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	52.67	75	0.00	0.06	67	547	77	0	626	1400	11
12	1400	0.00	71	11.59	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	52.57	75	0.00	0.04	68	536	51	0	587	1400	12
13	1400	0.00	80	11.59	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	52.47	75	0.00	0.03	68	524	27	0	552	1400	13
14	1400	0.01	90	11.59	18.95	97	7024	1	0.0	0	0.00	0.01	0.10	52.37	75	0.01	0.02	69	512	13	1	528	1400	14
15	1400	0.00	39	11.59	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	52.28	75	0.00	0.02	69	500	7	0	509	1400	15
16	1400	0.00	85	11.59	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	52.18	75	0.00	0.01	69	488	5	0	494	1400	16
17	1400	0.00	62	11.59	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	52.08	75	0.00	0.01	69	476	3	0	480	1400	17
18	1400	0.00	39	11.59	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.98	75	0.00	0.01	70	464	2	0	467	1400	18
19	1400	0.03	0	11.59	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.88	75	0.00	0.00	70	452	0	0	454	1400	19
20	1400	0.80	62	11.96	18.95	97	7024	1	0.0	0	0.00	0.49	0.10	51.78	75	0.37	0.11	70	440	23	78	543	1400	20
21	1400	0.45	80	12.24	18.95	97	7024	1	0.0	0	0.00	0.36	0.10	51.88	75	0.27	0.15	66	427	111	99	639	1400	21
22	1400	0.00	26	12.24	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.93	75	0.00	0.11	64	414	230	28	674	1400	22
23	1400	0.00	13	12.24	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.83	75	0.00	0.08	66	402	270	0	673	1400	23
24	1400	0.00	71	12.24	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.73	75	0.00	0.06	67	389	210	0	600	1400	24
25	1400	0.00	0	12.24	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.63	75	0.00	0.04	68	377	122	0	500	1400	25
26	1400	0.00	0	12.24	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.53	75	0.00	0.03	68	365	59	0	426	1400	26
27	1400	0.00	0	12.24	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.43	75	0.00	0.02	69	354	25	0	381	1400	27
28	1400	0.00	0	12.24	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.33	75	0.00	0.02	69	344	10	0	355	1400	28
29	1400	0.81	0	12.24	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.23	75	0.00	0.01	69	334	3	0	339	1400	29
30	1400	0.16	0	12.24	18.95	97	7024	1	0.0	0	0.00	0.00	0.10	51.21	75	0.00	0.01	70	325	1	0	327	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	2.00	0	0.00	0.30	0	70	10	4	84	1400	6
7	1400	0.05	6	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	2.00	18	0.00	0.24	37	69	6	0	77	1400	7
8	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	1.92	18	0.00	0.19	42	69	1	0	71	1400	8
9	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	1.83	17	0.00	0.15	46	69	0	0	70	1400	9
10	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	1.74	17	0.00	0.11	48	69	0	0	70	1400	10
11	1400	0.00	0	0.00	0.01	0	2350	100	1.2	53	0.12	0.07	0.09	1.65	17	0.01	0.09	49	69	13	2	86	1400	11
12	1400	0.00	0	0.00	0.02	0	2355	99	1.2	53	0.12	0.07	0.09	1.61	16	0.01	0.07	51	69	37	2	109	1400	12
13	1400	0.24	9	0.00	0.04	1	2361	98	1.9	67	0.19	0.15	0.09	1.58	16	0.02	0.06	53	69	56	4	131	1400	13
14	1400	0.00	0	0.00	0.04	1	2371	98	0.0	0	0.00	0.00	0.09	1.64	17	0.00	0.05	54	69	56	0	126	1400	14
15	1400	0.00	0	0.00	0.04	1	2371	98	0.0	0	0.00	0.00	0.09	1.55	16	0.00	0.04	55	69	11	0	81	1400	15
16	1400	0.00	0	0.00	0.04	1	2371	98	0.0	0	0.00	0.00	0.09	1.46	16	0.00	0.03	56	68	0	0	70	1400	16
17	1400	0.00	0	0.00	0.04	1	2371	98	0.0	0	0.00	0.00	0.09	1.37	15	0.00	0.02	57	68	0	0	68	1400	17
18	1400	0.00	0	0.00	0.05	1	2371	98	1.2	52	0.12	0.06	0.09	1.28	15	0.01	0.02	58	67	9	1	79	1400	18
19	1400	0.00	0	0.00	0.06	1	2375	98	1.2	51	0.12	0.06	0.09	1.25	15	0.01	0.02	58	66	27	1	96	1400	19
20	1400	0.04	32	0.01	0.09	1	2380	97	2.6	79	0.26	0.22	0.09	1.21	15	0.03	0.02	58	66	54	5	126	1400	20
21	1400	0.10	32	0.01	0.12	2	2395	95	2.6	78	0.26	0.24	0.09	1.32	15	0.04	0.03	58	65	101	6	174	1400	21
22	1400	0.29	0	0.01	0.12	2	2410	95	0.1	4	0.01	0.00	0.09	1.46	16	0.00	0.02	57	64	81	0	146	1400	22
23	1400	0.01	42	0.01	0.16	2	2410	94	2.5	77	0.26	0.21	0.09	1.40	16	0.03	0.02	58	63	48	5	117	1400	23
24	1400	0.00	32	0.01	0.19	3	2426	93	2.5	76	0.26	0.20	0.09	1.50	16	0.03	0.03	58	62	93	5	162	1400	24
25	1400	0.00	53	0.01	0.24	4	2442	91	3.1	89	0.33	0.30	0.09	1.59	16	0.05	0.03	57	61	122	8	192	1400	25
26	1400	0.03	53	0.01	0.29	4	2465	89	3.1	87	0.33	0.31	0.09	1.77	17	0.05	0.04	57	60	159	9	229	1400	26
27	1400	0.00	67	0.01	0.35	5	2489	87	4.0	86	0.44	0.38	0.09	1.97	18	0.07	0.05	56	59	191	12	263	1400	27
28	1400	0.09	96	0.03	0.46	7	2522	83	5.9	84	0.66	0.64	0.09	2.24	19	0.12	0.07	55	58	283	22	365	1400	28
29	1400	0.02	0	0.03	0.47	7	2573	83	0.9	36	0.10	0.04	0.09	2.77	22	0.01	0.05	53	58	277	2	338	1400	29
30	1400	0.13	32	0.04	0.50	8	2577	81	2.3	64	0.26	0.21	0.09	2.72	22	0.05	0.05	55	58	121	8	188	1400	30
31	1400	0.09	82	0.06	0.60	9	2595	78	4.7	78	0.56	0.51	0.09	2.84	23	0.12	0.07	55	58	226	21	306	1400	31

PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEC AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.125 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	53	0.06	0.66	10	2633	77	2.6	74	0.32	0.25	0.09	3.25	26	0.06	0.08	53	58	323	12	395	1400	1
2	1400	0.23	0	0.06	0.67	10	2653	77	0.7	30	0.09	0.03	0.09	3.39	27	0.01	0.06	52	59	193	1	255	1400	2
3	1400	0.07	67	0.07	0.76	11	2655	74	3.5	73	0.44	0.37	0.09	3.36	27	0.10	0.08	54	61	159	18	239	1400	3
4	1400	0.00	99	0.07	1.02	15	2683	68	9.3	74	1.20	0.89	0.09	3.63	29	0.26	0.14	52	63	504	50	618	1400	4
5	1400	0.00	100	0.07	1.46	22	2767	58	13.1	68	1.81	1.23	0.09	4.47	36	0.44	0.27	48	65	1128	119	1315	1400	5
6	1400	0.00	100	0.07	1.98	30	2900	48	13.7	58	2.17	1.25	0.09	5.74	42	0.53	0.45	39	68	1857	223	2150	1400	6
7	1400	0.00	100	0.07	2.51	38	3047	39	12.4	48	2.40	1.15	0.09	7.16	46	0.53	0.65	30	73	2419	321	2814	1400	7
8	1400	0.00	100	0.07	2.92	44	3245	3	9.1	39	2.08	0.80	0.09	8.67	50	0.80	0.77	26	78	2512	264	2855	1400	8
9	1400	0.00	100	0.07	3.52	53	3357	26	12.9	33	3.37	1.12	0.09	9.76	54	0.60	1.11	24	84	2528	706	3319	1400	9
10	1400	0.00	100	0.07	4.11	61	3524	19	12.6	26	3.89	0.99	0.09	11.71	59	0.59	1.54	19	92	2881	1085	4059	1400	10
11	1400	0.00	100	0.07	4.52	67	3668	16	9.4	19	3.17	0.59	0.09	13.76	69	0.41	1.76	15	101	2625	805	3533	1400	11
12	1400	0.06	99	0.12	4.82	72	3731	14	7.3	16	2.60	0.47	0.09	14.84	74	0.35	1.87	12	113	2123	642	2879	1400	12
13	1400	0.00	97	0.12	4.97	74	3779	13	4.2	13	1.58	0.20	0.09	15.55	75	0.15	1.72	11	126	1628	163	1918	1400	13
14	1400	0.06	97	0.16	5.15	77	3802	11	5.2	12	1.96	0.30	0.09	15.85	75	0.23	1.71	13	141	1190	295	1628	1400	14
15	1400	0.57	82	0.51	5.21	78	3830	11	2.2	8	0.86	0.53	0.09	16.33	75	0.40	1.52	13	158	1662	353	2176	1400	15
16	1400	0.00	97	0.51	5.40	81	3838	9	6.1	11	2.39	0.26	0.09	16.58	75	0.19	1.63	15	177	1916	296	2391	1400	16
17	1400	0.08	97	0.57	5.50	82	3868	9	4.1	8	1.64	0.22	0.09	17.17	75	0.16	1.55	14	197	1218	174	1591	1400	17
18	1400	0.02	100	0.58	5.71	85	3885	7	8.0	9	3.25	0.30	0.09	17.51	75	0.22	1.65	14	218	1035	504	1758	1400	18
19	1400	0.00	100	0.58	5.95	89	3917	5	11.0	7	4.53	0.32	0.09	18.40	75	0.24	2.40	12	239	1001	880	2121	1400	19
20	1400	0.03	100	0.60	6.05	90	3955	5	5.5	5	2.33	0.15	0.09	19.78	75	0.12	2.31	10	260	832	211	1304	1400	20
21	1400	0.24	97	0.78	6.05	90	3969	5	0.9	4	0.23	0.24	0.09	20.36	75	0.18	1.88	10	281	875	86	1244	1400	21
22	1400	0.00	100	0.78	6.21	93	3970	4	10.4	5	4.43	0.20	0.09	20.40	75	0.15	2.39	11	302	968	547	1818	1400	22
23	1400	0.00	100	0.78	6.37	95	3994	2	14.2	3	6.15	0.21	0.09	21.73	75	0.16	3.31	10	321	608	763	1694	1400	23
24	1400	0.00	100	0.78	6.47	97	5069	2	13.1	2	5.72	0.13	0.09	23.85	75	0.10	3.86	10	339	409	461	1211	1400	24
25	1400	0.00	100	0.78	6.55	98	5134	1	15.0	2	6.60	0.11	0.09	25.72	75	0.08	4.54	10	356	278	392	1027	1400	25
26	1400	0.00	100	0.78	6.60	99	5185	1	15.9	1	7.05	0.07	0.09	27.97	75	0.05	5.16	10	371	187	278	837	1400	26
27	1400	0.01	100	0.78	6.63	99	5219	1	11.8	1	5.28	0.04	0.09	30.35	75	0.03	5.03	10	384	127	142	655	1400	27
28	1400	0.00	100	0.78	6.63	99	5235	1	3.8	0	1.70	0.01	0.09	31.78	75	0.01	4.20	10	396	84	9	490	1400	28
29	1400	0.11	100	0.87	6.64	99	5239	0	3.8	0	1.70	0.12	0.09	32.06	75	0.09	3.55	10	405	201	104	711	1400	29
30	1400	0.88	97	1.51	6.64	99	5242	0	0.8	0	0.35	0.85	0.09	32.38	75	0.64	2.97	10	412	1611	530	2554	1400	30

FORM 1417-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. 90981 INITIAL DATE, HOUR 6 MAY 1971 1400 JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.448 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1971																								JUL 1971
1	1400	0.87	97	2.14	6.64	99	5243	0	0.8	0	0.35	0.84	0.09	32.64	75	0.63	2.52	10	417	3716	530	4665	1400	1
2	1400	0.09	97	2.20	6.64	99	5244	0	1.8	0	0.80	0.09	0.10	32.90	75	0.07	2.09	10	420	2995	55	3473	1400	2
3	1400	0.00	100	2.20	6.65	99	5245	0	4.8	0	2.14	0.01	0.10	32.99	75	0.01	1.94	10	422	812	8	1244	1400	3
4	1400	0.06	100	2.25	6.65	99	5249	0	7.8	0	3.48	0.07	0.10	33.34	75	0.05	2.02	11	421	189	143	755	1400	4
5	1400	0.00	100	2.25	6.66	99	5254	0	11.8	0	5.27	0.01	0.10	34.03	75	0.01	2.34	10	420	155	43	619	1400	5
6	1400	0.00	100	2.25	6.67	100	5260	0	12.8	0	5.72	0.01	0.10	35.09	75	0.01	2.57	10	416	53	33	504	1400	6
7	1400	0.01	100	2.26	6.67	100	5265	0	9.7	0	4.38	0.02	0.10	36.11	75	0.01	2.45	10	412	30	41	485	1400	7
8	1400	0.00	100	2.26	6.68	100	5267	0	15.7	0	7.07	0.01	0.10	36.70	75	0.00	2.59	10	406	30	24	461	1400	8
9	1400	0.00	100	2.26	6.68	100	5270	0	16.7	0	7.52	0.00	0.10	37.61	75	0.00	2.54	10	399	13	16	430	1400	9
10	1400	0.00	100	2.26	6.68	100	5272	0	17.7	0	7.97	0.00	0.10	38.29	75	0.00	2.34	10	392	6	10	409	1400	10
11	1400	0.00	100	2.26	6.68	100	5273	0	18.7	0	8.42	0.00	0.10	38.73	75	0.00	2.07	10	383	3	6	394	1400	11
12	1400	0.06	100	2.30	6.69	100	5274	0	13.7	0	6.17	0.06	0.10	38.98	75	0.05	1.73	10	374	38	213	627	1400	12
13	1400	0.55	100	2.71	6.69	100	5274	0	9.7	0	4.37	0.55	0.10	39.05	75	0.41	1.49	13	364	490	1573	2428	1400	13
14	1400	0.01	100	2.72	6.69	100	5275	0	10.7	0	4.82	0.01	0.10	39.22	75	0.01	1.21	15	354	790	62	1208	1400	14
15	1400	0.00	100	2.72	6.69	100	5275	0	6.7	0	3.03	0.00	0.10	39.19	75	0.00	0.97	18	343	182	0	527	1400	15
16	1400	0.00	100	2.72	6.69	100	5275	0	8.7	0	3.92	0.00	0.10	39.11	75	0.00	0.78	21	332	16	0	350	1400	16
17	1400	0.00	100	2.72	6.69	100	5275	0	9.7	0	4.37	0.00	0.10	39.04	75	0.00	0.63	24	321	1	0	323	1400	17
18	1400	0.00	100	2.72	6.69	100	5275	0	6.7	0	3.03	0.00	0.10	38.97	75	0.00	0.50	27	310	0	0	311	1400	18
19	1400	0.00	100	2.72	6.69	100	5275	0	10.7	0	4.82	0.00	0.10	38.88	75	0.00	0.41	29	298	0	0	299	1400	19
20	1400	0.19	100	2.86	6.69	100	5275	0	10.7	0	4.82	0.19	0.10	38.80	75	0.14	0.36	32	287	143	330	761	1400	20
21	1400	0.00	100	2.86	6.69	100	5275	0	4.7	0	2.13	0.00	0.10	38.79	75	0.00	0.28	34	275	260	7	544	1400	21
22	1400	0.02	100	2.88	6.69	100	5275	0	3.7	0	1.68	0.02	0.10	38.69	75	0.02	0.23	38	264	77	8	350	1400	22
23	1400	0.03	100	2.90	6.69	100	5275	0	6.7	0	3.03	0.03	0.10	38.60	75	0.02	0.19	43	253	69	19	342	1400	23
24	1400	0.23	100	3.07	6.69	100	5275	0	3.7	0	1.68	0.23	0.10	38.52	75	0.17	0.19	46	242	270	81	595	1400	24
25	1400	0.15	100	3.19	6.69	100	5275	0	6.7	0	3.03	0.15	0.10	38.51	75	0.11	0.17	46	232	526	89	848	1400	25
26	1400	0.08	100	3.25	6.69	100	5275	0	6.7	0	3.03	0.08	0.10	38.47	75	0.06	0.15	46	221	385	46	653	1400	26
27	1400	0.66	99	3.74	6.69	100	5275	0	2.7	0	1.23	0.65	0.10	38.41	75	0.49	0.22	47	212	769	216	1197	1400	27
28	1400	0.13	99	3.83	6.69	100	5275	0	2.7	0	1.23	0.13	0.10	38.54	75	0.10	0.20	43	203	1227	43	1475	1400	28
29	1400	0.22	100	4.00	6.69	100	5275	0	5.7	0	2.58	0.22	0.10	38.49	75	0.17	0.19	45	194	661	113	970	1400	29
30	1400	0.25	100	4.19	6.69	100	5275	0	5.7	0	2.58	0.25	0.10	38.48	75	0.19	0.19	45	187	643	130	961	1400	30
31	1400	0.62	100	4.65	6.69	100	5275	0	6.7	0	3.03	0.62	0.10	38.48	75	0.47	0.25	45	181	992	435	1609	1400	31

PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE 90981 | RUN NO. 6 MAY 1971 1400 | INITIAL DATE, HOUR | JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. | N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	100	5.09	6.69	100	5275	0	8.7	0	3.92	0.58	0.10	38.61	75	0.44	0.29	41	176	1475	641	2294	1400	1
2	1400	0.42	100	5.40	6.69	100	5275	0	11.7	0	5.27	0.42	0.10	38.73	75	0.32	0.30	38	173	1315	715	2205	1400	2
3	1400	0.00	100	5.40	6.69	100	5275	0	7.7	0	3.47	0.00	0.10	38.79	75	0.00	0.23	37	172	702	15	890	1400	3
4	1400	0.01	100	5.41	6.69	100	5275	0	6.7	0	3.03	0.01	0.10	38.69	75	0.01	0.19	42	172	131	4	309	1400	4
5	1400	0.14	100	5.51	6.69	100	5275	0	8.7	0	3.92	0.14	0.10	38.59	75	0.11	0.17	46	175	132	110	419	1400	5
6	1400	0.87	100	6.16	6.69	100	5275	0	5.7	0	2.58	0.86	0.10	38.55	75	0.65	0.27	47	180	919	540	1640	1400	6
7	1400	0.59	100	6.61	6.69	100	5275	0	6.7	0	3.03	0.59	0.10	38.74	75	0.44	0.31	39	187	1866	532	2586	1400	7
8	1400	0.98	100	7.34	6.69	100	5275	0	5.7	0	2.58	0.98	0.10	38.86	75	0.73	0.40	37	196	2129	935	3262	1400	8
9	1400	1.36	100	8.36	6.69	100	5275	0	5.7	0	2.58	1.36	0.10	39.08	75	1.02	0.53	32	208	3078	1739	5026	1400	9
10	1400	1.47	100	9.47	6.69	100	5275	0	8.7	0	3.92	1.47	0.10	39.40	75	1.11	0.66	28	221	3630	3159	7012	1400	10
11	1400	0.00	100	9.47	6.69	100	5275	0	14.7	0	6.62	0.00	0.10	39.75	75	0.00	0.52	26	236	2386	69	2693	1400	11
12	1400	0.00	100	9.47	6.69	100	5275	0	13.7	0	6.17	0.00	0.10	39.65	75	0.00	0.41	29	254	445	0	700	1400	12
13	1400	0.57	100	9.90	6.69	100	5275	0	11.7	0	5.27	0.57	0.10	39.55	75	0.43	0.41	32	275	402	1183	1862	1400	13
14	1400	0.00	100	9.90	6.69	100	5275	0	6.7	0	3.03	0.00	0.10	39.66	75	0.00	0.32	32	297	672	26	997	1400	14
15	1400	0.00	100	9.90	6.69	100	5275	0	5.7	0	2.58	0.00	0.10	39.56	75	0.00	0.25	36	322	145	0	468	1400	15
16	1400	0.00	100	9.90	6.69	100	5275	0	7.7	0	3.47	0.00	0.10	39.46	75	0.00	0.20	41	349	11	0	361	1400	16
17	1400	0.00	100	9.90	6.69	100	5275	0	8.7	0	3.92	0.00	0.10	39.36	75	0.00	0.16	45	378	0	0	379	1400	17
18	1400	0.03	100	9.92	6.69	100	5275	0	10.7	0	4.82	0.03	0.10	39.26	75	0.02	0.13	47	407	21	27	457	1400	18
19	1400	0.05	100	9.96	6.69	100	5275	0	0.0	0	0.00	0.05	0.10	39.18	75	0.04	0.11	49	437	85	8	532	1400	19
20	1400	0.41	100	10.26	6.69	100	5275	0	0.0	0	0.00	0.41	0.10	39.09	75	0.31	0.15	50	466	468	62	998	1400	20
21	1400	0.00	100	10.26	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	39.15	75	0.00	0.12	47	495	700	1	1197	1400	21
22	1400	0.08	100	10.32	6.69	100	5275	0	0.0	0	0.00	0.08	0.10	39.05	75	0.06	0.11	49	522	223	12	758	1400	22
23	1400	0.00	100	10.32	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	38.99	75	0.00	0.08	50	547	145	0	694	1400	23
24	1400	0.00	100	10.32	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	38.89	75	0.00	0.07	52	571	29	0	601	1400	24
25	1400	0.62	100	10.79	6.69	100	5275	0	0.0	0	0.00	0.62	0.10	38.79	75	0.47	0.15	53	591	528	87	1206	1400	25
26	1400	0.02	100	10.80	6.69	100	5275	0	0.0	0	0.00	0.02	0.10	38.91	75	0.02	0.12	47	609	970	5	1586	1400	26
27	1400	0.02	100	10.82	6.69	100	5275	0	0.0	0	0.00	0.02	0.10	38.82	75	0.02	0.10	49	625	259	3	888	1400	27
28	1400	0.00	100	10.82	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	38.73	75	0.00	0.08	50	637	57	0	695	1400	28
29	1400	0.00	100	10.82	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	38.63	75	0.00	0.06	52	648	8	0	657	1400	29
30	1400	0.00	97	10.82	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	38.53	75	0.00	0.05	54	655	0	0	656	1400	30
31	1400	0.17	100	10.95	6.69	100	5275	0	0.0	0	0.00	0.17	0.10	38.43	75	0.13	0.07	55	660	138	23	822	1400	31

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.049 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	97	11.22	6.69	100	5275	0	0.0	0	0.00	0.36	0.10	38.39	75	0.27	0.11	53	663	553	50	1268	1400	1
2	1400	0.31	100	11.45	6.69	100	5275	0	0.0	0	0.00	0.31	0.10	38.43	75	0.23	0.14	50	663	887	48	1600	1400	2
3	1400	0.04	97	11.48	6.69	100	5275	0	0.0	0	0.00	0.04	0.10	38.45	75	0.03	0.11	48	662	675	7	1345	1400	3
4	1400	0.26	97	11.67	6.69	100	5275	0	0.0	0	0.00	0.25	0.10	38.37	75	0.19	0.13	49	659	418	38	1117	1400	4
5	1400	0.56	82	12.01	6.69	100	5275	0	0.0	0	0.00	0.46	0.10	38.37	75	0.34	0.17	49	654	871	72	1598	1400	5
6	1400	0.06	67	12.04	6.69	100	5275	0	0.0	0	0.00	0.04	0.10	38.45	75	0.03	0.14	46	648	908	8	1565	1400	6
7	1400	0.00	96	12.04	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	38.37	75	0.00	0.11	48	641	247	0	889	1400	7
8	1400	0.04	99	12.07	6.69	100	5275	0	0.0	0	0.00	0.04	0.10	38.27	75	0.03	0.10	49	634	65	6	706	1400	8
9	1400	0.09	99	12.14	6.69	100	5275	0	0.0	0	0.00	0.09	0.10	38.19	75	0.07	0.09	50	626	148	13	788	1400	9
10	1400	0.00	82	12.14	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	38.12	75	0.00	0.07	51	618	160	0	778	1400	10
11	1400	0.00	53	12.14	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	38.02	75	0.00	0.06	53	609	32	0	643	1400	11
12	1400	0.00	96	12.14	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.92	75	0.00	0.04	54	601	2	0	604	1400	12
13	1400	0.00	97	12.14	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.82	75	0.00	0.03	56	593	0	0	593	1400	13
14	1400	0.01	97	12.14	6.69	100	5275	0	0.0	0	0.00	0.01	0.10	37.72	75	0.01	0.03	57	584	7	1	594	1400	14
15	1400	0.00	53	12.14	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.63	75	0.00	0.02	57	576	13	0	590	1400	15
16	1400	0.00	97	12.14	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.53	75	0.00	0.02	58	567	3	0	570	1400	16
17	1400	0.00	82	12.14	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.43	75	0.00	0.01	58	557	0	0	558	1400	17
18	1400	0.00	53	12.14	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.33	75	0.00	0.01	59	548	0	0	548	1400	18
19	1400	0.03	0	12.14	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.23	75	0.00	0.01	59	537	0	0	538	1400	19
20	1400	0.80	82	12.63	6.69	100	5275	0	0.0	0	0.00	0.65	0.10	37.13	75	0.49	0.11	59	526	483	82	1093	1400	20
21	1400	0.45	97	12.96	6.69	100	5275	0	0.0	0	0.00	0.44	0.10	37.27	75	0.33	0.16	49	515	1279	68	1863	1400	21
22	1400	0.00	32	12.96	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.34	75	0.00	0.12	47	503	917	1	1422	1400	22
23	1400	0.00	9	12.96	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.24	75	0.00	0.10	49	490	172	0	663	1400	23
24	1400	0.00	96	12.96	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.14	75	0.00	0.08	50	478	12	0	492	1400	24
25	1400	0.00	0	12.96	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	37.04	75	0.00	0.06	52	466	0	0	467	1400	25
26	1400	0.00	0	12.96	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	36.94	75	0.00	0.05	54	455	0	0	455	1400	26
27	1400	0.00	0	12.96	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	36.84	75	0.00	0.04	55	444	0	0	444	1400	27
28	1400	0.00	0	12.96	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	36.74	75	0.00	0.03	56	433	0	0	434	1400	28
29	1400	0.81	0	12.96	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	36.64	75	0.00	0.02	57	423	0	0	424	1400	29
30	1400	0.16	0	12.96	6.69	100	5275	0	0.0	0	0.00	0.00	0.10	36.62	75	0.00	0.02	58	414	0	0	414	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONSI. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ME-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	2.00	0	0.00	0.03	0	0	0	18	18	1400	6
7	1400	0.05	0	0.00	0.27	8	2361	81	2.7	100	0.27	0.27	0.09	2.00	100	0.27	0.10	57	201	144	16	362	1400	7
8	1400	0.00	100	0.00	0.76	21	2361	59	5.0	81	0.60	0.49	0.09	1.92	100	0.49	0.25	50	315	292	13	622	1400	8
9	1400	0.00	100	0.00	1.11	31	2362	46	3.9	59	0.60	0.35	0.09	1.83	100	0.35	0.36	41	185	251	15	453	1400	9
10	1400	0.00	100	0.00	1.47	41	2362	36	3.9	46	0.77	0.36	0.09	1.74	100	0.36	0.50	34	156	281	18	457	1400	10
11	1400	0.00	100	0.00	2.21	61	2362	19	8.5	36	2.08	0.74	0.09	1.65	100	0.74	1.24	29	278	539	42	859	1400	11
12	1400	0.00	100	0.00	2.75	76	2363	12	8.5	14	2.87	0.54	0.09	1.56	100	0.54	1.97	18	121	357	104	584	1400	12
13	1400	0.24	100	0.24	3.18	88	2363	6	9.6	11	3.74	0.67	0.09	1.47	100	0.67	3.20	10	88	321	212	622	1400	13
14	1400	0.00	100	0.24	3.27	91	2363	4	3.9	6	1.64	0.09	0.09	1.41	100	0.09	2.95	10	11	84	266	363	1400	14
15	1400	0.00	100	0.24	3.36	93	2363	3	5.0	4	2.15	0.09	0.09	1.32	100	0.09	2.95	10	12	77	173	263	1400	15
16	1400	0.00	100	0.24	3.42	95	2363	2	3.9	3	1.69	0.05	0.09	1.23	100	0.05	2.77	10	6	47	65	120	1400	16
17	1400	0.00	100	0.24	3.47	96	2363	2	5.0	2	2.20	0.05	0.09	1.14	100	0.05	2.81	10	6	42	29	79	1400	17
18	1400	0.00	100	0.24	3.53	98	2363	1	8.5	2	3.74	0.06	0.09	1.05	100	0.06	3.66	10	8	32	23	64	1400	18
19	1400	0.00	100	0.24	3.56	99	2363	1	8.5	1	3.78	0.03	0.09	0.96	100	0.03	4.21	10	4	15	27	48	1400	19
20	1400	0.04	100	0.28	3.58	100	2363	0	10.8	0	4.83	0.06	0.09	0.87	100	0.06	5.06	10	7	23	30	62	1400	20
21	1400	0.10	100	0.38	3.59	100	2363	0	10.8	0	4.84	0.11	0.09	0.78	100	0.11	4.97	10	13	41	43	99	1400	21
22	1400	0.29	100	0.67	3.59	100	2363	0	6.2	0	2.78	0.29	0.09	0.70	100	0.29	4.19	10	37	182	77	297	1400	22
23	1400	0.01	100	0.68	3.59	100	2363	0	10.8	0	4.85	0.01	0.09	0.65	100	0.01	3.58	10	1	4	95	101	1400	23
24	1400	0.00	100	0.68	3.59	100	2363	0	10.8	0	4.85	0.00	0.09	0.56	100	0.00	2.91	10	0	0	59	60	1400	24
25	1400	0.00	100	0.68	3.59	100	2363	0	11.9	0	5.37	0.00	0.09	0.47	100	0.00	2.33	10	0	0	18	18	1400	25
26	1400	0.03	100	0.71	3.59	100	2363	0	11.9	0	5.37	0.03	0.09	0.38	100	0.03	1.85	10	3	10	8	23	1400	26
27	1400	0.00	100	0.71	3.59	100	2363	0	13.1	0	5.88	0.00	0.09	0.30	100	0.00	1.45	12	0	0	10	11	1400	27
28	1400	0.09	100	0.80	3.59	100	2363	0	15.4	0	6.92	0.09	0.09	0.21	100	0.09	1.16	15	17	24	20	63	1400	28
29	1400	0.02	100	0.82	3.59	100	2363	0	8.5	0	3.82	0.02	0.09	0.13	100	0.02	0.92	18	4	10	34	49	1400	29
30	1400	0.13	100	0.95	3.59	100	2363	0	0.0	0	0.00	0.13	0.09	0.04	100	0.13	0.75	21	35	125	28	190	1400	30
31	1400	0.09	100	1.04	3.59	100	2363	0	0.0	0	0.00	0.09	0.09	0.00	100	0.09	0.61	24	28	83	13	125	1400	31

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90961 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	100	1.06	3.59	100	2363	0	0.0	0	0.00	0.02	0.09	0.00	100	0.02	0.48	27	6	17	6	31	1400	1
2	1400	0.23	100	1.29	3.59	100	2363	0	0.0	0	0.00	0.23	0.09	0.00	100	0.23	0.43	30	87	198	4	291	1400	2
3	1400	0.07	100	1.36	3.59	100	2363	0	0.0	0	0.00	0.07	0.09	0.00	100	0.07	0.35	31	28	59	5	93	1400	3
4	1400	0.00	100	1.36	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.28	34	0	0	4	5	1400	4
5	1400	0.00	100	1.36	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.22	39	0	0	1	2	1400	5
6	1400	0.00	100	1.36	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.17	44	0	0	0	0	1400	6
7	1400	0.00	100	1.36	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.13	46	0	0	0	0	1400	7
8	1400	0.00	100	1.36	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.11	48	0	0	0	0	1400	8
9	1400	0.00	100	1.36	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.08	50	0	0	0	0	1400	9
10	1400	0.00	100	1.36	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.06	52	0	0	0	0	1400	10
11	1400	0.00	100	1.36	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.05	54	0	0	0	0	1400	11
12	1400	0.06	100	1.42	3.59	100	2363	0	0.0	0	0.00	0.06	0.09	0.00	100	0.06	0.05	55	42	33	0	76	1400	12
13	1400	0.00	100	1.42	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.04	55	0	0	0	1	1400	13
14	1400	0.06	100	1.48	3.59	100	2363	0	0.0	0	0.00	0.06	0.09	0.00	100	0.06	0.05	56	43	32	0	76	1400	14
15	1400	0.57	100	2.05	3.59	100	2363	0	0.0	0	0.00	0.57	0.09	0.00	100	0.57	0.16	55	407	310	3	722	1400	15
16	1400	0.00	100	2.05	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.12	47	0	0	7	8	1400	16
17	1400	0.08	100	2.13	3.59	100	2363	0	0.0	0	0.00	0.08	0.09	0.00	100	0.08	0.11	49	50	50	5	106	1400	17
18	1400	0.02	100	2.15	3.59	100	2363	0	0.0	0	0.00	0.02	0.09	0.00	100	0.02	0.09	49	12	12	2	28	1400	18
19	1400	0.00	100	2.15	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.07	51	0	0	1	1	1400	19
20	1400	0.03	100	2.18	3.59	100	2363	0	0.0	0	0.00	0.03	0.09	0.00	100	0.03	0.06	53	20	17	0	38	1400	20
21	1400	0.24	100	2.42	3.59	100	2363	0	0.0	0	0.00	0.24	0.09	0.00	100	0.24	0.10	54	165	136	1	304	1400	21
22	1400	0.00	100	2.42	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.08	53	0	0	3	3	1400	22
23	1400	0.00	100	2.42	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.06	52	0	0	2	2	1400	23
24	1400	0.00	100	2.42	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.05	54	0	0	0	1	1400	24
25	1400	0.00	100	2.42	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.04	55	0	0	0	0	1400	25
26	1400	0.00	100	2.42	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.03	56	0	0	0	0	1400	26
27	1400	0.01	100	2.43	3.59	100	2363	0	0.0	0	0.00	0.01	0.09	0.00	100	0.01	0.03	57	7	5	0	13	1400	27
28	1400	0.00	100	2.43	3.59	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.02	57	0	0	0	0	1400	28
29	1400	0.11	100	2.54	3.59	100	2363	0	0.0	0	0.00	0.11	0.09	0.00	100	0.11	0.04	58	82	56	0	139	1400	29
30	1400	0.88	100	3.42	3.59	100	2363	0	0.0	0	0.00	0.88	0.09	0.00	100	0.88	0.22	56	635	464	7	1108	1400	30

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL	1971																							JUL 1971
1	1400	0.87	100	4.29	3.59	100	2363	0	0.0	0	0.00	0.87	0.09	0.00	100	0.87	0.36	43	487	585	23	1097	1400	1
2	1400	0.09	100	4.38	3.59	100	2363	0	0.0	0	0.00	0.09	0.10	0.00	100	0.09	0.30	34	39	72	31	144	1400	2
3	1400	0.00	100	4.38	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.24	37	0	0	19	20	1400	3
4	1400	0.06	100	4.44	3.59	100	2363	0	0.0	0	0.00	0.06	0.10	0.00	100	0.06	0.20	42	32	42	6	82	1400	4
5	1400	0.00	100	4.44	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.16	45	0	0	2	2	1400	5
6	1400	0.00	100	4.44	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.12	47	0	0	0	1	1400	6
7	1400	0.01	100	4.45	3.59	100	2363	0	0.0	0	0.00	0.01	0.10	0.00	100	0.01	0.10	49	6	6	0	13	1400	7
8	1400	0.00	100	4.45	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.08	50	0	0	0	0	1400	8
9	1400	0.00	100	4.45	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.06	52	0	0	0	0	1400	9
10	1400	0.00	100	4.45	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.05	54	0	0	0	0	1400	10
11	1400	0.00	100	4.45	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.04	55	0	0	0	0	1400	11
12	1400	0.06	100	4.51	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.06	0.04	56	43	32	0	76	1400	12
13	1400	0.55	100	5.05	3.59	100	2363	0	0.0	0	0.00	0.55	0.10	0.00	100	0.55	0.15	56	395	297	3	697	1400	13
14	1400	0.01	100	5.06	3.59	100	2363	0	0.0	0	0.00	0.01	0.10	0.00	100	0.01	0.12	47	6	6	7	20	1400	14
15	1400	0.00	100	5.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.09	49	0	0	5	5	1400	15
16	1400	0.00	100	5.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.07	51	0	0	1	2	1400	16
17	1400	0.00	100	5.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.06	53	0	0	0	0	1400	17
18	1400	0.00	100	5.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.05	54	0	0	0	0	1400	18
19	1400	0.00	100	5.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.04	55	0	0	0	0	1400	19
20	1400	0.19	100	5.25	3.59	100	2363	0	0.0	0	0.00	0.19	0.10	0.00	100	0.19	0.07	56	138	101	0	241	1400	20
21	1400	0.00	100	5.25	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.05	53	0	0	2	2	1400	21
22	1400	0.02	100	5.27	3.59	100	2363	0	0.0	0	0.00	0.02	0.10	0.00	100	0.02	0.05	55	14	11	1	27	1400	22
23	1400	0.03	100	5.30	3.59	100	2363	0	0.0	0	0.00	0.03	0.10	0.00	100	0.03	0.04	55	21	16	0	39	1400	23
24	1400	0.23	100	5.53	3.59	100	2363	0	0.0	0	0.00	0.23	0.10	0.00	100	0.23	0.08	56	165	124	1	292	1400	24
25	1400	0.15	100	5.68	3.59	100	2363	0	0.0	0	0.00	0.15	0.10	0.00	100	0.15	0.10	52	99	88	3	193	1400	25
26	1400	0.08	100	5.76	3.59	100	2363	0	0.0	0	0.00	0.08	0.10	0.00	100	0.08	0.09	50	51	48	4	105	1400	26
27	1400	0.66	100	6.42	3.59	100	2363	0	0.0	0	0.00	0.66	0.10	0.00	100	0.66	0.21	51	430	393	7	832	1400	27
28	1400	0.13	100	6.55	3.59	100	2363	0	0.0	0	0.00	0.13	0.10	0.00	100	0.13	0.20	44	73	89	13	176	1400	28
29	1400	.22	100	6.77	3.59	100	2363	0	0.0	0	0.00	0.22	0.10	0.00	100	0.22	0.20	45	128	147	11	288	1400	29
30	1400	0.25	100	7.02	3.59	100	2363	0	0.0	0	0.00	0.25	0.10	0.00	100	0.25	0.21	45	144	168	8	322	1400	30
31	1400	0.62	100	7.64	3.59	100	2363	0	0.0	0	0.00	0.62	0.10	0.00	100	0.62	0.30	44	352	418	12	782	1400	31

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. 90981 INITIAL DATE, HOUR 6 MAY 1971 1400 JOB DESCRIPTION 0 SUSITNA HEP AUG 4-19 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	RII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	100	8.22	3.59	100	2363	0	0.0	0	0.00	0.58	0.10	0.00	100	0.58	0.36	37	277	439	21	737	1400	1
2	1400	0.42	100	8.64	3.59	100	2363	0	0.0	0	0.00	0.42	0.10	0.00	100	0.42	0.37	34	184	336	3	548	1400	2
3	1400	0.00	100	8.64	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.29	33	0	0	20	21	1400	3
4	1400	0.00	100	8.65	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.23	38	2	3	9	15	1400	4
5	1400	0.09	100	8.74	3.59	100	2363	0	0.0	0	0.00	0.09	0.10	0.00	100	0.09	0.20	43	48	62	3	115	1400	5
6	1400	0.55	100	9.28	3.59	100	2363	0	0.0	0	0.00	0.55	0.10	0.00	100	0.55	0.28	45	318	366	6	692	1400	6
7	1400	0.38	100	9.66	3.59	100	2363	0	0.0	0	0.00	0.38	0.10	0.00	100	0.38	0.30	39	188	[illegible]1	13	483	1400	7
8	1400	0.62	100	10.28	3.59	100	2363	0	0.0	0	0.00	0.62	0.10	0.00	100	0.62	0.37	37	298	[illegible]07	19	785	1400	8
9	1400	0.86	100	11.14	3.59	100	2363	0	0.0	0	0.00	0.86	0.10	0.00	100	0.86	0.47	34	375	674	32	1083	1400	9
10	1400	0.94	100	12.08	3.59	100	2363	0	0.0	0	0.00	0.93	0.10	0.00	100	0.93	0.57	30	359	765	52	1178	1400	10
11	1400	0.00	100	12.08	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.45	28	0	0	56	56	1400	11
12	1400	0.00	100	12.08	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.35	31	0	0	30	31	1400	12
13	1400	0.57	100	12.65	3.59	100	2363	0	0.0	0	0.00	0.57	0.10	0.00	100	0.57	0.40	34	252	449	14	716	1400	13
14	1400	0.00	100	12.65	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.31	32	0	0	15	15	1400	14
15	1400	0.00	100	12.65	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.25	36	0	0	10	10	1400	15
16	1400	0.00	100	12.65	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.19	41	0	0	2	3	1400	16
17	1400	0.00	100	12.65	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.15	45	0	0	0	1	1400	17
18	1400	0.03	100	12.68	3.59	100	2363	0	0.0	0	0.00	0.03	0.10	0.00	100	0.03	0.13	47	18	19	0	38	1400	18
19	1400	0.05	100	12.73	3.59	100	2363	0	0.0	0	0.00	0.05	0.10	0.00	100	0.05	0.11	49	31	31	0	64	1400	19
20	1400	0.41	100	13.14	3.59	100	2363	0	0.0	0	0.00	0.41	0.10	0.00	100	0.41	0.17	50	2[illegible]1	253	3	519	1400	20
21	1400	0.00	100	13.14	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.14	46	0	0	6	6	1400	21
22	1400	0.08	100	13.22	3.59	100	2363	0	0.0	0	0.00	0.08	0.10	0.00	100	0.08	0.12	48	49	50	4	105	1400	22
23	1400	0.00	100	13.22	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.10	49	0	0	2	2	1400	23
24	1400	0.00	100	13.22	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.08	50	0	0	1	1	1400	24
25	1400	0.62	100	13.84	3.59	100	2363	0	0.0	0	0.00	0.62	0.10	0.00	100	0.62	0.19	52	418	358	4	781	1400	25
26	1400	0.02	100	13.86	3.59	100	2363	0	0.0	0	0.00	0.02	0.10	0.00	100	0.02	0.16	45	11	13	9	35	1400	26
27	1400	0.02	100	13.88	3.59	100	2363	0	0.0	0	0.00	0.02	0.10	0.00	100	0.02	0.13	47	12	12	7	32	1400	27
28	1400	0.00	100	13.88	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.10	49	0	0	2	2	1400	28
29	1400	0.00	100	13.88	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.08	50	0	0	0	1	1400	29
30	1400	0.00	100	13.88	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.06	52	0	0	0	0	1400	30
31	1400	0.17	100	14.05	3.59	100	2363	0	0.0	0	0.00	0.17	0.10	0.00	100	0.17	0.08	54	118	96	0	215	1400	31

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	HII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	100	14.42	3.59	100	2363	0	0.0	0	0.00	0.37	0.10	0.00	100	0.37	0.15	52	245	219	4	470	1400	1
2	1400	0.31	100	14.73	3.59	100	2363	0	0.0	0	0.00	0.31	0.10	0.00	100	0.31	0.18	48	190	198	8	397	1400	2
3	1400	0.04	100	14.77	3.59	100	2363	0	0.0	9	0.00	0.04	0.10	0.00	100	0.04	0.15	46	23	26	8	59	1400	3
4	1400	0.26	100	15.03	3.59	100	2363	0	0.0	0	0.00	0.26	0.10	0.00	100	0.26	0.17	47	159	167	6	333	1400	4
5	1400	0.56	100	15.58	3.59	100	2363	0	0.0	0	0.00	0.56	0.10	0.00	100	0.56	0.26	46	334	364	9	708	1400	5
6	1400	0.06	100	15.64	3.59	100	2363	0	0.0	0	0.00	0.06	0.10	0.00	100	0.06	0.21	40	31	43	12	88	1400	6
7	1400	0.00	100	15.64	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.17	44	0	0	8	9	1400	7
8	1400	0.04	100	15.68	3.59	100	2363	0	0.0	0	0.00	0.04	0.10	0.00	100	0.04	0.14	47	24	26	3	53	1400	8
9	1400	0.09	100	15.77	3.59	100	2363	0	0.0	0	0.00	0.09	0.10	0.00	100	0.09	0.13	48	55	57	1	115	1400	9
10	1400	0.00	100	15.77	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.10	48	0	0	1	2	1400	10
11	1400	0.00	100	15.77	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.08	50	0	0	1	1	1400	11
12	1400	0.00	100	15.77	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.06	52	0	0	0	0	1400	12
13	1400	0.00	100	15.77	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.05	54	0	0	0	0	1400	13
14	1400	0.01	100	15.78	3.59	100	2363	0	0.0	0	0.00	0.01	0.10	0.00	100	0.01	0.04	55	7	5	0	13	1400	14
15	1400	0.00	100	15.78	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.03	56	0	0	0	0	1400	15
16	1400	0.00	100	15.78	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.03	57	0	0	0	0	1400	16
17	1400	0.00	100	15.78	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.02	57	0	0	0	0	1400	17
18	1400	0.00	100	15.78	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.02	58	0	0	0	0	1400	18
19	1400	0.03	100	15.81	3.59	100	2363	0	0.0	0	0.00	0.03	0.10	0.00	100	0.03	0.02	58	22	15	0	38	1400	19
20	1400	0.80	100	16.61	3.59	100	2363	0	0.0	0	0.00	0.80	0.10	0.00	100	0.80	0.19	58	599	404	5	1009	1400	20
21	1400	0.45	100	17.06	3.59	100	2363	0	0.0	0	0.00	0.45	0.10	0.00	100	0.45	0.24	46	265	299	14	579	1400	21
22	1400	0.00	100	17.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.19	42	0	0	15	15	1400	22
23	1400	0.00	100	17.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.15	45	0	0	7	7	1400	23
24	1400	0.00	100	17.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.12	48	0	0	1	2	1400	24
25	1400	0.00	100	17.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.09	49	0	0	0	0	1400	25
26	1400	0.00	100	17.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.07	51	0	0	0	0	1400	26
27	1400	0.00	100	17.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.06	53	0	0	0	0	1400	27
28	1400	0.00	0	17.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.04	54	0	0	0	0	1400	28
29	1400	0.81	0	17.06	3.59	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.04	56	0	0	0	0	1400	29
30	1400	0.16	100	17.22	3.59	100	2363	0	0.0	0	0.00	0.16	0.10	0.00	100	0.16	0.06	56	116	85	0	203	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

FORM 141-3

PRINTED IN U.S.A.

RUN DATE RUN NO. 90981 INITIAL DATE, HOUR 6 MAY 1971 1400

JOB DESCRIPTION
0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	2.00	0	0.00	0.03	0	120	20	0	140	1400	6
7	1400	0.05	14	0.00	0.03	1	2100	98	2.0	74	0.20	0.16	0.09	2.00	18	0.03	0.03	57	120	20	7	147	1400	7
8	1400	0.06	67	0.00	0.09	3	2124	94	3.9	90	0.39	0.36	0.09	2.05	18	0.06	0.04	57	120	20	15	156	1400	8
9	1400	0.00	41	0.00	0.14	4	2183	91	2.8	77	0.30	0.23	0.09	2.27	19	0.04	0.04	56	120	20	19	160	1400	9
10	1400	0.00	41	0.00	0.18	5	2223	88	2.8	74	0.30	0.22	0.09	2.38	20	0.04	0.04	56	120	20	25	166	1400	10
11	1400	0.00	95	0.00	0.31	9	2263	79	6.9	87	0.78	0.68	0.09	2.50	20	0.14	0.07	56	120	22	28	171	1400	11
12	1400	0.00	95	0.00	0.47	13	2378	71	6.7	78	0.82	0.64	0.09	3.10	25	0.16	0.10	53	120	25	36	181	1400	12
13	1400	0.24	97	0.07	0.69	19	2475	61	7.7	71	1.03	0.97	0.09	3.69	29	0.28	0.17	50	120	33	54	208	1400	13
14	1400	0.00	41	0.07	0.74	21	2606	59	2.1	44	0.31	0.14	0.09	4.63	37	0.05	0.15	46	120	46	87	254	1400	14
15	1400	0.00	67	0.07	0.83	23	2634	56	3.0	52	0.46	0.24	0.09	4.69	38	0.09	0.15	47	120	68	127	306	1400	15
16	1400	0.00	41	0.07	0.88	25	2675	54	2.0	39	0.33	0.13	0.09	4.87	39	0.05	0.14	47	120	102	109	332	1400	16
17	1400	0.00	67	0.07	0.97	27	2698	51	2.9	47	0.49	0.23	0.09	4.92	39	0.09	0.15	48	120	153	81	354	1400	17
18	1400	0.00	95	0.07	1.19	33	2739	44	5.7	51	1.04	0.53	0.09	5.11	40	0.21	0.22	48	120	221	62	404	1400	18
19	1400	0.00	95	0.07	1.38	38	2836	38	5.3	43	1.09	0.47	0.09	5.73	42	0.20	0.29	43	120	308	67	497	1400	19
20	1400	0.04	99	0.09	1.66	46	2914	31	7.2	38	1.67	0.67	0.09	6.37	44	0.29	0.42	38	120	411	101	633	1400	20
21	1400	0.10	99	0.13	1.93	54	3004	25	6.7	31	1.87	0.68	0.09	7.44	47	0.32	0.58	31	120	525	162	808	1400	21
22	1400	0.29	77	0.25	2.00	55	3253	23	2.0	21	0.61	0.35	0.09	8.66	50	0.18	0.54	27	120	646	264	1032	1400	22
23	1400	0.01	99	0.25	2.23	62	3311	19	6.2	23	1.98	0.47	0.09	8.99	51	0.24	0.69	28	121	774	366	1261	1400	23
24	1400	0.00	99	0.25	2.44	68	3482	16	6.0	18	2.02	0.37	0.09	10.10	55	0.20	0.82	25	121	908	392	1423	1400	24
25	1400	0.00	100	0.25	2.66	74	3586	13	6.9	16	2.49	0.39	0.09	11.09	57	0.22	1.02	23	122	1055	408	1586	1400	25
26	1400	0.03	100	0.27	2.86	79	3700	10	6.7	13	2.56	0.35	0.09	12.30	61	0.22	1.23	20	123	1217	469	1811	1400	26
27	1400	0.00	100	0.27	3.06	85	3802	7	7.7	10	3.07	0.31	0.09	13.46	67	0.21	1.57	18	124	1398	582	2106	1400	27
28	1400	0.09	100	0.34	3.26	91	3907	5	9.2	7	3.79	0.36	0.09	14.75	74	0.27	2.20	14	126	1600	755	2481	1400	28
29	1400	0.02	95	0.35	3.28	91	4055	4	1.5	4	0.62	0.04	0.09	16.26	75	0.03	1.82	10	128	1818	1064	3011	1400	29
30	1400	0.13	99	0.45	3.33	93	4110	4	3.5	4	1.51	0.19	0.09	16.33	75	0.14	1.73	12	130	2046	1368	3545	1400	30
31	1400	0.09	100	0.51	3.41	95	4250	3	6.7	4	2.91	0.19	0.09	16.72	75	0.14	2.01	13	133	2278	1187	3599	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.15 IN./DAY, MELT RATE = 0.439 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	100	0.53	3.44	96	4478	2	4.1	3	1.77	0.06	0.09	17.65	75	0.05	1.92	10	136	2502	828	3468	1400	1
2	1400	0.23	95	0.69	3.44	96	4576	2	0.6	2	0.26	0.22	0.15	18.09	75	0.17	1.57	11	141	2710	698	3550	1400	2
3	1400	0.07	100	0.75	3.48	97	4586	2	5.0	2	2.21	0.11	0.15	18.09	75	0.09	1.68	14	146	2891	576	3614	1400	3
4	1400	0.00	100	0.75	3.54	98	4684	1	11.8	2	5.20	0.08	0.15	18.64	75	0.06	2.88	13	151	3038	426	3617	1400	4
5	1400	0.00	100	0.75	3.58	99	4862	0	16.1	1	7.17	0.05	0.15	20.92	75	0.04	5.09	10	158	3145	417	3721	1400	5
6	1400	0.00	100	0.75	3.59	100	4978	0	17.0	0	7.64	0.02	0.15	25.16	75	0.01	5.69	10	165	3211	541	3918	1400	6
7	1400	0.00	100	0.75	3.59	100	5153	0	15.2	0	6.82	0.00	0.15	27.63	75	0.00	4.90	10	174	3235	601	4011	1400	7
8	1400	0.00	100	0.75	3.59	100	5238	0	11.6	0	5.21	0.00	0.15	28.15	75	0.00	3.[illegible]	10	183	3220	473	3877	1400	8
9	1400	0.00	100	0.75	3.59	100	5257	0	16.2	0	7.26	0.00	0.15	28.16	75	0.00	3.18	10	193	3168	262	3625	1400	9
10	1400	0.00	100	0.75	3.59	100	5270	0	16.1	0	7.25	0.00	0.15	28.13	75	0.00	2.52	10	205	3081	109	3396	1400	10
11	1400	0.00	100	0.75	3.59	100	5274	0	12.7	0	5.70	0.00	0.15	28.01	75	0.00	1.98	10	217	2960	37	3216	1400	11
12	1400	0.06	100	0.79	3.59	100	5274	0	10.4	0	4.67	0.06	0.15	27.86	75	0.05	1.57	10	231	2808	16	3057	1400	12
13	1400	0.00	100	0.79	3.59	100	5275	0	6.9	0	3.12	0.00	0.15	27.74	75	0.00	1.23	14	245	2629	66	2942	1400	13
14	1400	0.06	100	0.84	3.59	100	5275	0	8.1	0	3.63	0.06	0.15	27.59	75	0.04	0.98	18	260	2428	187	2876	1400	14
15	1400	0.57	100	1.26	3.59	100	5275	0	4.6	0	2.08	0.57	0.15	27.47	75	0.43	0.86	20	277	2211	254	2743	1400	15
16	1400	0.00	100	1.26	3.59	100	5275	0	9.2	0	4.15	0.00	0.15	27.57	75	0.00	0.68	22	294	1985	446	2726	1400	16
17	1400	0.08	100	1.32	3.59	100	5275	0	6.9	0	3.12	0.08	0.15	27.42	75	0.06	0.54	26	312	1761	819	2893	1400	17
18	1400	0.02	100	1.34	3.59	100	5275	0	11.5	0	5.18	0.02	0.15	27.31	75	0.01	0.43	28	330	1548	825	2705	1400	18
19	1400	0.00	100	1.34	3.59	100	5275	0	15.0	0	6.73	0.00	0.15	27.17	75	0.00	0.34	31	349	1359	529	2239	1400	19
20	1400	0.03	100	1.36	3.59	100	5275	0	0.0	0	0.00	0.03	0.15	27.02	75	0.02	0.27	35	369	1203	292	1865	1400	20
21	1400	0.24	100	1.54	3.59	100	5275	0	0.0	0	0.00	0.24	0.15	26.88	75	0.18	0.25	39	389	1086	144	1621	1400	21
22	1400	0.00	100	1.54	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	26.84	75	0.00	0.20	41	409	1010	75	1495	1400	22
23	1400	0.00	100	1.54	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	26.69	75	0.00	0.16	45	429	969	68	1468	1400	23
24	1400	0.00	100	1.54	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	26.54	75	0.00	0.12	47	450	954	57	1463	1400	24
25	1400	0.00	100	1.54	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	26.39	75	0.00	0.10	49	470	957	29	1457	1400	25
26	1400	0.00	100	1.54	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	26.24	75	0.00	0.08	50	490	967	9	1468	1400	26
27	1400	0.01	100	1.55	3.59	100	5275	0	0.0	0	0.00	0.01	0.15	26.09	75	0.01	0.06	52	510	978	2	1492	1400	27
28	1400	0.00	100	1.55	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	25.95	75	0.00	0.05	54	529	984	1	1516	1400	28
29	1400	0.11	100	1.63	3.59	100	5275	0	0.0	0	0.00	0.11	0.15	25.80	75	0.08	0.06	55	548	980	2	1531	1400	29
30	1400	0.88	100	2.29	3.59	100	5275	0	0.0	0	0.00	0.88	0.15	25.70	75	0.66	0.18	54	567	962	10	1541	1400	30

FORM 1415-C
PRINTED IN U.S.A.

BASIN RESULTS - STATION 54.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.15 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1971																								JUL 1971
1	1400	0.87	100	2.94	3.59	100	5275	0	0.0	0	0.00	0.87	0.15	25.88	75	0.65	0.28	46	584	931	74	1591	1400	1
2	1400	0.09	100	3.01	3.59	100	5275	0	0.0	0	0.00	0.09	0.15	26.07	75	0.07	0.24	38	601	890	238	1730	1400	2
3	1400	0.00	100	3.01	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	25.96	75	0.00	0.19	42	617	840	380	1843	1400	3
4	1400	0.06	100	3.06	3.59	100	5275	0	0.0	0	0.00	0.06	0.15	25.81	75	0.04	0.16	46	632	809	327	1770	1400	4
5	1400	0.00	100	3.06	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	25.68	75	0.00	0.12	47	646	799	172	1619	1400	5
6	1400	0.00	100	3.06	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	25.53	75	0.00	0.10	49	659	829	69	1558	1400	6
7	1400	0.01	100	3.06	3.59	100	5275	0	0.0	0	0.00	0.01	0.15	25.38	75	0.01	0.08	50	671	904	26	1603	1400	7
8	1400	0.00	100	3.06	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	25.24	75	0.00	0.06	52	682	1021	9	1714	1400	8
9	1400	0.00	100	3.06	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	25.09	75	0.00	0.05	54	692	1164	4	1861	1400	9
10	1400	0.00	100	3.06	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	24.94	75	0.00	0.04	55	701	1313	2	2017	1400	10
11	1400	0.00	100	3.06	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	24.79	75	0.00	0.03	56	709	1447	1	2158	1400	11
12	1400	0.06	100	3.11	3.59	100	5275	0	0.0	0	0.00	0.06	0.15	24.64	75	0.04	0.03	57	716	1548	0	2266	1400	12
13	1400	0.55	100	3.52	3.59	100	5275	0	0.0	0	0.00	0.55	0.15	24.52	75	0.41	0.11	57	722	1605	4	2333	1400	13
14	1400	0.01	100	3.53	3.59	100	5275	0	0.0	0	0.00	0.01	0.15	24.61	75	0.01	0.09	49	720	1614	34	2377	1400	14
15	1400	0.00	100	3.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	24.46	75	0.00	0.07	51	733	1578	85	2397	1400	15
16	1400	0.00	100	3.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	24.31	75	0.00	0.06	53	737	1506	88	2332	1400	16
17	1400	0.00	100	3.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	24.16	75	0.00	0.04	54	740	1410	48	2199	1400	17
18	1400	0.00	100	3.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	24.01	75	0.00	0.03	56	743	1304	16	2065	1400	18
19	1400	0.00	100	3.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	23.86	75	0.00	0.03	57	746	1199	4	1951	1400	19
20	1400	0.19	100	3.67	3.59	100	5275	0	0.0	0	0.00	0.19	0.15	23.71	75	0.14	0.05	57	748	1105	1	1855	1400	20
21	1400	0.00	100	3.67	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	23.65	75	0.00	0.04	55	750	1022	8	1782	1400	21
22	1400	0.02	100	3.69	3.59	100	5275	0	0.0	0	0.00	0.02	0.15	23.50	75	0.01	0.04	56	752	951	25	1730	1400	22
23	1400	0.03	100	3.71	3.59	100	5275	0	0.0	0	0.00	0.03	0.15	23.36	75	0.02	0.03	56	754	888	29	1673	1400	23
24	1400	0.23	100	3.88	3.59	100	5275	0	0.0	0	0.00	0.23	0.15	23.22	75	0.17	0.06	57	756	832	20	1610	1400	24
25	1400	0.15	100	3.99	3.59	100	5275	0	0.0	0	0.00	0.15	0.15	23.18	75	0.11	0.07	54	759	780	23	1563	1400	25
26	1400	0.08	100	4.05	3.59	100	5275	0	0.0	0	0.00	0.08	0.15	23.10	75	0.06	0.07	53	761	731	47	1540	1400	26
27	1400	0.66	100	4.55	3.59	100	5275	0	0.0	0	0.00	0.66	0.15	22.99	75	0.49	0.16	53	763	686	66	1517	1400	27
28	1400	0.13	100	4.65	3.59	100	5275	0	0.0	0	0.00	0.13	0.15	23.11	75	0.10	0.15	47	766	647	90	1504	1400	28
29	1400	0.22	100	4.81	3.59	100	5275	0	0.0	0	0.00	0.22	0.15	23.02	75	0.16	0.15	48	768	617	140	1527	1400	29
30	1400	0.25	100	5.00	3.59	100	5275	0	0.0	0	0.00	0.25	0.15	22.97	75	0.19	0.16	47	771	602	156	1530	1400	30
31	1400	0.62	100	5.46	3.59	100	5275	0	0.0	0	0.00	0.62	0.15	22.94	75	0.46	0.22	47	775	606	140	1522	1400	31

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.15 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	100	5.90	3.59	100	5275	0	0.0	0	0.00	0.58	0.15	23.05	75	0.43	0.27	43	778	635	155	1569	1400	1
2	1400	0.42	100	6.21	3.59	100	5275	0	0.0	0	0.00	0.42	0.15	23.15	75	0.31	0.28	39	782	694	223	1700	1400	2
3	1400	0.00	100	6.21	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	23.11	75	0.00	0.22	39	786	786	287	1860	1400	3
4	1400	0.00	100	6.22	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	23.04	75	0.00	0.17	43	790	913	273	1977	1400	4
5	1400	0.09	100	6.28	3.59	100	5275	0	0.0	0	0.00	0.09	0.15	22.90	75	0.07	0.15	46	794	1075	177	2048	1400	5
6	1400	0.55	100	6.69	3.59	100	5275	0	0.0	0	0.00	0.55	0.15	22.79	75	0.41	0.21	47	798	1272	84	2156	1400	6
7	1400	0.38	100	6.98	3.59	100	5275	0	0.0	0	0.00	0.38	0.15	22.88	75	0.28	0.22	44	803	1494	72	2371	1400	7
8	1400	0.62	100	7.44	3.59	100	5275	0	0.0	0	0.00	0.62	0.15	22.90	75	0.47	0.27	43	808	1731	140	2681	1400	8
9	1400	0.86	100	8.09	3.59	100	5275	0	0.0	0	0.00	0.86	0.15	23.02	75	0.65	0.35	39	813	1966	224	3005	1400	9
10	1400	0.94	100	8.79	3.59	100	5275	0	0.0	0	0.00	0.93	0.15	23.20	75	0.70	0.43	34	819	2185	340	3345	1400	10
11	1400	0.00	100	8.79	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	23.40	75	0.00	0.34	31	824	2383	524	3733	1400	11
12	1400	0.00	100	8.79	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	23.25	75	0.00	0.26	35	830	2563	634	4029	1400	12
13	1400	0.57	100	9.22	3.59	100	5275	0	0.0	0	0.00	0.57	0.15	23.10	75	0.43	0.30	40	833	2736	485	4059	1400	13
14	1400	0.00	100	9.22	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	23.20	75	0.00	0.24	37	844	2917	266	4028	1400	14
15	1400	0.00	100	9.22	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	23.05	75	0.00	0.18	42	851	3117	189	4158	1400	15
16	1400	0.00	100	9.22	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	22.90	75	0.00	0.15	46	859	3335	144	4339	1400	16
17	1400	0.00	100	9.22	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	22.75	75	0.00	0.11	48	867	3562	72	4503	1400	17
18	1400	0.03	100	9.24	3.59	100	5275	0	0.0	0	0.00	0.03	0.15	22.60	75	0.02	0.09	49	876	3779	24	4680	1400	18
19	1400	0.05	100	9.28	3.59	100	5275	0	0.0	0	0.00	0.05	0.15	22.46	75	0.04	0.08	51	886	3961	7	4856	1400	19
20	1400	0.41	100	9.59	3.59	100	5275	0	0.0	0	0.00	0.41	0.15	22.34	75	0.31	0.13	52	897	4086	10	4994	1400	20
21	1400	0.00	100	9.59	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	22.37	75	0.00	0.10	48	908	4138	34	5082	1400	21
22	1400	0.08	100	9.65	3.59	100	5275	0	0.0	0	0.00	0.08	0.15	22.22	75	0.06	0.09	50	921	4107	74	5104	1400	22
23	1400	0.00	100	9.65	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	22.11	75	0.00	0.07	51	934	3996	78	5009	1400	23
24	1400	0.00	100	9.65	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	21.96	75	0.00	0.06	53	949	3814	51	4816	1400	24
25	1400	0.62	100	10.11	3.59	100	5275	0	0.0	0	0.00	0.62	0.15	21.81	75	0.46	0.14	54	965	3579	29	4574	1400	25
26	1400	0.02	100	10.13	3.59	100	5275	0	0.0	0	0.00	0.02	0.15	21.92	75	0.01	0.12	48	982	3309	41	4334	1400	26
27	1400	0.02	100	10.14	3.59	100	5275	0	0.0	0	0.00	0.02	0.15	21.78	75	0.01	0.10	49	1000	3024	94	4121	1400	27
28	1400	0.00	100	10.14	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	21.64	75	0.00	0.07	50	1020	2741	103	3865	1400	28
29	1400	0.00	100	10.14	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	21.49	75	0.00	0.06	53	1040	2472	60	3574	1400	29
30	1400	0.00	100	10.14	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	21.34	75	0.00	0.05	54	1062	2228	23	3315	1400	30
31	1400	0.17	100	10.27	3.59	100	5275	0	0.0	0	0.00	0.17	0.15	21.19	75	0.13	0.06	55	1085	2015	7	3109	1400	31

FORM 1113
PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

EII = 0.15 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	EII	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	100	10.55	3.59	100	5275	0	0.0	0	0.00	0.37	0.15	21.12	75	0.28	0.11	54	1109	1833	11	2954	1400	1
2	1400	0.31	100	10.78	3.59	100	5275	0	0.0	0	0.00	0.31	0.15	21.14	75	0.23	0.14	50	1134	1679	44	2858	1400	2
3	1400	0.04	100	10.81	3.59	100	5275	0	0.0	0	0.00	0.04	0.15	21.13	75	0.03	0.11	48	1159	1548	98	2806	1400	3
4	1400	0.26	100	11.00	3.59	100	5275	0	0.0	0	0.00	0.26	0.15	21.00	75	0.19	0.13	49	1186	1436	126	2750	1400	4
5	1400	0.56	100	11.42	3.59	100	5275	0	0.0	0	0.00	0.56	0.15	20.97	75	0.42	0.19	48	1213	1342	114	2671	1400	5
6	1400	0.06	100	11.47	3.59	100	5275	0	0.0	0	0.00	0.06	0.15	21.07	75	0.04	0.16	45	1240	1267	122	2631	1400	6
7	1400	0.00	100	11.47	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	20.94	75	0.00	0.13	47	1268	1213	158	2641	1400	7
8	1400	0.04	100	11.50	3.59	100	5275	0	0.0	0	0.00	0.04	0.15	20.79	75	0.03	0.11	49	1296	1186	139	2623	1400	8
9	1400	0.09	100	11.56	3.59	100	5275	0	0.0	0	0.00	0.09	0.15	20.66	75	0.07	0.10	50	1324	1187	77	2590	1400	9
10	1400	0.00	100	11.56	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	20.55	75	0.00	0.08	50	1352	1216	38	2608	1400	10
11	1400	0.00	100	11.56	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	20.40	75	0.00	0.06	52	1380	1268	28	2678	1400	11
12	1400	0.00	100	11.56	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	20.25	75	0.00	0.05	54	1408	1335	21	2764	1400	12
13	1400	0.00	100	11.56	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	20.10	75	0.00	0.04	55	1435	1404	10	2850	1400	13
14	1400	0.01	100	11.57	3.59	100	5275	0	0.0	0	0.00	0.01	0.15	19.95	75	0.01	0.03	56	1461	1464	3	2929	1400	14
15	1400	0.00	100	11.57	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	19.81	75	0.00	0.02	57	1487	1504	1	2993	1400	15
16	1400	0.00	100	11.57	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	19.66	75	0.00	0.02	58	1512	1516	1	3031	1400	16
17	1400	0.00	100	11.57	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	19.51	75	0.00	0.01	58	1536	1498	1	3036	1400	17
18	1400	0.00	100	11.57	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	19.36	75	0.00	0.01	59	1559	1449	0	3009	1400	18
19	1400	0.03	95	11.59	3.59	100	5275	0	0.0	0	0.00	0.03	0.15	19.21	75	0.02	0.01	59	1581	1372	0	2954	1400	19
20	1400	0.80	100	12.19	3.59	100	5275	0	0.0	0	0.00	0.80	0.15	19.07	75	0.60	0.14	59	1602	1273	4	2880	1400	20
21	1400	0.45	100	12.53	3.59	100	5275	0	0.0	0	0.00	0.45	0.15	19.24	75	0.34	0.18	48	1621	1160	42	2825	1400	21
22	1400	0.00	99	12.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	19.29	75	0.00	0.14	46	1640	1039	138	2818	1400	22
23	1400	0.00	97	12.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	19.14	75	0.00	0.11	48	1657	921	194	2774	1400	23
24	1400	0.00	100	12.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	18.99	75	0.00	0.09	49	1673	818	146	2638	1400	24
25	1400	0.00	95	12.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	18.84	75	0.00	0.07	51	1688	742	66	2498	1400	25
26	1400	0.00	87	12.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	18.69	75	0.00	0.05	53	1701	703	20	2425	1400	26
27	1400	0.00	41	12.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	18.54	75	0.00	0.04	55	1713	701	4	2420	1400	27
28	1400	0.00	14	12.53	3.59	100	5275	0	0.0	0	0.00	0.00	0.15	18.39	75	0.00	0.03	56	1723	733	0	2458	1400	28
29	1400	0.81	14	12.62	3.59	100	5275	0	0.0	0	0.00	0.11	0.15	18.24	75	0.09	0.04	57	1732	787	0	2521	1400	29
30	1400	0.16	77	12.71	3.59	100	5275	0	0.0	0	0.00	0.12	0.15	18.24	75	0.09	0.06	56	1740	849	6	2597	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	FLEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.15	2.00	0	0.00	0.03	0	130	29	8	158	1400	6
7	1400	0.05	5	0.00	0.01	0	1910	100	1.6	22	0.16	0.04	0.09	2.00	18	0.01	0.03	57	129	30	2	164	1400	7
8	1400	0.00	15	0.00	0.02	0	2002	99	2.2	45	0.22	0.10	0.09	1.95	18	0.02	0.02	57	129	77	7	215	1400	8
9	1400	0.00	10	0.00	0.03	0	2044	99	1.6	33	0.16	0.05	0.09	1.94	18	0.01	0.02	58	129	110	4	244	1400	9
10	1400	0.00	10	0.00	0.04	1	2067	98	1.6	33	0.16	0.05	0.09	1.90	18	0.01	0.02	58	129	82	3	216	1400	10
11	1400	0.00	50	0.00	0.10	1	2089	96	4.1	75	0.41	0.31	0.09	1.85	17	0.05	0.03	58	129	182	22	335	1400	11
12	1400	0.00	50	0.00	0.15	2	2216	95	4.0	73	0.41	0.30	0.09	2.03	18	0.05	0.03	57	132	381	22	537	1400	12
13	1400	0.24	60	0.03	0.22	3	2344	92	4.7	78	0.50	0.53	0.09	2.20	19	0.10	0.05	57	139	546	42	728	1400	13
14	1400	0.00	10	0.03	0.23	3	2515	92	1.3	26	0.14	0.03	0.09	2.60	21	0.01	0.04	55	153	529	3	686	1400	14
15	1400	0.00	15	0.03	0.25	4	2532	91	1.8	37	0.20	0.07	0.09	2.54	20	0.01	0.03	56	175	174	6	357	1400	15
16	1400	0.00	10	0.03	0.25	4	2567	91	1.2	25	0.13	0.03	0.09	2.51	20	0.01	0.03	57	200	100	2	304	1400	16
17	1400	0.00	15	0.03	0.27	4	2582	90	1.8	36	0.19	0.07	0.09	2.45	20	0.01	0.03	57	225	81	5	312	1400	17
18	1400	0.00	50	0.03	0.32	5	2615	88	3.7	67	0.40	0.27	0.09	2.42	20	0.05	0.03	57	246	201	22	471	1400	18
19	1400	0.00	50	0.03	0.37	5	2740	86	3.6	65	0.40	0.26	0.09	2.58	21	0.05	0.04	57	263	386	22	673	1400	19
20	1400	0.04	70	0.03	0.47	7	2866	83	5.1	76	0.58	0.47	0.09	2.73	22	0.10	0.06	56	278	557	44	880	1400	20
21	1400	0.10	70	0.05	0.57	8	3042	80	4.9	73	0.58	0.49	0.09	3.08	25	0.12	0.08	54	295	847	54	1198	1400	21
22	1400	0.29	27	0.07	0.59	9	3146	79	1.9	36	0.22	0.16	0.09	3.45	28	0.04	0.07	52	319	803	20	1143	1400	22
23	1400	0.01	70	0.07	0.70	10	3162	76	4.7	69	0.57	0.40	0.09	3.52	28	0.11	0.09	53	350	655	52	1059	1400	23
24	1400	0.00	70	0.07	0.82	12	3241	74	4.5	66	0.57	0.38	0.09	3.81	30	0.11	0.10	51	389	934	55	1379	1400	24
25	1400	0.00	80	0.07	0.97	14	3324	70	5.2	69	0.67	0.47	0.09	4.07	33	0.15	0.13	50	434	1150	75	1660	1400	25
26	1400	0.03	80	0.08	1.13	16	3433	66	5.0	66	0.67	0.47	0.09	4.43	35	0.17	0.15	49	486	1427	83	1998	1400	26
27	1400	0.00	86	0.08	1.33	19	3546	61	5.8	63	0.82	0.52	0.09	4.79	38	0.20	0.19	47	547	1682	103	2334	1400	27
28	1400	0.09	96	0.12	1.61	23	3690	56	7.7	61	1.14	0.78	0.09	5.23	41	0.32	0.27	46	617	2310	192	3120	1400	28
29	1400	0.02	50	0.12	1.65	24	3653	55	1.8	32	0.30	0.11	0.09	5.94	43	0.05	0.23	40	699	2230	27	2957	1400	29
30	1400	0.13	70	0.16	1.76	26	3876	53	2.3	45	0.56	0.34	0.09	5.96	43	0.15	0.23	43	789	1185	82	2056	1400	30
31	1400	0.09	92	0.20	2.00	29	3934	49	6.2	52	1.08	0.64	0.09	6.21	43	0.28	0.29	43	880	1686	184	2951	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.200 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	80	0.20	2.15	31	4074	46	3.8	44	0.72	0.34	0.09	6.83	45	0.15	0.30	37	967	2410	94	3473	1400	1
2	1400	0.23	50	0.26	2.17	32	4164	46	1.3	23	0.25	0.17	0.09	7.13	46	0.08	0.26	37	1049	1667	49	2766	1400	2
3	1400	0.07	86	0.29	2.36	34	4180	42	4.7	43	0.94	0.46	0.09	7.20	46	0.22	0.30	40	1120	1511	145	2777	1400	3
4	1400	0.00	100	0.29	2.84	41	4296	35	11.2	42	2.40	1.01	0.09	7.66	48	0.48	0.53	37	1181	3142	601	4925	1400	4
5	1400	0.00	100	0.29	3.53	51	4526	27	15.2	35	3.75	1.33	0.09	9.07	52	0.68	0.96	28	1238	5745	1858	8842	1400	5
6	1400	0.00	100	0.29	4.26	62	4821	19	15.5	27	4.71	1.26	0.09	11.37	58	0.73	1.60	21	1304	7420	3866	12591	1400	6
7	1400	0.00	100	0.29	4.86	70	5167	14	13.6	19	4.61	0.86	0.09	14.10	71	0.60	2.15	14	1388	6961	4794	13144	1400	7
8	1400	0.00	100	0.29	5.25	76	5410	12	9.7	14	3.59	0.51	0.09	15.77	75	0.38	2.40	10	1487	5356	2650	9495	1400	8
9	1400	0.00	100	0.29	5.72	83	5564	8	14.1	12	5.45	0.63	0.09	16.77	75	0.47	3.10	10	1586	4142	5005	10735	1400	9
10	1400	0.00	100	0.29	6.07	88	5754	6	13.8	8	5.61	0.46	0.09	18.58	75	0.35	3.70	10	1671	3217	3746	8636	1400	10
11	1400	0.00	100	0.29	6.24	90	5893	5	9.4	6	3.95	0.23	0.09	20.45	75	0.17	3.69	10	1729	2334	1356	5421	1400	11
12	1400	0.06	100	0.33	6.34	92	5962	4	6.6	5	2.81	0.19	0.09	21.58	75	0.14	3.43	10	1755	1828	732	4316	1400	12
13	1400	0.00	96	0.33	6.37	92	6003	4	2.9	4	1.23	0.05	0.09	22.32	75	0.04	2.90	10	1745	1400	73	3219	1400	13
14	1400	0.06	99	0.37	6.42	93	6069	3	3.9	4	1.67	0.12	0.09	22.54	75	0.09	2.57	10	1700	963	250	2915	1400	14
15	1400	0.57	92	0.77	6.42	93	6154	3	0.9	2	0.37	0.53	0.09	22.92	75	0.40	2.14	10	1627	2827	661	5116	1400	15
16	1400	0.00	100	0.77	6.47	94	6164	3	4.9	3	2.11	0.07	0.09	23.08	75	0.05	2.05	10	1531	4001	184	5717	1400	16
17	1400	0.08	98	0.83	6.50	94	6261	3	2.4	3	1.06	0.11	0.09	23.56	75	0.08	1.80	10	1423	1607	154	3184	1400	17
18	1400	0.02	100	0.84	6.56	95	6303	2	6.9	3	3.02	0.10	0.09	23.77	75	0.08	1.97	12	1307	1163	410	2882	1400	18
19	1400	0.00	100	0.84	6.64	96	6419	2	10.2	2	4.47	0.10	0.09	24.55	75	0.08	2.44	10	1190	899	691	2781	1400	19
20	1400	0.03	100	0.86	6.68	97	6563	2	7.7	2	3.38	0.09	0.09	25.84	75	0.07	2.54	10	1074	741	433	2248	1400	20
21	1400	0.24	98	1.04	6.69	97	6646	1	1.8	1	0.80	0.25	0.09	26.72	75	0.18	2.15	10	962	1430	323	2717	1400	21
22	1400	0.00	100	1.04	6.75	98	6662	1	13.3	1	5.86	0.08	0.09	26.90	75	0.06	2.93	10	858	1881	676	3416	1400	22
23	1400	0.00	100	1.04	6.81	99	6775	1	17.7	1	7.85	0.08	0.09	28.73	75	0.06	4.14	10	762	681	720	2165	1400	23
24	1400	0.00	100	1.04	6.84	99	6880	0	16.3	1	7.39	0.04	0.09	31.49	75	0.03	4.74	10	676	285	380	1342	1400	24
25	1400	0.00	100	1.04	6.86	99	6937	0	18.5	0	8.31	0.03	0.09	33.70	75	0.02	5.29	10	598	162	278	1039	1400	25
26	1400	0.00	100	1.04	6.87	100	6976	0	19.5	0	8.76	0.02	0.09	36.03	75	0.01	5.49	10	529	96	167	793	1400	26
27	1400	0.01	100	1.05	6.88	100	6999	0	13.8	0	6.19	0.02	0.09	38.00	75	0.01	4.92	10	466	69	140	676	1400	27
28	1400	0.00	100	1.05	6.88	100	7243	0	4.2	0	1.87	0.00	0.09	38.85	75	0.00	3.99	10	409	55	3	469	1400	28
29	1400	0.11	100	1.13	6.88	100	7295	0	4.1	0	1.83	0.11	0.09	38.96	75	0.08	3.27	10	358	392	267	1018	1400	29
30	1400	0.88	99	1.79	6.88	100	7341	0	0.6	0	0.28	0.87	0.09	39.09	75	0.66	2.72	10	313	3888	1260	5462	1400	30

FORM 1611-5
PRINTED IN U.S.A.

38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE 90981 | RUN NO. | INITIAL DATE, HOUR 6 MAY 1971 1400 | JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. | N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1971																								JUL 1971
1	1400	0.87	99	2.43	6.88	100	7347	0	0.6	0	0.28	0.86	0.09	39.31	75	0.65	2.29	10	279	9140	1236	10658	1400	1
2	1400	0.09	100	2.50	6.88	100	7353	0	1.7	0	0.76	0.09	0.10	39.52	75	0.07	1.86	10	261	7374	109	7745	1400	2
3	1400	0.00	100	2.50	6.88	100	7369	0	5.1	0	2.29	0.00	0.10	39.53	75	0.00	1.59	11	258	1967	3	2230	1400	3
4	1400	0.06	100	2.55	6.88	100	7418	0	8.5	0	3.81	0.06	0.10	39.63	75	0.05	1.47	14	266	387	316	971	1400	4
5	1400	0.00	100	2.55	6.88	100	7489	0	13.0	0	5.82	0.00	0.10	39.87	75	0.00	1.43	15	279	283	17	580	1400	5
6	1400	0.00	100	2.55	6.88	100	7576	0	14.0	0	6.28	0.00	0.10	40.19	75	0.00	1.34	16	290	66	12	369	1400	6
7	1400	0.01	100	2.55	6.88	100	7641	0	10.4	0	4.68	0.01	0.10	40.43	75	0.01	1.16	17	296	30	65	393	1400	7
8	1400	0.00	100	2.55	6.88	100	7673	0	17.3	0	7.76	0.00	0.10	40.50	75	0.00	1.06	18	296	40	8	345	1400	8
9	1400	0.00	100	2.55	6.89	100	7713	0	18.3	0	8.24	0.00	0.10	40.63	75	0.00	0.93	19	288	11	5	305	1400	9
10	1400	0.00	100	2.55	6.89	100	7738	0	19.5	0	8.74	0.00	0.10	40.68	75	0.00	0.79	21	275	2	3	281	1400	10
11	1400	0.00	100	2.55	6.89	100	7753	0	20.6	0	9.25	0.00	0.10	40.67	75	0.00	0.65	24	257	1	1	260	1400	11
12	1400	0.06	100	2.60	6.89	100	7761	0	14.8	0	6.66	0.06	0.10	40.62	75	0.05	0.53	26	236	81	394	712	1400	12
13	1400	0.55	100	3.01	6.89	100	7764	0	10.2	0	4.59	0.55	0.10	40.56	75	0.41	0.51	28	216	1117	2693	4027	1400	13
14	1400	0.01	100	3.02	6.89	100	7766	0	11.4	0	5.10	0.01	0.10	40.67	75	0.01	0.41	29	204	1811	58	2074	1400	14
15	1400	0.00	100	3.02	6.89	100	7767	0	6.8	0	3.04	0.00	0.10	40.59	75	0.00	0.32	32	204	416	0	622	1400	15
16	1400	0.00	100	3.02	6.89	100	7767	0	9.1	0	4.07	0.00	0.10	40.49	75	0.00	0.26	36	216	36	0	253	1400	16
17	1400	0.00	100	3.02	6.89	100	7768	0	10.2	0	4.59	0.00	0.10	40.39	75	0.00	0.20	40	231	2	0	234	1400	17
18	1400	0.00	100	3.02	6.89	100	7768	0	6.8	0	3.03	0.00	0.10	40.29	75	0.00	0.16	45	246	0	0	246	1400	18
19	1400	0.00	100	3.02	6.89	100	7769	0	11.3	0	5.10	0.00	0.10	40.20	75	0.00	0.13	47	255	0	0	255	1400	19
20	1400	0.19	100	3.16	6.89	100	7769	0	11.3	0	5.10	0.19	0.10	40.10	75	0.14	0.13	49	258	307	450	1017	1400	20
21	1400	0.00	100	3.16	6.89	100	7769	0	4.4	0	2.00	0.00	0.10	40.07	75	0.00	0.10	48	259	558	1	820	1400	21
22	1400	0.02	100	3.18	6.89	100	7769	0	3.3	0	1.48	0.02	0.10	39.97	75	0.02	0.09	50	261	162	12	437	1400	22
23	1400	0.03	100	3.20	6.89	100	7769	0	6.7	0	3.03	0.03	0.10	39.88	75	0.02	0.07	51	264	142	32	439	1400	23
24	1400	0.23	100	3.37	6.89	100	7770	0	3.3	0	1.48	0.23	0.10	39.79	75	0.17	0.09	53	269	571	145	987	1400	24
25	1400	0.15	100	3.48	6.89	100	7770	0	6.7	0	3.03	0.15	0.10	39.78	75	0.11	0.10	51	278	1129	173	1581	1400	25
26	1400	0.08	100	3.54	6.89	100	7770	0	6.7	0	3.03	0.08	0.10	39.74	75	0.06	0.09	50	298	851	92	1242	1400	26
27	1400	0.66	100	4.04	6.89	100	7770	0	2.1	0	0.97	0.66	0.10	39.67	75	0.50	0.18	51	331	1752	429	2514	1400	27
28	1400	0.13	100	4.14	6.89	100	7770	0	2.1	0	0.97	0.13	0.10	39.81	75	0.10	0.16	46	387	2812	77	3277	1400	28
29	1400	0.22	100	4.30	6.89	100	7770	0	5.6	0	2.52	0.22	0.10	39.76	75	0.17	0.16	47	469	1529	251	2251	1400	29
30	1400	0.25	100	4.49	6.89	100	7770	0	5.6	0	2.52	0.25	0.10	39.75	75	0.19	0.17	47	573	1503	290	2367	1400	30
31	1400	0.62	100	4.95	6.89	100	7770	0	6.7	0	3.03	0.62	0.10	39.75	75	0.47	0.23	47	692	2333	1002	4028	1400	31

FORM 1413-S

PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE | RUN NO. | INITIAL DATE, HOUR | JOB DESCRIPTION

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	100	5.39	6.89	100	7770	0	9.0	0	4.07	0.58	0.10	39.87	75	0.44	0.27	43	824	3463	1508	5796	1400	1
2	1400	0.42	100	5.71	6.89	100	7770	0	12.5	0	5.62	0.42	0.10	39.99	75	0.32	0.28	39	974	3045	1755	5775	1400	2
3	1400	0.00	100	5.71	6.89	100	7770	0	7.9	0	3.55	0.00	0.10	40.05	75	0.00	0.22	38	1138	1599	6	2745	1400	3
4	1400	0.01	100	5.71	6.89	100	7770	0	6.7	0	3.03	0.01	0.10	39.95	75	0.00	0.18	43	1300	294	0	1603	1400	4
5	1400	0.10	100	5.79	6.89	100	7770	0	9.0	0	4.07	0.10	0.10	39.85	75	0.08	0.16	46	1439	236	202	1879	1400	5
6	1400	0.64	100	6.27	6.89	100	7770	0	5.6	0	2.52	0.64	0.10	39.79	75	0.48	0.23	47	1542	1648	853	4045	1400	6
7	1400	0.44	100	6.60	6.89	100	7770	0	6.7	0	3.03	0.44	0.10	39.93	75	0.33	0.25	43	1616	3326	781	5724	1400	7
8	1400	0.73	100	7.15	6.89	100	7770	0	5.6	0	2.52	0.73	0.10	40.00	75	0.54	0.31	41	1678	3726	1259	6665	1400	8
9	1400	1.01	100	7.91	6.89	100	7770	0	5.6	0	2.52	1.01	0.10	40.15	75	0.76	0.41	36	1747	5465	2324	9537	1400	9
10	1400	1.09	100	8.73	6.89	100	7770	0	9.0	0	4.07	1.09	0.10	40.38	75	0.82	0.50	32	1840	6609	4837	13288	1400	10
11	1400	0.00	100	8.73	6.89	100	7770	0	15.9	0	7.17	0.00	0.10	40.64	75	0.00	0.39	29	1965	4415	18	6400	1400	11
12	1400	0.00	100	8.73	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	40.54	75	0.00	0.31	32	2110	826	0	2937	1400	12
13	1400	0.57	100	9.15	6.89	100	7770	0	0.0	0	0.00	0.57	0.10	40.44	75	0.43	0.33	37	2246	1621	297	4165	1400	13
14	1400	0.00	100	9.15	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	40.55	75	0.00	0.26	35	2352	2835	1	5189	1400	14
15	1400	0.00	100	9.15	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	40.45	75	0.00	0.21	40	2416	613	0	3030	1400	15
16	1400	0.00	100	9.15	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	40.35	75	0.00	0.16	45	2431	47	0	2479	1400	16
17	1400	0.00	100	9.15	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	40.25	75	0.00	0.13	47	2393	2	0	2396	1400	17
18	1400	0.03	100	9.18	6.89	100	7770	0	0.0	0	0.00	0.03	0.10	40.15	75	0.02	0.10	49	2306	67	11	2385	1400	18
19	1400	0.05	100	9.21	6.89	100	7770	0	0.0	0	0.00	0.05	0.10	40.06	75	0.04	0.09	50	2178	230	18	2427	1400	19
20	1400	0.41	100	9.52	6.89	100	7770	0	0.0	0	0.00	0.41	0.10	39.98	75	0.31	0.14	51	2023	1097	148	3270	1400	20
21	1400	0.00	100	9.52	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	40.04	75	0.00	0.11	48	1861	1631	0	3493	1400	21
22	1400	0.08	100	9.58	6.89	100	7770	0	0.0	0	0.00	0.08	0.10	39.94	75	0.06	0.10	50	1706	522	29	2259	1400	22
23	1400	0.00	100	9.58	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	39.87	75	0.00	0.08	50	1566	344	0	1911	1400	23
24	1400	0.00	100	9.58	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	39.77	75	0.00	0.06	52	1437	70	0	1507	1400	24
25	1400	0.62	100	10.05	6.89	100	7770	0	0.0	0	0.00	0.62	0.10	39.67	75	0.47	0.15	54	1320	1245	210	2776	1400	25
26	1400	0.02	100	10.06	6.89	100	7770	0	0.0	0	0.00	0.02	0.10	39.80	75	0.02	0.12	48	1223	2297	8	3530	1400	26
27	1400	0.02	100	10.08	6.89	100	7770	0	0.0	0	0.00	0.02	0.10	39.71	75	0.02	0.10	49	1155	614	7	1778	1400	27
28	1400	0.00	100	10.08	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	39.61	75	0.00	0.08	50	1109	136	0	1246	1400	28
29	1400	0.00	100	10.08	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	39.51	75	0.00	0.06	52	1075	20	0	1096	1400	29
30	1400	0.00	99	10.08	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	39.41	75	0.00	0.05	54	1039	1	0	1041	1400	30
31	1400	0.17	100	10.21	6.89	100	7770	0	0.0	0	0.00	0.17	0.10	39.31	75	0.13	0.06	55	998	330	56	1385	1400	31

FORM 1417-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	HFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	98	10.48	6.89	100	7770	0	0.0	0	0.00	0.36	0.10	39.28	75	0.27	0.11	54	953	1329	124	2407	1400	1
2	1400	0.31	100	10.71	6.89	100	7770	0	0.0	0	0.00	0.31	0.10	39.32	75	0.23	0.14	50	915	2135	115	3168	1400	2
3	1400	0.04	100	10.74	6.89	100	7770	0	0.0	0	0.00	0.04	0.10	39.34	75	0.03	0.11	48	897	1621	15	2535	1400	3
4	1400	0.26	99	10.93	6.89	100	7770	0	0.0	0	0.00	0.26	0.10	39.26	75	0.19	0.13	49	900	1021	96	2019	1400	4
5	1400	0.56	92	11.32	6.89	100	7770	0	0.0	0	0.00	0.51	0.10	39.26	75	0.39	0.19	49	923	2241	196	3362	1400	5
6	1400	0.06	86	11.36	6.89	100	7770	0	0.0	0	0.00	0.05	0.10	39.36	75	0.04	0.15	46	966	2443	21	3432	1400	6
7	1400	0.00	96	11.36	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	39.28	75	0.00	0.12	47	1023	692	0	1716	1400	7
8	1400	0.04	100	11.39	6.89	100	7770	0	0.0	0	0.00	0.04	0.10	39.18	75	0.03	0.10	49	1083	172	15	1271	1400	8
9	1400	0.09	100	11.46	6.89	100	7770	0	0.0	0	0.00	0.09	0.10	39.09	75	0.07	0.09	50	1131	362	33	1527	1400	9
10	1400	0.00	92	11.46	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	39.03	75	0.00	0.07	51	1159	390	0	1550	1400	10
11	1400	0.00	80	11.46	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	38.93	75	0.00	0.06	53	1163	79	0	1243	1400	11
12	1400	0.00	96	11.46	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	38.83	75	0.00	0.05	54	1142	6	0	1149	1400	12
13	1400	0.00	98	11.46	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	38.73	75	0.00	0.04	55	1099	0	0	1099	1400	13
14	1400	0.01	100	11.46	6.89	100	7770	0	0.0	0	0.00	0.01	0.10	38.63	75	0.01	0.03	56	1036	18	3	1059	1400	14
15	1400	0.00	80	11.46	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	38.53	75	0.00	0.02	57	959	34	0	994	1400	15
16	1400	0.00	99	11.46	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	38.43	75	0.00	0.02	58	874	7	0	882	1400	16
17	1400	0.00	92	11.46	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	38.33	75	0.00	0.01	58	784	0	0	785	1400	17
18	1400	0.00	80	11.46	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	38.23	75	0.00	0.01	59	695	0	0	695	1400	18
19	1400	0.05	50	11.47	6.89	100	7770	0	0.0	0	0.00	0.01	0.10	38.13	75	0.01	0.01	59	608	26	4	640	1400	19
20	1400	0.80	92	12.03	6.89	100	7770	0	0.0	0	0.00	0.74	0.10	38.04	75	0.55	0.13	59	532	1362	230	2125	1400	20
21	1400	0.45	98	12.36	6.89	100	7770	0	0.0	0	0.00	0.44	0.10	38.20	75	0.33	0.17	49	486	3380	167	4035	1400	21
22	1400	0.00	70	12.36	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	38.27	75	0.00	0.13	46	491	2303	0	2795	1400	22
23	1400	0.00	60	12.36	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	38.17	75	0.00	0.11	48	543	427	0	971	1400	23
24	1400	0.00	96	12.36	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	38.07	75	0.00	0.08	50	624	32	0	657	1400	24
25	1400	0.00	50	12.36	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	37.97	75	0.00	0.07	52	708	1	0	710	1400	25
26	1400	0.00	38	12.36	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	37.87	75	0.00	0.05	53	776	0	0	777	1400	26
27	1400	0.00	10	12.36	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	37.77	75	0.00	0.04	55	820	0	0	820	1400	27
28	1400	0.00	5	12.36	6.89	100	7770	0	0.0	0	0.00	0.00	0.10	37.67	75	0.00	0.03	56	835	0	0	836	1400	28
29	1400	0.81	5	12.39	6.89	100	7770	0	0.0	0	0.00	0.04	0.10	37.57	75	0.03	0.03	57	824	69	12	907	1400	29
30	1400	0.16	27	12.42	6.89	100	7770	0	0.0	0	0.00	0.04	0.10	37.56	75	0.03	0.03	57	792	205	13	1012	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. 90981 INITIAL DATE, HOUR 6 MAY 1971 1400 JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.109 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	2.00	0	0.00	0.03	0	420	30	16	466	1400	6
7	1400	0.05	0	0.00	0.00	0	1450	100	0.5	6	0.05	0.00	0.09	2.00	30	0.00	0.02	57	419	28	11	480	1400	7
8	1400	0.00	2	0.00	0.01	0	1455	100	1.4	21	0.14	0.03	0.09	1.92	30	0.01	0.02	58	419	29	4	454	1400	8
9	1400	0.00	0	0.00	0.01	0	1510	100	0.9	13	0.09	0.01	0.09	1.85	29	0.00	0.02	58	419	42	3	466	1400	9
10	1400	0.00	0	0.00	0.02	0	1531	99	0.9	13	0.09	0.01	0.09	1.77	29	0.00	0.01	58	419	52	2	475	1400	10
11	1400	0.00	22	0.00	0.05	1	1551	98	2.2	55	0.23	0.12	0.09	1.69	28	0.04	0.02	59	419	76	7	503	1400	11
12	1400	0.00	22	0.00	0.09	1	1771	97	2.2	54	0.22	0.12	0.09	1.69	28	0.03	0.02	58	419	163	18	601	1400	12
13	1400	0.24	32	0.02	0.14	2	1984	95	2.7	66	0.28	0.26	0.09	1.69	28	0.07	0.03	58	418	316	27	762	1400	13
14	1400	0.00	0	0.02	0.14	2	2067	95	0.6	9	0.06	0.01	0.09	1.82	29	0.00	0.03	57	417	444	27	889	1400	14
15	1400	0.00	2	0.02	0.14	2	2069	95	1.1	17	0.12	0.02	0.09	1.73	29	0.01	0.02	57	415	407	7	830	1400	15
16	1400	0.00	0	0.02	0.15	2	2077	95	0.6	8	0.06	0.01	0.09	1.66	28	0.00	0.02	58	414	234	2	651	1400	16
17	1400	0.00	2	0.02	0.15	2	2079	95	1.1	16	0.11	0.02	0.09	1.57	28	0.01	0.02	58	412	100	1	515	1400	17
18	1400	0.00	22	0.02	0.18	2	2086	94	2.1	51	0.22	0.11	0.09	1.49	27	0.03	0.02	58	410	77	7	496	1400	18
19	1400	0.00	22	0.02	0.21	3	2127	93	2.0	50	0.21	0.11	0.09	1.49	27	0.03	0.02	58	408	147	15	571	1400	19
20	1400	0.04	45	0.03	0.28	4	2167	91	3.3	69	0.35	0.26	0.09	1.48	27	0.07	0.03	58	406	281	24	713	1400	20
21	1400	0.10	45	0.04	0.34	5	2257	88	3.2	66	0.35	0.28	0.09	1.60	28	0.08	0.04	57	403	473	40	918	1400	21
22	1400	0.29	7	0.04	0.35	5	2346	88	1.1	18	0.12	0.04	0.09	1.75	29	0.01	0.04	56	401	623	33	1058	1400	22
23	1400	0.01	45	0.05	0.41	6	2355	86	3.1	64	0.34	0.23	0.09	1.72	29	0.06	0.05	56	398	607	22	1029	1400	23
24	1400	0.00	45	0.05	0.47	6	2441	84	3.0	62	0.34	0.21	0.09	1.82	29	0.06	0.05	55	396	563	35	995	1400	24
25	1400	0.00	58	0.05	0.56	8	2525	81	3.7	67	0.42	0.29	0.09	1.91	30	0.08	0.06	55	394	646	42	1084	1400	25
26	1400	0.03	58	0.05	0.64	9	2640	79	3.5	64	0.42	0.29	0.09	2.07	31	0.09	0.07	54	393	802	52	1248	1400	26
27	1400	0.00	70	0.05	0.75	10	2732	76	4.2	69	0.51	0.35	0.09	2.23	32	0.11	0.09	53	392	975	62	1430	1400	27
28	1400	0.09	84	0.08	0.94	13	2837	72	6.0	72	0.75	0.62	0.09	2.46	35	0.21	0.13	51	392	1268	95	1757	1400	28
29	1400	0.02	22	0.08	0.96	13	3004	72	1.1	28	0.15	0.05	0.09	2.92	39	0.02	0.11	48	394	1592	96	2083	1400	29
30	1400	0.13	45	0.10	1.02	14	3014	70	2.4	48	0.32	0.21	0.09	2.87	39	0.08	0.11	50	397	1528	43	1970	1400	30
31	1400	0.09	77	0.13	1.18	16	3046	67	4.8	64	0.64	0.48	0.09	2.96	40	0.19	0.14	50	402	1300	76	1779	1400	31

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.143 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	58	0.13	1.27	17	3136	65	3.0	50	0.41	0.22	0.09	3.30	43	0.09	0.14	48	408	1449	103	1962	1400	1
2	1400	0.23	22	0.16	1.28	17	3186	65	0.8	21	0.12	0.08	0.09	3.40	44	0.03	0.12	48	418	1582	62	2063	1400	2
3	1400	0.07	76	0.18	1.40	19	3192	62	3.6	55	0.52	0.33	0.09	3.39	44	0.15	0.14	49	429	1372	55	1858	1400	3
4	1400	0.00	99	0.18	1.79	24	3261	55	9.4	61	1.39	0.84	0.09	3.59	46	0.39	0.26	48	443	1593	174	2211	1400	4
5	1400	0.00	100	0.18	2.44	33	3433	44	13.1	55	2.21	1.21	0.09	4.34	53	0.64	0.52	40	460	3127	549	4137	1400	5
6	1400	0.00	100	0.18	3.23	44	3701	33	13.3	44	2.77	1.21	0.09	5.53	65	0.79	0.92	29	479	5993	1520	7994	1400	6
7	1400	0.00	100	0.18	4.00	54	3959	24	11.5	33	3.02	1.00	0.09	6.70	77	0.77	1.40	21	502	9183	3144	12831	1400	7
8	1400	0.00	99	0.18	4.50	61	4325	19	7.7	24	2.42	0.58	0.09	7.56	86	0.50	1.66	16	529	11080	3878	15488	1400	8
9	1400	0.00	100	0.18	5.16	70	4552	15	11.5	19	3.88	0.74	0.09	7.91	89	0.66	2.26	13	560	10889	4762	16213	1400	9
10	1400	0.00	100	0.18	5.70	77	4742	11	10.8	15	3.96	0.58	0.09	8.36	94	0.54	2.82	10	598	9437	7269	17305	1400	10
11	1400	0.00	99	0.18	5.99	81	4900	9	6.9	11	2.70	0.30	0.09	8.60	96	0.29	2.88	10	641	7788	6097	14529	1400	11
12	1400	0.06	99	0.24	6.14	83	4983	8	4.6	8	1.86	0.21	0.09	8.64	96	0.20	2.65	10	691	6258	2880	9831	1400	12
13	1400	0.00	91	0.24	6.17	83	5073	8	1.4	7	0.57	0.04	0.09	8.63	96	0.04	2.18	10	746	4792	1117	6657	1400	13
14	1400	0.06	94	0.29	6.23	84	5104	8	2.3	7	0.93	0.12	0.09	8.55	96	0.12	1.90	10	807	3383	323	4514	1400	14
15	1400	0.57	77	0.71	6.24	84	5156	8	0.2	1	0.09	0.44	0.09	8.51	95	0.42	1.58	11	872	3035	484	4393	1400	15
16	1400	0.00	96	0.71	6.32	85	5157	7	3.2	7	1.33	0.09	0.09	8.51	95	0.08	1.49	14	940	4163	629	5734	1400	16
17	1400	0.08	91	0.77	6.34	86	5227	7	1.1	5	0.47	0.10	0.09	8.48	95	0.09	1.26	15	1010	4641	323	5975	1400	17
18	1400	0.02	99	0.79	6.48	88	5248	6	5.0	7	2.06	0.16	0.09	8.42	94	0.15	1.46	17	1079	3610	387	5077	1400	18
19	1400	0.00	100	0.79	6.66	90	5360	5	7.9	6	3.32	0.20	0.09	8.47	95	0.19	1.98	15	1148	2726	1092	4967	1400	19
20	1400	0.03	99	0.82	6.77	92	5519	4	5.6	5	2.37	0.14	0.09	8.60	96	0.14	2.12	10	1213	2531	1545	5291	1400	20
21	1400	0.24	91	1.03	6.78	92	5610	4	0.5	2	0.22	0.22	0.09	8.62	96	0.22	1.74	10	1275	2685	976	4938	1400	21
22	1400	0.00	100	1.03	6.95	94	5615	3	10.7	4	4.57	0.18	0.09	8.57	96	0.18	2.64	13	1333	3085	1177	5596	1400	22
23	1400	0.00	100	1.03	7.13	96	5763	2	14.6	3	6.36	0.18	0.09	8.75	97	0.18	4.19	10	1385	3042	2542	6970	1400	23
24	1400	0.00	100	1.03	7.20	97	5912	1	10.0	2	4.40	0.07	0.09	8.91	99	0.07	4.51	10	1431	2259	2514	6205	1400	24
25	1400	0.00	100	1.03	7.27	98	5974	1	11.9	1	5.29	0.06	0.09	8.87	99	0.06	5.05	10	1470	1409	1403	4283	1400	25
26	1400	0.00	100	1.03	7.31	99	7043	1	12.8	1	5.72	0.05	0.09	8.87	99	0.04	5.57	10	1503	876	1024	3404	1400	26
27	1400	0.01	100	1.04	7.33	99	7101	0	8.5	0	3.82	0.03	0.09	8.88	99	0.03	5.23	10	1529	571	714	2815	1400	27
28	1400	0.00	99	1.04	7.33	99	7126	0	0.1	0	0.05	0.00	0.09	8.84	98	0.00	4.12	10	1548	386	334	2270	1400	28
29	1400	0.11	99	1.15	7.33	99	7126	0	0.1	0	0.05	0.11	0.09	8.75	97	0.11	3.26	10	1560	433	98	2093	1400	29
30	1400	0.88	94	1.95	7.33	99	7126	0	0.0	0	0.00	0.82	0.09	8.68	97	0.80	2.74	10	1565	2197	739	4502	1400	30

FORM 1819-S
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.448 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1971																								JUL 1971
1	1400	0.87	94	2.74	7.33	99	7126	0	0.0	0	0.00	0.81	0.09	8.68	97	0.79	2.32	10	1564	7160	1861	10586	1400	1
2	1400	0.09	96	2.82	7.33	99	7126	0	0.0	0	0.00	0.09	0.10	8.69	97	0.08	1.84	10	1557	11781	1468	14807	1400	2
3	1400	0.00	99	2.82	7.33	99	7126	0	1.2	0	0.51	0.00	0.10	8.60	96	0.00	1.53	12	1544	10781	335	12661	1400	3
4	1400	0.06	100	2.88	7.34	99	7129	0	4.3	0	1.92	0.07	0.10	8.52	95	0.06	1.55	15	1527	5924	144	7597	1400	4
5	1400	0.00	100	2.88	7.35	99	7137	0	8.5	0	3.80	0.01	0.10	8.51	95	0.01	1.94	14	1506	2349	244	4100	1400	5
6	1400	0.00	100	2.88	7.36	99	7152	0	9.5	0	4.26	0.01	0.10	8.58	96	0.01	2.28	11	1481	978	167	2628	1400	6
7	1400	0.01	100	2.89	7.36	100	7165	0	6.3	0	2.84	0.01	0.10	8.64	96	0.01	2.22	10	1454	454	146	2055	1400	7
8	1400	0.00	100	2.89	7.37	100	7171	0	12.6	0	5.67	0.01	0.10	8.61	96	0.01	2.62	10	1424	231	142	1798	1400	8
9	1400	0.00	100	2.89	7.38	100	7182	0	13.7	0	6.13	0.01	0.10	8.68	97	0.01	2.80	10	1392	150	126	1669	1400	9
10	1400	0.00	100	2.89	7.38	100	7189	0	14.7	0	6.60	0.00	0.10	8.69	97	0.00	2.78	10	1358	93	94	1547	1400	10
11	1400	0.00	100	2.89	7.38	100	7194	0	15.7	0	7.07	0.00	0.10	8.68	97	0.00	2.59	10	1323	52	64	1440	1400	11
12	1400	0.06	100	2.94	7.38	100	7196	0	10.5	0	4.71	0.06	0.10	8.64	96	0.06	2.20	10	1287	70	325	1683	1400	12
13	1400	0.55	100	3.47	7.38	100	7198	0	6.3	0	2.82	0.55	0.10	8.58	96	0.53	1.91	10	1250	689	2543	4483	1400	13
14	1400	0.01	100	3.48	7.38	100	7198	0	7.3	0	3.30	0.01	0.10	8.59	96	0.01	1.56	11	1212	2032	3795	7040	1400	14
15	1400	0.00	100	3.48	7.38	100	7198	0	3.1	0	1.41	0.00	0.10	8.50	95	0.00	1.25	14	1173	2520	864	4558	1400	15
16	1400	0.00	100	3.48	7.38	100	7199	0	5.2	0	2.35	0.00	0.10	8.41	94	0.00	1.02	17	1134	1536	76	2747	1400	16
17	1400	0.00	100	3.48	7.38	100	7199	0	6.3	0	2.82	0.00	0.10	8.32	93	0.00	0.83	20	1094	518	5	1619	1400	17
18	1400	0.00	100	3.48	7.38	100	7199	0	3.1	0	1.41	0.00	0.10	8.23	92	0.00	0.67	23	1055	131	1	1188	1400	18
19	1400	0.00	100	3.48	7.38	100	7199	0	7.3	0	3.29	0.00	0.10	8.13	91	0.00	0.55	26	1016	29	0	1047	1400	19
20	1400	0.19	100	3.65	7.38	100	7199	0	7.3	0	3.29	0.19	0.10	8.05	90	0.17	0.50	28	977	181	383	1542	1400	20
21	1400	0.00	99	3.65	7.38	100	7199	0	1.0	0	0.46	0.00	0.10	8.00	90	0.00	0.39	29	939	604	694	2238	1400	21
22	1400	0.02	99	3.67	7.38	100	7199	0	0.0	0	0.00	0.02	0.10	7.90	89	0.02	0.31	32	901	804	155	1862	1400	22
23	1400	0.03	100	3.70	7.38	100	7199	0	3.1	0	1.41	0.03	0.10	7.81	88	0.03	0.26	36	864	595	37	1498	1400	23
24	1400	0.23	99	3.89	7.38	100	7199	0	0.0	0	0.00	0.23	0.10	7.72	87	0.20	0.25	40	828	627	83	1540	1400	24
25	1400	0.15	100	4.02	7.38	100	7199	0	3.1	0	1.41	0.15	0.10	7.68	87	0.13	0.23	41	793	1251	171	2217	1400	25
26	1400	0.08	100	4.09	7.38	100	7199	0	3.1	0	1.41	0.08	0.10	7.63	86	0.07	0.20	43	759	1810	186	2757	1400	26
27	1400	0.66	99	4.65	7.38	100	7200	0	0.0	0	0.00	0.65	0.10	7.56	86	0.56	0.28	45	727	2272	256	3257	1400	27
28	1400	0.13	99	4.76	7.38	100	7200	0	0.0	0	0.00	0.13	0.10	7.62	86	0.11	0.24	39	697	3297	341	4337	1400	28
29	1400	0.22	99	4.95	7.38	100	7200	0	2.1	0	0.93	0.22	0.10	7.56	86	0.19	0.23	42	670	3915	200	4787	1400	29
30	1400	0.25	99	5.16	7.38	100	7200	0	2.1	0	0.93	0.25	0.10	7.52	85	0.21	0.23	42	646	3455	258	4361	1400	30
31	1400	0.62	100	5.68	7.38	100	7200	0	3.1	0	1.41	0.62	0.10	7.50	85	0.53	0.30	42	626	3362	544	4534	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0. SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	100	6.18	7.38	100	7200	0	5.2	0	2.35	0.58	0.10	7.57	86	0.50	0.35	37		68	1277	6358	1400	1
2	1400	0.42	100	6.54	7.38	100	7200	0	8.4	0	3.77	0.42	0.10	7.63	86	0.36	0.36	34		647	2024	8275	1400	2
3	1400	0.00	100	6.54	7.38	100	7200	0	4.2	0	1.88	0.00	0.10	7.65	87	0.00	0.29	34		5342	1650	7592	1400	3
4	1400	0.01	100	6.55	7.38	100	7200	0	3.1	0	1.41	0.01	0.10	7.56	86	0.01	0.23	38	603	3495	325	4425	1400	4
5	1400	0.14	100	6.67	7.38	100	7200	0	5.2	0	2.35	0.14	0.10	7.46	85	0.12	0.21	42	615	1664	129	2409	1400	5
6	1400	0.88	99	7.40	7.38	100	7200	0	2.1	0	0.93	0.87	0.10	7.41	84	0.73	0.33	44	634	1708	590	2934	1400	6
7	1400	0.60	100	7.91	7.38	100	7200	0	3.1	0	1.41	0.60	0.10	7.52	85	0.51	0.37	36	661	4038	1202	5902	1400	7
8	1400	0.99	99	8.75	7.38	100	7200	0	2.1	0	0.93	0.98	0.10	7.59	86	0.84	0.47	34	695	7069	1635	9401	1400	8
9	1400	1.38	99	9.94	7.38	100	7200	0	2.1	0	0.93	1.36	0.10	7.71	87	1.19	0.63	30	736	10087	2883	13708	1400	9
10	1400	1.49	100	11.26	7.38	100	7200	0	5.2	0	2.35	1.49	0.10	7.86	89	1.32	0.78	27	784	13398	6272	20457	1400	10
11	1400	0.00	100	11.26	7.38	100	7200	0	11.5	0	5.18	0.00	0.10	8.01	90	0.00	0.62	24	841	14493	6770	22104	1400	11
12	1400	0.00	100	11.26	7.38	100	7200	0	10.5	0	4.71	0.00	0.10	7.92	89	0.00	0.49	27	906	10769	1386	13062	1400	12
13	1400	0.57	100	11.76	7.38	100	7200	0	8.4	0	3.77	0.57	0.10	7.82	88	0.50	0.49	29	979	5479	1489	7949	1400	13
14	1400	0.00	100	11.76	7.38	100	7200	0	3.1	0	1.41	0.00	0.10	7.86	89	0.00	0.39	29	1062	3000	2516	6580	1400	14
15	1400	0.00	99	11.76	7.38	100	7200	0	2.1	0	0.93	0.00	0.10	7.76	88	0.00	0.31	33	1153	2270	544	3968	1400	15
16	1400	0.00	100	11.76	7.38	100	7200	0	4.2	0	1.88	0.00	0.10	7.66	87	0.00	0.24	37	1251	1243	42	2537	1400	16
17	1400	0.00	100	11.76	7.38	100	7200	0	5.2	0	2.35	0.00	0.10	7.56	86	0.00	0.19	42	1355	400	2	1758	1400	17
18	1400	0.03	100	11.79	7.38	100	7200	0	7.3	0	3.29	0.03	0.10	7.46	85	0.03	0.16	45	1462	121	26	1610	1400	18
19	1400	0.05	100	11.83	7.38	100	7200	0	9.4	0	4.24	0.05	0.10	7.37	84	0.04	0.13	47	1571	136	101	1809	1400	19
20	1400	0.41	100	12.17	7.38	100	7200	0	4.2	0	1.88	0.41	0.10	7.29	83	0.34	0.18	48	1678	563	303	2547	1400	20
21	1400	0.00	100	12.17	7.38	100	7200	0	4.2	0	1.88	0.00	0.10	7.32	83	0.00	0.14	46	1783	1373	376	3534	1400	21
22	1400	0.08	100	12.23	7.38	100	7200	0	3.1	0	1.41	0.08	0.10	7.22	82	0.07	0.12	48	1883	1676	106	3666	1400	22
23	1400	0.00	100	12.23	7.38	100	7200	0	3.1	0	1.41	0.00	0.10	7.14	81	0.00	0.10	49	1976	1185	56	3218	1400	23
24	1400	0.00	99	12.23	7.38	100	7200	0	2.1	0	0.93	0.00	0.10	7.04	80	0.00	0.08	50	2062	613	11	2687	1400	24
25	1400	0.62	99	12.72	7.38	100	7200	0	1.0	0	0.46	0.61	0.10	6.94	79	0.49	0.16	52	2138	734	143	3017	1400	25
26	1400	0.02	100	12.74	7.38	100	7200	0	4.2	0	1.88	0.02	0.10	7.04	80	0.02	0.13	47	2205	1723	266	4196	1400	26
27	1400	0.02	100	12.75	7.38	100	7200	0	4.2	0	1.88	0.02	0.10	6.95	79	0.02	0.11	48	2263	2200	78	4542	1400	27
28	1400	0.00	99	12.75	7.38	100	7200	0	1.0	0	0.46	0.00	0.10	6.85	79	0.00	0.09	50	2310	1425	21	3758	1400	28
	400	0.00	100	12.75	7.38	100	7200	0	5.2	0	2.35	0.00	0.10	6.75	78	0.00	0.07	51	2348	544	3	2897	1400	29
	400	0.00	94	12.75	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	6.65	77	0.00	0.05	53	2377	164	0	2542	1400	30
	400	0.17	100	12.88	7.38	100	7200	0	5.2	0	2.35	0.17	0.10	6.55	76	0.13	0.07	55	2396	152	58	2608	1400	31

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE 80 NO. 90981 INITIAL DATE, HOUR 6 MAY 1971 1400 JOB DESCRIPTION 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.445 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	PN-AR	MI-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	91	13.14	7.38	100	7200	0	0.0	0	0.00	0.34	0.10	6.52	75	0.25	0.11	53	2407	643	158	3210	1400	1
2	1400	0.31	100	13.37	7.38	100	7200	0	3.1	0	1.41	0.31	0.10	6.56	76	0.23	0.14	50	2410	1591	213	4215	1400	2
3	1400	0.04	96	13.40	7.38	100	7200	0	0.0	0	0.00	0.04	0.10	6.58	76	0.03	0.11	48	2405	2250	205	4861	1400	3
4	1400	0.26	94	13.58	7.38	100	7200	0	0.0	0	0.00	0.24	0.10	6.49	75	0.18	0.13	49	2393	2123	93	4609	1400	4
5	1400	0.56	77	13.90	7.38	100	7200	0	0.0	0	0.00	0.43	0.10	6.49	75	0.32	0.17	49	2376	2036	150	4563	1400	5
6	1400	0.06	70	13.93	7.38	100	7200	0	0.0	0	0.00	0.04	0.10	6.57	76	0.03	0.14	47	2353	2438	153	4946	1400	6
7	1400	0.00	84	13.93	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	6.49	75	0.00	0.11	48	2328	2277	42	4648	1400	7
8	1400	0.04	99	13.96	7.38	100	7200	0	0.0	0	0.00	0.04	0.10	6.39	74	0.03	0.09	50	2299	1323	11	3634	1400	8
9	1400	0.09	99	14.03	7.38	100	7200	0	0.0	0	0.00	0.09	0.10	6.30	73	0.06	0.09	51	2268	626	25	2921	1400	9
10	1400	0.00	77	14.03	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	6.24	72	0.00	0.07	51	2237	483	27	2749	1400	10
11	1400	0.00	58	14.03	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	6.14	71	0.00	0.05	53	2204	405	5	2616	1400	11
12	1400	0.00	84	14.03	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	6.04	70	0.00	0.04	55	2171	214	0	2386	1400	12
13	1400	0.00	91	14.03	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.94	69	0.00	0.03	56	2137	67	0	2205	1400	13
14	1400	0.01	96	14.04	7.38	100	7200	0	0.0	0	0.00	0.01	0.10	5.84	68	0.01	0.03	57	2103	22	1	2127	1400	14
15	1400	0.00	58	14.04	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.74	67	0.00	0.02	57	2067	23	2	2094	1400	15
16	1400	0.00	94	14.04	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.64	66	0.00	0.02	58	2031	27	0	2059	1400	16
17	1400	0.00	77	14.04	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.54	65	0.00	0.01	58	1993	16	0	2010	1400	17
18	1400	0.00	58	14.04	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.44	64	0.00	0.01	59	1953	5	0	1959	1400	18
19	1400	0.03	22	14.04	7.38	100	7200	0	0.0	0	0.00	0.01	0.10	5.34	63	0.00	0.01	59	1912	4	0	1918	1400	19
20	1400	0.80	77	14.42	7.38	100	7200	0	0.0	0	0.00	0.61	0.10	5.25	62	0.38	0.09	59	1869	340	69	2279	1400	20
21	1400	0.45	91	14.69	7.38	100	7200	0	0.0	0	0.00	0.41	0.10	5.46	65	0.26	0.13	51	1823	1414	180	3418	1400	21
22	1400	0.00	45	14.69	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.56	66	0.00	0.10	49	1777	2399	128	4306	1400	22
23	1400	0.00	32	14.69	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.46	65	0.00	0.08	50	1729	2101	24	3855	1400	23
24	1400	0.00	84	14.69	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.36	64	0.00	0.06	52	1681	1034	1	2718	1400	24
25	1400	0.00	22	14.69	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.26	63	0.00	0.05	54	1634	316	0	1952	1400	25
26	1400	0.00	15	14.69	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.16	62	0.00	0.04	55	1588	75	0	1664	1400	26
27	1400	0.00	0	14.69	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	5.06	61	0.00	0.03	56	1544	15	0	1559	1400	27
28	1400	0.00	0	14.69	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	4.96	60	0.00	0.02	57	1500	2	0	1504	1400	28
29	1400	0.81	0	14.69	7.38	100	7200	0	0.0	0	0.00	0.00	0.10	4.86	59	0.00	0.02	58	1459	0	0	1460	1400	29
30	1400	0.16	7	14.69	7.38	100	7200	0	0.0	0	0.00	0.01	0.10	4.84	58	0.01	0.02	58	1419	5	1	1426	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1413-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	2.00	0	0.00	0.03	0	260	15	5	280	1400	6
7	1400	0.05	2	0.00	0.00	0	910	100	1.3	12	0.13	0.02	0.09	2.00	30	0.00	0.02	57	259	16	4	281	1400	7
8	1400	0.00	7	0.00	0.02	0	981	99	1.6	35	0.16	0.06	0.09	1.93	30	0.02	0.02	58	259	27	3	291	1400	8
9	1400	0.00	4	0.00	0.03	0	1063	99	1.0	23	0.11	0.02	0.09	1.88	29	0.01	0.02	58	259	50	4	315	1400	9
10	1400	0.00	4	0.00	0.04	0	1092	99	1.0	22	0.10	0.02	0.09	1.80	29	0.01	0.02	58	259	64	2	327	1400	10
11	1400	0.00	36	0.00	0.10	1	1120	97	3.1	67	0.32	0.21	0.09	1.73	29	0.06	0.03	58	259	87	8	356	1400	11
12	1400	0.00	36	0.00	0.16	2	1373	95	3.0	65	0.31	0.21	0.09	1.80	29	0.06	0.03	57	259	176	19	455	1400	12
13	1400	0.24	48	0.03	0.24	3	1618	92	3.5	74	0.37	0.39	0.09	1.86	29	0.11	0.05	57	259	329	27	616	1400	13
14	1400	0.00	4	0.03	0.24	3	1948	92	0.7	15	0.08	0.01	0.09	2.09	31	0.00	0.04	55	258	448	26	734	1400	14
15	1400	0.00	7	0.03	0.25	3	1963	92	1.2	27	0.13	0.04	0.09	2.01	30	0.01	0.04	56	258	405	7	671	1400	15
16	1400	0.00	4	0.03	0.25	3	2002	91	0.7	15	0.07	0.01	0.09	1.95	30	0.00	0.03	56	257	236	3	498	1400	16
17	1400	0.00	7	0.03	0.26	4	2005	91	1.2	26	0.13	0.03	0.09	1.87	29	0.01	0.03	57	257	108	2	368	1400	17
18	1400	0.00	36	0.03	0.32	4	2014	89	2.8	60	0.30	0.18	0.09	1.81	29	0.05	0.03	57	257	88	8	354	1400	18
19	1400	0.00	36	0.03	0.37	5	2064	88	2.7	58	0.30	0.17	0.09	1.86	29	0.05	0.04	57	257	161	16	436	1400	19
20	1400	0.04	59	0.04	0.46	6	2112	84	4.0	73	0.45	0.35	0.09	1.91	30	0.10	0.06	56	257	293	24	576	1400	20
21	1400	0.10	59	0.06	0.56	8	2202	81	3.8	69	0.44	0.36	0.09	2.11	31	0.11	0.07	54	258	462	37	758	1400	21
22	1400	0.29	14	0.07	0.57	8	2292	81	1.3	27	0.15	0.08	0.09	2.33	33	0.03	0.06	53	258	590	32	882	1400	22
23	1400	0.01	59	0.07	0.67	9	2305	78	3.6	66	0.43	0.29	0.09	2.34	33	0.10	0.08	54	259	583	23	867	1400	23
24	1400	0.00	59	0.07	0.76	10	2372	76	3.5	63	0.43	0.27	0.09	2.50	35	0.10	0.09	52	261	556	34	853	1400	24
25	1400	0.00	70	0.07	0.89	12	2432	73	4.2	66	0.53	0.35	0.09	2.64	36	0.13	0.11	51	262	642	42	948	1400	25
26	1400	0.03	70	0.08	1.02	14	2514	70	4.1	64	0.53	0.36	0.09	2.86	39	0.14	0.12	50	265	797	52	1116	1400	26
27	1400	0.00	80	0.08	1.19	16	2596	66	4.8	66	0.64	0.42	0.09	3.00	41	0.17	0.15	49	268	975	62	1307	1400	27
28	1400	0.09	91	0.12	1.45	20	2705	61	6.6	65	0.92	0.68	0.09	3.37	44	0.30	0.22	47	272	1245	90	1608	1400	28
29	1400	0.02	36	0.12	1.48	20	2869	60	1.4	29	0.20	0.07	0.09	3.89	49	0.03	0.18	43	278	1513	88	1879	1400	29
30	1400	0.13	59	0.16	1.57	21	2887	58	2.7	45	0.40	0.26	0.09	3.86	49	0.12	0.18	46	284	1435	43	1763	1400	30
31	1400	0.09	86	0.20	1.79	24	2928	55	5.2	52	0.81	0.53	0.09	3.98	50	0.26	0.24	46	292	1228	72	1594	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.177 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	O-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	70	0.21	1.93	26	3034	52	3.2	45	0.55	0.26	0.09	4.35	54	0.14	0.24	42	302	1359	96	1759	1400	1
2	1400	0.23	36	0.25	1.95	26	3097	52	1.0	21	0.17	0.12	0.09	4.49	55	0.07	0.21	41	314	1491	63	1870	1400	2
3	1400	0.07	80	0.28	2.13	29	3106	49	3.9	48	0.70	0.39	0.09	4.50	55	0.21	0.25	44	327	1346	58	1733	1400	3
4	1400	0.00	100	0.28	2.65	36	3194	40	9.9	49	1.87	0.91	0.09	4.75	57	0.53	0.48	41	342	1562	212	2118	1400	4
5	1400	0.00	100	0.28	3.45	47	3445	31	13.6	40	3.01	1.21	0.09	5.63	66	0.80	0.93	30	360	2812	859	4032	1400	5
6	1400	0.00	100	0.28	4.38	59	3712	20	13.7	31	3.85	1.18	0.09	6.86	79	0.93	1.73	21	379	4796	2534	7710	1400	6
7	1400	0.00	100	0.28	5.07	68	4036	15	11.6	20	3.84	0.76	0.09	8.04	90	0.69	2.32	13	400	6279	4426	11106	1400	7
8	1400	0.00	100	0.28	5.49	74	4307	13	8.0	15	2.90	0.44	0.09	8.42	94	0.42	2.53	10	424	6309	4243	10977	1400	8
9	1400	0.00	100	0.28	6.03	81	4472	9	11.9	13	4.54	0.57	0.09	8.54	95	0.54	3.27	10	450	5272	3646	9369	1400	9
10	1400	0.00	100	0.28	6.44	87	4686	6	11.6	9	4.68	0.42	0.09	8.74	97	0.41	3.94	10	480	4108	4429	9018	1400	10
11	1400	0.00	100	0.28	6.63	90	4847	5	7.8	6	3.24	0.20	0.09	8.82	98	0.20	3.95	10	512	3154	3305	6972	1400	11
12	1400	0.06	100	0.34	6.74	91	4925	4	5.1	5	2.15	0.17	0.09	8.80	98	0.16	3.62	10	547	2401	1567	4517	1400	12
13	1400	0.00	96	0.34	6.77	91	4966	4	1.8	4	0.76	0.03	0.09	8.77	98	0.03	3.00	10	584	1838	635	3060	1400	13
14	1400	0.06	97	0.40	6.81	92	4978	4	2.6	4	1.11	0.10	0.09	8.70	97	0.10	2.60	10	623	1382	190	2197	1400	14
15	1400	0.57	86	0.87	6.81	92	4995	4	0.5	1	0.22	0.49	0.09	8.65	96	0.47	2.16	10	663	1533	344	2542	1400	15
16	1400	0.00	99	0.87	6.87	93	4996	4	3.5	4	1.50	0.06	0.09	8.64	96	0.05	2.03	10	703	2501	464	3670	1400	16
17	1400	0.08	96	0.94	6.88	93	5079	3	1.4	3	0.60	0.10	0.09	8.61	96	0.09	1.72	10	742	2886	207	3837	1400	17
18	1400	0.02	100	0.96	6.96	94	5111	3	5.4	3	2.32	0.10	0.09	8.55	96	0.09	1.89	13	780	2142	216	3139	1400	18
19	1400	0.00	100	0.96	7.05	95	5245	2	8.3	3	3.61	0.10	0.09	8.58	96	0.10	2.40	11	816	1380	472	2669	1400	19
20	1400	0.03	100	0.99	7.11	96	5423	2	5.9	2	2.58	0.09	0.09	8.68	97	0.08	2.50	10	849	1022	611	2484	1400	20
21	1400	0.24	96	1.21	7.11	96	5523	2	0.7	1	0.29	0.24	0.09	8.69	97	0.23	2.06	10	878	1045	428	2352	1400	21
22	1400	0.00	100	1.21	7.20	97	5530	1	11.0	2	4.83	0.09	0.09	8.64	96	0.08	2.95	10	904	1427	457	2790	1400	22
23	1400	0.00	100	1.21	7.28	98	5683	1	14.9	1	6.61	0.08	0.09	8.78	98	0.08	4.44	10	927	1506	773	3207	1400	23
24	1400	0.00	100	1.21	7.32	99	5830	1	13.6	1	6.07	0.04	0.09	8.91	99	0.04	5.22	10	945	1011	756	2713	1400	24
25	1400	0.00	100	1.21	7.35	99	5908	0	15.6	0	6.97	0.03	0.09	8.89	99	0.03	6.00	10	958	504	488	1951	1400	25
26	1400	0.00	100	1.21	7.37	100	5963	0	16.6	0	7.42	0.02	0.09	8.90	99	0.02	6.39	10	968	253	320	1542	1400	26
27	1400	0.01	100	1.22	7.37	100	5994	0	11.1	0	5.00	0.02	0.09	8.89	99	0.02	5.73	10	973	139	209	1323	1400	27
28	1400	0.00	100	1.22	7.37	100	6170	0	2.2	0	0.97	0.00	0.09	8.84	98	0.00	4.59	10	974	87	118	1180	1400	28
29	1400	0.11	100	1.33	7.37	100	6216	0	2.1	0	0.93	0.11	0.09	8.75	98	0.11	3.72	10	971	168	83	1223	1400	29
30	1400	0.88	97	2.16	7.37	100	6258	0	0.0	0	0.00	0.86	0.09	8.69	97	0.83	3.10	10	964	1295	526	2786	1400	30

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
20981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1971																								JUL 1971
1	1400	0.87	97	2.98	7.37	100	6258	0	0.0	0	0.00	0.85	0.09	8.70	97	0.82	2.61	10	953	4414	1180	6549	1400	1
2	1400	0.09	99	3.07	7.37	100	6258	0	0.5	0	0.22	0.09	0.10	8.70	97	0.09	2.08	10	940	7332	922	9196	1400	2
3	1400	0.00	100	3.07	7.37	100	6262	0	3.1	0	1.37	0.00	0.10	8.62	96	0.00	1.76	10	923	6725	213	7863	1400	3
4	1400	0.06	100	3.13	7.38	100	6319	0	6.1	0	2.74	0.06	0.10	8.54	95	0.06	1.63	12	905	3676	122	4705	1400	4
5	1400	0.00	100	3.13	7.38	100	6421	0	10.1	0	4.56	0.00	0.10	8.51	95	0.00	1.64	14	884	1404	188	2477	1400	5
6	1400	0.00	100	3.13	7.38	100	6560	0	11.0	0	4.93	0.00	0.10	8.49	95	0.00	1.59	14	863	520	55	1440	1400	6
7	1400	0.01	100	3.14	7.38	100	6668	0	7.6	0	3.43	0.01	0.10	8.47	95	0.01	1.41	14	840	201	36	1078	1400	7
8	1400	0.00	100	3.14	7.38	100	6720	0	13.8	0	6.22	0.00	0.10	8.41	94	0.00	1.34	16	817	80	45	943	1400	8
9	1400	0.00	100	3.14	7.38	100	6793	0	14.8	0	6.64	0.00	0.10	8.38	94	0.00	1.21	17	793	44	17	855	1400	9
10	1400	0.00	100	3.14	7.38	100	6841	0	15.7	0	7.08	0.00	0.10	8.33	93	0.00	1.05	18	768	23	8	800	1400	10
11	1400	0.00	100	3.14	7.38	100	6871	0	16.7	0	7.53	0.00	0.10	8.26	93	0.00	0.89	19	744	9	4	759	1400	11
12	1400	0.06	100	3.19	7.38	100	6889	0	11.5	0	5.16	0.06	0.10	8.19	92	0.06	0.73	22	720	26	137	884	1400	12
13	1400	0.55	100	3.69	7.38	100	6896	0	7.3	0	3.26	0.55	0.10	8.11	91	0.50	0.69	25	695	361	1093	2151	1400	13
14	1400	0.01	100	3.70	7.38	100	6898	0	8.3	0	3.73	0.01	0.10	8.13	91	0.01	0.56	25	671	1079	1607	3358	1400	14
15	1400	0.00	100	3.70	7.38	100	6901	0	4.1	0	1.84	0.00	0.10	8.04	90	0.00	0.44	28	647	1339	364	2351	1400	15
16	1400	0.00	100	3.70	7.38	100	6902	0	6.2	0	2.79	0.00	0.10	7.94	89	0.00	0.35	31	623	815	31	1471	1400	16
17	1400	0.00	100	3.70	7.38	100	6903	0	7.2	0	3.26	0.00	0.10	7.84	88	0.00	0.28	34	600	274	1	877	1400	17
18	1400	0.00	100	3.70	7.38	100	6905	0	4.1	0	1.84	0.00	0.10	7.75	87	0.00	0.22	39	577	68	0	647	1400	18
19	1400	0.00	100	3.70	7.38	100	6905	0	8.3	0	3.73	0.00	0.10	7.65	86	0.00	0.18	43	556	14	0	571	1400	19
20	1400	0.19	100	3.86	7.38	100	6906	0	8.3	0	3.73	0.19	0.10	7.55	86	0.16	0.18	46	535	87	122	745	1400	20
21	1400	0.00	100	3.86	7.38	100	6907	0	2.0	0	0.89	0.00	0.10	7.51	85	0.00	0.14	46	515	291	221	1029	1400	21
22	1400	0.02	100	3.88	7.38	100	6907	0	0.9	0	0.42	0.02	0.10	7.41	84	0.02	0.11	48	496	387	50	934	1400	22
23	1400	0.03	100	3.91	7.38	100	6907	0	4.1	0	1.84	0.03	0.10	7.31	83	0.02	0.10	49	476	283	15	777	1400	23
24	1400	0.23	100	4.09	7.38	100	6907	0	0.9	0	0.42	0.23	0.10	7.22	82	0.19	0.12	50	461	292	40	795	1400	24
25	1400	0.15	100	4.22	7.38	100	6908	0	4.1	0	1.84	0.15	0.10	7.20	82	0.12	0.12	49	445	589	88	1123	1400	25
26	1400	0.08	100	4.28	7.38	100	6908	0	4.1	0	1.84	0.08	0.10	7.15	81	0.07	0.11	49	430	864	96	1391	1400	26
27	1400	0.66	100	4.81	7.38	100	6908	0	0.0	0	0.00	0.66	0.10	7.07	81	0.53	0.20	50	416	1127	126	1671	1400	27
28	1400	0.13	100	4.92	7.38	100	6908	0	0.0	0	0.00	0.13	0.10	7.17	82	0.11	0.18	45	404	1702	163	2270	1400	28
29	1400	0.22	100	5.10	7.38	100	6908	0	3.0	0	1.37	0.22	0.10	7.11	81	0.18	0.18	46	393	2048	107	2550	1400	29
30	1400	0.25	100	5.30	7.38	100	6908	0	3.0	0	1.37	0.25	0.10	7.09	81	0.20	0.18	46	385	1814	153	2353	1400	30
31	1400	0.62	100	5.80	7.38	100	6908	0	4.1	0	1.84	0.62	0.10	7.07	81	0.50	0.25	46	379	1773	324	2478	1400	31

FORM 1512-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RO	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	100	6.27	7.38	100	6908	0	6.2	0	2.78	0.58	0.10	7.16	82	0.47	0.30	41	375	2367	733	3477	1400	1
2	1400	0.42	100	6.62	7.38	100	6909	0	9.3	0	4.20	0.42	0.10	7.24	82	0.35	0.31	37	375	3003	1133	4513	1400	2
3	1400	0.00	100	6.62	7.38	100	6909	0	5.1	0	2.31	0.00	0.10	7.28	83	0.00	0.25	36	379	2857	924	4161	1400	3
4	1400	0.01	100	6.62	7.38	100	6909	0	4.1	0	1.84	0.01	0.10	7.18	82	0.01	0.19	41	387	1881	182	2452	1400	4
5	1400	0.15	100	6.75	7.38	100	6909	0	6.2	0	2.78	0.15	0.10	7.08	81	0.12	0.18	45	399	906	81	1387	1400	5
6	1400	0.95	100	7.51	7.38	100	6909	0	3.0	0	1.36	0.95	0.10	7.03	80	0.76	0.30	46	416	982	399	1798	1400	6
7	1400	0.65	100	8.04	7.38	100	6909	0	4.1	0	1.84	0.65	0.10	7.20	82	0.53	0.35	37	437	2376	847	3661	1400	7
8	1400	1.07	100	8.92	7.38	100	6909	0	3.0	0	1.36	1.07	0.10	7.29	83	0.89	0.47	34	462	4187	1225	5876	1400	8
9	1400	1.49	100	10.18	7.38	100	6909	0	3.0	0	1.36	1.49	0.10	7.45	84	1.26	0.64	30	491	6006	2256	8754	1400	9
10	1400	1.61	100	11.58	7.38	100	6909	0	6.2	0	2.78	1.61	0.10	7.66	87	1.39	0.80	26	524	7962	4775	13263	1400	10
11	1400	0.00	100	11.58	7.38	100	6910	0	12.5	0	5.61	0.00	0.10	7.86	89	0.00	0.63	24	562	8528	5015	14107	1400	11
12	1400	0.00	100	11.58	7.38	100	6910	0	11.4	0	5.14	0.00	0.10	7.76	88	0.00	0.49	26	605	6266	1022	7894	1400	12
13	1400	0.57	100	12.07	7.38	100	6910	0	9.3	0	4.20	0.57	0.10	7.66	87	0.49	0.49	29	653	3148	971	4774	1400	13
14	1400	0.00	100	12.07	7.38	100	6910	0	4.1	0	1.84	0.00	0.10	7.70	87	0.00	0.39	29	707	1683	1625	4016	1400	14
15	1400	0.00	100	12.07	7.38	100	6910	0	3.0	0	1.36	0.00	0.10	7.60	86	0.00	0.31	33	766	1250	351	2368	1400	15
16	1400	0.00	100	12.07	7.38	100	6910	0	5.1	0	2.31	0.00	0.10	7.50	85	0.00	0.24	37	828	681	27	1538	1400	16
17	1400	0.00	100	12.07	7.38	100	6910	0	6.2	0	2.78	0.00	0.10	7.41	84	0.00	0.19	42	895	219	1	1116	1400	17
18	1400	0.03	100	12.10	7.38	100	6910	0	8.3	0	3.72	0.03	0.10	7.31	83	0.02	0.15	46	963	66	17	1048	1400	18
19	1400	0.05	100	12.14	7.38	100	6910	0	10.4	0	4.67	0.05	0.10	7.21	82	0.04	0.13	47	1032	77	66	1176	1400	19
20	1400	0.41	100	12.47	7.38	100	6910	0	5.1	0	2.31	0.41	0.10	7.13	81	0.33	0.17	49	1100	320	206	1628	1400	20
21	1400	0.00	100	12.47	7.38	100	6910	0	5.1	0	2.31	0.00	0.10	7.16	82	0.00	0.14	46	1166	783	261	2212	1400	21
22	1400	0.08	100	12.53	7.38	100	6910	0	4.1	0	1.84	0.08	0.10	7.06	81	0.06	0.12	48	1228	958	73	2261	1400	22
23	1400	0.00	100	12.53	7.38	100	6910	0	4.1	0	1.84	0.00	0.10	6.99	80	0.00	0.09	49	1287	678	38	2005	1400	23
24	1400	0.00	100	12.53	7.38	100	6910	0	3.0	0	1.36	0.00	0.10	6.89	79	0.00	0.07	51	1340	352	7	1700	1400	24
25	1400	0.62	100	13.02	7.38	100	6910	0	2.0	0	0.89	0.62	0.10	6.79	78	0.48	0.16	53	1387	426	102	1917	1400	25
26	1400	0.02	100	13.03	7.38	100	6910	0	5.1	0	2.31	0.02	0.10	6.90	79	0.02	0.13	47	1428	1004	191	2624	1400	26
27	1400	0.02	100	13.05	7.38	100	6910	0	5.1	0	2.31	0.02	0.10	6.81	78	0.02	0.11	48	1463	1282	55	2801	1400	27
28	1400	0.00	100	13.05	7.38	100	6910	0	2.0	0	0.89	0.00	0.10	6.71	77	0.00	0.08	50	1491	830	14	2337	1400	28
29	1400	0.00	100	13.05	7.38	100	6910	0	6.2	0	2.78	0.00	0.10	6.61	76	0.00	0.07	52	1513	317	2	1833	1400	29
30	1400	0.00	97	13.05	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	6.51	75	0.00	0.05	53	1529	95	0	1626	1400	30
31	1400	0.17	100	13.17	7.38	100	6910	0	6.2	0	2.78	0.17	0.10	6.41	74	0.13	0.07	55	1540	88	38	1667	1400	31

PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., COE?S OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	96	15.44	7.38	100	6910	0	0.0	0	0.00	0.36	0.10	6.38	74	0.26	0.11	53	1544	383	101	2030	1400	1
2	1400	0.31	100	13.67	7.38	100	6910	0	4.1	0	1.84	0.31	0.10	6.43	74	0.23	0.14	50	1543	957	140	2641	1400	2
3	1400	0.04	99	13.70	7.38	100	6910	0	0.0	0	0.00	0.04	0.10	6.45	75	0.03	0.11	48	1538	1351	139	3029	1400	3
4	1400	0.26	97	13.88	7.38	100	6910	0	0.0	0	0.00	0.25	0.10	6.37	74	0.19	0.13	49	1528	1269	59	2857	1400	4
5	1400	0.56	86	14.24	7.38	100	6910	0	0.0	0	0.00	0.48	0.10	6.37	74	0.35	0.18	47	1514	1244	95	2855	1400	5
6	1400	0.06	80	14.27	7.38	100	6910	0	0.0	0	0.00	0.05	0.10	6.47	75	0.04	0.15	49	1498	1547	101	3147	1400	6
7	1400	0.00	91	14.27	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	6.39	74	0.00	0.12	49	1479	1477	28	2985	1400	7
8	1400	0.04	100	14.30	7.38	100	6910	0	0.0	0	0.00	0.04	0.10	6.29	73	0.03	0.10	49	1458	867	7	2334	1400	8
9	1400	0.09	100	14.37	7.38	100	6910	0	0.0	0	0.00	0.09	0.10	6.20	72	0.06	0.09	50	1437	404	15	1857	1400	9
10	1400	0.00	86	14.37	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	6.14	71	0.00	0.07	51	1414	299	16	1731	1400	10
11	1400	0.00	70	14.37	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	6.04	70	0.00	0.06	53	1392	246	3	1642	1400	11
12	1400	0.00	91	14.37	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.94	69	0.00	0.04	54	1369	129	0	1499	1400	12
13	1400	0.00	96	14.37	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.84	68	0.00	0.03	56	1345	40	0	1387	1400	13
14	1400	0.01	99	14.37	7.38	100	6910	0	0.0	0	0.00	0.01	0.10	5.74	67	0.01	0.03	57	1322	13	0	1337	1400	14
15	1400	0.00	70	14.37	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.65	66	0.00	0.02	57	1298	14	1	1314	1400	15
16	1400	0.00	97	14.37	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.55	65	0.00	0.02	58	1273	16	0	1291	1400	16
17	1400	0.00	86	14.37	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.45	64	0.00	0.01	58	1248	9	0	1259	1400	17
18	1400	0.00	70	14.37	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.35	63	0.00	0.01	59	1222	3	0	1226	1400	18
19	1400	0.03	36	14.38	7.38	100	6910	0	0.0	0	0.00	0.01	0.10	5.25	62	0.01	0.01	59	1195	4	0	1201	1400	19
20	1400	0.80	86	14.80	7.38	100	6910	0	0.0	0	0.00	0.69	0.10	5.15	62	0.42	0.10	59	1167	228	46	1443	1400	20
21	1400	0.45	96	15.08	7.38	100	6910	0	0.0	0	0.00	0.43	0.10	5.39	64	0.28	0.14	50	1138	934	118	2191	1400	21
22	1400	0.00	59	15.08	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.51	65	0.00	0.11	48	1108	1570	83	2762	1400	22
23	1400	0.00	48	15.08	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.41	64	0.00	0.08	50	1078	1364	15	2459	1400	23
24	1400	0.00	91	15.08	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.31	63	0.00	0.07	52	1047	668	1	1717	1400	24
25	1400	0.00	36	15.08	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.21	62	0.00	0.05	53	1018	204	0	1223	1400	25
26	1400	0.00	25	15.08	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.11	61	0.00	0.04	55	989	48	0	1038	1400	26
27	1400	0.00	4	15.08	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	5.01	60	0.00	0.03	56	961	9	0	971	1400	27
28	1400	0.00	2	15.08	7.38	100	6910	0	0.0	0	0.00	0.00	0.10	4.91	59	0.00	0.03	57	934	1	0	936	1400	28
29	1400	0.81	2	15.09	7.38	100	6910	0	0.0	0	0.00	0.01	0.10	4.81	58	0.01	0.02	57	908	4	0	915	1400	29
30	1400	0.16	14	15.10	7.38	100	6910	0	0.0	0	0.00	0.02	0.10	4.80	58	0.01	0.02	58	884	22	3	910	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

FORM 1815

PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%PA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1971																								MAY 1971
6	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	2.00	0	0.00	0.03	0	140	10	4	154	1400	6
7	1400	0.05	8	0.00	0.02	0	677	99	2.0	29	0.20	0.06	0.09	2.00	30	0.02	0.03	57	139	14	3	159	1400	7
8	1400	0.00	22	0.00	0.06	1	737	98	3.0	44	0.30	0.13	0.09	1.96	30	0.04	0.03	57	139	36	4	182	1400	8
9	1400	0.00	15	0.00	0.08	1	869	97	2.4	35	0.24	0.08	0.09	1.96	30	0.03	0.03	57	139	74	6	221	1400	9
10	1400	0.00	15	0.00	0.11	1	954	96	2.3	34	0.24	0.08	0.09	1.93	30	0.02	0.03	57	139	99	5	245	1400	10
11	1400	0.00	46	0.00	0.19	3	1016	94	4.1	68	0.42	0.29	0.09	1.90	30	0.08	0.04	57	139	118	8	267	1400	11
12	1400	0.00	46	0.00	0.27	4	1140	91	3.9	65	0.41	0.27	0.09	2.03	30	0.08	0.05	56	139	173	15	329	1400	12
13	1400	0.24	54	0.04	0.37	5	1260	87	4.1	72	0.45	0.45	0.09	2.14	31	0.14	0.07	55	140	269	20	430	1400	13
14	1400	0.00	15	0.04	0.39	5	1410	87	1.6	24	0.18	0.04	0.09	2.43	34	0.01	0.06	53	140	344	19	504	1400	14
15	1400	0.00	22	0.04	0.41	6	1432	86	2.1	31	0.24	0.07	0.09	2.37	34	0.02	0.06	54	140	313	7	462	1400	15
16	1400	0.00	15	0.04	0.43	6	1469	86	1.5	23	0.17	0.04	0.09	2.34	33	0.01	0.05	54	140	202	4	348	1400	16
17	1400	0.00	22	0.04	0.45	6	1488	85	2.0	30	0.23	0.07	0.09	2.28	33	0.02	0.04	55	141	116	3	261	1400	17
18	1400	0.00	46	0.04	0.52	7	1522	83	3.3	57	0.38	0.21	0.09	2.24	32	0.07	0.05	56	142	100	7	250	1400	18
19	1400	0.00	46	0.04	0.58	8	1624	80	3.1	54	0.37	0.20	0.09	2.33	33	0.07	0.06	55	143	145	12	303	1400	19
20	1400	0.04	64	0.05	0.70	9	1722	78	4.2	67	0.50	0.36	0.09	2.40	34	0.12	0.08	54	145	228	17	392	1400	20
21	1400	0.10	64	0.07	0.81	11	1837	75	4.0	64	0.50	0.38	0.09	2.62	36	0.14	0.10	52	147	334	25	508	1400	21
22	1400	0.29	30	0.11	0.84	11	1950	74	1.8	28	0.23	0.15	0.09	2.85	39	0.06	0.09	50	149	424	24	598	1400	22
23	1400	0.01	64	0.11	0.95	13	1974	72	3.9	61	0.49	0.31	0.09	2.90	39	0.12	0.11	51	151	439	19	611	1400	23
24	1400	0.00	64	0.11	1.07	14	2082	69	3.7	58	0.49	0.28	0.09	3.07	41	0.12	0.12	50	154	432	25	613	1400	24
25	1400	0.00	73	0.11	1.22	16	2187	66	4.3	61	0.59	0.36	0.09	3.23	42	0.15	0.14	49	157	476	29	664	1400	25
26	1400	0.03	73	0.12	1.37	19	2324	62	4.1	57	0.58	0.36	0.09	3.45	44	0.16	0.17	48	161	559	35	756	1400	26
27	1400	0.00	82	0.12	1.56	21	2458	59	4.7	59	0.69	0.41	0.09	3.67	47	0.19	0.20	47	165	655	40	862	1400	27
28	1400	0.09	92	0.16	1.85	25	2612	54	6.5	57	1.00	0.66	0.09	3.95	50	0.33	0.28	45	170	807	62	1041	1400	28
29	1400	0.02	46	0.17	1.88	25	2806	53	1.4	26	0.24	0.07	0.09	4.46	55	0.04	0.23	39	176	963	65	1205	1400	29
30	1400	0.13	64	0.21	1.98	27	2829	52	2.7	39	0.47	0.27	0.09	4.43	54	0.14	0.24	42	182	915	30	1128	1400	30
31	1400	0.09	87	0.25	2.23	30	2897	47	5.1	49	0.92	0.53	0.09	4.55	56	0.30	0.31	42	189	799	54	1044	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GULD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.204 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1971																								JUN 1971
1	1400	0.02	73	0.26	2.37	32	3057	45	3.1	39	0.61	0.25	0.09	4.94	59	0.15	0.31	37	197	894	74	1166	1400	1
2	1400	0.23	46	0.33	2.39	32	3136	45	0.9	17	0.19	0.14	0.09	5.07	61	0.08	0.27	36	205	979	44	1230	1400	2
3	1400	0.07	82	0.36	2.58	35	3147	41	3.7	41	0.77	0.37	0.09	5.08	61	0.23	0.32	40	215	885	43	1145	1400	3
4	1400	0.00	100	0.36	3.13	42	3255	35	9.7	41	2.10	0.87	0.09	5.32	63	0.55	0.59	36	226	1002	161	1390	1400	4
5	1400	0.00	100	0.36	3.96	54	3484	25	13.3	34	3.38	1.16	0.09	6.15	72	0.83	1.18	27	237	1696	667	2602	1400	5
6	1400	0.00	100	0.36	4.83	65	3811	17	13.4	25	4.17	1.03	0.09	7.40	84	0.86	2.02	18	250	2689	1834	4774	1400	6
7	1400	0.00	100	0.36	5.46	74	4132	13	11.5	17	4.05	0.68	0.09	8.28	93	0.63	2.65	10	263	3251	2860	6376	1400	7
8	1400	0.00	100	0.36	5.83	79	4389	10	8.0	13	3.02	0.38	0.09	8.57	96	0.37	2.84	10	277	3058	2459	5796	1400	8
9	1400	0.00	100	0.36	6.29	85	4539	7	11.9	10	4.72	0.48	0.09	8.64	96	0.47	3.60	10	293	2464	1889	4648	1400	9
10	1400	0.00	100	0.36	6.63	90	4729	5	11.6	7	4.79	0.34	0.09	8.79	98	0.34	4.25	10	310	1887	2141	4339	1400	10
11	1400	0.00	100	0.36	6.79	92	4866	4	7.9	5	3.35	0.17	0.09	8.84	98	0.16	4.22	10	328	1427	1546	3302	1400	11
12	1400	0.06	100	0.42	6.88	93	4935	3	5.1	4	2.21	0.15	0.09	8.82	98	0.14	3.86	10	346	1076	740	2164	1400	12
13	1400	0.00	97	0.42	6.90	93	4967	3	1.8	3	0.80	0.02	0.09	8.78	98	0.02	3.19	10	366	829	311	1507	1400	13
14	1400	0.06	98	0.48	6.94	94	4977	3	2.6	3	1.13	0.09	0.09	8.71	97	0.09	2.76	10	386	637	95	1119	1400	14
15	1400	0.57	87	0.96	6.94	94	4991	3	0.6	1	0.24	0.50	0.09	8.66	97	0.48	2.29	10	406	771	188	1366	1400	15
16	1400	0.00	99	0.96	6.98	94	4992	3	3.5	3	1.52	0.04	0.09	8.66	97	0.04	2.13	10	425	1339	256	2022	1400	16
17	1400	0.08	97	1.03	7.00	95	5055	3	1.4	2	0.62	0.09	0.09	8.62	96	0.09	1.81	10	444	1561	107	2114	1400	17
18	1400	0.02	100	1.05	7.05	95	5090	2	5.4	3	2.35	0.08	0.09	8.57	96	0.08	1.96	12	462	1142	107	1713	1400	18
19	1400	0.00	100	1.05	7.13	96	5230	2	8.3	2	3.64	0.08	0.09	8.59	96	0.08	2.46	10	478	705	217	1402	1400	19
20	1400	0.03	100	1.08	7.17	97	5416	1	5.9	2	2.60	0.07	0.09	8.68	97	0.07	2.54	10	493	492	275	1261	1400	20
21	1400	0.24	97	1.30	7.18	97	5519	1	0.7	1	0.29	0.24	0.09	8.69	97	0.23	2.09	10	506	504	205	1216	1400	21
22	1400	0.00	100	1.30	7.24	98	5526	1	11.0	1	4.85	0.07	0.09	8.65	96	0.06	2.95	10	517	733	216	1467	1400	22
23	1400	0.00	100	1.30	7.30	99	5684	1	14.9	1	6.62	0.06	0.09	8.78	98	0.06	4.37	10	526	790	333	1649	1400	23
24	1400	0.00	100	1.30	7.33	99	5835	0	13.6	1	6.08	0.03	0.09	8.91	99	0.03	5.07	10	532	518	320	1372	1400	24
25	1400	0.00	100	1.30	7.36	99	5915	0	15.6	0	6.97	0.02	0.09	8.89	99	0.02	5.73	10	536	242	206	986	1400	25
26	1400	0.00	100	1.30	7.37	100	5970	0	16.5	0	7.42	0.01	0.09	8.89	99	0.01	5.96	10	538	114	135	788	1400	26
27	1400	0.01	100	1.31	7.38	100	6001	0	12.3	0	5.53	0.02	0.09	8.88	99	0.01	5.37	10	538	60	94	694	1400	27
28	1400	0.00	100	1.31	7.38	100	6007	0	3.9	0	1.75	0.00	0.09	8.83	98	0.00	4.36	10	536	38	61	636	1400	28
29	1400	0.11	100	1.42	7.38	100	6009	0	3.9	0	1.75	0.11	0.09	8.75	97	0.11	3.58	10	531	79	77	689	1400	29
30	1400	0.88	98	2.26	7.38	100	6010	0	0.7	0	0.33	0.86	0.09	8.69	97	0.84	3.02	10	525	666	424	1616	1400	30

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1971																								JUL 1971
1	1400	0.87	98	3.08	7.38	100	6010	0	0.7	0	0.33	0.85	0.09	8.70	97	0.83	2.57	10	517	2318	876	3713	1400	1
2	1400	0.09	99	3.17	7.38	100	6010	0	1.8	0	0.81	0.09	0.10	8.71	97	0.09	2.09	10	508	3879	688	5075	1400	2
3	1400	0.00	100	3.17	7.38	100	6010	0	4.9	0	2.22	0.00	0.10	8.63	96	0.00	1.78	10	497	3565	171	4234	1400	3
4	1400	0.06	100	3.23	7.38	100	6011	0	8.1	0	3.63	0.06	0.10	8.56	96	0.06	1.63	12	485	1943	96	2526	1400	4
5	1400	0.00	100	3.23	7.38	100	6013	0	12.3	0	5.52	0.00	0.10	8.51	95	0.00	1.55	14	473	726	143	1343	1400	5
6	1400	0.00	100	3.23	7.38	100	6015	0	13.3	0	5.99	0.00	0.10	8.48	95	0.00	1.42	15	460	252	36	750	1400	6
7	1400	0.01	100	3.24	7.38	100	6016	0	10.2	0	4.58	0.01	0.10	8.43	94	0.01	1.21	16	446	90	20	558	1400	7
8	1400	0.00	100	3.24	7.38	100	6017	0	16.5	0	7.41	0.00	0.10	8.36	94	0.00	1.07	18	433	33	27	495	1400	8
9	1400	0.00	100	3.24	7.38	100	6017	0	17.5	0	7.88	0.00	0.10	8.30	93	0.00	0.91	19	419	17	7	445	1400	9
10	1400	0.00	100	3.24	7.38	100	6018	0	18.6	0	8.35	0.00	0.10	8.22	92	0.00	0.75	22	406	8	2	417	1400	10
11	1400	0.00	100	3.24	7.38	100	6018	0	19.6	0	8.82	0.00	0.10	8.14	91	0.00	0.61	24	392	3	0	397	1400	11
12	1400	0.06	100	3.29	7.38	100	6018	0	14.4	0	6.46	0.06	0.10	8.04	90	0.05	0.50	27	379	10	74	465	1400	12
13	1400	0.55	100	3.78	7.38	100	6018	0	10.2	0	4.58	0.55	0.10	7.96	90	0.49	0.50	29	365	149	678	1194	1400	13
14	1400	0.01	100	3.79	7.38	100	6018	0	11.2	0	5.05	0.01	0.10	7.99	90	0.01	0.40	29	352	444	1025	1822	1400	14
15	1400	0.00	100	3.79	7.38	100	6018	0	7.0	0	3.16	0.00	0.10	7.90	89	0.00	0.31	32	339	549	233	1123	1400	15
16	1400	0.00	100	3.79	7.38	100	6018	0	9.1	0	4.10	0.00	0.10	7.80	88	0.00	0.25	36	326	333	20	681	1400	16
17	1400	0.00	100	3.79	7.38	100	6018	0	10.2	0	4.58	0.00	0.10	7.70	87	0.00	0.19	41	314	112	1	428	1400	17
18	1400	0.00	100	3.79	7.38	100	6018	0	7.0	0	3.16	0.00	0.10	7.60	86	0.00	0.15	45	302	28	0	331	1400	18
19	1400	0.00	100	3.79	7.38	100	6018	0	11.2	0	5.05	0.00	0.10	7.50	85	0.00	0.12	47	291	5	0	298	1400	19
20	1400	0.19	100	3.95	7.38	100	6018	0	11.2	0	5.05	0.19	0.10	7.40	84	0.16	0.13	49	281	39	81	402	1400	20
21	1400	0.00	100	3.95	7.38	100	6018	0	4.9	0	2.22	0.00	0.10	7.36	84	0.00	0.10	49	271	131	148	552	1400	21
22	1400	0.02	100	3.97	7.38	100	6018	0	3.9	0	1.74	0.02	0.10	7.26	83	0.02	0.08	50	261	175	34	472	1400	22
23	1400	0.03	100	3.99	7.38	100	6018	0	7.0	0	3.16	0.03	0.10	7.16	82	0.02	0.07	52	252	130	12	395	1400	23
24	1400	0.23	100	4.18	7.38	100	6018	0	3.9	0	1.74	0.23	0.10	7.07	81	0.19	0.10	53	244	139	37	422	1400	24
25	1400	0.15	100	4.30	7.38	100	6018	0	7.0	0	3.16	0.15	0.10	7.05	80	0.12	0.10	50	236	285	80	603	1400	25
26	1400	0.08	100	4.36	7.38	100	6018	0	7.0	0	3.16	0.08	0.10	7.00	80	0.06	0.09	50	229	419	83	732	1400	26
27	1400	0.66	100	4.88	7.38	100	6018	0	2.8	0	1.27	0.66	0.10	6.93	79	0.52	0.19	51	222	553	119	896	1400	27
28	1400	0.13	100	4.99	7.38	100	6018	0	2.8	0	1.27	0.13	0.10	7.04	80	0.10	0.17	46	217	846	162	1226	1400	28
29	1400	0.22	100	5.16	7.38	100	6018	0	6.0	0	2.69	0.22	0.10	6.98	80	0.18	0.17	47	212	1024	102	1340	1400	29
30	1400	0.25	100	5.36	7.38	100	6018	0	6.0	0	2.69	0.25	0.10	6.95	80	0.20	0.18	47	208	907	141	1257	1400	30
31	1400	0.62	100	5.85	7.38	100	6018	0	7.0	0	3.16	0.62	0.10	6.94	79	0.49	0.22	46	206	877	287	1371	1400	31

FORM 14113
PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
90981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
AUG 1971																								AUG 1971
1	1400	0.58	100	6.32	7.38	100	6018	0	9.1	0	4.10	0.58	0.10	7.04	80	0.47	0.29	42	205	1146	608	1960	1400	1
2	1400	0.42	100	6.66	7.38	100	6018	0	12.3	0	5.52	0.42	0.10	7.13	81	0.34	0.30	38	206	1419	862	2489	1400	2
3	1400	0.00	100	6.66	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	7.16	82	0.00	0.24	37	209	1315	668	2193	1400	3
4	1400	0.01	100	6.67	7.38	100	6018	0	0.0	0	0.00	0.01	0.10	7.06	81	0.01	0.19	42	214	845	129	1190	1400	4
5	1400	0.14	100	6.78	7.38	100	6018	0	0.0	0	0.00	0.14	0.10	6.97	80	0.11	0.17	46	221	409	19	651	1400	5
6	1400	0.84	100	7.44	7.38	100	6018	0	0.0	0	0.00	0.84	0.10	6.91	79	0.67	0.28	46	231	496	83	812	1400	6
7	1400	0.58	100	7.91	7.38	100	6018	0	0.0	0	0.00	0.58	0.10	7.07	81	0.46	0.32	39	243	1235	173	1652	1400	7
8	1400	0.95	100	8.68	7.38	100	6018	0	0.0	0	0.00	0.95	0.10	7.15	81	0.77	0.41	36	257	2188	221	2668	1400	8
9	1400	1.32	100	9.78	7.38	100	6018	0	0.0	0	0.00	1.32	0.10	7.30	83	1.10	0.56	32	273	3183	443	3900	1400	9
10	1400	1.43	100	11.00	7.38	100	6018	0	0.0	0	0.00	1.43	0.10	7.51	85	1.22	0.70	28	291	4467	750	5509	1400	10
11	1400	0.00	100	11.00	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	7.70	87	0.00	0.55	25	312	5238	632	6184	1400	11
12	1400	0.00	100	11.00	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	7.60	86	0.00	0.43	28	335	4186	124	4646	1400	12
13	1400	0.57	100	11.48	7.38	100	6018	0	0.0	0	0.00	0.57	0.10	7.50	85	0.48	0.44	31	361	2284	70	2716	1400	13
14	1400	0.00	100	11.48	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	7.56	86	0.00	0.35	31	389	1412	111	1913	1400	14
15	1400	0.00	100	11.48	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	7.46	85	0.00	0.27	35	420	1159	24	1604	1400	15
16	1400	0.00	100	11.48	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	7.36	84	0.00	0.22	39	452	648	1	1103	1400	16
17	1400	0.00	100	11.48	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	7.26	83	0.00	0.17	44	486	209	0	697	1400	17
18	1400	0.03	100	11.51	7.38	100	6018	0	0.0	0	0.00	0.03	0.10	7.16	82	0.02	0.14	47	521	60	1	584	1400	18
19	1400	0.05	100	11.55	7.38	100	6018	0	0.0	0	0.00	0.05	0.10	7.07	81	0.04	0.12	48	556	56	6	619	1400	19
20	1400	0.41	100	11.87	7.38	100	6018	0	0.0	0	0.00	0.41	0.10	6.98	80	0.33	0.16	49	591	206	29	827	1400	20
21	1400	0.00	100	11.87	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	7.02	80	0.00	0.13	47	624	483	44	1152	1400	21
22	1400	0.08	100	11.94	7.38	100	6018	0	0.0	0	0.00	0.08	0.10	6.92	79	0.06	0.11	49	656	579	14	1250	1400	22
23	1400	0.00	100	11.94	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	6.85	79	0.00	0.09	49	685	404	9	1099	1400	23
24	1400	0.00	100	11.94	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	6.75	78	0.00	0.07	51	712	206	1	921	1400	24
25	1400	0.62	100	12.41	7.38	100	6018	0	0.0	0	0.00	0.62	0.10	6.65	77	0.47	0.16	53	735	240	32	1008	1400	25
26	1400	0.02	100	12.43	7.38	100	6018	0	0.0	0	0.00	0.02	0.10	6.77	78	0.02	0.13	47	756	559	59	1375	1400	26
27	1400	0.02	100	12.44	7.38	100	6018	0	0.0	0	0.00	0.02	0.10	6.68	77	0.02	0.10	49	773	713	15	1503	1400	27
28	1400	0.00	100	12.44	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	6.58	76	0.00	0.08	50	787	463	3	1254	1400	28
29	1400	0.00	100	12.44	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	6.48	75	0.00	0.06	52	797	178	0	977	1400	29
30	1400	0.00	98	12.44	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	6.38	74	0.00	0.05	54	805	54	0	860	1400	30
31	1400	0.17	100	12.56	7.38	100	6018	0	0.0	0	0.00	0.17	0.10	6.28	73	0.12	0.07	55	810	51	7	870	1400	31

PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
96981 6 MAY 1971 1400 0 SUSITNA HEP AUG 4-10 '71 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN=AR	ML=AR	%AR	ELEV	SCA	D=DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
SEP 1971																								SEP 1971
1	1400	0.37	97	12.83	7.38	100	6018	0	0.0	0	0.00	0.36	0.10	6.25	73	0.26	0.11	53	812	218	31	1062	1400	1
2	1400	0.31	100	13.05	7.38	100	6018	0	0.0	0	0.00	0.31	0.10	6.31	73	0.23	0.13	50	811	537	50	1399	1400	2
3	1400	0.04	99	13.08	7.38	100	6018	0	0.0	0	0.00	0.04	0.10	6.33	73	0.03	0.11	48	808	756	38	1604	1400	3
4	1400	0.26	98	13.27	7.38	100	6018	0	0.0	0	0.00	0.25	0.10	6.25	72	0.18	0.13	49	802	711	24	1539	1400	4
5	1400	0.56	87	13.62	7.38	100	6018	0	0.0	0	0.00	0.49	0.10	6.25	73	0.35	0.18	49	795	689	51	1537	1400	5
6	1400	0.06	82	13.65	7.38	100	6018	0	0.0	0	0.00	0.05	0.10	6.36	74	0.04	0.15	46	786	848	55	1690	1400	6
7	1400	0.00	92	13.65	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	6.28	73	0.00	0.11	48	777	808	15	1601	1400	7
8	1400	0.04	100	13.68	7.38	100	6018	0	0.0	0	0.00	0.04	0.10	6.18	72	0.03	0.10	49	766	474	3	1245	1400	8
9	1400	0.09	100	13.75	7.38	100	6018	0	0.0	0	0.00	0.09	0.10	6.10	71	0.06	0.09	50	755	220	8	985	1400	9
10	1400	0.00	87	13.75	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	6.04	70	0.00	0.07	51	744	162	9	916	1400	10
11	1400	0.00	73	13.75	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.94	69	0.00	0.05	53	732	133	1	868	1400	11
12	1400	0.00	92	13.75	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.84	68	0.00	0.04	55	721	70	0	791	1400	12
13	1400	0.00	97	13.75	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.74	67	0.00	0.03	56	709	22	0	732	1400	13
14	1400	0.01	99	13.75	7.38	100	6018	0	0.0	0	0.00	0.01	0.10	5.64	66	0.01	0.03	57	697	7	0	705	1400	14
15	1400	0.00	73	13.75	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.54	65	0.00	0.02	57	685	7	0	694	1400	15
16	1400	0.00	98	13.75	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.44	64	0.00	0.02	58	673	8	0	682	1400	16
17	1400	0.00	87	13.75	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.34	63	0.00	0.01	58	660	5	0	666	1400	17
18	1400	0.00	73	13.75	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.24	62	0.00	0.01	59	647	1	0	649	1400	18
19	1400	0.03	46	13.76	7.38	100	6018	0	0.0	0	0.00	0.01	0.10	5.14	61	0.01	0.01	59	633	2	0	637	1400	19
20	1400	0.80	87	14.18	7.38	100	6018	0	0.0	0	0.00	0.70	0.10	5.05	61	0.42	0.10	59	619	127	25	772	1400	20
21	1400	0.45	97	14.46	7.38	100	6018	0	0.0	0	0.00	0.44	0.10	5.30	63	0.28	0.14	50	604	514	64	1184	1400	21
22	1400	0.00	64	14.46	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.43	64	0.00	0.11	48	589	860	45	1496	1400	22
23	1400	0.00	54	14.46	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.33	63	0.00	0.08	50	573	747	8	1330	1400	23
24	1400	0.00	92	14.46	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.23	62	0.00	0.07	52	558	365	0	925	1400	24
25	1400	0.00	46	14.46	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.13	61	0.00	0.05	53	543	111	0	655	1400	25
26	1400	0.00	38	14.46	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	5.03	60	0.00	0.04	55	528	26	0	555	1400	26
27	1400	0.00	15	14.46	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	4.93	59	0.00	0.03	56	513	5	0	519	1400	27
28	1400	0.00	8	14.46	7.38	100	6018	0	0.0	0	0.00	0.00	0.10	4.83	58	0.00	0.03	57	499	0	0	501	1400	28
29	1400	0.81	8	14.49	7.38	100	6018	0	0.0	0	0.00	0.06	0.10	4.73	57	0.04	0.03	57	486	10	2	499	1400	29
30	1400	0.16	30	14.52	7.38	100	6018	0	0.0	0	0.00	0.05	0.10	4.73	57	0.03	0.03	57	474	43	5	523	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1411-3

PRINTED IN U.S.A.

FORM 1611-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 1.0 SUSITNA GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
6 MAY 71 1400	100.			120.			220.			140 6 MAY 71
7 MAY 71 1400	89.			115.			204.			140 7 MAY 71
8 MAY 71 1400	65.			101.			167.			140 8 MAY 71
9 MAY 71 1400	44.			87.			131.			140 9 MAY 71
10 MAY 71 1400	27.			74.			102.			140 10 MAY 71
11 MAY 71 1400	16.			71.			87.			140 11 MAY 71
12 MAY 71 1400	10.			82.			92.			140 12 MAY 71
13 MAY 71 1400	9.			108.			118.			140 13 MAY 71
14 MAY 71 1400	12.			137.			150.			140 14 MAY 71
15 MAY 71 1400	16.			142.			159.			140 15 MAY 71
16 MAY 71 1400	15.			124.			140.			140 16 MAY 71
17 MAY 71 1400	11.			97.			109.			140 17 MAY 71
18 MAY 71 1400	7.			82.			90.			140 18 MAY 71
19 MAY 71 1400	5.			87.			93.			140 19 MAY 71
20 MAY 71 1400	8.			119.			128.			140 20 MAY 71
21 MAY 71 1400	19.			184.			204.			140 21 MAY 71
22 MAY 71 1400	37.			246.			283.			140 22 MAY 71
23 MAY 71 1400	49.			273.			322.			140 23 MAY 71
24 MAY 71 1400	57.			293.			350.			140 24 MAY 71
25 MAY 71 1400	67.			341.			409.			140 25 MAY 71
26 MAY 71 1400	86.			432.			518.			140 26 MAY 71
27 MAY 71 1400	113.			547.			660.			140 27 MAY 71
28 MAY 71 1400	153.			718.			871.			140 28 MAY 71
29 MAY 71 1400	207.			890.			1,100.			140 29 MAY 71
30 MAY 71 1400	241.			912.			1,150.			140 30 MAY 71
31 MAY 71 1400	238.			864.			1,100.			140 31 MAY 71

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 1.0 SUSITNA GLACIER			STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE			STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	230.			877.			1,110.			140 1 JUN 71
2 JUN 71 1400	228.			892.			1,120.			140 2 JUN 71
3 JUN 71 1400	216.			839.			1,050.			140 3 JUN 71
4 JUN 71 1400	225.			1,020.			1,240.			140 4 JUN 71
5 JUN 71 1400	369.			2,100.			2,470.			140 5 JUN 71
6 JUN 71 1400	744.			4,390.			5,140.			140 6 JUN 71
7 JUN 71 1400	1,300.			6,970.			8,260.			140 7 JUN 71
8 JUN 71 1400	1,810.			8,270.			10,100.			140 8 JUN 71
9 JUN 71 1400	2,100.			8,570.			10,700.			140 9 JUN 71
10 JUN 71 1400	2,270.			8,910.			11,200.			140 10 JUN 71
11 JUN 71 1400	2,410.			8,480.			10,900.			140 11 JUN 71
12 JUN 71 1400	2,450.			7,330.			9,780.			140 12 JUN 71
13 JUN 71 1400	2,300.			5,940.			8,240.			140 13 JUN 71
14 JUN 71 1400	1,980.			4,410.			6,390.			140 14 JUN 71
15 JUN 71 1400	1,600.			3,240.			4,840.			140 15 JUN 71
16 JUN 71 1400	1,300.			2,630.			3,930.			140 16 JUN 71
17 JUN 71 1400	1,100.			2,370.			3,470.			140 17 JUN 71
18 JUN 71 1400	1,010.			2,260.			3,270.			140 18 JUN 71
19 JUN 71 1400	1,040.			2,550.			3,600.			140 19 JUN 71
20 JUN 71 1400	1,250.			3,100.			4,350.			140 20 JUN 71
21 JUN 71 1400	1,500.			3,370.			4,870.			140 21 JUN 71
22 JUN 71 1400	1,690.			3,790.			5,470.			140 22 JUN 71
23 JUN 71 1400	1,990.			5,190.			7,180.			140 23 JUN 71
24 JUN 71 1400	2,630.			6,670.			9,300.			140 24 JUN 71
25 JUN 71 1400	3,490.			7,460.			11,000.			140 25 JUN 71
26 JUN 71 1400	4,360.			8,320.			12,700.			140 26 JUN 71
27 JUN 71 1400	5,070.			7,850.			12,900.			140 27 JUN 71
28 JUN 71 1400	5,360.			5,920.			11,300.			140 28 JUN 71
29 JUN 71 1400	5,020.			4,340.			9,350.			140 29 JUN 71
30 JUN 71 1400	4,240.			3,850.			8,080.			140 30 JUN 71

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 1.0 SUSITNA GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 71 1400	3,430.			4,490.			7,920.			140 1 JUL 71
2 JUL 71 1400	2,830.			5,290.			8,120.			140 2 JUL 71
3 JUL 71 1400	2,390.			5,240.			7,640.			140 3 JUL 71
4 JUL 71 1400	2,130.			4,500.			6,630.			140 4 JUL 71
5 JUL 71 1400	2,160.			3,820.			5,990.			140 5 JUL 71
6 JUL 71 1400	2,580.			3,630.			6,210.			140 6 JUL 71
7 JUL 71 1400	3,230.			3,530.			6,760.			140 7 JUL 71
8 JUL 71 1400	3,850.			3,590.			7,450.			140 8 JUL 71
9 JUL 71 1400	4,470.			4,110.			8,580.			140 9 JUL 71
10 JUL 71 1400	5,170.			4,400.			9,570.			140 10 JUL 71
11 JUL 71 1400	5,910.			4,550.			10,500.			140 11 JUL 71
12 JUL 71 1400	6,550.			4,250.			10,800.			140 12 JUL 71
13 JUL 71 1400	6,880.			4,080.			11,000.			140 13 JUL 71
14 JUL 71 1400	6,870.			4,440.			11,300.			140 14 JUL 71
15 JUL 71 1400	6,470.			4,030.			10,500.			140 15 JUL 71
16 JUL 71 1400	5,730.			3,380.			9,110.			140 16 JUL 71
17 JUL 71 1400	4,930.			2,590.			7,520.			140 17 JUL 71
18 JUL 71 1400	4,300.			1,980.			6,280.			140 18 JUL 71
19 JUL 71 1400	3,890.			1,620.			5,500.			140 19 JUL 71
20 JUL 71 1400	3,740.			1,610.			5,350.			140 20 JUL 71
21 JUL 71 1400	3,810.			1,790.			5,600.			140 21 JUL 71
22 JUL 71 1400	3,750.			1,770.			5,520.			140 22 JUL 71
23 JUL 71 1400	3,410.			1,630.			5,040.			140 23 JUL 71
24 JUL 71 1400	3,000.			1,520.			4,510.			140 24 JUL 71
25 JUL 71 1400	2,700.			1,640.			4,350.			140 25 JUL 71
26 JUL 71 1400	2,610.			1,850.			4,460.			140 26 JUL 71
27 JUL 71 1400	2,650.			2,160.			4,810.			140 27 JUL 71
28 JUL 71 1400	2,700.			2,620.			5,310.			140 28 JUL 71
29 JUL 71 1400	2,640.			2,850.			5,490.			140 29 JUL 71
30 JUL 71 1400	2,580.			2,850.			5,430.			140 30 JUL 71
31 JUL 71 1400	2,670.			2,910.			5,580.			140 31 JUL 71

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 1.0 SUSITNA GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 71 1400	3,050.			3,450.			6,500.			140 1 AUG 71
2 AUG 71 1400	3,780.			4,260.			8,010.			140 2 AUG 71
3 AUG 71 1400	4,530.			4,540.			9,070.			140 3 AUG 71
4 AUG 71 1400	4,900.			3,840.			8,740.			140 4 AUG 71
5 AUG 71 1400	4,730.			2,930.			7,650.			140 5 AUG 71
6 AUG 71 1400	4,440.			2,900.			7,340.			140 6 AUG 71
7 AUG 71 1400	4,470.			4,250.			8,720.			140 7 AUG 71
8 AUG 71 1400	4,840.			6,250.			11,100.			140 8 AUG 71
9 AUG 71 1400	5,420.			9,090.			14,500.			140 9 AUG 71
10 AUG 71 1400	6,300.			12,900.			19,200.			140 10 AUG 71
11 AUG 71 1400	7,430.			14,800.			22,200.			140 11 AUG 71
12 AUG 71 1400	8,140.			12,000.			20,200.			140 12 AUG 71
13 AUG 71 1400	8,160.			9,170.			17,300.			140 13 AUG 71
14 AUG 71 1400	7,720.			6,770.			14,500.			140 14 AUG 71
15 AUG 71 1400	6,870.			4,640.			11,500.			140 15 AUG 71
16 AUG 71 1400	5,740.			3,210.			8,950.			140 16 AUG 71
17 AUG 71 1400	4,670.			2,160.			6,830.			140 17 AUG 71
18 AUG 71 1400	3,980.			1,570.			5,550.			140 18 AUG 71
19 AUG 71 1400	3,780.			1,400.			5,180.			140 19 AUG 71
20 AUG 71 1400	3,970.			1,660.			5,630.			140 20 AUG 71
21 AUG 71 1400	4,260.			2,170.			6,430.			140 21 AUG 71
22 AUG 71 1400	4,310.			2,430.			6,740.			140 22 AUG 71
23 AUG 71 1400	4,070.			2,370.			6,440.			140 23 AUG 71
24 AUG 71 1400	3,670.			2,070.			5,730.			140 24 AUG 71
25 AUG 71 1400	3,290.			2,000.			5,290.			140 25 AUG 71
26 AUG 71 1400	3,080.			2,360.			5,440.			140 26 AUG 71
27 AUG 71 1400	3,060.			2,600.			5,660.			140 27 AUG 71
28 AUG 71 1400	3,060.			2,500.			5,550.			140 28 AUG 71
29 AUG 71 1400	2,980.			2,120.			5,100.			140 29 AUG 71
30 AUG 71 1400	2,840.			1,790.			4,640.			140 30 AUG 71
31 AUG 71 1400	2,680.			1,650.			4,340.			140 31 AUG 71

FORM 1617-1
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 1.0 SUSITNA GLACIER			STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE			STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	2,590.			1,800.			4,380.			140 1 SEP 71
2 SEP 71 1400	2,550.			2,170.			4,720.			140 2 SEP 71
3 SEP 71 1400	2,550.			2,530.			5,080.			140 3 SEP 71
4 SEP 71 1400	2,460.			2,640.			5,100.			140 4 SEP 71
5 SEP 71 1400	2,210.			2,620.			4,830.			140 5 SEP 71
6 SEP 71 1400	1,830.			2,590.			4,420.			140 6 SEP 71
7 SEP 71 1400	1,420.			2,420.			3,850.			140 7 SEP 71
8 SEP 71 1400	1,090.			2,120.			3,200.			140 8 SEP 71
9 SEP 71 1400	923.			1,820.			2,740.			140 9 SEP 71
10 SEP 71 1400	925.			1,640.			2,570.			140 10 SEP 71
11 SEP 71 1400	929.			1,520.			2,450.			140 11 SEP 71
12 SEP 71 1400	833.			1,400.			2,240.			140 12 SEP 71
13 SEP 71 1400	690.			1,290.			1,980.			140 13 SEP 71
14 SEP 71 1400	605.			1,200.			1,810.			140 14 SEP 71
15 SEP 71 1400	599.			1,150.			1,750.			140 15 SEP 71
16 SEP 71 1400	612.			1,120.			1,730.			140 16 SEP 71
17 SEP 71 1400	607.			1,080.			1,690.			140 17 SEP 71
18 SEP 71 1400	578.			1,050.			1,630.			140 18 SEP 71
19 SEP 71 1400	509.			1,020.			1,530.			140 19 SEP 71
20 SEP 71 1400	422.			1,130.			1,550.			140 20 SEP 71
21 SEP 71 1400	410.			1,520.			1,930.			140 21 SEP 71
22 SEP 71 1400	498.			1,930.			2,420.			140 22 SEP 71
23 SEP 71 1400	579.			1,990.			2,560.			140 23 SEP 71
24 SEP 71 1400	535.			1,710.			2,240.			140 24 SEP 71
25 SEP 71 1400	445.			1,330.			1,770.			140 25 SEP 71
26 SEP 71 1400	352.			1,050.			1,400.			140 26 SEP 71
27 SEP 71 1400	258.			887.			1,140.			140 27 SEP 71
28 SEP 71 1400	168.			799.			968.			140 28 SEP 71
29 SEP 71 1400	99.			748.			848.			140 29 SEP 71
30 SEP 71 1400	54.			715.			769.			140 30 SEP 71

FORM 1413-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE						DENALI DAMSITE 1260 SQ MI			
				LOCAL ABOVE DENALI DAMSITE 312 SQ MI						
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
6 MAY 71 1400	220.			85.			305.			140 6 MAY 71
7 MAY 71 1400	212.			77.			289.			140 7 MAY 71
8 MAY 71 1400	186.			71.			257.			140 8 MAY 71
9 MAY 71 1400	149.			70.			219.			140 9 MAY 71
10 MAY 71 1400	117.			69.			187.			140 10 MAY 71
11 MAY 71 1400	95.			80.			176.			140 11 MAY 71
12 MAY 71 1400	90.			97.			187.			140 12 MAY 71
13 MAY 71 1400	105.			112.			217.			140 13 MAY 71
14 MAY 71 1400	134.			108.			242.			140 14 MAY 71
15 MAY 71 1400	154.			74.			229.			140 15 MAY 71
16 MAY 71 1400	149.			66.			216.			140 16 MAY 71
17 MAY 71 1400	125.			64.			189.			140 17 MAY 71
18 MAY 71 1400	99.			71.			171.			140 18 MAY 71
19 MAY 71 1400	92.			82.			174.			140 19 MAY 71
20 MAY 71 1400	110.			103.			213.			140 20 MAY 71
21 MAY 71 1400	166.			136.			301.			140 21 MAY 71
22 MAY 71 1400	243.			114.			358.			140 22 MAY 71
23 MAY 71 1400	303.			93.			396.			140 23 MAY 71
24 MAY 71 1400	336.			123.			459.			140 24 MAY 71
25 MAY 71 1400	379.			142.			522.			140 25 MAY 71
26 MAY 71 1400	463.			165.			628.			140 26 MAY 71
27 MAY 71 1400	589.			186.			775.			140 27 MAY 71
28 MAY 71 1400	765.			262.			1,030.			140 28 MAY 71
29 MAY 71 1400	984.			248.			1,230.			140 29 MAY 71
30 MAY 71 1400	1,130.			136.			1,260.			140 30 MAY 71
31 MAY 71 1400	1,130.			207.			1,330.			140 31 MAY 71

FORM 1413-3
PRINTED IN U.S.A.

SUSITNA HEP AUG 4-10 '71 RECONST.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE			LOCAL ABOVE DENALI DAMSITE 312 SQ MI			DENALI DAMSITE 1260 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	1,100.			259.			1,360.			140 1 JUN 71
2 JUN 71 1400	1,110.			169.			1,280.			140 2 JUN 71
3 JUN 71 1400	1,090.			158.			1,250.			140 3 JUN 71
4 JUN 71 1400	1,150.			393.			1,540.			140 4 JUN 71
5 JUN 71 1400	1,850.			857.			2,710.			140 5 JUN 71
6 JUN 71 1400	3,800.			1,480.			5,280.			140 6 JUN 71
7 JUN 71 1400	6,700.			2,030.			8,730.			140 7 JUN 71
8 JUN 71 1400	9,170.			2,140.			11,300.			140 8 JUN 71
9 JUN 71 1400	10,400.			2,440.			12,800.			140 9 JUN 71
10 JUN 71 1400	10,900.			3,090.			14,000.			140 10 JUN 71
11 JUN 71 1400	11,000.			2,990.			14,000.			140 11 JUN 71
12 JUN 71 1400	10,300.			2,490.			12,800.			140 12 JUN 71
13 JUN 71 1400	9,010.			1,790.			10,800.			140 13 JUN 71
14 JUN 71 1400	7,310.			1,340.			8,650.			140 14 JUN 71
15 JUN 71 1400	5,610.			1,560.			7,170.			140 15 JUN 71
16 JUN 71 1400	4,390.			1,710.			6,100.			140 16 JUN 71
17 JUN 71 1400	3,700.			1,490.			5,190.			140 17 JUN 71
18 JUN 71 1400	3,370.			1,720.			5,090.			140 18 JUN 71
19 JUN 71 1400	3,430.			2,630.			6,070.			140 19 JUN 71
20 JUN 71 1400	3,970.			2,770.			6,740.			140 20 JUN 71
21 JUN 71 1400	4,610.			2,220.			6,830.			140 21 JUN 71
22 JUN 71 1400	5,170.			3,380.			8,550.			140 22 JUN 71
23 JUN 71 1400	6,330.			4,080.			11,200.			140 23 JUN 71
24 JUN 71 1400	8,240.			4,150.			12,400.			140 24 JUN 71
25 JUN 71 1400	10,100.			3,770.			13,900.			140 25 JUN 71
26 JUN 71 1400	11,800.			3,120.			14,900.			140 26 JUN 71
27 JUN 71 1400	12,800.			1,980.			14,800.			140 27 JUN 71
28 JUN 71 1400	12,100.			1,050.			13,200.			140 28 JUN 71
29 JUN 71 1400	10,300.			1,070.			11,400.			140 29 JUN 71
30 JUN 71 1400	8,720.			2,690.			11,400.			140 30 JUN 71

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5 30-100 ROUT DENALI GAGE TO DENALI DAMSITE		STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI		STATION 10.0 DENALI DAMSITE 1260 SQ MI		
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 71 1400	8,000.		4,510.		12,500.		140 1 JUL 71
2 JUL 71 1400	8,020.		3,390.		11,400.		140 2 JUL 71
3 JUL 71 1400	7,860.		1,450.		9,330.		140 3 JUL 71
4 JUL 71 1400	7,140.		1,160.		8,300.		140 4 JUL 71
5 JUL 71 1400	6,310.		1,280.		7,590.		140 5 JUL 71
6 JUL 71 1400	6,100.		1,130.		7,230.		140 6 JUL 71
7 JUL 71 1400	6,490.		907.		7,390.		140 7 JUL 71
8 JUL 71 1400	7,100.		1,000.		8,110.		140 8 JUL 71
9 JUL 71 1400	8,010.		894.		8,900.		140 9 JUL 71
10 JUL 71 1400	9,070.		794.		9,870.		140 10 JUL 71
11 JUL 71 1400	10,000.		708.		10,700.		140 11 JUL 71
12 JUL 71 1400	10,600.		820.		11,500.		140 12 JUL 71
13 JUL 71 1400	10,900.		2,440.		13,300.		140 13 JUL 71
14 JUL 71 1400	11,100.		1,580.		12,700.		140 14 JUL 71
15 JUL 71 1400	10,900.		693.		11,600.		140 15 JUL 71
16 JUL 71 1400	9,800.		456.		10,300.		140 16 JUL 71
17 JUL 71 1400	8,310.		421.		8,730.		140 17 JUL 71
18 JUL 71 1400	6,900.		393.		7,290.		140 18 JUL 71
19 JUL 71 1400	5,890.		381.		6,270.		140 19 JUL 71
20 JUL 71 1400	5,430.		1,000.		6,430.		140 20 JUL 71
21 JUL 71 1400	5,470.		692.		6,170.		140 21 JUL 71
22 JUL 71 1400	5,560.		425.		5,980.		140 22 JUL 71
23 JUL 71 1400	5,280.		424.		5,700.		140 23 JUL 71
24 JUL 71 1400	4,780.		784.		5,560.		140 24 JUL 71
25 JUL 71 1400	4,430.		1,200.		5,630.		140 25 JUL 71
26 JUL 71 1400	4,400.		906.		5,310.		140 26 JUL 71
27 JUL 71 1400	4,640.		1,640.		6,270.		140 27 JUL 71
28 JUL 71 1400	5,060.		2,130.		7,190.		140 28 JUL 71
29 JUL 71 1400	5,400.		1,290.		6,700.		140 29 JUL 71
30 JUL 71 1400	5,460.		1,260.		6,720.		140 30 JUL 71
31 JUL 71 1400	5,500.		2,130.		7,630.		140 31 JUL 71

FORM 1611-3

PRINTED IN U.S.A.

SUSITNA HEP AUG 4-10 '71 RECONST.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 5.5 30-100 ROUT DENALI GAGE TO DENALI DAMSITE LOCAL ABOVE DENALI DAMSITE 312 SQ MI			STATION 8.0 DENALI DAMSITE 1260 SQ MI			STATION 10.0			HOUR-DATE
	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	
1 AUG 71 1400	6,040.			2,990.			9,030.			140 1 AUG 71
2 AUG 71 1400	7,260.			2,800.			10,100.			140 2 AUG 71
3 AUG 71 1400	8,540.			1,120.			9,660.			140 3 AUG 71
4 AUG 71 1400	8,900.			362.			9,270.			140 4 AUG 71
5 AUG 71 1400	8,200.			578.			8,770.			140 5 AUG 71
6 AUG 71 1400	7,500.			2,580.			10,100.			140 6 AUG 71
7 AUG 71 1400	8,030.			3,910.			11,900.			140 7 AUG 71
8 AUG 71 1400	9,910.			4,570.			14,500.			140 8 AUG 71
9 AUG 71 1400	12,800.			6,690.			19,500.			140 9 AUG 71
10 AUG 71 1400	16,900.			9,180.			26,000.			140 10 AUG 71
11 AUG 71 1400	20,700.			3,770.			24,500.			140 11 AUG 71
12 AUG 71 1400	21,200.			904.			22,100.			140 12 AUG 71
13 AUG 71 1400	18,800.			2,050.			20,800.			140 13 AUG 71
14 AUG 71 1400	15,900.			1,200.			17,100.			140 14 AUG 71
15 AUG 71 1400	13,000.			517.			13,500.			140 15 AUG 71
16 AUG 71 1400	10,200.			372.			10,600.			140 16 AUG 71
17 AUG 71 1400	7,890.			384.			8,270.			140 17 AUG 71
18 AUG 71 1400	6,190.			472.			6,660.			140 18 AUG 71
19 AUG 71 1400	5,360.			598.			5,960.			140 19 AUG 71
20 AUG 71 1400	5,400.			1,260.			6,660.			140 20 AUG 71
21 AUG 71 1400	6,030.			1,260.			7,290.			140 21 AUG 71
22 AUG 71 1400	6,580.			770.			7,350.			140 22 AUG 71
23 AUG 71 1400	6,590.			659.			7,250.			140 23 AUG 71
24 AUG 71 1400	6,090.			532.			6,620.			140 24 AUG 71
25 AUG 71 1400	5,510.			1,270.			6,780.			140 25 AUG 71
26 AUG 71 1400	5,370.			1,590.			6,960.			140 26 AUG 71
27 AUG 71 1400	5,550.			797.			6,350.			140 27 AUG 71
28 AUG 71 1400	5,610.			564.			6,170.			140 28 AUG 71
29 AUG 71 1400	5,330.			511.			5,840.			140 29 AUG 71
30 AUG 71 1400	4,870.			498.			5,370.			140 30 AUG 71
31 AUG 71 1400	4,490.			705.			5,190.			140 31 AUG 71

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5 30-100 ROUT DENALI GAGE TO DENALI DAMSITE		STATION 8.0		STATION 10.0 DENALI DAMSITE 1260 SQ MI LOCAL ABOVE DENALI DAMSITE 312 SQ MI		
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	4,360.			1,070.			5,430.			140 1 SEP 71
2 SEP 71 1400	4,550.			1,430.			5,980.			140 2 SEP 71
3 SEP 71 1400	4,900.			1,130.			6,030.			140 3 SEP 71
4 SEP 71 1400	5,090.			902.			5,990.			140 4 SEP 71
5 SEP 71 1400	4,970.			1,260.			6,230.			140 5 SEP 71
6 SEP 71 1400	4,630.			1,180.			5,810.			140 6 SEP 71
7 SEP 71 1400	4,140.			635.			4,770.			140 7 SEP 71
8 SEP 71 1400	3,530.			503.			4,030.			140 8 SEP 71
9 SEP 71 1400	2,970.			594.			3,560.			140 9 SEP 71
10 SEP 71 1400	2,650.			590.			3,240.			140 10 SEP 71
11 SEP 71 1400	2,510.			459.			2,970.			140 11 SEP 71
12 SEP 71 1400	2,340.			426.			2,770.			140 12 SEP 71
13 SEP 71 1400	2,110.			419.			2,530.			140 13 SEP 71
14 SEP 71 1400	1,890.			423.			2,320.			140 14 SEP 71
15 SEP 71 1400	1,780.			422.			2,200.			140 15 SEP 71
16 SEP 71 1400	1,740.			405.			2,150.			140 16 SEP 71
17 SEP 71 1400	1,710.			395.			2,110.			140 17 SEP 71
18 SEP 71 1400	1,660.			386.			2,050.			140 18 SEP 71
19 SEP 71 1400	1,580.			376.			1,950.			140 19 SEP 71
20 SEP 71 1400	1,540.			803.			2,340.			140 20 SEP 71
21 SEP 71 1400	1,740.			1,420.			3,160.			140 21 SEP 71
22 SEP 71 1400	2,180.			1,090.			3,270.			140 22 SEP 71
23 SEP 71 1400	2,490.			475.			2,970.			140 23 SEP 71
24 SEP 71 1400	2,400.			337.			2,740.			140 24 SEP 71
25 SEP 71 1400	2,010.			320.			2,330.			140 25 SEP 71
26 SEP 71 1400	1,590.			313.			1,900.			140 26 SEP 71
27 SEP 71 1400	1,270.			307.			1,580.			140 27 SEP 71
28 SEP 71 1400	1,060.			302.			1,360.			140 28 SEP 71
29 SEP 71 1400	908.			297.			1,210.			140 29 SEP 71
30 SEP 71 1400	808.			292.			1,100.			140 30 SEP 71

FORM 1815
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 18.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
6 MAY 71 1400	305.			125.			30.			140 6 MAY 71
7 MAY 71 1400	297.			115.			18.			140 7 MAY 71
8 MAY 71 1400	273.			109.			9.			140 8 MAY 71
9 MAY 71 1400	239.			108.			4.			140 9 MAY 71
10 MAY 71 1400	204.			108.			2.			140 10 MAY 71
11 MAY 71 1400	182.			125.			1.			140 11 MAY 71
12 MAY 71 1400	181.			151.			2.			140 12 MAY 71
13 MAY 71 1400	202.			174.			5.			140 13 MAY 71
14 MAY 71 1400	229.			169.			8.			140 14 MAY 71
15 MAY 71 1400	235.			119.			8.			140 15 MAY 71
16 MAY 71 1400	223.			107.			5.			140 16 MAY 71
17 MAY 71 1400	203.			105.			3.			140 17 MAY 71
18 MAY 71 1400	181.			116.			2.			140 18 MAY 71
19 MAY 71 1400	173.			134.			3.			140 19 MAY 71
20 MAY 71 1400	193.			167.			7.			140 20 MAY 71
21 MAY 71 1400	256.			217.			16.			140 21 MAY 71
22 MAY 71 1400	328.			185.			23.			140 22 MAY 71
23 MAY 71 1400	376.			154.			24.			140 23 MAY 71
24 MAY 71 1400	427.			198.			26.			140 24 MAY 71
25 MAY 71 1400	490.			227.			32.			140 25 MAY 71
26 MAY 71 1400	575.			262.			42.			140 26 MAY 71
27 MAY 71 1400	702.			295.			53.			140 27 MAY 71
28 MAY 71 1400	901.			416.			71.			140 28 MAY 71
29 MAY 71 1400	1,130.			394.			84.			140 29 MAY 71
30 MAY 71 1400	1,250.			211.			78.			140 30 MAY 71
31 MAY 71 1400	1,300.			318.			70.			140 31 MAY 71

FORM 1311-2

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 12.5 100-300 RUUT DENALI DAMSITE TO SUS&MAC CONF FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 21.0 MACLAREN GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	1,350.			400.			75.			140 1 JUN 71
2 JUN 71 1400	1,320.			251.			75.			140 2 JUN 71
3 JUN 71 1400	1,260.			232.			66.			140 3 JUN 71
4 JUN 71 1400	1,390.			594.			102.			140 4 JUN 71
5 JUN 71 1400	2,130.			1,320.			259.			140 5 JUN 71
6 JUN 71 1400	4,000.			2,340.			536.			140 6 JUN 71
7 JUN 71 1400	7,010.			3,240.			814.			140 7 JUN 71
8 JUN 71 1400	10,000.			3,470.			959.			140 8 JUN 71
9 JUN 71 1400	12,100.			4,050.			992.			140 9 JUN 71
10 JUN 71 1400	13,400.			5,080.			1,040.			140 10 JUN 71
11 JUN 71 1400	14,000.			4,780.			1,090.			140 11 JUN 71
12 JUN 71 1400	13,400.			3,710.			1,040.			140 12 JUN 71
13 JUN 71 1400	11,800.			2,330.			877.			140 13 JUN 71
14 JUN 71 1400	9,730.			1,580.			668.			140 14 JUN 71
15 JUN 71 1400	7,910.			2,130.			496.			140 15 JUN 71
16 JUN 71 1400	6,630.			2,400.			395.			140 16 JUN 71
17 JUN 71 1400	5,640.			1,730.			351.			140 17 JUN 71
18 JUN 71 1400	5,240.			2,060.			358.			140 18 JUN 71
19 JUN 71 1400	5,580.			3,280.			468.			140 19 JUN 71
20 JUN 71 1400	6,400.			3,210.			649.			140 20 JUN 71
21 JUN 71 1400	6,780.			2,600.			736.			140 21 JUN 71
22 JUN 71 1400	7,690.			3,960.			761.			140 22 JUN 71
23 JUN 71 1400	9,880.			4,910.			964.			140 23 JUN 71
24 JUN 71 1400	11,800.			2,950.			1,330.			140 24 JUN 71
25 JUN 71 1400	13,100.			2,600.			1,660.			140 25 JUN 71
26 JUN 71 1400	14,400.			2,180.			1,920.			140 26 JUN 71
27 JUN 71 1400	14,900.			1,460.			2,070.			140 27 JUN 71
28 JUN 71 1400	14,000.			921.			1,980.			140 28 JUN 71
29 JUN 71 1400	12,300.			1,020.			1,650.			140 29 JUN 71
30 JUN 71 1400	11,400.			3,670.			1,290.			140 30 JUN 71

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 18.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 71 1400	12,000.			6,780.			1,020.			140 1 JUL 71
2 JUL 71 1400	12,000.			5,150.			838.			140 2 JUL 71
3 JUL 71 1400	10,400.			1,890.			730.			140 3 JUL 71
4 JUL 71 1400	8,810.			1,170.			755.			140 4 JUL 71
5 JUL 71 1400	7,940.			1,250.			951.			140 5 JUL 71
6 JUL 71 1400	7,410.			1,120.			1,260.			140 6 JUL 71
7 JUL 71 1400	7,310.			969.			1,510.			140 7 JUL 71
8 JUL 71 1400	7,750.			1,040.			1,690.			140 8 JUL 71
9 JUL 71 1400	8,510.			941.			1,910.			140 9 JUL 71
10 JUL 71 1400	9,390.			855.			2,160.			140 10 JUL 71
11 JUL 71 1400	10,300.			785.			2,380.			140 11 JUL 71
12 JUL 71 1400	11,100.			1,050.			2,510.			140 12 JUL 71
13 JUL 71 1400	12,400.			3,480.			2,480.			140 13 JUL 71
14 JUL 71 1400	13,000.			2,410.			2,340.			140 14 JUL 71
15 JUL 71 1400	12,200.			1,010.			2,090.			140 15 JUL 71
16 JUL 71 1400	10,900.			632.			1,800.			140 16 JUL 71
17 JUL 71 1400	9,500.			585.			1,600.			140 17 JUL 71
18 JUL 71 1400	8,010.			562.			1,500.			140 18 JUL 71
19 JUL 71 1400	6,780.			546.			1,440.			140 19 JUL 71
20 JUL 71 1400	6,350.			1,350.			1,490.			140 20 JUL 71
21 JUL 71 1400	6,300.			1,060.			1,520.			140 21 JUL 71
22 JUL 71 1400	6,070.			653.			1,390.			140 22 JUL 71
23 JUL 71 1400	5,840.			638.			1,190.			140 23 JUL 71
24 JUL 71 1400	5,630.			1,120.			1,080.			140 24 JUL 71
25 JUL 71 1400	5,600.			1,690.			1,050.			140 25 JUL 71
26 JUL 71 1400	5,470.			1,320.			1,090.			140 26 JUL 71
27 JUL 71 1400	5,790.			2,280.			1,130.			140 27 JUL 71
28 JUL 71 1400	6,730.			2,960.			1,[illegible]0.			140 28 JUL 71
29 JUL 71 1400	6,940.			1,810.			1,020.			140 29 JUL 71
30 JUL 71 1400	6,710.			1,770.			1,030.			140 30 JUL 71
31 JUL 71 1400	7,170.			2,870.			1,150.			140 31 JUL 71

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 16.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 71 1400	8,330.			4,130.			1,360.			140 1 AUG 71
2 AUG 71 1400	9,540.			3,920.			1,640.			140 2 AUG 71
3 AUG 71 1400	9,860.			1,730.			1,810.			140 3 AUG 71
4 AUG 71 1400	9,470.			553.			1,740.			140 4 AUG 71
5 AUG 71 1400	9,020.			561.			1,580.			140 5 AUG 71
6 AUG 71 1400	9,430.			1,830.			1,540.			140 6 AUG 71
7 AUG 71 1400	11,000.			2,930.			1,610.			140 7 AUG 71
8 AUG 71 1400	13,200.			3,300.			1,710.			140 8 AUG 71
9 AUG 71 1400	17,000.			4,670.			1,850.			140 9 AUG 71
10 AUG 71 1400	22,800.			6,450.			2,080.			140 10 AUG 71
11 AUG 71 1400	25,300.			3,510.			2,330.			140 11 AUG 71
12 AUG 71 1400	23,300.			930.			2,410.			140 12 AUG 71
13 AUG 71 1400	21,500.			2,360.			2,380.			140 13 AUG 71
14 AUG 71 1400	19,000.			1,720.			2,260.			140 14 AUG 71
15 AUG 71 1400	15,300.			675.			1,960.			140 15 AUG 71
16 AUG 71 1400	12,100.			432.			1,630.			140 16 AUG 71
17 AUG 71 1400	9,440.			436.			1,430.			140 17 AUG 71
18 AUG 71 1400	7,470.			528.			1,400.			140 18 AUG 71
19 AUG 71 1400	6,310.			677.			1,500.			140 19 AUG 71
20 AUG 71 1400	6,310.			1,430.			1,650.			140 20 AUG 71
21 AUG 71 1400	6,970.			1,560.			1,690.			140 21 AUG 71
22 AUG 71 1400	7,320.			930.			1,600.			140 22 AUG 71
23 AUG 71 1400	7,300.			808.			1,450.			140 23 AUG 71
24 AUG 71 1400	6,940.			656.			1,310.			140 24 AUG 71
25 AUG 71 1400	6,700.			1,620.			1,230.			140 25 AUG 71
26 AUG 71 1400	6,870.			2,110.			1,230.			140 26 AUG 71
27 AUG 71 1400	6,650.			1,060.			1,260.			140 27 AUG 71
28 AUG 71 1400	6,260.			762.			1,240.			140 28 AUG 71
29 AUG 71 1400	6,000.			702.			1,190.			140 29 AUG 71
30 AUG 71 1400	5,600.			699.			1,120.			140 30 AUG 71
31 AUG 71 1400	5,280.			993.			1,030.			140 31 AUG 71

FORM 1411-2

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5 100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF			STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			STATION 21.0 MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	5,310.			1,570.			991.			140 1 SEP 71
2 SEP 71 1400	5,700.			2,130.			958.			140 2 SEP 71
3 SEP 71 1400	6,010.			1,710.			943.			140 3 SEP 71
4 SEP 71 1400	6,010.			1,380.			856.			140 4 SEP 71
5 SEP 71 1400	6,110.			1,990.			686.			140 5 SEP 71
6 SEP 71 1400	6,020.			1,890.			504.			140 6 SEP 71
7 SEP 71 1400	5,290.			1,020.			347.			140 7 SEP 71
8 SEP 71 1400	4,400.			806.			277.			140 8 SEP 71
9 SEP 71 1400	3,800.			944.			326.			140 9 SEP 71
10 SEP 71 1400	3,400.			938.			390.			140 10 SEP 71
11 SEP 71 1400	3,100.			745.			357.			140 11 SEP 71
12 SEP 71 1400	2,870.			697.			267.			140 12 SEP 71
13 SEP 71 1400	2,650.			691.			202.			140 13 SEP 71
14 SEP 71 1400	2,420.			700.			200.			140 14 SEP 71
15 SEP 71 1400	2,260.			704.			226.			140 15 SEP 71
16 SEP 71 1400	2,170.			683.			231.			140 16 SEP 71
17 SEP 71 1400	2,130.			673.			223.			140 17 SEP 71
18 SEP 71 1400	2,080.			667.			199.			140 18 SEP 71
19 SEP 71 1400	2,000.			659.			152.			140 19 SEP 71
20 SEP 71 1400	2,150.			1,370.			119.			140 20 SEP 71
21 SEP 71 1400	2,750.			2,390.			141.			140 21 SEP 71
22 SEP 71 1400	3,210.			1,850.			178.			140 22 SEP 71
23 SEP 71 1400	3,120.			850.			167.			140 23 SEP 71
24 SEP 71 1400	2,850.			625.			129.			140 24 SEP 71
25 SEP 71 1400	2,530.			597.			101.			140 25 SEP 71
26 SEP 71 1400	2,110.			584.			75.			140 26 SEP 71
27 SEP 71 1400	1,740.			573.			47.			140 27 SEP 71
28 SEP 71 1400	1,470.			562.			25.			140 28 SEP 71
29 SEP 71 1400	1,280.			552.			12.			140 29 SEP 71
30 SEP 71 1400	1,150.			542.			6.			140 30 SEP 71

FORM 1411-2

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
6 MAY 71 1400	80.			110.			110.			140 6 MAY 71
7 MAY 71 1400	72.			91.			105.			140 7 MAY 71
8 MAY 71 1400	68.			77.			92.			140 8 MAY 71
9 MAY 71 1400	65.			70.			79.			140 9 MAY 71
10 MAY 71 1400	62.			65.			71.			140 10 MAY 71
11 MAY 71 1400	68.			70.			67.			140 11 MAY 71
12 MAY 71 1400	76.			79.			70.			140 12 MAY 71
13 MAY 71 1400	95.			102.			82.			140 13 MAY 71
14 MAY 71 1400	101.			109.			97.			140 14 MAY 71
15 MAY 71 1400	100.			108.			107.			140 15 MAY 71
16 MAY 71 1400	91.			96.			105.			140 16 MAY 71
17 MAY 71 1400	77.			81.			95.			140 17 MAY 71
18 MAY 71 1400	75.			77.			84.			140 18 MAY 71
19 MAY 71 1400	78.			82.			79.			140 19 MAY 71
20 MAY 71 1400	103.			110.			87.			140 20 MAY 71
21 MAY 71 1400	134.			150.			113.			140 21 MAY 71
22 MAY 71 1400	141.			165.			146.			140 22 MAY 71
23 MAY 71 1400	164.			188.			169.			140 23 MAY 71
24 MAY 71 1400	177.			203.			189.			140 24 MAY 71
25 MAY 71 1400	207.			240.			213.			140 25 MAY 71
26 MAY 71 1400	253.			295.			253.			140 26 MAY 71
27 MAY 71 1400	327.			381.			319.			140 27 MAY 71
28 MAY 71 1400	477.			548.			436.			140 28 MAY 71
29 MAY 71 1400	495.			580.			548.			140 29 MAY 71
30 MAY 71 1400	518.			596.			585.			140 30 MAY 71
31 MAY 71 1400	566.			636.			613.			140 31 MAY 71

FORM 1413
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUSMAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	540.			615.			624.			140 1 JUN 71
2 JUN 71 1400	495.			570.			597.			140 2 JUN 71
3 JUN 71 1400	515.			581.			578.			140 3 JUN 71
4 JUN 71 1400	755.			857.			700.			140 4 JUN 71
5 JUN 71 1400	1,540.			1,800.			1,270.			140 5 JUN 71
6 JUN 71 1400	2,480.			3,020.			2,360.			140 6 JUN 71
7 JUN 71 1400	3,190.			4,000.			3,500.			140 7 JUN 71
8 JUN 71 1400	3,320.			4,280.			4,140.			140 8 JUN 71
9 JUN 71 1400	3,870.			4,860.			4,570.			140 9 JUN 71
10 JUN 71 1400	4,090.			5,140.			5,000.			140 10 JUN 71
11 JUN 71 1400	3,510.			4,600.			4,870.			140 11 JUN 71
12 JUN 71 1400	2,940.			3,980.			4,290.			140 12 JUN 71
13 JUN 71 1400	2,340.			3,220.			3,600.			140 13 JUN 71
14 JUN 71 1400	1,920.			2,590.			2,910.			140 14 JUN 71
15 JUN 71 1400	1,620.			2,120.			2,350.			140 15 JUN 71
16 JUN 71 1400	1,420.			1,820.			1,970.			140 16 JUN 71
17 JUN 71 1400	1,300.			1,650.			1,740.			140 17 JUN 71
18 JUN 71 1400	1,370.			1,730.			1,690.			140 18 JUN 71
19 JUN 71 1400	1,590.			2,060.			1,890.			140 19 JUN 71
20 JUN 71 1400	1,670.			2,320.			2,180.			140 20 JUN 71
21 JUN 71 1400	1,620.			2,360.			2,340.			140 21 JUN 71
22 JUN 71 1400	2,010.			2,770.			2,560.			140 22 JUN 71
23 JUN 71 1400	2,690.			3,650.			3,210.			140 23 JUN 71
24 JUN 71 1400	2,990.			4,320.			3,980.			140 24 JUN 71
25 JUN 71 1400	3,260.			4,930.			4,620.			140 25 JUN 71
26 JUN 71 1400	3,470.			5,390.			5,160.			140 26 JUN 71
27 JUN 71 1400	3,210.			5,280.			5,340.			140 27 JUN 71
28 JUN 71 1400	2,460.			4,440.			4,860.			140 28 JUN 71
29 JUN 71 1400	2,130.			3,770.			4,110.			140 29 JUN 71
30 JUN 71 1400	2,300.			3,590.			3,680.			140 30 JUN 71

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 71 1400	2,470.			3,490.			3,540.			140 1 JUL 71
2 JUL 71 1400	2,360.			3,200.			3,350.			140 2 JUL 71
3 JUL 71 1400	2,290.			3,020.			3,110.			140 3 JUL 71
4 JUL 71 1400	2,210.			2,970.			2,990.			140 4 JUL 71
5 JUL 71 1400	2,150.			3,100.			3,080.			140 5 JUL 71
6 JUL 71 1400	2,150.			3,410.			3,260.			140 6 JUL 71
7 JUL 71 1400	2,010.			3,520.			3,460.			140 7 JUL 71
8 JUL 71 1400	2,180.			3,870.			3,700.			140 8 JUL 71
9 JUL 71 1400	2,300.			4,210.			4,040.			140 9 JUL 71
10 JUL 71 1400	2,310.			4,470.			4,340.			140 10 JUL 71
11 JUL 71 1400	2,290.			4,680.			4,570.			140 11 JUL 71
12 JUL 71 1400	2,160.			4,670.			4,680.			140 12 JUL 71
13 JUL 71 1400	2,530.			5,010.			4,840.			140 13 JUL 71
14 JUL 71 1400	2,150.			4,490.			4,750.			140 14 JUL 71
15 JUL 71 1400	1,810.			3,900.			4,200.			140 15 JUL 71
16 JUL 71 1400	1,670.			3,470.			3,690.			140 16 JUL 71
17 JUL 71 1400	1,490.			3,100.			3,280.			140 17 JUL 71
18 JUL 71 1400	1,300.			2,800.			2,950.			140 18 JUL 71
19 JUL 71 1400	1,230.			2,670.			2,730.			140 19 JUL 71
20 JUL 71 1400	1,340.			2,830.			2,750.			140 20 JUL 71
21 JUL 71 1400	1,200.			2,730.			2,780.			140 21 JUL 71
22 JUL 71 1400	1,120.			2,500.			2,610.			140 22 JUL 71
23 JUL 71 1400	1,080.			2,270.			2,390.			140 23 JUL 71
24 JUL 71 1400	1,070.			2,150.			2,210.			140 24 JUL 71
25 JUL 71 1400	1,100.			2,150.			2,150.			140 25 JUL 71
26 JUL 71 1400	1,110.			2,200.			2,170.			140 26 JUL 71
27 JUL 71 1400	1,290.			2,420.			2,310.			140 27 JUL 71
28 JUL 71 1400	1,300.			2,390.			2,410.			140 28 JUL 71
29 JUL 71 1400	1,360.			2,380.			2,390.			140 29 JUL 71
30 JUL 71 1400	1,370.			2,400.			2,390.			140 30 JUL 71
31 JUL 71 1400	1,520.			2,670.			2,530.			140 31 JUL 71

FORM 1417-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 71 1400	1,720.			3,080.			2,870.			140 1 AUG 71
2 AUG 71 1400	1,880.			3,520.			3,300.			140 2 AUG 71
3 AUG 71 1400	1,640.			3,450.			3,480.			140 3 AUG 71
4 AUG 71 1400	1,390.			3,130.			3,290.			140 4 AUG 71
5 AUG 71 1400	1,230.			2,810.			2,970.			140 5 AUG 71
6 AUG 71 1400	1,450.			2,990.			2,900.			140 6 AUG 71
7 AUG 71 1400	1,600.			3,210.			3,100.			140 7 AUG 71
8 AUG 71 1400	2,050.			3,760.			3,480.			140 8 AUG 71
9 AUG 71 1400	2,750.			4,600.			4,170.			140 9 AUG 71
10 AUG 71 1400	3,550.			5,630.			5,110.			140 10 AUG 71
11 AUG 71 1400	3,030.			5,360.			5,500.			140 11 AUG 71
12 AUG 71 1400	2,510.			4,920.			5,140.			140 12 AUG 71
13 AUG 71 1400	2,490.			4,880.			4,900.			140 13 AUG 71
14 AUG 71 1400	1,760.			4,020.			4,450.			140 14 AUG 71
15 AUG 71 1400	1,270.			3,230.			3,630.			140 15 AUG 71
16 AUG 71 1400	1,040.			2,660.			2,950.			140 16 AUG 71
17 AUG 71 1400	837.			2,260.			2,460.			140 17 AUG 71
18 AUG 71 1400	742.			2,140.			2,200.			140 18 AUG 71
19 AUG 71 1400	736.			2,240.			2,190.			140 19 AUG 71
20 AUG 71 1400	934.			2,580.			2,410.			140 20 AUG 71
21 AUG 71 1400	922.			2,610.			2,590.			140 21 AUG 71
22 AUG 71 1400	958.			2,560.			2,580.			140 22 AUG 71
23 AUG 71 1400	935.			2,390.			2,470.			140 23 AUG 71
24 AUG 71 1400	853.			2,170.			2,280.			140 24 AUG 71
25 AUG 71 1400	992.			2,220.			2,190.			140 25 AUG 71
26 AUG 71 1400	998.			2,230.			2,220.			140 26 AUG 71
27 AUG 71 1400	1,040.			2,300.			2,260.			140 27 AUG 71
28 AUG 71 1400	1,000.			2,240.			2,270.			140 28 AUG 71
29 AUG 71 1400	892.			2,090.			2,170.			140 29 AUG 71
30 AUG 71 1400	787.			1,900.			2,000.			140 30 AUG 71
31 AUG 71 1400	794.			1,830.			1,870.			140 31 AUG 71

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	864.			1,860.			1,840.			140 1 SEP 71
2 SEP 71 1400	983.			1,940.			1,900.			140 2 SEP 71
3 SEP 71 1400	1,030.			1,970.			1,950.			140 3 SEP 71
4 SEP 71 1400	1,080.			1,930.			1,950.			140 4 SEP 71
5 SEP 71 1400	1,100.			1,790.			1,860.			140 5 SEP 71
6 SEP 71 1400	1,030.			1,530.			1,660.			140 6 SEP 71
7 SEP 71 1400	949.			1,300.			1,420.			140 7 SEP 71
8 SEP 71 1400	854.			1,130.			1,220.			140 8 SEP 71
9 SEP 71 1400	758.			1,080.			1,110.			140 9 SEP 71
10 SEP 71 1400	676.			1,070.			1,080.			140 10 SEP 71
11 SEP 71 1400	626.			983.			1,030.			140 11 SEP 71
12 SEP 71 1400	587.			854.			924.			140 12 SEP 71
13 SEP 71 1400	552.			755.			812.			140 13 SEP 71
14 SEP 71 1400	528.			728.			746.			140 14 SEP 71
15 SEP 71 1400	509.			735.			732.			140 15 SEP 71
16 SEP 71 1400	494.			725.			730.			140 16 SEP 71
17 SEP 71 1400	480.			703.			716.			140 17 SEP 71
18 SEP 71 1400	467.			665.			687.			140 18 SEP 71
19 SEP 71 1400	454.			605.			640.			140 19 SEP 71
20 SEP 71 1400	543.			662.			634.			140 20 SEP 71
21 SEP 71 1400	639.			780.			711.			140 21 SEP 71
22 SEP 71 1400	674.			852.			807.			140 22 SEP 71
23 SEP 71 1400	673.			840.			844.			140 23 SEP 71
24 SEP 71 1400	600.			729.			789.			140 24 SEP 71
25 SEP 71 1400	500.			601.			675.			140 25 SEP 71
26 SEP 71 1400	426.			501.			563.			140 26 SEP 71
27 SEP 71 1400	381.			428.			476.			140 27 SEP 71
28 SEP 71 1400	355.			381.			414.			140 28 SEP 71
29 SEP 71 1400	339.			352.			374.			140 29 SEP 71
30 SEP 71 1400	327.			333.			348.			140 30 SEP 71

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0			STATION 30.0			STATION 32.5			
	MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307			CONFLUENCE OF MACLAREN RIVER WITH SUSITNA			300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
6 MAY 71 1400	84.			624.			624.			140 6 MAY 71
7 MAY 71 1400	77.			594.			609.			140 7 MAY 71
8 MAY 71 1400	71.			546.			570.			140 8 MAY 71
9 MAY 71 1400	70.			496.			522.			140 9 MAY 71
10 MAY 71 1400	70.			453.			475.			140 10 MAY 71
11 MAY 71 1400	85.			460.			457.			140 11 MAY 71
12 MAY 71 1400	109.			512.			485.			140 12 MAY 71
13 MAY 71 1400	131.			589.			549.			140 13 MAY 71
14 MAY 71 1400	126.			621.			604.			140 14 MAY 71
15 MAY 71 1400	80.			542.			582.			140 15 MAY 71
16 MAY 71 1400	69.			505.			524.			140 16 MAY 71
17 MAY 71 1400	68.			472.			439.			140 17 MAY 71
18 MAY 71 1400	79.			460.			466.			140 18 MAY 71
19 MAY 71 1400	95.			482.			471.			140 19 MAY 71
20 MAY 71 1400	126.			574.			527.			140 20 MAY 71
21 MAY 71 1400	174.			759.			664.			140 21 MAY 71
22 MAY 71 1400	146.			605.			782.			140 22 MAY 71
23 MAY 71 1400	117.			817.			811.			140 23 MAY 71
24 MAY 71 1400	162.			976.			896.			140 24 MAY 71
25 MAY 71 1400	192.			1,120.			1,050.			140 25 MAY 71
26 MAY 71 1400	229.			1,320.			1,220.			140 26 MAY 71
27 MAY 71 1400	263.			1,580.			1,450.			140 27 MAY 71
28 MAY 71 1400	365.			2,120.			1,850.			140 28 MAY 71
29 MAY 71 1400	338.			2,410.			2,260.			140 29 MAY 71
30 MAY 71 1400	188.			2,230.			2,320.			140 30 MAY 71
31 MAY 71 1400	306.			2,530.			2,380.			140 31 MAY 71

FORM 1613
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307			STATION 30.0 CONFLUENCE OF MACLAREN RIVER WITH SUSITNA			STATION 32.5 300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	395.			2,770.			2,650.			140 1 JUN 71
2 JUN 71 1400	255.			2,430.			2,600.			140 2 JUN 71
3 JUN 71 1400	239.			2,310.			2,370.			140 3 JUN 71
4 JUN 71 1400	618.			3,310.			2,810.			140 4 JUN 71
5 JUN 71 1400	1,310.			6,040.			4,670.			140 5 JUN 71
6 JUN 71 1400	2,150.			10,900.			8,440.			140 6 JUN 71
7 JUN 71 1400	2,810.			16,600.			13,700.			140 7 JUN 71
8 JUN 71 1400	2,850.			20,500.			18,500.			140 8 JUN 71
9 JUN 71 1400	3,320.			24,000.			22,200.			140 9 JUN 71
10 JUN 71 1400	4,060.			27,600.			25,800.			140 10 JUN 71
11 JUN 71 1400	3,530.			27,200.			27,400.			140 11 JUN 71
12 JUN 71 1400	2,880.			24,300.			25,800.			140 12 JUN 71
13 JUN 71 1400	1,920.			19,700.			22,000.			140 13 JUN 71
14 JUN 71 1400	1,630.			15,800.			17,800.			140 14 JUN 71
15 JUN 71 1400	2,180.			14,600.			15,200.			140 15 JUN 71
16 JUN 71 1400	2,390.			13,400.			14,000.			140 16 JUN 71
17 JUN 71 1400	1,590.			10,700.			12,000.			140 17 JUN 71
18 JUN 71 1400	1,760.			10,600.			10,700.			140 18 JUN 71
19 JUN 71 1400	2,120.			12,900.			11,800.			140 19 JUN 71
20 JUN 71 1400	1,300.			13,100.			13,000.			140 20 JUN 71
21 JUN 71 1400	1,240.			13,000.			13,000.			140 21 JUN 71
22 JUN 71 1400	1,820.			16,000.			14,500.			140 22 JUN 71
23 JUN 71 1400	1,690.			19,700.			17,900.			140 23 JUN 71
24 JUN 71 1400	1,210.			19,900.			19,800.			140 24 JUN 71
25 JUN 71 1400	1,030.			21,400.			20,700.			140 25 JUN 71
26 JUN 71 1400	837.			22,600.			22,000.			140 26 JUN 71
27 JUN 71 1400	655.			22,300.			22,400.			140 27 JUN 71
28 JUN 71 1400	490.			20,200.			21,300.			140 28 JUN 71
29 JUN 71 1400	711.			18,100.			19,200.			140 29 JUN 71
30 JUN 71 1400	2,550.			21,300.			19,700.			140 30 JUN 71

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 30.0 CONFLUENCE OF MACLAREN RIVER WITH SUSITNA FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 32.5 300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 71 1400	4,660.			26,900.			24,100.			140 1 JUL 71
2 JUL 71 1400	3,470.			23,900.			25,400.			140 2 JUL 71
3 JUL 71 1400	1,240.			16,600.			20,300.			140 3 JUL 71
4 JUL 71 1400	755.			13,700.			15,200.			140 4 JUL 71
5 JUL 71 1400	619.			12,900.			13,300.			140 5 JUL 71
6 JUL 71 1400	504.			12,300.			12,600.			140 6 JUL 71
7 JUL 71 1400	485.			12,200.			12,300.			140 7 JUL 71
8 JUL 71 1400	461.			12,900.			12,600.			140 8 JUL 71
9 JUL 71 1400	430.			13,900.			13,400.			140 9 JUL 71
10 JUL 71 1400	409.			15,000.			14,500.			140 10 JUL 71
11 JUL 71 1400	394.			16,000.			15,500.			140 11 JUL 71
12 JUL 71 1400	627.			17,400.			16,700.			140 12 JUL 71
13 JUL 71 1400	2,430.			23,100.			20,300.			140 13 JUL 71
14 JUL 71 1400	1,210.			21,400.			22,300.			140 14 JUL 71
15 JUL 71 1400	527.			17,900.			19,600.			140 15 JUL 71
16 JUL 71 1400	350.			15,600.			16,700.			140 16 JUL 71
17 JUL 71 1400	323.			13,700.			14,600.			140 17 JUL 71
18 JUL 71 1400	311.			11,800.			12,800.			140 18 JUL 71
19 JUL 71 1400	299.			10,400.			11,100.			140 19 JUL 71
20 JUL 71 1400	761.			11,200.			10,800.			140 20 JUL 71
21 JUL 71 1400	544.			10,700.			10,900.			140 21 JUL 71
22 JUL 71 1400	350.			9,690.			10,200.			140 22 JUL 71
23 JUL 71 1400	342.			9,210.			9,450.			140 23 JUL 71
24 JUL 71 1400	595.			9,560.			9,390.			140 24 JUL 71
25 JUL 71 1400	848.			10,300.			9,920.			140 25 JUL 71
26 JUL 71 1400	653.			9,610.			9,950.			140 26 JUL 71
27 JUL 71 1400	1,200.			11,600.			10,600.			140 27 JUL 71
28 JUL 71 1400	1,470.			13,600.			12,600.			140 28 JUL 71
29 JUL 71 1400	970.			12,100.			12,800.			140 29 JUL 71
30 JUL 71 1400	961.			11,800.			12,000.			140 30 JUL 71
31 JUL 71 1400	1,610.			14,200.			13,000.			140 31 JUL 71

FORM 1611-2

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 30.0 CONFLUENCE OF MACLAREN RIVER WITH SUSITNA FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 32.5 300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 71 1400	2,290.			17,600.			15,900.			140 1 AUG 71
2 AUG 71 1400	2,200.			19,000.			18,300.			140 2 AUG 71
3 AUG 71 1400	890.			16,000.			17,500.			140 3 AUG 71
4 AUG 71 1400	309.			13,600.			14,800.			140 4 AUG 71
5 AUG 71 1400	419.			13,000.			13,300.			140 5 AUG 71
6 AUG 71 1400	1,640.			15,800.			14,400.			140 6 AUG 71
7 AUG 71 1400	2,590.			19,600.			17,700.			140 7 AUG 71
8 AUG 71 1400	3,260.			23,200.			21,400.			140 8 AUG 71
9 AUG 71 1400	5,030.			30,900.			27,100.			140 9 AUG 71
10 AUG 71 1400	7,010.			41,300.			36,100.			140 10 AUG 71
11 AUG 71 1400	2,690.			37,000.			39,200.			140 11 AUG 71
12 AUG 71 1400	700.			30,100.			33,500.			140 12 AUG 71
13 AUG 71 1400	1,860.			30,600.			30,300.			140 13 AUG 71
14 AUG 71 1400	997.			26,100.			28,400.			140 14 AUG 71
15 AUG 71 1400	468.			20,100.			23,100.			140 15 AUG 71
16 AUG 71 1400	361.			15,800.			17,900.			140 16 AUG 71
17 AUG 71 1400	379.			12,700.			14,300.			140 17 AUG 71
18 AUG 71 1400	457.			10,700.			11,700.			140 18 AUG 71
19 AUG 71 1400	532.			9,710.			10,200.			140 19 AUG 71
20 AUG 71 1400	998.			11,100.			10,400.			140 20 AUG 71
21 AUG 71 1400	1,200.			12,300.			11,700.			140 21 AUG 71
22 AUG 71 1400	758.			11,600.			12,000.			140 22 AUG 71
23 AUG 71 1400	694.			11,300.			11,400.			140 23 AUG 71
24 AUG 71 1400	601.			10,500.			10,900.			140 24 AUG 71
25 AUG 71 1400	1,210.			11,700.			11,100.			140 25 AUG 71
26 AUG 71 1400	1,590.			12,800.			12,300.			140 26 AUG 71
27 AUG 71 1400	888.			10,900.			11,800.			140 27 AUG 71
28 AUG 71 1400	695.			9,990.			10,400.			140 28 AUG 71
29 AUG 71 1400	657.			9,530.			9,760.			140 29 AUG 71
30 AUG 71 1400	656.			8,950.			9,240.			140 30 AUG 71
31 AUG 71 1400	822.			8,960.			8,960.			140 31 AUG 71

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 30.0 CONFLUENCE OF MACLAREN RIVER WITH SUSITNA FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 32.5 300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	1,270.			9,990.			9,470.			140 1 SEP 71
2 SEP 71 1400	1,600.			11,300.			10,700.			140 2 SEP 71
3 SEP 71 1400	1,340.			11,000.			11,200.			140 3 SEP 71
4 SEP 71 1400	1,120.			10,500.			10,700.			140 4 SEP 71
5 SEP 71 1400	1,600.			11,600.			11,000.			140 5 SEP 71
6 SEP 71 1400	1,560.			11,100.			11,300.			140 6 SEP 71
7 SEP 71 1400	889.			8,610.			9,870.			140 7 SEP 71
8 SEP 71 1400	706.			7,130.			7,870.			140 8 SEP 71
9 SEP 71 1400	788.			6,640.			6,890.			140 9 SEP 71
10 SEP 71 1400	778.			6,200.			6,420.			140 10 SEP 71
11 SEP 71 1400	643.			5,520.			5,860.			140 11 SEP 71
12 SEP 71 1400	604.			5,090.			5,310.			140 12 SEP 71
13 SEP 71 1400	593.			4,740.			4,920.			140 13 SEP 71
14 SEP 71 1400	594.			4,460.			4,600.			140 14 SEP 71
15 SEP 71 1400	590.			4,290.			4,370.			140 15 SEP 71
16 SEP 71 1400	570.			4,160.			4,220.			140 16 SEP 71
17 SEP 71 1400	558.			4,070.			4,120.			140 17 SEP 71
18 SEP 71 1400	548.			3,980.			4,030.			140 18 SEP 71
19 SEP 71 1400	538.			3,840.			3,910.			140 19 SEP 71
20 SEP 71 1400	1,090.			5,250.			4,540.			140 20 SEP 71
21 SEP 71 1400	1,860.			7,710.			6,480.			140 21 SEP 71
22 SEP 71 1400	1,420.			7,290.			7,500.			140 22 SEP 71
23 SEP 71 1400	663.			5,470.			6,380.			140 23 SEP 71
24 SEP 71 1400	492.			4,760.			5,120.			140 24 SEP 71
25 SEP 71 1400	467.			4,270.			4,510.			140 25 SEP 71
26 SEP 71 1400	455.			3,720.			3,990.			140 26 SEP 71
27 SEP 71 1400	444.			3,230.			3,470.			140 27 SEP 71
28 SEP 71 1400	434.			2,880.			3,060.			140 28 SEP 71
29 SEP 71 1400	424.			2,630.			2,760.			140 29 SEP 71
30 SEP 71 1400	414.			2,460.			2,540.			140 30 SEP 71

FORM 1417-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0			STATION 33.5			STATION 34.0			
	LAKE LOUISE AND SUSITNA LAKE 48 SQ MI			330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
6 MAY 71 1400	18.			18.			140.			140 6 MAY 71
7 MAY 71 1400	362.			25.			147.			140 7 MAY 71
8 MAY 71 1400	622.			103.			156.			140 8 MAY 71
9 MAY 71 1400	453.			367.			160.			140 9 MAY 71
10 MAY 71 1400	457.			476.			166.			140 10 MAY 71
11 MAY 71 1400	859.			559.			171.			140 11 MAY 71
12 MAY 71 1400	584.			686.			181.			140 12 MAY 71
13 MAY 71 1400	622.			648.			208.			140 13 MAY 71
14 MAY 71 1400	363.			542.			254.			140 14 MAY 71
15 MAY 71 1400	263.			403.			306.			140 15 MAY 71
16 MAY 71 1400	120.			275.			332.			140 16 MAY 71
17 MAY 71 1400	78.			181.			354.			140 17 MAY 71
18 MAY 71 1400	63.			121.			404.			140 18 MAY 71
19 MAY 71 1400	47.			88.			497.			140 19 MAY 71
20 MAY 71 1400	61.			69.			633.			140 20 MAY 71
21 MAY 71 1400	98.			63.			808.			140 21 MAY 71
22 MAY 71 1400	297.			82.			1,030.			140 22 MAY 71
23 MAY 71 1400	101.			137.			1,260.			140 23 MAY 71
24 MAY 71 1400	59.			158.			1,420.			140 24 MAY 71
25 MAY 71 1400	18.			111.			1,590.			140 25 MAY 71
26 MAY 71 1400	22.			66.			1,810.			140 26 MAY 71
27 MAY 71 1400	10.			43.			2,110.			140 27 MAY 71
28 MAY 71 1400	63.			32.			2,480.			140 28 MAY 71
29 MAY 71 1400	48.			31.			3,010.			140 29 MAY 71
30 MAY 71 1400	190.			41.			3,550.			140 30 MAY 71
31 MAY 71 1400	125.			73.			3,600.			140 31 MAY 71

FORM 1115
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI			STATION 33.5 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			STATION 34.0 TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	31.			106.			3,470.			140 1 JUN 71
2 JUN 71 1400	291.			114.			3,550.			140 2 JUN 71
3 JUN 71 1400	92.			139.			3,610.			140 3 JUN 71
4 JUN 71 1400	4.			144.			3,620.			140 4 JUN 71
5 JUN 71 1400	1.			90.			3,720.			140 5 JUN 71
6 JUN 71 1400	0.			47.			3,920.			140 6 JUN 71
7 JUN 71 1400	0.			26.			4,010.			140 7 JUN 71
8 JUN 71 1400	0.			16.			3,880.			140 8 JUN 71
9 JUN 71 1400	0.			11.			3,620.			140 9 JUN 71
10 JUN 71 1400	0.			8.			3,400.			140 10 JUN 71
11 JUN 71 1400	0.			6.			3,220.			140 11 JUN 71
12 JUN 71 1400	75.			4.			3,060.			140 12 JUN 71
13 JUN 71 1400	1.			5.			2,940.			140 13 JUN 71
14 JUN 71 1400	76.			8.			2,880.			140 14 JUN 71
15 JUN 71 1400	722.			31.			2,740.			140 15 JUN 71
16 JUN 71 1400	7.			161.			2,730.			140 16 JUN 71
17 JUN 71 1400	106.			211.			2,890.			140 17 JUN 71
18 JUN 71 1400	27.			121.			2,700.			140 18 JUN 71
19 JUN 71 1400	1.			74.			2,240.			140 19 JUN 71
20 JUN 71 1400	38.			49.			1,860.			140 20 JUN 71
21 JUN 71 1400	304.			45.			1,620.			140 21 JUN 71
22 JUN 71 1400	3.			78.			1,500.			140 22 JUN 71
23 JUN 71 1400	2.			99.			1,470.			140 23 JUN 71
24 JUN 71 1400	1.			66.			1,460.			140 24 JUN 71
25 JUN 71 1400	0.			35.			1,460.			140 25 JUN 71
26 JUN 71 1400	0.			21.			1,470.			140 26 JUN 71
27 JUN 71 1400	12.			14.			1,490.			140 27 JUN 71
28 JUN 71 1400	0.			10.			1,520.			140 28 JUN 71
29 JUN 71 1400	139.			8.			1,530.			140 29 JUN 71
30 JUN 71 1400	1,110.			35.			1,540.			140 30 JUN 71

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI			STATION 33.5 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			STATION 34.0 TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 71 1400	1,100.			382.			1,590.			140 1 JUL 71
2 JUL 71 1400	144.			754.			1,730.			140 2 JUL 71
3 JUL 71 1400	19.			304.			1,840.			140 3 JUL 71
4 JUL 71 1400	81.			111.			1,770.			140 4 JUL 71
5 JUL 71 1400	2.			70.			1,620.			140 5 JUL 71
6 JUL 71 1400	1.			50.			1,560.			140 6 JUL 71
7 JUL 71 1400	12.			34.			1,600.			140 7 JUL 71
8 JUL 71 1400	0.			23.			1,710.			140 8 JUL 71
9 JUL 71 1400	0.			17.			1,860.			140 9 JUL 71
10 JUL 71 1400	0.			12.			2,020.			140 10 JUL 71
11 JUL 71 1400	0.			9.			2,160.			140 11 JUL 71
12 JUL 71 1400	76.			7.			2,270.			140 12 JUL 71
13 JUL 71 1400	697.			16.			2,330.			140 13 JUL 71
14 JUL 71 1400	19.			114.			2,380.			140 14 JUL 71
15 JUL 71 1400	5.			176.			2,400.			140 15 JUL 71
16 JUL 71 1400	1.			90.			2,330.			140 16 JUL 71
17 JUL 71 1400	0.			44.			2,200.			140 17 JUL 71
18 JUL 71 1400	0.			25.			2,060.			140 18 JUL 71
19 JUL 71 1400	0.			15.			1,950.			140 19 JUL 71
20 JUL 71 1400	241.			12.			1,860.			140 20 JUL 71
21 JUL 71 1400	2.			23.			1,780.			140 21 JUL 71
22 JUL 71 1400	26.			46.			1,730.			140 22 JUL 71
23 JUL 71 1400	38.			49.			1,670.			140 23 JUL 71
24 JUL 71 1400	292.			53.			1,610.			140 24 JUL 71
25 JUL 71 1400	193.			101.			1,560.			140 25 JUL 71
26 JUL 71 1400	105.			167.			1,540.			140 26 JUL 71
27 JUL 71 1400	832.			240.			1,520.			140 27 JUL 71
28 JUL 71 1400	176.			428.			1,500.			140 28 JUL 71
29 JUL 71 1400	288.			362.			1,530.			140 29 JUL 71
30 JUL 71 1400	322.			284.			1,530.			140 30 JUL 71
31 JUL 71 1400	782.			391.			1,520.			140 31 JUL 71

FORM 1613-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 98 SQ MI			STATION 33.5 530-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			STATION 34.0 TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 71 1400	737.			630.			1,570.			140 1 AUG 71
2 AUG 71 1400	[illegible]			681.			1,700.			140 2 AUG 71
3 AUG 71 1400	20.			433.			1,860.			140 3 AUG 71
4 AUG 71 1400	15.			191.			1,980.			140 4 AUG 71
5 AUG 71 1400	115.			88.			2,050.			140 5 AUG 71
6 AUG 71 1400	692.			104.			2,160.			140 6 AUG 71
7 AUG 71 1400	483.			311.			2,370.			140 7 AUG 71
8 AUG 71 1400	785.			578.			2,680.			140 8 AUG 71
9 AUG 71 1400	1,080.			801.			3,000.			140 9 AUG 71
10 AUG 71 1400	1,180.			1,060.			3,350.			140 10 AUG 71
11 AUG 71 1400	56.			749.			3,730.			140 11 AUG 71
12 AUG 71 1400	30.			280.			4,030.			140 12 AUG 71
13 AUG 71 1400	716.			161.			4,060.			140 13 AUG 71
14 AUG 71 1400	15.			297.			4,030.			140 14 AUG 71
15 AUG 71 1400	10.			212.			4,160.			140 15 AUG 71
16 AUG 71 1400	2.			85.			4,340.			140 16 AUG 71
17 AUG 71 1400	[illegible]			41.			4,500.			140 17 AUG 71
18 AUG 71 1400	38.			24.			4,680.			140 18 AUG 71
19 AUG 71 1400	63.			19.			4,860.			140 19 AUG 71
20 AUG 71 1400	519.			34.			4,990.			140 20 AUG 71
21 AUG 71 1400	6.			120.			5,080.			140 21 AUG 71
22 AUG 71 1400	105.			176.			5,100.			140 22 AUG 71
23 AUG 71 1400	2.			116.			5,010.			140 23 AUG 71
24 AUG 71 1400	1.			63.			4,820.			140 24 AUG 71
25 AUG 71 1400	781.			70.			4,570.			140 25 AUG 71
26 AUG 71 1400	34.			206.			4,330.			140 26 AUG 71
27 AUG 71 1400	32.			226.			4,120.			140 27 AUG 71
28 AUG 71 1400	2.			102.			3,860.			140 28 AUG 71
29 AUG 71 1400	1.			50.			3,570.			140 29 AUG 71
30 AUG 71 1400	0.			29.			3,320.			140 30 AUG 71
31 AUG 71 1400	215.			22.			3,110.			140 31 AUG 71

FORM 1413

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 33.5 TYONE RIVER BASIN 1047 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 34.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	470.			49.			2,950.			140 1 SEP 71
2 SEP 71 1400	397.			196.			2,860.			140 2 SEP 71
3 SEP 71 1400	58.			305.			2,810.			140 3 SEP 71
4 SEP 71 1400	333.			239.			2,750.			140 4 SEP 71
5 SEP 71 1400	708.			308.			2,670.			140 5 SEP 71
6 SEP 71 1400	88.			422.			2,630.			140 6 SEP 71
7 SEP 71 1400	8.			242.			2,640.			140 7 SEP 71
8 SEP 71 1400	53.			102.			2,620.			140 8 SEP 71
9 SEP 71 1400	115.			64.			2,590.			140 9 SEP 71
10 SEP 71 1400	1.			59.			2,610.			140 10 SEP 71
11 SEP 71 1400	1.			55.			2,680.			140 11 SEP 71
12 SEP 71 1400	0.			39.			2,760.			140 12 SEP 71
13 SEP 71 1400	0.			26.			2,850.			140 13 SEP 71
14 SEP 71 1400	12.			17.			2,930.			140 14 SEP 71
15 SEP 71 1400	0.			12.			2,990.			140 15 SEP 71
16 SEP 71 1400	0.			9.			3,030.			140 16 SEP 71
17 SEP 71 1400	0.			7.			3,040.			140 17 SEP 71
18 SEP 71 1400	0.			6.			3,010.			140 18 SEP 71
19 SEP 71 1400	38.			5.			2,950.			140 19 SEP 71
20 SEP 71 1400	1,010.			11.			2,880.			140 20 SEP 71
21 SEP 71 1400	579.			177.			2,820.			140 21 SEP 71
22 SEP 71 1400	15.			430.			2,820.			140 22 SEP 71
23 SEP 71 1400	7.			200.			2,770.			140 23 SEP 71
24 SEP 71 1400	1.			76.			2,640.			140 24 SEP 71
25 SEP 71 1400	0.			37.			2,500.			140 25 SEP 71
26 SEP 71 1400	0.			22.			2,430.			140 26 SEP 71
27 SEP 71 1400	0.			14.			2,420.			140 27 SEP 71
28 SEP 71 1400	0.			9.			2,460.			140 28 SEP 71
29 SEP 71 1400	0.			7.			2,520.			140 29 SEP 71
30 SEP 71 1400	203.			6.			2,600.			140 30 SEP 71

FORM 1413-S
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 38.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
6 MAY 71 1400	782.			782.			158.			140 6 MAY 71
7 MAY 71 1400	781.			782.			164.			140 7 MAY 71
8 MAY 71 1400	829.			805.			215.			140 8 MAY 71
9 MAY 71 1400	1,050.			938.			244.			140 9 MAY 71
10 MAY 71 1400	1,120.			1,080.			216.			140 10 MAY 71
11 MAY 71 1400	1,190.			1,150.			335.			140 11 MAY 71
12 MAY 71 1400	1,350.			1,270.			537.			140 12 MAY 71
13 MAY 71 1400	1,400.			1,380.			728.			140 13 MAY 71
14 MAY 71 1400	1,400.			1,400.			686.			140 14 MAY 71
15 MAY 71 1400	1,290.			1,350.			357.			140 15 MAY 71
16 MAY 71 1400	1,130.			1,210.			304.			140 16 MAY 71
17 MAY 71 1400	1,020.			1,080.			312.			140 17 MAY 71
18 MAY 71 1400	992.			1,010.			471.			140 18 MAY 71
19 MAY 71 1400	1,060.			1,020.			673.			140 19 MAY 71
20 MAY 71 1400	1,230.			1,140.			880.			140 20 MAY 71
21 MAY 71 1400	1,540.			1,380.			1,200.			140 21 MAY 71
22 MAY 71 1400	1,906.			1,720.			1,140.			140 22 MAY 71
23 MAY 71 1400	2,210.			2,050.			1,060.			140 23 MAY 71
24 MAY 71 1400	2,480.			2,340.			1,380.			140 24 MAY 71
25 MAY 71 1400	2,740.			2,610.			1,660.			140 25 MAY 71
26 MAY 71 1400	3,100.			2,920.			2,000.			140 26 MAY 71
27 MAY 71 1400	3,600.			3,350.			2,330.			140 27 MAY 71
28 MAY 71 1400	4,360.			3,980.			3,120.			140 28 MAY 71
29 MAY 71 1400	5,300.			4,830.			2,960.			140 29 MAY 71
30 MAY 71 1400	5,910.			5,600.			2,060.			140 30 MAY 71
31 MAY 71 1400	6,050.			5,980.			2,950.			140 31 MAY 71

FORM 1411-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 38.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	6,230.			6,140.			3,470.			140 1 JUN 71
2 JUN 71 1400	6,260.			6,240.			2,770.			140 2 JUN 71
3 JUN 71 1400	6,120.			6,190.			2,780.			140 3 JUN 71
4 JUN 71 1400	6,570.			6,350.			4,930.			140 4 JUN 71
5 JUN 71 1400	8,480.			7,530.			8,840.			140 5 JUN 71
6 JUN 71 1400	12,400.			10,400.			12,600.			140 6 JUN 71
7 JUN 71 1400	17,700.			15,100.			13,100.			140 7 JUN 71
8 JUN 71 1400	22,400.			20,100.			9,490.			140 8 JUN 71
9 JUN 71 1400	25,900.			24,200.			10,700.			140 9 JUN 71
10 JUN 71 1400	29,200.			27,500.			8,640.			140 10 JUN 71
11 JUN 71 1400	30,600.			29,900.			5,420.			140 11 JUN 71
12 JUN 71 1400	28,800.			29,700.			4,320.			140 12 JUN 71
13 JUN 71 1400	24,900.			26,900.			3,220.			140 13 JUN 71
14 JUN 71 1400	20,600.			22,800.			2,910.			140 14 JUN 71
15 JUN 71 1400	18,000.			19,300.			5,120.			140 15 JUN 71
16 JUN 71 1400	16,900.			17,400.			5,720.			140 16 JUN 71
17 JUN 71 1400	15,200.			16,000.			3,180.			140 17 JUN 71
18 JUN 71 1400	13,500.			14,300.			2,880.			140 18 JUN 71
19 JUN 71 1400	14,100.			13,800.			2,780.			140 19 JUN 71
20 JUN 71 1400	14,900.			14,500.			2,250.			140 20 JUN 71
21 JUN 71 1400	14,700.			14,8			2,720.			140 21 JUN 71
22 JUN 71 1400	16,100.			15,4			3,420.			140 22 JUN 71
23 JUN 71 1400	19,400.			17,70			2,160.			140 23 JUN 71
24 JUN 71 1400	21,300.			20,40			1,340.			140 24 JUN 71
25 JUN 71 1400	22,200.			21,700.			1,040.			140 25 JUN 71
26 JUN 71 1400	23,500.			22,800.			793.			140 26 JUN 71
27 JUN 71 1400	24,000.			23,700.			676.			140 27 JUN 71
28 JUN 71 1400	22,800.			23,400.			469.			140 28 JUN 71
29 JUN 71 1400	20,700.			21,800.			1,020.			140 29 JUN 71
30 JUN 71 1400	21,300.			21,000.			5,460.			140 30 JUN 71

FORM 1617-2
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 35.0 COLLECTION ONE MI ABV CONFL OF OSHET & SUS FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 37.5 350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(0) FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 71 1400	26,100.			23,700.			10,700.			140 1 JUL 71
2 JUL 71 1400	27,900.			27,000.			7,750.			140 2 JUL 71
3 JUL 71 1400	22,400.			25,200.			2,230.			140 3 JUL 71
4 JUL 71 1400	17,100.			19,700.			971.			140 4 JUL 71
5 JUL 71 1400	15,000.			16,000.			580.			140 5 JUL 71
6 JUL 71 1400	14,200.			14,600.			369.			140 6 JUL 71
7 JUL 71 1400	13,900.			14,000.			393.			140 7 JUL 71
8 JUL 71 1400	14,300.			14,100.			345.			140 8 JUL 71
9 JUL 71 1400	15,300.			14,800.			305.			140 9 JUL 71
10 JUL 71 1400	16,500.			15,900.			281.			140 10 JUL 71
11 JUL 71 1400	17,700.			17,100.			260.			140 11 JUL 71
12 JUL 71 1400	19,000.			18,300.			712.			140 12 JUL 71
13 JUL 71 1400	22,600.			20,800.			4,030.			140 13 JUL 71
14 JUL 71 1400	24,800.			23,700.			2,070.			140 14 JUL 71
15 JUL 71 1400	22,200.			23,500.			622.			140 15 JUL 71
16 JUL 71 1400	19,200.			20,700.			253.			140 16 JUL 71
17 JUL 71 1400	16,900.			18,000.			234.			140 17 JUL 71
18 JUL 71 1400	14,900.			15,900.			246.			140 18 JUL 71
19 JUL 71 1400	13,100.			14,000.			255.			140 19 JUL 71
20 JUL 71 1400	12,700.			12,900.			1,020.			140 20 JUL 71
21 JUL 71 1400	12,800.			12,700.			820.			140 21 JUL 71
22 JUL 71 1400	12,000.			12,400.			437.			140 22 JUL 71
23 JUL 71 1400	11,200.			11,600.			439.			140 23 JUL 71
24 JUL 71 1400	11,000.			11,100.			987.			140 24 JUL 71
25 JUL 71 1400	11,600.			11,300.			1,580.			140 25 JUL 71
26 JUL 71 1400	11,700.			11,600.			1,240.			140 26 JUL 71
27 JUL 71 1400	12,400.			12,000.			2,510.			140 27 JUL 71
28 JUL 71 1400	14,500.			13,400.			3,280.			140 28 JUL 71
29 JUL 71 1400	14,700.			14,600.			2,250.			140 29 JUL 71
30 JUL 71 1400	13,800.			14,300.			2,370.			140 30 JUL 71
31 JUL 71 1400	14,900.			14,400.			4,030.			140 31 JUL 71

FORM 1613-2
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 38.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 71 1400	18,100.			16,500.			5,800.			140 1 AUG 71
2 AUG 71 1400	20,700.			19,400.			5,770.			140 2 AUG 71
3 AUG 71 1400	19,800.			20,200.			2,740.			140 3 AUG 71
4 AUG 71 1400	17,000.			18,400.			1,600.			140 4 AUG 71
5 AUG 71 1400	15,400.			16,200.			1,880.			140 5 AUG 71
6 AUG 71 1400	16,600.			16,000.			4,040.			140 6 AUG 71
7 AUG 71 1400	20,400.			18,500.			5,720.			140 7 AUG 71
8 AUG 71 1400	24,700.			22,500.			6,660.			140 8 AUG 71
9 AUG 71 1400	30,900.			27,800.			9,540.			140 9 AUG 71
10 AUG 71 1400	40,500.			35,700.			13,300.			140 10 AUG 71
11 AUG 71 1400	43,600.			42,100.			6,400.			140 11 AUG 71
12 AUG 71 1400	37,800.			40,700.			2,940.			140 12 AUG 71
13 AUG 71 1400	34,500.			36,200.			4,170.			140 13 AUG 71
14 AUG 71 1400	32,700.			33,600.			5,190.			140 14 AUG 71
15 AUG 71 1400	27,500.			30,100.			3,030.			140 15 AUG 71
16 AUG 71 1400	22,400.			24,900.			2,480.			140 16 AUG 71
17 AUG 71 1400	18,800.			20,600.			2,400.			140 17 AUG 71
18 AUG 71 1400	16,400.			17,600.			2,380.			140 18 AUG 71
19 AUG 71 1400	15,100.			15,700.			2,430.			140 19 AUG 71
20 AUG 71 1400	15,500.			15,300.			3,270.			140 20 AUG 71
21 AUG 71 1400	16,900.			16,200.			3,490.			140 21 AUG 71
22 AUG 71 1400	17,200.			17,100.			2,260.			140 22 AUG 71
23 AUG 71 1400	16,600.			16,900.			1,910.			140 23 AUG 71
24 AUG 71 1400	15,800.			16,200.			1,510.			140 24 AUG 71
25 AUG 71 1400	15,700.			15,700.			2,780.			140 25 AUG 71
26 AUG 71 1400	16,800.			16,300.			3,530.			140 26 AUG 71
27 AUG 71 1400	16,200.			16,500.			1,780.			140 27 AUG 71
28 AUG 71 1400	14,400.			15,300.			1,250.			140 28 AUG 71
29 AUG 71 1400	13,400.			13,900.			1,100.			140 29 AUG 71
30 AUG 71 1400	12,600.			13,000.			1,040.			140 30 AUG 71
31 AUG 71 1400	12,100.			12,300.			1,380.			140 31 AUG 71

FORM 1611-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 38.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	12,500.			12,300.			2,410.			140 1 SEP 71
2 SEP 71 1400	13,700.			13,100.			3,170.			140 2 SEP 71
3 SEP 71 1400	14,300.			14,000.			2,530.			140 3 SEP 71
4 SEP 71 1400	13,700.			14,000.			2,020.			140 4 SEP 71
5 SEP 71 1400	14,000.			13,900.			3,360.			140 5 SEP 71
6 SEP 71 1400	14,400.			14,200.			3,430.			140 6 SEP 71
7 SEP 71 1400	12,800.			13,600.			1,720.			140 7 SEP 71
8 SEP 71 1400	10,600.			11,700.			1,270.			140 8 SEP 71
9 SEP 71 1400	9,540.			10,100.			1,530.			140 9 SEP 71
10 SEP 71 1400	9,090.			9,310.			1,550.			140 10 SEP 71
11 SEP 71 1400	8,590.			8,840.			1,240.			140 11 SEP 71
12 SEP 71 1400	8,110.			8,350.			1,150.			140 12 SEP 71
13 SEP 71 1400	7,780.			7,950.			1,100.			140 13 SEP 71
14 SEP 71 1400	7,550.			7,670.			1,060.			140 14 SEP 71
15 SEP 71 1400	7,300.			7,460.			994.			140 15 SEP 71
16 SEP 71 1400	7,260.			7,320.			882.			140 16 SEP 71
17 SEP 71 1400	7,160.			7,210.			785.			140 17 SEP 71
18 SEP 71 1400	7,040.			7,100.			695.			140 18 SEP 71
19 SEP 71 1400	6,870.			6,950.			640.			140 19 SEP 71
20 SEP 71 1400	7,430.			7,150.			2,130.			140 20 SEP 71
21 SEP 71 1400	9,480.			8,460.			4,040.			140 21 SEP 71
22 SEP 71 1400	10,800.			10,100.			2,800.			140 22 SEP 71
23 SEP 71 1400	9,360.			10,100.			971.			140 23 SEP 71
24 SEP 71 1400	7,830.			8,590.			657.			140 24 SEP 71
25 SEP 71 1400	7,050.			7,440.			710.			140 25 SEP 71
26 SEP 71 1400	6,440.			6,750.			777.			140 26 SEP 71
27 SEP 71 1400	5,910.			6,170.			820.			140 27 SEP 71
28 SEP 71 1400	5,520.			5,720.			836.			140 28 SEP 71
29 SEP 71 1400	5,280.			5,400.			907.			140 29 SEP 71
30 SEP 71 1400	5,150.			5,210.			1,010.			140 30 SEP 71

FORM 1815-C
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 40.0			STATION 42.5			STATION 48.0			
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M			400-500 ROUT VEE DAMSITE TO WATANA DAMSITE			WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
6 MAY 71 1400	940.			940.			466.			140 6 MAY 71
7 MAY 71 1400	945.			943.			460.			140 7 MAY 71
8 MAY 71 1400	1,020.			983.			454.			140 8 MAY 71
9 MAY 71 1400	1,180.			1,100.			466.			140 9 MAY 71
10 MAY 71 1400	1,300.			1,240.			475.			140 10 MAY 71
11 MAY 71 1400	1,490.			1,390.			503.			140 11 MAY 71
12 MAY 71 1400	1,810.			1,650.			603.			140 12 MAY 71
13 MAY 71 1400	2,110.			1,960.			762.			140 13 MAY 71
14 MAY 71 1400	2,090.			2,100.			889.			140 14 MAY 71
15 MAY 71 1400	1,700.			1,900.			830.			140 15 MAY 71
16 MAY 71 1400	1,520.			1,610.			651.			140 16 MAY 71
17 MAY 71 1400	1,390.			1,450.			515.			140 17 MAY 71
18 MAY 71 1400	1,480.			1,430.			496.			140 18 MAY 71
19 MAY 71 1400	1,700.			1,590.			571.			140 19 MAY 71
20 MAY 71 1400	2,020.			1,860.			713.			140 20 MAY 71
21 MAY 71 1400	2,580.			2,300.			916.			140 21 MAY 71
22 MAY 71 1400	2,860.			2,720.			1,060.			140 22 MAY 71
23 MAY 71 1400	3,110.			2,990.			1,030.			140 23 MAY 71
24 MAY 71 1400	3,720.			3,420.			995.			140 24 MAY 71
25 MAY 71 1400	4,270.			4,000.			1,080.			140 25 MAY 71
26 MAY 71 1400	4,920.			4,590.			1,250.			140 26 MAY 71
27 MAY 71 1400	5,680.			5,300.			1,430.			140 27 MAY 71
28 MAY 71 1400	7,100.			6,390.			1,760.			140 28 MAY 71
29 MAY 71 1400	7,790.			7,450.			2,080.			140 29 MAY 71
30 MAY 71 1400	7,660.			7,730.			1,970.			140 30 MAY 71
31 MAY 71 1400	8,930.			8,300.			1,780.			140 31 MAY 71

FORM 1413-3

PRINTED IN U.S.A.

SUSITNA HEP AUG 4-10 '71 RECONST.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 40.0			STATION 42.5			STATION 48.0			
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M						WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI			
	400-500 ROUT VEE DAMSITE TO WATANA DAMSITE									
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	9,610.			9,270.			1,960.			140 1 JUN 71
2 JUN 71 1400	9,010.			9,310.			2,060.			140 2 JUN 71
3 JUN 71 1400	8,270.			8,990.			1,860.			140 3 JUN 71
4 JUN 71 1400	11,300.			10,100.			2,210.			140 4 JUN 71
5 JUN 71 1400	16,400.			13,800.			4,140.			140 5 JUN 71
6 JUN 71 1400	23,000.			19,700.			7,990.			140 6 JUN 71
7 JUN 71 1400	28,200.			25,600.			12,800.			140 7 JUN 71
8 JUN 71 1400	29,600.			28,900.			15,500.			140 8 JUN 71
9 JUN 71 1400	34,900.			32,200.			16,200.			140 9 JUN 71
10 JUN 71 1400	36,200.			35,500.			17,300.			140 10 JUN 71
11 JUN 71 1400	35,300.			35,700.			14,500.			140 11 JUN 71
12 JUN 71 1400	34,000.			34,700.			9,830.			140 12 JUN 71
13 JUN 71 1400	30,100.			32,100.			6,660.			140 13 JUN 71
14 JUN 71 1400	25,700.			27,900.			4,510.			140 14 JUN 71
15 JUN 71 1400	24,400.			25,100.			4,390.			140 15 JUN 71
16 JUN 71 1400	23,100.			23,800.			5,730.			140 16 JUN 71
17 JUN 71 1400	19,200.			21,200.			5,980.			140 17 JUN 71
18 JUN 71 1400	17,200.			18,200.			5,080.			140 18 JUN 71
19 JUN 71 1400	16,600.			16,900.			4,970.			140 19 JUN 71
20 JUN 71 1400	16,700.			16,600.			5,290.			140 20 JUN 71
21 JUN 71 1400	17,500.			17,100.			4,940.			140 21 JUN 71
22 JUN 71 1400	18,800.			18,200.			5,600.			140 22 JUN 71
23 JUN 71 1400	19,900.			19,400.			6,970.			140 23 JUN 71
24 JUN 71 1400	21,700.			20,800.			6,210.			140 24 JUN 71
25 JUN 71 1400	22,800.			22,300.			4,280.			140 25 JUN 71
26 JUN 71 1400	23,600.			23,200.			3,409.			140 26 JUN 71
27 JUN 71 1400	24,400.			24,000.			2,810.			140 27 JUN 71
28 JUN 71 1400	23,800.			24,100.			2,270.			140 28 JUN 71
29 JUN 71 1400	22,800.			23,300.			2,090.			140 29 JUN 71
30 JUN 71 1400	26,500.			24,600.			4,500.			140 30 JUN 71

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
6 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 40.0			STATION 42.5			STATION 48.0			
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M			400-500 ROUT VEE DAMSITE TO WATANA DAMSITE			WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 71 1400	34,300.			30,400.			10,600.			140 1 JUL 71
2 JUL 71 1400	34,800.			34,600.			14,300.			140 2 JUL 71
3 JUL 71 1400	27,400.			31,100.			12,700.			140 3 JUL 71
4 JUL 71 1400	20,700.			24,100.			7,600.			140 4 JUL 71
5 JUL 71 1400	16,600.			18,700.			4,100.			140 5 JUL 71
6 JUL 71 1400	15,000.			15,800.			2,630.			140 6 JUL 71
7 JUL 71 1400	14,400.			14,700.			2,060.			140 7 JUL 71
8 JUL 71 1400	14,500.			14,400.			1,800.			140 8 JUL 71
9 JUL 71 1400	15,100.			14,800.			1,670.			140 9 JUL 71
10 JUL 71 1400	16,200.			15,600.			1,550.			140 10 JUL 71
11 JUL 71 1400	17,300.			16,800.			1,440.			140 11 JUL 71
12 JUL 71 1400	19,100.			18,200.			1,680.			140 12 JUL 71
13 JUL 71 1400	24,900.			22,000.			4,480.			140 13 JUL 71
14 JUL 71 1400	25,800.			25,300.			7,040.			140 14 JUL 71
15 JUL 71 1400	24,100.			24,900.			4,560.			140 15 JUL 71
16 JUL 71 1400	20,900.			22,500.			2,750.			140 16 JUL 71
17 JUL 71 1400	18,300.			19,600.			1,620.			140 17 JUL 71
18 JUL 71 1400	16,100.			17,200.			1,190.			140 18 JUL 71
19 JUL 71 1400	14,200.			15,200.			1,050.			140 19 JUL 71
20 JUL 71 1400	13,900.			14,000.			1,540.			140 20 JUL 71
21 JUL 71 1400	13,500.			13,700.			2,240.			140 21 JUL 71
22 JUL 71 1400	12,800.			13,200.			1,860.			140 22 JUL 71
23 JUL 71 1400	12,000.			12,400.			1,500.			140 23 JUL 71
24 JUL 71 1400	12,100.			12,100.			1,540.			140 24 JUL 71
25 JUL 71 1400	12,900.			12,500.			2,220.			140 25 JUL 71
26 JUL 71 1400	12,900.			12,900.			2,760.			140 26 JUL 71
27 JUL 71 1400	14,500.			13,700.			3,260.			140 27 JUL 71
28 JUL 71 1400	16,700.			15,600.			4,340.			140 28 JUL 71
29 JUL 71 1400	16,900.			16,800.			4,790.			140 29 JUL 71
30 JUL 71 1400	16,600.			16,700.			4,360.			140 30 JUL 71
31 JUL 71 1400	16,400.			17,500.			4,530.			140 31 JUL 71

FORM 1411-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 40.0		STATION 42.5		STATION 48.0		
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M		400-500 ROUT VEE DAMSITE TO WATANA DAMSITE		WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI		
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 71 1400	22,300.			20,300.			6,360.			140 1 AUG 71
2 AUG 71 1400	25,200.			23,700.			8,280.			140 2 AUG 71
3 AUG 71 1400	23,000.			24,100.			7,590.			140 3 AUG 71
4 AUG 71 1400	20,000.			21,500.			4,420.			140 4 AUG 71
5 AUG 71 1400	18,100.			19,000.			2,410.			140 5 AUG 71
6 AUG 71 1400	20,100.			19,100.			2,930.			140 6 AUG 71
7 AUG 71 1400	24,200.			22,200.			5,900.			140 7 AUG 71
8 AUG 71 1400	29,200.			26,700.			9,400.			140 8 AUG 71
9 AUG 71 1400	37,300.			33,300.			13,700.			140 9 AUG 71
10 AUG 71 1400	49,000.			43,100.			20,500.			140 10 AUG 71
11 AUG 71 1400	48,500.			48,700.			22,100.			140 11 AUG 71
12 AUG 71 1400	43,700.			46,100.			13,100.			140 12 AUG 71
13 AUG 71 1400	40,300.			42,000.			7,950.			140 13 AUG 71
14 AUG 71 1400	38,800.			39,600.			6,580.			140 14 AUG 71
15 AUG 71 1400	33,100.			36,000.			3,970.			140 15 AUG 71
16 AUG 71 1400	27,400.			30,300.			2,540.			140 16 AUG 71
17 AUG 71 1400	23,000.			25,200.			1,760.			140 17 AUG 71
18 AUG 71 1400	20,000.			21,500.			1,610.			140 18 AUG 71
19 AUG 71 1400	18,200.			19,100.			1,810.			140 19 AUG 71
20 AUG 71 1400	18,500.			18,300.			2,550.			140 20 AUG 71
21 AUG 71 1400	19,700.			19,100.			3,530.			140 21 AUG 71
22 AUG 71 1400	19,300.			19,500.			3,670.			140 22 AUG 71
23 AUG 71 1400	18,800.			19,100.			3,220.			140 23 AUG 71
24 AUG 71 1400	17,700.			18,200.			2,690.			140 24 AUG 71
25 AUG 71 1400	18,500.			18,100.			3,020.			140 25 AUG 71
26 AUG 71 1400	19,800.			19,200.			4,200.			140 26 AUG 71
27 AUG 71 1400	18,300.			19,000.			4,540.			140 27 AUG 71
28 AUG 71 1400	16,500.			17,400.			3,760.			140 28 AUG 71
29 AUG 71 1400	15,000.			15,800.			2,900.			140 29 AUG 71
30 AUG 71 1400	14,000.			14,500.			2,540.			140 30 AUG 71
31 AUG 71 1400	13,700.			13,900.			2,610.			140 31 AUG 71

FORM 1111-S
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 40.0 SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 42.5 400-500 ROUT VEE DAMSITE TO WATANA DAMSITE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	14,700.			14,200.			3,210.			140 1 SEP 71
2 SEP 71 1400	16,300.			15,500.			4,220.			140 2 SEP 71
3 SEP 71 1400	16,500.			16,400.			4,860.			140 3 SEP 71
4 SEP 71 1400	16,000.			16,300.			4,610.			140 4 SEP 71
5 SEP 71 1400	17,200.			16,600.			4,560.			140 5 SEP 71
6 SEP 71 1400	17,600.			17,400.			4,950.			140 6 SEP 71
7 SEP 71 1400	15,300.			16,500.			4,650.			140 7 SEP 71
8 SEP 71 1400	12,900.			14,100.			3,630.			140 8 SEP 71
9 SEP 71 1400	11,600.			12,300.			2,920.			140 9 SEP 71
10 SEP 71 1400	10,900.			11,200.			2,750.			140 10 SEP 71
11 SEP 71 1400	10,100.			10,500.			2,620.			140 11 SEP 71
12 SEP 71 1400	9,500.			9,790.			2,390.			140 12 SEP 71
13 SEP 71 1400	9,050.			9,280.			2,210.			140 13 SEP 71
14 SEP 71 1400	8,730.			8,890.			2,130.			140 14 SEP 71
15 SEP 71 1400	8,460.			8,590.			2,090.			140 15 SEP 71
16 SEP 71 1400	8,200.			8,330.			2,060.			140 16 SEP 71
17 SEP 71 1400	8,000.			8,100.			2,010.			140 17 SEP 71
18 SEP 71 1400	7,800.			7,900.			1,960.			140 18 SEP 71
19 SEP 71 1400	7,590.			7,690.			1,920.			140 19 SEP 71
20 SEP 71 1400	9,280.			8,430.			2,280.			140 20 SEP 71
21 SEP 71 1400	12,500.			10,900.			3,420.			140 21 SEP 71
22 SEP 71 1400	12,900.			12,700.			4,310.			140 22 SEP 71
23 SEP 71 1400	11,000.			12,000.			3,860.			140 23 SEP 71
24 SEP 71 1400	9,250.			10,100.			2,720.			140 24 SEP 71
25 SEP 71 1400	8,150.			8,700.			1,950.			140 25 SEP 71
26 SEP 71 1400	7,520.			7,840.			1,660.			140 26 SEP 71
27 SEP 71 1400	6,990.			7,260.			1,560.			140 27 SEP 71
28 SEP 71 1400	6,550.			6,770.			1,500.			140 28 SEP 71
29 SEP 71 1400	6,310.			6,430.			1,460.			140 29 SEP 71
30 SEP 71 1400	6,230.			6,270.			1,430.			140 30 SEP 71

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 50.0 WATANA DAM SITE 5180 SQ MI			STATION 52.5			STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI			HOUR-DATE
	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	
				500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI						
6 MAY 71 1900	1,410.			1,410.			280.			140 6 MAY 71
7 MAY 71 1400	1,400.			1,400.			281.			140 7 MAY 71
8 MAY 71 1400	1,440.			1,420.			291.			140 8 MAY 71
9 MAY 71 1400	1,570.			1,500.			315.			140 9 MAY 71
10 MAY 71 1400	1,720.			1,640.			327.			140 10 MAY 71
11 MAY 71 1400	1,900.			1,810.			356.			140 11 MAY 71
12 MAY 71 1400	2,250.			2,070.			455.			140 12 MAY 71
13 MAY 71 1400	2,720.			2,480.			616.			140 13 MAY 71
14 MAY 71 1400	2,990.			2,850.			734.			140 14 MAY 71
15 MAY 71 1400	2,730.			2,860.			671.			140 15 MAY 71
16 MAY 71 1400	2,260.			2,490.			498.			140 16 MAY 71
17 MAY 71 1400	1,970.			2,110.			368.			140 17 MAY 71
18 MAY 71 1400	1,930.			1,950.			354.			140 18 MAY 71
19 MAY 71 1400	2,160.			2,040.			436.			140 19 MAY 71
20 MAY 71 1400	2,570.			2,370.			576.			140 20 MAY 71
21 MAY 71 1400	3,220.			2,900.			758.			140 21 MAY 71
22 MAY 71 1400	3,780.			3,500.			882.			140 22 MAY 71
23 MAY 71 1400	4,010.			3,900.			867.			140 23 MAY 71
24 MAY 71 1400	4,410.			4,210.			853.			140 24 MAY 71
25 MAY 71 1400	5,080.			4,750.			948.			140 25 MAY 71
26 MAY 71 1400	5,840.			5,460.			1,120.			140 26 MAY 71
27 MAY 71 1400	6,730.			6,290.			1,310.			140 27 MAY 71
28 MAY 71 1400	8,150.			7,440.			1,610.			140 28 MAY 71
29 MAY 71 1400	9,530.			8,840.			1,880.			140 29 MAY 71
30 MAY 71 1400	9,700.			9,610.			1,760.			140 30 MAY 71
31 MAY 71 1400	10,100.			9,890.			1,590.			140 31 MAY 71

FORM 1611-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI

DATE-HOUR	STATION 50.0 WATANA DAM SITE 5180 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 52.5 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	11,200.			10,700.			1,760.			140 1 JUN 71
2 JUN 71 1400	11,400.			11,300.			1,870.			140 2 JUN 71
3 JUN 71 1400	10,800.			11,100.			1,730.			140 3 JUN 71
4 JUN 71 1400	12,300.			11,600.			2,120.			140 4 JUN 71
5 JUN 71 1400	18,000.			15,100.			4,030.			140 5 JUN 71
6 JUN 71 1400	27,700.			22,800.			7,710.			140 6 JUN 71
7 JUN 71 1400	38,500.			33,100.			11,100.			140 7 JUN 71
8 JUN 71 1400	44,400.			41,400.			11,000.			140 8 JUN 71
9 JUN 71 1400	48,400.			46,400.			9,370.			140 9 JUN 71
10 JUN 71 1400	52,800.			50,600.			9,020.			140 10 JUN 71
11 JUN 71 1400	50,300.			51,600.			6,970.			140 11 JUN 71
12 JUN 71 1400	44,500.			47,400.			4,520.			140 12 JUN 71
13 JUN 71 1400	38,700.			41,600.			3,060.			140 13 JUN 71
14 JUN 71 1400	32,400.			35,600.			2,200.			140 14 JUN 71
15 JUN 71 1400	29,500.			30,900.			2,540.			140 15 JUN 71
16 JUN 71 1400	29,500.			29,500.			3,670.			140 16 JUN 71
17 JUN 71 1400	27,100.			28,300.			3,840.			140 17 JUN 71
18 JUN 71 1400	23,300.			25,200.			3,140.			140 18 JUN 71
19 JUN 71 1400	21,900.			22,600.			2,670.			140 19 JUN 71
20 JUN 71 1400	21,900.			21,900.			2,480.			140 20 JUN 71
21 JUN 71 1400	22,100.			22,000.			2,350.			140 21 JUN 71
22 JUN 71 1400	23,800.			22,900.			2,790.			140 22 JUN 71
23 JUN 71 1400	26,300.			25,000.			3,210.			140 23 JUN 71
24 JUN 71 1400	27,000.			26,700.			2,710.			140 24 JUN 71
25 JUN 71 1400	26,500.			26,800.			1,950.			140 25 JUN 71
26 JUN 71 1400	26,600.			26,600.			1,540.			140 26 JUN 71
27 JUN 71 1400	26,800.			26,700.			1,320.			140 27 JUN 71
28 JUN 71 1400	26,400.			26,600.			1,180.			140 28 JUN 71
29 JUN 71 1400	25,400.			25,900.			1,220.			140 29 JUN 71
30 JUN 71 1400	29,100.			27,300.			2,790.			140 30 JUN 71

FORM 1613-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 50.0 WATANA DAM SITE 5180 SQ MI			STATION 52.5			STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI			
	500-600 ROUT WATANA DAM-DEVILS CANYON DAMS)									
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 71 1400	41,000.			35,100.			6,550.			140 1 JUL 71
2 JUL 71 1400	49,400.			45,200.			9,200.			140 2 JUL 71
3 JUL 71 1400	43,700.			46,500.			7,860.			140 3 JUL 71
4 JUL 71 1400	31,600.			37,700.			4,700.			140 4 JUL 71
5 JUL 71 1400	22,800.			27,200.			2,480.			140 5 JUL 71
6 JUL 71 1400	18,400.			20,600.			1,440.			140 6 JUL 71
7 JUL 71 1400	16,700.			17,600.			1,080.			140 7 JUL 71
8 JUL 71 1400	16,200.			16,500.			943.			140 8 JUL 71
9 JUL 71 1400	16,500.			16,400.			855.			140 9 JUL 71
10 JUL 71 1400	17,200.			16,800.			800.			140 10 JUL 71
11 JUL 71 1400	18,200.			17,700.			759.			140 11 JUL 71
12 JUL 71 1400	19,900.			19,000.			884.			140 12 JUL 71
13 JUL 71 1400	26,400.			23,200.			2,150.			140 13 JUL 71
14 JUL 71 1400	32,400.			29,400.			3,360.			140 14 JUL 71
15 JUL 71 1400	29,500.			30,900.			2,350.			140 15 JUL 71
16 JUL 71 1400	25,300.			27,400.			1,470.			140 16 JUL 71
17 JUL 71 1400	21,200.			23,200.			877.			140 17 JUL 71
18 JUL 71 1400	18,400.			19,800.			647.			140 18 JUL 71
19 JUL 71 1400	16,200.			17,300.			571.			140 19 JUL 71
20 JUL 71 1400	15,600.			15,900.			745.			140 20 JUL 71
21 JUL 71 1400	15,900.			15,800.			1,030.			140 21 JUL 71
22 JUL 71 1400	15,000.			15,500.			934.			140 22 JUL 71
23 JUL 71 1400	13,900.			14,500.			777.			140 23 JUL 71
24 JUL 71 1400	13,600.			13,700.			795.			140 24 JUL 71
25 JUL 71 1400	14,700.			14,200.			1,120.			140 25 JUL 71
26 JUL 71 1400	15,600.			15,200.			1,390.			140 26 JUL 71
27 JUL 71 1400	16,900.			16,300.			1,670.			140 27 JUL 71
28 JUL 71 1400	19,900.			18,400.			2,270.			140 28 JUL 71
29 JUL 71 1400	21,600.			20,800.			2,550.			140 29 JUL 71
30 JUL 71 1400	21,100.			21,300.			2,350.			140 30 JUL 71
31 JUL 71 1400	22,000.			21,600.			2,480.			140 31 JUL 71

FORM 1417-5

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 50.0 WATANA DAM SITE 5180 SQ MI			STATION 52.5 500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI			STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 71 1400	25,700.			24,400.			3,480.			140 1 AUG 71
2 AUG 71 1400	32,000.			29,400.			4,510.			140 2 AUG 71
3 AUG 71 1400	31,700.			31,800.			4,160.			140 3 AUG 71
4 AUG 71 1400	25,900.			28,800.			2,450.			140 4 AUG 71
5 AUG 71 1400	21,400.			23,700.			1,390.			140 5 AUG 71
6 AUG 71 1400	22,000.			21,700.			1,800.			140 6 AUG 71
7 AUG 71 1400	28,100.			25,000.			3,660.			140 7 AUG 71
8 AUG 71 1400	36,100.			32,100.			5,880.			140 8 AUG 71
9 AUG 71 1400	47,000.			41,500.			8,750.			140 9 AUG 71
10 AUG 71 1400	63,600.			55,300.			13,300.			140 10 AUG 71
11 AUG 71 1400	70,800.			67,200.			14,100.			140 11 AUG 71
12 AUG 71 1400	59,100.			65,000.			7,890.			140 12 AUG 71
13 AUG 71 1400	50,000.			54,500.			4,770.			140 13 AUG 71
14 AUG 71 1400	46,200.			48,100.			4,020.			140 14 AUG 71
15 AUG 71 1400	39,900.			43,000.			2,370.			140 15 AUG 71
16 AUG 71 1400	32,800.			36,400.			1,540.			140 16 AUG 71
17 AUG 71 1400	26,900.			29,900.			1,120.			140 17 AUG 71
18 AUG 71 1400	23,100.			25,000.			1,050.			140 18 AUG 71
19 AUG 71 1400	20,900.			22,000.			1,180.			140 19 AUG 71
20 AUG 71 1400	20,900.			20,900.			1,630.			140 20 AUG 71
21 AUG 71 1400	22,600.			21,800.			2,210.			140 21 AUG 71
22 AUG 71 1400	23,200.			22,900.			2,260.			140 22 AUG 71
23 AUG 71 1400	22,300.			22,700.			2,000.			140 23 AUG 71
24 AUG 71 1400	20,900.			21,600.			1,700.			140 24 AUG 71
25 AUG 71 1400	21,100.			21,000.			1,920.			140 25 AUG 71
26 AUG 71 1400	23,400.			22,200.			2,620.			140 26 AUG 71
27 AUG 71 1400	23,600.			23,500.			2,800.			140 27 AUG 71
28 AUG 71 1400	21,200.			22,400.			2,340.			140 28 AUG 71
29 AUG 71 1400	18,700.			19,900.			1,830.			140 29 AUG 71
30 AUG 71 1400	17,000.			17,800.			1,630.			140 30 AUG 71
31 AUG 71 1400	16,500.			16,800.			1,670.			140 31 AUG 71

FORM 1413-2

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI

DATE-HOUR	STATION 50.0 WATANA DAM SITE 5180 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 52.5 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	17,400.			16,900.			2,030.			140 1 SEP 71
2 SEP 71 1400	19,700.			18,600.			2,640.			140 2 SEP 71
3 SEP 71 1400	21,300.			20,500.			3,030.			140 3 SEP 71
4 SEP 71 1400	20,900.			21,100.			2,860.			140 4 SEP 71
5 SEP 71 1400	21,200.			21,000.			2,860.			140 5 SEP 71
6 SEP 71 1400	22,400.			21,800.			3,150.			140 6 SEP 71
7 SEP 71 1400	21,100.			21,700.			2,990.			140 7 SEP 71
8 SEP 71 1400	17,800.			19,400.			2,330.			140 8 SEP 71
9 SEP 71 1400	15,200.			16,500.			1,860.			140 9 SEP 71
10 SEP 71 1400	14,000.			14,600.			1,730.			140 10 SEP 71
11 SEP 71 1400	13,100.			13,500.			1,640.			140 11 SEP 71
12 SEP 71 1400	12,200.			12,600.			1,500.			140 12 SEP 71
13 SEP 71 1400	11,500.			11,800.			1,390.			140 13 SEP 71
14 SEP 71 1400	11,000.			11,200.			1,340.			140 14 SEP 71
15 SEP 71 1400	10,700.			10,900.			1,310.			140 15 SEP 71
16 SEP 71 1400	10,400.			10,500.			1,290.			140 16 SEP 71
17 SEP 71 1400	10,100.			10,200.			1,260.			140 17 SEP 71
18 SEP 71 1400	9,860.			9,980.			1,230.			140 18 SEP 71
19 SEP 71 1400	9,610.			9,730.			1,200.			140 19 SEP 71
20 SEP 71 1400	10,700.			10,200.			1,440.			140 20 SEP 71
21 SEP 71 1400	14,300.			12,500.			2,190.			140 21 SEP 71
22 SEP 71 1400	17,000.			15,700.			2,760.			140 22 SEP 71
23 SEP 71 1400	15,800.			16,400.			2,460.			140 23 SEP 71
24 SEP 71 1400	12,900.			14,300.			1,720.			140 24 SEP 71
25 SEP 71 1400	10,700.			11,800.			1,220.			140 25 SEP 71
26 SEP 71 1400	9,500.			10,100.			1,040.			140 26 SEP 71
27 SEP 71 1400	8,820.			9,160.			971.			140 27 SEP 71
28 SEP 71 1400	8,280.			8,550.			936.			140 28 SEP 71
29 SEP 71 1400	7,890.			8,080.			915.			140 29 SEP 71
30 SEP 71 1400	7,690.			7,790.			910.			140 30 SEP 71

FORM 1413-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 60.0 DEVIL CANYON DAM SITE 5810 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
6 MAY 71 1400	1,690.			154.			1,690.			140 6 MAY 71
7 MAY 71 1400	1,680.			159.			1,690.			140 7 MAY 71
8 MAY 71 1400	1,710.			182.			1,700.			140 8 MAY 71
9 MAY 71 1400	1,820.			221.			1,760.			140 9 MAY 71
10 MAY 71 1400	1,970.			245.			1,890.			140 10 MAY 71
11 MAY 71 1400	2,160.			267.			2,060.			140 11 MAY 71
12 MAY 71 1400	2,530.			329.			2,340.			140 12 MAY 71
13 MAY 71 1400	3,100.			430.			2,810.			140 13 MAY 71
14 MAY 71 1400	3,590.			504.			3,340.			140 14 MAY 71
15 MAY 71 1400	3,530.			462.			3,560.			140 15 MAY 71
16 MAY 71 1400	2,990.			348.			3,260.			140 16 MAY 71
17 MAY 71 1400	2,480.			261.			2,740.			140 17 MAY 71
18 MAY 71 1400	2,300.			250.			2,390.			140 18 MAY 71
19 MAY 71 1400	2,480.			303.			2,390.			140 19 MAY 71
20 MAY 71 1400	2,940.			392.			2,710.			140 20 MAY 71
21 MAY 71 1400	3,650.			508.			3,300.			140 21 MAY 71
22 MAY 71 1400	4,380.			598.			4,020.			140 22 MAY 71
23 MAY 71 1400	4,760.			611.			4,570.			140 23 MAY 71
24 MAY 71 1400	5,070.			613.			4,910.			140 24 MAY 71
25 MAY 71 1400	5,690.			664.			5,380.			140 25 MAY 71
26 MAY 71 1400	6,580.			756.			6,140.			140 26 MAY 71
27 MAY 71 1400	7,590.			862.			7,090.			140 27 MAY 71
28 MAY 71 1400	9,050.			1,040.			8,320.			140 28 MAY 71
29 MAY 71 1400	10,700.			1,200.			9,880.			140 29 MAY 71
30 MAY 71 1400	11,400.			1,130.			11,000.			140 30 MAY 71
31 MAY 71 1400	11,500.			1,040.			11,400.			140 31 MAY 71

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 60.0 DEVIL CANYON DAM SITE 5810 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	12,400.			1,170.			11,900.			140 1 JUN 71
2 JUN 71 1400	13,200.			1,230.			12,800.			140 2 JUN 71
3 JUN 71 1400	12,800.			1,150.			13,000.			140 3 JUN 71
4 JUN 71 1400	13,700.			1,390.			13,300.			140 4 JUN 71
5 JUN 71 1400	19,200.			2,600.			16,400.			140 5 JUN 71
6 JUN 71 1400	30,500.			4,770.			24,900.			140 6 JUN 71
7 JUN 71 1400	44,200.			6,380.			37,400.			140 7 JUN 71
8 JUN 71 1400	52,400.			5,800.			48,300.			140 8 JUN 71
9 JUN 71 1400	55,800.			4,650.			54,100.			140 9 JUN 71
10 JUN 71 1400	59,700.			4,340.			57,700.			140 10 JUN 71
11 JUN 71 1400	58,500.			3,300.			59,100.			140 11 JUN 71
12 JUN 71 1400	51,900.			2,160.			55,200.			140 12 JUN 71
13 JUN 71 1400	44,700.			1,510.			48,300.			140 13 JUN 71
14 JUN 71 1400	37,800.			1,120.			41,200.			140 14 JUN 71
15 JUN 71 1400	33,500.			1,370.			35,600.			140 15 JUN 71
16 JUN 71 1400	33,200.			2,020.			33,300.			140 16 JUN 71
17 JUN 71 1400	32,200.			2,110.			32,700.			140 17 JUN 71
18 JUN 71 1400	28,400.			1,710.			30,300.			140 18 JUN 71
19 JUN 71 1400	25,200.			1,400.			26,800.			140 19 JUN 71
20 JUN 71 1400	24,400.			1,260.			24,800.			140 20 JUN 71
21 JUN 71 1400	24,300.			1,220.			24,400.			140 21 JUN 71
22 JUN 71 1400	25,700.			1,470.			25,000.			140 22 JUN 71
23 JUN 71 1400	28,200.			1,650.			27,000.			140 23 JUN 71
24 JUN 71 1400	29,400.			1,370.			28,800.			140 24 JUN 71
25 JUN 71 1400	28,700.			986.			29,100.			140 25 JUN 71
26 JUN 71 1400	28,100.			788.			28,400.			140 26 JUN 71
27 JUN 71 1400	28,000.			694.			28,100.			140 27 JUN 71
28 JUN 71 1400	27,800.			636.			27,900.			140 28 JUN 71
29 JUN 71 1400	27,100.			689.			27,500.			140 29 JUN 71
30 JUN 71 1400	30,000.			1,620.			28,600.			140 30 JUN 71

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 60.0 DEVIL CANYON DAM SITE 5810 SQ MI		STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI		STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD		HOUR-DATE
	FLOW CFS	GAGE HEIGHT FEET / STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET / STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET / STORAGE ACRE-FEET	
1 JUL 71 1400	41,600.		3,710.		35,800.		140 1 JUL 71
2 JUL 71 1400	54,400.		5,080.		48,000.		140 2 JUL 71
3 JUL 71 1400	54,400.		4,230.		54,400.		140 3 JUL 71
4 JUL 71 1400	42,400.		2,530.		48,400.		140 4 JUL 71
5 JUL 71 1400	29,700.		1,340.		36,000.		140 5 JUL 71
6 JUL 71 1400	22,000.		750.		25,800.		140 6 JUL 71
7 JUL 71 1400	18,700.		558.		20,300.		140 7 JUL 71
8 JUL 71 1400	17,400.		495.		18,000.		140 8 JUL 71
9 JUL 71 1400	17,200.		445.		17,300.		140 9 JUL 71
10 JUL 71 1400	17,600.		417.		17,400.		140 10 JUL 71
11 JUL 71 1400	18,500.		397.		18,000.		140 11 JUL 71
12 JUL 71 1400	19,900.		465.		19,200.		140 12 JUL 71
13 JUL 71 1400	25,300.		1,190.		22,600.		140 13 JUL 71
14 JUL 71 1400	32,800.		1,820.		29,000.		140 14 JUL 71
15 JUL 71 1400	33,300.		1,120.		33,000.		140 15 JUL 71
16 JUL 71 1400	28,900.		681.		31,100.		140 16 JUL 71
17 JUL 71 1400	24,100.		428.		26,500.		140 17 JUL 71
18 JUL 71 1400	20,400.		331.		22,300.		140 18 JUL 71
19 JUL 71 1400	17,900.		298.		19,200.		140 19 JUL 71
20 JUL 71 1400	16,600.		402.		17,300.		140 20 JUL 71
21 JUL 71 1400	16,800.		552.		16,700.		140 21 JUL 71
22 JUL 71 1400	16,400.		472.		16,600.		140 22 JUL 71
23 JUL 71 1400	15,200.		395.		15,800.		140 23 JUL 71
24 JUL 71 1400	14,500.		422.		14,900.		140 24 JUL 71
25 JUL 71 1400	15,300.		603.		14,900.		140 25 JUL 71
26 JUL 71 1400	16,600.		732.		15,900.		140 26 JUL 71
27 JUL 71 1400	18,000.		896.		17,300.		140 27 JUL 71
28 JUL 71 1400	20,700.		1,230.		19,300.		140 28 JUL 71
29 JUL 71 1400	23,300.		1,340.		22,000.		140 29 JUL 71
30 JUL 71 1400	23,700.		1,260.		23,500.		140 30 JUL 71
31 JUL 71 1400	24,100.		1,370.		23,900.		140 31 JUL 71

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 60.0 DEVIL CANYON DAM SITE 5810 SQ MI			STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI			STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 71 1400	27,800.			1,960.			25,900.			140 1 AUG 71
2 AUG 71 1400	33,900.			2,490.			30,900.			140 2 AUG 71
3 AUG 71 1400	36,000.			2,190.			34,900.			140 3 AUG 71
4 AUG 71 1400	31,200.			1,190.			33,600.			140 4 AUG 71
5 AUG 71 1400	25,000.			651.			28,100.			140 5 AUG 71
6 AUG 71 1400	23,500.			812.			24,300.			140 6 AUG 71
7 AUG 71 1400	28,700.			1,650.			26,100.			140 7 AUG 71
8 AUG 71 1400	38,000.			2,670.			33,300.			140 8 AUG 71
9 AUG 71 1400	50,300.			3,900.			44,100.			140 9 AUG 71
10 AUG 71 1400	68,500.			5,510.			59,400.			140 10 AUG 71
11 AUG 71 1400	81,300.			6,180.			74,900.			140 11 AUG 71
12 AUG 71 1400	72,900.			4,650.			77,100.			140 12 AUG 71
13 AUG 71 1400	59,300.			2,720.			66,100.			140 13 AUG 71
14 AUG 71 1400	52,100.			1,910.			55,700.			140 14 AUG 71
15 AUG 71 1400	45,400.			1,600.			48,700.			140 15 AUG 71
16 AUG 71 1400	37,900.			1,100.			41,600.			140 16 AUG 71
17 AUG 71 1400	31,000.			697.			34,400.			140 17 AUG 71
18 AUG 71 1400	26,100.			584.			28,500.			140 18 AUG 71
19 AUG 71 1400	23,200.			619.			24,600.			140 19 AUG 71
20 AUG 71 1400	22,500.			827.			22,800.			140 20 AUG 71
21 AUG 71 1400	24,000.			1,150.			23,200.			140 21 AUG 71
22 AUG 71 1400	25,200.			1,250.			24,600.			140 22 AUG 71
23 AUG 71 1400	24,700.			1,100.			25,000.			140 23 AUG 71
24 AUG 71 1400	23,300.			921.			24,000.			140 24 AUG 71
25 AUG 71 1400	22,900.			1,010.			23,100.			140 25 AUG 71
26 AUG 71 1400	24,900.			1,370.			23,900.			140 26 AUG 71
27 AUG 71 1400	26,300.			1,500.			25,600.			140 27 AUG 71
28 AUG 71 1400	24,700.			1,250.			25,500.			140 28 AUG 71
29 AUG 71 1400	21,700.			977.			23,200.			140 29 AUG 71
30 AUG 71 1400	19,500.			860.			20,600.			140 30 AUG 71
31 AUG 71 1400	18,400.			870.			19,000.			140 31 AUG 71

FORM 1815

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 60.0 DEVIL CANYON DAM SITE 5810 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	19,000.			1,060.			18,700.			140 1 SEP 71
2 SEP 71 1400	21,200.			1,400.			20,100.			140 2 SEP 71
3 SEP 71 1400	23,500.			1,600.			22,300.			140 3 SEP 71
4 SEP 71 1400	23,900.			1,540.			23,700.			140 4 SEP 71
5 SEP 71 1400	23,900.			1,540.			23,900.			140 5 SEP 71
6 SEP 71 1400	24,900.			1,690.			24,400.			140 6 SEP 71
7 SEP 71 1400	24,700.			1,600.			24,800.			140 7 SEP 71
8 SEP 71 1400	21,800.			1,250.			23,200.			140 8 SEP 71
9 SEP 71 1400	18,300.			985.			20,000.			140 9 SEP 71
10 SEP 71 1400	16,300.			916.			17,300.			140 10 SEP 71
11 SEP 71 1400	15,200.			868.			15,700.			140 11 SEP 71
12 SEP 71 1400	14,100.			791.			14,700.			140 12 SEP 71
13 SEP 71 1400	13,200.			732.			13,700.			140 13 SEP 71
14 SEP 71 1400	12,600.			705.			12,900.			140 14 SEP 71
15 SEP 71 1400	12,200.			694.			12,400.			140 15 SEP 71
16 SEP 71 1400	11,800.			682.			12,000.			140 16 SEP 71
17 SEP 71 1400	11,500.			666.			11,700.			140 17 SEP 71
18 SEP 71 1400	11,200.			649.			11,400.			140 18 SEP 71
19 SEP 71 1400	10,900.			637.			11,100.			140 19 SEP 71
20 SEP 71 1400	11,600.			772.			11,300.			140 20 SEP 71
21 SEP 71 1400	14,700.			1,180.			13,200.			140 21 SEP 71
22 SEP 71 1400	13,400.			1,500.			16,600.			140 22 SEP 71
23 SEP 71 1400	18,900.			1,330.			18,600.			140 23 SEP 71
24 SEP 71 1400	16,100.			925.			17,500.			140 24 SEP 71
25 SEP 71 1400	13,000.			655.			14,500.			140 25 SEP 71
26 SEP 71 1400	11,100.			555.			12,000.			140 26 SEP 71
27 SEP 71 1400	10,100.			519.			10,600.			140 27 SEP 71
28 SEP 71 1400	9,480.			501.			9,810.			140 28 SEP 71
29 SEP 71 1400	9,000.			499.			9,240.			140 29 SEP 71
30 SEP 71 1400	8,700.			523.			8,850.			140 30 SEP 71

FORM 1113

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 70.0 SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
6 MAY 71 1400	1,840.									140 6 MAY 71
7 MAY 71 1400	1,840.									140 7 MAY 71
8 MAY 71 1400	1,880.									140 8 MAY 71
9 MAY 71 1400	1,980.									140 9 MAY 71
10 MAY 71 1400	2,140.									140 10 MAY 71
11 MAY 71 1400	2,330.									140 11 MAY 71
12 MAY 71 1400	2,670.									140 12 MAY 71
13 MAY 71 1400	3,240.									140 13 MAY 71
14 MAY 71 1400	3,850.									140 14 MAY 71
15 MAY 71 1400	4,020.									140 15 MAY 71
16 MAY 71 1400	3,610.									140 16 MAY 71
17 MAY 71 1400	3,000.									140 17 MAY 71
18 MAY 71 1400	2,640.									140 18 MAY 71
19 MAY 71 1400	2,690.									140 19 MAY 71
20 MAY 71 1400	3,100.									140 20 MAY 71
21 MAY 71 1400	3,800.									140 21 MAY 71
22 MAY 71 1400	4,620.									140 22 MAY 71
23 MAY 71 1400	5,180.									140 23 MAY 71
24 MAY 71 1400	5,530.									140 24 MAY 71
25 MAY 71 1400	6,040.									140 25 MAY 71
26 MAY 71 1400	6,890.									140 26 MAY 71
27 MAY 71 1400	7,950.									140 27 MAY 71
28 MAY 71 1400	9,360.									140 28 MAY 71
29 MAY 71 1400	11,100.									140 29 MAY 71
30 MAY 71 1400	12,200.									140 30 MAY 71
31 MAY 71 1400	12,500.									140 31 MAY 71

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 70.0 SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 71 1400	13,100.									140 1 JUN 71
2 JUN 71 1400	14,000.									140 2 JUN 71
3 JUN 71 1400	14,200.									140 3 JUN 71
4 JUN 71 1400	14,700.									140 4 JUN 71
5 JUN 71 1400	19,000.									140 5 JUN 71
6 JUN 71 1400	29,600.									140 6 JUN 71
7 JUN 71 1400	43,700.									140 7 JUN 71
8 JUN 71 1400	54,100.									140 8 JUN 71
9 JUN 71 1400	58,700.									140 9 JUN 71
10 JUN 71 1400	62,100.									140 10 JUN 71
11 JUN 71 1400	62,400.									140 11 JUN 71
12 JUN 71 1400	57,400.									140 12 JUN 71
13 JUN 71 1400	49,800.									140 13 JUN 71
14 JUN 71 1400	42,500.									140 14 JUN 71
15 JUN 71 1400	37,000.									140 15 JUN 71
16 JUN 71 1400	35,300.									140 16 JUN 71
17 JUN 71 1400	34,800.									140 17 JUN 71
18 JUN 71 1400	32,000.									140 18 JUN 71
19 JUN 71 1400	28,200.									140 19 JUN 71
20 JUN 71 1400	26,100.									140 20 JUN 71
21 JUN 71 1400	25,600.									140 21 JUN 71
22 JUN 71 1400	26,500.									140 22 JUN 71
23 JUN 71 1400	28,600.									140 23 JUN 71
24 JUN 71 1400	30,200.									140 24 JUN 71
25 JUN 71 1400	30,000.									140 25 JUN 71
26 JUN 71 1400	29,200.									140 26 JUN 71
27 JUN 71 1400	28,800.									140 27 JUN 71
28 JUN 71 1400	28,500.									140 28 JUN 71
29 JUN 71 1400	28,100.									140 29 JUN 71
30 JUN 71 1400	30,200.									140 30 JUN 71

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 70.0 SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 71 1400	39,500.									140 1 JUL 71
2 JUL 71 1400	53,100.									140 2 JUL 71
3 JUL 71 1400	58,600.									140 3 JUL 71
4 JUL 71 1400	50,900.									140 4 JUL 71
5 JUL 71 1400	37,400.									140 5 JUL 71
6 JUL 71 1400	26,600.									140 6 JUL 71
7 JUL 71 1400	20,900.									140 7 JUL 71
8 JUL 71 1400	18,500.									140 8 JUL 71
9 JUL 71 1400	17,800.									140 9 JUL 71
10 JUL 71 1400	17,800.									140 10 JUL 71
11 JUL 71 1400	18,400.									140 11 JUL 71
12 JUL 71 1400	19,700.									140 12 JUL 71
13 JUL 71 1400	23,800.									140 13 JUL 71
14 JUL 71 1400	30,900.									140 14 JUL 71
15 JUL 71 1400	34,100.									140 15 JUL 71
16 JUL 71 1400	31,700.									140 16 JUL 71
17 JUL 71 1400	26,900.									140 17 JUL 71
18 JUL 71 1400	22,600.									140 18 JUL 71
19 JUL 71 1400	19,500.									140 19 JUL 71
20 JUL 71 1400	17,700.									140 20 JUL 71
21 JUL 71 1400	17,300.									140 21 JUL 71
22 JUL 71 1400	17,100.									140 22 JUL 71
23 JUL 71 1400	16,200.									140 23 JUL 71
24 JUL 71 1400	15,300.									140 24 JUL 71
25 JUL 71 1400	15,500.									140 25 JUL 71
26 JUL 71 1400	16,700.									140 26 JUL 71
27 JUL 71 1400	18,200.									140 27 JUL 71
28 JUL 71 1400	20,600.									140 28 JUL 71
29 JUL 71 1400	23,400.									140 29 JUL 71
30 JUL 71 1400	24,800.									140 30 JUL 71
31 JUL 71 1400	25,200.									140 31 JUL 71

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 70.0 SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 AUG 71 1400	27,900.									140 1 AUG 71
2 AUG 71 1400	33,300.									140 2 AUG 71
3 AUG 71 1400	37,100.									140 3 AUG 71
4 AUG 71 1400	34,800.									140 4 AUG 71
5 AUG 71 1400	28,800.									140 5 AUG 71
6 AUG 71 1400	25,100.									140 6 AUG 71
7 AUG 71 1400	27,800.									140 7 AUG 71
8 AUG 71 1400	36,000.									140 8 AUG 71
9 AUG 71 1400	48,800.									140 9 AUG 71
10 AUG 71 1400	64,900.									140 10 AUG 71
11 AUG 71 1400	81,100.									140 11 AUG 71
12 AUG 71 1400	81,700.									140 12 AUG 71
13 AUG 71 1400	68,800.									140 13 AUG 71
14 AUG 71 1400	57,600.									140 14 AUG 71
15 AUG 71 1400	50,300.									140 15 AUG 71
16 AUG 71 1400	42,800.									140 16 AUG 71
17 AUG 71 1400	35,100.									140 17 AUG 71
18 AUG 71 1400	29,100.									140 18 AUG 71
19 AUG 71 1400	25,200.									140 19 AUG 71
20 AUG 71 1400	23,700.									140 20 AUG 71
21 AUG 71 1400	24,400.									140 21 AUG 71
22 AUG 71 1400	25,800.									140 22 AUG 71
23 AUG 71 1400	26,100.									140 23 AUG 71
24 AUG 71 1400	24,900.									140 24 AUG 71
25 AUG 71 1400	24,100.									140 25 AUG 71
26 AUG 71 1400	25,300.									140 26 AUG 71
27 AUG 71 1400	27,100.									140 27 AUG 71
28 AUG 71 1400	26,700.									140 28 AUG 71
29 AUG 71 1400	24,200.									140 29 AUG 71
30 AUG 71 1400	21,500.									140 30 AUG 71
31 AUG 71 1400	19,800.									140 31 AUG 71

FORM 1413

PRINTED IN U.S.A.

SUSITNA HEP AUG 4-10 '71 RECONST.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 6 MAY 71 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 70.0 SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 SEP 71 1400	19,800.									140 1 SEP 71
2 SEP 71 1400	21,500.									140 2 SEP 71
3 SEP 71 1400	24,000.									140 3 SEP 71
4 SEP 71 1400	25,300.									140 4 SEP 71
5 SEP 71 1400	25,400.									140 5 SEP 71
6 SEP 71 1400	26,100.									140 6 SEP 71
7 SEP 71 1400	26,400.									140 7 SEP 71
8 SEP 71 1400	24,500.									140 8 SEP 71
9 SEP 71 1400	21,000.									140 9 SEP 71
10 SEP 71 1400	18,200.									140 10 SEP 71
11 SEP 71 1400	16,600.									140 11 SEP 71
12 SEP 71 1400	15,400.									140 12 SEP 71
13 SEP 71 1400	14,400.									140 13 SEP 71
14 SEP 71 1400	13,600.									140 14 SEP 71
15 SEP 71 1400	13,100.									140 15 SEP 71
16 SEP 71 1400	12,700.									140 16 SEP 71
17 SEP 71 1400	12,300.									140 17 SEP 71
18 SEP 71 1400	12,000.									140 18 SEP 71
19 SEP 71 1400	11,700.									140 19 SEP 71
20 SEP 71 1400	12,000.									140 20 SEP 71
21 SEP 71 1400	14,300.									140 21 SEP 71
22 SEP 71 1400	18,100.									140 22 SEP 71
23 SEP 71 1400	20,000.									140 23 SEP 71
24 SEP 71 1400	18,400.									140 24 SEP 71
25 SEP 71 1400	15,200.									140 25 SEP 71
26 SEP 71 1400	12,600.									140 26 SEP 71
27 SEP 71 1400	11,100.									140 27 SEP 71
28 SEP 71 1400	10,300.									140 28 SEP 71
29 SEP 71 1400	9,740.									140 29 SEP 71
30 SEP 71 1400	9,370.									140 30 SEP 71
EOF..										1

FORM 1611-3
PRINTED IN U.S.A.

```
JOB        250881  1        1     SUSITNA WEB S.MELT 5-7772 RECONST.
CP         1480    4620                                          GUKGL
CP         2000    3000                                          BASAV
CP         8811    2401                                          SUMMIT
CP         9139    2550                                          GRACIO
CP         9410    2408                                          TRIMS
CP         3000    345                                           TALK
CT01       1075       2     0     95    999    100               SMI GL
CT01       1018       2     0     10    2.5     20     5     40 SMI
CT02       1018      12    60     15     75    999    80
CT01       1020       2     0     20      2     30     5     60 SMI
CT02       1020       9   100     15    100   9999   100
CT01       1021       2     0      5     99      5  9999      5 SMI
CT01       2009       2     0     60    0.1     50   0.2     45 BII
CT02       2009     0.3    37    0.4     32    0.5    29    0.6MCKENZ
CT03       2009      27   1.0     20    2.0     10  9999     10
CT01       2010       2     0     75     .2     60   0.4     48 BII
CT02       2010     0.6    37    0.8     31    1.0    27    1.2WILLAM
CT03       2010      25  9999     25
CT01       2011       2     0     50    0.1     47   0.2     45 BII
CT02       2011     0.3    37    0.4     32    0.5    29    0.6
CT03       2011      27     1     20      2      8     3      4
CT04       2011       5     2    999      1
CT01       2012       2     0     70     .5     50     3     20 BII
CT02       2012       5    10     10    .05     99   .05
CT01       2017       2     0    100    1.0     95  9999     95 BIIGL
CT01       3001       2     0      0    .02   .009   .03   .013 S/SS
CT02       3001     .05   .021    .06   .025   .075  .034    .10
CT03       3001     .05  9999  99999
CT01       3003       2     0      0   .016  .0026  .033   .008 S-SS
CT02       3003     .05   .015   .067   .024   .083  .036   .100MCKENZ
CT03       3003     .05    2.0   1.20    999    999
CT01       3008       2     0      0    .01  .0005   .02  .0015 S-SS
CT02       3008     .03   .003    .04   .005    .05   .008    .06
CT03       3008    .012    .07   .017    .08   .023   .09    .03
CT04       3008     .10   .038    999    999
CT01       3009       2     0      0    .05   .001    0.5    .05 S/SS
CT02       3009     1.0    0.2   9999   9000                     GLAC
CT01       4008       2     4   0.03      5   0.09      6   0.09  ET1
CT02       4008       7  0.10      8   0.10      9   0.10
CT01       4009       2     4   0.03      5   0.05      6   0.06  ETI
CT02       4009       7  0.07      8   0.08      9   0.06        GLAC
CT01       4010       2     4   0.03      5   0.09      6   0.15  ETI
CT02       4010       7  0.15      8   0.15      9   0.15
CT01       5001       2     0    100     .5     30      1     20  KE
CT02       5001     1.5    20    999     20
CT01       6004       2     0    100    100    100   9999    100 SCDGL
CT01       6006       2     0    100      8     80     20     60  SCD
CT02       6006      36    40     59     20    100      0    999
CT03       6006       0
CT01       7005       2     0   0.32    100   0.32   9999   0.32 MELTR
CT01       7009       2     0   0.12    100   0.12   9999   0.12 MELTR
12 CT01    7010       2     0   0.10     20   0.15     40   0.24 MELSUS
11 CT02    7010      50  0.30     80   0.40    100   0.45   9999
10 CT01    7011       2     0    .08    100    .08   9999    .08 MELTG
 9 CB01      10       1          SUSITNA GLACIER
 8 CB02      10  2214  6 4  12 4  24   100 50016004    40091015
 7 CB03      10  2017 10  3009                  7011          35 32 33
 6 CB04      10  3500010043000190
 5 C3 1      10  2600    0  3000   45 4000  177 5000  359 6000  611 7000  848
 4 C3 2      10  8000  961 9000  99813852  999999999999
 3 CB01      20       1          SUSITNA NON-GLACIER ABV USGS GAGE
   CB02      20  6944  8 4  20 5 156   100 50016006    40081018
   CB03      20  2011 10  3008                  7005          35 32 33
```

DATA FILE 10 - ACRES RECONSTITUTION
OF 1972 FLOOD,
SSARR MODEL INPUT

FORM 1411-3

PRINTED IN U.S.A.

```
C3 1    20  2440    0  3000  277 4000  532 5000  813 6000  928 7000  971
C3 2    20  8000  984 9000  9891000   99813832  9999999999999
CC01    30        1         SUSITNA RIVER NEAR DENALI CALCULATED
CR01    55        1         30-100 ROUT DENALI GAGE TO DENALI DAMSITE
CR02    55            2 2    11
CB01    80        1         LOCAL ABOVE DENALI DAMSITE  312 SQ MI
CB02    80     3124. 3 4   8 4 156   100 50016006    40081018
CB03    80     2009  9  3008                    7010          35 32 33
CB04    80     33000100430000100
C3 1    80  2370    0 5000  359 4000  744 5000  971 6000  997 6100  999
C3 2    80  9999999999
CC01   100        1         DENALI DAMSITE  1260 SQ MI
CR01   125        1         100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF
CR02   125            3 2    11
CB01   180        1         SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477
CB02   180     4774  3 4   8 5 156   100 50016006    40081018
CB03   180     2009  9  3008                    7010          35 32 33
CB04   180     33000100430000100
C3 1   180  2350    0 3000  350 4000  820 5000  964 6000  965 6200  999
C3 2   180  9999999999
CB01   210        1         MACLAREN GLACIER
CB02   210     443  6 3  12 3  24   100 50016004    40091015
CB03   210     2017 10  3009                    7009  9       35 32 33
CB04   210     33000100430000105
C3 1   210  3150    0  4000  109 5000  241 6000  672 7000  96  8000  998
C3 2   210  8850  9999999999999
CB01   220        1         MACLAREN NON-GLACIER ABV USGS GAGE
CB02   220     2324  5 4  20 5 156    75 50016006    40081018
CB03   220     2012 10  3003                    7005          35 32 33
CB04   220     33000100430000105
C3 1   220  2866    0  3000   82 4000  505 5000  801 6000  949 7000  986
C3 2   220  8000  998 8850  9999999999999
CC01   230        1         MACLAREN RIVER NEAR PAXSON CALCULATED
CR01   255        1         230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL
CR02   255            6 2    10
CB01   280        1         MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307
CB02   280     3974  3 4   8 5 156   100 50016006    40081018
CB03   280     2009  9  3008                    7010          35 32 33
CB04   280     33000100430000100
C3 1   280  2350    0 3000  498 4000  967 5000  968 5275  9999999999999
CC01   300        1         CONFLUENCE OF MACLAREN RIVER WITH SUSITNA
CR01   325        1         300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE
CR02   325            5 2     9
CB01   330        1         LAKE LOUISE AND SUSITNA LAKE  48 SQ MI
CB02   330     483 15 1   0 1   0   100 50016006    40081022
CB03   330     2009  9  3008                    7010          35 32 33
CB04   330     33000100430000115
C3 1   330  2361    0 2363  9999999999999
CR01   335        1         330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV
CR02   335            3 4   100
CB01   340        1         TYONE RIVER BASIN 1047 SQ MI
CB02   340    10478 10 8  48 8 200   100 50016006    40101018
CB03   340     2009  9  3008                    7010          35 32 33
CB04   340     33000100430000115
C3 1   340  2100    0 3000  687 4000  952 5000  998 5275  9999999999999
CC01   350        1         COLLECTION ONE MI ABV CONFL OF OSHET & SUS
CR01   375        1         350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)
CR02   375            1 2     9
CB01   380        1         OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI
CB02   380     7353  3 4   8 4  72   100 50016006    40081018
CB03   380     2009  9  3008                    7010          35 32 33
CB04   380     33000100430000115
C3 1   380  1910    0 2000    2 3000  156 4000  491 5000  784 6000  960
C3 2   380  7000  998 7770  9999999999999
CC01   400        1         SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M
```

FORM 1411-3

PRINTED IN U.S.A.

```
CR02  625                4 1    3
CB01  480        1              WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI
CB02  480   10454  8 4  15 5 156   100 50016006    40081020
CB03  480     2009  9  3008                    7010          35 32 33
CB04  480     330001004300010 5
C3 1  480  1450     0 2000   30 3000  277 4000  683 5000  911 6000  989
C3 2  480  7000   989 7200  9999999999999
CC01  500        1              WATANA DAM SITE 5180 SQ MI
CR01  525        1              500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI
CR02  525              3 1    3
CB01  580        1              TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI
CB02  580     6284  8 4  15 5 156   100 50016006    40081020
CB03  580     2009  9  3008                    7010          35 32 33
CB04  580     330001004300010 5
C3 1  580   910     0 1000    2 2000   84 3000  441 4000  795 5000  962
C3 2  580  6000   998 6910  9999999999999
CC01  600        1              DEVIL CANYON DAM SITE 5810 SQ MI
CR01  625        1              600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD
CR02  625              1 1    3
CB01  680        1              PORTAGE AND GOLD CREEK LOCAL 345 SQ MI
CB02  680     3454  8 4  15 5 156   100 50016006    40081020
CB03  680     2009  9  3008                    7010          35 32 33
CB04  680     330001004300010 5
C3 1  680   677     0 1000   32 2000  261 3000  510 4000  809 5000  971
C3 2  680  6000   998 6018  9999999999999
CC01  700        1              SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM
P      10        30
P      20        30
P      30        55
P      55       100
P      80       100
P     100       125
P     125       300
P     100       125
P     125       300
P     180       300
P     210       230
P     220       230
P     230       255
P     255       300
P     280       300
P     300       325
P     325       350
P     330       335
P     335       350
P     340       350
P     350       375
P     375       400
P     380       400
P     400       425
P     425       500
P     480       500
P     500       525
P     525       600
P     580       600
P     600       625
P     680       700
P     625       700
P     700
T  14 016572240 14 510772
2B00      10 14 010572   8   030  100 1                      99
2B02      10 14 010572  10    10   10   10   10
2B03      10 14 010572  30    30   30   30   30
2B04      10 14 010572  60    60   60   60   60
2B00      20 14 010572   4   03   100 01                     15
2B02      20 14 010572  10    10   10   10   10
2B03      20 14 010572  50    50   50   50   30
```

FORM 14113
PRINTED IN U.S.A.

2B04	20	14	010572	60	60	60	60	60	60	60	60							
2B00	80	14	010572	4	03	100			9									
2B02	80	14	010572	5	5	5	5	5										
2B03	80	14	010572	10	10	10	10	10										
2B04	80	14	010572	70	70	70	70	70										
2B00	180	14	010572	4	03	100			9									
2B02	180	14	010572	7	7	7	7	7										
2B03	180	14	010572	10	10	10	10	10										
2B04	180	14	010572	108	108	108	108	108	108									
2B00	210	14	010572	8	030	100 1			99									
2B02	210	14	010572	10	10	10	10	10										
2B03	210	14	010572	10	10	10	10	10										
2B04	210	14	010572	10	10	10	10	10										
2B00	220	14	010572	4	03	100 01			22									
2B02	220	14	010572	10	10	10	10	10										
2B03	220	14	010572	10	10	10	10	10										
2B04	220	14	010767	60	60	60	60	60	60	60	60							
2B00	280	14	010572	4	03	100			9									
2B02	280	14	010572	4	4	4	4	4										
2B03	280	14	010572	10	10	10	10	10										
2B04	280	14	010572	70	70	70	70	70	70									
2B00	330	14	010572	4	03	100			6									
2B02	330	14	010572	18	18	18	18	18										
2B03	330	14	010572	0	0	0	0	0										
2B04	330	14	010572	0	0	0	0	0										
2B00	340	14	010572	4	03	100			6									
2B02	340	14	010572	18	18	18	18	18										
2B03	340	14	010572	20	20	20	20	20	20	20	20							
2B04	340	14	010572	120	120	120	120	120	120	120	120							
2B00	380	14	010572	4	03	100			7									
2B02	380	14	010572	8	8	8	8	8										
2B03	380	14	010572	20	20	20	20	20										
2B04	380	14	010572	130	130	130	130	130										
2B00	480	14	010572	4	03	100			14									
2B02	480	14	010572	16	16	16	16	16										
2B03	480	14	010572	30	30	30	30	30										
2B04	480	14	010572	420	420	420	420	420										
2B00	580	14	010572	4	03	100			14									
2B02	580	14	010572	5	5	5	5	5										
2B03	580	14	010572	15	15	15	15	15										
2B04	580	14	010572	260	260	260	260	260										
2B00	680	14	010572	4	03	100			14									
2B02	680	14	010572	4	4	4	4	4										
2B03	680	14	010572	10	10	10	10	10										
2B04	680	14	010572	140	140	140	140	140										
4D	3000	14	0105723				13	05			08							
4D	3000	14	1505723			06	13	37	21	14						46		
4D	3000	14	2905723	01	10	29												
4D	3000	14	0106723	29	41	01			30							07		
4D	3000	14	1506723		83				03	03	24							
4D	3000	14	2906723															
4D	3000	14	0107723											15	01	01	14	
4D	3000	14	1507723		07			24	02				82	10			20	
4D	3000	14	2907723															
12 4D	3000	14	0105724	370	350	370	360	440	400	420	430	420	400	420	400	390	390	
11 4D	3000	14	1505724	380	380	410	380	400	400	410	420	430	460	450	510	530	460	
10 4D	3000	14	2905724	510	540	490												
9 4D	3000	14	0106724	480	410	460	480	480	420	510	520	530	520	590	600	550	570	
8 4D	3000	14	1506724	580	520	510	520	510	560	520	540	500	540	560	580	550	550	
7 4D	3000	14	2906724	550	530													
6 4D	3000	14	0107724	570	600	640	670	680	690	690	670	630	620	620	690	650	600	
5 4D	3000	14	1507724	570	550	560	550	530	590	570	610	650	590	610	600	610	580	
4 4D	3000	14	2907724	610	600	630												
3 EOF..																		

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
25OCT81 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.00	8.00	0	0.00	0.03	0	60	30	10	100	1400	1
2	1400	0.00	0	0.00	0.00	0	2800	100	0.0	0	0.00	0.00	0.05	8.00	95	0.00	0.02	100	58	26	4	89	1400	2
3	1400	0.00	0	0.00	0.00	0	2800	100	0.0	0	0.00	0.00	0.05	7.95	95	0.00	0.02	100	52	13	0	66	1400	3
4	1400	0.00	0	0.00	0.00	0	2800	100	0.0	0	0.00	0.00	0.05	7.90	95	0.00	0.01	100	40	4	0	44	1400	4
5	1400	0.00	5	0.00	0.03	0	2800	100	2.2	17	0.19	0.03	0.05	7.85	95	0.03	0.02	100	31	1	0	32	1400	5
6	1400	0.13	0	0.00	0.03	0	2800	100	0.0	0	0.00	0.00	0.05	7.80	95	0.00	0.01	100	35	0	0	36	1400	6
7	1400	0.05	0	0.00	0.04	0	2800	100	1.2	9	0.10	0.01	0.05	7.76	95	0.01	0.01	100	46	0	0	47	1400	7
8	1400	0.00	0	0.00	0.06	0	2800	100	1.7	13	0.14	0.02	0.05	7.71	95	0.02	0.01	100	53	0	0	54	1400	8
9	1400	0.00	0	0.00	0.07	0	2800	100	1.2	9	0.10	0.01	0.05	7.67	95	0.01	0.01	100	58	0	0	58	1400	9
10	1400	0.00	0	0.00	0.07	0	2800	100	0.0	0	0.00	0.00	0.05	7.62	95	0.00	0.01	100	61	0	0	61	1400	10
11	1400	0.08	0	0.00	0.07	0	2800	100	1.2	9	0.10	0.01	0.05	7.57	95	0.01	0.01	100	57	0	0	58	1400	11
12	1400	0.00	0	0.00	0.07	0	2800	100	0.0	0	0.00	0.00	0.05	7.52	95	0.00	0.01	100	49	0	0	49	1400	12
13	1400	0.00	0	0.00	0.07	0	2800	100	0.0	0	0.00	0.00	0.05	7.47	95	0.00	0.01	100	39	0	0	39	1400	13
14	1400	0.00	0	0.00	0.07	0	2800	100	0.0	0	0.00	0.00	0.05	7.42	95	0.00	0.00	100	28	0	0	29	1400	14
15	1400	0.00	0	0.00	0.07	0	2800	100	0.0	0	0.00	0.00	0.05	7.37	95	0.00	0.00	100	18	0	0	18	1400	15
16	1400	0.00	0	0.00	0.07	0	2800	100	0.0	0	0.00	0.00	0.05	7.32	95	0.00	0.00	100	10	0	0	11	1400	16
17	1400	0.06	0	0.00	0.08	0	2800	100	0.5	5	0.04	0.00	0.05	7.27	95	0.00	0.00	100	6	0	0	6	1400	17
18	1400	0.13	0	0.00	0.08	0	2800	100	0.0	0	0.00	0.00	0.05	7.23	95	0.00	0.00	100	4	0	0	4	1400	18
19	1400	0.37	0	0.00	0.08	0	2800	100	0.0	0	0.00	0.00	0.05	7.19	95	0.00	0.00	100	3	0	0	4	1400	19
20	1400	0.21	0	0.00	0.08	0	2800	100	0.0	0	0.00	0.00	0.05	7.16	95	0.00	0.00	100	3	0	0	3	1400	20
21	1400	0.14	0	0.00	0.08	0	2800	100	0.5	5	0.04	0.00	0.05	7.13	95	0.00	0.00	100	2	0	0	3	1400	21
22	1400	0.00	0	0.00	0.09	0	2800	100	1.2	9	0.09	0.01	0.05	7.09	95	0.01	0.00	100	4	0	0	4	1400	22
23	1400	0.00	0	0.00	0.10	0	2800	100	1.7	13	0.13	0.02	0.05	7.04	95	0.02	0.01	100	11	0	0	11	1400	23
24	1400	0.00	13	0.00	0.17	0	2800	100	2.8	28	0.23	0.06	0.05	6.99	95	0.06	0.02	100	33	0	0	33	1400	24
25	1400	0.00	9	0.00	0.21	0	2800	100	2.5	23	0.20	0.05	0.05	6.94	95	0.04	0.02	100	79	0	0	79	1400	25
26	1400	0.00	41	0.00	0.42	0	2800	100	4.4	64	0.35	0.22	0.05	6.89	95	0.21	0.06	100	164	0	0	165	1400	26
27	1400	0.00	56	0.00	0.73	1	2800	100	5.2	78	0.42	0.33	0.05	6.85	95	0.31	0.12	100	338	1	0	340	1400	27
28	1400	0.46	13	0.06	0.79	1	2800	100	2.8	28	0.23	0.13	0.05	6.82	95	0.12	0.12	99	605	3	0	609	1400	28
29	1400	0.01	41	0.06	1.00	1	2800	100	4.4	64	0.35	0.23	0.05	6.81	95	0.22	0.14	99	856	4	0	861	1400	29
30	1400	0.10	64	0.12	1.38	1	2800	100	5.8	85	0.46	0.46	0.05	6.77	95	0.43	0.20	99	1041	7	0	1049	1400	30
31	1400	0.29	28	0.20	1.52	2	2800	100	3.8	48	0.30	0.23	0.05	6.75	95	0.22	0.20	99	1236	11	0	1248	1400	31

FORM 1311-3

PRINTED IN U.S.A.

DATA FILE 11 - ACRES RECONSTITUTION
OF 1972 FLOOD, SSARR MODEL OUTPUT

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7//2 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	23	0.26	1.62	2	2800	100	3.5	41	0.28	0.18	0.05	6.73	95	0.17	0.20	99	1413	12	0	1427	1400	1
2	1400	0.41	0	0.26	1.62	2	2800	100	0.5	5	0.04	0.00	0.06	6.71	95	0.00	0.16	99	1435	10	0	1446	1400	2
3	1400	0.01	13	0.27	1.69	2	2800	100	2.8	28	0.23	0.07	0.06	6.69	95	0.06	0.14	99	1258	5	0	1264	1400	3
4	1400	0.00	23	0.27	1.79	2	2800	100	3.5	41	0.28	0.11	0.06	6.63	95	0.11	0.13	99	982	3	0	986	1400	4
5	1400	0.00	23	0.27	1.90	2	2800	100	3.5	41	0.28	0.11	0.06	6.58	95	0.11	0.12	99	756	3	0	760	1400	5
6	1400	0.30	0	0.27	1.91	2	2800	100	1.2	9	0.09	0.01	0.06	6.52	95	0.01	0.10	99	626	3	0	629	1400	6
7	1400	0.00	41	0.27	2.12	2	2800	100	4.4	64	0.35	0.22	0.06	6.49	95	0.21	0.12	100	557	2	0	560	1400	7
8	1400	0.00	48	0.27	2.37	2	2800	100	4.7	71	0.38	0.27	0.06	6.44	95	0.25	0.15	99	575	4	0	580	1400	8
9	1400	0.00	56	0.27	2.68	3	2800	100	5.2	78	0.42	0.33	0.06	6.39	95	0.31	0.19	99	729	7	0	737	1400	9
10	1400	0.00	48	0.27	2.94	3	2800	100	4.7	71	0.38	0.27	0.06	6.35	95	0.25	0.20	99	978	11	0	990	1400	10
11	1400	0.00	92	0.27	3.68	4	2800	100	9.9	98	0.79	0.78	0.06	6.30	95	0.74	0.32	99	1288	16	0	1306	1400	11
12	1400	0.00	95	0.27	4.50	5	2800	100	10.8	99	0.87	0.86	0.06	6.28	95	0.82	0.42	98	1762	34	1	1798	1400	12
13	1400	0.00	71	0.27	4.94	5	2800	100	6.6	88	0.52	0.46	0.06	6.26	95	0.44	0.43	98	2404	53	1	2459	1400	13
14	1400	0.07	85	0.32	5.52	6	2800	100	8.1	95	0.65	0.68	0.06	6.22	95	0.64	0.47	98	2952	61	1	3016	1400	14
15	1400	0.00	88	0.32	6.19	6	2800	100	9.0	97	0.72	0.70	0.06	6.20	95	0.66	0.51	98	3259	71	1	3333	1400	15
16	1400	0.83	48	0.70	6.44	7	2800	100	4.7	71	0.38	0.67	0.06	6.18	95	0.64	0.54	97	3427	83	1	3513	1400	16
17	1400	0.00	41	0.70	6.65	7	2800	100	4.4	64	0.35	0.22	0.06	6.20	95	0.21	0.47	97	3485	82	1	3570	1400	17
18	1400	0.00	48	0.70	6.91	7	2800	100	4.7	71	0.38	0.27	0.06	6.15	95	0.25	0.42	98	3303	59	0	3365	1400	18
19	1400	0.00	41	0.70	7.12	7	2800	100	4.4	64	0.35	0.22	0.06	6.10	95	0.21	0.38	98	2870	41	0	2913	1400	19
20	1400	0.03	78	0.73	7.63	8	2800	100	7.3	92	0.59	0.56	0.06	6.05	95	0.53	0.41	98	2406	36	0	2444	1400	20
21	1400	0.03	48	0.74	7.89	8	2800	100	4.7	71	0.38	0.28	0.06	6.02	95	0.27	0.38	98	2138	42	0	2182	1400	21
22	1400	0.24	64	0.88	8.26	8	2800	100	5.8	85	0.46	0.55	0.06	5.98	95	0.52	0.41	98	2082	43	0	2127	1400	22
23	1400	0.00	34	0.88	8.43	9	2800	100	4.1	56	0.33	0.18	0.06	5.97	95	0.17	0.36	98	2113	44	0	2158	1400	23
24	1400	0.00	64	0.88	8.89	9	2800	100	5.8	85	0.46	0.39	0.06	5.92	95	0.37	0.36	98	2107	36	0	2144	1400	24
25	1400	0.00	78	0.88	9.32	9	2800	100	7.3	92	0.59	0.54	0.06	5.88	95	0.51	0.39	98	2067	37	0	2106	1400	25
26	1400	0.00	88	0.88	9.98	10	2800	100	9.0	97	0.72	0.70	0.06	5.84	95	0.66	0.45	98	2141	48	1	2191	1400	26
27	1400	0.00	71	0.88	10.42	11	2800	100	6.6	88	0.52	0.46	0.06	5.82	95	0.44	0.45	98	2386	61	1	2450	1400	27
28	1400	0.00	71	0.88	10.86	11	2800	100	6.6	88	0.52	0.46	0.06	5.78	95	0.44	0.45	98	2647	62	1	2711	1400	28
29	1400	0.00	71	0.88	11.30	11	2800	100	6.6	88	0.52	0.46	0.06	5.74	95	0.44	0.45	98	2767	59	1	2828	1400	29
30	1400	0.00	56	0.88	11.61	12	2800	100	5.2	78	0.42	0.33	0.06	5.71	95	0.31	0.42	98	2739	55	0	2796	1400	30

FORM 2413-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.07 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%FA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																								JUL 1972
1	1400	0.00	85	0.88	12.20	12	2800	100	8.1	95	0.65	0.62	0.06	5.66	95	0.59	0.45	98	2640	52	1	2693	1400	1
2	1400	0.00	95	0.86	13.01	13	2800	100	10.8	99	0.87	0.86	0.07	5.63	95	0.82	0.53	98	2638	64	1	2705	1400	2
3	1400	0.00	100	0.88	14.14	14	2800	100	14.8	100	1.18	1.18	0.07	5.61	95	1.12	0.66	97	2938	96	2	3038	1400	3
4	1400	0.00	100	0.88	15.49	16	2800	100	17.8	100	1.42	1.42	0.07	5.60	95	1.35	0.81	97	3626	149	4	3780	1400	4
5	1400	0.00	100	0.88	16.92	17	2800	100	18.8	100	1.50	1.50	0.07	5.60	95	1.43	0.94	96	4608	220	6	4835	1400	5
6	1400	0.00	100	0.88	18.42	19	2800	100	19.8	100	1.58	1.58	0.07	5.60	95	1.50	1.06	95	5679	296	7	5983	1400	6
7	1400	0.00	100	0.88	19.92	20	2800	100	19.8	100	1.58	1.58	0.07	5.61	95	1.50	1.16	95	6635	366	8	7010	1400	7
8	1400	0.00	100	0.88	21.27	21	2800	100	17.8	100	1.42	1.42	0.07	5.62	95	1.35	1.20	95	7347	405	8	7762	1400	8
9	1400	0.00	99	0.88	22.32	23	2800	100	13.8	100	1.10	1.10	0.07	5.62	95	1.05	1.17	95	7707	394	7	8109	1400	9
10	1400	0.00	98	0.88	23.29	24	2800	100	12.8	100	1.02	1.02	0.07	5.60	95	0.97	1.12	95	7639	346	6	7991	1400	10
11	1400	0.15	98	1.02	24.26	25	2800	100	12.8	100	1.02	1.17	0.07	5.58	95	1.11	1.12	95	7241	311	6	7560	1400	11
12	1400	0.01	100	1.03	25.77	26	2800	100	19.8	100	1.58	1.59	0.07	5.59	95	1.51	1.20	95	6841	327	7	7177	1400	12
13	1400	0.01	100	1.04	26.97	27	2800	100	15.8	100	1.26	1.27	0.07	5.60	95	1.21	1.21	95	6732	372	7	7113	1400	13
14	1400	0.14	95	1.17	27.78	28	2800	100	10.8	99	0.87	0.99	0.07	5.59	95	0.94	1.15	95	6818	363	6	7188	1400	14
15	1400	0.00	85	1.17	28.37	29	2800	100	8.1	95	0.65	0.62	0.07	5.58	95	0.59	1.03	95	6720	303	4	7028	1400	15
16	1400	0.07	71	1.22	28.81	29	2800	100	6.6	88	0.52	0.51	0.07	5.55	95	0.49	0.91	95	6204	226	3	6434	1400	16
17	1400	0.00	78	1.22	29.32	30	2800	100	7.3	92	0.59	0.54	0.07	5.51	95	0.51	0.83	95	5371	172	2	5547	1400	17
18	1400	0.00	71	1.22	29.76	30	2800	100	6.6	88	0.52	0.46	0.07	5.46	95	0.44	0.74	96	4499	143	2	4645	1400	18
19	1400	0.24	56	1.35	30.07	30	2800	100	5.2	78	0.42	0.46	0.07	5.42	95	0.44	0.68	96	3785	120	2	3908	1400	19
20	1400	0.02	92	1.36	30.81	31	2800	100	9.9	98	0.79	0.80	0.07	5.39	95	0.76	0.70	97	3316	111	2	3431	1400	20
21	1400	0.00	85	1.36	31.40	32	2800	100	8.1	95	0.65	0.62	0.07	5.37	95	0.59	0.67	97	3151	123	2	3278	1400	21
22	1400	0.00	97	1.36	32.30	33	2800	100	11.8	100	0.94	0.94	0.07	5.33	95	0.90	0.72	97	3256	132	3	3392	1400	22
23	1400	0.00	100	1.36	33.49	34	2800	100	15.8	100	1.26	1.26	0.07	5.30	95	1.20	0.82	96	3592	162	4	3760	1400	23
24	1400	0.82	92	2.08	34.23	35	2800	100	9.9	98	0.79	1.53	0.07	5.30	95	1.45	0.96	96	4222	223	6	4452	1400	24
25	1400	0.10	97	2.17	35.13	35	2800	100	11.8	100	0.94	1.04	0.07	5.36	95	0.99	0.96	95	5066	283	6	5356	1400	25
26	1400	0.00	95	2.17	35.95	36	2800	100	10.8	99	0.87	0.86	0.07	5.35	95	0.82	0.93	95	5744	284	5	6034	1400	26
27	1400	0.00	97	2.17	36.84	37	2800	100	11.8	100	0.94	0.94	0.07	5.32	95	0.90	0.93	95	5948	258	4	6212	1400	27
28	1400	0.20	88	2.34	37.51	38	2800	100	9.0	97	0.72	0.87	0.07	5.30	95	0.83	0.90	95	5773	242	4	6021	1400	28
29	1400	0.00	97	2.34	38.40	39	2800	100	11.8	100	0.94	0.94	0.07	5.29	95	0.90	0.90	95	5484	234	4	5724	1400	29
30	1400	0.00	95	2.34	39.22	40	2800	100	10.8	99	0.87	0.86	0.07	5.27	95	0.82	0.88	95	5239	230	4	5474	1400	30
31	1400	0.00	99	2.34	40.27	41	2800	100	13.8	100	1.10	1.10	0.07	5.24	95	1.05	0.92	96	5094	230	5	5330	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. 250881 INITIAL DATE, HOUR 1 MAY 1972 1400

JOB DESCRIPTION 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.010 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																							MAY 1972	
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.07	4.00	0	0.00	0.03	0	60	50	10	120	1400	1
2	1400	0.00	0	0.00	0.00	0	2440	100	0.0	0	0.00	0.00	0.09	4.00	32	0.00	0.02	49	59	48	6	115	1400	2
3	1400	0.00	0	0.00	0.00	0	2440	100	0.0	0	0.00	0.00	0.09	3.91	31	0.00	0.02	49	59	40	1	101	1400	3
4	1400	0.00	0	0.00	0.00	0	2440	100	0.0	0	0.00	0.00	0.09	3.82	31	0.00	0.01	49	59	27	0	87	1400	4
5	1400	0.00	50	0.00	0.12	1	2440	98	3.3	53	0.76	0.40	0.09	3.73	30	0.12	0.04	50	59	57	17	134	1400	5
6	1400	0.13	0	0.00	0.12	1	2480	98	0.5	14	0.12	0.02	0.09	3.93	31	0.01	0.03	49	59	177	32	270	1400	6
7	1400	0.05	1	0.00	0.18	1	2482	97	1.8	35	0.50	0.17	0.09	3.87	31	0.05	0.04	49	59	310	16	386	1400	7
8	1400	0.00	16	0.00	0.27	2	2500	95	2.5	42	0.73	0.31	0.09	3.91	31	0.10	0.05	49	60	387	29	477	1400	8
9	1400	0.00	1	0.00	0.33	2	2532	95	1.7	33	0.51	0.17	0.09	4.04	32	0.05	0.05	49	60	463	36	561	1400	9
10	1400	0.00	0	0.00	0.33	2	2551	94	0.4	11	0.11	0.01	0.09	4.07	33	0.00	0.04	48	61	519	20	601	1400	10
11	1400	0.08	1	0.00	0.38	3	2552	94	1.7	32	0.52	0.17	0.09	3.98	32	0.05	0.04	49	62	483	12	559	1400	11
12	1400	0.00	0	0.00	0.39	3	2570	94	0.3	10	0.10	0.01	0.09	4.02	32	0.00	0.04	49	63	398	15	477	1400	12
13	1400	0.00	0	0.00	0.39	3	2571	94	0.0	0	0.00	0.00	0.09	3.94	32	0.00	0.03	49	66	309	3	380	1400	13
14	1400	0.00	0	0.00	0.39	3	2571	94	0.0	0	0.00	0.00	0.09	3.85	31	0.00	0.02	49	69	210	0	280	1400	14
15	1400	0.00	0	0.00	0.39	3	2571	94	0.0	0	0.00	0.00	0.09	3.76	30	0.00	0.02	49	73	118	0	192	1400	15
16	1400	0.00	0	0.00	0.39	3	2571	94	0.0	0	0.00	0.00	0.09	3.67	29	0.00	0.01	49	77	57	0	135	1400	16
17	1400	0.06	0	0.00	0.41	3	2571	93	0.9	23	0.28	0.07	0.09	3.58	29	0.02	0.01	50	82	31	2	117	1400	17
18	1400	0.13	0	0.00	0.41	3	2577	93	0.0	0	0.00	0.00	0.09	3.55	28	0.00	0.01	50	87	36	4	129	1400	18
19	1400	0.37	0	0.00	0.41	3	2577	93	0.3	10	0.10	0.01	0.09	3.48	28	0.00	0.01	50	93	48	1	143	1400	19
20	1400	0.21	0	0.00	0.41	3	2578	93	0.3	9	0.10	0.01	0.09	3.44	28	0.00	0.01	50	99	46	1	147	1400	20
21	1400	0.14	0	0.00	0.43	3	2579	93	0.9	23	0.28	0.06	0.09	3.38	27	0.02	0.01	50	104	42	3	151	1400	21
22	1400	0.00	1	0.00	0.47	3	2585	92	1.6	30	0.51	0.15	0.09	3.36	27	0.04	0.02	50	110	64	10	185	1400	22
23	1400	0.00	16	0.00	0.55	4	2599	91	2.3	37	0.74	0.28	0.09	3.39	27	0.08	0.03	49	115	140	22	279	1400	23
24	1400	0.00	45	0.00	0.75	5	2624	88	3.7	61	1.19	0.72	0.09	3.53	28	0.20	0.07	49	120	321	52	494	1400	24
25	1400	0.00	37	0.00	0.90	6	2692	85	3.1	49	0.98	0.48	0.09	4.03	32	0.15	0.10	48	125	641	81	849	1400	25
26	1400	0.00	84	0.00	1.49	10	2744	77	6.8	78	2.18	1.71	0.09	4.32	35	0.59	0.24	47	129	1157	179	1467	1400	26
27	1400	0.00	90	0.00	2.29	15	2910	68	8.2	73	2.62	1.90	0.09	5.69	42	0.80	0.44	42	134	2132	490	2757	1400	27
28	1400	0.46	45	0.10	2.42	16	3174	66	2.2	38	0.71	0.48	0.09	7.22	46	0.22	0.41	31	139	3475	567	4183	1400	28
29	1400	0.01	84	0.10	2.93	20	3228	61	5.7	60	1.84	1.11	0.09	7.52	47	0.52	0.50	32	146	4448	395	4991	1400	29
30	1400	0.10	93	0.15	3.69	25	3454	54	8.2	58	2.62	1.61	0.09	8.39	50	0.80	0.70	29	156	4985	772	5914	1400	30
31	1400	0.29	70	0.26	3.93	26	3707	52	3.4	41	1.09	0.65	0.09	9.76	54	0.35	0.67	25	168	5624	943	6737	1400	31

FORM 1413-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.O., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	61	0.35	4.08	27	3785	51	2.5	36	0.79	0.46	0.09	10.20	55	0.25	0.62	26	186	6015	476	6678	1400	1
2	1400	0.41	0	0.35	4.08	27	3836	51	0.0	0	0.00	0.00	0.09	10.48	56	0.00	0.48	27	208	5482	206	5896	1400	2
3	1400	0.01	45	0.35	4.13	28	3836	51	1.2	21	0.39	0.08	0.09	10.44	56	0.05	0.40	29	236	4143	45	4425	1400	3
4	1400	0.00	61	0.35	4.27	28	3851	49	2.4	34	0.76	0.26	0.09	10.42	55	0.14	0.38	32	269	2708	52	3031	1400	4
5	1400	0.00	61	0.35	4.41	29	3898	48	2.3	33	0.74	0.24	0.09	10.57	56	0.14	0.36	33	307	1812	93	2213	1400	5
6	1400	0.30	1	0.36	4.41	29	3942	48	0.0	0	0.00	0.00	0.09	10.70	56	0.00	0.28	34	350	1452	67	1871	1400	6
7	1400	0.00	84	0.36	4.76	32	3942	45	4.7	42	1.50	0.62	0.09	10.65	56	0.35	0.39	39	397	1333	112	1843	1400	7
8	1400	0.00	87	0.36	5.16	34	4051	42	5.4	40	1.74	0.69	0.09	11.16	58	0.40	0.51	33	447	1572	329	2350	1400	8
9	1400	0.00	90	0.36	5.60	37	4169	39	6.2	38	1.97	0.75	0.09	11.77	59	0.44	0.64	29	499	2336	515	3351	1400	9
10	1400	0.00	87	0.36	5.93	40	4283	37	5.0	33	1.61	0.54	0.09	12.46	62	0.34	0.70	26	552	3289	581	4423	1400	10
11	1400	0.00	98	0.36	6.79	45	4352	32	11.7	36	3.74	1.33	0.09	12.92	65	0.86	1.13	25	605	4142	1341	6089	1400	11
12	1400	0.00	98	0.36	7.64	51	4529	27	12.0	31	3.85	1.18	0.09	14.31	72	0.85	1.56	18	658	5118	3253	9031	1400	12
13	1400	0.00	95	0.36	8.02	53	4704	25	6.5	25	2.08	0.51	0.09	15.46	75	0.38	1.55	13	712	6157	3279	10149	1400	13
14	1400	0.07	97	0.41	8.47	56	4783	22	8.1	23	2.58	0.66	0.09	15.89	75	0.50	1.66	13	764	6658	1854	9278	1400	14
15	1400	0.00	98	0.41	8.90	59	4875	20	8.7	21	2.77	0.57	0.09	16.49	75	0.43	1.77	12	817	6500	1917	9235	1400	15
16	1400	0.83	87	0.95	9.00	60	4960	20	2.9	14	0.93	0.86	0.09	17.13	75	0.64	1.62	11	868	6250	1858	8977	1400	16
17	1400	0.00	84	0.95	9.06	60	4971	19	2.0	13	0.65	0.08	0.09	17.46	75	0.06	1.34	13	919	6160	1218	8299	1400	17
18	1400	0.00	87	0.95	9.16	61	4978	19	2.8	14	0.90	0.13	0.09	17.48	75	0.09	1.16	16	969	5635	303	6909	1400	18
19	1400	0.00	84	0.95	9.22	61	4989	19	2.0	12	0.63	0.08	0.09	17.55	75	0.06	0.98	18	1018	4351	116	5486	1400	19
20	1400	0.03	96	0.97	9.47	63	4996	18	6.3	17	2.01	0.36	0.09	17.56	75	0.27	1.07	20	1064	3027	255	4348	1400	20
21	1400	0.03	87	0.99	9.55	64	5061	18	2.6	13	0.84	0.13	0.09	17.95	75	0.10	0.94	19	1109	2332	417	3859	1400	21
22	1400	0.24	93	1.16	9.70	65	5084	17	4.2	15	1.35	0.42	0.09	18.02	75	0.32	0.96	21	1150	2207	329	3688	1400	22
23	1400	0.00	78	1.16	9.72	65	5127	17	1.1	8	0.36	0.03	0.09	18.31	75	0.02	0.78	21	1189	2302	351	3843	1400	23
24	1400	0.00	93	1.16	9.86	66	5132	17	4.2	14	1.33	0.19	0.09	18.26	75	0.14	0.80	24	1223	2257	146	3627	1400	24
25	1400	0.00	96	1.16	10.07	67	5173	16	6.0	15	1.91	0.28	0.09	18.45	75	0.21	0.91	24	1254	2035	262	3552	1400	25
26	1400	0.00	98	1.16	10.34	69	5232	15	7.8	15	2.49	0.36	0.09	18.80	75	0.27	1.10	22	1280	1978	523	3783	1400	26
27	1400	0.00	95	1.16	10.49	70	5309	15	4.8	13	1.54	0.19	0.09	19.30	75	0.15	1.08	19	1302	2173	596	4072	1400	27
28	1400	0.00	95	1.16	10.63	71	5350	14	4.7	12	1.52	0.18	0.09	19.55	75	0.14	1.05	19	1319	2328	334	3983	1400	28
29	1400	0.00	95	1.16	10.76	72	5389	14	4.7	12	1.49	0.18	0.09	19.78	75	0.13	1.03	19	1332	2271	257	3861	1400	29
30	1400	0.00	90	1.16	10.82	72	5426	14	2.8	10	0.91	0.09	0.09	20.01	75	0.07	0.91	20	1341	2062	193	3598	1400	30

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

FORM 1417-4 PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE	RUN NO.	INITIAL DATE, HOUR	JOB DESCRIPTION
	250881	1 MAY 1972 1400	0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																								JUL 1972
1	1400	0.00	97	1.16	11.01	73	5445	13	6.5	12	2.07	0.25	0.09	20.08	75	0.18	1.02	21	1346	1824	214	3385	1400	1
2	1400	0.00	98	1.16	11.27	75	5497	12	9.2	12	2.96	0.35	0.10	20.46	75	0.26	1.27	20	1346	1742	579	3668	1400	2
3	1400	0.00	99	1.16	11.63	78	5571	11	12.5	12	4.01	0.48	0.10	21.08	75	0.36	1.70	17	1343	1956	1332	4633	1400	3
4	1400	0.00	100	1.16	12.02	80	5673	10	15.1	11	4.83	0.52	0.10	22.07	75	0.39	2.20	12	1337	2352	2463	6153	1400	4
5	1400	0.00	100	1.16	12.38	83	5783	9	15.6	10	4.99	0.48	0.10	23.31	75	0.36	2.62	7	1327	2688	3306	7322	1400	5
6	1400	0.00	100	1.16	12.70	85	5884	7	16.1	8	5.17	0.43	0.10	24.60	75	0.32	2.99	6	1315	2813	3467	7596	1400	6
7	1400	0.00	100	1.16	12.98	87	5976	7	15.7	7	5.04	0.37	0.10	25.95	75	0.28	3.25	4	1300	2733	3268	7302	1400	7
8	1400	0.00	100	1.16	13.18	88	6145	6	13.4	6	4.29	0.27	0.10	27.24	75	0.21	3.30	4	1283	2528	2678	6490	1400	8
9	1400	0.00	99	1.16	13.31	89	6301	6	9.2	5	2.96	0.16	0.10	28.30	75	0.12	3.07	4	1264	2270	1688	5224	1400	9
10	1400	0.00	99	1.16	13.40	89	6393	5	8.2	5	2.62	0.13	0.10	28.94	75	0.09	2.80	4	1244	1995	814	4054	1400	10
11	1400	0.15	99	1.27	13.49	90	6464	5	8.1	4	2.59	0.26	0.10	29.44	75	0.20	2.60	5	1222	1777	696	3697	1400	11
12	1400	0.01	100	1.28	13.65	91	6530	4	14.1	5	4.52	0.23	0.10	29.99	75	0.17	2.84	6	1199	1713	1141	4054	1400	12
13	1400	0.01	99	1.28	13.74	92	6653	4	9.5	4	3.04	0.14	0.10	31.11	75	0.10	2.73	5	1175	1716	1217	4110	1400	13
14	1400	0.14	98	1.39	13.78	92	6725	4	5.4	3	1.72	0.19	0.10	31.79	75	0.14	2.37	5	1150	1664	692	3508	1400	14
15	1400	0.00	97	1.39	13.80	92	6753	4	2.9	2	0.92	0.02	0.10	32.06	75	0.02	1.95	7	1124	1571	353	3049	1400	15
16	1400	0.07	95	1.44	13.80	92	6765	4	1.3	1	0.41	0.07	0.10	32.09	75	0.05	1.57	9	1097	1401	94	2592	1400	16
17	1400	0.00	96	1.44	13.81	92	6768	4	2.1	2	0.68	0.01	0.10	32.06	75	0.01	1.28	13	1069	1126	43	2239	1400	17
18	1400	0.00	95	1.44	13.82	92	6775	4	1.3	1	0.40	0.01	0.10	32.03	75	0.00	1.03	17	1040	823	14	1879	1400	18
19	1400	0.24	90	1.60	13.82	92	6778	4	0.0	0	0.00	0.22	0.10	31.97	75	0.16	0.84	20	1010	632	41	1685	1400	19
20	1400	0.02	98	1.62	13.84	92	6778	4	4.3	3	1.36	0.05	0.10	31.96	75	0.04	0.81	23	980	697	88	1767	1400	20
21	1400	0.00	97	1.62	13.85	92	6798	4	2.6	2	0.84	0.02	0.10	32.09	75	0.01	0.71	23	950	853	55	1859	1400	21
22	1400	0.00	99	1.62	13.89	93	6808	4	5.7	3	1.81	0.05	0.10	32.11	75	0.04	0.78	25	918	820	38	1778	1400	22
23	1400	0.00	99	1.62	13.96	93	6836	3	8.5	3	2.72	0.09	0.10	32.35	75	0.07	1.06	24	887	666	109	1664	1400	23
24	1400	0.82	98	2.22	13.98	93	6889	3	3.7	2	1.17	0.83	0.10	32.94	75	0.62	1.08	19	855	871	597	2324	1400	24
25	1400	0.10	99	2.29	14.01	93	6902	3	5.1	2	1.64	0.14	0.10	33.29	75	0.10	1.05	19	824	1761	939	3526	1400	25
26	1400	0.00	98	2.29	14.03	94	6924	3	4.3	2	1.37	0.03	0.10	33.53	75	0.02	0.97	19	793	2602	319	3715	1400	26
27	1400	0.00	99	2.29	14.05	94	6940	3	4.9	2	1.58	0.03	0.10	33.65	75	0.03	0.94	21	762	2508	75	3347	1400	27
28	1400	0.20	98	2.44	14.06	94	6959	3	2.5	2	0.79	0.21	0.10	33.83	75	0.16	0.84	21	732	1848	96	2677	1400	28
29	1400	0.00	99	2.44	14.09	94	6967	3	4.8	2	1.53	0.03	0.10	33.90	75	0.02	0.83	23	704	1374	132	2211	1400	29
30	1400	0.00	98	2.44	14.10	94	6985	3	3.9	2	1.26	0.02	0.10	34.07	75	0.02	0.78	23	676	1133	55	1866	1400	30
31	1400	0.00	99	2.44	14.14	94	6997	3	5.9	2	1.90	0.05	0.10	34.16	75	0.04	0.88	24	650	885	43	1579	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	4.00	0	0.00	0.03	0	70	10	5	85	1400	1
2	1400	0.00	0	0.00	0.00	0	2370	100	0.0	0	0.00	0.00	0.09	4.00	32	0.00	0.02	57	69	6	0	77	1400	2
3	1400	0.00	0	0.00	0.00	0	2370	100	0.0	0	0.00	0.00	0.09	3.91	31	0.00	0.02	58	69	1	0	71	1400	3
4	1400	0.00	0	0.00	0.00	0	2370	100	0.0	0	0.00	0.00	0.09	3.82	31	0.00	0.01	58	69	0	0	70	1400	4
5	1400	0.00	39	0.00	0.07	1	2370	98	3.2	74	0.32	0.23	0.09	3.73	30	0.07	0.03	59	69	70	11	152	1400	5
6	1400	0.13	0	0.00	0.07	1	2404	98	0.6	21	0.06	0.01	0.09	3.81	30	0.00	0.02	57	69	132	0	203	1400	6
7	1400	0.05	5	0.00	0.10	1	2406	97	1.8	48	0.18	0.09	0.09	3.74	30	0.03	0.02	58	69	63	4	138	1400	7
8	1400	0.00	23	0.00	0.14	2	2419	96	2.4	59	0.25	0.15	0.09	3.72	30	0.04	0.03	58	69	101	7	178	1400	8
9	1400	0.00	5	0.00	0.17	2	2440	95	1.7	46	0.18	0.08	0.09	3.74	30	0.03	0.03	57	69	121	4	195	1400	9
10	1400	0.00	0	0.00	0.17	2	2453	95	0.5	18	0.05	0.01	0.09	3.71	30	0.00	0.02	57	69	70	0	140	1400	10
11	1400	0.08	5	0.00	0.20	2	2454	95	1.7	46	0.18	0.09	0.09	3.63	29	0.03	0.02	58	69	43	4	118	1400	11
12	1400	0.00	0	0.00	0.20	2	2466	94	0.5	17	0.05	0.01	0.09	3.62	29	0.00	0.02	58	70	52	0	123	1400	12
13	1400	0.00	0	0.00	0.20	2	2467	94	0.0	0	0.00	0.00	0.09	3.53	28	0.00	0.01	58	70	15	0	86	1400	13
14	1400	0.00	0	0.00	0.20	2	2467	94	0.0	0	0.00	0.00	0.09	3.44	28	0.00	0.01	59	71	1	0	73	1400	14
15	1400	0.00	0	0.00	0.20	2	2467	94	0.0	0	0.00	0.00	0.09	3.35	27	0.00	0.01	59	72	0	0	72	1400	15
16	1400	0.00	0	0.00	0.20	2	2467	94	0.0	0	0.00	0.00	0.09	3.26	26	0.00	0.01	59	72	0	0	73	1400	16
17	1400	0.06	0	0.00	0.21	2	2467	94	1.0	33	0.11	0.04	0.09	3.17	25	0.01	0.01	59	73	9	1	84	1400	17
18	1400	0.13	0	0.00	0.21	2	2471	94	0.0	0	0.00	0.00	0.09	3.12	25	0.00	0.01	59	73	16	0	90	1400	18
19	1400	0.37	0	0.00	0.21	2	2471	94	0.5	17	0.05	0.01	0.09	3.05	24	0.00	0.01	59	73	5	0	80	1400	19
20	1400	0.21	0	0.00	0.21	2	2472	94	0.5	17	0.05	0.01	0.09	3.01	24	0.00	0.00	59	73	6	0	80	1400	20
21	1400	0.14	0	0.00	0.22	2	2473	94	1.0	33	0.11	0.04	0.09	2.95	24	0.01	0.01	60	72	13	1	87	1400	21
22	1400	0.00	5	0.00	0.24	3	2478	93	1.7	44	0.18	0.08	0.09	2.91	23	0.02	0.01	59	72	34	3	110	1400	22
23	1400	0.00	23	0.00	0.27	3	2487	92	2.3	55	0.25	0.14	0.09	2.89	23	0.03	0.01	59	71	68	5	145	1400	23
24	1400	0.00	62	0.00	0.36	4	2502	90	4.2	80	0.46	0.37	0.09	2.91	23	0.08	0.03	59	70	151	14	237	1400	24
25	1400	0.00	50	0.00	0.42	5	2543	88	3.4	71	0.38	0.27	0.09	3.13	25	0.07	0.04	57	69	241	12	322	1400	25
26	1400	0.00	98	0.00	0.64	7	2576	82	8.5	88	0.95	0.64	0.09	3.27	26	0.22	0.09	56	68	401	39	510	1400	26
27	1400	0.00	99	0.00	0.95	11	2683	76	10.3	82	1.21	0.99	0.09	3.93	31	0.31	0.16	51	68	838	63	971	1400	27
28	1400	0.46	62	0.11	1.06	12	2797	74	3.5	63	0.44	0.57	0.09	4.74	38	0.22	0.18	47	69	1058	48	1176	1400	28
29	1400	0.01	98	0.11	1.37	15	2832	68	7.9	74	1.02	0.76	0.09	5.12	40	0.31	0.24	46	72	1072	69	1213	1400	29
30	1400	0.10	100	0.16	1.79	20	2931	60	10.7	68	1.47	1.10	0.09	5.70	42	0.46	0.34	42	77	1508	152	1738	1400	30
31	1400	0.29	88	0.27	2.00	22	3100	57	5.4	59	0.81	0.73	0.09	6.64	45	0.33	0.37	35	85	1856	112	2054	1400	31

FORM 1512

PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.C., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.169 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	81	0.38	2.17	24	3178	55	4.3	55	0.69	0.61	0.09	7.19	46	0.28	0.39	33	96	1661	95	1853	1400	1
2	1400	0.41	0	0.38	2.17	24	3241	55	0.0	0	0.00	0.00	0.09	7.63	48	0.00	0.30	33	111	1056	2	1170	1400	2
3	1400	0.01	62	0.38	2.26	25	3241	54	2.6	43	0.44	0.19	0.09	7.59	47	0.09	0.27	37	128	340	23	493	1400	3
4	1400	0.00	81	0.38	2.44	27	3273	51	4.1	51	0.72	0.37	0.09	7.69	48	0.18	0.29	39	148	536	44	730	1400	4
5	1400	0.00	81	0.38	2.61	29	3336	49	4.0	49	0.73	0.36	0.09	7.98	49	0.17	0.30	38	170	798	45	1014	1400	5
6	1400	0.30	5	0.39	2.61	29	3399	49	0.0	0	0.00	0.02	0.09	8.27	49	0.01	0.24	37	193	602	3	798	1400	6
7	1400	0.00	98	0.39	2.92	32	3399	44	6.8	49	1.29	0.63	0.09	8.22	49	0.31	0.34	42	216	569	99	885	1400	7
8	1400	0.00	98	0.39	3.27	36	3510	40	7.5	44	1.54	0.68	0.09	8.85	51	0.35	0.45	35	240	1337	148	1726	1400	8
9	1400	0.00	99	0.39	3.65	41	3632	36	8.1	40	1.81	0.72	0.09	9.60	53	0.38	0.58	30	263	1767	213	2244	1400	9
10	1400	0.00	98	0.39	3.98	44	3728	33	6.8	36	1.66	0.60	0.09	10.44	56	0.33	0.67	27	286	1917	195	2400	1400	10
11	1400	0.00	100	0.39	4.66	52	3812	26	13.6	33	3.61	1.18	0.09	11.16	58	0.68	1.09	26	309	2308	920	3538	1400	11
12	1400	0.00	100	0.39	5.40	60	3983	20	14.1	26	4.32	1.13	0.09	12.98	65	0.73	1.66	19	332	3086	1754	5173	1400	12
13	1400	0.00	100	0.39	5.81	65	4267	17	8.6	19	2.88	0.56	0.09	14.92	75	0.42	1.82	13	355	2894	862	4112	1400	13
14	1400	0.07	100	0.44	6.28	70	4367	15	10.5	17	3.65	0.70	0.09	15.66	75	0.52	2.13	12	378	2370	1517	4267	1400	14
15	1400	0.00	100	0.44	6.74	75	4479	12	11.3	15	4.13	0.60	0.09	16.66	75	0.45	2.46	10	401	2170	1596	4169	1400	15
16	1400	0.83	98	1.05	6.92	77	4588	11	5.1	12	1.96	1.05	0.09	17.80	75	0.79	2.41	10	424	2653	1678	4757	1400	16
17	1400	0.00	98	1.05	7.05	78	4630	11	4.0	11	1.58	0.18	0.09	18.51	75	0.13	2.16	10	447	2914	175	3537	1400	17
18	1400	0.00	98	1.05	7.20	80	4662	10	5.0	10	1.97	0.21	0.09	18.84	75	0.15	2.04	10	468	1314	212	1996	1400	18
19	1400	0.00	98	1.05	7.32	81	4699	9	3.9	10	1.57	0.15	0.09	19.28	75	0.11	1.87	10	488	907	123	1520	1400	19
20	1400	0.03	100	1.08	7.56	84	4726	8	8.9	9	3.58	0.35	0.09	19.60	75	0.27	2.14	11	506	915	737	2160	1400	20
21	1400	0.03	98	1.10	7.67	85	4784	7	4.8	8	1.96	0.18	0.09	20.56	75	0.14	2.02	10	522	1039	203	1765	1400	21
22	1400	0.24	100	1.28	7.82	87	4811	6	6.7	7	2.79	0.44	0.09	21.00	75	0.33	2.13	10	535	1148	761	2445	1400	22
23	1400	0.00	95	1.28	7.87	87	4846	6	2.7	6	1.14	0.06	0.09	21.78	75	0.05	1.84	10	545	1166	54	1767	1400	23
24	1400	0.00	100	1.28	8.00	89	4858	5	6.7	6	2.79	0.17	0.09	21.95	75	0.13	1.94	12	553	604	253	1411	1400	24
25	1400	0.00	100	1.28	8.14	90	4888	5	8.5	5	3.58	0.19	0.09	22.63	75	0.14	2.18	11	557	641	405	1605	1400	25
26	1400	0.00	100	1.28	8.28	92	4922	4	10.0	5	4.25	0.19	0.09	23.56	75	0.15	2.52	10	559	635	527	1723	1400	26
27	1400	0.00	100	1.28	8.36	93	4957	3	6.5	4	2.79	0.11	0.09	24.72	75	0.08	2.47	10	558	539	175	1273	1400	27
28	1400	0.00	100	1.28	8.43	94	4976	3	6.2	3	2.68	0.09	0.09	25.39	75	0.07	2.41	10	554	430	137	1123	1400	28
29	1400	0.00	100	1.28	8.49	94	4992	3	6.0	3	2.60	0.08	0.09	26.03	75	0.06	2.34	10	548	366	113	1029	1400	29
30	1400	0.00	99	1.28	8.52	95	5051	3	3.8	3	1.65	0.04	0.09	26.64	75	0.03	2.11	10	540	297	38	877	1400	30

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.438 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																								JUL 1972
1	1400	0.00	100	1.28	8.58	95	5120	2	7.7	2	3.35	0.08	0.09	26.97	75	0.06	2.26	10	530	255	164	951	1400	1
2	1400	0.00	100	1.28	8.66	96	5250	2	10.4	2	4.58	0.10	0.10	27.80	75	0.07	2.63	10	518	282	287	1088	1400	2
3	1400	0.00	100	1.28	8.74	97	5404	1	14.2	2	6.25	0.11	0.10	29.03	75	0.08	3.32	10	504	256	399	1161	1400	3
4	1400	0.00	100	1.28	8.81	98	5575	1	16.9	1	7.49	0.10	0.10	30.87	75	0.07	4.17	10	490	208	391	1089	1400	4
5	1400	0.00	100	1.28	8.87	99	5728	1	17.7	1	7.86	0.07	0.10	33.19	75	0.05	4.87	10	474	155	292	922	1400	5
6	1400	0.00	100	1.28	8.91	99	5840	1	18.5	1	8.25	0.05	0.10	35.57	75	0.04	5.44	10	457	109	213	780	1400	6
7	1400	0.00	100	1.28	8.93	99	5919	0	18.3	0	8.21	0.03	0.10	37.95	75	0.03	5.72	10	439	74	141	655	1400	7
8	1400	0.00	100	1.28	8.95	99	5972	0	16.2	0	7.27	0.02	0.10	40.10	75	0.01	5.59	10	421	49	79	551	1400	8
9	1400	0.00	100	1.28	8.95	99	6004	0	12.2	0	5.46	0.01	0.10	41.69	75	0.01	5.07	10	403	33	36	473	1400	9
10	1400	0.00	100	1.28	8.96	100	6025	0	11.1	0	5.00	0.01	0.10	42.63	75	0.01	4.53	10	385	23	23	433	1400	10
11	1400	0.15	100	1.39	8.96	100	6041	0	11.1	0	4.99	0.16	0.10	43.38	75	0.12	4.08	10	366	130	494	992	1400	11
12	1400	0.01	100	1.40	8.97	100	6053	0	18.1	0	8.12	0.02	0.10	44.09	75	0.01	3.96	10	348	223	82	654	1400	12
13	1400	0.01	100	1.41	8.97	100	6068	0	14.1	0	6.32	0.01	0.10	45.17	75	0.01	3.55	10	330	69	52	452	1400	13
14	1400	0.14	100	1.51	8.97	100	6076	0	9.0	0	4.06	0.14	0.10	45.75	75	0.11	3.04	10	312	152	376	841	1400	14
15	1400	0.00	100	1.51	8.98	100	6080	0	6.0	0	2.71	0.00	0.10	46.04	75	0.00	2.51	10	295	240	9	546	1400	15
16	1400	0.07	100	1.56	8.98	100	6083	0	4.0	0	1.81	0.07	0.10	46.14	75	0.05	2.06	10	278	155	68	503	1400	16
17	1400	0.00	100	1.56	8.98	100	6084	0	5.0	0	2.26	0.00	0.10	46.19	75	0.00	1.71	10	262	190	2	455	1400	17
18	1400	0.00	100	1.56	8.98	100	6085	0	4.0	0	1.81	0.00	0.10	46.23	75	0.00	1.41	13	246	42	0	290	1400	18
19	1400	0.24	99	1.74	8.98	100	6086	0	2.0	0	0.91	0.24	0.10	46.23	75	0.18	1.18	16	231	355	125	712	1400	19
20	1400	0.02	100	1.76	8.98	100	6087	0	8.0	0	3.61	0.02	0.10	46.27	75	0.02	1.05	18	217	656	39	916	1400	20
21	1400	0.00	100	1.76	8.98	100	6089	0	6.0	0	2.71	0.00	0.10	46.37	75	0.00	0.91	19	204	178	1	384	1400	21
22	1400	0.00	100	1.76	8.98	100	6090	0	10.0	0	4.51	0.00	0.10	46.40	75	0.00	0.84	22	191	21	1	215	1400	22
23	1400	0.00	100	1.76	8.98	100	6092	0	14.0	0	6.30	0.00	0.10	46.49	75	0.00	0.81	23	179	3	2	186	1400	23
24	1400	0.82	100	2.37	8.98	100	6094	0	8.0	0	3.60	0.82	0.10	46.62	75	0.62	0.83	23	168	714	1610	2494	1400	24
25	1400	0.10	100	2.45	8.98	100	6095	0	10.0	0	4.50	0.10	0.10	46.69	75	0.08	0.74	23	158	1379	246	1785	1400	25
26	1400	0.00	100	2.45	8.98	100	6096	0	9.0	0	4.05	0.00	0.10	46.94	75	0.00	0.63	25	149	433	5	588	1400	26
27	1400	0.00	100	2.45	8.98	100	6096	0	10.0	0	4.50	0.00	0.10	46.92	75	0.00	0.54	26	141	55	0	198	1400	27
28	1400	0.20	100	2.60	8.98	100	6097	0	7.0	0	3.15	0.20	0.10	46.89	75	0.15	0.49	28	135	208	238	582	1400	28
29	1400	0.00	100	2.60	8.98	100	6098	0	10.0	0	4.50	0.00	0.10	46.91	75	0.00	0.42	29	130	371	5	508	1400	29
30	1400	0.00	100	2.60	8.98	100	6098	0	9.0	0	4.05	0.00	0.10	46.87	75	0.00	0.35	31	126	80	0	208	1400	30
31	1400	0.00	100	2.60	8.98	100	6098	0	12.0	0	5.40	0.00	0.10	46.81	75	0.00	0.31	34	123	6	0	131	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

FORM 2115-S
PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS.

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	4.00	0	0.00	0.03	0	108	10	7	125	1400	1
2	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	4.00	32	0.00	0.02	57	107	6	0	115	1400	2
3	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	3.91	31	0.00	0.02	58	107	1	0	109	1400	3
4	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	3.82	31	0.00	0.01	58	107	0	0	108	1400	4
5	1400	0.00	38	0.00	0.07	1	2350	98	2.8	81	0.28	0.23	0.09	3.73	30	0.07	0.03	59	107	107	17	233	1400	5
6	1400	0.13	0	0.00	0.07	1	2386	98	0.6	21	0.06	0.01	0.09	3.81	30	0.00	0.02	57	107	201	1	311	1400	6
7	1400	0.05	6	0.00	0.10	1	2388	97	1.7	51	0.17	0.09	0.09	3.74	30	0.03	0.02	58	107	97	7	212	1400	7
8	1400	0.00	23	0.00	0.14	2	2401	96	2.2	64	0.23	0.15	0.09	3.72	30	0.04	0.03	58	107	154	11	274	1400	8
9	1400	0.00	6	0.00	0.17	2	2424	95	1.6	49	0.17	0.08	0.09	3.74	30	0.02	0.03	57	107	185	6	300	1400	9
10	1400	0.00	0	0.00	0.17	2	2437	95	0.5	18	0.06	0.01	0.09	3.71	30	0.00	0.02	57	107	106	0	215	1400	10
11	1400	0.08	6	0.00	0.20	2	2439	95	1.6	48	0.17	0.09	0.09	3.63	29	0.03	0.02	58	107	66	6	181	1400	11
12	1400	0.00	0	0.00	0.20	2	2451	95	0.5	17	0.06	0.01	0.09	3.62	29	0.00	0.02	58	107	80	0	188	1400	12
13	1400	0.00	0	0.00	0.20	2	2452	95	0.0	1	0.00	0.00	0.09	3.53	28	0.00	0.01	58	107	23	0	131	1400	13
14	1400	0.00	0	0.00	0.20	2	2452	95	0.0	1	0.00	0.00	0.09	3.44	28	0.00	0.01	59	107	2	0	111	1400	14
15	1400	0.00	0	0.00	0.20	2	2452	95	0.0	0	0.00	0.00	0.09	3.35	27	0.00	0.01	59	108	0	0	108	1400	15
16	1400	0.00	0	0.00	0.20	2	2452	95	0.0	0	0.00	0.00	0.09	3.26	26	0.00	0.01	59	108	0	0	109	1400	16
17	1400	0.06	0	0.00	0.21	2	2452	94	1.0	33	0.11	0.04	0.09	3.17	25	0.01	0.01	59	109	13	2	126	1400	17
18	1400	0.13	0	0.00	0.21	2	2457	94	0.0	0	0.00	0.00	0.09	3.12	25	0.00	0.01	59	109	25	0	135	1400	18
19	1400	0.37	0	0.00	0.21	2	2457	94	0.5	17	0.05	0.01	0.09	3.04	24	0.00	0.01	59	110	8	0	120	1400	19
20	1400	0.21	0	0.00	0.21	2	2458	94	0.5	17	0.05	0.01	0.09	3.01	24	0.00	0.00	59	110	9	0	121	1400	20
21	1400	0.14	0	0.00	0.22	2	2459	94	1.0	33	0.11	0.04	0.09	2.95	24	0.01	0.01	60	110	20	2	133	1400	21
22	1400	0.00	6	0.00	0.24	3	2463	93	1.6	47	0.17	0.08	0.09	2.91	23	0.02	0.01	59	110	52	4	168	1400	22
23	1400	0.00	23	0.00	0.27	3	2473	93	2.1	60	0.23	0.14	0.09	2.88	23	0.03	0.01	59	110	103	8	222	1400	23
24	1400	0.00	67	0.00	0.36	4	2489	90	4.3	83	0.46	0.38	0.09	2.91	23	0.09	0.03	59	110	236	23	370	1400	24
25	1400	0.00	53	0.00	0.43	5	2535	88	3.3	76	0.37	0.28	0.09	3.14	25	0.07	0.04	57	109	382	19	512	1400	25
26	1400	0.00	96	0.00	0.65	7	2571	82	8.8	86	0.99	0.85	0.09	3.29	26	0.22	0.09	56	109	634	62	806	1400	26
27	1400	0.00	96	0.00	0.98	11	2686	75	10.6	82	1.25	1.02	0.09	3.96	32	0.32	0.16	51	108	1323	101	1533	1400	27
28	1400	0.46	67	0.12	1.09	12	2809	73	3.7	66	0.46	0.61	0.09	4.80	38	0.24	0.19	47	108	1706	80	1895	1400	28
29	1400	0.01	96	0.12	1.41	16	2850	67	8.3	71	1.08	0.78	0.09	5.21	41	0.32	0.25	46	108	1750	110	1970	1400	29
30	1400	0.10	98	0.17	1.84	20	2957	59	11.0	67	1.54	1.13	0.09	5.81	42	0.48	0.36	41	109	2419	251	2780	1400	30
31	1400	0.29	90	0.28	2.07	23	3119	56	5.9	56	0.90	0.76	0.09	6.79	45	0.34	0.40	34	111	2992	194	3298	1400	31

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.O., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.173 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	86	0.40	2.26	25	3186	54	4.8	53	0.78	0.66	0.09	7.37	47	0.31	0.41	32	115	2729	174	3019	1400	1
2	1400	0.41	0	0.40	2.26	25	3242	54	0.0	0	0.00	0.00	0.09	7.86	48	0.00	0.32	32	122	1771	3	1898	1400	2
3	1400	0.01	67	0.40	2.37	26	3242	52	2.9	44	0.50	0.23	0.09	7.82	48	0.11	0.30	36	131	595	43	771	1400	3
4	1400	0.00	86	0.40	2.56	28	3274	49	4.6	49	0.83	0.40	0.09	7.96	48	0.19	0.32	37	143	961	81	1186	1400	4
5	1400	0.00	86	0.40	2.75	31	3331	47	4.5	46	0.85	0.39	0.09	8.28	49	0.19	0.34	36	158	1398	87	1645	1400	5
6	1400	0.30	6	0.41	2.75	31	3388	47	0.0	0	0.00	0.02	0.09	8.62	50	0.01	0.27	35	176	1049	5	1232	1400	6
7	1400	0.00	96	0.41	3.08	34	3388	42	7.4	45	1.46	0.66	0.09	8.57	50	0.33	0.38	40	197	969	182	1349	1400	7
8	1400	0.00	96	0.41	3.47	39	3486	38	8.2	42	1.75	0.74	0.09	9.26	52	0.38	0.51	33	220	2274	297	2792	1400	8
9	1400	0.00	96	0.41	3.90	43	3579	34	9.0	38	2.10	0.79	0.09	10.10	55	0.43	0.68	29	245	3048	439	3734	1400	9
10	1400	0.00	96	0.41	4.28	48	3667	30	7.7	34	2.00	0.67	0.09	11.08	57	0.38	0.81	26	272	3352	423	4048	1400	10
11	1400	0.00	100	0.41	5.01	56	3746	23	14.3	30	4.07	1.21	0.09	11.94	60	0.73	1.32	23	300	3859	1955	6116	1400	11
12	1400	0.00	100	0.41	5.74	64	3896	18	14.4	23	4.61	1.05	0.09	13.98	70	0.73	1.93	17	329	4656	3448	8435	1400	12
13	1400	0.00	100	0.41	6.15	68	4024	15	8.8	18	3.06	0.54	0.09	15.68	75	0.40	2.07	11	360	4072	1490	5924	1400	13
14	1400	0.07	100	0.47	6.59	73	4176	13	10.6	15	3.83	0.66	0.09	16.46	75	0.49	2.36	10	391	3346	2449	6188	1400	14
15	1400	0.00	100	0.47	7.00	78	4342	11	11.3	13	4.27	0.55	0.09	17.52	75	0.42	2.68	10	423	2996	2327	5747	1400	15
16	1400	0.83	96	1.07	7.16	80	4499	10	5.1	11	1.99	1.01	0.09	18.71	75	0.76	2.58	10	456	3747	2496	6699	1400	16
17	1400	0.00	96	1.07	7.27	81	4559	9	4.2	8	1.66	0.14	0.09	19.43	75	0.10	2.26	10	489	4158	226	4875	1400	17
18	1400	0.00	96	1.07	7.40	82	4597	9	4.9	9	1.97	0.18	0.09	19.70	75	0.14	2.11	10	522	1746	288	2558	1400	18
19	1400	0.00	96	1.07	7.49	83	4649	8	4.0	7	1.63	0.11	0.09	20.13	75	0.08	1.08	10	554	1163	145	1864	1400	19
20	1400	0.03	100	1.09	7.70	86	4681	7	8.8	8	3.58	0.32	0.09	20.39	75	0.24	2.15	11	586	1155	1020	2763	1400	20
21	1400	0.03	96	1.11	7.78	86	4762	7	3.4	7	1.39	0.13	0.09	21.34	75	0.09	1.92	10	617	1353	155	2127	1400	21
22	1400	0.24	98	1.29	7.84	87	4790	6	3.3	7	1.38	0.33	0.09	21.62	75	0.24	1.78	11	646	1483	399	2530	1400	22
23	1400	0.00	95	1.29	7.87	87	4815	6	2.9	3	1.23	0.03	0.09	21.98	75	0.03	1.49	12	674	1549	39	2264	1400	23
24	1400	0.00	98	1.29	7.93	88	4824	6	3.3	6	1.37	0.08	0.09	22.03	75	0.06	1.40	15	699	625	77	1402	1400	24
25	1400	0.00	100	1.29	8.03	89	4848	5	5.2	6	2.20	0.13	0.09	22.29	75	0.09	1.48	16	721	638	191	1552	1400	25
26	1400	0.00	100	1.29	8.14	90	4883	5	7.2	5	3.04	0.16	0.09	22.79	75	0.12	1.71	15	741	814	368	1925	1400	26
27	1400	0.00	100	1.29	8.20	91	4928	4	4.1	5	1.76	0.08	0.09	23.55	75	0.06	1.64	13	757	790	108	1657	1400	27
28	1400	0.00	100	1.29	8.26	92	4950	4	4.1	4	1.75	0.07	0.09	23.92	75	0.06	1.58	14	771	596	93	1461	1400	28
29	1400	0.00	100	1.29	8.31	92	4971	4	4.1	4	1.74	0.07	0.09	24.29	75	0.05	1.54	14	780	517	85	1383	1400	29
30	1400	0.00	96	1.29	8.33	93	4990	4	2.0	4	0.88	0.03	0.09	24.65	75	0.02	1.35	15	787	411	23	1223	1400	30

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.433 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																								JUL 1972
1	1400	0.00	100	1.29	8.40	93	4999	3	6.0	4	2.60	0.09	0.09	24.78	75	0.07	1.51	17	790	370	168	1330	1400	1
2	1400	0.00	100	1.29	8.49	94	6015	3	9.0	3	3.89	0.12	0.10	25.40	75	0.09	1.91	15	791	533	397	1722	1400	2
3	1400	0.00	100	1.29	8.61	96	6045	2	12.9	3	5.64	0.15	0.10	26.41	75	0.11	2.62	11	788	561	765	2116	1400	3
4	1400	0.00	100	1.29	8.71	97	6080	2	15.9	2	6.97	0.14	0.10	28.05	75	0.11	3.52	10	782	480	840	2103	1400	4
5	1400	0.00	100	1.29	8.79	98	6114	1	16.8	1	7.43	0.11	0.10	30.22	75	0.08	4.33	10	773	370	665	1810	1400	5
6	1400	0.00	100	1.29	8.85	98	6140	1	17.8	1	7.90	0.08	0.10	32.54	75	0.06	5.04	10	763	268	505	1537	1400	6
7	1400	0.00	100	1.29	8.90	99	6159	1	17.7	1	7.91	0.05	0.10	34.97	75	0.04	5.51	10	749	187	345	1283	1400	7
8	1400	0.00	100	1.29	8.92	99	6172	0	15.7	0	7.03	0.03	0.10	37.26	75	0.02	5.55	10	734	127	199	1062	1400	8
9	1400	0.00	100	1.29	8.93	99	6180	0	11.7	0	5.24	0.02	0.10	39.05	75	0.01	5.14	10	717	87	90	896	1400	9
10	1400	0.00	100	1.29	8.94	99	6185	0	10.7	0	4.80	0.01	0.10	40.15	75	0.01	4.69	10	699	63	59	823	1400	10
11	1400	0.15	100	1.40	8.95	99	6188	0	10.7	0	4.80	0.16	0.10	41.06	75	0.12	4.31	10	679	227	754	1662	1400	11
12	1400	0.01	100	1.41	8.96	100	6190	0	17.7	0	7.94	0.02	0.10	41.95	75	0.02	4.40	10	659	369	160	1190	1400	12
13	1400	0.01	100	1.42	8.97	100	6193	0	13.7	0	6.15	0.02	0.10	43.42	75	0.01	4.07	10	637	123	96	857	1400	13
14	1400	0.14	100	1.52	8.97	100	6195	0	8.7	0	3.90	0.14	0.10	44.26	75	0.11	3.53	10	615	250	555	1422	1400	14
15	1400	0.00	100	1.52	8.97	100	6196	0	5.7	0	2.55	0.00	0.10	44.70	75	0.00	2.96	10	593	389	16	999	1400	15
16	1400	0.07	100	1.57	8.97	100	6196	0	3.7	0	1.66	0.07	0.10	44.88	75	0.05	2.44	10	570	249	94	914	1400	16
17	1400	0.00	100	1.57	8.97	100	6196	0	4.7	0	2.10	0.00	0.10	44.98	75	0.00	2.05	10	547	301	4	853	1400	17
18	1400	0.00	100	1.57	8.97	100	6197	0	3.7	0	1.65	0.00	0.10	45.08	75	0.00	1.71	10	524	70	1	596	1400	18
19	1400	0.24	96	1.75	8.97	100	6197	0	1.7	0	0.76	0.23	0.10	45.13	75	0.17	1.42	13	501	553	180	1235	1400	19
20	1400	0.02	100	1.76	8.97	100	6197	0	7.7	0	3.45	0.02	0.10	45.19	75	0.02	1.32	16	478	1024	62	1566	1400	20
21	1400	0.00	100	1.76	8.97	100	6197	0	5.7	0	2.55	0.00	0.10	45.39	75	0.00	1.16	17	456	281	3	741	1400	21
22	1400	0.00	100	1.76	8.98	100	6198	0	9.7	0	4.35	0.00	0.10	45.49	75	0.00	1.12	18	434	36	5	477	1400	22
23	1400	0.00	100	1.76	8.98	100	6198	0	13.7	0	6.15	0.00	0.10	45.71	75	0.00	1.13	19	413	8	9	431	1400	23
24	1400	0.82	100	2.38	8.98	100	6199	0	7.7	0	3.45	0.82	0.10	46.00	75	0.62	1.13	19	392	1134	2704	4231	1400	24
25	1400	0.10	100	2.45	8.98	100	6199	0	9.7	0	4.35	0.10	0.10	46.35	75	0.08	1.03	19	372	2186	410	2969	1400	25
26	1400	0.00	100	2.45	8.98	100	6199	0	8.7	0	3.90	0.00	0.10	46.48	75	0.00	0.90	20	353	687	9	1051	1400	26
27	1400	0.00	100	2.45	8.98	100	6199	0	9.7	0	4.35	0.00	0.10	46.52	75	0.00	0.80	22	334	89	1	426	1400	27
28	1400	0.20	100	2.60	8.98	100	6199	0	6.7	0	3.00	0.20	0.10	46.56	75	0.15	0.71	24	317	338	395	1051	1400	28
29	1400	0.00	100	2.60	8.98	100	6199	0	9.7	0	4.35	0.00	0.10	46.61	75	0.00	0.62	25	301	601	10	913	1400	29
30	1400	0.00	100	2.60	8.98	100	6200	0	8.7	0	3.90	0.00	0.10	46.62	75	0.00	0.54	27	286	131	0	419	1400	30
31	1400	0.00	100	2.60	8.98	100	6200	0	11.7	0	5.25	0.00	0.10	46.59	75	0.00	0.48	28	272	11	1	285	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	8.00	0	0.00	0.03	0	10	10	10	30	1400	1
2	1400	0.00	0	0.00	0.00	0	3150	100	0.0	0	0.00	0.00	0.05	8.00	95	0.00	0.02	100	9	7	2	19	1400	2
3	1400	0.00	0	0.00	0.00	0	3150	100	0.0	0	0.00	0.00	0.05	7.95	95	0.00	0.02	100	7	2	0	9	1400	3
4	1400	0.00	0	0.00	0.00	0	3150	100	0.0	0	0.00	0.00	0.05	7.90	95	0.00	0.01	100	4	0	0	5	1400	4
5	1400	0.00	8	0.00	0.05	0	3150	100	2.4	19	0.28	0.05	0.05	7.85	95	0.05	0.02	100	6	0	0	7	1400	5
6	1400	0.13	0	0.00	0.05	0	3150	100	0.4	3	0.04	0.00	0.05	7.80	95	0.00	0.02	100	14	0	0	15	1400	6
7	1400	0.05	0	0.00	0.07	0	3150	100	1.4	11	0.17	0.02	0.05	7.76	95	0.02	0.02	100	18	0	0	19	1400	7
8	1400	0.00	3	0.00	0.10	0	3150	100	1.9	15	0.23	0.03	0.05	7.72	95	0.03	0.02	100	20	0	0	20	1400	8
9	1400	0.00	0	0.00	0.12	0	3150	100	1.4	11	0.17	0.02	0.05	7.67	95	0.02	0.02	100	23	0	0	23	1400	9
10	1400	0.00	0	0.00	0.12	0	3150	100	0.4	3	0.04	0.00	0.05	7.62	95	0.00	0.02	100	23	0	0	23	1400	10
11	1400	0.08	0	0.00	0.14	0	3150	100	1.4	11	0.17	0.02	0.05	7.57	95	0.02	0.02	100	19	0	0	20	1400	11
12	1400	0.00	0	0.00	0.14	0	3150	100	0.4	3	0.04	0.00	0.05	7.53	95	0.00	0.01	100	16	0	0	16	1400	12
13	1400	0.00	0	0.00	0.14	0	3150	100	0.0	0	0.00	0.00	0.05	7.48	95	0.00	0.01	100	12	0	0	12	1400	13
14	1400	0.00	0	0.00	0.14	0	3150	100	0.0	0	0.00	0.00	0.05	7.43	95	0.00	0.01	100	7	0	0	8	1400	14
15	1400	0.00	0	0.00	0.14	0	3150	100	0.0	0	0.00	0.00	0.05	7.38	95	0.00	0.01	100	4	0	0	4	1400	15
16	1400	0.00	0	0.00	0.14	0	3150	100	0.0	0	0.00	0.00	0.05	7.33	95	0.00	0.01	100	2	0	0	2	1400	16
17	1400	0.06	0	0.00	0.15	0	3150	100	0.9	7	0.11	0.01	0.05	7.28	95	0.01	0.01	100	1	0	0	2	1400	17
18	1400	0.13	0	0.00	0.15	0	3150	100	0.0	0	0.00	0.00	0.05	7.23	95	0.00	0.00	100	2	0	0	2	1400	18
19	1400	0.37	0	0.00	0.15	0	3150	100	0.4	3	0.04	0.00	0.05	7.19	95	0.00	0.00	100	2	0	0	3	1400	19
20	1400	0.21	0	0.00	0.15	0	3150	100	0.4	3	0.04	0.00	0.05	7.17	95	0.00	0.00	100	2	0	0	2	1400	20
21	1400	0.14	0	0.00	0.16	0	3150	100	0.9	7	0.11	0.01	0.05	7.13	95	0.01	0.00	100	2	0	0	2	1400	21
22	1400	0.00	0	0.00	0.18	0	3150	100	1.4	11	0.17	0.02	0.05	7.09	95	0.02	0.01	100	4	0	0	5	1400	22
23	1400	0.00	3	0.00	0.21	0	3150	100	1.9	15	0.23	0.04	0.05	7.04	95	0.03	0.01	100	10	0	0	11	1400	23
24	1400	0.00	16	0.00	0.31	0	3150	100	2.4	36	0.29	0.11	0.05	6.99	95	0.10	0.03	100	25	0	0	25	1400	24
25	1400	0.00	12	0.00	0.39	0	3150	100	3.0	24	0.35	0.08	0.05	6.95	95	0.08	0.04	100	49	0	0	50	1400	25
26	1400	0.00	66	0.00	0.86	1	3150	100	4.5	92	0.54	0.50	0.05	6.90	95	0.47	0.13	100	105	0	0	106	1400	26
27	1400	0.00	85	0.00	1.58	2	3150	100	6.4	98	0.77	0.75	0.05	6.88	95	0.71	0.26	99	241	2	0	244	1400	27
28	1400	0.46	16	0.07	1.68	2	3150	100	2.4	36	0.29	0.18	0.05	6.86	95	0.17	0.24	99	388	3	0	393	1400	28
29	1400	0.01	66	0.08	2.15	2	3150	100	4.5	92	0.54	0.51	0.05	6.86	95	0.48	0.29	99	445	4	0	449	1400	29
30	1400	0.10	94	0.16	2.99	3	3150	100	7.4	99	0.89	0.97	0.05	6.83	95	0.92	0.43	99	502	8	0	511	1400	30
31	1400	0.29	38	0.27	3.25	3	3150	100	3.1	74	0.37	0.39	0.05	6.84	95	0.37	0.41	98	600	11	0	612	1400	31

FORM 1-1374
PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. 250881 INITIAL DATE, HOUR 1 MAY 1972 1400 JOB DESCRIPTION 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	25	0.34	3.43	3	3150	100	2.4	64	0.29	0.26	0.05	6.83	95	0.25	0.38	98	613	9	0	623	1400	1
2	1400	0.41	0	0.34	3.43	3	3150	100	0.9	7	0.11	0.01	0.06	6.81	95	0.01	0.30	98	506	5	0	512	1400	2
3	1400	0.01	16	0.34	3.53	4	3150	100	2.4	56	0.29	0.11	0.06	6.78	95	0.10	0.26	99	355	2	0	357	1400	3
4	1400	0.00	25	0.34	3.71	4	3150	100	2.4	64	0.29	0.19	0.06	6.73	95	0.18	0.24	99	242	1	0	245	1400	4
5	1400	0.00	25	0.34	3.89	4	3150	100	2.4	64	0.29	0.19	0.06	6.68	95	0.18	0.23	99	197	2	0	200	1400	5
6	1400	0.30	6	0.34	3.91	4	3150	100	1.4	11	0.17	0.02	0.06	6.63	95	0.02	0.18	99	177	1	0	180	1400	6
7	1400	0.00	66	0.34	4.38	4	3150	100	4.5	92	0.54	0.50	0.06	6.59	95	0.47	0.24	99	180	2	0	183	1400	7
8	1400	0.00	75	0.34	4.97	5	3150	100	5.4	97	0.65	0.62	0.06	6.56	95	0.59	0.32	99	263	5	0	269	1400	8
9	1400	0.00	85	0.34	5.69	6	3150	100	6.4	98	0.77	0.75	0.06	6.53	95	0.71	0.40	98	415	8	0	425	1400	9
10	1400	0.00	75	0.34	6.28	6	3150	100	5.4	97	0.65	0.62	0.06	6.51	95	0.59	0.44	98	559	12	0	572	1400	10
11	1400	0.00	100	0.34	7.72	8	3150	100	12.6	100	1.51	1.51	0.06	6.48	95	1.44	0.66	98	717	20	0	738	1400	11
12	1400	0.00	100	0.34	9.27	9	3150	100	13.7	100	1.64	1.64	0.06	6.49	95	1.56	0.85	97	975	38	1	1015	1400	12
13	1400	0.00	97	0.34	10.23	10	3150	100	8.4	100	1.01	1.01	0.06	6.52	95	0.96	0.87	96	1224	49	1	1274	1400	13
14	1400	0.07	99	0.41	11.43	12	3150	100	10.5	100	1.26	1.33	0.06	6.51	95	1.26	0.96	96	1324	53	1	1379	1400	14
15	1400	0.00	100	0.41	12.74	13	3150	100	11.6	100	1.39	1.39	0.06	6.52	95	1.32	1.03	95	1354	63	1	1419	1400	15
16	1400	0.83	75	1.00	13.34	13	3150	100	5.4	97	0.65	1.25	0.06	6.53	95	1.19	1.07	95	1382	68	1	1453	1400	16
17	1400	0.00	66	1.00	13.81	14	3150	100	4.5	92	0.54	0.50	0.06	6.57	95	0.47	0.94	95	1327	56	0	1385	1400	17
18	1400	0.00	75	1.00	14.41	15	3150	100	5.4	97	0.65	0.62	0.06	6.54	95	0.59	0.87	95	1144	38	0	1183	1400	18
19	1400	0.00	66	1.00	14.88	15	3150	100	4.5	92	0.54	0.50	0.06	6.51	95	0.47	0.78	96	931	30	0	963	1400	19
20	1400	0.03	98	1.03	15.96	16	3150	100	9.5	100	1.14	1.16	0.06	6.47	95	1.11	0.85	96	821	33	0	856	1400	20
21	1400	0.03	75	1.05	16.55	17	3150	100	5.4	97	0.65	0.65	0.06	6.47	95	0.62	0.80	96	830	38	0	870	1400	21
22	1400	0.24	94	1.26	17.39	18	3150	100	7.4	99	0.89	1.10	0.06	6.45	95	1.05	0.85	96	875	39	0	916	1400	22
23	1400	0.00	52	1.26	17.75	18	3150	100	3.8	83	0.46	0.38	0.06	6.46	95	0.36	0.75	96	887	36	0	924	1400	23
24	1400	0.00	94	1.26	18.58	19	3150	100	7.4	99	0.89	0.88	0.06	6.42	95	0.84	0.77	96	845	29	0	876	1400	24
25	1400	0.00	98	1.26	19.66	20	3150	100	9.5	100	1.14	1.13	0.06	6.41	95	1.08	0.83	96	844	36	0	882	1400	25
26	1400	0.00	100	1.26	20.98	21	3150	100	11.6	100	1.39	1.39	0.06	6.40	95	1.32	0.94	96	957	49	1	1008	1400	26
27	1400	0.00	97	1.26	21.93	22	3150	100	8.4	100	1.01	1.01	0.06	6.41	95	0.96	0.94	95	1099	55	1	1157	1400	27
28	1400	0.00	97	1.26	22.89	23	3150	100	8.4	100	1.01	1.01	0.06	6.40	95	0.96	0.94	95	1162	53	1	1217	1400	28
29	1400	0.00	97	1.26	23.85	24	3150	100	8.4	100	1.01	1.01	0.06	6.39	95	0.96	0.95	95	1151	52	1	1205	1400	29
30	1400	0.00	85	1.26	24.56	25	3150	100	6.4	98	0.77	0.75	0.06	6.38	95	0.71	0.90	95	1103	48	0	1153	1400	30

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.07 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	GEP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																								JUL 1972
1	1400	0.00	99	1.26	25.76	26	3150	100	10.5	100	1.26	1.26	0.06	6.36	95	1.20	0.96	96	1062	49	1	1113	1400	1
2	1400	0.00	100	1.26	27.31	28	3150	100	13.7	100	1.64	1.64	0.07	6.36	95	1.56	1.09	95	1126	64	1	1193	1400	2
3	1400	0.00	100	1.26	29.35	30	3150	100	17.9	100	2.14	2.14	0.07	6.37	95	2.03	1.29	95	1342	89	2	1434	1400	3
4	1400	0.00	100	1.26	31.74	32	3150	100	21.0	100	2.52	2.52	0.07	6.41	95	2.39	1.53	95	1674	115	2	1793	1400	4
5	1400	0.00	100	1.26	34.26	35	3150	100	22.1	100	2.65	2.64	0.07	6.47	95	2.51	1.74	95	2045	134	2	2183	1400	5
6	1400	0.00	100	1.26	36.89	37	3150	100	23.1	100	2.77	2.77	0.07	6.53	95	2.63	1.93	95	2374	144	3	2522	1400	6
7	1400	0.00	100	1.26	39.52	40	3150	100	23.1	100	2.77	2.77	0.07	6.59	95	2.63	2.08	95	2621	150	3	2775	1400	7
8	1400	0.00	100	1.26	41.91	42	3150	100	21.0	100	2.52	2.52	0.07	6.66	95	2.39	2.15	95	2762	148	2	2913	1400	8
9	1400	0.00	100	1.26	43.83	44	3150	100	16.8	100	2.02	2.02	0.07	6.72	95	1.92	2.10	95	2753	133	2	2890	1400	9
10	1400	0.00	100	1.26	45.62	46	3150	100	15.8	100	1.89	1.89	0.07	6.75	95	1.80	2.03	95	2597	116	2	2716	1400	10
11	1400	0.15	100	1.41	47.42	48	3150	100	15.8	100	1.89	2.04	0.07	6.77	95	1.94	2.01	95	2401	109	2	2514	1400	11
12	1400	0.01	100	1.42	50.05	51	3150	100	23.1	100	2.77	2.78	0.07	6.82	95	2.64	2.15	95	2330	123	2	2456	1400	12
13	1400	0.01	100	1.42	52.21	53	3150	100	18.9	100	2.27	2.28	0.07	6.89	95	2.16	2.15	95	2407	135	2	2545	1400	13
14	1400	0.14	100	1.56	53.76	54	3150	100	13.7	100	1.64	1.78	0.07	6.93	95	1.69	2.05	95	2440	121	2	2564	1400	14
15	1400	0.00	99	1.56	54.96	56	3150	100	10.5	100	1.26	1.26	0.07	6.96	95	1.20	1.87	95	2285	96	1	2384	1400	15
16	1400	0.07	97	1.62	55.92	56	3150	100	8.4	100	1.01	1.08	0.07	6.95	95	1.02	1.69	95	1986	74	1	2062	1400	16
17	1400	0.00	98	1.62	57.00	58	3150	100	9.5	100	1.14	1.13	0.07	6.94	95	1.08	1.56	95	1674	64	1	1740	1400	17
18	1400	0.00	97	1.62	57.95	59	3150	100	8.4	100	1.01	1.01	0.07	6.93	95	0.96	1.43	95	1441	60	1	1503	1400	18
19	1400	0.24	85	1.82	58.67	59	3150	100	6.4	98	0.77	0.95	0.07	6.91	95	0.91	1.32	95	1281	56	1	1338	1400	19
20	1400	0.02	100	1.83	60.10	61	3150	100	12.6	100	1.51	1.53	0.07	6.91	95	1.46	1.35	95	1214	63	1	1279	1400	20
21	1400	0.00	99	1.83	61.30	62	3150	100	10.5	100	1.26	1.26	0.07	6.92	95	1.20	1.31	95	1258	72	1	1333	1400	21
22	1400	0.00	100	1.83	62.98	64	3150	100	14.7	100	1.77	1.76	0.07	6.91	95	1.68	1.39	95	1360	79	1	1442	1400	22
23	1400	0.00	100	1.83	65.13	66	3150	100	18.9	100	2.27	2.27	0.07	6.93	95	2.15	1.56	95	1544	99	2	1646	1400	23
24	1400	0.82	100	2.61	66.57	67	3150	100	12.6	100	1.51	2.33	0.07	6.97	95	2.21	1.70	95	1820	118	2	1941	1400	24
25	1400	0.10	100	2.71	68.24	69	3150	100	14.7	100	1.77	1.86	0.07	7.07	95	1.77	1.71	95	2051	118	2	2172	1400	25
26	1400	0.00	100	2.71	69.80	71	3150	100	13.7	100	1.64	1.64	0.07	7.10	95	1.56	1.68	95	2110	104	1	2217	1400	26
27	1400	0.00	100	2.71	71.47	72	3150	100	14.7	100	1.77	1.76	0.07	7.12	95	1.68	1.68	95	2040	96	1	2139	1400	27
28	1400	0.20	100	2.90	72.79	74	3150	100	11.6	100	1.39	1.59	0.07	7.13	95	1.51	1.64	95	1946	93	1	2042	1400	28
29	1400	0.00	100	2.90	74.47	75	3150	100	14.7	100	1.77	1.76	0.07	7.16	95	1.68	1.65	95	1874	92	1	1969	1400	29
30	1400	0.00	100	2.90	76.02	77	3150	100	13.7	100	1.64	1.64	0.07	7.18	95	1.56	1.63	95	1835	93	1	1931	1400	30
31	1400	0.00	100	2.90	77.94	79	3150	100	16.8	100	2.02	2.02	0.07	7.19	95	1.92	1.69	95	1840	97	2	1940	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY. DEPL. CURVE, LAPSE=Y

FORM 1611-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.010 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%PA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.07	4.00	0	0.00	0.03	0	60	10	10	80	1400	1
2	1400	0.00	0	0.00	0.00	0	2866	100	0.0	0	0.00	0.00	0.09	4.00	32	0.00	0.02	69	59	9	3	73	1400	2
3	1400	0.00	0	0.00	0.00	0	2866	100	0.0	0	0.00	0.00	0.09	3.91	31	0.00	0.02	69	59	8	0	68	1400	3
4	1400	0.00	0	0.00	0.00	0	2866	100	0.0	0	0.00	0.00	0.09	3.82	31	0.00	0.01	69	59	5	0	65	1400	4
5	1400	0.00	39	0.00	0.16	1	2866	98	3.4	70	0.77	0.53	0.09	3.73	30	0.16	0.05	70	59	12	34	107	1400	5
6	1400	0.13	0	0.00	0.18	1	2896	98	0.9	22	0.22	0.05	0.09	4.02	32	0.02	0.04	68	59	42	18	121	1400	6
7	1400	0.05	13	0.00	0.26	1	2899	97	1.9	49	0.54	0.27	0.09	3.98	32	0.09	0.06	68	59	76	20	158	1400	7
8	1400	0.00	26	0.00	0.40	2	2914	95	2.6	57	0.75	0.43	0.09	4.09	33	0.14	0.08	68	59	101	40	201	1400	8
9	1400	0.00	13	0.00	0.49	2	2940	94	1.8	46	0.55	0.25	0.09	4.30	34	0.09	0.08	67	60	126	34	221	1400	9
10	1400	0.00	0	0.00	0.50	2	2956	94	0.7	19	0.22	0.04	0.09	4.39	35	0.01	0.07	67	60	146	12	219	1400	10
11	1400	0.08	13	0.01	0.59	3	2959	93	1.8	45	0.55	0.26	0.09	4.32	35	0.09	0.07	67	61	141	22	224	1400	11
12	1400	0.00	0	0.01	0.60	3	2975	93	0.7	17	0.21	0.04	0.09	4.43	35	0.01	0.06	67	62	121	12	196	1400	12
13	1400	0.00	0	0.01	0.60	3	2978	93	0.1	4	0.05	0.00	0.09	4.36	35	0.00	0.04	68	63	99	1	164	1400	13
14	1400	0.00	0	0.01	0.60	3	2978	93	0.1	4	0.05	0.00	0.09	4.27	34	0.00	0.03	68	65	70	0	136	1400	14
15	1400	0.00	0	0.01	0.60	3	2978	93	0.0	0	0.00	0.00	0.09	4.18	33	0.00	0.02	69	67	41	0	110	1400	15
16	1400	0.00	0	0.01	0.60	3	2978	93	0.0	0	0.00	0.00	0.09	4.09	33	0.00	0.02	69	70	21	0	92	1400	16
17	1400	0.06	0	0.01	0.64	3	2978	93	1.2	31	0.38	0.12	0.09	4.00	32	0.04	0.02	69	73	11	8	94	1400	17
18	1400	0.13	0	0.01	0.64	3	2985	93	0.0	0	0.00	0.00	0.09	4.01	32	0.00	0.02	69	76	13	3	94	1400	18
19	1400	0.37	0	0.01	0.65	3	2985	93	0.7	17	0.21	0.04	0.09	3.93	31	0.01	0.02	69	80	17	2	101	1400	19
20	1400	0.21	0	0.01	0.66	3	2987	92	0.7	17	0.21	0.03	0.09	3.92	31	0.01	0.01	69	84	18	3	106	1400	20
21	1400	0.14	0	0.01	0.70	3	2989	92	1.2	30	0.37	0.11	0.09	3.88	31	0.03	0.02	69	88	19	8	116	1400	21
22	1400	0.00	13	0.01	0.77	3	2995	91	1.7	43	0.54	0.23	0.09	3.89	31	0.07	0.04	69	91	27	18	138	1400	22
23	1400	0.00	26	0.01	0.89	4	3013	90	2.3	52	0.75	0.39	0.09	3.98	32	0.12	0.06	69	95	50	33	179	1400	23
24	1400	0.00	62	0.01	1.25	6	3046	86	4.5	74	1.44	1.07	0.09	4.18	33	0.36	0.16	67	98	104	93	297	1400	24
25	1400	0.00	52	0.01	1.53	7	3141	83	3.5	65	1.12	0.72	0.09	4.92	39	0.29	0.21	64	101	209	108	420	1400	25
26	1400	0.00	94	0.01	2.45	11	3218	75	8.7	81	2.78	2.24	0.09	5.36	41	0.92	0.49	62	104	389	310	805	1400	26
27	1400	0.00	97	0.01	3.57	16	3403	66	10.3	74	3.29	2.43	0.09	7.04	46	1.11	0.82	50	107	723	693	1525	1400	27
28	1400	0.46	62	0.15	3.84	17	3603	64	3.3	51	1.05	0.82	0.09	8.94	51	0.42	0.75	46	111	1184	420	1717	1400	28
29	1400	0.01	94	0.16	4.65	21	3652	59	7.7	62	2.45	1.54	0.09	9.45	53	0.81	0.92	47	116	1539	507	2164	1400	29
30	1400	0.10	98	0.21	5.73	26	3785	52	10.4	58	3.33	2.04	0.09	10.59	56	1.14	1.26	45	123	1736	963	2823	1400	30
31	1400	0.29	85	0.36	6.20	28	3931	50	5.0	48	1.61	1.02	0.09	12.19	61	0.62	1.21	41	132	1922	706	2762	1400	31

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	80	0.51	6.56	30	3994	48	3.9	43	1.26	0.78	0.09	12.84	64	0.50	1.12	41	144	2043	438	2627	1400	1
2	1400	0.41	0	0.51	6.56	30	4059	48	0.0	0	0.00	0.00	0.09	13.28	66	0.00	0.81	43	160	1916	121	2198	1400	2
3	1400	0.01	62	0.51	6.71	30	4059	47	2.3	32	0.72	0.24	0.09	13.24	66	0.16	0.68	46	179	1521	61	1762	1400	3
4	1400	0.00	80	0.51	7.04	32	4089	45	3.8	41	1.21	0.49	0.09	13.32	67	0.33	0.69	48	203	1066	156	1426	1400	4
5	1400	0.00	80	0.51	7.35	33	4151	43	3.7	39	1.18	0.46	0.09	13.60	68	0.31	0.70	48	231	797	180	1209	1400	5
6	1400	0.30	13	0.54	7.35	33	4211	43	0.0	0	0.00	0.04	0.09	13.84	69	0.03	0.51	48	262	708	63	1035	1400	6
7	1400	0.00	94	0.54	7.94	36	4211	40	6.5	41	2.08	0.86	0.09	13.80	69	0.59	0.78	50	296	668	307	1272	1400	7
8	1400	0.00	96	0.54	8.59	39	4324	37	7.3	39	2.34	0.91	0.09	14.38	72	0.65	1.05	47	332	721	526	1581	1400	8
9	1400	0.00	97	0.54	9.30	42	4411	35	8.1	37	2.59	0.95	0.09	14.97	75	0.71	1.33	43	370	943	677	1992	1400	9
10	1400	0.00	96	0.54	9.84	45	4505	32	6.8	33	2.17	0.72	0.09	15.57	75	0.54	1.42	40	410	1227	607	2246	1400	10
11	1400	0.00	100	0.54	10.91	50	4578	28	13.8	32	4.41	1.42	0.09	16.04	75	1.07	2.08	39	450	1455	1410	3318	1400	11
12	1400	0.00	100	0.54	11.88	54	4720	24	14.4	28	4.59	1.29	0.09	17.21	75	0.97	2.60	31	491	1650	1973	4116	1400	12
13	1400	0.00	99	0.54	12.38	56	4850	22	8.7	24	2.78	0.67	0.09	18.45	75	0.50	2.50	25	532	1815	1209	3558	1400	13
14	1400	0.07	100	0.59	12.95	59	4917	20	10.6	22	3.38	0.82	0.09	19.11	75	0.62	2.60	26	574	1867	1093	3535	1400	14
15	1400	0.00	100	0.59	13.49	61	4992	19	11.4	20	3.63	0.73	0.09	19.98	75	0.55	2.68	25	615	1800	1156	3571	1400	15
16	1400	0.83	96	1.19	13.71	62	5070	18	5.0	18	1.61	1.08	0.09	20.85	75	0.81	2.43	24	655	1733	1237	3627	1400	16
17	1400	0.00	94	1.19	13.87	63	5102	18	4.0	17	1.23	0.21	0.09	21.42	75	0.16	2.00	27	695	1729	507	2933	1400	17
18	1400	0.00	96	1.19	14.07	64	5126	18	4.9	17	1.58	0.27	0.09	21.62	75	0.20	1.76	32	735	1637	201	2575	1400	18
19	1400	0.00	94	1.19	14.21	65	5156	17	3.9	16	1.25	0.20	0.09	21.91	75	0.15	1.51	35	773	1353	155	2283	1400	19
20	1400	0.03	99	1.21	14.58	66	5178	16	8.9	17	2.86	0.52	0.09	22.10	75	0.39	1.72	38	810	1034	382	2227	1400	20
21	1400	0.03	96	1.23	14.76	67	5233	16	4.8	15	1.52	0.26	0.09	22.77	75	0.20	1.55	35	846	848	279	1974	1400	21
22	1400	0.24	98	1.41	15.01	68	5259	15	6.7	16	2.16	0.57	0.09	23.05	75	0.43	1.62	37	879	796	400	2077	1400	22
23	1400	0.00	90	1.41	15.09	69	5297	15	2.8	12	0.89	0.11	0.09	23.59	75	0.08	1.32	37	909	801	189	1901	1400	23
24	1400	0.00	98	1.41	15.33	70	5310	15	6.7	15	2.13	0.32	0.09	23.68	75	0.24	1.40	40	937	774	187	1900	1400	24
25	1400	0.00	99	1.41	15.64	71	5345	14	8.7	15	2.77	0.41	0.09	24.13	75	0.30	1.61	39	963	707	323	1995	1400	25
26	1400	0.00	100	1.41	16.00	73	5391	13	10.7	14	3.42	0.48	0.09	24.76	75	0.36	1.91	37	985	682	467	2135	1400	26
27	1400	0.00	99	1.41	16.23	74	5445	13	7.5	13	2.39	0.31	0.09	25.57	75	0.24	1.89	33	1003	716	361	2082	1400	27
28	1400	0.00	99	1.41	16.45	75	5480	12	7.4	13	2.37	0.30	0.09	26.09	75	0.22	1.87	33	1019	748	284	2052	1400	28
29	1400	0.00	99	1.41	16.67	76	5514	12	7.3	12	2.35	0.28	0.09	26.60	75	0.21	1.85	34	1032	739	268	2039	1400	29
30	1400	0.00	97	1.41	16.81	76	5546	12	5.3	11	1.68	0.19	0.09	27.11	75	0.14	1.68	34	1041	696	181	1919	1400	30

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. 250881 INITIAL DATE, HOUR 1 MAY 1972 1400 JOB DESCRIPTION 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																								JUL 1972
1	1400	0.00	100	1.41	17.06	78	5567	11	9.3	11	2.99	0.34	0.09	27.42	75	0.26	1.86	36	1047	640	285	1974	1400	1
2	1400	0.00	100	1.41	17.39	79	5605	10	12.4	11	3.98	0.43	0.10	28.11	75	0.32	2.22	34	1050	609	506	2167	1400	2
3	1400	0.00	100	1.41	17.79	81	5654	9	16.6	10	5.30	0.54	0.10	29.06	75	0.40	2.80	29	1051	631	810	2493	1400	3
4	1400	0.00	100	1.41	18.22	83	5714	8	19.3	9	6.19	0.57	0.10	30.40	75	0.43	3.44	22	1048	697	1049	2797	1400	4
5	1400	0.00	100	1.41	18.62	85	5778	8	20.0	8	6.39	0.53	0.10	32.00	75	0.40	3.95	18	1044	780	1104	2929	1400	5
6	1400	0.00	100	1.41	18.98	86	5838	7	20.6	7	6.60	0.49	0.10	33.65	75	0.37	4.38	15	1037	850	1071	2959	1400	6
7	1400	0.00	100	1.41	19.30	88	5893	6	20.3	7	6.49	0.43	0.10	35.37	75	0.32	4.65	13	1028	883	982	2894	1400	7
8	1400	0.00	100	1.41	19.56	89	5941	5	17.8	6	5.71	0.34	0.10	37.05	75	0.25	4.65	12	1017	871	809	2699	1400	8
9	1400	0.00	100	1.41	19.73	90	5979	5	13.4	5	4.29	0.23	0.10	38.50	75	0.17	4.31	12	1005	813	567	2386	1400	9
10	1400	0.00	100	1.41	19.87	90	6017	5	12.2	5	3.90	0.19	0.10	39.52	75	0.14	3.96	13	992	714	423	2131	1400	10
11	1400	0.15	100	1.52	20.01	91	6104	4	12.0	5	3.85	0.33	0.10	40.44	75	0.25	3.73	15	977	611	578	2168	1400	11
12	1400	0.01	100	1.53	20.21	92	6184	4	19.3	4	6.16	0.28	0.10	41.40	75	0.21	4.09	16	961	550	606	2119	1400	12
13	1400	0.01	100	1.54	20.34	92	6303	4	14.9	4	4.75	0.19	0.10	42.96	75	0.15	4.01	15	944	528	461	1934	1400	13
14	1400	0.14	100	1.64	20.43	93	6387	3	9.5	4	3.03	0.25	0.10	44.12	75	0.19	3.57	15	926	507	427	1861	1400	14
15	1400	0.00	100	1.64	20.48	93	6435	3	6.2	3	2.00	0.07	0.10	44.84	75	0.05	3.00	17	907	478	189	1575	1400	15
16	1400	0.07	99	1.70	20.51	93	6466	3	4.1	3	1.32	0.11	0.10	45.24	75	0.08	2.45	20	887	433	99	1420	1400	16
17	1400	0.00	99	1.70	20.55	93	6485	3	5.1	3	1.64	0.05	0.10	45.48	75	0.04	2.11	27	866	369	64	1301	1400	17
18	1400	0.00	99	1.70	20.58	94	6508	3	4.1	3	1.30	0.04	0.10	45.78	75	0.03	1.79	31	845	298	35	1179	1400	18
19	1400	0.24	97	1.87	20.59	94	6526	3	2.2	2	0.70	0.25	0.10	45.99	75	0.19	1.45	35	823	249	109	1183	1400	19
20	1400	0.02	100	1.89	20.65	94	6533	3	8.2	3	2.62	0.10	0.10	46.12	75	0.07	1.60	39	801	257	103	1163	1400	20
21	1400	0.00	100	1.89	20.69	94	6569	3	6.0	3	1.93	0.06	0.10	46.68	75	0.04	1.56	37	778	287	57	1122	1400	21
22	1400	0.00	100	1.89	20.76	94	6594	3	10.2	3	3.26	0.09	0.10	47.06	75	0.07	1.82	37	754	274	78	1108	1400	22
23	1400	0.00	100	1.89	20.85	95	6635	3	14.3	3	4.58	0.12	0.10	47.78	75	0.09	2.30	34	731	232	153	1117	1400	23
24	1400	0.82	100	2.50	20.90	95	6690	2	7.8	2	2.49	0.88	0.10	48.87	75	0.66	2.35	28	707	265	868	1842	1400	24
25	1400	0.10	100	2.58	20.95	95	6717	2	9.7	2	3.12	0.17	0.10	49.66	75	0.13	2.38	28	683	450	512	1646	1400	25
26	1400	0.00	100	2.58	21.00	95	6750	2	8.5	2	2.73	0.06	0.10	50.38	75	0.05	2.29	27	659	631	123	1414	1400	26
27	1400	0.00	100	2.58	21.05	96	6778	2	9.4	2	3.02	0.06	0.10	50.96	75	0.05	2.28	29	635	612	76	1325	1400	27
28	1400	0.20	100	2.73	21.08	96	6806	2	6.1	2	1.96	0.24	0.10	51.61	75	0.18	2.10	29	612	471	188	1273	1400	28
29	1400	0.00	100	2.73	21.12	96	6824	2	9.2	2	2.94	0.06	0.10	52.07	75	0.04	2.13	31	590	373	116	1080	1400	29
30	1400	0.00	100	2.73	21.15	96	6850	2	8.0	2	2.56	0.05	0.10	52.70	75	0.04	2.07	30	568	322	55	947	1400	30
31	1400	0.00	100	2.73	21.20	96	6872	2	11.1	2	3.54	0.06	0.10	53.23	75	0.05	2.23	31	547	263	72	884	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	4.00	0	0.00	0.03	0	70	10	4	84	1400	1
2	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	4.00	32	0.00	0.02	57	69	6	0	77	1400	2
3	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	3.91	31	0.00	0.02	58	69	1	0	71	1400	3
4	1400	0.00	0	0.00	0.00	0	2350	100	0.0	0	0.00	0.00	0.09	3.82	31	0.00	0.01	58	69	0	0	70	1400	4
5	1400	0.00	53	0.00	0.09	1	2350	97	3.3	96	0.33	0.32	0.09	3.73	30	0.09	0.03	59	69	95	15	181	1400	5
6	1400	0.13	0	0.00	0.10	1	2384	97	0.6	29	0.07	0.02	0.09	3.87	31	0.01	0.03	57	69	179	1	250	1400	6
7	1400	0.05	9	0.00	0.14	2	2387	96	1.9	65	0.19	0.13	0.09	3.81	30	0.04	0.03	57	69	89	6	166	1400	7
8	1400	0.00	32	0.00	0.20	2	2400	94	2.5	78	0.26	0.21	0.09	3.82	31	0.06	0.04	57	69	144	11	225	1400	8
9	1400	0.00	9	0.00	0.24	3	2423	93	1.8	62	0.19	0.12	0.09	3.88	31	0.04	0.04	56	69	173	6	250	1400	9
10	1400	0.00	0	0.00	0.24	3	2436	93	0.5	26	0.06	0.01	0.09	3.88	31	0.00	0.03	56	69	102	0	173	1400	10
11	1400	0.08	9	0.00	0.28	3	2438	92	1.8	61	0.19	0.12	0.09	3.80	30	0.04	0.03	57	69	65	6	142	1400	11
12	1400	0.00	0	0.00	0.28	3	2451	92	0.5	24	0.06	0.01	0.09	3.81	30	0.00	0.03	57	70	78	0	149	1400	12
13	1400	0.00	0	0.00	0.28	3	2452	92	0.0	1	0.00	0.00	0.09	3.73	30	0.00	0.02	57	70	23	0	94	1400	13
14	1400	0.00	0	0.00	0.28	3	2452	92	0.0	1	0.00	0.00	0.09	3.64	29	0.00	0.02	58	71	2	0	74	1400	14
15	1400	0.00	0	0.00	0.28	3	2452	92	0.0	0	0.00	0.00	0.09	3.55	28	0.00	0.01	58	72	0	0	72	1400	15
16	1400	0.00	0	0.00	0.28	3	2452	92	0.0	0	0.00	0.00	0.09	3.46	28	0.00	0.01	59	72	0	0	73	1400	16
17	1400	0.06	0	0.00	0.30	3	2452	92	1.1	45	0.12	0.05	0.09	3.37	27	0.01	0.01	59	73	13	2	90	1400	17
18	1400	0.13	0	0.00	0.30	3	2457	92	0.0	0	0.00	0.00	0.09	3.33	27	0.00	0.01	59	74	25	0	100	1400	18
19	1400	0.37	0	0.00	0.30	3	2457	92	0.5	24	0.06	0.01	0.09	3.26	26	0.00	0.01	59	76	8	0	86	1400	19
20	1400	0.21	0	0.00	0.30	3	2459	92	0.5	24	0.06	0.01	0.09	3.22	26	0.00	0.01	59	77	10	0	88	1400	20
21	1400	0.14	0	0.00	0.32	4	2460	91	1.1	45	0.11	0.05	0.09	3.17	25	0.01	0.01	59	77	20	2	100	1400	21
22	1400	0.00	9	0.00	0.34	4	2465	90	1.7	59	0.19	0.11	0.09	3.14	25	0.03	0.01	59	78	52	4	136	1400	22
23	1400	0.00	32	0.00	0.39	4	2475	89	2.4	72	0.27	0.19	0.09	3.14	25	0.05	0.02	59	79	103	8	191	1400	23
24	1400	0.00	82	0.00	0.51	6	2492	86	5.0	86	0.55	0.47	0.09	3.21	26	0.12	0.05	58	80	222	20	323	1400	24
25	1400	0.00	67	0.00	0.62	7	2536	83	3.8	82	0.44	0.36	0.09	3.53	28	0.10	0.06	55	80	355	18	455	1400	25
26	1400	0.00	99	0.00	0.90	10	2573	77	9.6	83	1.13	0.93	0.09	3.75	30	0.28	0.13	54	80	565	52	699	1400	26
27	1400	0.00	100	0.00	1.29	14	2654	69	11.4	77	1.42	1.09	0.09	4.52	36	0.39	0.22	49	80	1106	90	1279	1400	27
28	1400	0.46	82	0.16	1.45	16	2749	67	4.3	66	0.58	0.76	0.09	5.43	41	0.31	0.26	43	81	1443	74	1600	1400	28
29	1400	0.01	99	0.16	1.81	20	2787	60	9.0	66	1.27	0.85	0.09	5.96	43	0.36	0.33	40	82	1501	112	1696	1400	29
30	1400	0.10	100	0.21	2.28	25	2874	53	11.8	60	1.78	1.16	0.09	6.68	45	0.52	0.46	35	83	1913	230	2227	1400	30
31	1400	0.29	97	0.34	2.58	29	2960	49	6.6	53	1.15	0.89	0.09	7.76	48	0.43	0.52	30	86	2347	185	2619	1400	31

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250861 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.201 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPn	%RA	PN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	97	0.48	2.83	31	3021	46	5.5	48	1.03	0.78	0.09	8.50	50	0.39	0.56	29	90	2255	171	2517	1400	1
2	1400	0.41	0	0.48	2.83	31	3095	46	0.0	0	0.00	0.00	0.09	9.13	52	0.00	0.44	28	96	1490	3	1590	1400	2
3	1400	0.01	82	0.49	2.98	33	3095	44	3.4	43	0.69	0.30	0.09	9.09	52	0.16	0.42	31	103	540	45	689	1400	3
4	1400	0.00	97	0.49	3.22	36	3140	40	5.3	43	1.10	0.47	0.09	9.33	52	0.25	0.46	31	113	892	95	1102	1400	4
5	1400	0.00	97	0.49	3.46	38	3213	38	5.2	39	1.14	0.45	0.09	9.80	54	0.24	0.50	30	124	1225	99	1450	1400	5
6	1400	0.30	9	0.50	3.47	39	3264	38	0.2	5	0.04	0.03	0.09	10.25	55	0.02	0.39	29	138	912	6	1057	1400	6
7	1400	0.00	99	0.50	3.85	43	3264	34	8.0	38	1.88	0.71	0.09	10.22	55	0.39	0.55	32	153	822	209	1185	1400	7
8	1400	0.00	100	0.50	4.30	48	3344	30	8.9	34	2.29	0.78	0.09	11.06	57	0.45	0.76	28	170	1837	326	2334	1400	8
9	1400	0.00	100	0.50	4.80	53	3436	25	9.8	30	2.80	0.83	0.09	12.09	60	0.50	1.03	24	189	2338	543	3072	1400	9
10	1400	0.00	100	0.50	5.24	58	3539	21	8.6	25	2.67	0.66	0.09	13.32	67	0.44	1.26	20	208	2472	579	3260	1400	10
11	1400	0.00	100	0.50	5.99	67	3630	16	15.4	21	5.06	1.04	0.09	14.30	71	0.74	1.97	17	228	2429	2499	5158	1400	11
12	1400	0.00	100	0.50	6.69	74	3722	13	16.3	16	5.78	0.94	0.09	16.02	75	0.70	2.75	10	249	2339	3203	5793	1400	12
13	1400	0.00	100	0.50	7.09	79	3803	10	11.2	12	4.25	0.53	0.09	17.80	75	0.40	2.98	10	270	1918	1455	3644	1400	13
14	1400	0.07	100	0.55	7.48	83	3849	8	13.1	10	5.17	0.60	0.09	18.99	75	0.45	3.39	10	292	1556	1933	3782	1400	14
15	1400	0.00	100	0.55	7.83	87	3895	6	14.0	8	5.71	0.46	0.09	20.54	75	0.35	3.84	10	313	1302	1594	3210	1400	15
16	1400	0.83	100	1.18	7.93	88	3935	6	5.1	6	2.15	0.96	0.09	22.28	75	0.72	3.52	10	335	1893	1643	3872	1400	16
17	1400	0.00	99	1.18	8.00	89	3947	5	3.6	6	1.50	0.09	0.09	23.04	75	0.06	3.02	10	356	2348	98	2803	1400	17
18	1400	0.00	100	1.18	8.07	90	3954	5	4.5	5	1.90	0.10	0.09	23.34	75	0.08	2.70	10	377	836	99	1313	1400	18
19	1400	0.00	99	1.18	8.13	90	3963	5	3.5	5	1.46	0.07	0.09	23.76	75	0.05	2.37	10	397	455	53	906	1400	19
20	1400	0.03	100	1.20	8.25	92	3969	4	8.4	5	3.58	0.20	0.09	24.05	75	0.15	2.52	10	416	463	417	1298	1400	20
21	1400	0.03	100	1.22	8.31	92	3984	4	4.3	4	1.85	0.10	0.09	24.99	75	0.08	2.30	10	434	567	106	1108	1400	21
22	1400	0.24	100	1.40	8.38	93	3990	3	6.3	4	2.70	0.34	0.09	25.40	75	0.25	2.32	10	450	757	558	1767	1400	22
23	1400	0.60	97	1.40	8.40	93	3999	3	2.2	3	0.96	0.03	0.09	26.13	75	0.02	1.98	10	465	851	28	1346	1400	23
24	1400	0.00	100	1.40	8.47	94	4684	3	6.2	3	2.68	0.08	0.09	26.28	75	0.06	2.02	10	478	358	122	960	1400	24
25	1400	0.00	100	1.40	8.54	95	5028	2	8.1	3	3.54	0.10	0.09	26.91	75	0.07	2.23	10	490	328	206	1026	1400	25
26	1400	0.00	100	1.40	8.62	96	5063	2	10.1	2	4.41	0.11	0.09	27.82	75	0.08	2.57	10	499	325	291	1117	1400	26
27	1400	0.00	100	1.40	8.67	96	5101	2	7.0	2	3.08	0.06	0.09	29.00	75	0.05	2.56	10	506	279	111	898	1400	27
28	1400	0.00	100	1.40	8.70	97	5123	2	7.0	2	3.08	0.05	0.09	29.74	75	0.04	2.54	10	511	229	94	835	1400	28
29	1400	0.00	100	1.40	8.74	97	5142	1	7.0	1	3.07	0.05	0.09	30.47	75	0.03	2.52	10	514	196	81	793	1400	29
30	1400	0.00	100	1.40	8.76	97	5159	1	4.9	1	2.18	0.03	0.09	31.19	75	0.02	2.33	10	514	163	34	713	1400	30

FORM 1413

PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.444 IN./DEGREE-DAY, AREA = 307.6 SQ. MI.

DAY	HOUR	PLPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																								JUL 1972
1	1400	0.00	100	1.40	8.80	98	5169	1	8.9	1	3.95	0.05	0.09	31.65	75	0.04	2.52	10	513	139	114	768	1400	1
2	1400	0.00	100	1.40	8.84	98	5186	1	11.9	1	5.28	0.05	0.10	32.63	75	0.04	2.94	10	510	137	170	819	1400	2
3	1400	0.00	100	1.40	8.88	99	5205	1	15.8	1	7.06	0.06	0.10	34.02	75	0.04	3.66	10	504	117	212	836	1400	3
4	1400	0.00	100	1.40	8.91	99	5225	0	18.8	1	8.40	0.05	0.10	36.01	75	0.04	4.50	10	498	91	194	785	1400	4
5	1400	0.00	100	1.40	8.94	99	5242	0	19.8	0	8.86	0.03	0.10	38.41	75	0.02	5.10	10	489	65	138	694	1400	5
6	1400	0.00	100	1.40	8.95	99	5254	0	20.8	0	9.31	0.02	0.10	40.73	75	0.02	5.44	10	479	43	94	618	1400	6
7	1400	0.00	100	1.40	8.96	100	5262	0	20.8	0	9.31	0.01	0.10	42.85	75	0.01	5.43	10	468	28	59	556	1400	7
8	1400	0.00	100	1.40	8.97	100	5267	0	18.7	0	8.42	0.01	0.10	44.53	75	0.01	5.04	10	456	17	32	506	1400	8
9	1400	0.00	100	1.40	8.97	100	5270	0	14.7	0	6.62	0.00	0.10	45.62	75	0.00	4.40	10	443	11	15	469	1400	9
10	1400	0.00	100	1.40	8.98	100	5271	0	13.7	0	6.17	0.00	0.10	46.20	75	0.00	3.79	10	428	7	9	446	1400	10
11	1400	0.15	100	1.51	8.98	100	5272	0	13.7	0	6.17	0.15	0.10	46.61	75	0.11	3.26	10	414	95	541	1050	1400	11
12	1400	0.01	100	1.52	8.98	100	5273	0	20.7	0	9.32	0.01	0.10	46.97	75	0.01	2.88	10	399	171	63	633	1400	12
13	1400	0.01	100	1.53	8.98	100	5274	0	16.7	0	7.52	0.01	0.10	47.37	75	0.01	2.43	10	383	50	44	478	1400	13
14	1400	0.14	100	1.63	8.98	100	5274	0	11.7	0	5.27	0.14	0.10	47.53	75	0.11	2.02	10	367	113	456	937	1400	14
15	1400	0.00	100	1.63	8.98	100	5274	0	8.7	0	3.92	0.00	0.10	47.61	75	0.00	1.63	10	351	181	10	544	1400	15
16	1400	0.07	100	1.69	8.98	100	5274	0	6.7	0	3.03	0.07	0.10	47.58	75	0.05	1.33	14	335	119	112	568	1400	16
17	1400	0.00	100	1.69	8.98	100	5274	0	7.7	0	3.48	0.00	0.10	47.56	75	0.00	1.07	17	319	149	2	472	1400	17
18	1400	0.00	100	1.69	8.98	100	5275	0	6.7	0	3.03	0.00	0.10	47.51	75	0.00	0.87	19	303	32	0	337	1400	18
19	1400	0.24	100	1.87	8.98	100	5275	0	4.7	0	2.13	0.24	0.10	47.45	75	0.18	0.74	22	288	291	216	797	1400	19
20	1400	0.02	100	1.88	8.98	100	5275	0	10.7	0	4.82	0.02	0.10	47.46	75	0.02	0.61	25	273	539	47	860	1400	20
21	1400	0.00	100	1.88	8.98	100	5275	0	8.7	0	3.92	0.00	0.10	47.42	75	0.00	0.50	27	258	142	1	402	1400	21
22	1400	0.00	100	1.88	8.98	100	5275	0	12.7	0	5.72	0.00	0.10	47.35	75	0.00	0.42	29	244	15	0	260	1400	22
23	1400	0.00	100	1.88	8.98	100	5275	0	16.7	0	7.52	0.00	0.10	47.29	75	0.00	0.36	31	231	1	0	233	1400	23
24	1400	0.82	100	2.50	8.98	100	5275	0	10.7	0	4.82	0.82	0.10	47.23	75	0.62	0.42	34	218	550	1527	2296	1400	24
25	1400	0.10	100	2.57	8.98	100	5275	0	12.7	0	5.72	0.10	0.10	47.43	75	0.08	0.36	31	205	1064	244	1514	1400	25
26	1400	0.00	100	2.57	8.98	100	5275	0	11.7	0	5.27	0.00	0.10	47.38	75	0.00	0.29	34	194	334	4	533	1400	26
27	1400	0.00	100	2.57	8.98	100	5275	0	12.7	0	5.72	0.00	0.10	47.30	75	0.00	0.23	38	183	42	0	226	1400	27
28	1400	0.20	100	2.72	8.98	100	5275	0	9.7	0	4.37	0.20	0.10	47.21	75	0.15	0.22	42	173	157	211	542	1400	28
29	1400	0.00	100	2.72	8.98	100	5275	0	12.7	0	5.72	0.00	0.10	47.19	75	0.00	0.18	43	164	280	4	450	1400	29
30	1400	0.00	100	2.72	8.98	100	5275	0	11.7	0	5.27	0.00	0.10	47.10	75	0.00	0.14	46	157	60	0	218	1400	30
31	1400	0.00	100	2.72	8.98	100	5275	0	14.7	0	6.62	0.00	0.10	47.00	75	0.00	0.11	48	150	4	0	156	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%PA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	4.00	0	0.00	0.03	0	0	0	18	18	1400	1
2	1400	0.00	0	0.00	0.16	3	2361	93	1.6	100	0.16	0.16	0.09	4.00	100	0.16	0.06	57	117	83	15	217	1400	2
3	1400	0.00	100	0.00	0.55	9	2361	78	3.9	93	0.42	0.39	0.09	3.91	100	0.39	0.15	54	269	218	11	500	1400	3
4	1400	0.00	0	0.00	0.81	13	2361	71	2.7	78	0.34	0.26	0.09	3.82	100	0.26	0.20	47	160	169	9	340	1400	4
5	1400	0.00	100	0.00	1.94	32	2362	45	11.9	71	1.60	1.13	0.09	3.73	100	1.13	0.70	45	656	707	24	1388	1400	5
6	1400	0.13	100	0.13	2.61	44	2362	33	7.3	44	1.51	0.80	0.09	3.64	100	0.80	1.01	25	261	645	65	972	1400	6
7	1400	0.05	100	0.18	3.45	58	2362	21	9.6	33	2.52	0.89	0.09	3.57	100	0.89	1.65	20	228	630	132	992	1400	7
8	1400	0.00	100	0.18	4.19	70	2363	15	10.8	21	3.51	0.74	0.09	3.48	100	0.74	2.38	14	129	407	240	777	1400	8
9	1400	0.00	100	0.18	4.71	78	2363	10	9.6	15	3.53	0.52	0.09	3.39	100	0.52	2.92	10	66	280	330	677	1400	9
10	1400	0.00	100	0.18	5.01	84	2363	8	7.3	10	2.90	0.30	0.09	3.30	100	0.30	3.10	10	38	199	313	552	1400	10
11	1400	0.08	100	0.26	5.32	89	2363	5	9.6	8	3.94	0.39	0.09	3.21	100	0.39	3.67	10	50	187	248	487	1400	11
12	1400	0.00	100	0.26	5.49	92	2363	4	7.3	5	3.10	0.17	0.09	3.13	100	0.17	3.75	10	21	103	208	334	1400	12
13	1400	0.00	100	0.26	5.60	93	2363	3	6.2	4	2.65	0.11	0.09	3.04	100	0.11	3.65	10	13	77	147	239	1400	13
14	1400	0.00	100	0.26	5.68	95	2363	3	6.2	3	2.68	0.08	0.09	2.95	100	0.08	3.57	10	10	60	81	153	1400	14
15	1400	0.00	100	0.26	5.74	96	2363	2	5.0	2	2.20	0.05	0.09	2.86	100	0.05	3.36	10	7	44	46	98	1400	15
16	1400	0.00	100	0.26	5.78	96	2363	2	5.0	2	2.21	0.05	0.09	2.77	100	0.05	3.18	10	5	36	28	71	1400	16
17	1400	0.06	100	0.32	5.84	97	2363	1	8.5	2	3.74	0.12	0.09	2.68	100	0.12	3.58	10	15	61	31	109	1400	17
18	1400	0.13	100	0.45	5.87	98	2363	1	5.0	1	2.24	0.16	0.09	2.60	100	0.16	3.37	10	20	121	50	192	1400	18
19	1400	0.37	100	0.82	5.90	98	2363	1	7.3	1	3.26	0.40	0.09	2.53	100	0.40	3.56	10	51	211	95	359	1400	19
20	1400	0.21	100	1.03	5.92	99	2363	1	7.3	1	3.27	0.23	0.09	2.48	100	0.23	3.64	10	30	128	154	313	1400	20
21	1400	0.14	100	1.17	5.94	99	2363	0	8.5	1	3.79	0.16	0.09	2.42	100	0.16	3.81	10	20	77	161	260	1400	21
22	1400	0.00	100	1.17	5.96	99	2363	0	9.6	0	4.32	0.02	0.09	2.35	100	0.02	3.98	10	1	6	112	121	1400	22
23	1400	0.00	100	1.17	5.97	100	2363	0	10.8	0	4.84	0.01	0.09	2.26	100	0.01	4.12	10	1	4	55	62	1400	23
24	1400	0.00	100	1.17	5.98	100	2363	0	14.2	0	6.39	0.01	0.09	2.17	100	0.01	4.38	10	1	2	20	25	1400	24
25	1400	0.00	100	1.17	5.98	100	2363	0	13.1	0	5.88	0.00	0.09	2.08	100	0.00	4.07	10	0	1	9	12	1400	25
26	1400	0.00	100	1.17	5.99	100	2363	0	20.0	0	8.98	0.00	0.09	1.99	100	0.00	3.81	10	0	0	5	7	1400	26
27	1400	0.00	100	1.17	5.99	100	2363	0	22.3	0	10.02	0.00	0.09	1.90	100	0.00	3.19	10	0	0	3	4	1400	27
28	1400	0.46	100	1.63	5.99	100	2363	0	14.2	0	6.40	0.46	0.09	1.81	100	0.46	2.63	10	59	128	72	261	1400	28
29	1400	0.01	100	1.64	5.99	100	2363	0	20.0	0	8.99	0.01	0.09	1.78	100	0.01	2.09	10	1	2	168	172	1400	29
30	1400	0.10	100	1.74	5.99	100	2363	0	23.4	0	10.54	0.10	0.09	1.69	100	0.10	1.67	10	12	18	145	176	1400	30
31	1400	0.29	100	2.03	5.99	100	2363	0	17.7	0	7.95	0.29	0.09	1.61	100	0.29	1.37	13	49	67	123	241	1400	31

FORM 1115-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	100	2.32	5.99	100	2363	0	16.5	0	7.43	0.29	0.09	1.56	100	0.29	1.14	16	60	72	185	319	1400	1
2	1400	0.41	100	2.73	5.99	100	2363	0	8.5	0	3.82	0.41	0.09	1.50	100	0.41	0.98	19	98	186	230	514	1400	2
3	1400	0.01	100	2.74	5.99	100	2363	0	0.0	0	0.00	0.01	0.09	1.46	100	0.01	0.77	20	2	9	198	211	1400	3
4	1400	0.00	100	2.74	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	1.38	100	0.00	0.61	24	0	0	100	101	1400	4
5	1400	0.00	100	2.74	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	1.29	100	0.00	0.48	27	0	0	26	27	1400	5
6	1400	0.30	100	3.04	5.99	100	2363	0	0.0	0	0.00	0.30	0.09	1.20	100	0.30	0.44	30	114	258	7	381	1400	6
7	1400	0.00	100	3.04	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	1.14	100	0.00	0.35	31	0	0	6	7	1400	7
8	1400	0.00	100	3.04	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	1.05	100	0.00	0.27	35	0	0	4	4	1400	8
9	1400	0.00	100	3.04	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.96	100	0.00	0.21	39	0	0	1	1	1400	9
10	1400	0.00	100	3.04	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.87	100	0.00	0.17	44	0	0	0	0	1400	10
11	1400	0.00	100	3.04	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.78	100	0.00	0.13	47	0	0	0	0	1400	11
12	1400	0.00	100	3.04	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.69	100	0.00	0.10	48	0	0	0	0	1400	12
13	1400	0.00	100	3.04	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.60	100	0.00	0.08	50	0	0	0	0	1400	13
14	1400	0.07	100	3.11	5.99	100	2363	0	0.0	0	0.00	0.07	0.09	0.51	100	0.07	0.08	52	46	41	0	88	1400	14
15	1400	0.00	100	3.11	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.43	100	0.00	0.06	52	0	0	0	1	1400	15
16	1400	0.83	100	3.94	5.99	100	2363	0	0.0	0	0.00	0.83	0.09	0.34	100	0.83	0.23	54	575	460	6	1043	1400	16
17	1400	0.00	100	3.94	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.32	100	0.00	0.18	43	0	0	14	14	1400	17
18	1400	0.00	100	3.94	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.23	100	0.00	0.14	46	0	0	10	10	1400	18
19	1400	0.00	100	3.94	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.14	100	0.00	0.11	48	0	0	2	3	1400	19
20	1400	0.03	100	3.97	5.99	100	2363	0	0.0	0	0.00	0.03	0.09	0.05	100	0.03	0.09	50	19	18	0	38	1400	20
21	1400	0.03	100	4.00	5.99	100	2363	0	0.0	0	0.00	0.03	0.09	0.00	100	0.03	0.08	51	19	18	0	38	1400	21
22	1400	0.24	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.24	0.09	0.00	100	0.24	0.11	52	161	140	2	304	1400	22
23	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.09	49	0	0	3	3	1400	23
24	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.07	51	0	0	2	2	1400	24
25	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.06	53	0	0	0	1	1400	25
26	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.04	54	0	0	0	0	1400	26
27	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.03	56	0	0	0	0	1400	27
28	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.03	57	0	0	0	0	1400	28
29	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.02	57	0	0	0	0	1400	29
30	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.02	58	0	0	0	0	1400	30

FORM 1613
PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. 250881 INITIAL DATE, HOUR 1 MAY 1972 1400

JOB DESCRIPTION 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																							JUL 1972	
1	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.09	0.00	100	0.00	0.01	58	0	0	0	0	1400	1
2	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.01	59	0	0	0	0	1400	2
3	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.01	59	0	0	0	0	1400	3
4	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.01	59	0	0	0	0	1400	4
5	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.00	59	0	0	0	0	1400	5
6	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.00	60	0	0	0	0	1400	6
7	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.00	60	0	0	0	0	1400	7
8	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.00	60	0	0	0	0	1400	8
9	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.00	60	0	0	0	0	1400	9
10	1400	0.00	100	4.24	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.00	60	0	0	0	0	1400	10
11	1400	0.15	100	4.39	5.99	100	2363	0	0.0	0	0.00	0.15	0.10	0.00	100	0.15	0.03	60	115	73	0	190	1400	11
12	1400	0.01	100	4.40	5.99	100	2363	0	0.0	0	0.00	0.01	0.10	0.00	100	0.01	0.03	57	7	5	1	14	1400	12
13	1400	0.01	100	4.41	5.99	100	2363	0	0.0	0	0.00	0.01	0.10	0.00	100	0.01	0.02	57	7	5	1	14	1400	13
14	1400	0.14	100	4.55	5.99	100	2363	0	0.0	0	0.00	0.14	0.10	0.00	100	0.14	0.05	58	103	72	1	178	1400	14
15	1400	0.00	100	4.55	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.04	55	0	0	1	2	1400	15
16	1400	0.07	100	4.62	5.99	100	2363	0	0.0	0	0.00	0.07	0.10	0.00	100	0.07	0.05	56	50	37	1	90	1400	16
17	1400	0.00	100	4.62	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.04	55	0	0	1	1	1400	17
18	1400	0.00	100	4.62	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.03	56	0	0	0	1	1400	18
19	1400	0.24	100	4.86	5.99	100	2363	0	0.0	0	0.00	0.24	0.10	0.00	100	0.24	0.07	57	177	125	1	304	1400	19
20	1400	0.02	100	4.88	5.99	100	2363	0	0.0	0	0.00	0.02	0.10	0.00	100	0.02	0.06	53	13	11	2	28	1400	20
21	1400	0.00	100	4.88	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.05	54	0	0	2	2	1400	21
22	1400	0.00	100	4.88	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.04	55	0	0	0	1	1400	22
23	1400	0.00	100	4.88	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.03	56	0	0	0	0	1400	23
24	1400	0.82	100	5.69	5.99	100	2363	0	0.0	0	0.00	0.82	0.10	0.00	100	0.82	0.20	57	602	424	5	1033	1400	24
25	1400	0.10	100	5.79	5.99	100	2363	0	0.0	0	0.00	0.10	0.10	0.00	100	0.10	0.18	45	58	67	12	138	1400	25
26	1400	0.00	100	5.79	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.14	46	0	0	10	11	1400	26
27	1400	0.00	100	5.79	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.11	48	0	0	3	4	1400	27
28	1400	0.20	100	5.99	5.99	100	2363	0	0.0	0	0.00	0.20	0.10	0.00	100	0.20	0.13	50	127	123	1	253	1400	28
29	1400	0.00	100	5.99	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.10	49	0	0	2	3	1400	29
30	1400	0.00	100	5.99	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.08	50	0	0	2	2	1400	30
31	1400	0.00	100	5.99	5.99	100	2363	0	0.0	0	0.00	0.00	0.10	0.00	100	0.00	0.06	52	0	0	0	1	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1611-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	MI-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	4.00	0	0.00	0.03	0	120	20	0	140	1400	1
2	1400	0.00	0	0.00	0.02	0	2100	99	1.2	57	0.12	0.07	0.09	4.00	32	0.02	0.03	57	120	20	7	147	1400	2
3	1400	0.00	41	0.00	0.10	2	2112	96	2.9	82	0.30	0.24	0.09	3.96	32	0.08	0.04	57	120	20	15	156	1400	3
4	1400	0.00	14	0.00	0.14	2	2154	94	1.9	70	0.20	0.14	0.09	4.04	32	0.05	0.04	56	120	20	19	160	1400	4
5	1400	0.00	100	0.00	0.48	8	2179	80	10.5	94	1.12	1.05	0.09	4.05	32	0.34	0.12	56	120	20	27	168	1400	5
6	1400	0.13	87	0.04	0.69	11	2364	74	5.7	78	0.68	0.64	0.09	4.85	39	0.25	0.17	49	120	22	50	193	1400	6
7	1400	0.05	97	0.06	0.99	17	2438	66	7.8	74	1.00	0.79	0.09	5.28	41	0.32	0.23	47	120	27	102	250	1400	7
8	1400	0.00	99	0.06	1.34	22	2548	57	8.8	66	1.24	0.81	0.09	5.89	43	0.35	0.31	42	120	38	158	318	1400	8
9	1400	0.00	97	0.06	1.63	27	2662	51	7.2	57	1.16	0.66	0.09	6.62	45	0.29	0.37	36	120	63	209	393	1400	9
10	1400	0.00	87	0.06	1.82	30	2742	47	4.6	49	0.85	0.41	0.09	7.25	46	0.19	0.38	34	120	108	263	492	1400	10
11	1400	0.08	97	0.10	2.11	35	2795	41	6.6	47	1.29	0.68	0.09	7.63	48	0.33	0.46	33	120	183	293	597	1400	11
12	1400	0.00	87	0.10	2.28	38	2873	38	4.0	39	0.88	0.34	0.09	8.37	50	0.17	0.45	30	120	298	294	713	1400	12
13	1400	0.00	77	0.10	2.40	40	2909	37	2.8	35	0.65	0.22	0.09	8.73	51	0.11	0.42	30	120	459	304	884	1400	13
14	1400	0.00	77	0.10	2.50	42	2931	35	2.7	33	0.65	0.21	0.09	8.94	51	0.11	0.40	31	120	667	279	1068	1400	14
15	1400	0.00	67	0.10	2.57	43	2951	34	1.7	27	0.43	0.12	0.09	9.15	52	0.06	0.35	32	120	919	208	1248	1400	15
16	1400	0.00	67	0.10	2.62	44	2963	33	1.6	26	0.42	0.11	0.09	9.22	52	0.06	0.31	34	120	1204	142	1468	1400	16
17	1400	0.06	95	0.13	2.83	47	2974	30	4.6	33	1.21	0.45	0.09	9.29	52	0.24	0.40	36	121	1508	99	1730	1400	17
18	1400	0.13	67	0.18	2.88	48	3038	30	1.4	23	0.40	0.18	0.09	9.86	54	0.10	0.36	32	122	1812	97	2032	1400	18
19	1400	0.37	87	0.35	3.02	50	3064	28	3.3	27	0.95	0.58	0.09	9.96	54	0.32	0.43	34	123	2097	141	2362	1400	19
20	1400	0.21	87	0.45	3.16	53	3142	26	3.2	25	0.96	0.43	0.09	10.50	56	0.24	0.47	31	124	2346	189	2660	1400	20
21	1400	0.14	95	0.53	3.34	56	3216	23	4.1	25	1.27	0.45	0.09	10.94	57	0.26	0.56	30	126	2547	258	2933	1400	21
22	1400	0.00	97	0.53	3.55	59	3316	20	5.1	23	1.62	0.37	0.09	11.53	59	0.22	0.67	28	128	2697	329	3156	1400	22
23	1400	0.00	99	0.53	3.80	63	3431	18	6.0	20	2.00	0.39	0.09	12.20	61	0.24	0.82	26	131	2801	380	3313	1400	23
24	1400	0.00	100	0.53	4.17	69	3505	15	9.4	18	3.22	0.57	0.09	12.97	65	0.37	1.18	23	135	2868	439	3443	1400	24
25	1400	0.00	100	0.53	4.48	75	3619	12	8.0	15	2.93	0.43	0.09	14.24	71	0.31	1.46	18	139	2913	635	3688	1400	25
26	1400	0.00	100	0.53	5.00	83	3714	8	14.8	12	5.64	0.69	0.09	15.16	75	0.52	2.51	15	144	2950	1107	4203	1400	26
27	1400	0.00	100	0.53	5.40	90	3873	5	16.4	8	6.70	0.54	0.09	17.19	75	0.40	3.76	10	151	2993	2082	5227	1400	27
28	1400	0.46	100	0.87	5.51	92	3997	4	7.2	5	3.05	0.61	0.09	19.87	75	0.45	3.61	10	158	3050	3880	7089	1400	28
29	1400	0.01	100	0.88	5.67	94	4178	3	12.6	4	5.42	0.22	0.09	20.87	75	0.17	4.09	10	166	3129	5349	8646	1400	29
30	1400	0.10	100	0.96	5.80	97	4457	2	15.6	3	6.80	0.28	0.09	22.72	75	0.21	4.99	10	175	3231	5273	8681	1400	30
31	1400	0.29	100	1.17	5.85	97	4691	1	9.5	2	4.18	0.35	0.09	25.40	75	0.27	4.79	10	186	3354	4270	7811	1400	31

FORM 1315
PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE 250881 RUN NO. 1 INITIAL DATE, HOUR 1 MAY 1972 1400 JOB DESCRIPTION 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.15 IN./DAY, MELT RATE = 0.445 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	100	1.39	5.88	98	4776	1	8.2	1	3.63	0.33	0.09	26.70	75	0.25	4.49	10	198	3493	3582	7275	1400	1
2	1400	0.41	95	1.68	5.88	98	4830	1	0.2	0	0.08	0.39	0.15	27.76	75	0.29	3.59	10	211	3639	3329	7180	1400	2
3	1400	0.01	100	1.69	5.90	98	4831	1	5.8	1	2.57	0.03	0.15	27.81	75	0.02	3.26	10	225	3779	2882	6888	1400	3
4	1400	0.00	100	1.69	5.92	99	4861	1	8.0	1	3.58	0.03	0.15	28.33	75	0.02	3.19	10	241	3903	1949	6094	1400	4
5	1400	0.00	100	1.69	5.93	99	4896	1	8.0	1	3.56	0.02	0.15	29.16	75	0.02	3.10	10	258	4001	993	5253	1400	5
6	1400	0.30	97	1.91	5.93	99	4923	1	1.0	0	0.46	0.29	0.15	29.93	75	0.22	2.55	10	276	4068	449	4795	1400	6
7	1400	0.00	100	1.91	5.95	99	4926	0	11.4	0	5.09	0.02	0.15	30.02	75	0.02	2.90	10	295	4101	269	4667	1400	7
8	1400	0.00	100	1.91	5.96	99	4956	0	12.5	0	5.59	0.02	0.15	31.25	75	0.01	3.18	10	316	4099	272	4688	1400	8
9	1400	0.00	100	1.91	5.97	100	4978	0	13.6	0	6.09	0.01	0.15	32.51	75	0.01	3.37	10	338	4060	284	4683	1400	9
10	1400	0.00	100	1.91	5.98	100	4994	0	12.1	0	5.43	0.01	0.15	33.71	75	0.01	3.25	10	361	3986	247	4594	1400	10
11	1400	0.00	100	1.91	5.98	100	5044	0	20.0	0	8.96	0.01	0.15	34.48	75	0.01	3.43	10	385	3877	191	4454	1400	11
12	1400	0.00	100	1.91	5.99	100	5170	0	20.9	0	9.39	0.00	0.15	35.69	75	0.00	3.19	10	409	3736	140	4287	1400	12
13	1400	0.00	100	1.91	5.99	100	5230	0	15.1	0	6.77	0.00	0.15	36.30	75	0.00	2.67	10	435	3565	107	4109	1400	13
14	1400	0.07	100	1.96	5.99	100	5249	0	17.3	0	7.79	0.07	0.15	36.40	75	0.05	2.22	10	462	3368	87	3918	1400	14
15	1400	0.00	100	1.96	5.99	100	5261	0	18.5	0	8.29	0.00	0.15	36.46	75	0.00	1.81	10	489	3147	148	3785	1400	15
16	1400	0.83	100	2.59	5.99	100	5268	0	11.5	0	5.19	0.83	0.15	36.41	75	0.62	1.58	12	517	2907	390	3815	1400	16
17	1400	0.00	100	2.59	5.99	100	5270	0	10.4	0	4.67	0.00	0.15	36.62	75	0.00	1.25	14	545	2653	1324	4523	1400	17
18	1400	0.00	100	2.59	5.99	100	5272	0	11.5	0	5.19	0.00	0.15	36.48	75	0.00	0.99	17	573	2392	3095	6062	1400	18
19	1400	0.00	100	2.59	5.99	100	5273	0	10.4	0	4.67	0.00	0.15	36.35	75	0.00	0.79	20	602	2135	3229	5967	1400	19
20	1400	0.03	100	2.61	5.99	100	5273	0	16.1	0	7.25	0.03	0.15	36.21	75	0.02	0.63	24	630	1891	1751	4273	1400	20
21	1400	0.03	100	2.63	5.99	100	5274	0	11.5	0	5.18	0.03	0.15	36.08	75	0.02	0.50	26	659	1670	634	2964	1400	21
22	1400	0.24	100	2.81	5.99	100	5274	0	13.8	0	6.22	0.24	0.15	35.95	75	0.18	0.44	29	687	1480	283	2452	1400	22
23	1400	0.00	100	2.81	5.99	100	5275	0	9.2	0	4.15	0.00	0.15	35.92	75	0.00	0.34	31	714	1323	411	2450	1400	23
24	1400	0.00	100	2.81	5.99	100	5275	0	13.8	0	6.22	0.00	0.15	35.77	75	0.00	0.27	35	742	1197	751	2691	1400	24
25	1400	0.00	100	2.81	5.99	100	5275	0	16.1	0	7.25	0.00	0.15	35.62	75	0.00	0.21	39	768	1097	730	2596	1400	25
26	1400	0.00	100	2.81	5.99	100	5275	0	18.4	0	8.28	0.00	0.15	35.47	75	0.00	0.17	44	794	1017	385	2197	1400	26
27	1400	0.00	100	2.81	5.99	100	5275	0	15.0	0	6.73	0.00	0.15	35.32	75	0.00	0.13	47	818	952	130	1902	1400	27
28	1400	0.00	100	2.81	5.99	100	5275	0	15.0	0	6.73	0.00	0.15	35.17	75	0.00	0.10	48	842	895	32	1771	1400	28
29	1400	0.00	100	2.81	5.99	100	5275	0	15.0	0	6.73	0.00	0.15	35.02	75	0.00	0.08	50	864	843	6	1715	1400	29
30	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	34.87	75	0.00	0.06	52	886	793	1	1681	1400	30

FORM 1411-4 PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE 250881 RUN NO. 1 INITIAL DATE, HOUR MAY 1972 1400 JOB DESCRIPTION 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.15 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL	1972																							JUL 1972
1	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	34.72	75	0.00	0.05	54	905	741	0	1648	1400	1
2	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	34.57	75	0.00	0.04	55	924	687	0	1612	1400	2
3	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	34.42	75	0.00	0.03	56	941	630	0	1572	1400	3
4	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	34.27	75	0.00	0.02	57	956	571	0	1528	1400	4
5	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	34.12	75	0.00	0.02	58	970	511	0	1482	1400	5
6	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	33.97	75	0.00	0.02	58	982	451	0	1434	1400	6
7	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	33.82	75	0.00	0.01	58	993	393	0	1387	1400	7
8	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	33.67	75	0.00	0.01	59	1002	337	0	1340	1400	8
9	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	33.52	75	0.00	0.01	59	1009	286	0	1296	1400	9
10	1400	0.00	100	2.81	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	33.37	75	0.00	0.01	59	1015	239	0	1255	1400	10
11	1400	0.15	100	2.92	5.99	100	5275	0	0.0	0	0.00	0.15	0.15	33.22	75	0.11	0.03	59	1019	198	0	1219	1400	11
12	1400	0.01	100	2.93	5.99	100	5275	0	0.0	0	0.00	0.01	0.15	33.14	75	0.01	0.02	57	1022	162	6	1191	1400	12
13	1400	0.01	100	2.94	5.99	100	5275	0	0.0	0	0.00	0.01	0.15	32.99	75	0.01	0.02	58	1023	131	19	1175	1400	13
14	1400	0.14	100	3.04	5.99	100	5275	0	0.0	0	0.00	0.14	0.15	32.85	75	0.11	0.04	58	1022	106	23	1152	1400	14
15	1400	0.00	100	3.04	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	32.76	75	0.00	0.03	56	1020	87	20	1129	1400	15
16	1400	0.07	100	3.10	5.99	100	5275	0	0.0	0	0.00	0.07	0.15	32.61	75	0.05	0.04	57	1016	75	25	1118	1400	16
17	1400	0.00	100	3.10	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	32.50	75	0.00	0.03	56	1012	71	25	1109	1400	17
18	1400	0.00	100	3.10	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	32.35	75	0.00	0.02	57	1005	74	21	1102	1400	18
19	1400	0.24	100	3.28	5.99	100	5275	0	0.0	0	0.00	0.24	0.15	32.20	75	0.18	0.06	58	998	85	15	1099	1400	19
20	1400	0.02	100	3.29	5.99	100	5275	0	0.0	0	0.00	0.02	0.15	32.16	75	0.02	0.05	54	989	103	17	1111	1400	20
21	1400	0.00	100	3.29	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	32.01	75	0.00	0.04	55	979	126	35	1141	1400	21
22	1400	0.00	100	3.29	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	31.86	75	0.00	0.03	56	968	153	38	1160	1400	22
23	1400	0.00	100	3.29	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	31.71	75	0.00	0.02	57	956	182	22	1162	1400	23
24	1400	0.82	100	3.91	5.99	100	5275	0	0.0	0	0.00	0.82	0.15	31.56	75	0.62	0.15	58	943	213	11	1169	1400	24
25	1400	0.10	100	3.98	5.99	100	5275	0	0.0	0	0.00	0.10	0.15	31.73	75	0.08	0.13	48	930	244	43	1218	1400	25
26	1400	0.00	100	3.98	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	31.63	75	0.00	0.11	48	915	276	125	1317	1400	26
27	1400	0.00	100	3.98	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	31.48	75	0.00	0.08	50	900	308	145	1356	1400	27
28	1400	0.20	100	4.13	5.99	100	5275	0	0.0	0	0.00	0.20	0.15	31.33	75	0.15	0.10	52	884	346	89	1321	1400	28
29	1400	0.00	100	4.13	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	31.27	75	0.00	0.08	50	868	392	44	1306	1400	29
30	1400	0.00	100	4.13	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	31.12	75	0.00	0.06	52	851	449	40	1341	1400	30
31	1400	0.00	100	4.13	5.99	100	5275	0	0.0	0	0.00	0.00	0.15	30.97	75	0.00	0.05	54	834	517	55	1388	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%A	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.15	4.00	0	0.00	0.03	0	130	20	8	158	1400	1
2	1400	0.00	0	0.00	0.01	0	1910	100	1.4	13	0.14	0.02	0.09	4.00	32	0.01	0.02	57	129	28	2	161	1400	2
3	1400	0.00	10	0.00	0.02	0	2001	99	1.7	34	0.17	0.06	0.09	3.92	31	0.02	0.02	58	129	72	7	210	1400	3
4	1400	0.00	5	0.00	0.03	0	2041	99	1.5	21	0.15	0.03	0.09	3.87	31	0.01	0.02	58	129	108	4	242	1400	4
5	1400	0.00	80	0.00	0.23	3	2065	92	6.6	94	0.67	0.63	0.09	3.80	30	0.19	0.06	58	130	530	79	741	1400	5
6	1400	0.13	38	0.02	0.29	4	2510	90	3.1	58	0.34	0.25	0.09	4.19	34	0.08	0.07	54	139	1080	37	1258	1400	6
7	1400	0.05	60	0.03	0.41	6	2663	85	4.5	73	0.49	0.39	0.09	4.30	34	0.13	0.09	53	162	946	61	1170	1400	7
8	1400	0.00	70	0.03	0.57	8	2949	80	5.0	75	0.58	0.43	0.09	4.51	36	0.16	0.11	51	202	1197	74	1474	1400	8
9	1400	0.00	60	0.03	0.68	10	3139	77	3.9	63	0.47	0.30	0.09	4.77	38	0.11	0.12	50	259	1280	56	1597	1400	9
10	1400	0.00	38	0.03	0.74	11	3220	76	2.4	43	0.30	0.13	0.09	4.92	39	0.05	0.11	49	331	937	25	1294	1400	10
11	1400	0.08	60	0.05	0.84	12	3256	73	3.7	59	0.47	0.33	0.09	4.93	39	0.13	0.12	50	410	789	63	1263	1400	11
12	1400	0.00	38	0.05	0.89	13	3334	72	2.2	40	0.29	0.11	0.09	5.11	40	0.05	0.11	49	490	883	23	1396	1400	12
13	1400	0.00	27	0.05	0.91	13	3366	72	1.5	28	0.20	0.06	0.09	5.11	40	0.02	0.09	50	564	461	11	1037	1400	13
14	1400	0.00	27	0.05	0.93	13	3382	71	1.5	28	0.19	0.05	0.09	5.07	40	0.02	0.08	51	626	244	10	882	1400	14
15	1400	0.00	15	0.05	0.94	13	3397	71	0.8	17	0.11	0.02	0.09	5.02	40	0.01	0.06	52	672	161	3	838	1400	15
16	1400	0.00	15	0.05	0.95	14	3402	71	0.8	16	0.11	0.02	0.09	4.95	40	0.01	0.05	54	698	81	3	783	1400	16
17	1400	0.06	50	0.06	1.01	14	3407	69	2.7	47	0.36	0.20	0.09	4.87	39	0.08	0.06	55	704	246	34	986	1400	17
18	1400	0.13	15	0.07	1.02	15	3454	69	0.7	15	0.10	0.03	0.09	4.96	40	0.01	0.05	54	696	412	6	1115	1400	18
19	1400	0.37	38	0.12	1.06	15	3458	68	2.0	35	0.27	0.24	0.09	4.91	39	0.09	0.07	55	676	391	41	1110	1400	19
20	1400	0.21	38	0.15	1.09	16	3485	67	1.9	34	0.27	0.17	0.09	5.04	40	0.07	0.07	53	653	652	31	1338	1400	20
21	1400	0.14	50	0.18	1.15	16	3511	66	2.5	44	0.34	0.22	0.09	5.10	40	0.09	0.08	53	630	678	41	1351	1400	21
22	1400	0.00	60	0.18	1.24	18	3554	64	3.1	49	0.44	0.22	0.09	5.21	41	0.09	0.09	52	613	767	42	1423	1400	22
23	1400	0.00	70	0.18	1.36	19	3617	61	3.8	53	0.55	0.29	0.09	5.32	41	0.12	0.12	51	604	895	58	1559	1400	23
24	1400	0.00	92	0.18	1.61	23	3703	56	6.6	59	0.98	0.58	0.09	5.52	41	0.24	0.18	49	606	1444	121	2172	1400	24
25	1400	0.00	86	0.18	1.81	26	3839	53	5.3	54	0.86	0.46	0.09	6.04	43	0.20	0.22	46	622	2061	106	2791	1400	25
26	1400	0.00	100	0.18	2.29	33	3944	44	11.8	53	2.08	1.10	0.09	6.45	44	0.48	0.41	43	660	2967	441	4070	1400	26
27	1400	0.00	100	0.18	2.88	41	4231	35	13.6	44	2.83	1.24	0.09	7.74	48	0.60	0.68	32	726	5251	979	6957	1400	27
28	1400	0.46	92	0.40	3.10	44	4527	33	4.9	34	1.22	0.84	0.09	9.48	53	0.44	0.73	26	826	6403	625	7855	1400	28
29	1400	0.01	100	0.41	3.60	51	4620	27	10.3	33	2.75	0.91	0.09	10.25	55	0.50	0.97	25	959	6147	1129	8236	1400	29
30	1400	0.10	100	0.47	4.23	60	4829	19	13.2	27	4.02	1.17	0.09	11.68	59	0.69	1.47	21	1113	6670	3136	10922	1400	30
31	1400	0.29	99	0.67	4.53	65	5129	17	6.8	19	2.26	0.72	0.09	13.90	70	0.50	1.58	15	1278	7162	1792	10234	1400	31

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.360 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	98	0.88	4.77	68	5249	16	5.4	17	1.89	0.61	0.09	14.71	74	0.45	1.61	14	1440	6588	1441	9469	1400	1
2	1400	0.41	50	1.03	4.77	68	5343	16	0.0	0	0.00	0.20	0.09	15.28	75	0.15	1.30	14	1584	5066	147	6798	1400	2
3	1400	0.01	92	1.04	4.88	70	5343	15	3.1	14	1.11	0.17	0.09	15.29	75	0.12	1.19	17	1697	2759	200	4658	1400	3
4	1400	0.00	98	1.04	5.09	73	5390	13	5.2	15	1.90	0.28	0.09	15.47	75	0.21	1.27	18	1770	2268	522	4562	1400	4
5	1400	0.00	98	1.04	5.28	75	5472	12	5.0	13	1.90	0.25	0.09	15.90	75	0.19	1.33	17	1800	2634	481	4917	1400	5
6	1400	0.30	60	1.17	5.28	75	5546	12	0.0	0	0.00	0.18	0.09	16.33	75	0.14	1.08	17	1790	2459	112	4363	1400	6
7	1400	0.00	100	1.17	5.57	80	5546	10	8.4	12	3.22	0.38	0.09	16.32	75	0.29	1.46	19	1747	2524	1343	5616	1400	7
8	1400	0.00	100	1.17	5.84	83	5660	8	9.3	10	3.72	0.37	0.09	17.19	75	0.28	1.88	15	1680	2988	1719	6389	1400	8
9	1400	0.00	100	1.17	6.09	87	5769	6	10.3	8	4.21	0.34	0.09	18.24	75	0.25	2.33	11	1598	2757	2073	6430	1400	9
10	1400	0.00	100	1.17	6.26	89	5869	5	8.4	6	3.53	0.22	0.09	19.48	75	0.16	2.52	10	1509	2257	1106	4874	1400	10
11	1400	0.00	100	1.17	6.52	93	5934	3	16.0	5	6.78	0.34	0.09	20.45	75	0.26	3.61	10	1417	1794	3085	6297	1400	11
12	1400	0.00	100	1.17	6.69	96	6165	2	16.4	3	7.08	0.23	0.09	22.90	75	0.17	4.57	10	1323	1376	2135	4836	1400	12
13	1400	0.00	100	1.17	6.76	97	6484	2	10.1	2	4.43	0.09	0.09	25.49	75	0.07	4.46	10	1230	925	618	2775	1400	13
14	1400	0.07	100	1.23	6.82	97	6610	1	12.2	2	5.38	0.16	0.09	26.75	75	0.12	4.62	10	1139	729	1231	3099	1400	14
15	1400	0.00	100	1.23	6.87	98	6727	1	13.1	1	5.83	0.07	0.09	28.41	75	0.05	4.83	10	1048	655	553	2257	1400	15
16	1400	0.83	100	1.85	6.89	98	6818	1	6.1	1	2.71	0.85	0.09	30.17	75	0.64	4.37	10	960	2470	4292	7723	1400	16
17	1400	0.00	100	1.85	6.90	99	6848	1	4.9	1	2.18	0.01	0.09	31.05	75	0.01	3.78	10	878	4048	57	4984	1400	17
18	1400	0.00	100	1.85	6.91	99	6868	1	6.0	1	2.68	0.02	0.09	31.48	75	0.01	3.39	10	804	996	57	1858	1400	18
19	1400	0.00	100	1.85	6.92	99	6890	1	4.8	1	2.16	0.01	0.09	32.04	75	0.01	2.98	10	737	210	30	978	1400	19
20	1400	0.03	100	1.87	6.94	99	6906	0	10.6	0	4.72	0.05	0.09	32.45	75	0.04	3.13	10	676	188	368	1233	1400	20
21	1400	0.03	100	1.89	6.94	99	6936	0	5.9	0	2.64	0.04	0.09	33.58	75	0.03	2.83	10	617	312	140	1071	1400	21
22	1400	0.24	100	2.07	6.95	99	6948	0	8.2	0	3.66	0.25	0.09	34.07	75	0.19	2.78	10	561	836	1455	2853	1400	22
23	1400	0.00	100	2.07	6.95	99	6963	0	3.6	0	1.59	0.00	0.09	34.87	75	0.00	2.38	10	508	1120	13	1642	1400	23
24	1400	0.00	100	2.07	6.96	99	6968	0	8.1	0	3.65	0.01	0.09	35.08	75	0.01	2.33	10	458	277	42	778	1400	24
25	1400	0.00	100	2.07	6.97	100	6979	0	10.2	0	4.56	0.01	0.09	35.71	75	0.01	2.39	10	412	75	55	544	1400	25
26	1400	0.00	100	2.07	6.97	100	6991	0	11.9	0	5.35	0.01	0.09	36.48	75	0.01	2.47	10	369	50	57	478	1400	26
27	1400	0.00	100	2.07	6.97	100	7018	0	8.0	0	3.59	0.00	0.09	37.30	75	0.00	2.25	10	329	38	18	386	1400	27
28	1400	0.00	100	2.07	6.98	100	7159	0	7.8	0	3.48	0.00	0.09	37.70	75	0.00	2.04	10	292	28	13	335	1400	28
29	1400	0.00	100	2.07	6.98	100	7271	0	7.6	0	3.40	0.00	0.09	38.02	75	0.00	1.83	10	257	22	10	291	1400	29
30	1400	0.00	100	2.07	6.98	100	7360	0	5.1	0	2.30	0.00	0.09	38.29	75	0.00	1.58	12	224	17	3	246	1400	30

FORM 1815
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																								JUL 1972
1	1400	0.00	100	2.07	6.98	100	7409	0	9.6	0	4.33	0.00	0.09	38.41	75	0.00	1.48	14	194	13	12	221	1400	1
2	1400	0.00	100	2.07	6.98	100	7491	0	13.0	0	5.82	0.00	0.10	38.69	75	0.00	1.43	15	167	12	15	197	1400	2
3	1400	0.00	100	2.07	6.98	100	7576	0	17.4	0	7.83	0.00	0.10	39.01	75	0.00	1.40	16	143	10	17	171	1400	3
4	1400	0.00	100	2.07	6.98	100	7656	0	20.7	0	9.32	0.00	0.10	39.34	75	0.00	1.31	16	121	6	12	142	1400	4
5	1400	0.00	100	2.07	6.99	100	7711	0	21.8	0	9.80	0.00	0.10	39.56	75	0.00	1.14	17	103	4	6	114	1400	5
6	1400	0.00	100	2.07	6.99	100	7741	0	22.9	0	10.29	0.00	0.10	39.64	75	0.00	0.96	19	86	2	3	92	1400	6
7	1400	0.00	100	2.07	6.99	100	7757	0	22.9	0	10.28	0.00	0.10	39.63	75	0.00	0.78	21	72	1	1	75	1400	7
8	1400	0.00	100	2.07	6.99	100	7764	0	20.6	0	9.24	0.00	0.10	39.57	75	0.00	0.63	24	60	0	0	61	1400	8
9	1400	0.00	100	2.07	6.99	100	7767	0	16.0	0	7.17	0.00	0.10	39.49	75	0.00	0.50	27	49	0	0	50	1400	9
10	1400	0.00	100	2.07	6.99	100	7768	0	14.8	0	6.65	0.00	0.10	39.40	75	0.00	0.39	29	41	0	0	41	1400	10
11	1400	0.15	100	2.19	6.99	100	7769	0	14.8	0	6.65	0.15	0.10	39.30	75	0.11	0.33	32	34	199	853	1088	1400	11
12	1400	0.01	100	2.19	6.99	100	7769	0	22.8	0	10.27	0.01	0.10	39.26	75	0.01	0.27	35	31	371	70	474	1400	12
13	1400	0.01	100	2.20	6.99	100	7770	0	18.2	0	8.20	0.01	0.10	39.17	75	0.01	0.21	40	32	105	53	192	1400	13
14	1400	0.14	100	2.31	6.99	100	7770	0	12.5	0	5.62	0.14	0.10	39.08	75	0.11	0.19	44	39	249	445	735	1400	14
15	1400	0.00	100	2.31	6.99	100	7770	0	9.0	0	4.07	0.00	0.10	39.03	75	0.00	0.15	46	51	405	1	458	1400	15
16	1400	0.07	100	2.36	6.99	100	7770	0	6.7	0	3.03	0.07	0.10	38.93	75	0.05	0.13	48	67	227	89	384	1400	16
17	1400	0.00	100	2.36	6.99	100	7770	0	7.9	0	3.55	0.00	0.10	38.86	75	0.00	0.10	49	88	261	0	350	1400	17
18	1400	0.00	100	2.36	6.99	100	7770	0	6.7	0	3.03	0.00	0.10	38.76	75	0.00	0.08	50	109	55	0	165	1400	18
19	1400	0.24	100	2.54	6.99	100	7770	0	4.4	0	2.00	0.24	0.10	38.66	75	0.18	0.10	52	131	472	188	792	1400	19
20	1400	0.02	100	2.55	6.99	100	7770	0	11.3	0	5.10	0.02	0.10	38.65	75	0.02	0.08	50	154	882	43	1081	1400	20
21	1400	0.00	100	2.55	6.99	100	7770	0	0.0	0	0.00	0.00	0.10	38.56	75	0.00	0.06	52	182	243	0	426	1400	21
22	1400	0.00	100	2.55	6.99	100	7770	0	0.0	0	0.00	0.00	0.10	38.46	75	0.00	0.05	54	211	27	0	239	1400	22
23	1400	0.00	100	2.55	6.99	100	7770	0	0.0	0	0.00	0.00	0.10	38.36	75	0.00	0.04	55	238	1	0	240	1400	23
24	1400	0.82	100	3.17	6.99	100	7770	0	0.0	0	0.00	0.82	0.10	38.26	75	0.62	0.16	56	264	1558	297	2120	1400	24
25	1400	0.10	100	3.24	6.99	100	7770	0	0.0	0	0.00	0.10	0.10	38.44	75	0.08	0.14	47	304	3062	40	3407	1400	25
26	1400	0.00	100	3.24	6.99	100	7770	0	0.0	0	0.00	0.00	0.10	38.38	75	0.00	0.11	48	370	1033	0	1404	1400	26
27	1400	0.00	100	3.24	6.99	100	7770	0	0.0	0	0.00	0.00	0.10	38.28	75	0.00	0.09	49	459	138	0	598	1400	27
28	1400	0.20	100	3.39	6.99	100	7770	0	0.0	0	0.00	0.20	0.10	38.18	75	0.15	0.10	51	553	434	72	1060	1400	28
29	1400	0.00	100	3.39	6.99	100	7770	0	0.0	0	0.00	0.00	0.10	38.16	75	0.00	0.08	50	640	772	0	1413	1400	29
30	1400	0.00	100	3.39	6.99	100	7770	0	0.0	0	0.00	0.00	0.10	38.06	75	0.00	0.06	52	712	167	0	880	1400	30
31	1400	0.00	100	3.39	6.99	100	7770	0	0.0	0	0.00	0.00	0.10	37.96	75	0.00	0.05	54	763	12	0	776	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1417-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	4.00	0	0.00	0.03	0	420	30	16	466	1400	1
2	1400	0.00	0	0.00	0.00	0	1450	100	0.6	2	0.06	0.00	0.09	4.00	50	0.00	0.02	57	419	28	11	459	1400	2
3	1400	0.00	0	0.00	0.01	0	1452	100	0.9	13	0.09	0.01	0.09	3.91	49	0.01	0.02	58	419	26	3	450	1400	3
4	1400	0.00	0	0.00	0.01	0	1471	100	0.4	5	0.04	0.00	0.09	3.83	48	0.00	0.02	58	419	30	2	452	1400	4
5	1400	0.00	58	0.00	0.18	1	1475	97	4.3	83	0.43	0.36	0.09	3.74	47	0.17	0.05	58	419	177	31	629	1400	5
6	1400	0.13	15	0.01	0.21	2	2001	96	1.9	40	0.19	0.10	0.09	3.84	48	0.05	0.05	55	419	568	64	1053	1400	6
7	1400	0.05	32	0.02	0.30	2	2033	95	2.6	65	0.27	0.19	0.09	3.82	48	0.09	0.06	55	419	898	46	1364	1400	7
8	1400	0.00	45	0.02	0.42	3	2095	93	3.3	70	0.35	0.25	0.09	3.84	48	0.12	0.07	54	419	1012	61	1493	1400	8
9	1400	0.00	32	0.02	0.50	4	2182	91	2.5	61	0.27	0.16	0.09	3.89	49	0.08	0.08	53	419	1116	67	1603	1400	9
10	1400	0.00	15	0.02	0.53	4	2240	91	1.5	34	0.16	0.05	0.09	3.89	49	0.03	0.07	52	420	1123	45	1589	1400	10
11	1400	0.08	32	0.03	0.60	4	2259	89	2.4	59	0.26	0.18	0.09	3.83	48	0.09	0.07	53	421	940	35	1397	1400	11
12	1400	0.00	15	0.03	0.63	4	2314	89	1.4	32	0.15	0.05	0.09	3.86	49	0.02	0.06	53	424	780	39	1244	1400	12
13	1400	0.00	7	0.03	0.64	5	2331	89	1.1	19	0.13	0.02	0.09	3.79	48	0.01	0.05	54	428	647	18	1094	1400	13
14	1400	0.00	7	0.03	0.65	5	2339	88	1.1	19	0.13	0.02	0.09	3.72	47	0.01	0.04	55	433	433	8	876	1400	14
15	1400	0.00	2	0.03	0.65	5	2347	88	0.6	10	0.07	0.01	0.09	3.64	46	0.00	0.04	56	440	239	5	685	1400	15
16	1400	0.00	2	0.03	0.65	5	2350	88	0.6	10	0.07	0.01	0.09	3.56	46	0.00	0.03	56	448	131	2	583	1400	16
17	1400	0.06	22	0.04	0.69	5	2352	88	1.8	44	0.20	0.10	0.09	3.47	45	0.05	0.03	57	457	111	9	579	1400	17
18	1400	0.13	2	0.04	0.70	5	2381	88	0.6	9	0.07	0.01	0.09	3.45	45	0.00	0.03	57	467	178	16	662	1400	18
19	1400	0.37	15	0.06	0.72	5	2382	87	1.2	30	0.14	0.10	0.09	3.38	44	0.04	0.03	57	478	244	12	735	1400	19
20	1400	0.21	15	0.03	0.73	5	2396	87	1.2	30	0.14	0.07	0.09	3.40	44	0.03	0.03	57	488	288	20	797	1400	20
21	1400	0.14	22	0.09	0.77	6	2409	86	1.7	43	0.20	0.12	0.09	3.38	44	0.05	0.04	57	499	357	23	880	1400	21
22	1400	0.00	32	0.09	0.83	6	2436	85	2.2	55	0.26	0.14	0.09	3.38	44	0.06	0.04	56	509	453	31	994	1400	22
23	1400	0.00	45	0.09	0.92	7	2480	84	3.0	61	0.34	0.21	0.09	3.38	44	0.09	0.06	56	518	592	42	1154	1400	23
24	1400	0.00	77	0.09	1.13	8	2546	80	5.3	77	0.62	0.48	0.09	3.43	44	0.21	0.10	54	527	897	78	1504	1400	24
25	1400	0.00	70	0.09	1.30	9	2695	78	4.2	70	0.51	0.36	0.09	3.67	47	0.17	0.13	50	535	1444	119	2100	1400	25
26	1400	0.00	99	0.09	1.76	13	2776	72	10.1	77	1.25	0.96	0.09	3.83	48	0.46	0.24	49	543	2280	208	3033	1400	26
27	1400	0.00	99	0.09	2.36	17	2998	65	12.0	72	1.57	1.14	0.09	4.42	54	0.62	0.39	42	551	3624	482	4857	1400	27
28	1400	0.46	77	0.30	2.61	19	3180	62	4.6	58	0.65	0.73	0.09	5.13	61	0.45	0.43	33	559	5958	677	7196	1400	28
29	1400	0.01	99	0.31	3.16	23	3248	57	9.5	61	1.39	0.86	0.09	5.47	65	0.56	0.55	31	570	7643	758	8971	1400	29
30	1400	0.10	99	0.38	3.93	28	3383	50	12.2	57	1.97	1.21	0.09	5.92	69	0.84	0.78	28	583	8981	1357	10923	1400	30
31	1400	0.29	94	0.58	4.38	31	3552	46	6.5	49	1.21	0.86	0.09	6.56	76	0.65	0.86	24	602	10755	1927	13285	1400	31

FORM 24112
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.212 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	91	0.79	4.74	34	3650	43	5.2	44	1.04	0.73	0.09	6.88	79	0.57	0.91	22	626	12094	1630	14351	1400	1
2	1400	0.41	22	0.87	4.74	34	3730	43	0.0	0	0.00	0.09	0.09	7.12	81	0.07	0.73	22	657	11364	1027	13049	1400	2
3	1400	0.01	77	0.87	4.94	35	3730	41	3.2	36	0.68	0.25	0.09	7.09	81	0.21	0.68	25	695	8443	331	9471	1400	3
4	1400	0.00	91	0.87	5.28	38	3774	39	4.8	39	1.06	0.41	0.09	7.12	81	0.34	0.72	26	742	5643	401	6788	1400	4
5	1400	0.00	91	0.87	5.60	40	3832	37	4.7	37	1.07	0.39	0.09	7.23	82	0.32	0.76	25	797	4982	609	6390	1400	5
6	1400	0.30	32	0.95	5.61	40	3882	36	0.2	5	0.05	0.10	0.09	7.33	83	0.08	0.61	24	859	5225	476	6562	1400	6
7	1400	0.00	99	0.95	6.14	44	3882	33	7.6	35	1.83	0.65	0.09	7.30	83	0.54	0.83	27	928	5051	642	6623	1400	7
8	1400	0.00	99	0.95	6.76	48	3964	29	8.4	33	2.20	0.73	0.09	7.54	85	0.62	1.10	23	1003	5795	1774	8574	1400	8
9	1400	0.00	99	0.95	7.44	53	4105	25	9.1	29	2.65	0.77	0.09	7.81	88	0.68	1.45	19	1082	7940	3068	12091	1400	9
10	1400	0.00	99	0.95	7.99	57	4291	22	7.8	25	2.41	0.60	0.09	8.09	91	0.55	1.68	15	1163	9709	3905	14779	1400	10
11	1400	0.00	100	0.95	8.95	64	4440	18	14.9	22	4.81	1.04	0.09	8.25	93	0.96	2.49	13	1247	10103	7015	18367	1400	11
12	1400	0.00	100	0.95	9.86	70	4619	14	15.6	17	5.41	0.95	0.09	8.60	96	0.91	3.31	10	1332	9564	13386	24283	1400	12
13	1400	0.00	100	0.95	10.36	74	4758	13	9.7	14	3.57	0.51	0.09	8.77	98	0.50	3.44	10	1418	8578	12613	22610	1400	13
14	1400	0.07	100	1.02	10.89	78	4834	11	11.4	13	4.34	0.62	0.09	8.77	98	0.60	3.78	10	1503	7430	8660	17595	1400	14
15	1400	0.00	100	1.02	11.39	81	4916	9	12.1	11	4.75	0.51	0.09	8.81	98	0.50	4.15	10	1586	6407	8734	16729	1400	15
16	1400	0.83	99	1.83	11.59	83	4992	8	5.4	9	2.19	1.02	0.09	8.83	98	1.00	3.92	10	1668	6325	9217	17212	1400	16
17	1400	0.00	99	1.83	11.72	84	5063	8	4.4	7	1.80	0.13	0.09	8.86	99	0.13	3.43	10	1748	7376	7575	16700	1400	17
18	1400	0.00	99	1.83	11.88	85	5121	7	5.2	8	2.12	0.17	0.09	8.79	98	0.16	3.17	10	1824	7315	2216	11356	1400	18
19	1400	0.00	99	1.83	11.99	86	5193	7	4.2	6	1.74	0.11	0.09	8.75	97	0.11	2.81	10	1896	5289	1024	8211	1400	19
20	1400	0.03	100	1.86	12.24	87	5241	6	9.2	7	3.80	0.29	0.09	8.70	97	0.28	3.11	10	1963	3484	1709	7157	1400	20
21	1400	0.03	99	1.89	12.36	88	5355	6	4.8	6	2.01	0.15	0.09	8.74	97	0.15	2.89	10	2025	2882	2618	7526	1400	21
22	1400	0.24	99	2.12	12.51	89	5407	5	6.8	6	2.86	0.40	0.09	8.71	97	0.39	2.97	10	2080	3020	2399	7501	1400	22
23	1400	0.00	96	2.12	12.56	90	5477	5	2.7	4	1.14	0.05	0.09	8.75	97	0.05	2.52	10	2130	3368	2676	8175	1400	23
24	1400	0.00	99	2.12	12.69	91	5497	5	6.7	5	2.82	0.14	0.09	8.68	97	0.13	2.62	10	2171	3151	1047	6371	1400	24
25	1400	0.00	100	2.12	12.85	92	5558	4	8.7	4	3.69	0.16	0.09	8.69	97	0.16	2.91	10	2206	2446	1462	6135	1400	25
26	1400	0.00	100	2.12	13.03	93	5629	3	10.6	4	4.57	0.18	0.09	8.73	97	0.17	3.38	10	2232	1994	2229	6456	1400	26
27	1400	0.00	100	2.12	13.13	94	5706	3	7.4	3	3.18	0.10	0.09	8.78	98	0.10	3.38	10	2251	1806	2192	6250	1400	27
28	1400	0.00	100	2.12	13.22	94	5752	3	7.3	3	3.17	0.09	0.09	8.77	98	0.09	3.37	10	2261	1612	1366	5240	1400	28
29	1400	0.00	100	2.12	13.30	95	5792	2	7.2	3	3.15	0.08	0.09	8.76	98	0.08	3.36	10	2264	1415	1062	4742	1400	29
30	1400	0.00	99	2.12	13.35	95	5828	2	5.1	2	2.21	0.05	0.09	8.75	97	0.05	3.11	10	2258	1240	783	4283	1400	30

FORM 1315-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

FII = 0.10 IN./DAY, MELT RATE = 0.440 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	FII	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																								JUL 1972
1	1400	0.00	100	2.12	13.44	96	5851	2	9.2	2	4.04	0.09	0.09	8.72	97	0.08	3.37	10	2245	1089	717	4053	1400	1
2	1400	0.00	100	2.12	13.51	96	5889	2	9.0	2	3.96	0.07	0.10	8.75	98	0.07	3.55	10	2225	969	1073	4268	1400	2
3	1400	0.00	100	2.12	13.60	97	5921	1	13.1	2	5.78	0.09	0.10	8.76	98	0.09	4.19	10	2199	874	1241	4315	1400	3
4	1400	0.00	100	2.12	13.69	98	5962	1	16.2	1	7.15	0.09	0.10	8.82	98	0.09	5.10	10	2165	776	1596	4539	1400	4
5	1400	0.00	100	2.12	13.76	98	7004	1	17.1	1	7.60	0.07	0.10	8.87	99	0.07	5.92	10	2127	663	1644	4435	1400	5
6	1400	0.00	100	2.12	13.82	99	7055	1	18.1	1	8.05	0.06	0.10	8.89	99	0.06	6.63	10	2083	541	1399	4024	1400	6
7	1400	0.00	100	2.12	13.86	99	7095	0	18.0	1	8.04	0.04	0.10	8.89	99	0.04	7.08	10	2034	421	1097	3554	1400	7
8	1400	0.00	100	2.12	13.89	99	7124	0	15.9	0	7.10	0.03	0.10	8.89	99	0.03	7.04	10	1981	317	779	3079	1400	8
9	1400	0.00	100	2.12	13.90	99	7143	0	11.6	0	5.21	0.01	0.10	8.87	99	0.01	6.47	10	1925	233	477	2637	1400	9
10	1400	0.00	100	2.12	13.91	99	7153	0	10.6	0	4.73	0.01	0.10	8.83	98	0.01	5.87	10	1866	172	266	2305	1400	10
11	1400	0.15	100	2.26	13.92	99	7161	0	10.5	0	4.73	0.16	0.10	8.79	98	0.16	5.38	10	1805	230	930	2966	1400	11
12	1400	0.01	100	2.27	13.94	100	7167	0	17.9	0	8.02	0.02	0.10	8.79	98	0.02	5.49	10	1742	451	1607	3802	1400	12
13	1400	0.01	100	2.28	13.94	100	7176	0	13.7	0	6.14	0.02	0.10	8.82	98	0.02	5.11	10	1677	549	665	2892	1400	13
14	1400	0.14	100	2.42	13.95	100	7181	0	8.4	0	3.78	0.14	0.10	8.79	98	0.14	4.46	10	1612	493	877	2983	1400	14
15	1400	0.00	100	2.42	13.95	100	7184	0	5.3	0	2.36	0.00	0.10	8.75	98	0.00	3.73	10	1546	579	1179	3305	1400	15
16	1400	0.07	100	2.49	13.95	100	7185	0	3.2	0	1.42	0.07	0.10	8.68	97	0.07	3.08	10	1480	710	352	2543	1400	16
17	1400	0.00	100	2.49	13.95	100	7186	0	4.2	0	1.89	0.00	0.10	8.61	96	0.00	2.58	10	1414	739	196	2351	1400	17
18	1400	0.00	100	2.49	13.95	100	7186	0	3.2	0	1.42	0.00	0.10	8.54	95	0.00	2.15	10	1350	623	44	2018	1400	18
19	1400	0.24	99	2.71	13.95	100	7187	0	1.0	0	0.47	0.24	0.10	8.47	95	0.23	1.77	10	1286	752	165	2204	1400	19
20	1400	0.02	100	2.73	13.96	100	7187	0	7.3	0	3.30	0.02	0.10	8.43	94	0.02	1.67	12	1223	1531	362	3118	1400	20
21	1400	0.00	100	2.73	13.96	100	7189	0	5.2	0	2.36	0.00	0.10	8.41	94	0.00	1.49	13	1162	1908	197	3268	1400	21
22	1400	0.00	100	2.73	13.96	100	7190	0	9.4	0	4.24	0.00	0.10	8.36	94	0.00	1.48	15	1103	1214	46	2365	1400	22
23	1400	0.00	100	2.73	13.96	100	7191	0	13.6	0	6.13	0.00	0.10	8.36	94	0.00	1.57	15	1045	440	32	1518	1400	23
24	1400	0.82	100	3.50	13.96	100	7193	0	7.3	0	3.30	0.82	0.10	8.39	94	0.77	1.58	14	990	777	3174	4942	1400	24
25	1400	0.10	100	3.59	13.96	100	7194	0	9.4	0	4.24	0.10	0.10	8.47	95	0.10	1.47	14	937	2351	6134	9423	1400	25
26	1400	0.00	100	3.59	13.96	100	7194	0	8.4	0	3.77	0.00	0.10	8.44	94	0.00	1.33	15	886	3170	1990	6047	1400	26
27	1400	0.00	100	3.59	13.97	100	7195	0	9.4	0	4.24	0.00	0.10	8.39	94	0.00	1.21	17	837	2120	268	3227	1400	27
28	1400	0.20	100	3.78	13.97	100	7196	0	6.3	0	2.82	0.20	0.10	8.34	93	0.19	1.09	18	792	1015	513	2321	1400	28
29	1400	0.00	100	3.78	13.97	100	7196	0	9.4	0	4.24	0.00	0.10	8.32	93	0.00	1.00	19	749	956	890	2597	1400	29
30	1400	0.00	100	3.78	13.97	100	7197	0	8.4	0	3.77	0.00	0.10	8.26	93	0.00	0.89	20	710	1006	198	1915	1400	30
31	1400	0.00	100	3.78	13.97	100	7197	0	11.5	0	5.18	0.00	0.10	8.20	92	0.00	0.83	22	673	599	22	1295	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

FORM 1611-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	4.00	0	0.00	0.03	0	260	15	5	280	1400	1
2	1400	0.00	0	0.00	0.00	0	910	100	1.3	7	0.13	0.01	0.09	4.00	50	0.00	0.02	57	259	16	3	280	1400	2
3	1400	0.00	4	0.00	0.02	0	946	100	1.1	23	0.11	0.03	0.09	3.91	49	0.01	0.02	58	259	24	2	288	1400	3
4	1400	0.00	2	0.00	0.02	0	1012	100	1.2	12	0.12	0.01	0.09	3.84	48	0.01	0.02	58	259	41	3	305	1400	4
5	1400	0.00	70	0.00	0.25	2	1028	95	5.3	90	0.53	0.48	0.09	3.75	48	0.23	0.07	58	259	169	26	456	1400	5
6	1400	0.13	25	0.02	0.32	2	1525	94	2.5	53	0.26	0.17	0.09	3.93	49	0.08	0.07	53	259	497	55	813	1400	6
7	1400	0.05	48	0.03	0.45	3	1670	92	3.5	74	0.37	0.30	0.09	3.94	49	0.15	0.09	53	259	802	45	1108	1400	7
8	1400	0.00	59	0.03	0.63	4	1962	89	4.2	77	0.45	0.35	0.09	4.02	50	0.17	0.11	51	259	949	59	1269	1400	8
9	1400	0.00	48	0.03	0.75	5	2078	87	3.2	69	0.36	0.24	0.09	4.13	51	0.13	0.12	49	260	1070	64	1395	1400	9
10	1400	0.00	25	0.03	0.80	6	2141	86	2.0	44	0.23	0.10	0.09	4.17	52	0.05	0.11	49	261	1086	46	1395	1400	10
11	1400	0.08	48	0.05	0.92	7	2167	84	3.1	65	0.35	0.27	0.09	4.14	51	0.14	0.12	50	263	940	37	1243	1400	11
12	1400	0.00	25	0.05	0.97	7	2226	83	1.9	41	0.22	0.09	0.09	4.21	52	0.05	0.11	49	267	813	42	1123	1400	12
13	1400	0.00	14	0.05	0.99	7	2250	82	1.3	29	0.16	0.05	0.09	4.18	52	0.02	0.09	50	272	695	21	990	1400	13
14	1400	0.00	14	0.05	1.02	7	2262	82	1.3	28	0.15	0.04	0.09	4.11	51	0.02	0.08	51	278	488	11	778	1400	14
15	1400	0.00	7	0.05	1.02	7	2273	82	0.8	17	0.09	0.02	0.09	4.05	50	0.01	0.06	52	286	289	7	583	1400	15
16	1400	0.00	7	0.05	1.03	7	2277	82	0.8	17	0.09	0.01	0.09	3.97	50	0.01	0.05	54	295	170	3	469	1400	16
17	1400	0.06	36	0.06	1.10	8	2280	80	2.3	50	0.28	0.16	0.09	3.89	49	0.08	0.06	55	305	141	11	458	1400	17
18	1400	0.13	7	0.06	1.11	8	2314	80	0.7	15	0.08	0.02	0.09	3.90	49	0.01	0.05	54	316	208	19	543	1400	18
19	1400	0.37	25	0.11	1.14	8	2317	80	1.8	38	0.21	0.17	0.09	3.84	48	0.08	0.06	55	328	285	15	630	1400	19
20	1400	0.21	25	0.13	1.18	8	2333	79	1.7	37	0.21	0.13	0.09	3.90	49	0.06	0.06	54	340	351	26	719	1400	20
21	1400	0.14	36	0.16	1.24	9	2345	79	2.2	48	0.27	0.18	0.09	3.91	49	0.09	0.07	54	353	443	28	825	1400	21
22	1400	0.00	48	0.16	1.34	10	2366	77	2.7	58	0.33	0.19	0.09	3.95	49	0.10	0.08	53	365	539	34	940	1400	22
23	1400	0.00	59	0.16	1.48	11	2399	76	3.5	62	0.43	0.27	0.09	3.99	50	0.13	0.10	52	377	650	42	1071	1400	23
24	1400	0.00	86	0.16	1.76	13	2443	72	6.0	73	0.76	0.55	0.09	4.07	51	0.28	0.16	50	389	892	72	1354	1400	24
25	1400	0.00	80	0.16	1.99	14	2537	70	4.9	68	0.64	0.43	0.09	4.36	54	0.23	0.20	47	400	1334	105	1841	1400	25
26	1400	0.00	100	0.16	2.56	18	2614	63	10.8	70	1.47	1.02	0.09	4.56	56	0.57	0.35	43	411	1985	192	2590	1400	26
27	1400	0.00	100	0.16	3.27	23	2804	56	12.6	63	1.84	1.15	0.09	5.19	62	0.71	0.55	34	423	3126	482	4032	1400	27
28	1400	0.46	86	0.43	3.57	26	3003	53	5.1	53	0.84	0.84	0.09	5.89	69	0.58	0.61	28	435	4703	708	5847	1400	28
29	1400	0.01	100	0.44	4.25	30	3080	47	10.1	53	1.76	0.94	0.09	6.24	72	0.68	0.79	27	448	5973	792	7214	1400	29
30	1400	0.10	100	0.51	5.17	37	3250	39	12.9	47	2.54	1.29	0.09	6.70	77	1.00	1.14	24	462	6873	1547	8883	1400	30
31	1400	0.29	97	0.75	5.70	41	3472	36	7.2	39	1.63	0.92	0.09	7.34	83	0.77	1.26	19	480	7877	2311	10670	1400	31

FORM 1413-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.263 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	96	0.99	6.14	44	3565	33	5.9	35	1.44	0.79	0.09	7.63	86	0.68	1.33	17	501	8584	1904	10991	1400	1
2	1400	0.41	36	1.12	6.14	44	3642	33	0.1	2	0.02	0.15	0.09	7.83	88	0.13	1.07	17	526	8064	1177	9768	1400	2
3	1400	0.01	86	1.13	6.40	46	3642	32	3.7	30	0.98	0.31	0.09	7.81	88	0.27	1.02	19	556	6186	388	7131	1400	3
4	1400	0.00	96	1.13	6.81	49	3688	29	5.5	31	1.50	0.46	0.09	7.83	88	0.41	1.11	20	590	4374	477	5442	1400	4
5	1400	0.00	96	1.13	7.20	51	3760	27	5.2	29	1.52	0.43	0.09	7.93	89	0.39	1.18	19	626	3912	726	5268	1400	5
6	1400	0.30	48	1.26	7.21	51	3828	27	0.3	6	0.10	0.15	0.09	8.01	90	0.13	0.96	18	671	4016	568	5256	1400	6
7	1400	0.00	100	1.26	7.79	56	3829	23	8.1	26	2.46	0.65	0.09	7.98	90	0.58	1.30	21	716	3809	784	5311	1400	7
8	1400	0.00	100	1.26	8.37	60	3932	20	8.8	23	2.79	0.64	0.09	8.18	92	0.59	1.66	17	764	3967	1978	6712	1400	8
9	1400	0.00	100	1.26	8.95	64	4054	18	9.5	20	3.16	0.62	0.09	8.36	94	0.58	2.01	13	814	4672	2837	8325	1400	9
10	1400	0.00	100	1.26	9.42	67	4174	16	8.2	17	2.85	0.50	0.09	8.49	95	0.47	2.21	10	865	5037	3182	9085	1400	10
11	1400	0.00	100	1.26	10.26	73	4273	13	15.4	16	5.52	0.87	0.09	8.56	96	0.84	3.11	10	916	4830	4713	10461	1400	11
12	1400	0.00	100	1.26	11.03	79	4447	10	16.2	13	6.11	0.79	0.09	8.77	98	0.77	4.05	10	966	4396	7875	13238	1400	12
13	1400	0.00	100	1.26	11.46	82	4608	9	10.7	10	4.22	0.43	0.09	8.85	99	0.43	4.21	10	1015	3859	7043	11918	1400	13
14	1400	0.07	100	1.33	11.90	85	4697	7	12.6	9	5.11	0.52	0.09	8.84	98	0.51	4.61	10	1062	3285	4912	9261	1400	14
15	1400	0.00	100	1.33	12.29	88	4789	6	13.5	7	5.55	0.40	0.09	8.86	99	0.40	5.05	10	1107	2782	4776	8667	1400	15
16	1400	0.83	100	2.15	12.45	89	4871	5	6.5	6	2.74	0.99	0.09	8.86	99	0.98	4.77	10	1150	2770	5447	9368	1400	16
17	1400	0.00	100	2.15	12.57	90	4904	5	5.2	5	2.21	0.12	0.09	8.89	99	0.12	4.24	10	1189	3389	5123	9703	1400	17
18	1400	0.00	100	2.15	12.69	91	4928	5	6.1	5	2.58	0.13	0.09	8.83	98	0.12	3.92	10	1225	3471	1497	6194	1400	18
19	1400	0.00	100	2.15	12.78	91	4954	4	4.8	4	2.07	0.09	0.09	8.79	98	0.09	3.53	10	1257	2500	633	4392	1400	19
20	1400	0.03	100	2.17	12.95	93	4973	4	9.9	4	4.26	0.21	0.09	8.74	97	0.20	3.79	10	1285	1580	869	3735	1400	20
21	1400	0.03	100	2.20	13.04	93	5042	3	5.5	4	2.36	0.11	0.09	8.78	98	0.11	3.51	10	1309	1236	1256	3803	1400	21
22	1400	0.24	100	2.44	13.14	94	5122	3	7.4	3	3.22	0.34	0.09	8.75	98	0.34	3.54	10	1329	1270	1338	3939	1400	22
23	1400	0.00	99	2.44	13.18	94	5221	3	3.1	3	1.35	0.04	0.09	8.78	98	0.04	3.06	10	1345	1466	1572	4384	1400	23
24	1400	0.00	100	2.44	13.26	95	5257	3	7.2	3	3.14	0.09	0.09	8.72	97	0.08	3.11	10	1356	1407	555	3319	1400	24
25	1400	0.00	100	2.44	13.36	95	5339	2	9.2	2	4.01	0.10	0.09	8.73	97	0.10	3.37	10	1363	1043	627	3035	1400	25
26	1400	0.00	100	2.44	13.46	96	5433	2	11.1	2	4.88	0.10	0.09	8.76	98	0.10	3.80	10	1365	756	860	2982	1400	26
27	1400	0.00	100	2.44	13.52	97	5532	2	7.8	2	3.44	0.06	0.09	8.80	98	0.06	3.76	10	1363	627	819	2810	1400	27
28	1400	0.00	100	2.44	13.57	97	5590	1	7.7	2	3.41	0.05	0.09	8.78	98	0.05	3.71	10	1356	538	516	2413	1400	28
29	1400	0.00	100	2.44	13.62	97	5641	1	7.6	1	3.38	0.05	0.09	8.77	98	0.05	3.65	10	1346	464	399	2210	1400	29
30	1400	0.00	100	2.44	13.65	97	5685	1	5.5	1	2.42	0.03	0.09	8.76	98	0.03	3.38	10	1331	402	293	2028	1400	30

FORM 141-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250681 1 MAY 1972 1400 0 SUSITNA HEP 3.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.445 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%PA	RN-AR	ML-AR	%AR	ELEV	SLA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL 1972																								JUL 1972
1	1400	0.00	100	2.44	13.69	98	5713	1	9.6	1	4.27	0.05	0.09	8.73	97	0.05	3.60	10	1313	352	260	1926	1400	1
2	1400	0.00	100	2.44	13.75	98	5759	1	12.7	1	5.64	0.05	0.10	8.76	98	0.05	4.12	10	1291	311	436	2040	1400	2
3	1400	0.00	100	2.44	13.80	99	5811	1	16.8	1	7.49	0.06	0.10	8.81	98	0.06	5.04	10	1266	276	579	2123	1400	3
4	1400	0.00	100	2.44	13.86	99	5866	1	19.9	1	8.87	0.05	0.10	8.87	99	0.05	6.13	10	1238	238	645	2123	1400	4
5	1400	0.00	100	2.44	13.89	99	5915	0	20.8	0	9.32	0.04	0.10	8.90	99	0.04	6.95	10	1208	194	583	1986	1400	5
6	1400	0.00	100	2.44	13.92	99	5952	0	21.8	0	9.78	0.03	0.10	8.90	99	0.03	7.48	10	1175	148	447	1772	1400	6
7	1400	0.00	100	2.44	13.94	100	5977	0	21.5	0	9.65	0.02	0.10	8.90	99	0.02	7.56	10	1141	107	317	1567	1400	7
8	1400	0.00	100	2.44	13.95	100	5994	0	18.5	0	8.31	0.01	0.10	8.88	99	0.01	7.08	10	1104	75	204	1385	1400	8
9	1400	0.00	100	2.44	13.95	100	6122	0	13.8	0	6.19	0.01	0.10	8.84	98	0.01	6.24	10	1067	51	115	1234	1400	9
10	1400	0.00	100	2.44	13.96	100	6289	0	12.5	0	5.60	0.00	0.10	8.79	98	0.00	5.42	10	1028	34	61	1125	1400	10
11	1400	0.15	100	2.58	13.96	100	6408	0	12.3	0	5.51	0.15	0.10	8.74	97	0.15	4.73	10	989	76	519	1585	1400	11
12	1400	0.01	100	2.59	13.96	100	6502	0	19.5	0	8.74	0.01	0.10	8.72	97	0.01	4.34	10	949	199	944	2093	1400	12
13	1400	0.01	100	2.60	13.96	100	6623	0	15.1	0	6.77	0.01	0.10	8.71	97	0.01	3.77	10	909	256	326	1492	1400	13
14	1400	0.14	100	2.74	13.97	100	6688	0	9.7	0	4.36	0.14	0.10	8.66	97	0.14	3.17	10	868	233	505	1608	1400	14
15	1400	0.00	100	2.74	13.97	100	6721	0	6.5	0	2.92	0.00	0.10	8.61	96	0.00	2.60	10	829	284	737	1851	1400	15
16	1400	0.07	100	2.80	13.97	100	6739	0	4.4	0	1.96	0.07	0.10	8.53	95	0.07	2.12	10	789	358	239	1388	1400	16
17	1400	0.00	100	2.80	13.97	100	6751	0	5.4	0	2.43	0.00	0.10	8.46	95	0.00	1.74	10	750	379	159	1290	1400	17
18	1400	0.00	100	2.80	13.97	100	6763	0	4.3	0	1.94	0.00	0.10	8.38	94	0.00	1.42	13	712	322	33	1069	1400	18
19	1400	0.24	100	3.03	13.97	100	6773	0	2.2	0	0.99	0.24	0.10	8.30	93	0.22	1.19	16	675	394	126	1197	1400	19
20	1400	0.02	100	3.05	13.97	100	6777	0	8.5	0	3.82	0.02	0.10	8.26	93	0.02	1.04	18	639	813	263	1717	1400	20
21	1400	0.00	100	3.05	13.97	100	6793	0	6.4	0	2.87	0.00	0.10	8.20	92	0.00	0.88	20	604	1014	121	1741	1400	21
22	1400	0.00	100	3.05	13.97	100	6804	0	10.6	0	4.75	0.00	0.10	8.12	91	0.00	0.79	22	571	641	21	1234	1400	22
23	1400	0.00	100	3.05	13.97	100	6820	0	14.7	0	6.62	0.00	0.10	8.07	91	0.00	0.74	24	539	226	5	771	1400	23
24	1400	0.82	100	3.79	13.97	100	6839	0	8.4	0	3.78	0.82	0.10	8.03	90	0.74	0.79	25	508	409	1527	2445	1400	24
25	1400	0.10	100	3.88	13.97	100	6847	0	10.5	0	4.71	0.10	0.10	8.11	91	0.09	0.70	24	479	1258	2969	4708	1400	25
26	1400	0.00	100	3.88	13.97	100	6857	0	9.4	0	4.24	0.00	0.10	8.06	91	0.00	0.60	25	452	1701	966	3120	1400	26
27	1400	0.00	100	3.88	13.97	100	6864	0	10.5	0	4.70	0.00	0.10	7.98	90	0.00	0.51	27	426	1137	127	1692	1400	27
28	1400	0.20	100	4.05	13.97	100	6871	0	7.3	0	3.28	0.20	0.10	7.90	89	0.18	0.47	29	403	537	236	1177	1400	28
29	1400	0.00	100	4.05	13.97	100	6875	0	10.4	0	4.69	0.00	0.10	7.87	89	0.00	0.40	30	381	493	413	1289	1400	29
30	1400	0.00	100	4.05	13.97	100	6880	0	9.4	0	4.22	0.00	0.10	7.79	88	0.00	0.34	32	362	515	90	968	1400	30
31	1400	0.00	100	4.05	13.97	100	6884	0	12.5	0	5.63	0.00	0.10	7.71	87	0.00	0.30	35	346	305	7	659	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	RTI	GFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.10	4.00	0	0.00	0.03	0	140	10	4	154	1400	1
2	1400	0.00	2	0.00	0.02	0	677	100	1.5	21	0.15	0.03	0.09	4.00	50	0.02	0.03	57	139	13	3	158	1400	2
3	1400	0.00	15	0.00	0.06	0	706	99	2.5	36	0.25	0.09	0.09	3.93	49	0.04	0.03	57	139	36	5	181	1400	3
4	1400	0.00	5	0.00	0.09	1	787	98	2.0	28	0.20	0.05	0.09	3.88	49	0.03	0.03	57	139	77	7	224	1400	4
5	1400	0.00	73	0.00	0.35	3	835	94	6.0	90	0.61	0.55	0.09	3.82	48	0.27	0.08	57	139	178	20	339	1400	5
6	1400	0.13	38	0.02	0.46	3	1136	92	3.5	56	0.37	0.25	0.09	4.04	50	0.13	0.10	52	140	388	39	568	1400	6
7	1400	0.05	54	0.04	0.62	4	1216	89	4.2	73	0.45	0.36	0.09	4.10	51	0.18	0.12	50	140	593	35	769	1400	7
8	1400	0.00	64	0.04	0.83	6	1347	85	4.7	75	0.52	0.39	0.09	4.21	52	0.20	0.14	49	140	700	42	883	1400	8
9	1400	0.00	54	0.04	0.98	7	1507	82	3.7	66	0.43	0.28	0.09	4.34	53	0.15	0.15	48	141	767	43	952	1400	9
10	1400	0.00	38	0.04	1.06	8	1625	81	2.7	45	0.32	0.14	0.09	4.41	54	0.08	0.14	47	142	760	32	936	1400	10
11	1400	0.08	54	0.06	1.20	9	1685	79	3.5	62	0.41	0.30	0.09	4.40	54	0.16	0.15	48	144	662	27	834	1400	11
12	1400	0.00	38	0.06	1.27	9	1773	78	2.5	41	0.30	0.12	0.09	4.49	55	0.07	0.14	47	147	579	29	757	1400	12
13	1400	0.00	30	0.06	1.31	9	1809	78	2.0	31	0.25	0.08	0.09	4.47	55	0.04	0.12	48	151	503	17	673	1400	13
14	1400	0.00	30	0.06	1.35	10	1831	77	2.0	30	0.24	0.07	0.09	4.43	54	0.04	0.11	49	156	375	11	544	1400	14
15	1400	0.00	22	0.06	1.37	10	1852	77	1.4	22	0.18	0.04	0.09	4.38	54	0.02	0.09	50	163	252	8	424	1400	15
16	1400	0.00	22	0.06	1.39	10	1863	77	1.4	22	0.18	0.04	0.09	4.31	53	0.02	0.08	51	170	173	5	349	1400	16
17	1400	0.06	46	0.08	1.48	11	1873	76	2.8	49	0.34	0.19	0.09	4.25	52	0.10	0.09	52	178	150	10	339	1400	17
18	1400	0.13	22	0.09	1.49	11	1919	76	1.3	20	0.17	0.06	0.09	4.28	53	0.03	0.08	51	187	194	15	397	1400	18
19	1400	0.37	38	0.16	1.55	11	1928	75	2.3	38	0.29	0.25	0.09	4.24	52	0.13	0.09	52	196	259	15	472	1400	19
20	1400	0.21	38	0.21	1.61	11	1958	74	2.2	37	0.28	0.18	0.09	4.34	53	0.10	0.10	51	206	329	24	560	1400	20
21	1400	0.14	46	0.24	1.69	12	1987	73	2.6	46	0.33	0.22	0.09	4.37	54	0.12	0.11	50	215	406	24	647	1400	21
22	1400	0.00	54	0.24	1.80	13	2027	72	3.0	54	0.39	0.21	0.09	4.43	54	0.12	0.12	50	225	459	26	712	1400	22
23	1400	0.00	64	0.24	1.96	14	2082	70	3.7	58	0.49	0.28	0.09	4.47	55	0.16	0.14	49	235	503	30	769	1400	23
24	1400	0.00	87	0.24	2.27	16	2157	66	6.1	68	0.82	0.56	0.09	4.57	56	0.31	0.21	48	245	627	47	920	1400	24
25	1400	0.00	82	0.24	2.53	18	2306	63	4.9	63	0.69	0.44	0.09	4.85	59	0.25	0.25	44	254	881	67	1203	1400	25
26	1400	0.00	100	0.24	3.13	22	2428	57	10.9	63	1.58	1.00	0.09	5.05	60	0.60	0.43	41	263	1267	134	1666	1400	26
27	1400	0.00	100	0.24	3.90	28	2677	50	12.6	57	2.03	1.16	0.09	5.65	66	0.77	0.66	31	273	1951	353	2579	1400	27
28	1400	0.46	87	0.53	4.23	30	2952	47	5.0	48	0.93	0.85	0.09	6.33	73	0.62	0.73	26	282	2889	509	3682	1400	28
29	1400	0.01	100	0.54	4.93	35	3058	41	10.0	47	1.96	0.93	0.09	6.66	77	0.71	0.95	25	293	3614	559	4467	1400	29
30	1400	0.10	100	0.62	5.86	42	3269	35	12.8	41	2.80	1.24	0.09	7.10	81	1.01	1.33	21	304	4040	1114	5459	1400	30
31	1400	0.29	98	0.87	6.39	46	3471	32	7.1	35	1.77	0.90	0.09	7.66	87	0.78	1.46	17	316	4455	1630	6402	1400	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT.RATE = 0.293 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	1400	0.29	97	1.12	6.83	49	3582	29	5.7	31	1.56	0.77	0.09	7.91	89	0.69	1.52	15	330	4735	1286	6352	1400	1
2	1400	0.41	46	1.29	6.83	49	3672	29	0.0	1	0.01	0.19	0.09	8.07	91	0.17	1.23	15	346	4442	783	5572	1400	2
3	1400	0.01	87	1.30	7.08	51	3672	27	3.5	27	1.03	0.28	0.09	8.05	90	0.26	1.17	18	363	3465	251	4081	1400	3
4	1400	0.00	97	1.30	7.46	53	3724	25	5.3	27	1.59	0.43	0.09	8.06	91	0.39	1.25	18	383	2472	280	3137	1400	4
5	1400	0.00	97	1.30	7.82	56	3805	23	5.0	25	1.56	0.38	0.09	8.13	91	0.35	1.31	18	405	2130	416	2952	1400	5
6	1400	0.30	54	1.45	7.82	56	3877	23	0.2	4	0.07	0.17	0.09	8.19	92	0.15	1.06	17	429	2113	315	2858	1400	6
7	1400	0.00	100	1.45	8.34	60	3878	20	7.9	23	2.53	0.57	0.09	8.15	91	0.52	1.41	19	453	1995	431	2881	1400	7
8	1400	0.00	100	1.45	8.87	63	3979	18	8.7	20	2.88	0.56	0.09	8.31	93	0.53	1.73	16	479	2045	1069	3595	1400	8
9	1400	0.00	100	1.45	9.42	67	4075	16	9.5	18	3.28	0.58	0.09	8.43	94	0.55	2.10	13	505	2333	1560	4400	1400	9
10	1400	0.00	100	1.45	9.87	70	4194	14	8.3	16	2.96	0.47	0.09	8.55	96	0.45	2.32	10	531	2483	1790	4806	1400	10
11	1400	0.00	100	1.45	10.65	76	4290	12	15.5	14	5.70	0.81	0.09	8.61	96	0.78	3.26	10	557	2390	2538	5486	1400	11
12	1400	0.00	100	1.45	11.36	81	4458	9	16.2	12	6.29	0.73	0.09	8.79	98	0.71	4.22	10	582	2181	4107	6871	1400	12
13	1400	0.00	100	1.45	11.75	84	4612	8	10.7	9	4.33	0.39	0.09	8.87	99	0.39	4.38	10	606	1910	3619	6137	1400	13
14	1400	0.07	100	1.52	12.15	87	4695	6	12.7	8	5.21	0.47	0.09	8.84	98	0.47	4.77	10	628	1618	2502	4750	1400	14
15	1400	0.00	100	1.52	12.50	89	4780	5	13.6	6	5.68	0.36	0.09	8.86	99	0.36	5.21	10	650	1365	2414	4430	1400	15
16	1400	0.83	100	2.33	12.65	90	4857	5	6.9	5	2.94	0.98	0.09	8.87	99	0.97	4.95	10	669	1370	2897	4937	1400	16
17	1400	0.00	100	2.33	12.76	91	4889	4	5.6	5	2.38	0.11	0.09	8.90	99	0.11	4.42	10	686	1705	2861	5274	1400	17
18	1400	0.03	100	2.33	12.87	92	4912	4	6.4	4	2.74	0.12	0.09	8.83	98	0.11	4.09	10	702	1760	842	3305	1400	18
19	1400	0.00	100	2.33	12.96	93	4937	4	5.1	4	2.19	0.08	0.09	8.79	98	0.08	3.70	10	715	1260	345	2321	1400	19
20	1400	0.03	100	2.36	13.11	94	4954	3	10.2	4	4.39	0.19	0.09	8.75	98	0.18	3.96	10	726	782	448	1957	1400	20
21	1400	0.03	100	2.39	13.18	94	4987	3	5.7	3	2.46	0.10	0.09	8.79	98	0.10	3.66	10	735	602	638	1977	1400	21
22	1400	0.24	100	2.63	13.27	95	5015	3	7.6	3	3.31	0.33	0.09	8.76	98	0.32	3.67	10	742	621	711	2076	1400	22
23	1400	0.00	99	2.63	13.30	95	5130	2	3.2	2	1.40	0.03	0.09	8.79	98	0.03	3.18	10	747	731	848	2328	1400	23
24	1400	0.00	100	2.63	13.37	96	5173	2	7.3	2	3.21	0.07	0.09	8.73	97	0.07	3.22	10	749	707	289	1746	1400	24
25	1400	0.00	100	2.63	13.46	96	5267	2	9.3	2	4.08	0.08	0.09	8.73	97	0.08	3.46	10	749	516	303	1570	1400	25
26	1400	0.00	100	2.63	13.54	97	5374	2	11.2	2	4.94	0.09	0.09	8.76	98	0.09	3.86	10	747	361	406	1515	1400	26
27	1400	0.00	100	2.63	13.59	97	5485	1	7.9	1	3.48	0.05	0.09	8.80	98	0.05	3.82	10	743	292	384	1419	1400	27
28	1400	0.00	100	2.63	13.64	97	5551	1	7.8	1	3.44	0.05	0.09	8.79	98	0.04	3.76	10	736	248	241	1227	1400	28
29	1400	0.00	100	2.63	13.68	98	5608	1	7.7	1	3.40	0.04	0.09	8.77	98	0.04	3.69	10	728	212	186	1128	1400	29
30	1400	0.00	100	2.63	13.70	98	5658	1	5.5	1	2.44	0.02	0.09	8.76	98	0.02	3.40	10	717	184	136	1039	1400	30

FORM 1413-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
250881 1 MAY 1972 1400 0 SUSITNA HEP S.MELT 5-7/72 RECONST. N.P.D., CORPS OF ENGINEERS

ETI = 0.10 IN./DAY, MELT RATE = 0.445 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUL	1972																							JUL 1972
1	1400	0.00	100	2.63	13.74	98	5689	1	9.6	1	4.29	0.04	0.09	8.73	97	0.04	3.60	10	705	161	120	987	1400	1
2	1400	0.00	100	2.63	13.79	98	5740	1	12.7	1	5.66	0.05	0.10	8.76	98	0.04	4.10	10	691	142	200	1035	1400	2
3	1400	0.00	100	2.63	13.83	99	5797	1	16.8	1	7.50	0.05	0.10	8.81	98	0.05	4.98	10	676	126	265	1068	1400	3
4	1400	0.00	100	2.63	13.88	99	5858	0	19.9	0	8.88	0.04	0.10	8.87	99	0.04	5.99	10	660	108	294	1063	1400	4
5	1400	0.00	100	2.63	13.91	99	5913	0	20.8	0	9.32	0.03	0.10	8.90	99	0.03	6.73	10	642	88	265	997	1400	5
6	1400	0.00	100	2.63	13.93	99	5953	0	21.8	0	9.78	0.02	0.10	8.90	99	0.02	7.17	10	623	67	203	895	1400	6
7	1400	0.00	100	2.63	13.94	100	5981	0	21.8	0	9.77	0.01	0.10	8.89	99	0.01	7.19	10	603	49	144	798	1400	7
8	1400	0.00	100	2.63	13.95	100	6000	0	19.7	0	8.83	0.01	0.10	8.87	99	0.01	6.75	10	583	34	95	713	1400	8
9	1400	0.00	100	2.63	13.96	100	6005	0	15.4	0	6.94	0.00	0.10	8.84	98	0.00	5.97	10	562	23	56	642	1400	9
10	1400	0.00	100	2.63	13.96	100	6008	0	14.4	0	6.47	0.00	0.10	8.79	98	0.00	5.20	10	541	15	31	588	1400	10
11	1400	0.15	100	2.77	13.96	100	6011	0	14.4	0	6.47	0.15	0.10	8.74	97	0.15	4.54	10	519	35	300	855	1400	11
12	1400	0.01	100	2.78	13.97	100	6012	0	21.7	0	9.77	0.01	0.10	8.72	97	0.01	4.11	10	497	93	546	1137	1400	12
13	1400	0.01	100	2.79	13.97	100	6014	0	17.5	0	7.88	0.01	0.10	8.69	97	0.01	3.54	10	475	119	184	780	1400	13
14	1400	0.14	100	.93	13.97	100	6015	0	12.3	0	5.52	0.14	0.10	8.64	96	0.14	2.97	10	453	107	304	866	1400	14
15	1400	0.00	100	2.93	13.97	100	6016	0	9.1	0	4.10	0.00	0.10	8.59	96	0.00	2.43	10	432	126	453	1012	1400	15
16	1400	0.07	100	2.99	13.97	100	6016	0	7.0	0	3.16	0.07	0.10	0.51	95	0.07	1.99	10	411	154	177	743	1400	16
17	1400	0.00	100	2.99	13.97	100	6016	0	8.1	0	3.63	0.00	0.10	8.44	94	0.00	1.63	10	390	157	152	701	1400	17
18	1400	0.00	100	2.99	13.97	100	6016	0	7.0	0	3.16	0.00	0.10	8.36	94	0.00	1.33	14	370	139	32	533	1400	18
19	1400	0.24	100	3.22	13.97	100	6017	0	4.9	0	2.22	0.24	0.10	8.28	93	0.22	1.13	17	350	167	153	671	1400	19
20	1400	0.02	100	3.23	13.97	100	6017	0	11.2	0	5.05	0.02	0.10	8.24	92	0.02	0.96	19	331	358	300	990	1400	20
21	1400	0.00	100	3.23	13.97	100	6017	0	9.1	0	4.10	0.00	0.10	8.17	92	0.00	0.80	21	313	449	107	870	1400	21
22	1400	0.00	100	3.23	13.97	100	6017	0	13.3	0	5.99	0.00	0.10	8.09	91	0.00	0.69	24	295	283	15	595	1400	22
23	1400	0.00	100	3.23	13.97	100	6017	0	17.5	0	7.88	0.00	0.10	8.02	90	0.00	0.60	25	278	99	2	380	1400	23
24	1400	0.82	100	3.97	13.97	100	6017	0	11.2	0	5.05	0.82	0.10	7.95	89	0.73	0.66	27	262	176	939	1378	1400	24
25	1400	0.10	100	4.06	13.97	100	6018	0	13.3	0	5.99	0.10	0.10	8.03	90	0.09	0.57	26	247	541	1826	2615	1400	25
26	1400	0.00	100	4.06	13.97	100	6018	0	12.3	0	5.52	0.00	0.10	7.97	90	0.00	0.47	28	232	732	590	1556	1400	26
27	1400	0.00	100	4.06	13.97	100	6018	0	13.3	0	5.99	0.00	0.10	7.88	89	0.00	0.39	30	219	489	76	787	1400	27
28	1400	0.20	100	4.23	13.97	100	6018	0	10.2	0	4.58	0.20	0.10	7.79	88	0.18	0.36	32	207	229	166	604	1400	28
29	1400	0.00	100	4.23	13.97	100	6018	0	13.3	0	5.99	0.00	0.10	7.75	88	0.00	0.30	34	196	204	293	696	1400	29
30	1400	0.00	100	4.23	13.97	100	6018	0	12.3	0	5.52	0.00	0.10	7.66	87	0.00	0.24	37	187	211	63	463	1400	30
31	1400	0.00	100	4.23	13.97	100	6018	0	15.4	0	6.94	0.00	0.10	7.57	86	0.00	0.20	42	179	125	5	310	1400	31

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1315

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 1.0 SUSITNA GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	100.			120.			220.			140 1 MAY 72
2 MAY 72 1400	89.			115.			204.			140 2 MAY 72
3 MAY 72 1400	65.			101.			167.			140 3 MAY 72
4 MAY 72 1400	44.			87.			131.			140 4 MAY 72
5 MAY 72 1400	32.			134.			167.			140 5 MAY 72
6 MAY 72 1400	35.			270.			306.			140 6 MAY 72
7 MAY 72 1400	47.			386.			433.			140 7 MAY 72
8 MAY 72 1400	54.			477.			531.			140 8 MAY 72
9 MAY 72 1400	58.			561.			619.			140 9 MAY 72
10 MAY 72 1400	61.			601.			662.			140 10 MAY 72
11 MAY 72 1400	57.			559.			616.			140 11 MAY 72
12 MAY 72 1400	49.			477.			527.			140 12 MAY 72
13 MAY 72 1400	39.			380.			419.			140 13 MAY 72
14 MAY 72 1400	28.			280.			309.			140 14 MAY 72
15 MAY 72 1400	18.			192.			210.			140 15 MAY 72
16 MAY 72 1400	10.			135.			146.			140 16 MAY 72
17 MAY 72 1400	6.			117.			123.			140 17 MAY 72
18 MAY 72 1400	4.			129.			133.			140 18 MAY 72
19 MAY 72 1400	3.			143.			147.			140 19 MAY 72
20 MAY 72 1400	3.			147.			151.			140 20 MAY 72
21 MAY 72 1400	2.			151.			154.			140 21 MAY 72
22 MAY 72 1400	4.			185.			190.			140 22 MAY 72
23 MAY 72 1400	11.			279.			291.			140 23 MAY 72
24 MAY 72 1400	33.			494.			528.			140 24 MAY 72
25 MAY 72 1400	79.			849.			928.			140 25 MAY 72
26 MAY 72 1400	165.			1,470.			1,630.			140 26 MAY 72
27 MAY 72 1400	340.			2,760.			3,100.			140 27 MAY 72
28 MAY 72 1400	609.			4,180.			4,790.			140 28 MAY 72
29 MAY 72 1400	861.			4,990.			5,850.			140 29 MAY 72
30 MAY 72 1400	1,050.			5,910.			6,960.			140 30 MAY 72
31 MAY 72 1400	1,250.			6,740.			7,990.			140 31 MAY 72

FORM 1815-S
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 1.0 SUSITNA GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	1,430.			6,680.			8,100.			140 1 JUN 72
2 JUN 72 1400	1,450.			5,900.			7,340.			140 2 JUN 72
3 JUN 72 1400	1,260.			4,430.			5,690.			140 3 JUN 72
4 JUN 72 1400	986.			3,030.			4,020.			140 4 JUN 72
5 JUN 72 1400	760.			2,210.			2,970.			140 5 JUN 72
6 JUN 72 1400	629.			1,870.			2,500.			140 6 JUN 72
7 JUN 72 1400	560.			1,840.			2,400.			140 7 JUN 72
8 JUN 72 1400	580.			2,350.			2,930.			140 8 JUN 72
9 JUN 72 1400	737.			3,350.			4,090.			140 9 JUN 72
10 JUN 72 1400	990.			4,420.			5,410.			140 10 JUN 72
11 JUN 72 1400	1,310.			6,090.			7,400.			140 11 JUN 72
12 JUN 72 1400	1,800.			9,030.			10,800.			140 12 JUN 72
13 JUN 72 1400	2,460.			10,100.			12,600.			140 13 JUN 72
14 JUN 72 1400	3,020.			9,280.			12,300.			140 14 JUN 72
15 JUN 72 1400	3,330.			9,240.			12,600.			140 15 JUN 72
16 JUN 72 1400	3,510.			8,980.			12,500.			140 16 JUN 72
17 JUN 72 1400	3,570.			8,300.			11,900.			140 17 JUN 72
18 JUN 72 1400	3,360.			6,910.			10,300.			140 18 JUN 72
19 JUN 72 1400	2,910.			5,490.			8,400.			140 19 JUN 72
20 JUN 72 1400	2,440.			4,350.			6,790.			140 20 JUN 72
21 JUN 72 1400	2,180.			3,860.			6,040.			140 21 JUN 72
22 JUN 72 1400	2,130.			3,690.			5,810.			140 22 JUN 72
23 JUN 72 1400	2,160.			3,840.			6,000.			140 23 JUN 72
24 JUN 72 1400	2,140.			3,630.			5,770.			140 24 JUN 72
25 JUN 72 1400	2,110.			3,550.			5,660.			140 25 JUN 72
26 JUN 72 1400	2,190.			3,780.			5,970.			140 26 JUN 72
27 JUN 72 1400	2,450.			4,070.			6,520.			140 27 JUN 72
28 JUN 72 1400	2,710.			3,980.			6,690.			140 28 JUN 72
29 JUN 72 1400	2,830.			3,860.			6,690.			140 29 JUN 72
30 JUN 72 1400	2,800.			3,600.			6,390.			140 30 JUN 72

FORM 1613-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 1.0 SUSITNA GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	2,690.			3,390.			6,080.			140 1 JUL 72
2 JUL 72 1400	2,700.			3,670.			6,370.			140 2 JUL 72
3 JUL 72 1400	3,040.			4,630.			7,670.			140 3 JUL 72
4 JUL 72 1400	3,780.			6,150.			9,930.			140 4 JUL 72
5 JUL 72 1400	4,840.			7,320.			12,200.			140 5 JUL 72
6 JUL 72 1400	5,960.			7,600.			13,600.			140 6 JUL 72
7 JUL 72 1400	7,010.			7,300.			14,300.			140 7 JUL 72
8 JUL 72 1400	7,760.			6,490.			14,300.			140 8 JUL 72
9 JUL 72 1400	8,110.			5,220.			13,300.			140 9 JUL 72
10 JUL 72 1400	7,990.			4,050.			12,000.			140 10 JUL 72
11 JUL 72 1400	7,560.			3,700.			11,300.			140 11 JUL 72
12 JUL 72 1400	7,180.			4,050.			11,200.			140 12 JUL 72
13 JUL 72 1400	7,110.			4,110.			11,200.			140 13 JUL 72
14 JUL 72 1400	7,190.			3,510.			10,700.			140 14 JUL 72
15 JUL 72 1400	7,030.			3,050.			10,100.			140 15 JUL 72
16 JUL 72 1400	6,430.			2,590.			9,030.			140 16 JUL 72
17 JUL 72 1400	5,550.			2,240.			7,790.			140 17 JUL 72
18 JUL 72 1400	4,650.			1,880.			6,520.			140 18 JUL 72
19 JUL 72 1400	3,910.			1,680.			5,590.			140 19 JUL 72
20 JUL 72 1400	3,430.			1,770.			5,200.			140 20 JUL 72
21 JUL 72 1400	3,280.			1,860.			5,140.			140 21 JUL 72
22 JUL 72 1400	3,390.			1,780.			5,170.			140 22 JUL 72
23 JUL 72 1400	3,760.			1,660.			5,420.			140 23 JUL 72
24 JUL 72 1400	4,450.			2,320.			6,780.			140 24 JUL 72
25 JUL 72 1400	5,360.			3,530.			8,880.			140 25 JUL 72
26 JUL 72 1400	6,030.			3,720.			9,750.			140 26 JUL 72
27 JUL 72 1400	6,210.			3,350.			9,560.			140 27 JUL 72
28 JUL 72 1400	6,020.			2,680.			8,700.			140 28 JUL 72
29 JUL 72 1400	5,720.			2,210.			7,930.			140 29 JUL 72
30 JUL 72 1400	5,470.			1,870.			7,340.			140 30 JUL 72
31 JUL 72 1400	5,330.			1,580.			6,910.			140 31 JUL 72

FORM 1413-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE			LOCAL ABOVE DENALI DAMSITE 312 SQ MI			DENALI DAMSITE 1260 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	220.			85.			305.			140 1 MAY 72
2 MAY 72 1400	212.			77.			289.			140 2 MAY 72
3 MAY 72 1400	186.			71.			257.			140 3 MAY 72
4 MAY 72 1400	149.			70.			219.			140 4 MAY 72
5 MAY 72 1400	149.			152.			301.			140 5 MAY 72
6 MAY 72 1400	236.			203.			439.			140 6 MAY 72
7 MAY 72 1400	369.			138.			507.			140 7 MAY 72
8 MAY 72 1400	482.			178.			660.			140 8 MAY 72
9 MAY 72 1400	575.			195.			770.			140 9 MAY 72
10 MAY 72 1400	641.			140.			781.			140 10 MAY 72
11 MAY 72 1400	639.			118.			757.			140 11 MAY 72
12 MAY 72 1400	571.			123.			694.			140 12 MAY 72
13 MAY 72 1400	473.			86.			559.			140 13 MAY 72
14 MAY 72 1400	364.			73.			437.			140 14 MAY 72
15 MAY 72 1400	260.			72.			332.			140 15 MAY 72
16 MAY 72 1400	178.			72.			251.			140 16 MAY 72
17 MAY 72 1400	135.			84.			219.			140 17 MAY 72
18 MAY 72 1400	128.			90.			218.			140 18 MAY 72
19 MAY 72 1400	140.			79.			220.			140 19 MAY 72
20 MAY 72 1400	149.			80.			229.			140 20 MAY 72
21 MAY 72 1400	152.			87.			239.			140 21 MAY 72
22 MAY 72 1400	172.			110.			281.			140 22 MAY 72
23 MAY 72 1400	240.			145.			385.			140 23 MAY 72
24 MAY 72 1400	409.			237.			645.			140 24 MAY 72
25 MAY 72 1400	728.			322.			1,050.			140 25 MAY 72
26 MAY 72 1400	1,260.			510.			1,790.			140 26 MAY 72
27 MAY 72 1400	2,360.			971.			3,330.			140 27 MAY 72
28 MAY 72 1400	3,940.			1,180.			5,120.			140 28 MAY 72
29 MAY 72 1400	5,320.			1,210.			6,540.			140 29 MAY 72
30 MAY 72 1400	6,410.			1,740.			8,150.			140 30 MAY 72
31 MAY 72 1400	7,470.			2,050.			9,530.			140 31 MAY 72

FORM 1211-S
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE			LOCAL ABOVE DENALI DAMSITE 312 SQ MI			DENALI DAMSITE 1260 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	8,040.			1,850.			9,900.			140 1 JUN 72
2 JUN 72 1400	7,720.			1,170.			8,890.			140 2 JUN 72
3 JUN 72 1400	6,520.			493.			7,010.			140 3 JUN 72
4 JUN 72 1400	4,850.			730.			5,580.			140 4 JUN 72
5 JUN 72 1400	3,500.			1,010.			4,510.			140 5 JUN 72
6 JUN 72 1400	2,740.			798.			3,540.			140 6 JUN 72
7 JUN 72 1400	2,450.			885.			3,340.			140 7 JUN 72
8 JUN 72 1400	2,670.			1,730.			4,390.			140 8 JUN 72
9 JUN 72 1400	3,510.			2,240.			5,750.			140 9 JUN 72
10 JUN 72 1400	4,750.			2,400.			7,150.			140 10 JUN 72
11 JUN 72 1400	6,400.			3,540.			9,940.			140 11 JUN 72
12 JUN 72 1400	9,110.			5,170.			14,300.			140 12 JUN 72
13 JUN 72 1400	11,700.			4,110.			15,800.			140 13 JUN 72
14 JUN 72 1400	12,500.			4,270.			16,700.			140 14 JUN 72
15 JUN 72 1400	12,400.			4,170.			16,600.			140 15 JUN 72
16 JUN 72 1400	12,500.			4,760.			17,300.			140 16 JUN 72
17 JUN 72 1400	12,200.			3,540.			15,700.			140 17 JUN 72
18 JUN 72 1400	11,100.			2,000.			13,100.			140 18 JUN 72
19 JUN 72 1400	9,340.			1,520.			10,900.			140 19 JUN 72
20 JUN 72 1400	7,600.			2,160.			9,760.			140 20 JUN 72
21 JUN 72 1400	6,420.			1,770.			8,180.			140 21 JUN 72
23 JUN 72 1400	5,930.			2,450.			8,370.			140 22 JUN 72
23 JUN 72 1400	5,910.			1,770.			7,670.			140 23 JUN 72
24 JUN 72 1400	5,890.			1,410.			7,300.			140 24 JUN 72
25 JUN 72 1400	5,710.			1,600.			7,320.			140 25 JUN 72
26 JUN 72 1400	5,820.			1,720.			7,540.			140 26 JUN 72
27 JUN 72 1400	6,250.			1,270.			7,520.			140 27 JUN 72
28 JUN 72 1400	6,610.			1,120.			7,730.			140 28 JUN 72
29 JUN 72 1400	6,690.			1,030.			7,720.			140 29 JUN 72
30 JUN 72 1400	6,540.			877.			7,420.			140 30 JUN 72

FORM 1411-S

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE			LOCAL ABOVE DENALI DAMSITE 312 SQ MI			DENALI DAMSITE 1260 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	6,240.			951.			7,190.			140 1 JUL 72
2 JUL 72 1400	6,230.			1,090.			7,310.			140 2 JUL 72
3 JUL 72 1400	7,020.			1,160.			8,180.			140 3 JUL 72
4 JUL 72 1400	8,800.			1,090.			9,890.			140 4 JUL 72
5 JUL 72 1400	11,000.			922.			12,000.			140 5 JUL 72
6 JUL 72 1400	12,900.			780.			13,600.			140 6 JUL 72
7 JUL 72 1400	13,900.			655.			14,600.			140 7 JUL 72
8 JUL 72 1400	14,300.			551.			14,800.			140 8 JUL 72
9 JUL 72 1400	13,800.			473.			14,300.			140 9 JUL 72
10 JUL 72 1400	12,700.			433.			13,100.			140 10 JUL 72
11 JUL 72 1400	11,700.			992.			12,600.			140 11 JUL 72
12 JUL 72 1400	11,200.			654.			11,900.			140 12 JUL 72
13 JUL 72 1400	11,200.			452.			11,700.			140 13 JUL 72
14 JUL 72 1400	11,000.			841.			11,800.			140 14 JUL 72
15 JUL 72 1400	10,400.			546.			10,900.			140 15 JUL 72
16 JUL 72 1400	9,550.			503.			10,100.			140 16 JUL 72
17 JUL 72 1400	8,410.			455.			8,860.			140 17 JUL 72
18 JUL 72 1400	7,160.			290.			7,450.			140 18 JUL 72
19 JUL 72 1400	6,060.			712.			6,770.			140 19 JUL 72
20 JUL 72 1400	5,400.			916.			6,310.			140 20 JUL 72
21 JUL 72 1400	5,170.			384.			5,550.			140 21 JUL 72
22 JUL 72 1400	5,150.			215.			5,370.			140 22 JUL 72
23 JUL 72 1400	5,300.			186.			5,480.			140 23 JUL 72
24 JUL 72 1400	6,100.			2,490.			8,590.			140 24 JUL 72
25 JUL 72 1400	7,830.			1,780.			9,610.			140 25 JUL 72
26 JUL 72 1400	9,320.			588.			9,900.			140 26 JUL 72
27 JUL 72 1400	9,650.			198.			9,850.			140 27 JUL 72
28 JUL 72 1400	9,130.			582.			9,710.			140 28 JUL 72
29 JUL 72 1400	8,320.			508.			8,820.			140 29 JUL 72
30 JUL 72 1400	7,640.			208.			7,850.			140 30 JUL 72
31 JUL 72 1400	7,130.			131.			7,260.			140 31 JUL 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 18.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	305.			125.			30.			140 1 MAY 72
2 MAY 72 1400	297.			115.			18.			140 2 MAY 72
3 MAY 72 1400	273.			109.			9.			140 3 MAY 72
4 MAY 72 1400	239.			108.			4.			140 4 MAY 72
5 MAY 72 1400	269.			233.			6.			140 5 MAY 72
6 MAY 72 1400	369.			311.			14.			140 6 MAY 72
7 MAY 72 1400	473.			212.			18.			140 7 MAY 72
8 MAY 72 1400	583.			274.			20.			140 8 MAY 72
9 MAY 72 1400	715.			300.			23.			140 9 MAY 72
10 MAY 72 1400	775.			215.			23.			140 10 MAY 72
11 MAY 72 1400	769.			181.			19.			140 11 MAY 72
12 MAY 72 1400	726.			188.			16.			140 12 MAY 72
13 MAY 72 1400	627.			131.			12.			140 13 MAY 72
14 MAY 72 1400	498.			111.			7.			140 14 MAY 72
15 MAY 72 1400	385.			108.			4.			140 15 MAY 72
16 MAY 72 1400	292.			109.			2.			140 16 MAY 72
17 MAY 72 1400	235.			126.			1.			140 17 MAY 72
18 MAY 72 1400	219.			135.			2.			140 18 MAY 72
19 MAY 72 1400	219.			120.			2.			140 19 MAY 72
20 MAY 72 1400	224.			121.			2.			140 20 MAY 72
21 MAY 72 1400	234.			133.			2.			140 21 MAY 72
22 MAY 72 1400	260.			168.			4.			140 22 MAY 72
23 MAY 72 1400	332.			222.			10.			140 23 MAY 72
24 MAY 72 1400	510.			370.			25.			140 24 MAY 72
25 MAY 72 1400	847.			512.			49.			140 25 MAY 72
26 MAY 72 1400	1,420.			806.			106.			140 26 MAY 72
27 MAY 72 1400	2,560.			1,530.			244.			140 27 MAY 72
28 MAY 72 1400	4,230.			1,900.			393.			140 28 MAY 72
29 MAY 72 1400	5,830.			1,970.			449.			140 29 MAY 72
30 MAY 72 1400	7,340.			2,780.			511.			140 30 MAY 72
31 MAY 72 1400	8,840.			3,300.			612.			140 31 MAY 72

FORM 1813
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 12.5 100-300 ROUT DENALI DAMSITE TO SUSKMAC CONF FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 21.0 MACLAREN GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	9,710.			3,020.			623.			140 1 JUN 72
2 JUN 72 1400	9,400.			1,900.			512.			140 2 JUN 72
3 JUN 72 1400	7,950.			771.			357.			140 3 JUN 72
4 JUN 72 1400	6,300.			1,190.			245.			140 4 JUN 72
5 JUN 72 1400	5,050.			1,650.			200.			140 5 JUN 72
6 JUN 72 1400	4,020.			1,230.			180.			140 6 JUN 72
7 JUN 72 1400	3,440.			1,350.			183.			140 7 JUN 72
8 JUN 72 1400	5,860.			2,790.			269.			140 8 JUN 72
9 JUN 72 1400	5,070.			3,730.			425.			140 9 JUN 72
10 JUN 72 1400	6,450.			4,059.			572.			140 10 JUN 72
11 JUN 72 1400	8,550.			6,120.			738.			140 11 JUN 72
12 JUN 72 1400	12,100.			8,430.			1,010.			140 12 JUN 72
13 JUN 72 1400	15,100.			5,920.			1,270.			140 13 JUN 72
14 JUN 72 1400	16,300.			6,190.			1,380.			140 14 JUN 72
15 JUN 72 1400	16,700.			5,750.			1,420.			140 15 JUN 72
16 JUN 72 1400	16,900.			6,700.			1,450.			140 16 JUN 72
17 JUN 72 1400	16,500.			4,870.			1,390.			140 17 JUN 72
18 JUN 72 1400	14,400.			2,560.			1,180.			140 18 JUN 72
19 JUN 72 1400	12,000.			1,860.			963.			140 19 JUN 72
20 JUN 72 1400	10,300.			2,760.			856.			140 20 JUN 72
21 JUN 72 1400	8,970.			2,130.			870.			140 21 JUN 72
22 JUN 72 1400	8,280.			2,530.			916.			140 22 JUN 72
23 JUN 72 1400	8,020.			2,260.			924.			140 23 JUN 72
24 JUN 72 1400	7,490.			1,400.			876.			140 24 JUN 72
25 JUN 72 1400	7,310.			1,550.			882.			140 25 JUN 72
26 JUN 72 1400	7,430.			1,930.			1,010.			140 26 JUN 72
27 JUN 72 1400	7,530.			1,660.			1,160.			140 27 JUN 72
28 JUN 72 1400	7,630.			1,460.			1,220.			140 28 JUN 72
29 JUN 72 1400	7,730.			1,380.			1,200.			140 29 JUN 72
30 JUN 72 1400	7,570.			1,220.			1,150.			140 30 JUN 72

FORM 1815
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 18.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	7,300.			1,330.			1,110.			140 1 JUL 72
2 JUL 72 1400	7,250.			1,720.			1,190.			140 2 JUL 72
3 JUL 72 1400	7,750.			2,120.			1,430.			140 3 JUL 72
4 JUL 72 1400	9,040.			2,100.			1,790.			140 4 JUL 72
5 JUL 72 1400	10,900.			1,810.			2,180.			140 5 JUL 72
6 JUL 72 1400	12,800.			1,540.			2,520.			140 6 JUL 72
7 JUL 72 1400	14,100.			1,280.			2,770.			140 7 JUL 72
8 JUL 72 1400	14,700.			1,060.			2,910.			140 8 JUL 72
9 JUL 72 1400	14,500.			896.			2,890.			140 9 JUL 72
10 JUL 72 1400	13,700.			823.			2,720.			140 10 JUL 72
11 JUL 72 1400	12,900.			1,660.			2,510.			140 11 JUL 72
12 JUL 72 1400	12,300.			1,190.			2,460.			140 12 JUL 72
13 JUL 72 1400	11,800.			857.			2,540.			140 13 JUL 72
14 JUL 72 1400	11,700.			1,420.			2,560.			140 14 JUL 72
15 JUL 72 1400	11,400.			999.			2,380.			140 15 JUL 72
16 JUL 72 1400	10,500.			914.			2,060.			140 16 JUL 72
17 JUL 72 1400	9,460.			853.			1,740.			140 17 JUL 72
18 JUL 72 1400	8,150.			596.			1,500.			140 18 JUL 72
19 JUL 72 1400	7,110.			1,240.			1,340.			140 19 JUL 72
20 JUL 72 1400	6,540.			1,570.			1,280.			140 20 JUL 72
21 JUL 72 1400	5,930.			741.			1,330.			140 21 JUL 72
22 JUL 72 1400	5,460.			477.			1,440.			140 22 JUL 72
23 JUL 72 1400	5,430.			431.			1,650.			140 23 JUL 72
24 JUL 72 1400	7,040.			4,230.			1,940.			140 24 JUL 72
25 JUL 72 1400	9,100.			2,970.			2,170.			140 25 JUL 72
26 JUL 72 1400	9,760.			1,050.			2,220.			140 26 JUL 72
27 JUL 72 1400	9,880.			426.			2,140.			140 27 JUL 72
28 JUL 72 1400	9,780.			1,050.			2,040.			140 28 JUL 72
29 JUL 72 1400	9,270.			913.			1,970.			140 29 JUL 72
30 JUL 72 1400	8,340.			419.			1,930.			140 30 JUL 72
31 JUL 72 1400	7,550.			285.			1,940.			140 31 JUL 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	80.			110.			110.			140 1 MAY 72
2 MAY 72 1400	72.			91.			105.			140 2 MAY 72
3 MAY 72 1400	68.			77.			92.			140 3 MAY 72
4 MAY 72 1400	65.			70.			79.			140 4 MAY 72
5 MAY 72 1400	107.			114.			82.			140 5 MAY 72
6 MAY 72 1400	121.			136.			108.			140 6 MAY 72
7 MAY 72 1400	158.			177.			142.			140 7 MAY 72
8 MAY 72 1400	201.			222.			182.			140 8 MAY 72
9 MAY 72 1400	221.			245.			222.			140 9 MAY 72
10 MAY 72 1400	219.			243.			240.			140 10 MAY 72
11 MAY 72 1400	224.			244.			243.			140 11 MAY 72
12 MAY 72 1400	196.			212.			233.			140 12 MAY 72
13 MAY 72 1400	164.			177.			205.			140 13 MAY 72
14 MAY 72 1400	136.			144.			172.			140 14 MAY 72
15 MAY 72 1400	110.			114.			141.			140 15 MAY 72
16 MAY 72 1400	91.			93.			114.			140 16 MAY 72
17 MAY 72 1400	93.			95.			98.			140 17 MAY 72
18 MAY 72 1400	94.			96.			95.			140 18 MAY 72
19 MAY 72 1400	101.			104.			97.			140 19 MAY 72
20 MAY 72 1400	106.			109.			103.			140 20 MAY 72
21 MAY 72 1400	116.			118.			110.			140 21 MAY 72
22 MAY 72 1400	138.			142.			123.			140 22 MAY 72
23 MAY 72 1400	179.			190.			151.			140 23 MAY 72
24 MAY 72 1400	297.			323.			223.			140 24 MAY 72
25 MAY 72 1400	420.			470.			356.			140 25 MAY 72
26 MAY 72 1400	805.			911.			632.			140 26 MAY 72
27 MAY 72 1400	1,520.			1,770.			1,270.			140 27 MAY 72
28 MAY 72 1400	1,720.			2,110.			1,910.			140 28 MAY 72
29 MAY 72 1400	2,160.			2,610.			2,350.			140 29 MAY 72
30 MAY 72 1400	2,820.			3,330.			2,970.			140 30 MAY 72
31 MAY 72 1400	2,760.			3,370.			3,350.			140 31 MAY 72

FORM 1417-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	2,630.			3,250.			3,310.			140 1 JUN 72
2 JUN 72 1400	2,200.			2,710.			2,980.			140 2 JUN 72
3 JUN 72 1400	1,760.			2,120.			2,420.			140 3 JUN 72
4 JUN 72 1400	1,430.			1,670.			1,900.			140 4 JUN 72
5 JUN 72 1400	1,210.			1,410.			1,550.			140 5 JUN 72
6 JUN 72 1400	1,030.			1,210.			1,320.			140 6 JUN 72
7 JUN 72 1400	1,270.			1,460.			1,330.			140 7 JUN 72
8 JUN 72 1400	1,560.			1,850.			1,640.			140 8 JUN 72
9 JUN 72 1400	1,990.			2,420.			2,120.			140 9 JUN 72
10 JUN 72 1400	2,250.			2,820.			2,610.			140 10 JUN 72
11 JUN 72 1400	3,320.			4,060.			3,430.			140 11 JUN 72
12 JUN 72 1400	4,120.			5,130.			4,590.			140 12 JUN 72
13 JUN 72 1400	3,560.			4,830.			4,980.			140 13 JUN 72
14 JUN 72 1400	3,530.			4,910.			4,870.			140 14 JUN 72
15 JUN 72 1400	3,570.			4,990.			4,950.			140 15 JUN 72
16 JUN 72 1400	3,630.			5,080.			5,030.			140 16 JUN 72
17 JUN 72 1400	2,930.			4,320.			4,700.			140 17 JUN 72
18 JUN 72 1400	2,570.			3,760.			4,040.			140 18 JUN 72
19 JUN 72 1400	2,280.			3,250.			3,500.			140 19 JUN 72
20 JUN 72 1400	2,230.			3,080.			3,170.			140 20 JUN 72
21 JUN 72 1400	1,970.			2,840.			2,970.			140 21 JUN 72
22 JUN 72 1400	2,080.			2,990.			2,920.			140 22 JUN 72
23 JUN 72 1400	1,900.			2,830.			2,910.			140 23 JUN 72
24 JUN 72 1400	1,900.			2,780.			2,800.			140 24 JUN 72
25 JUN 72 1400	1,990.			2,880.			2,830.			140 25 JUN 72
26 JUN 72 1400	2,130.			3,140.			3,010.			140 26 JUN 72
27 JUN 72 1400	2,080.			3,240.			3,190.			140 27 JUN 72
28 JUN 72 1400	2,050.			3,270.			3,250.			140 28 JUN 72
29 JUN 72 1400	2,040.			3,240.			3,260.			140 29 JUN 72
30 JUN 72 1400	1,920.			3,070.			3,160.			140 30 JUN 72

FORM 1813

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	1,970.			3,090.			3,080.			140 1 JUL 72
2 JUL 72 1400	2,170.			3,360.			3,220.			140 2 JUL 72
3 JUL 72 1400	2,490.			3,930.			3,640.			140 3 JUL 72
4 JUL 72 1400	2,800.			4,590.			4,260.			140 4 JUL 72
5 JUL 72 1400	2,930.			5,110.			4,850.			140 5 JUL 72
6 JUL 72 1400	2,960.			5,480.			5,300.			140 6 JUL 72
7 JUL 72 1400	2,890.			5,670.			5,570.			140 7 JUL 72
8 JUL 72 1400	2,700.			5,610.			5,640.			140 8 JUL 72
9 JUL 72 1400	2,390.			5,280.			5,440.			140 9 JUL 72
10 JUL 72 1400	2,130.			4,850.			5,060.			140 10 JUL 72
11 JUL 72 1400	2,170.			4,680.			4,760.			140 11 JUL 72
12 JUL 72 1400	2,120.			4,570.			4,630.			140 12 JUL 72
13 JUL 72 1400	1,930.			4,480.			4,530.			140 13 JUL 72
14 JUL 72 1400	1,860.			4,430.			4,450.			140 14 JUL 72
15 JUL 72 1400	1,570.			3,960.			4,190.			140 15 JUL 72
16 JUL 72 1400	1,420.			3,480.			3,720.			140 16 JUL 72
17 JUL 72 1400	1,300.			3,040.			3,260.			140 17 JUL 72
18 JUL 72 1400	1,180.			2,680.			2,860.			140 18 JUL 72
19 JUL 72 1400	1,180.			2,520.			2,600.			140 19 JUL 72
20 JUL 72 1400	1,160.			2,440.			2,480.			140 20 JUL 72
21 JUL 72 1400	1,120.			2,460.			2,450.			140 21 JUL 72
22 JUL 72 1400	1,110.			2,550.			2,500.			140 22 JUL 72
23 JUL 72 1400	1,120.			2,760.			2,660.			140 23 JUL 72
24 JUL 72 1400	1,840.			3,780.			3,270.			140 24 JUL 72
25 JUL 72 1400	1,650.			3,820.			3,800.			140 25 JUL 72
26 JUL 72 1400	1,410.			3,630.			3,720.			140 26 JUL 72
27 JUL 72 1400	1,320.			3,460.			3,550.			140 27 JUL 72
28 JUL 72 1400	1,270.			3,320.			3,390.			140 28 JUL 72
29 JUL 72 1400	1,080.			3,050.			3,180.			140 29 JUL 72
30 JUL 72 1400	947.			2,880.			2,960.			140 30 JUL 72
31 JUL 72 1400	884.			2,820.			2,850.			140 31 JUL 72

FORM 1617-2

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307			STATION 30.0 CONFLUENCE OF MACLAREN RIVER WITH SUSITNA			STATION 32.5 300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	84.			624.			624.			140 1 MAY 72
2 MAY 72 1400	77.			594.			609.			140 2 MAY 72
3 MAY 72 1400	71.			546.			570.			140 3 MAY 72
4 MAY 72 1400	70.			496.			522.			140 4 MAY 72
5 MAY 72 1400	181.			757.			625.			140 5 MAY 72
6 MAY 72 1400	250.			1,040.			896.			140 6 MAY 72
7 MAY 72 1400	166.			993.			1,010.			140 7 MAY 72
8 MAY 72 1400	225.			1,270.			1,130.			140 8 MAY 72
9 MAY 72 1400	250.			1,490.			1,380.			140 9 MAY 72
10 MAY 72 1400	173.			1,400.			1,450.			140 10 MAY 72
11 MAY 72 1400	142.			1,330.			1,370.			140 11 MAY 72
12 MAY 72 1400	149.			1,300.			1,320.			140 12 MAY 72
13 MAY 72 1400	94.			1,060.			1,180.			140 13 MAY 72
14 MAY 72 1400	74.			855.			956.			140 14 MAY 72
15 MAY 72 1400	72.			706.			781.			140 15 MAY 72
16 MAY 72 1400	72.			588.			648.			140 16 MAY 72
17 MAY 72 1400	90.			550.			569.			140 17 MAY 72
18 MAY 72 1400	100.			550.			550.			140 18 MAY 72
19 MAY 72 1400	85.			522.			536.			140 19 MAY 72
20 MAY 72 1400	87.			536.			529.			140 20 MAY 72
21 MAY 72 1400	100.			577.			556.			140 21 MAY 72
22 MAY 72 1400	136.			686.			631.			140 22 MAY 72
23 MAY 72 1400	191.			896.			790.			140 23 MAY 72
24 MAY 72 1400	323.			1,430.			1,160.			140 24 MAY 72
25 MAY 72 1400	455.			2,170.			1,800.			140 25 MAY 72
26 MAY 72 1400	699.			3,560.			2,860.			140 26 MAY 72
27 MAY 72 1400	1,280.			6,650.			5,100.			140 27 MAY 72
28 MAY 72 1400	1,600.			9,640.			8,140.			140 28 MAY 72
29 MAY 72 1400	1,700.			11,800.			10,700.			140 29 MAY 72
30 MAY 72 1400	2,230.			15,300.			13,600.			140 30 MAY 72
31 MAY 72 1400	2,620.			18,100.			16,700.			140 31 MAY 72

FORM 1413

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307			STATION 30.0 CONFLUENCE OF MACLAREN RIVER WITH SUSITNA			STATION 32.5 300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	2,520.			18,600.			18,300.			140 1 JUN 72
2 JUN 72 1400	1,590.			15,900.			17,200.			140 2 JUN 72
3 JUN 72 1400	689.			11,800.			13,800.			140 3 JUN 72
4 JUN 72 1400	1,100.			10,500.			11,200.			140 4 JUN 72
5 JUN 72 1400	1,450.			9,690.			10,100.			140 5 JUN 72
6 JUN 72 1400	1,060.			7,630.			8,660.			140 6 JUN 72
7 JUN 72 1400	1,190.			7,300.			7,470.			140 7 JUN 72
8 JUN 72 1400	2,330.			10,600.			8,970.			140 8 JUN 72
9 JUN 72 1400	3,070.			14,000.			12,300.			140 9 JUN 72
10 JUN 72 1400	3,260.			16,400.			15,200.			140 10 JUN 72
11 JUN 72 1400	5,160.			23,300.			19,800.			140 11 JUN 72
12 JUN 72 1400	5,790.			30,900.			27,100.			140 12 JUN 72
13 JUN 72 1400	3,640.			29,600.			30,300.			140 13 JUN 72
14 JUN 72 1400	3,780.			31,100.			30,400.			140 14 JUN 72
15 JUN 72 1400	3,210.			30,600.			30,800.			140 15 JUN 72
16 JUN 72 1400	3,870.			32,500.			31,600.			140 16 JUN 72
17 JUN 72 1400	2,800.			28,900.			30,700.			140 17 JUN 72
18 JUN 72 1400	1,310.			22,300.			25,400.			140 18 JUN 72
19 JUN 72 1400	906.			18,200.			20,300.			140 19 JUN 72
20 JUN 72 1400	1,300.			17,500.			17,900.			140 20 JUN 72
21 JUN 72 1400	1,110.			15,200.			16,400.			140 21 JUN 72
22 JUN 72 1400	1,770.			15,500.			15,300.			140 22 JUN 72
23 JUN 72 1400	1,350.			14,500.			15,000.			140 23 JUN 72
24 JUN 72 1400	960.			12,600.			13,600.			140 24 JUN 72
25 JUN 72 1400	1,030.			12,700.			12,700.			140 25 JUN 72
26 JUN 72 1400	1,120.			13,500.			13,100.			140 26 JUN 72
27 JUN 72 1400	898.			13,300.			13,400.			140 27 JUN 72
28 JUN 72 1400	835.			13,200.			13,200.			140 28 JUN 72
29 JUN 72 1400	793.			13,200.			13,200.			140 29 JUN 72
30 JUN 72 1400	713.			12,700.			12,900.			140 30 JUN 72

FORM 1471-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0			STATION 30.0			STATION 32.5			
	MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307			CONFLUENCE OF MACLAREN RIVER WITH SUSITNA			300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	768.			12,500.			12,600.			140 1 JUL 72
2 JUL 72 1400	819.			13,000.			12,700.			140 2 JUL 72
3 JUL 72 1400	836.			14,300.			13,700.			140 3 JUL 72
4 JUL 72 1400	785.			16,200.			15,300.			140 4 JUL 72
5 JUL 72 1400	694.			18,300.			17,200.			140 5 JUL 72
6 JUL 72 1400	618.			20,300.			19,300.			140 6 JUL 72
7 JUL 72 1400	556.			21,500.			20,900.			140 7 JUL 72
8 JUL 72 1400	506.			21,900.			21,700.			140 8 JUL 72
9 JUL 72 1400	469.			21,400.			21,600.			140 9 JUL 72
10 JUL 72 1400	446.			20,000.			20,700.			140 10 JUL 72
11 JUL 72 1400	1,050.			20,400.			20,200.			140 11 JUL 72
12 JUL 72 1400	633.			18,700.			19,500.			140 12 JUL 72
13 JUL 72 1400	478.			17,700.			18,200.			140 13 JUL 72
14 JUL 72 1400	937.			18,600.			18,100.			140 14 JUL 72
15 JUL 72 1400	544.			17,100.			17,800.			140 15 JUL 72
16 JUL 72 1400	568.			15,700.			16,400.			140 16 JUL 72
17 JUL 72 1400	472.			14,000.			14,900.			140 17 JUL 72
18 JUL 72 1400	537.			11,900.			13,000.			140 18 JUL 72
19 JUL 72 1400	797.			11,700.			11,800.			140 19 JUL 72
20 JUL 72 1400	860.			11,400.			11,600.			140 20 JUL 72
21 JUL 72 1400	402.			9,520.			10,500.			140 21 JUL 72
22 JUL 72 1400	260.			8,700.			9,110.			140 22 JUL 72
23 JUL 72 1400	236.			8,750.			8,720.			140 23 JUL 72
24 JUL 72 1400	2,300.			16,800.			12,800.			140 24 JUL 72
25 JUL 72 1400	1,510.			17,400.			17,100.			140 25 JUL 72
26 JUL 72 1400	533.			15,100.			16,200.			140 26 JUL 72
27 JUL 72 1400	226.			14,100.			14,600.			140 27 JUL 72
28 JUL 72 1400	542.			14,800.			14,400.			140 28 JUL 72
29 JUL 72 1400	450.			13,800.			14,300.			140 29 JUL 72
30 JUL 72 1400	218.			11,900.			12,900.			140 30 JUL 72
31 JUL 72 1400	156.			10,800.			11,400.			140 31 JUL 72

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 33.5 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 34.0 TYONE RIVER BASIN 1047 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	18.			18.			140.			140 1 MAY 72
2 MAY 72 1400	217.			22.			147.			140 2 MAY 72
3 MAY 72 1400	500.			64.			156.			140 3 MAY 72
4 MAY 72 1400	540.			223.			160.			140 4 MAY 72
5 MAY 72 1400	1,390.			563.			168.			140 5 MAY 72
6 MAY 72 1400	972.			1,030.			193.			140 6 MAY 72
7 MAY 72 1400	992.			1,030.			250.			140 7 MAY 72
8 MAY 72 1400	777.			913.			318.			140 8 MAY 72
9 MAY 72 1400	677.			778.			393.			140 9 MAY 72
10 MAY 72 1400	552.			658.			492.			140 10 MAY 72
11 MAY 72 1400	487.			562.			597.			140 11 MAY 72
12 MAY 72 1400	334.			465.			713.			140 12 MAY 72
13 MAY 72 1400	239.			358.			884.			140 13 MAY 72
14 MAY 72 1400	153.			263.			1,070.			140 14 MAY 72
15 MAY 72 1400	98.			189.			1,250.			140 15 MAY 72
16 MAY 72 1400	71.			137.			1,470.			140 16 MAY 72
17 MAY 72 1400	109.			106.			1,730.			140 17 MAY 72
18 MAY 72 1400	192.			102.			2,030.			140 18 MAY 72
19 MAY 72 1400	359.			147.			2,360.			140 19 MAY 72
20 MAY 72 1400	313.			245.			2,660.			140 20 MAY 72
21 MAY 72 1400	260.			302.			2,930.			140 21 MAY 72
22 MAY 72 1400	121.			255.			3,160.			140 22 MAY 72
23 MAY 72 1400	61.			176.			3,310.			140 23 MAY 72
24 MAY 72 1400	24.			112.			3,440.			140 24 MAY 72
25 MAY 72 1400	11.			70.			3,690.			140 25 MAY 72
26 MAY 72 1400	6.			45.			4,200.			140 26 MAY 72
27 MAY 72 1400	3.			30.			5,230.			140 27 MAY 72
28 MAY 72 1400	261.			26.			7,090.			140 28 MAY 72
29 MAY 72 1400	172.			53.			8,650.			140 29 MAY 72
30 MAY 72 1400	176.			123.			8,680.			140 30 MAY 72
31 MAY 72 1400	241.			175.			7,810.			140 31 MAY 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI			STATION 33.5 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			STATION 34.0 TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	319.			215.			7,270.			140 1 JUN 72
2 JUN 72 1400	514.			310.			7,180.			140 2 JUN 72
3 JUN 72 1400	211.			373.			6,890.			140 3 JUN 72
4 JUN 72 1400	101.			276.			6,090.			140 4 JUN 72
5 JUN 72 1400	26.			158.			5,250.			140 5 JUN 72
6 JUN 72 1400	381.			123.			4,790.			140 6 JUN 72
7 JUN 72 1400	6.			156.			4,670.			140 7 JUN 72
8 JUN 72 1400	4.			146.			4,690.			140 8 JUN 72
9 JUN 72 1400	1.			77.			4,680.			140 9 JUN 72
10 JUN 72 1400	0.			36.			4,590.			140 10 JUN 72
11 JUN 72 1400	0.			21.			4,450.			140 11 JUN 72
12 JUN 72 1400	0.			13.			4,290.			140 12 JUN 72
13 JUN 72 1400	0.			9.			4,110.			140 13 JUN 72
14 JUN 72 1400	88.			7.			3,920.			140 14 JUN 72
15 JUN 72 1400	1.			7.			3,790.			140 15 JUN 72
16 JUN 72 1400	1,040.			31.			3,820.			140 16 JUN 72
17 JUN 72 1400	14.			219.			4,520.			140 17 JUN 72
18 JUN 72 1400	10.			253.			6,060.			140 18 JUN 72
19 JUN 72 1400	2.			94.			5,970.			140 19 JUN 72
20 JUN 72 1400	38.			44.			4,270.			140 20 JUN 72
21 JUN 72 1400	38.			29.			2,960.			140 21 JUN 72
22 JUN 72 1400	304.			34.			2,450.			140 22 JUN 72
23 JUN 72 1400	3.			74.			2,450.			140 23 JUN 72
24 JUN 72 1400	2.			98.			2,690.			140 24 JUN 72
25 JUN 72 1400	1.			66.			2,600.			140 25 JUN 72
26 JUN 72 1400	0.			36.			2,200.			140 26 JUN 72
27 JUN 72 1400	0.			21.			1,900.			140 27 JUN 72
28 JUN 72 1400	0.			14.			1,770.			140 28 JUN 72
29 JUN 72 1400	0.			9.			1,720.			140 29 JUN 72
30 JUN 72 1400	0.			7.			1,680.			140 30 JUN 72

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 33.5 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 34.0 TYONE RIVER BASIN 1047 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	0.			5.			1,650.			140 1 JUL 72
2 JUL 72 1400	0.			4.			1,610.			140 2 JUL 72
3 JUL 72 1400	0.			3.			1,570.			140 3 JUL 72
4 JUL 72 1400	0.			2.			1,530.			140 4 JUL 72
5 JUL 72 1400	0.			2.			1,480.			140 5 JUL 72
6 JUL 72 1400	0.			1.			1,430.			140 6 JUL 72
7 JUL 72 1400	0.			1.			1,390.			140 7 JUL 72
8 JUL 72 1400	0.			1.			1,340.			140 8 JUL 72
9 JUL 72 1400	0.			1.			1,300.			140 9 JUL 72
10 JUL 72 1400	0.			1.			1,260.			140 10 JUL 72
11 JUL 72 1400	190.			1.			1,220.			140 11 JUL 72
12 JUL 72 1400	14.			3.			1,190.			140 12 JUL 72
13 JUL 72 1400	14.			13.			1,170.			140 13 JUL 72
14 JUL 72 1400	178.			25.			1,150.			140 14 JUL 72
15 JUL 72 1400	1.			44.			1,130.			140 15 JUL 72
16 JUL 72 1400	89.			61.			1,120.			140 16 JUL 72
17 JUL 72 1400	1.			61.			1,110.			140 17 JUL 72
18 JUL 72 1400	1.			49.			1,100.			140 18 JUL 72
19 JUL 72 1400	304.			45.			1,100.			140 19 JUL 72
20 JUL 72 1400	28.			73.			1,110.			140 20 JUL 72
21 JUL 72 1400	2.			99.			1,140.			140 21 JUL 72
22 JUL 72 1400	1.			70.			1,160.			140 22 JUL 72
23 JUL 72 1400	0.			39.			1,160.			140 23 JUL 72
24 JUL 72 1400	1,030.			45.			1,170.			140 24 JUL 72
25 JUL 72 1400	138.			232.			1,220.			140 25 JUL 72
26 JUL 72 1400	10.			297.			1,320.			140 26 JUL 72
27 JUL 72 1400	3.			120.			1,360.			140 27 JUL 72
28 JUL 72 1400	253.			69.			1,320.			140 28 JUL 72
29 JUL 72 1400	2.			75.			1,310.			140 29 JUL 72
30 JUL 72 1400	2.			85.			1,340.			140 30 JUL 72
31 JUL 72 1400	1.			59.			1,390.			140 31 JUL 72

FORM 1411-J

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 38.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	782.			782.			158.			140 1 MAY 72
2 MAY 72 1400	778.			780.			161.			140 2 MAY 72
3 MAY 72 1400	790.			784.			210.			140 3 MAY 72
4 MAY 72 1400	904.			847.			242.			140 4 MAY 72
5 MAY 72 1400	1,360.			1,130.			741.			140 5 MAY 72
6 MAY 72 1400	2,120.			1,740.			1,260.			140 6 MAY 72
7 MAY 72 1400	2,300.			2,210.			1,170.			140 7 MAY 72
8 MAY 72 1400	2,360.			2,330.			1,470.			140 8 MAY 72
9 MAY 72 1400	2,550.			2,450.			1,600.			140 9 MAY 72
10 MAY 72 1400	2,590.			2,570.			1,290.			140 10 MAY 72
11 MAY 72 1400	2,530.			2,560.			1,260.			140 11 MAY 72
12 MAY 72 1400	2,490.			2,510.			1,400.			140 12 MAY 72
13 MAY 72 1400	2,420.			2,460.			1,040.			140 13 MAY 72
14 MAY 72 1400	2,290.			2,350.			882.			140 14 MAY 72
15 MAY 72 1400	2,220.			2,250.			838.			140 15 MAY 72
16 MAY 72 1400	2,250.			2,240.			783.			140 16 MAY 72
17 MAY 72 1400	2,400.			2,330.			986.			140 17 MAY 72
18 MAY 72 1400	2,680.			2,540.			1,110.			140 18 MAY 72
19 MAY 72 1400	3,040.			2,860.			1,110.			140 19 MAY 72
20 MAY 72 1400	3,440.			3,280.			1,340.			140 20 MAY 72
21 MAY 72 1400	3,790.			3,610.			1,350.			140 21 MAY 72
22 MAY 72 1400	4,040.			3,920.			1,420.			140 22 MAY 72
23 MAY 72 1400	4,280.			4,160.			1,560.			140 23 MAY 72
24 MAY 72 1400	4,710.			4,500.			2,170.			140 24 MAY 72
25 MAY 72 1400	5,560.			5,140.			2,790.			140 25 MAY 72
26 MAY 72 1400	7,110.			6,330.			4,070.			140 26 MAY 72
27 MAY 72 1400	10,400.			8,730.			6,960.			140 27 MAY 72
28 MAY 72 1400	15,300.			12,800.			7,850.			140 28 MAY 72
29 MAY 72 1400	19,400.			17,300.			8,240.			140 29 MAY 72
30 MAY 72 1400	22,400.			20,900.			10,900.			140 30 MAY 72
31 MAY 72 1400	24,700.			23,500.			10,200.			140 31 MAY 72

FORM 1815-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 30.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	25,800.			25,300.			9,470.			140 1 JUN 72
2 JUN 72 1400	24,700.			25,300.			6,800.			140 2 JUN 72
3 JUN 72 1400	21,100.			22,900.			4,660.			140 3 JUN 72
4 JUN 72 1400	17,500.			19,300.			4,560.			140 4 JUN 72
5 JUN 72 1400	15,500.			16,500.			4,920.			140 5 JUN 72
6 JUN 72 1400	13,600.			14,500.			4,360.			140 6 JUN 72
7 JUN 72 1400	12,300.			12,900.			5,620.			140 7 JUN 72
8 JUN 72 1400	13,800.			13,000.			6,390.			140 8 JUN 72
9 JUN 72 1400	17,100.			15,400.			6,430.			140 9 JUN 72
10 JUN 72 1400	19,800.			18,400.			4,870.			140 10 JUN 72
11 JUN 72 1400	24,300.			22,100.			6,300.			140 11 JUN 72
12 JUN 72 1400	31,400.			27,800.			4,840.			140 12 JUN 72
13 JUN 72 1400	34,400.			32,900.			2,770.			140 13 JUN 72
14 JUN 72 1400	34,300.			34,300.			3,100.			140 14 JUN 72
15 JUN 72 1400	34,600.			34,500.			2,260.			140 15 JUN 72
16 JUN 72 1400	35,400.			35,000.			7,720.			140 16 JUN 72
17 JUN 72 1400	35,500.			35,400.			4,980.			140 17 JUN 72
18 JUN 72 1400	31,900.			33,700.			1,860.			140 18 JUN 72
19 JUN 72 1400	26,300.			29,100.			978.			140 19 JUN 72
20 JUN 72 1400	22,200.			24,300.			1,230.			140 20 JUN 72
21 JUN 72 1400	19,300.			20,800.			1,070.			140 21 JUN 72
22 JUN 72 1400	17,800.			18,600.			2,850.			140 22 JUN 72
23 JUN 72 1400	17,500.			17,700.			1,640.			140 23 JUN 72
24 JUN 72 1400	16,400.			17,000.			779.			140 24 JUN 72
25 JUN 72 1400	15,300.			15,900.			544.			140 25 JUN 72
26 JUN 72 1400	15,300.			15,300.			478.			140 26 JUN 72
27 JUN 72 1400	15,300.			15,300.			386.			140 27 JUN 72
28 JUN 72 1400	15,000.			15,200.			335.			140 28 JUN 72
29 JUN 72 1400	14,900.			15,000.			291.			140 29 JUN 72
30 JUN 72 1400	14,600.			14,700.			246.			140 30 JUN 72

FORM 1611A

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 35.0 COLLECTION ONE MI ABV CONFL OF OSHET & SUS 350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U) FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 37.5 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 38.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	14,200.			14,400.			221.			140 1 JUL 72
2 JUL 72 1400	14,400.			14,300.			197.			140 2 JUL 72
3 JUL 72 1400	15,300.			14,800.			171.			140 3 JUL 72
4 JUL 72 1400	16,800.			16,000.			142.			140 4 JUL 72
5 JUL 72 1400	18,700.			17,800.			114.			140 5 JUL 72
6 JUL 72 1400	20,700.			19,700.			92.			140 6 JUL 72
7 JUL 72 1400	22,300.			21,500.			75.			140 7 JUL 72
8 JUL 72 1400	23,100.			22,700.			61.			140 8 JUL 72
9 JUL 72 1400	22,900.			23,000.			50.			140 9 JUL 72
10 JUL 72 1400	21,900.			22,400.			41.			140 10 JUL 72
11 JUL 72 1400	21,400.			21,700.			1,090.			140 11 JUL 72
12 JUL 72 1400	20,700.			21,100.			474.			140 12 JUL 72
13 JUL 72 1400	19,400.			20,100.			192.			140 13 JUL 72
14 JUL 72 1400	19,300.			19,300.			735.			140 14 JUL 72
15 JUL 72 1400	19,000.			19,100.			458.			140 15 JUL 72
16 JUL 72 1400	17,600.			18,300.			384.			140 16 JUL 72
17 JUL 72 1400	16,000.			16,800.			350.			140 17 JUL 72
18 JUL 72 1400	14,100.			15,100.			165.			140 18 JUL 72
19 JUL 72 1400	13,000.			13,600.			792.			140 19 JUL 72
20 JUL 72 1400	12,800.			12,900.			1,080.			140 20 JUL 72
21 JUL 72 1400	11,700.			12,300.			426.			140 21 JUL 72
22 JUL 72 1400	10,300.			11,000.			239.			140 22 JUL 72
23 JUL 72 1400	9,920.			10,100.			240.			140 23 JUL 72
24 JUL 72 1400	14,000.			12,000.			2,120.			140 24 JUL 72
25 JUL 72 1400	16,600.			16,300.			3,410.			140 25 JUL 72
26 JUL 72 1400	17,800.			18,200.			1,400.			140 26 JUL 72
27 JUL 72 1400	16,000.			16,900.			598.			140 27 JUL 72
28 JUL 72 1400	15,800.			15,900.			1,060.			140 28 JUL 72
29 JUL 72 1400	15,700.			15,700.			1,410.			140 29 JUL 72
30 JUL 72 1400	14,300.			15,000.			880.			140 30 JUL 72
31 JUL 72 1400	12,800.			13,600.			776.			140 31 JUL 72

FORM 1417-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 40.0			STATION 42.5			STATION 48.0			
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M			400-500 ROUT VEE DAMSITE TO WATANA DAMSITE			WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	940.			940.			466.			140 1 MAY 72
2 MAY 72 1400	941.			941.			459.			140 2 MAY 72
3 MAY 72 1400	994.			968.			450.			140 3 MAY 72
4 MAY 72 1400	1,090.			1,040.			452.			140 4 MAY 72
5 MAY 72 1400	1,870.			1,480.			629.			140 5 MAY 72
6 MAY 72 1400	3,000.			2,430.			1,050.			140 6 MAY 72
7 MAY 72 1400	3,380.			3,190.			1,360.			140 7 MAY 72
8 MAY 72 1400	3,800.			3,590.			1,490.			140 8 MAY 72
9 MAY 72 1400	4,050.			3,930.			1,600.			140 9 MAY 72
10 MAY 72 1400	3,860.			3,960.			1,590.			140 10 MAY 72
11 MAY 72 1400	3,820.			3,840.			1,400.			140 11 MAY 72
12 MAY 72 1400	3,910.			3,870.			1,240.			140 12 MAY 72
13 MAY 72 1400	3,490.			3,700.			1,090.			140 13 MAY 72
14 MAY 72 1400	3,230.			3,360.			876.			140 14 MAY 72
15 MAY 72 1400	3,090.			3,160.			685.			140 15 MAY 72
16 MAY 72 1400	3,020.			3,050.			583.			140 16 MAY 72
17 MAY 72 1400	3,310.			3,170.			579.			140 17 MAY 72
18 MAY 72 1400	3,660.			3,490.			662.			140 18 MAY 72
19 MAY 72 1400	3,970.			3,820.			735.			140 19 MAY 72
20 MAY 72 1400	4,580.			4,280.			797.			140 20 MAY 72
21 MAY 72 1400	4,960.			4,77[illegible].			880.			140 21 MAY 72
22 MAY 72 1400	5,340.			5,150.			994.			140 22 MAY 72
23 MAY 72 1400	5,720.			5,530.			1,150.			140 23 MAY 72
24 MAY 72 1400	6,670.			6,190.			1,500.			140 24 MAY 72
25 MAY 72 1400	7,930.			7,300.			2,100.			140 25 MAY 72
26 MAY 72 1400	10,400.			9,160.			3,030.			140 26 MAY 72
27 MAY 72 1400	15,700.			13,000.			4,860.			140 27 MAY 72
28 MAY 72 1400	20,700.			18,200.			7,200.			140 28 MAY 72
29 MAY 72 1400	25,600.			23,100.			8,970.			140 29 MAY 72
30 MAY 72 1400	31,800.			28,700.			10,900.			140 30 MAY 72
31 MAY 72 1400	33,800.			32,800.			13,300.			140 31 MAY 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 40.0			STATION 42.5			STATION 48.0			
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M			400-500 ROUT VEE DAMSITE TO WATANA DAMSITE			WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	34,700.			34,300.			14,400.			140 1 JUN 72
2 JUN 72 1400	32,100.			33,400.			13,000.			140 2 JUN 72
3 JUN 72 1400	27,600.			29,800.			9,470.			140 3 JUN 72
4 JUN 72 1400	23,900.			25,700.			6,790.			140 4 JUN 72
5 JUN 72 1400	21,400.			22,700.			6,390.			140 5 JUN 72
6 JUN 72 1400	18,900.			20,200.			6,560.			140 6 JUN 72
7 JUN 72 1400	18,500.			18,700.			6,620.			140 7 JUN 72
8 JUN 72 1400	19,400.			19,000.			8,570.			140 8 JUN 72
9 JUN 72 1400	21,900.			20,700.			12,100.			140 9 JUN 72
10 JUN 72 1400	23,300.			22,600.			14,800.			140 10 JUN 72
11 JUN 72 1400	28,300.			25,800.			18,400.			140 11 JUN 72
12 JUN 72 1400	32,700.			30,500.			24,300.			140 12 JUN 72
13 JUN 72 1400	35,700.			34,200.			22,600.			140 13 JUN 72
14 JUN 72 1400	37,400.			36,500.			17,600.			140 14 JUN 72
15 JUN 72 1400	36,700.			37,100.			16,700.			140 15 JUN 72
16 JUN 72 1400	42,700.			39,700.			17,200.			140 16 JUN 72
17 JUN 72 1400	40,400.			41,600.			16,700.			140 17 JUN 72
18 JUN 72 1400	35,500.			38,000.			11,400.			140 18 JUN 72
19 JUN 72 1400	30,100.			32,800.			8,210.			140 19 JUN 72
20 JUN 72 1400	25,500.			27,800.			7,160.			140 20 JUN 72
21 JUN 72 1400	21,800.			23,700.			7,530.			140 21 JUN 72
22 JUN 72 1400	21,400.			21,600.			7,500.			140 22 JUN 72
23 JUN 72 1400	19,300.			20,400.			8,180.			140 23 JUN 72
24 JUN 72 1400	17,700.			18,500.			6,370.			140 24 JUN 72
25 JUN 72 1400	16,400.			17,100.			6,140.			140 25 JUN 72
26 JUN 72 1400	15,800.			16,100.			6,460.			140 26 JUN 72
27 JUN 72 1400	15,700.			15,800.			6,250.			140 27 JUN 72
28 JUN 72 1400	15,500.			15,600.			5,240.			140 28 JUN 72
29 JUN 72 1400	15,200.			15,400.			4,740.			140 29 JUN 72
30 JUN 72 1400	15,000.			15,100.			4,280.			140 30 JUN 72

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 40.0			STATION 42.5			STATION 48.0			
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M			WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI			400-500 ROUT VEE DAMSITE TO WATANA DAMSITE			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	14,600.			14,800.			4,050.			140 1 JUL 72
2 JUL 72 1400	14,500.			14,600.			4,270.			140 2 JUL 72
3 JUL 72 1400	15,000.			14,700.			4,310.			140 3 JUL 72
4 JUL 72 1400	16,200.			15,600.			4,540.			140 4 JUL 72
5 JUL 72 1400	17,900.			17,000.			4,430.			140 5 JUL 72
6 JUL 72 1400	19,800.			18,800.			4,020.			140 6 JUL 72
7 JUL 72 1400	21,600.			20,700.			3,550.			140 7 JUL 72
8 JUL 72 1400	22,700.			22,200.			3,080.			140 8 JUL 72
9 JUL 72 1400	23,100.			22,900.			2,640.			140 9 JUL 72
10 JUL 72 1400	22,500.			22,800.			2,310.			140 10 JUL 72
11 JUL 72 1400	22,800.			22,600.			2,970.			140 11 JUL 72
12 JUL 72 1400	21,500.			22,200.			3,800.			140 12 JUL 72
13 JUL 72 1400	20,200.			20,900.			2,890.			140 13 JUL 72
14 JUL 72 1400	20,100.			20,200.			2,980.			140 14 JUL 72
15 JUL 72 1400	19,600.			19,800.			3,300.			140 15 JUL 72
16 JUL 72 1400	18,700.			19,100.			2,540.			140 16 JUL 72
17 JUL 72 1400	17,200.			17,900.			2,350.			140 17 JUL 72
18 JUL 72 1400	15,300.			16,200.			2,920.			140 18 JUL 72
19 JUL 72 1400	14,400.			14,800.			2,200.			140 19 JUL 72
20 JUL 72 1400	14,000.			14,200.			3,120.			140 20 JUL 72
21 JUL 72 1400	12,700.			13,300.			3,270.			140 21 JUL 72
22 JUL 72 1400	11,300.			12,000.			2,360.			140 22 JUL 72
23 JUL 72 1400	10,400.			10,800.			1,520.			140 23 JUL 72
24 JUL 72 1400	14,100.			12,200.			4,940.			140 24 JUL 72
25 JUL 72 1400	19,700.			16,900.			9,420.			140 25 JUL 72
26 JUL 72 1400	19,600.			19,600.			6,050.			140 26 JUL 72
27 JUL 72 1400	17,500.			18,600.			3,230.			140 27 JUL 72
28 JUL 72 1400	17,000.			17,300.			2,320.			140 28 JUL 72
29 JUL 72 1400	17,200.			17,100.			2,600.			140 29 JUL 72
30 JUL 72 1400	15,900.			16,500.			1,910.			140 30 JUL 72
31 JUL 72 1400	14,300.			15,100.			1,290.			140 31 JUL 72

FORM 5011-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 50.0 WATANA DAM SITE 5180 SQ MI			STATION 52.5			STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI			
	500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI									
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	1,410.			1,410.			280.			140 1 MAY 72
2 MAY 72 1400	1,400.			1,400.			280.			140 2 MAY 72
3 MAY 72 1400	1,420.			1,410.			288.			140 3 MAY 72
4 MAY 72 1400	1,490.			1,460.			305.			140 4 MAY 72
5 MAY 72 1400	2,110.			1,800.			456.			140 5 MAY 72
6 MAY 72 1400	3,490.			2,800.			813.			140 6 MAY 72
7 MAY 72 1400	4,550.			4,020.			1,110.			140 7 MAY 72
8 MAY 72 1400	5,080.			4,820.			1,270.			140 8 MAY 72
9 MAY 72 1400	5,530.			5,310.			1,390.			140 9 MAY 72
10 MAY 72 1400	5,550.			5,540.			1,390.			140 10 MAY 72
11 MAY 72 1400	5,240.			5,390.			1,240.			140 11 MAY 72
12 MAY 72 1400	5,110.			5,180.			1,120.			140 12 MAY 72
13 MAY 72 1400	4,790.			4,950.			990.			140 13 MAY 72
14 MAY 72 1400	4,240.			4,520.			778.			140 14 MAY 72
15 MAY 72 1400	3,850.			4,040.			583.			140 15 MAY 72
16 MAY 72 1400	3,640.			3,740.			469.			140 16 MAY 72
17 MAY 72 1400	3,750.			3,690.			458.			140 17 MAY 72
18 MAY 72 1400	4,150.			3,950.			543.			140 18 MAY 72
19 MAY 72 1400	4,550.			4,350.			630.			140 19 MAY 72
20 MAY 72 1400	5,070.			4,810.			719.			140 20 MAY 72
21 MAY 72 1400	5,650.			5,360.			825.			140 21 MAY 72
22 MAY 72 1400	6,150.			5,900.			940.			140 22 MAY 72
23 MAY 72 1400	6,680.			6,410.			1,070.			140 23 MAY 72
24 MAY 72 1400	7,700.			7,190.			1,350.			140 24 MAY 72
25 MAY 72 1400	9,400.			8,550.			1,840.			140 25 MAY 72
26 MAY 72 1400	12,200.			10,800.			2,590.			140 26 MAY 72
27 MAY 72 1400	17,900.			15,100.			4,030.			140 27 MAY 72
28 MAY 72 1400	25,400.			21,600.			5,850.			140 28 MAY 72
29 MAY 72 1400	32,100.			28,700.			7,210.			140 29 MAY 72
30 MAY 72 1400	39,600.			35,900.			8,880.			140 30 MAY 72
31 MAY 72 1400	46,100.			42,900.			10,700.			140 31 MAY 72

FORM 1411-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 50.0 WATANA DAM SITE 5180 SQ MI			STATION 52.5			STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI			
	500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI									
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	48,600.			47,300.			11,000.			140 1 JUN 72
2 JUN 72 1400	46,400.			47,500.			9,770.			140 2 JUN 72
3 JUN 72 1400	39,300.			42,900.			7,130.			140 3 JUN 72
4 JUN 72 1400	32,500.			35,900.			5,440.			140 4 JUN 72
5 JUN 72 1400	29,000.			30,800.			5,270.			140 5 JUN 72
6 JUN 72 1400	26,700.			27,900.			5,260.			140 6 JUN 72
7 JUN 72 1400	25,300.			26,000.			5,310.			140 7 JUN 72
8 JUN 72 1400	27,600.			26,500.			6,710.			140 8 JUN 72
9 JUN 72 1400	32,700.			30,200.			8,320.			140 9 JUN 72
10 JUN 72 1400	37,400.			35,100.			9,080.			140 10 JUN 72
11 JUN 72 1400	44,200.			40,800.			10,500.			140 11 JUN 72
12 JUN 72 1400	54,800.			49,500.			13,200.			140 12 JUN 72
13 JUN 72 1400	56,800.			55,800.			11,900.			140 13 JUN 72
14 JUN 72 1400	54,100.			55,500.			9,260.			140 14 JUN 72
15 JUN 72 1400	53,800.			54,000.			8,670.			140 15 JUN 72
16 JUN 72 1400	56,900.			55,400.			9,370.			140 16 JUN 72
17 JUN 72 1400	58,300.			57,600.			9,700.			140 17 JUN 72
18 JUN 72 1400	49,300.			53,800.			6,190.			140 18 JUN 72
19 JUN 72 1400	41,000.			45,200.			4,390.			140 19 JUN 72
20 JUN 72 1400	35,000.			38,000.			3,740.			140 20 JUN 72
21 JUN 72 1400	31,200.			33,100.			3,800.			140 21 JUN 72
22 JUN 72 1400	29,100.			30,200.			3,940.			140 22 JUN 72
23 JUN 72 1400	28,600.			28,800.			4,380.			140 23 JUN 72
24 JUN 72 1400	24,900.			26,700.			3,320.			140 24 JUN 72
25 JUN 72 1400	23,200.			24,100.			3,030.			140 25 JUN 72
26 JUN 72 1400	22,600.			22,900.			2,980.			140 26 JUN 72
27 JUN 72 1400	22,000.			22,300.			2,810.			140 27 JUN 72
28 JUN 72 1400	20,800.			21,400.			2,410.			140 28 JUN 72
29 JUN 72 1400	20,100.			20,500.			2,210.			140 29 JUN 72
30 JUN 72 1400	19,400.			19,800.			2,030.			140 30 JUN 72

FORM 1411-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 50.0 WATANA DAM SITE 5180 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 52.5 500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	18,900.			19,100.			1,930.			140 1 JUL 72
2 JUL 72 1400	18,800.			18,800.			2,040.			140 2 JUL 72
3 JUL 72 1400	19,000.			18,900.			2,120.			140 3 JUL 72
4 JUL 72 1400	20,100.			19,600.			2,120.			140 4 JUL 72
5 JUL 72 1400	21,500.			20,800.			1,990.			140 5 JUL 72
6 JUL 72 1400	22,900.			22,200.			1,770.			140 6 JUL 72
7 JUL 72 1400	24,200.			23,600.			1,570.			140 7 JUL 72
8 JUL 72 1400	25,200.			24,700.			1,380.			140 8 JUL 72
9 JUL 72 1400	25,500.			25,400.			1,230.			140 9 JUL 72
10 JUL 72 1400	25,100.			25,300.			1,130.			140 10 JUL 72
11 JUL 72 1400	25,600.			25,300.			1,590.			140 11 JUL 72
12 JUL 72 1400	26,000.			25,800.			2,090.			140 12 JUL 72
13 JUL 72 1400	23,800.			24,900.			1,490.			140 13 JUL 72
14 JUL 72 1400	23,100.			23,500.			1,610.			140 14 JUL 72
15 JUL 72 1400	23,100.			23,100.			1,850.			140 15 JUL 72
16 JUL 72 1400	21,700.			22,400.			1,390.			140 16 JUL 72
17 JUL 72 1400	20,300.			21,000.			1,290.			140 17 JUL 72
18 JUL 72 1400	18,200.			19,200.			1,070.			140 18 JUL 72
19 JUL 72 1400	17,000.			17,600.			1,200.			140 19 JUL 72
20 JUL 72 1400	17,300.			17,100.			1,720.			140 20 JUL 72
21 JUL 72 1400	16,600.			16,900.			1,740.			140 21 JUL 72
22 JUL 72 1400	14,300.			15,500.			1,230.			140 22 JUL 72
23 JUL 72 1400	12,300.			13,300.			771.			140 23 JUL 72
24 JUL 72 1400	17,200.			14,800.			2,450.			140 24 JUL 72
25 JUL 72 1400	26,300.			21,700.			4,710.			140 25 JUL 72
26 JUL 72 1400	25,700.			26,000.			3,120.			140 26 JUL 72
27 JUL 72 1400	21,800.			23,700.			1,690.			140 27 JUL 72
28 JUL 72 1400	19,600.			20,700.			1,180.			140 28 JUL 72
29 JUL 72 1400	19,700.			19,600.			1,290.			140 29 JUL 72
30 JUL 72 1400	18,400.			19,000.			968.			140 30 JUL 72
31 JUL 72 1400	16,400.			17,400.			659.			140 31 JUL 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 60.0 DEVIL CANYON DAM SITE 5810 SQ MI			STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI			STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	1,690.			154.			1,690.			140 1 MAY 72
2 MAY 72 1400	1,680.			158.			1,680.			140 2 MAY 72
3 MAY 72 1400	1,700.			181.			1,690.			140 3 MAY 72
4 MAY 72 1400	1,760.			224.			1,730.			140 4 MAY 72
5 MAY 72 1400	2,260.			339.			2,010.			140 5 MAY 72
6 MAY 72 1400	3,610.			568.			2,930.			140 6 MAY 72
7 MAY 72 1400	5,130.			769.			4,370.			140 7 MAY 72
8 MAY 72 1400	6,090.			883.			5,610.			140 8 MAY 72
9 MAY 72 1400	6,700.			952.			6,390.			140 9 MAY 72
10 MAY 72 1400	6,930.			936.			6,820.			140 10 MAY 72
11 MAY 72 1400	6,640.			834.			6,780.			140 11 MAY 72
12 MAY 72 1400	6,300.			757.			6,470.			140 12 MAY 72
13 MAY 72 1400	5,940.			673.			6,120.			140 13 MAY 72
14 MAY 72 1400	5,290.			544.			5,620.			140 14 MAY 72
15 MAY 72 1400	4,630.			424.			4,960.			140 15 MAY 72
16 MAY 72 1400	4,210.			349.			4,420.			140 16 MAY 72
17 MAY 72 1400	4,150.			339.			4,180.			140 17 MAY 72
18 MAY 72 1400	4,490.			397.			4,320.			140 18 MAY 72
19 MAY 72 1400	4,980.			472.			4,740.			140 19 MAY 72
20 MAY 72 1400	5,530.			560.			5,260.			140 20 MAY 72
21 MAY 72 1400	6,190.			647.			5,860.			140 21 MAY 72
22 MAY 72 1400	6,840.			712.			6,510.			140 22 MAY 72
23 MAY 72 1400	7,490.			769.			7,160.			140 23 MAY 72
24 MAY 72 1400	8,540.			920.			8,020.			140 24 MAY 72
25 MAY 72 1400	10,400.			1,200.			9,470.			140 25 MAY 72
26 MAY 72 1400	13,400.			1,670.			11,900.			140 26 MAY 72
27 MAY 72 1400	19,100.			2,580.			16,200.			140 27 MAY 72
28 MAY 72 1400	27,500.			3,680.			23,300.			140 28 MAY 72
29 MAY 72 1400	35,900.			4,470.			31,700.			140 29 MAY 72
30 MAY 72 1400	44,700.			5,460.			40,300.			140 30 MAY 72
31 MAY 72 1400	53,500.			6,400.			49,100.			140 31 MAY 72

FORM 1813

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 60.0 DEVIL CANYON DAM SITE 5810 SQ MI			STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI			STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	58,300.			6,350.			55,900.			140 1 JUN 72
2 JUN 72 1400	57,300.			5,570.			57,800.			140 2 JUN 72
3 JUN 72 1400	50,000.			4,080.			53,600.			140 3 JUN 72
4 JUN 72 1400	41,300.			3,140.			45,700.			140 4 JUN 72
5 JUN 72 1400	36,000.			2,950.			38,700.			140 5 JUN 72
6 JUN 72 1400	33,100.			2,860.			34,600.			140 6 JUN 72
7 JUN 72 1400	31,300.			2,880.			32,200.			140 7 JUN 72
8 JUN 72 1400	33,200.			3,590.			32,300.			140 8 JUN 72
9 JUN 72 1400	38,500.			4,400.			35,800.			140 9 JUN 72
10 JUN 72 1400	44,100.			4,810.			41,300.			140 10 JUN 72
11 JUN 72 1400	51,200.			5,490.			47,700.			140 11 JUN 72
12 JUN 72 1400	62,700.			6,870.			57,000.			140 12 JUN 72
13 JUN 72 1400	67,700.			6,140.			65,200.			140 13 JUN 72
14 JUN 72 1400	64,700.			4,750.			66,200.			140 14 JUN 72
15 JUN 72 1400	62,600.			4,430.			63,700.			140 15 JUN 72
16 JUN 72 1400	64,700.			4,940.			63,700.			140 16 JUN 72
17 JUN 72 1400	67,300.			5,270.			66,000.			140 17 JUN 72
18 JUN 72 1400	60,000.			3,310.			63,700.			140 18 JUN 72
19 JUN 72 1400	49,600.			2,320.			54,800.			140 19 JUN 72
20 JUN 72 1400	41,700.			1,960.			45,600.			140 20 JUN 72
21 JUN 72 1400	36,900.			1,980.			39,300.			140 21 JUN 72
22 JUN 72 1400	34,100.			2,080.			35,500.			140 22 JUN 72
23 JUN 72 1400	33,200.			2,330.			33,700.			140 23 JUN 72
24 JUN 72 1400	30,000.			1,750.			31,600.			140 24 JUN 72
25 JUN 72 1400	27,100.			1,570.			28,600.			140 25 JUN 72
26 JUN 72 1400	25,900.			1,520.			26,500.			140 26 JUN 72
27 JUN 72 1400	25,100.			1,420.			25,500.			140 27 JUN 72
28 JUN 72 1400	23,800.			1,230.			24,500.			140 28 JUN 72
29 JUN 72 1400	22,700.			1,130.			23,300.			140 29 JUN 72
30 JUN 72 1400	21,800.			1,040.			22,200.			140 30 JUN 72

FORM 1815
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 60.0 DEVIL CANYON DAM SITE 5810 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	21,100.			987.			21,400.			140 1 JUL 72
2 JUL 72 1400	20,900.			1,030.			21,000.			140 2 JUL 72
3 JUL 72 1400	21,100.			1,070.			21,000.			140 3 JUL 72
4 JUL 72 1400	21,700.			1,060.			21,400.			140 4 JUL 72
5 JUL 72 1400	22,800.			997.			22,200.			140 5 JUL 72
6 JUL 72 1400	23,900.			895.			23,300.			140 6 JUL 72
7 JUL 72 1400	25,100.			798.			24,500.			140 7 JUL 72
8 JUL 72 1400	26,100.			713.			25,600.			140 8 JUL 72
9 JUL 72 1400	26,600.			642.			26,400.			140 9 JUL 72
10 JUL 72 1400	26,400.			588.			26,500.			140 10 JUL 72
11 JUL 72 1400	26,900.			855.			26,700.			140 11 JUL 72
12 JUL 72 1400	27,900.			1,140.			27,400.			140 12 JUL 72
13 JUL 72 1400	26,400.			780.			27,100.			140 13 JUL 72
14 JUL 72 1400	25,100.			866.			25,700.			140 14 JUL 72
15 JUL 72 1400	25,000.			1,010.			25,000.			140 15 JUL 72
16 JUL 72 1400	23,800.			743.			24,400.			140 16 JUL 72
17 JUL 72 1400	22,300.			701.			23,000.			140 17 JUL 72
18 JUL 72 1400	20,300.			533.			21,300.			140 18 JUL 72
19 JUL 72 1400	18,800.			671.			19,600.			140 19 JUL 72
20 JUL 72 1400	18,900.			990.			18,800.			140 20 JUL 72
21 JUL 72 1400	18,700.			870.			18,800.			140 21 JUL 72
22 JUL 72 1400	16,700.			595.			17,700.			140 22 JUL 72
23 JUL 72 1400	14,100.			380.			15,400.			140 23 JUL 72
24 JUL 72 1400	17,200.			1,380.			15,700.			140 24 JUL 72
25 JUL 72 1400	26,400.			2,620.			21,800.			140 25 JUL 72
26 JUL 72 1400	29,100.			1,560.			27,800.			140 26 JUL 72
27 JUL 72 1400	25,400.			787.			27,300.			140 27 JUL 72
28 JUL 72 1400	21,900.			604.			23,700.			140 28 JUL 72
29 JUL 72 1400	20,900.			696.			21,400.			140 29 JUL 72
30 JUL 72 1400	20,000.			463.			20,500.			140 30 JUL 72
31 JUL 72 1400	18,100.			310.			19,000.			140 31 JUL 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 70.0			STATION 0.0			STATION 0.0			
	SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM									
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	1,840.									140 1 MAY 72
2 MAY 72 1400	1,840.									140 2 MAY 72
3 MAY 72 1400	1,870.									140 3 MAY 72
4 MAY 72 1400	1,950.									140 4 MAY 72
5 MAY 72 1400	2,350.									140 5 MAY 72
6 MAY 72 1400	3,500.									140 6 MAY 72
7 MAY 72 1400	5,140.									140 7 MAY 72
8 MAY 72 1400	6,490.									140 8 MAY 72
9 MAY 72 1400	7,350.									140 9 MAY 72
10 MAY 72 1400	7,750.									140 10 MAY 72
11 MAY 72 1400	7,620.									140 11 MAY 72
12 MAY 72 1400	7,220.									140 12 MAY 72
13 MAY 72 1400	6,790.									140 13 MAY 72
14 MAY 72 1400	6,160.									140 14 MAY 72
15 MAY 72 1400	5,380.									140 15 MAY 72
16 MAY 72 1400	4,770.									140 16 MAY 72
17 MAY 72 1400	4,520.									140 17 MAY 72
18 MAY 72 1400	4,720.									140 18 MAY 72
19 MAY 72 1400	5,210.									140 19 MAY 72
20 MAY 72 1400	5,820.									140 20 MAY 72
21 MAY 72 1400	6,510.									140 21 MAY 72
22 MAY 72 1400	7,220.									140 22 MAY 72
23 MAY 72 1400	7,930.									140 23 MAY 72
24 MAY 72 1400	8,940.									140 24 MAY 72
25 MAY 72 1400	10,700.									140 25 MAY 72
26 MAY 72 1400	13,600.									140 26 MAY 72
27 MAY 72 1400	18,800.									140 27 MAY 72
28 MAY 72 1400	27,000.									140 28 MAY 72
29 MAY 72 1400	36,200.									140 29 MAY 72
30 MAY 72 1400	45,800.									140 30 MAY 72
31 MAY 72 1400	55,500.									140 31 MAY 72

FORM 1815-S
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 70.0 SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 1400	62,300.									140 1 JUN 72
2 JUN 72 1400	63,400.									140 2 JUN 72
3 JUN 72 1400	57,700.									140 3 JUN 72
4 JUN 72 1400	48,800.									140 4 JUN 72
5 JUN 72 1400	41,600.									140 5 JUN 72
6 JUN 72 1400	37,500.									140 6 JUN 72
7 JUN 72 1400	35,100.									140 7 JUN 72
8 JUN 72 1400	35,900.									140 8 JUN 72
9 JUN 72 1400	40,200.									140 9 JUN 72
10 JUN 72 1400	46,100.									140 10 JUN 72
11 JUN 72 1400	53,200.									140 11 JUN 72
12 JUN 72 1400	63,900.									140 12 JUN 72
13 JUN 72 1400	71,400.									140 13 JUN 72
14 JUN 72 1400	71,000.									140 14 JUN 72
15 JUN 72 1400	68,100.									140 15 JUN 72
16 JUN 72 1400	68,600.									140 16 JUN 72
17 JUN 72 1400	71,300.									140 17 JUN 72
18 JUN 72 1400	67,000.									140 18 JUN 72
19 JUN 72 1400	57,100.									140 19 JUN 72
20 JUN 72 1400	47,600.									140 20 JUN 72
21 JUN 72 1400	41,300.									140 21 JUN 72
22 JUN 72 1400	37,600.									140 22 JUN 72
23 JUN 72 1400	36,000.									140 23 JUN 72
24 JUN 72 1400	33,400.									140 24 JUN 72
25 JUN 72 1400	30,100.									140 25 JUN 72
26 JUN 72 1400	28,000.									140 26 JUN 72
27 JUN 72 1400	26,900.									140 27 JUN 72
28 JUN 72 1400	25,700.									140 28 JUN 72
29 JUN 72 1400	24,400.									140 29 JUN 72
30 JUN 72 1400	23,300.									140 30 JUN 72

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 70.0 SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 0.0 FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUL 72 1400	22,400.									140 1 JUL 72
2 JUL 72 1400	22,000.									140 2 JUL 72
3 JUL 72 1400	22,000.									140 3 JUL 72
4 JUL 72 1400	22,400.									140 4 JUL 72
5 JUL 72 1400	23,200.									140 5 JUL 72
6 JUL 72 1400	24,200.									140 6 JUL 72
7 JUL 72 1400	25,300.									140 7 JUL 72
8 JUL 72 1400	26,300.									140 8 JUL 72
9 JUL 72 1400	27,000.									140 9 JUL 72
10 JUL 72 1400	27,100.									140 10 JUL 72
11 JUL 72 1400	27,500.									140 11 JUL 72
12 JUL 72 1400	28,500.									140 12 JUL 72
13 JUL 72 1400	27,900.									140 13 JUL 72
14 JUL 72 1400	26,600.									140 14 JUL 72
15 JUL 72 1400	26,000.									140 15 JUL 72
16 JUL 72 1400	25,100.									140 16 JUL 72
17 JUL 72 1400	23,700.									140 17 JUL 72
18 JUL 72 1400	21,800.									140 18 JUL 72
19 JUL 72 1400	20,200.									140 19 JUL 72
20 JUL 72 1400	19,800.									140 20 JUL 72
21 JUL 72 1400	19,600.									140 21 JUL 72
22 JUL 72 1400	18,300.									140 22 JUL 72
23 JUL 72 1400	15,800.									140 23 JUL 72
24 JUL 72 1400	17,000.									140 24 JUL 72
25 JUL 72 1400	24,400.									140 25 JUL 72
26 JUL 72 1400	29,300.									140 26 JUL 72
27 JUL 72 1400	28,100.									140 27 JUL 72
28 JUL 72 1400	24,300.									140 28 JUL 72
29 JUL 72 1400	22,100.									140 29 JUL 72
30 JUL 72 1400	20,900.									140 30 JUL 72
31 JUL 72 1400	19,400.									140 31 JUL 72
END..										2

FORM 1815-2
PRINTED IN U.S.A.

```
JOB          510881  1        1     SUSITNA HEP SPRING PMF
CP      3000    3000                                                  BASAV
CT01    1015       2     0     95    999    100                        SMI GL
CT01    1018       2     0     10    2.5     20     5          40 SMI
CT02    1018      12    60     15     75    999    80
CT01    1020       2     0     20      2     30     5          60 SMI
CT02    1020       9   100     15    100   9999   100
CT01    1021       2     0      5     99      5  9999           5 SMI
CT01    2009       2     0     60    0.1     50   0.2          45 BII
CT02    2009     0.3    37    0.4     32    0.5    29         0.6MCKENZ
CT03    2009      27   1.0     20    2.0     10  9999          10
CT01    2010       2     0     75     .2     60   0.4          48 BII
CT02    2010     0.6    37    0.8     31    1.0    27         1.2WILLAM
CT03    2010      25  9999     25
CT01    2011       2     0     50    0.1     47   0.2          45 BII
CT02    2011     0.3    37    0.4     32    0.5    29         0.6
CT03    2011      27     1     20      2      8     3           4
CT04    2011       5     2    999      1
CT01    2012       2     0     70     .5     50     3          20 BII
CT02    2012       5    10     10    .05     99   .05
CT01    2017       2     0    100    1.0     95  9999          95 BIIGL
CT01    3001       2     0      0    .02   .009   .03        .013 S/SS
CT02    3001     .05  .021    .06   .025   .075   .034        .10
CT03    3001     .05  9999  99999
CT01    3003       2     0      0   .016  .0026   .033       .008 S-SS
CT02    3003     .05  .015   .067   .024   .083   .036       .100MCKENZ
CT03    3005     .05   2.0   1.20    999    999
CT01    3008       2     0      0    .01  .0005   .02       .0015 S-SS
CT02    3008     .03  .003    .04   .005    .05   .008        .06
CT03    3008    .012   .07   .017    .08   .023    .09         .03
CT04    3008     .10  .038    999    999
CT01    3009       2     0      0    .05   .001    0.5         .05  S/SS
CT02    3009     1.0   0.2   9999   9000                          GLAC
CT01    4008       2     4   0.03      5   0.09      6        0.09  ETI
CT02    4008       7  0.10      8   0.10      9   0.10
CT01    4009       2     4   0.03      5   0.05      6        0.06  ETI
CT02    4009       7  0.07      8   0.08      9   0.06          GLAC
CT01    4010       2     4   0.03      5   0.09      6        0.15  ETI
CT02    4010       7  0.15      8   0.15      9   0.15
CT01    5001       2     0    100     .5     30      1          20  KE
CT02    5001     1.5    20    999     20
CT01    6004       2     0    100    100    100   9999         100 SCDGL
CT01    6006       2     0    100      8     80     20          60  SCD
CT02    6006      36    40     59     20    100      0         999
CT03    6006       0
CT01    7005       2     0   0.32    100   0.32   9999        0.32 MELTR
CT01    7009       2     0   0.12    100   0.12   9999        0.12 MELTR
CT01    7010       2     0   0.10     20,  0.15     40        0.24 MELSUS
CT02    7010      50   0.30     80   0.40    100   0.45        9999
CT01    7011       2     0    .08    100    .08   9999         .08 MELTG
CB01    10         1          SUSITNA GLACIER
CB02    10      2214  6 4  12 4  24   100 50016004    40091015
CB03    10      2017 10  3009                    7011          35 32 33
CB04    10      3300010043000100
C3 1    10  2800    0  3000   45 4000  177 5000  359 6000  611 7000  848
C3 2    10  8000  961 9000  99813832  9999999999999
CB01    20         1          SUSITNA NON-GLACIER ABV USGS GAGE
CB02    20      6944  8 4  20 5 156   100 50016006    40081018
CB03    20      2011 10  3008                    7005          35 32 33
CB04    20      3300010043000100
C3 1    20  2440    0  3000  277 4000  532 5000  813 6000  928 7000  971
C3 2    20  8000  984 9000  98910000  99813832  9999999999999
CC01    30         1          SUSITNA RIVER NEAR DENALI CALCULATED
CR01    55         1          30-100 ROUT DENALI GAGE TO DENALI DAMSITE
```

DATA FILE 12 – ACRES PMF SSARR MODEL INPUT

FORM 1413-3

PRINTED IN U.S.A.

```
CB01    80       1          LOCAL ABOVE DENALI DAMSITE  312 SQ MI
CB02    80    3124  3 4   8 4 156   100 50016006    40081018
CB03    80    2009  9  3008                    7010          35 32 33
CB04    80    33000 8143000100
C3 1    80  2570    0 3000  359 4000  744 5000  971 6000  997 6100  999
C3 2    80  9999999999
CC01    100      1          DENALI DAMSITE  1260 SQ MI
CR01    125      1          100-500 ROUT DENALI DAMSITE TO SUS&MAC CONF
CR02    125            3 2   11
CB01    180      1          SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477
CB02    180    4774  3 4   8 5 156   100 50016006    40081018
CB03    180    2009  9  3008                    7010          35 32 33
CB04    180    33000 4843000100
C3 1    180  2350    0 3000  350 4000  820 5000  964 6000  965 6200  999
C3 2    180  9999999999
CB01    210      1          MACLAREN GLACIER
CB02    210    443  6 3  12 3  24   100 50016004    40091015
CB03    210    2017 10  3009                    7009  9       35 32 33
CB04    210    33000 8043000105
C3 1    210  3150   0  4000  109 5000  241 6000  672 7000  96  8000  998
C3 2    210  8850  9999999999999
CB01    220      1          MACLAREN NON-GLACIER ABV USGS GAGE
CB02    220    2324  5 4  20 5 156    75 50016006    40081018
CB03    220    2012 10  3003                    7005          35 32 33
CB04    220    33000 8043000105
C3 1    220  2866   0  3000   82 4000  505 5000  801 6000  949 7000  986
C3 2    220  8000  998 8850  9999999999999
CC01    230      1          MACLAREN RIVER NEAR PAXSON CALCULATED
CR01    255      1          230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL
CR02    255          6 2   10
CB01    280      1          MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307
CB02    280    3074  3 4   8 5 156   100 50016006    40081018
CB03    280    2009  9  3008                    7010          35 32 33
CB04    280    33000 8043000100
C3 1    280  2350    0 3000  498 4000  967 5000  968 5275  9999999999999
CC01    300      1          CONFLUENCE OF MACLAREN RIVER WITH SUSITNA
CR01    325      1          300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE
CR02    325          5 2   9
CB01    330      1          LAKE LOUISE AND SUSITNA LAKE  48 SQ MI
CB02    330    483 15 1   0 1   0   100 50016006    40081022
CB03    330    2009  9  3008                    7010          35 32 33
CB04    330    55000 4843000115
C3 1    330  2361    0 2363  9999999999999
CR01    335      1          330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV
CR02    335          3 4   100
CB01    340      1          TYONE RIVER BASIN 1047 SQ MI
CB02    340  10478 10 8  48 8 200   100 50016006    40101018
CB03    340    2009  9  3008                    7010          35 32 33
CB04    340    33000 4843000115
C3 1    340  2100    0 3000  607 4000  952 5000  998 5275  9999999999999
CC01    350      1          COLLECTION ONE MI ABV CONFL OF OSHET & SUS
CR01    375      1          350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)
CR02    375          1 2   4
CB01    380      1          OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI
CB02    380    7353  3 4   8 4  72   100 50016006    40081018
CB03    380    2009  9  3008                    7010          35 32 33
CB04    380    55000 4043000115
C3 1    380  1910    0 2000    2 3000  156 4000  491 5000  784 6000  960
C3 2    380  7000  998 7770  9999999999999
CC01    400      1          SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M
CR01    425      1          400-500 ROUT VEE DAMSITE TO WATANA DAMSITE
CR02    425          4 1   3
CB01    480      1          WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI
CB02    480  10454  8 4  15 5 156   100 50016006    40081020
CB03    480    2009  9  3008                    7010          35 32 33
```

FORM 14113

PRINTED IN U.S.A.

```
C3 1     480  1450    0 2000   30 3000  277 4000  683 5000  911 6000  989
C3 2     480  7000  989 7200  9999999999999
CC01     500       1           WATANA INFLOW
CL01     501       1           WATANA OUTFLOW
CL02     501                       224000 220000
C110     501    220000     000       10017700 220500     000       10246900
C111     501    221000     000       10465200 221500  109770       10659900
C112     501    221700  113710       10755650 221900  120000       10851400
C113     501    222000  126440       10929230 222300  133040       11007070
C114     501    222500  139780       11084900 222650  144930       11149700
C115     501    222700  256670       11171300 223000  267260       11301700
C116     501    223500  285610       11553500 224000  304780       11772900
C117     501    999999  999999       99999999
CR01     525       1           500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI
CR02     525             3 1    3
CB01     580       1           TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI
CB02     580    6284  8 4  15 5 156   100 50016006    40081020
CB03     580    2009  9  3008                    7010          35 32 33
CB04     580   33000 7343000105
C3 1     580   910    0 1000    2 2000   84 3000  441 4000  795 5000  962
C3 2     580  6000  998 6910  9999999999999
CC01     600       1           DEVIL CANYON INFLOW
CL01     601       1           DEVIL CANYON OUTFLOW
CL02     601                       1480   1445
C110     601    1445     000       1014100 1446     000       1020900
C111     601    1448     000       1034500 1450     000       1048200
C112     601    1452     000       1065600 1454     000       1083000
C113     601    1455  140000       1091800 1460  160310       1135300
C114     601    1465  181870       1178900 14665 188580       1192030
C115     601    1467  315830       1196400 1470  329620       1222500
C116     601    1480  378410       1309800 9999  999999       9999999
CR01     625       1           600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD
CR02     625             1 1    3
CB01     680       1           PORTAGE AND GOLD CREEK LOCAL 345 SQ MI
CB02     680    3454  8 4  15 5 156   100 50016006    40081020
CB03     680    2009  9  3008                    7010          35 32 33
CB04     680   33000 6443000105
C3 1     680   677    0 1000   32 2000  261 3000  510 4000  809 5000  971
C3 2     680  6000  998 6018  9999999999999
CC01     700       1           SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM
P          10    30
P          20    30
P          30    55
P          55   100
P          80   100
P         100   125
P         125   300
P         180   300
P         210   230
P         220   230
P         230   255
P         255   300
P         280   300
P         300   325
P         325   350
P         330   335
P         335   350
P         340   350
P         350   375
P         375   400
P         380   400
P         400   425
P         425   500
P         480   500
P         500   501
```

FORM 1413

PRINTED IN U.S.A.

```
P          525        600
P          580        600
P          600        601
P          601        625
P          680        700
P          625        700
P          700
T   14 010572 6014 300672
2B00       10 14 010572     8     030    100 1                          99
2B02       10 14 010572    10      10      10     10     10
2B03       10 14 010572    30      30      30     30     30
2B04       10 14 010572    60      60      60     60     60
2B00       20 14 010572     4      03     100 01                         81
2B02       20 14 010572    10      10      10     10     10
2B03       20 14 010572    50      50      50     50     30
2B04       20 14 010572    60      60      60     60     60     60     60     60
2B00       80 14 010572     4      03     100                            35
2B02       80 14 010572     5       5       5      5      5
2B03       80 14 010572    10      10      10     10     10
2B04       80 14 010572    70      70      70     70     70
2B00      180 14 010572     4      03     100                            32
2B02      180 14 010572     7       7       7      7      7
2B03      180 14 010572    10      10      10     10     10
2B04      180 14 010572   108     108     108    108    108    108
2B00      210 14 010572     8     030    100 1                          99
2B02      210 14 010572    10      10      10     10     10
2B03      210 14 010572    10      10      10     10     10
2B04      210 14 010572    10      10      10     10     10
2B00      220 14 010572     4      03     100 01                         62
2B02      220 14 010572    10      10      10     10     10
2B03      220 14 010572    10      10      10     10     10
2B04      220 14 010772    60      60      60     60     60     60     60     60
2B00      280 14 010572     4      03     100                            30
2B02      280 14 010572     4       4       4      4      4
2B03      280 14 010572    10      10      10     10     10
2B04      280 14 010572    70      70      70     70     70     70
2B00      330 14 010572     4      03     100                            23
2B02      330 14 010572    18      18      18     18     18
2B03      330 14 010572     0       0       0      0      0
2B04      330 14 010572     0       0       0      0      0
2B00      340 14 010572     4      03     100                            27
2B02      340 14 010572    18      18      18     18     18
2B03      340 14 010572    20      20      20     20     20     20     20     20
2B04      340 14 010572   120     120     120    120    120    120    120    120
2B00      380 14 010572     4      03     100                            59
2B02      380 14 010572     8       8       8      8      8
2B03      380 14 010572    20      20      20     20     20
2B04      380 14 010572   130     130     130    130    130
2B00      480 14 010572     4      03     100                            57
2B02      480 14 010572    16      16      16     16     16
2B03      480 14 010572    30      30      30     30     30
2B04      480 14 010572   420     420     420    420    420
2L01      501 14 010572  1500    2215   10659900
2B00      580 14 010572     4      03     100                            48
2B02      580 14 010572     5       5       5      5      5
2B03      580 14 010572    15      15      15     15     15
2B04      580 14 010572   260     260     260    260    260
2L01      601 14 010572  1500    1455   1091800
2B00      680 14 010572     4      03     100                            48
2B02      680 14 010572     4       4       4      4      4
2B03      680 14 010572    10      10      10     10     10
2B04      680 14 010572   140     140     140    140    140
4D   6   3000 14 0105724 320 320 320 320 320 320 320 320 320 320 320 320 320 320
4D   6   3000  2 0505724 320 320 320 320 320 320 320 320 320 320 320 320 320 320
4D   6   3000 14 0805724 320 320 320 320 320 320 320 320 320 320 320 320 320 320
```

FORM 1411-3

PRINTED IN U.S.A.

4D	6	3000	14	1505724	320	320	320	320	320	320	320	320	320	320	320	320	320	320
4D	6	3000	2	1905724	320	320	320	320	320	320	320	320	320	320	320	320	320	320
4D	6	3000	14	2205724	320	320	320	320	320	320	320	320	320	320	320	320	320	320
4D	6	3000	2	2605724	320	320	320	320	320	320	320	320	320	320	320	320	320	320
4D	6	3000	14	2905724	320	320	320	320	320	320	320	320	320	320				
4D	6	3000	2	0106724	320	320	320	320	320	320	320	320	320	320	320	320	330	330
4D	6	3000	14	0406724	350	350	380	390	420	450	460	490	510	530	560	580	600	595
4D	6	3000	2	0806724	588	588	580	580	575	575	570	570	562	562	560	560	552	552
4D	6	3000	14	1106724	550	550	530	520	510	500	500	500	500	500	492	492	492	492
4D	6	3000	2	1506724	502	502	502	502	490	470	470	480	482	482	482	482	492	492
4D	6	3000	14	1806724	492	492	520	540	560	582	592	592	592	592	630	630	630	630
4D	6	3000	2	2206724	650	650	650	650	640	640	640	640	580	580	580	580	550	550
4D	6	3000	14	2506724	550	550	540	540	540	540	530	530	530	530	530	530	530	530
4D	6	3000	2	2906724	520	520	520	520	510	510	510	510						
4D	6	3000	14	0806723	02	02	06	06	06	07	19	20	20	20	15	15	22	53
4D	6	3000	2	1206723	18	18	24	60	24	24	32	82	29	29	39	98	49	49
4D	6	3000	14	1506723	65	163	89	37	26	26	61	25	18	18				
6S		501	14	0105722	22150014		30062	221500										
6S		601	14	0105722	14550014		30062	145500										

EOF..

FORM 1411-S
PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE 310801 RUN NO. 0 INITIAL DATE, HOUR 1 MAY 1972 1400 JOB DESCRIPTION SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.00	8.00	0	0.00	0.03	0	60	30	10	100	1400	1
1	2000	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	8.00	95	0.00	0.03	100	59	29	9	100	2000	1
2	200	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.99	95	0.00	0.03	100	59	29	8	98	200	2
2	800	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.98	95	0.00	0.03	100	59	28	6	94	800	2
2	1400	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.96	95	0.00	0.02	100	59	25	4	89	1400	2
2	2000	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.95	95	0.00	0.02	100	58	22	2	84	2000	2
3	200	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.94	95	0.00	0.02	100	56	19	1	78	200	3
3	800	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.93	95	0.00	0.02	100	54	16	0	72	800	3
3	1400	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.91	95	0.00	0.02	100	52	13	0	66	1400	3
3	2000	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.90	95	0.00	0.02	100	50	10	0	61	2000	3
4	200	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.89	95	0.00	0.02	100	47	7	0	55	200	4
4	800	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.88	95	0.00	0.02	100	44	6	0	51	800	4
4	1400	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.86	95	0.00	0.02	100	41	4	0	46	1400	4
4	2000	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.85	95	0.00	0.01	100	38	3	0	42	2000	4
5	200	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.84	95	0.00	0.01	100	35	2	0	38	200	5
5	800	0.00	0	0.00	0.00	0	2800	100	0.3	5	0.01	0.00	0.05	7.83	95	0.00	0.01	100	33	1	0	35	800	5
5	1400	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.81	95	0.00	0.01	100	30	1	0	32	1400	5
5	2000	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.80	95	0.00	0.01	100	27	0	0	29	2000	5
6	200	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.79	95	0.00	0.01	100	25	0	0	26	200	6
6	800	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.78	95	0.00	0.01	100	23	0	0	24	800	6
6	1400	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.76	95	0.00	0.01	100	21	0	0	22	1400	6
6	2000	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.75	95	0.00	0.01	100	19	0	0	20	2000	6
7	200	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.74	95	0.00	0.01	100	18	0	0	18	200	7
7	800	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.73	95	0.00	0.01	100	16	0	0	17	800	7
7	1400	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.71	95	0.00	0.01	100	15	0	0	15	1400	7
7	2000	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.70	95	0.00	0.01	100	14	0	0	14	2000	7
8	200	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.69	95	0.00	0.01	100	13	0	0	13	200	8
8	800	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.68	95	0.00	0.01	100	12	0	0	12	800	8
8	1400	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.66	95	0.00	0.01	100	11	0	0	12	1400	8
8	2000	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.65	95	0.00	0.01	100	10	0	0	11	2000	8
9	200	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.64	95	0.00	0.01	100	10	0	0	10	200	9
9	800	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.63	95	0.00	0.01	100	9	0	0	10	800	9
9	1400	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.61	95	0.00	0.01	100	9	0	0	9	1400	9
9	2000	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.60	95	0.00	0.01	100	9	0	0	9	2000	9
10	200	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.59	95	0.00	0.00	100	8	0	0	9	200	10
10	800	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.58	95	0.00	0.00	100	8	0	0	8	800	10
10	1400	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.56	95	0.00	0.00	100	8	0	0	8	1400	10
10	2000	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.55	95	0.00	0.00	100	7	0	0	8	2000	10
11	200	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.54	95	0.00	0.00	100	7	0	0	8	200	11
11	800	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.53	95	0.00	0.00	100	7	0	0	8	800	11
11	1400	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.51	95	0.00	0.00	100	7	0	0	8	1400	11
11	2000	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.50	95	0.00	0.00	100	7	0	0	7	2000	11
12	200	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.49	95	0.00	0.00	100	7	0	0	7	200	12
12	800	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.48	95	0.00	0.00	100	7	0	0	7	800	12

DATA FILE 13 - ACRES PMF SSARR MODEL OUTPUT

FORM 1415-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	NL-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.46	95	0.00	0.00	100	7	0	0	7	1400	12
12	2000	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.45	95	0.00	0.00	100	7	0	0	7	2000	12
13	200	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.44	95	0.00	0.00	100	7	0	0	7	200	13
13	800	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.43	95	0.00	0.00	100	7	0	0	7	800	13
13	1400	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.41	95	0.00	0.00	100	6	0	0	7	1400	13
13	2000	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.40	95	0.00	0.00	100	6	0	0	7	2000	13
14	200	0.00	0	0.00	0.01	0	2800	100	0.3	5	0.01	0.00	0.05	7.39	95	0.00	0.00	100	6	0	0	7	200	14
14	800	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.38	95	0.00	0.00	100	6	0	0	7	800	14
14	1400	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.36	95	0.00	0.00	100	6	0	0	7	1400	14
14	2000	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.35	95	0.00	0.00	100	6	0	0	7	2000	14
15	200	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.34	95	0.00	0.00	100	6	0	0	7	200	15
15	800	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.33	95	0.00	0.00	100	6	0	0	7	800	15
15	1400	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.31	95	0.00	0.00	100	6	0	0	7	1400	15
15	2000	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.30	95	0.00	0.00	100	6	0	0	7	2000	15
16	200	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.29	95	0.00	0.00	100	6	0	0	7	200	16
16	800	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.28	95	0.00	0.00	100	6	0	0	7	800	16
16	1400	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.26	95	0.00	0.00	100	6	0	0	7	1400	16
16	2000	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.25	95	0.00	0.00	100	6	0	0	7	2000	16
17	200	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.24	95	0.00	0.00	100	6	0	0	7	200	17
17	800	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.23	95	0.00	0.00	100	6	0	0	7	800	17
17	1400	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.21	95	0.00	0.00	100	6	0	0	7	1400	17
17	2000	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.20	95	0.00	0.00	100	6	0	0	7	2000	17
18	200	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.19	95	0.00	0.00	100	6	0	0	7	200	18
18	800	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.18	95	0.00	0.00	100	6	0	0	7	800	18
18	1400	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.16	95	0.00	0.00	100	6	0	0	7	1400	18
18	2000	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.15	95	0.00	0.00	100	6	0	0	7	2000	18
19	200	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.14	95	0.00	0.00	100	6	0	0	7	200	19
19	800	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.13	95	0.00	0.00	100	6	0	0	7	800	19
19	1400	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.11	95	0.00	0.00	100	6	0	0	7	1400	19
19	2000	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.10	95	0.00	0.00	100	6	0	0	7	2000	19
20	200	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.09	95	0.00	0.00	100	6	0	0	7	200	20
20	800	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.08	95	0.00	0.00	100	6	0	0	7	800	20
20	1400	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.06	95	0.00	0.00	100	6	0	0	7	1400	20
20	2000	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.05	95	0.00	0.00	100	6	0	0	7	2000	20
21	200	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.04	95	0.00	0.00	100	6	0	0	7	200	21
21	800	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.03	95	0.00	0.00	100	6	0	0	7	800	21
21	1400	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.01	95	0.00	0.00	100	6	0	0	7	1400	21
21	2000	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	7.00	95	0.00	0.00	100	6	0	0	7	2000	21
22	200	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	6.99	95	0.00	0.00	100	6	0	0	7	200	22
22	800	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	6.98	95	0.00	0.00	100	6	0	0	7	800	22
22	1400	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	6.96	95	0.00	0.00	100	6	0	0	7	1400	22
22	2000	0.00	0	0.00	0.02	0	2800	100	0.3	5	0.01	0.00	0.05	6.95	95	0.00	0.00	100	6	0	0	7	2000	22
23	200	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.94	95	0.00	0.00	100	6	0	0	7	200	23
23	800	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.93	95	0.00	0.00	100	6	0	0	7	800	23

FORM 1613

PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.91	95	0.00	0.00	100	6	0	0	7	1400	23
23	2000	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.90	95	0.00	0.00	100	6	0	0	7	2000	23
24	200	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.89	95	0.00	0.00	100	6	0	0	7	200	24
24	800	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.88	95	0.00	0.00	100	6	0	0	7	800	24
24	1400	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.86	95	0.00	0.00	100	6	0	0	7	1400	24
24	2000	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.85	95	0.00	0.00	100	6	0	0	7	2000	24
25	200	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.84	95	0.00	0.00	100	6	0	0	7	200	25
25	800	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.83	95	0.00	0.00	100	6	0	0	7	800	25
25	1400	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.81	95	0.00	0.00	100	6	0	0	7	1400	25
25	2000	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.80	95	0.00	0.00	100	6	0	0	7	2000	25
26	200	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.79	95	0.00	0.00	100	6	0	0	7	200	26
26	800	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.78	95	0.00	0.00	100	6	0	0	7	800	26
26	1400	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.76	95	0.00	0.00	100	6	0	0	7	1400	26
26	2000	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.75	95	0.00	0.00	100	6	0	0	7	2000	26
27	200	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.74	95	0.00	0.00	100	6	0	0	7	200	27
27	800	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.73	95	0.00	0.00	100	6	0	0	7	800	27
27	1400	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.71	95	0.00	0.00	100	6	0	0	7	1400	27
27	2000	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.70	95	0.00	0.00	100	6	0	0	7	2000	27
28	200	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.69	95	0.00	0.00	100	6	0	0	7	200	28
28	800	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.68	95	0.00	0.00	100	6	0	0	7	800	28
28	1400	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.66	95	0.00	0.00	100	6	0	0	7	1400	28
28	2000	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.65	95	0.00	0.00	100	6	0	0	7	2000	28
29	200	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.64	95	0.00	0.00	100	6	0	0	7	200	29
29	800	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.63	95	0.00	0.00	100	6	0	0	7	800	29
29	1400	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.61	95	0.00	0.00	100	6	0	0	7	1400	29
29	2000	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.60	95	0.00	0.00	100	6	0	0	7	2000	29
30	200	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.59	95	0.00	0.00	100	6	0	0	7	200	30
30	800	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.58	95	0.00	0.00	100	6	0	0	7	800	30
30	1400	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.56	95	0.00	0.00	100	6	0	0	7	1400	30
30	2000	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.55	95	0.00	0.00	100	6	0	0	7	2000	30
31	200	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.54	95	0.00	0.00	100	6	0	0	7	200	31
31	800	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.53	95	0.00	0.00	100	6	0	0	7	800	31
31	1400	0.00	0	0.00	0.03	0	2800	100	0.3	5	0.01	0.00	0.05	6.51	95	0.00	0.00	100	6	0	0	7	1400	31
31	2000	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.05	6.50	95	0.00	0.00	100	6	0	0	7	2000	31

FORM 1413

PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RO-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.05	6.49	95	0.00	0.00	100	6	0	0	7	200	1
1	800	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.48	95	0.00	0.00	100	6	0	0	7	800	1
1	1400	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.46	95	0.00	0.00	100	6	0	0	7	1400	1
1	2000	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.45	95	0.00	0.00	100	6	0	0	7	2000	1
2	200	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.43	95	0.00	0.00	100	6	0	0	7	200	2
2	800	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.42	95	0.00	0.00	100	6	0	0	7	800	2
2	1400	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.40	95	0.00	0.00	100	6	0	0	7	1400	2
2	2000	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.39	95	0.00	0.00	100	6	0	0	7	2000	2
3	200	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.37	95	0.00	0.00	100	6	0	0	7	200	3
3	800	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.36	95	0.00	0.00	100	6	0	0	7	800	3
3	1400	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.34	95	0.00	0.00	100	6	0	0	7	1400	3
3	2000	0.00	0	0.00	0.04	0	2800	100	0.3	5	0.01	0.00	0.06	6.33	95	0.00	0.00	100	6	0	0	7	2000	3
4	200	0.00	0	0.00	0.04	0	2800	100	1.0	9	0.02	0.00	0.06	6.31	95	0.00	0.00	100	6	0	0	7	200	4
4	800	0.00	0	0.00	0.04	0	2800	100	1.0	9	0.02	0.00	0.06	6.30	95	0.00	0.00	100	6	0	0	7	800	4
4	1400	0.00	5	0.00	0.05	0	2800	100	2.1	17	0.04	0.01	0.06	6.28	95	0.01	0.00	100	7	0	0	7	1400	4
4	2000	0.00	5	0.00	0.05	0	2800	100	2.1	17	0.04	0.01	0.06	6.27	95	0.01	0.00	100	7	0	0	8	2000	4
5	200	0.00	17	0.00	0.07	0	2800	100	3.1	33	0.06	0.02	0.06	6.25	95	0.02	0.01	100	8	0	0	9	200	5
5	800	0.00	22	0.00	0.10	0	2800	100	3.4	39	0.07	0.03	0.06	6.24	95	0.03	0.01	100	11	0	0	12	800	5
5	1400	0.00	39	0.00	0.15	0	2800	100	4.3	62	0.09	0.05	0.06	6.23	95	0.05	0.02	100	17	0	0	17	1400	5
5	2000	0.00	62	0.00	0.24	0	2800	100	5.6	83	0.11	0.09	0.06	6.21	95	0.09	0.04	100	27	0	0	27	2000	5
6	200	0.00	69	0.00	0.34	0	2800	100	6.4	88	0.13	0.11	0.06	6.20	95	0.11	0.07	100	45	0	0	45	200	6
6	800	0.00	88	0.00	0.51	1	2800	100	8.8	97	0.18	0.17	0.06	6.19	95	0.16	0.10	100	75	0	0	76	800	6
6	1400	0.00	94	0.00	0.71	1	2800	100	10.6	99	0.21	0.21	0.06	6.19	95	0.20	0.14	99	124	0	0	125	1400	6
6	2000	0.00	98	0.00	0.94	1	2800	100	12.6	100	0.25	0.25	0.06	6.18	95	0.24	0.19	99	197	1	0	199	2000	6
7	200	0.00	100	0.00	1.24	1	2800	100	15.6	100	0.31	0.31	0.06	6.18	95	0.30	0.25	99	301	3	0	305	200	7
7	800	0.00	100	0.00	1.57	2	2800	100	17.6	100	0.35	0.35	0.06	6.18	95	0.33	0.31	99	442	7	0	450	800	7
7	1400	0.00	100	0.00	1.94	2	2800	100	19.6	100	0.39	0.39	0.06	6.18	95	0.37	0.38	98	627	12	0	641	1400	7
7	2000	0.00	100	0.00	2.31	2	2800	100	19.1	100	0.38	0.38	0.06	6.19	95	0.36	0.44	98	859	20	1	882	2000	7
8	200	0.00	100	0.00	2.65	3	2800	100	18.4	100	0.37	0.37	0.06	6.19	95	0.35	0.50	98	1141	31	1	1175	200	8
8	800	0.00	100	0.00	3.00	3	2800	100	18.4	100	0.37	0.37	0.06	6.19	95	0.35	0.55	98	1469	45	2	1517	800	8
8	1400	0.02	100	0.02	3.34	3	2800	100	17.6	100	0.35	0.37	0.06	6.20	95	0.35	0.60	97	1835	62	2	1901	1400	8
8	2000	0.02	100	0.04	3.67	4	2800	100	17.6	100	0.35	0.37	0.06	6.20	95	0.35	0.65	97	2232	81	3	2318	2000	8
9	200	0.06	100	0.09	3.99	4	2800	100	17.1	100	0.34	0.40	0.06	6.21	95	0.38	0.70	97	2650	101	3	2756	200	9
9	800	0.06	100	0.15	4.32	4	2800	100	17.1	100	0.34	0.40	0.06	6.22	95	0.38	0.74	97	3078	123	4	3206	800	9
9	1400	0.06	100	0.21	4.63	5	2800	100	16.6	100	0.33	0.39	0.06	6.23	95	0.37	0.79	96	3510	145	4	3661	1400	9
9	2000	0.07	100	0.28	4.95	5	2800	100	16.6	100	0.33	0.40	0.06	6.24	95	0.38	0.83	96	3939	169	5	4114	2000	9
10	200	0.19	100	0.46	5.24	5	2800	100	15.8	100	0.32	0.50	0.06	6.25	95	0.48	0.89	96	4358	193	5	4558	200	10
10	800	0.20	100	0.64	5.54	6	2800	100	15.8	100	0.32	0.51	0.06	6.27	95	0.49	0.96	96	4767	218	6	4993	800	10
10	1400	0.20	100	0.83	5.84	6	2800	100	15.6	100	0.31	0.51	0.06	6.29	95	0.49	1.01	95	5166	247	7	5421	1400	10
10	2000	0.20	100	1.02	6.13	6	2800	100	15.6	100	0.31	0.51	0.06	6.31	95	0.49	1.07	95	5557	279	8	5845	2000	10
11	200	0.15	100	1.17	6.41	6	2800	100	14.8	100	0.30	0.44	0.06	6.33	95	0.42	1.10	95	5941	313	9	6265	200	11
11	800	0.15	100	1.31	6.69	7	2800	100	14.8	100	0.30	0.44	0.06	6.35	95	0.42	1.14	95	6318	348	10	6677	800	11
11	1400	0.22	100	1.52	6.97	7	2800	100	14.6	100	0.29	0.51	0.06	6.37	95	0.48	1.18	95	6681	381	10	7074	1400	11
11	2000	0.53	100	2.02	7.25	7	2800	100	14.6	100	0.29	0.82	0.06	6.39	95	0.78	1.30	95	7031	411	10	7454	2000	11

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310861 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, AREA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.18	98	2.19	7.49	8	2800	100	12.6	100	0.25	0.43	0.06	6.43	95	0.41	1.32	95	7372	442	11	7826	200	12
12	800	0.18	97	2.35	7.70	8	2800	100	11.6	100	0.23	0.40	0.06	6.45	95	0.38	1.33	95	7707	472	12	8192	800	12
12	1400	0.24	94	2.57	7.90	8	2800	100	10.6	99	0.21	0.44	0.06	6.46	95	0.42	1.35	95	8032	498	12	8544	1400	12
12	2000	0.60	91	3.09	8.08	8	2800	100	9.7	98	0.19	0.74	0.06	6.48	95	0.70	1.43	95	8341	518	11	8871	2000	12
13	200	0.24	91	3.29	8.27	8	2800	100	9.7	98	0.19	0.41	0.06	6.52	95	0.39	1.44	95	8631	532	11	9176	200	13
13	800	0.24	91	3.50	8.45	9	2800	100	9.7	98	0.19	0.41	0.06	6.53	95	0.39	1.45	95	8902	543	11	9458	800	13
13	1400	0.32	91	3.78	8.63	9	2800	100	9.7	98	0.19	0.48	0.06	6.55	95	0.46	1.47	95	9150	550	11	9713	1400	13
13	2000	0.82	91	4.49	8.81	9	2800	100	9.7	98	0.19	0.94	0.06	6.57	95	0.89	1.59	95	9374	553	11	9940	2000	13
14	200	0.29	88	4.73	8.97	9	2800	100	9.0	97	0.18	0.43	0.06	6.61	95	0.41	1.59	95	9580	559	11	10152	200	14
14	800	0.29	88	4.97	9.14	9	2800	100	9.0	97	0.18	0.43	0.06	6.63	95	0.41	1.59	95	9777	568	12	10359	800	14
14	1400	0.39	88	5.30	9.30	9	2800	100	9.0	97	0.18	0.52	0.06	6.65	95	0.49	1.62	95	9965	578	12	10556	1400	14
14	2000	0.98	88	6.12	9.47	10	2800	100	9.0	97	0.18	1.04	0.06	6.67	95	0.99	1.75	95	10143	585	12	10742	2000	14
15	200	0.49	92	6.55	9.65	10	2800	100	9.9	98	0.20	0.64	0.06	6.72	95	0.61	1.79	95	10319	596	13	10929	200	15
15	800	0.49	92	6.98	9.83	10	2800	100	9.9	98	0.20	0.64	0.06	6.75	95	0.61	1.83	95	10505	614	14	11135	800	15
15	1400	0.65	92	7.54	10.02	10	2800	100	9.9	98	0.20	0.79	0.06	6.78	95	0.75	1.90	95	10709	636	15	11362	1400	15
15	2000	1.63	92	8.96	10.20	10	2800	100	9.9	98	0.20	1.69	0.06	6.82	95	1.60	2.16	95	10939	664	16	11621	2000	15
16	200	0.89	88	9.70	10.36	10	2800	100	8.8	97	0.18	0.95	0.06	6.90	95	0.90	2.25	95	11217	704	18	11941	200	16
16	800	0.37	76	9.97	10.49	11	2800	100	7.1	91	0.14	0.41	0.06	6.94	95	0.39	2.21	95	11562	758	21	12342	800	16
16	1400	0.26	76	10.16	10.61	11	2800	100	7.1	91	0.14	0.33	0.06	6.96	95	0.31	2.15	95	11965	812	21	12800	1400	16
16	2000	0.26	83	10.36	10.75	11	2800	100	7.9	94	0.16	0.37	0.06	6.97	95	0.35	2.11	95	12391	845	18	13257	2000	16
17	200	0.61	85	10.86	10.90	11	2800	100	8.1	95	0.16	0.67	0.06	6.99	95	0.64	2.13	95	12797	850	15	13663	200	17
17	800	0.25	85	11.06	11.04	11	2800	100	8.1	95	0.16	0.37	0.06	7.02	95	0.35	2.09	95	13148	831	13	13994	800	17
17	1400	0.18	85	11.20	11.19	11	2800	100	8.1	95	0.16	0.31	0.06	7.03	95	0.29	2.03	95	13426	797	11	14236	1400	17
17	2000	0.18	85	11.35	11.34	11	2800	100	8.1	95	0.16	0.31	0.06	7.04	95	0.29	1.98	95	13615	753	10	14380	2000	17
18	200	0.00	88	11.35	11.50	12	2800	100	9.0	97	0.18	0.17	0.06	7.06	95	0.16	1.91	95	13705	702	9	14417	200	18
18	800	0.00	88	11.35	11.67	12	2800	100	9.0	97	0.18	0.17	0.06	7.05	95	0.16	1.83	95	13688	646	8	14343	800	18
18	1400	0.00	88	11.35	11.83	12	2800	100	9.0	97	0.18	0.17	0.06	7.04	95	0.16	1.77	95	13562	587	6	14157	1400	18
18	2000	0.00	88	11.35	12.00	12	2800	100	9.0	97	0.18	0.17	0.06	7.04	95	0.16	1.70	95	13331	527	5	13865	2000	18
19	200	0.00	97	11.35	12.22	12	2800	100	11.6	100	0.23	0.23	0.06	7.03	95	0.22	1.65	95	13004	469	4	13480	200	19
19	800	0.00	99	11.35	12.47	13	2800	100	13.6	100	0.27	0.27	0.06	7.03	95	0.26	1.62	95	12597	417	4	13019	800	19
19	1400	0.00	100	11.35	12.77	13	2800	100	15.6	100	0.31	0.31	0.06	7.02	95	0.30	1.59	95	12128	374	4	12508	1400	19
19	2000	0.00	100	11.35	13.11	13	2800	100	17.8	100	0.36	0.35	0.06	7.02	95	0.34	1.58	95	11622	342	5	11970	2000	19
20	200	0.00	100	11.35	13.46	14	2800	100	18.8	100	0.38	0.37	0.06	7.03	95	0.36	1.57	95	11103	321	5	11432	200	20
20	800	0.00	100	11.35	13.82	14	2800	100	18.8	100	0.38	0.37	0.06	7.03	95	0.36	1.56	95	10593	312	6	10913	800	20
20	1400	0.00	100	11.35	14.17	14	2800	100	18.8	100	0.38	0.37	0.06	7.03	95	0.36	1.55	95	10111	313	7	10432	1400	20
20	2000	0.00	100	11.35	14.53	15	2800	100	18.8	100	0.38	0.37	0.06	7.04	95	0.36	1.54	95	9670	320	7	9999	2000	20
21	200	0.00	100	11.35	14.96	15	2800	100	22.6	100	0.45	0.45	0.06	7.04	95	0.43	1.55	95	9278	332	8	9619	200	21
21	800	0.00	100	11.35	15.39	16	2800	100	22.6	100	0.45	0.45	0.06	7.05	95	0.43	1.56	95	8942	346	8	9297	800	21
21	1400	0.00	100	11.35	15.81	16	2800	100	22.6	100	0.45	0.45	0.06	7.06	95	0.43	1.57	95	8665	362	8	9037	1400	21
21	2000	0.00	100	11.35	16.24	16	2800	100	22.6	100	0.45	0.45	0.06	7.06	95	0.43	1.58	95	8448	381	9	8839	2000	21
22	200	0.00	100	11.35	16.71	17	2800	100	24.6	100	0.49	0.49	0.06	7.07	95	0.47	1.60	95	8291	399	9	8701	200	22
22	800	0.00	100	11.35	17.18	17	2800	100	24.6	100	0.49	0.49	0.06	7.08	95	0.47	1.61	95	8189	418	10	8618	800	22
22	1400	0.00	100	11.35	17.64	18	2800	100	24.6	100	0.49	0.49	0.06	7.09	95	0.47	1.63	95	8139	436	10	8586	1400	22
22	2000	0.00	100	11.35	18.11	18	2800	100	24.6	100	0.49	0.49	0.06	7.10	95	0.47	1.64	95	8136	453	10	8601	2000	22

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

BASIN RESULTS - STATION 1.0 SUSITNA GLACIER

RUN DATE RUN NO. 310881 | INITIAL DATE, HOUR 1 MAY 1972 1400 | JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF | N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.080 IN./DEGREE-DAY, REA = 221.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	11.35	18.56	19	2800	100	23.6	100	0.47	0.47	0.06	7.11	95	0.45	1.65	95	8174	469	10	8654	200	23
23	800	0.00	100	11.35	19.00	19	2800	100	23.6	100	0.47	0.47	0.06	7.12	95	0.45	1.66	95	8245	483	10	8740	800	23
23	1400	0.00	100	11.35	19.45	20	2800	100	23.6	100	0.47	0.47	0.06	7.13	95	0.45	1.67	95	8342	495	10	8848	1400	23
23	2000	0.00	100	11.35	19.90	20	2800	100	23.6	100	0.47	0.47	0.06	7.13	95	0.45	1.67	95	8457	504	10	8972	2000	23
24	200	0.00	100	11.35	20.23	20	2800	100	17.6	100	0.35	0.35	0.06	7.14	95	0.33	1.65	95	8582	510	10	9103	200	24
24	800	0.00	100	11.35	20.56	21	2800	100	17.6	100	0.35	0.35	0.06	7.14	95	0.33	1.63	95	8708	512	10	9232	800	24
24	1400	0.00	100	11.35	20.90	21	2800	100	17.6	100	0.35	0.35	0.06	7.15	95	0.33	1.62	95	8826	509	9	9346	1400	24
24	2000	0.00	100	11.35	21.23	21	2800	100	17.6	100	0.35	0.35	0.06	7.15	95	0.33	1.60	95	8925	501	9	9436	2000	24
25	200	0.00	100	11.35	21.51	22	2800	100	14.6	100	0.29	0.29	0.06	7.15	95	0.28	1.57	95	8999	488	8	9497	200	25
25	800	0.00	100	11.35	21.78	22	2800	100	14.6	100	0.29	0.29	0.06	7.15	95	0.28	1.54	95	9043	473	8	9525	800	25
25	1400	0.00	100	11.35	22.06	22	2800	100	14.6	100	0.29	0.29	0.06	7.15	95	0.28	1.52	95	9054	456	7	9518	1400	25
25	2000	0.00	100	11.35	22.34	23	2800	100	14.6	100	0.29	0.29	0.06	7.15	95	0.28	1.49	95	9029	437	7	9474	2000	25
26	200	0.00	99	11.35	22.59	23	2800	100	13.6	100	0.27	0.27	0.06	7.15	95	0.26	1.47	95	8971	418	6	9397	200	26
26	800	0.00	99	11.35	22.85	23	2800	100	13.6	100	0.27	0.27	0.06	7.15	95	0.26	1.44	95	8882	400	6	9289	800	26
26	1400	0.00	99	11.35	23.11	23	2800	100	13.6	100	0.27	0.27	0.06	7.15	95	0.26	1.42	95	8765	383	6	9155	1400	26
26	2000	0.00	99	11.35	23.37	24	2800	100	13.6	100	0.27	0.27	0.06	7.14	95	0.26	1.40	95	8625	367	6	9000	2000	26
27	200	0.00	98	11.35	23.60	24	2800	100	12.6	100	0.25	0.25	0.06	7.14	95	0.24	1.37	95	8466	354	6	8827	200	27
27	800	0.00	98	11.35	23.84	24	2800	100	12.6	100	0.25	0.25	0.06	7.14	95	0.24	1.35	95	8294	342	6	8642	800	27
27	1400	0.00	98	11.35	24.08	24	2800	100	12.6	100	0.25	0.25	0.06	7.14	95	0.24	1.32	95	8111	331	6	8449	1400	27
27	2000	0.00	98	11.35	24.32	25	2800	100	12.6	100	0.25	0.25	0.06	7.14	95	0.24	1.30	95	7922	321	5	8250	2000	27
28	200	0.00	98	11.35	24.56	25	2800	100	12.6	100	0.25	0.25	0.06	7.13	95	0.24	1.28	95	7731	313	5	8050	200	28
28	800	0.00	98	11.35	24.80	25	2800	100	12.6	100	0.25	0.25	0.06	7.13	95	0.24	1.26	95	7539	305	5	7851	800	28
28	1400	0.00	98	11.35	25.03	25	2800	100	12.6	100	0.25	0.25	0.06	7.13	95	0.24	1.24	95	7351	299	5	7657	1400	28
28	2000	0.00	98	11.35	25.27	26	2800	100	12.6	100	0.25	0.25	0.06	7.13	95	0.24	1.23	95	7168	294	5	7469	2000	28
29	200	0.00	97	11.35	25.49	26	2800	100	11.6	100	0.23	0.23	0.06	7.12	95	0.22	1.21	95	6993	290	5	7289	200	29
29	800	0.00	97	11.35	25.71	26	2800	100	11.6	100	0.23	0.23	0.06	7.12	95	0.22	1.19	95	6826	286	5	7119	800	29
29	1400	0.00	97	11.35	25.93	26	2800	100	11.6	100	0.23	0.23	0.06	7.12	95	0.22	1.17	95	6668	283	5	6957	1400	29
29	2000	0.00	97	11.35	26.15	26	2800	100	11.6	100	0.23	0.23	0.06	7.11	95	0.22	1.15	95	6518	279	5	6804	2000	29
30	200	0.00	94	11.35	26.35	27	2800	100	10.6	99	0.21	0.21	0.06	7.11	95	0.20	1.13	95	6377	276	5	6659	200	30
30	800	0.00	94	11.35	26.55	27	2800	100	10.6	99	0.21	0.21	0.06	7.10	95	0.20	1.11	95	6243	272	5	6521	800	30
30	1400	0.00	94	11.35	26.75	27	2800	100	10.6	99	0.21	0.21	0.06	7.10	95	0.20	1.09	95	6115	267	5	6388	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.010 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.06	4.00	0	0.00	0.03	0	60	50	10	120	1400	1
1	2000	0.00	0	0.00	0.00	0	2440	100	0.9	28	0.00	0.00	0.09	4.00	32	0.00	0.03	49	60	49	9	120	2000	1
2	200	0.00	0	0.00	0.00	0	2440	100	0.9	28	0.01	0.00	0.09	3.98	32	0.00	0.03	49	60	49	9	119	200	2
2	800	0.00	0	0.00	0.00	0	2440	100	0.9	28	0.01	0.00	0.09	3.96	32	0.00	0.03	49	60	49	8	118	800	2
2	1400	0.00	0	0.00	0.00	0	2440	100	0.9	28	0.02	0.01	0.09	3.94	31	0.00	0.02	49	60	48	6	116	1400	2
2	2000	0.00	0	0.00	0.01	0	2440	100	0.9	28	0.02	0.01	0.09	3.92	31	0.00	0.02	49	59	48	5	114	2000	2
3	200	0.00	0	0.00	0.01	0	2440	100	0.9	28	0.03	0.01	0.09	3.90	31	0.00	0.02	49	59	47	4	112	200	3
3	800	0.00	0	0.00	0.01	0	2441	100	0.9	28	0.03	0.01	0.09	3.88	31	0.00	0.02	49	59	47	4	111	800	3
3	1400	0.00	0	0.00	0.01	0	2441	100	0.9	28	0.03	0.01	0.09	3.87	31	0.00	0.02	49	59	47	3	111	1400	3
3	2000	0.00	0	0.00	0.02	0	2441	100	0.9	28	0.04	0.01	0.09	3.85	31	0.00	0.02	49	59	48	4	112	2000	3
4	200	0.00	0	0.00	0.02	0	2441	100	0.9	28	0.04	0.01	0.09	3.84	31	0.00	0.02	49	59	49	4	114	200	4
4	800	0.00	0	0.00	0.02	0	2441	100	0.9	28	0.04	0.01	0.09	3.82	31	0.00	0.02	49	59	51	4	117	800	4
4	1400	0.00	0	0.00	0.03	0	2442	100	0.9	28	0.05	0.01	0.09	3.81	30	0.00	0.02	49	59	55	5	120	1400	4
4	2000	0.00	0	0.00	0.03	0	2442	100	0.9	28	0.05	0.01	0.09	3.79	30	0.00	0.02	49	59	59	5	125	2000	4
5	200	0.00	0	0.00	0.04	0	2442	100	0.9	28	0.05	0.01	0.09	3.78	30	0.00	0.02	49	59	63	6	130	200	5
5	800	0.00	0	0.00	0.04	0	2442	100	0.9	28	0.05	0.01	0.09	3.77	30	0.00	0.02	49	59	69	6	136	800	5
5	1400	0.00	0	0.00	0.05	0	2443	100	0.9	28	0.05	0.01	0.09	3.75	30	0.00	0.02	49	59	75	6	142	1400	5
5	2000	0.00	0	0.00	0.05	0	2443	100	0.9	28	0.06	0.02	0.09	3.74	30	0.00	0.02	49	59	81	7	149	2000	5
6	200	0.00	0	0.00	0.05	0	2443	100	0.9	28	0.06	0.02	0.09	3.73	30	0.00	0.02	49	59	87	7	156	200	6
6	800	0.00	0	0.00	0.06	0	2443	100	0.9	28	0.06	0.02	0.09	3.72	30	0.00	0.02	49	59	94	7	162	800	6
6	1400	0.00	0	0.00	0.06	0	2444	100	0.9	28	0.06	0.02	0.09	3.71	30	0.00	0.02	49	59	101	8	169	1400	6
6	2000	0.00	0	0.00	0.07	0	2444	100	0.9	28	0.06	0.02	0.09	3.70	30	0.00	0.02	49	59	107	8	176	2000	6
7	200	0.00	0	0.00	0.07	0	2444	100	0.9	27	0.06	0.02	0.09	3.69	29	0.01	0.02	49	60	114	8	183	200	7
7	800	0.00	0	0.00	0.08	0	2445	100	0.9	27	0.06	0.02	0.09	3.68	29	0.01	0.02	49	60	120	8	190	800	7
7	1400	0.00	0	0.00	0.08	0	2445	100	0.9	27	0.06	0.02	0.09	3.67	29	0.01	0.02	49	60	126	9	196	1400	7
7	2000	0.00	0	0.00	0.09	0	2445	100	0.9	27	0.06	0.02	0.09	3.66	29	0.01	0.02	49	60	132	9	202	2000	7
8	200	0.00	0	0.00	0.09	0	2446	100	0.9	27	0.07	0.02	0.09	3.65	29	0.01	0.02	49	60	138	9	207	200	8
8	800	0.00	0	0.00	0.10	0	2446	100	0.9	27	0.07	0.02	0.09	3.64	29	0.01	0.02	49	60	143	9	213	800	8
8	1400	0.00	0	0.00	0.11	0	2446	100	0.9	27	0.07	0.02	0.09	3.63	29	0.01	0.02	49	60	148	9	218	1400	8
8	2000	0.00	0	0.00	0.11	0	2447	100	0.9	27	0.07	0.02	0.09	3.62	29	0.01	0.02	49	60	152	9	223	2000	8
9	200	0.00	0	0.00	0.12	0	2447	100	0.9	27	0.07	0.02	0.09	3.61	29	0.01	0.02	49	60	157	9	227	200	9
9	800	0.00	0	0.00	0.12	0	2447	100	0.9	27	0.07	0.02	0.09	3.60	29	0.01	0.02	49	60	160	9	231	800	9
9	1400	0.00	0	0.00	0.13	0	2448	100	0.9	27	0.07	0.02	0.09	3.59	29	0.01	0.02	49	60	164	9	235	1400	9
9	2000	0.00	0	0.00	0.13	0	2448	100	0.9	27	0.07	0.02	0.09	3.58	29	0.01	0.02	49	60	167	9	238	2000	9
10	200	0.00	0	0.00	0.14	0	2448	100	0.9	27	0.07	0.02	0.09	3.57	29	0.01	0.02	49	60	170	9	241	200	10
10	800	0.00	0	0.00	0.14	0	2449	100	0.9	27	0.07	0.02	0.09	3.56	28	0.01	0.02	49	60	173	10	244	800	10
10	1400	0.00	0	0.00	0.15	0	2449	100	0.9	27	0.07	0.02	0.09	3.55	28	0.01	0.02	49	60	175	10	246	1400	10
10	2000	0.00	0	0.00	0.15	0	2449	100	0.9	27	0.07	0.02	0.09	3.54	28	0.01	0.02	49	60	178	10	249	2000	10
11	200	0.00	0	0.00	0.16	0	2450	100	0.9	27	0.07	0.02	0.09	3.53	28	0.01	0.02	49	60	180	10	251	200	11
11	800	0.00	0	0.00	0.16	0	2450	99	0.9	27	0.07	0.02	0.09	3.53	28	0.01	0.02	49	60	181	10	253	800	11
11	1400	0.00	0	0.00	0.17	0	2450	99	0.9	27	0.07	0.02	0.09	3.52	28	0.01	0.02	49	60	183	10	254	1400	11
11	2000	0.00	0	0.00	0.18	0	2451	99	0.9	27	0.07	0.02	0.09	3.51	28	0.01	0.02	49	60	184	10	256	2000	11
12	200	0.00	0	0.00	0.18	0	2451	99	0.9	27	0.07	0.02	0.09	3.50	28	0.01	0.02	49	61	186	10	257	200	12
12	800	0.00	0	0.00	0.19	0	2451	99	0.9	27	0.07	0.02	0.09	3.49	28	0.01	0.02	49	61	187	10	258	800	12

FORM 1611-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. 310881 | INITIAL DATE, HOUR 1 MAY 1972 1400 | JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF | N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.313 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	0	0.00	0.19	0	2452	99	0.9	27	0.07	0.02	0.09	3.48	28	0.01	0.02	49	61	188	10	259	1400	12
12	2000	0.00	0	0.00	0.20	0	2452	99	0.9	27	0.07	0.02	0.09	3.47	28	0.01	0.02	49	61	188	10	260	2000	12
13	200	0.00	0	0.00	0.20	0	2452	99	0.9	27	0.07	0.02	0.09	3.47	28	0.01	0.02	49	61	189	10	261	200	13
13	800	0.00	0	0.00	0.21	0	2453	99	0.9	27	0.07	0.02	0.09	3.46	28	0.01	0.02	49	61	189	10	262	800	13
13	1400	0.00	0	0.00	0.21	0	2453	99	0.9	27	0.07	0.02	0.09	3.45	28	0.01	0.02	49	62	190	10	263	1400	13
13	2000	0.00	0	0.00	0.22	0	2453	99	0.9	27	0.07	0.02	0.09	3.44	28	0.01	0.02	49	62	190	10	263	2000	13
14	200	0.00	0	0.00	0.22	0	2454	99	0.9	27	0.07	0.02	0.09	3.43	27	0.01	0.02	49	62	190	10	264	200	14
14	800	0.00	0	0.00	0.23	0	2454	99	0.9	27	0.07	0.02	0.09	3.42	27	0.01	0.02	49	62	191	10	264	800	14
14	1400	0.00	0	0.00	0.23	0	2454	99	0.9	27	0.07	0.02	0.09	3.41	27	0.01	0.02	49	63	191	10	264	1400	14
14	2000	0.00	0	0.00	0.24	0	2455	99	0.9	27	0.07	0.02	0.09	3.41	27	0.01	0.02	49	63	191	10	265	2000	14
15	200	0.00	0	0.00	0.24	0	2455	99	0.9	27	0.07	0.02	0.09	3.40	27	0.01	0.02	49	63	191	9	265	200	15
15	800	0.00	0	0.00	0.25	0	2455	99	0.9	27	0.07	0.02	0.09	3.39	27	0.01	0.02	49	63	191	9	265	800	15
15	1400	0.00	0	0.00	0.25	0	2456	99	0.9	27	0.07	0.02	0.09	3.38	27	0.01	0.02	49	64	190	9	265	1400	15
15	2000	0.00	0	0.00	0.26	0	2456	99	0.9	27	0.07	0.02	0.09	3.37	27	0.01	0.02	49	64	190	9	265	2000	15
16	200	0.00	0	0.00	0.26	0	2456	99	0.9	27	0.07	0.02	0.09	3.36	27	0.01	0.02	49	64	190	9	265	200	16
16	800	0.00	0	0.00	0.27	0	2457	99	0.9	27	0.07	0.02	0.09	3.36	27	0.01	0.02	49	65	190	9	265	800	16
16	1400	0.00	0	0.00	0.27	0	2457	99	0.9	27	0.07	0.02	0.09	3.35	27	0.01	0.02	49	65	189	9	266	1400	16
16	2000	0.00	0	0.00	0.28	0	2457	99	0.9	27	0.07	0.02	0.09	3.34	27	0.01	0.02	49	66	189	9	266	2000	16
17	200	0.00	0	0.00	0.29	0	2457	99	0.9	27	0.07	0.02	0.09	3.33	27	0.01	0.02	49	66	189	9	266	200	17
17	800	0.00	0	0.00	0.29	0	2458	99	0.9	27	0.07	0.02	0.09	3.32	27	0.01	0.02	49	67	188	9	266	800	17
17	1400	0.00	0	0.00	0.30	0	2458	99	0.9	27	0.07	0.02	0.09	3.31	27	0.01	0.02	49	67	188	9	266	1400	17
17	2000	0.00	0	0.00	0.30	0	2458	99	0.9	27	0.07	0.02	0.09	3.31	26	0.01	0.02	49	67	187	9	266	2000	17
18	200	0.00	0	0.00	0.31	0	2459	99	0.9	27	0.07	0.02	0.09	3.30	26	0.01	0.02	49	68	187	9	266	200	18
18	800	0.00	0	0.00	0.31	0	2459	99	0.9	27	0.07	0.02	0.09	3.29	26	0.01	0.02	49	68	187	9	266	800	18
18	1400	0.00	0	0.00	0.32	0	2459	99	0.9	27	0.07	0.02	0.09	3.28	26	0.00	0.02	49	69	186	9	266	1400	18
18	2000	0.00	0	0.00	0.32	0	2460	99	0.9	27	0.07	0.02	0.09	3.27	26	0.00	0.02	49	70	186	9	266	2000	18
19	200	0.00	0	0.00	0.33	0	2460	99	0.9	27	0.07	0.02	0.09	3.26	26	0.00	0.02	49	70	185	9	266	200	19
19	800	0.00	0	0.00	0.33	0	2460	99	0.9	27	0.07	0.02	0.09	3.26	26	0.00	0.02	49	71	184	9	266	800	19
19	1400	0.00	0	0.00	0.34	0	2461	99	0.9	27	0.07	0.02	0.09	3.25	26	0.00	0.02	49	71	184	9	266	1400	19
19	2000	0.00	0	0.00	0.34	0	2461	99	0.9	27	0.07	0.02	0.09	3.24	26	0.00	0.02	49	72	183	9	266	2000	19
20	200	0.00	0	0.00	0.35	0	2461	99	0.9	27	0.07	0.02	0.09	3.23	26	0.00	0.02	49	73	183	9	266	200	20
20	800	0.00	0	0.00	0.35	0	2462	99	0.9	27	0.07	0.02	0.09	3.22	26	0.00	0.02	49	73	182	9	266	800	20
20	1400	0.00	0	0.00	0.35	0	2462	99	0.9	27	0.07	0.02	0.09	3.21	26	0.00	0.02	49	74	182	9	266	1400	20
20	2000	0.00	0	0.00	0.36	0	2462	99	0.9	27	0.07	0.02	0.09	3.21	26	0.00	0.02	49	75	181	9	266	2000	20
21	200	0.00	0	0.00	0.36	0	2462	99	0.9	27	0.07	0.02	0.09	3.20	26	0.00	0.02	49	75	180	9	266	200	21
21	800	0.00	0	0.00	0.37	0	2463	99	0.9	27	0.07	0.02	0.09	3.19	26	0.00	0.02	49	76	180	9	266	800	21
21	1400	0.00	0	0.00	0.37	0	2463	99	0.9	27	0.07	0.02	0.09	3.18	25	0.00	0.02	49	77	179	9	266	1400	21
21	2000	0.00	0	0.00	0.38	0	2463	99	0.9	27	0.07	0.02	0.09	3.17	25	0.00	0.02	49	78	179	9	266	2000	21
22	200	0.00	0	0.00	0.38	0	2464	99	0.9	27	0.07	0.02	0.09	3.16	25	0.00	0.02	49	78	178	9	266	200	22
22	800	0.00	0	0.00	0.39	0	2464	99	0.9	27	0.07	0.02	0.09	3.16	25	0.00	0.02	49	79	177	9	267	800	22
22	1400	0.00	0	0.00	0.39	0	2464	99	0.9	27	0.07	0.02	0.09	3.15	25	0.00	0.02	49	80	177	9	267	1400	22
22	2000	0.00	0	0.00	0.40	0	2465	99	0.9	26	0.07	0.02	0.09	3.14	25	0.00	0.02	49	81	176	9	267	2000	22
23	200	0.00	0	0.00	0.40	0	2465	99	0.9	26	0.07	0.02	0.09	3.13	25	0.00	0.02	49	82	176	9	267	200	23
23	800	0.00	0	0.00	0.41	1	2465	99	0.9	26	0.07	0.02	0.09	3.12	25	0.00	0.02	49	82	175	8	267	800	23

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
510881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	0	0.00	0.41	1	2465	99	0.9	26	0.07	0.02	0.09	3.11	25	0.00	0.02	49	83	174	8	267	1400	23
23	2000	0.00	0	0.00	0.42	1	2466	99	0.9	26	0.07	0.02	0.09	3.11	25	0.00	0.02	49	84	174	8	268	2000	23
24	200	0.00	0	0.00	0.42	1	2466	99	0.9	26	0.07	0.02	0.09	3.10	25	0.00	0.02	49	85	173	8	268	200	24
24	800	0.00	0	0.00	0.43	1	2466	99	0.9	26	0.07	0.02	0.09	3.09	25	0.00	0.02	49	86	172	8	268	800	24
24	1400	0.00	0	0.00	0.43	1	2467	99	0.9	26	0.07	0.02	0.09	3.08	25	0.00	0.02	49	87	172	8	268	1400	24
24	2000	0.00	0	0.00	0.43	1	2467	99	0.9	26	0.07	0.02	0.09	3.07	25	0.00	0.02	49	88	171	8	268	2000	24
25	200	0.00	0	0.00	0.44	1	2467	99	0.9	26	0.07	0.02	0.09	3.06	25	0.00	0.02	49	88	171	8	269	200	25
25	800	0.00	0	0.00	0.44	1	2467	99	0.9	26	0.07	0.02	0.09	3.06	24	0.00	0.02	49	89	170	8	269	800	25
25	1400	0.00	0	0.00	0.45	1	2468	99	0.9	26	0.07	0.02	0.09	3.05	24	0.00	0.02	49	90	169	8	269	1400	25
25	2000	0.00	0	0.00	0.45	1	2468	99	0.9	26	0.07	0.02	0.09	3.04	24	0.00	0.02	49	91	169	8	269	2000	25
26	200	0.00	0	0.00	0.46	1	2468	99	0.9	26	0.07	0.02	0.09	3.03	24	0.00	0.02	49	92	168	8	270	200	26
26	800	0.00	0	0.00	0.46	1	2469	99	0.9	26	0.07	0.02	0.09	3.02	24	0.00	0.02	49	93	167	8	270	800	26
26	1400	0.00	0	0.00	0.47	1	2469	99	0.9	26	0.07	0.02	0.09	3.01	24	0.00	0.02	49	94	167	8	270	1400	26
26	2000	0.00	0	0.00	0.47	1	2469	99	0.9	26	0.07	0.02	0.09	3.01	24	0.00	0.02	49	95	166	8	271	2000	26
27	200	0.00	0	0.00	0.47	1	2469	99	0.9	26	0.07	0.02	0.09	3.00	24	0.00	0.02	49	96	166	8	271	200	27
27	800	0.00	0	0.00	0.48	1	2470	99	0.9	26	0.07	0.02	0.09	2.99	24	0.00	0.02	49	97	165	8	271	800	27
27	1400	0.00	0	0.00	0.48	1	2470	99	0.9	26	0.07	0.02	0.09	2.98	24	0.00	0.02	49	98	164	8	271	1400	27
27	2000	0.00	0	0.00	0.49	1	2470	98	0.9	26	0.07	0.02	0.09	2.97	24	0.00	0.02	49	99	164	8	272	2000	27
28	200	0.00	0	0.00	0.49	1	2470	98	0.9	26	0.07	0.02	0.09	2.96	24	0.00	0.02	49	100	163	8	272	200	28
28	800	0.00	0	0.00	0.50	1	2471	98	0.9	26	0.07	0.02	0.09	2.96	24	0.00	0.02	49	101	162	8	272	800	28
28	1400	0.00	0	0.00	0.50	1	2471	98	0.9	26	0.07	0.02	0.09	2.95	24	0.00	0.02	49	102	162	8	273	1400	28
28	2000	0.00	0	0.00	0.51	1	2471	98	0.9	26	0.07	0.02	0.09	2.94	24	0.00	0.02	49	103	161	8	273	2000	28
29	200	0.00	0	0.00	0.51	1	2472	98	0.9	26	0.07	0.02	0.09	2.93	23	0.00	0.02	49	103	161	8	273	200	29
29	800	0.00	0	0.00	0.51	1	2472	98	0.9	26	0.07	0.02	0.09	2.92	23	0.00	0.02	49	104	160	8	274	800	29
29	1400	0.00	0	0.00	0.52	1	2472	98	0.9	26	0.07	0.02	0.09	2.91	23	0.00	0.02	49	105	159	8	274	1400	29
29	2000	0.00	0	0.00	0.52	1	2472	98	0.9	26	0.07	0.02	0.09	2.91	23	0.00	0.02	49	106	159	8	274	2000	29
30	200	0.00	0	0.00	0.53	1	2473	98	0.9	26	0.07	0.02	0.09	2.90	23	0.00	0.02	49	107	158	8	275	200	30
30	800	0.00	0	0.00	0.53	1	2473	98	0.9	26	0.07	0.02	0.09	2.89	23	0.00	0.02	49	108	158	8	275	800	30
30	1400	0.00	0	0.00	0.53	1	2473	98	0.9	26	0.07	0.02	0.09	2.88	23	0.00	0.02	49	109	157	8	275	1400	30
30	2000	0.00	0	0.00	0.54	1	2473	98	0.9	26	0.07	0.02	0.09	2.87	23	0.00	0.02	49	110	156	8	275	2000	30
31	200	0.00	0	0.00	0.54	1	2474	98	0.9	26	0.07	0.02	0.09	2.87	23	0.00	0.02	49	111	156	7	276	200	31
31	800	0.00	0	0.00	0.55	1	2474	98	0.9	26	0.07	0.02	0.09	2.86	23	0.00	0.02	49	112	155	7	276	800	31
31	1400	0.00	0	0.00	0.55	1	2474	98	0.9	26	0.07	0.02	0.09	2.85	23	0.00	0.02	49	113	155	7	276	1400	31
31	2000	0.00	0	0.00	0.56	1	2474	98	0.9	26	0.07	0.02	0.09	2.84	23	0.00	0.02	49	114	154	7	277	2000	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	0	0.00	0.56	1	2475	98	0.9	26	0.07	0.02	0.09	2.83	23	0.00	0.02	49	115	153	7	277	200	1
1	800	0.00	0	0.00	0.56	1	2475	98	0.9	26	0.07	0.02	0.09	2.82	23	0.00	0.02	49	116	153	7	277	800	1
1	1400	0.00	0	0.00	0.57	1	2475	98	0.9	26	0.07	0.02	0.09	2.82	23	0.00	0.02	49	117	152	7	277	1400	1
1	2000	0.00	0	0.00	0.57	1	2475	98	0.9	26	0.07	0.02	0.09	2.81	22	0.00	0.02	49	117	152	7	278	2000	1
2	200	0.00	0	0.00	0.58	1	2476	98	0.9	26	0.07	0.02	0.09	2.80	22	0.00	0.02	49	118	151	7	278	200	2
2	800	0.00	0	0.00	0.58	1	2476	98	0.9	26	0.07	0.02	0.09	2.79	22	0.00	0.02	49	119	150	7	278	800	2
2	1400	0.00	0	0.00	0.58	1	2476	98	0.9	26	0.07	0.02	0.09	2.78	22	0.00	0.02	49	120	150	7	279	1400	2
2	2000	0.00	0	0.00	0.59	1	2476	98	0.9	26	0.07	0.02	0.09	2.77	22	0.00	0.02	49	121	149	7	279	2000	2
3	200	0.00	0	0.00	0.59	1	2477	98	0.9	26	0.07	0.02	0.09	2.77	22	0.00	0.02	49	122	149	7	279	200	3
3	800	0.00	0	0.00	0.60	1	2477	98	0.9	26	0.07	0.02	0.09	2.76	22	0.00	0.02	49	123	148	7	279	800	3
3	1400	0.00	0	0.00	0.60	1	2477	98	0.9	26	0.07	0.02	0.09	2.75	22	0.00	0.02	49	124	147	7	279	1400	3
3	2000	0.00	0	0.00	0.60	1	2477	98	0.9	26	0.07	0.02	0.09	2.74	22	0.00	0.02	49	124	147	7	280	2000	3
4	200	0.00	0	0.00	0.61	1	2478	98	1.6	34	0.13	0.04	0.09	2.73	22	0.01	0.02	49	125	146	7	280	200	4
4	800	0.00	0	0.00	0.62	1	2478	98	1.6	34	0.13	0.04	0.09	2.74	22	0.01	0.02	49	126	147	8	282	800	4
4	1400	0.00	28	0.00	0.65	1	2479	98	3.1	49	0.25	0.12	0.09	2.76	22	0.03	0.02	49	127	148	9	286	1400	4
4	2000	0.00	28	0.00	0.68	1	2480	98	3.1	49	0.25	0.12	0.09	2.83	23	0.03	0.03	49	128	154	13	295	2000	4
5	200	0.00	51	0.00	0.74	1	2482	98	4.5	74	0.36	0.27	0.09	2.90	23	0.06	0.04	49	128	166	19	315	200	5
5	800	0.00	59	0.00	0.82	1	2486	97	5.1	80	0.41	0.33	0.09	3.09	25	0.08	0.06	49	129	192	30	352	800	5
5	1400	0.00	83	0.00	0.96	1	2491	97	7.4	90	0.59	0.54	0.09	3.32	27	0.14	0.09	48	130	238	48	418	1400	5
5	2000	0.00	93	0.00	1.19	1	2500	96	10.1	94	0.81	0.76	0.09	3.70	30	0.23	0.14	47	131	318	83	533	2000	5
6	200	0.00	94	0.00	1.47	2	2514	95	11.0	94	0.88	0.83	0.09	4.24	34	0.28	0.20	46	131	450	150	733	200	6
6	800	0.00	97	0.00	1.87	2	2532	94	13.9	94	1.11	1.05	0.09	4.79	38	0.40	0.29	45	132	661	271	1065	800	6
6	1400	0.00	98	0.00	2.35	3	2557	93	15.8	93	1.27	1.18	0.09	5.45	41	0.49	0.39	38	133	977	491	1602	1400	6
6	2000	0.00	99	0.00	2.92	4	2587	91	17.7	92	1.42	1.30	0.09	6.17	43	0.56	0.51	32	134	1431	896	2462	2000	6
7	200	0.00	99	0.00	3.60	4	2622	89	20.6	91	1.64	1.49	0.09	6.96	46	0.68	0.66	29	134	2054	1630	3820	200	7
7	800	0.00	100	0.00	4.37	5	2665	87	22.4	89	1.79	1.59	0.09	7.85	48	0.77	0.83	26	135	2867	2890	5893	800	7
7	1400	0.00	100	0.00	5.22	6	2712	84	24.3	86	1.94	1.68	0.09	8.78	51	0.85	1.02	23	136	3874	4889	8900	1400	7
7	2000	0.00	100	0.00	6.07	7	2766	81	23.6	84	1.89	1.58	0.09	9.75	54	0.85	1.20	20	137	5060	7738	12937	2000	7
8	200	0.00	100	0.00	6.90	9	2819	79	22.8	81	1.82	1.48	0.09	10.63	56	0.83	1.38	18	138	6387	11283	17810	200	8
8	800	0.00	100	0.00	7.73	10	2862	77	22.7	79	1.81	1.43	0.09	11.43	58	0.84	1.55	15	139	7806	15113	23060	800	8
8	1400	0.02	100	0.01	8.55	11	2896	76	21.8	77	1.74	1.36	0.09	12.17	61	0.83	1.71	13	140	9261	18818	28221	1400	8
8	2000	0.02	100	0.02	9.39	12	2930	74	21.7	76	1.73	1.33	0.09	12.86	64	0.85	1.88	11	142	10702	22184	33029	2000	8
9	200	0.06	100	0.07	10.23	13	2965	72	21.1	74	1.68	1.30	0.09	13.47	67	0.88	2.05	9	143	12083	25213	37441	200	9
9	800	0.06	100	0.11	11.08	14	3001	71	21.0	72	1.68	1.27	0.09	14.04	70	0.89	2.22	8	145	13369	28034	41550	800	9
9	1400	0.06	100	0.15	11.91	15	3069	69	20.4	70	1.63	1.21	0.09	14.55	73	0.88	2.38	7	148	14537	30735	45421	1400	9
9	2000	0.07	100	0.20	12.75	16	3136	67	20.3	69	1.62	1.18	0.09	15.01	75	0.89	2.55	6	150	15572	33273	48996	2000	9
10	200	0.19	99	0.34	13.52	17	3204	66	19.4	67	1.55	1.22	0.09	15.43	75	0.92	2.71	6	153	16465	35573	52193	200	10
10	800	0.20	99	0.49	14.28	18	3266	64	19.3	65	1.54	1.21	0.09	15.86	75	0.90	2.86	5	157	17218	37633	55009	800	10
10	1400	0.20	99	0.64	15.00	19	3327	62	19.0	64	1.52	1.17	0.09	16.30	75	0.87	3.00	5	160	17837	39444	57442	1400	10
10	2000	0.20	99	0.79	15.71	19	3386	61	18.9	62	1.51	1.14	0.09	16.73	75	0.85	3.13	4	165	18331	40906	59402	2000	10
11	200	0.15	99	0.90	16.37	20	3443	60	18.0	61	1.44	1.02	0.09	17.16	75	0.77	3.25	4	170	18711	41864	60746	200	11
11	800	0.15	99	1.01	17.01	21	3492	59	17.9	60	1.43	1.00	0.09	17.56	75	0.75	3.32	4	175	18989	42156	61321	800	11
11	1400	0.22	99	1.18	17.63	22	3531	58	17.7	59	1.41	1.04	0.09	17.95	75	0.78	3.42	4	181	19175	41778	61135	1400	11
11	2000	0.53	99	1.57	18.24	23	3569	57	17.6	58	1.41	1.34	0.09	18.36	75	1.00	3.56	4	188	19281	41169	60640	2000	11

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.18	99	1.70	18.76	23	3606	56	15.6	56	1.25	0.88	0.09	18.84	75	0.66	3.60	3	196	19323	40890	60410	200	12
12	800	0.18	98	1.84	19.24	24	3637	55	14.6	55	1.16	0.82	0.09	19.19	75	0.61	3.62	3	204	19313	40700	60218	800	12
12	1400	0.24	98	2.01	19.68	24	3666	55	13.5	54	1.08	0.82	0.09	19.52	75	0.62	3.64	3	213	19262	39794	59270	1400	12
12	2000	0.60	98	2.45	20.08	25	3693	54	12.5	53	1.00	1.12	0.09	19.84	75	0.84	3.70	3	222	19177	38102	57503	2000	12
13	200	0.24	98	2.63	20.47	25	3717	53	12.5	53	1.00	0.76	0.09	20.23	75	0.57	3.70	3	233	19071	36325	55630	200	13
13	800	0.24	98	2.81	20.86	26	3741	53	12.4	52	0.99	0.75	0.09	20.53	75	0.56	3.70	3	244	18953	34752	53950	800	13
13	1400	0.32	98	3.04	21.24	26	3764	52	12.4	51	0.99	0.82	0.09	20.83	75	0.62	3.71	3	256	18829	33112	52199	1400	13
13	2000	0.82	98	3.64	21.62	27	3788	52	12.4	51	0.99	1.30	0.09	21.15	75	0.98	3.80	3	269	18704	31659	50634	2000	13
14	200	0.29	97	3.85	21.97	27	3810	51	11.5	50	0.92	0.74	0.09	21.59	75	0.56	3.79	3	282	18584	31120	49988	200	14
14	800	0.29	97	4.07	22.31	28	3831	51	11.5	50	0.92	0.74	0.09	21.88	75	0.55	3.77	3	297	18475	31300	50074	800	14
14	1400	0.39	97	4.35	22.65	28	3852	50	11.5	49	0.92	0.83	0.09	22.17	75	0.62	3.78	3	312	18377	31214	49904	1400	14
14	2000	0.98	97	5.07	22.98	28	3873	50	11.4	49	0.91	1.40	0.09	22.48	75	1.05	3.88	3	328	18290	30834	49454	2000	14
15	200	0.49	98	5.43	23.34	29	3893	49	12.4	48	0.99	0.96	0.09	22.94	75	0.72	3.91	3	345	18217	31175	49738	200	15
15	800	0.49	98	5.79	23.69	29	3914	48	12.4	48	0.99	0.95	0.09	23.30	75	0.71	3.94	3	362	18162	32489	51015	800	15
15	1400	0.65	98	6.27	24.04	30	3936	48	12.3	47	0.99	1.10	0.09	23.66	75	0.83	3.99	3	381	18125	33992	52499	1400	15
15	2000	1.63	98	7.46	24.38	30	3957	47	12.3	47	0.98	2.05	0.09	24.05	75	1.54	4.20	3	400	18107	35776	54284	2000	15
16	200	0.89	97	8.11	24.69	30	3978	47	11.1	46	0.89	1.27	0.09	24.69	75	0.96	4.26	3	420	18110	39046	57577	200	16
16	800	0.37	96	8.38	24.93	31	3996	47	9.1	45	0.73	0.68	0.09	25.12	75	0.51	4.20	3	440	18139	43319	61900	800	16
16	1400	0.26	96	8.57	25.17	31	4010	46	9.1	44	0.73	0.57	0.09	25.37	75	0.43	4.12	3	461	18190	45802	64454	1400	16
16	2000	0.26	97	8.76	25.44	31	4023	46	10.0	44	0.80	0.61	0.09	25.61	75	0.46	4.06	3	483	18245	44606	63336	2000	16
17	200	0.61	97	9.20	25.71	32	4038	45	10.2	44	0.82	0.95	0.09	25.86	75	0.71	4.06	3	506	18287	40582	59376	200	17
17	800	0.25	97	9.38	25.98	32	4053	45	10.2	44	0.81	0.60	0.09	26.20	75	0.45	4.01	3	529	18305	35869	54705	800	17
17	1400	0.18	97	9.51	26.24	32	4067	45	10.1	43	0.81	0.53	0.09	26.45	75	0.39	3.94	3	553	18295	31714	50563	1400	17
17	2000	0.18	97	9.64	26.50	33	4082	44	10.1	43	0.81	0.52	0.09	26.69	75	0.39	3.88	3	577	18250	28076	46904	2000	17
18	200	0.00	97	9.64	26.78	33	4096	44	11.1	43	0.89	0.38	0.09	26.92	75	0.28	3.81	3	602	18162	24670	43436	200	18
18	800	0.00	97	9.64	27.06	33	4111	43	11.1	42	0.88	0.37	0.09	27.11	75	0.28	3.74	3	627	18025	21422	40075	800	18
18	1400	0.00	97	9.64	27.34	34	4127	43	11.0	42	0.88	0.37	0.09	27.31	75	0.28	3.67	3	653	17830	18374	36858	1400	18
18	2000	0.00	97	9.64	27.61	34	4142	42	11.0	41	0.88	0.36	0.09	27.50	75	0.27	3.60	3	679	17573	15667	33920	2000	18
19	200	0.00	98	9.64	27.95	35	4157	42	13.8	41	1.10	0.45	0.09	27.69	75	0.34	3.58	3	706	17257	13494	31458	200	19
19	800	0.00	99	9.64	28.34	35	4176	41	15.7	41	1.26	0.52	0.09	27.94	75	0.39	3.60	3	733	16891	12086	29711	800	19
19	1400	0.00	99	9.64	28.78	36	4197	41	17.6	41	1.41	0.58	0.09	28.23	75	0.43	3.64	3	760	16487	11647	28896	1400	19
19	2000	0.00	100	9.64	29.26	36	4221	40	19.8	40	1.58	0.64	0.09	28.56	75	0.48	3.70	3	787	16060	12213	29062	2000	19
20	200	0.00	100	9.64	29.75	37	4246	39	20.8	40	1.66	0.66	0.09	28.94	75	0.50	3.78	3	815	15622	13629	30068	200	20
20	800	0.00	100	9.64	30.24	37	4265	39	20.7	39	1.66	0.65	0.09	29.34	75	0.49	3.85	3	843	15185	15588	31618	800	20
20	1400	0.00	100	9.64	30.72	38	4283	38	20.7	39	1.66	0.64	0.09	29.73	75	0.48	3.92	3	872	14756	17691	33321	1400	20
20	2000	0.00	100	9.64	31.20	39	4302	38	20.7	38	1.65	0.63	0.09	30.12	75	0.47	3.99	3	900	14343	19581	34826	2000	20
21	200	0.00	100	9.64	31.75	39	4320	37	24.4	38	1.95	0.74	0.09	30.52	75	0.55	4.10	3	929	13949	21124	36004	200	21
21	800	0.00	100	9.64	32.29	40	4341	37	24.4	37	1.95	0.72	0.09	30.99	75	0.54	4.21	3	957	13578	22468	37005	800	21
21	1400	0.00	100	9.64	32.83	41	4362	36	24.3	36	1.94	0.71	0.09	31.46	75	0.53	4.31	3	986	13229	23789	38005	1400	21
21	2000	0.00	100	9.64	33.35	41	4382	36	24.2	36	1.94	0.70	0.09	31.92	75	0.52	4.40	3	1015	12902	25049	38968	2000	21
22	200	0.00	100	9.64	33.90	42	4402	35	26.1	35	2.09	0.74	0.09	32.39	75	0.56	4.51	3	1043	12598	26129	39771	200	22
22	800	0.00	100	9.64	34.45	43	4423	34	26.1	35	2.08	0.73	0.09	32.90	75	0.54	4.62	2	1072	12314	27024	40411	800	22
22	1400	0.00	100	9.64	34.98	43	4444	34	26.0	34	2.08	0.71	0.09	33.40	75	0.53	4.72	2	1100	12048	27782	40932	1400	22
22	2000	0.00	100	9.64	35.51	44	4464	33	25.9	34	2.07	0.70	0.09	33.90	75	0.52	4.81	2	1129	11798	28387	41316	2000	22

PRINTED IN U.S.A.

BASIN RESULTS - STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE

RUN DATE	RUN NO.	INITIAL DATE, HOUR	JOB DESCRIPTION
	310861	1 MAY 1972 1400	0 SUSITNA HEP SPRING PMF

N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 694.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	9.64	36.00	44	4484	33	24.8	33	1.99	0.66	0.09	34.40	75	0.49	4.88	2	1157	11564	28769	41491	200	23
23	800	0.00	100	9.64	36.48	45	4503	32	24.7	33	1.98	0.64	0.09	34.88	75	0.48	4.95	2	1185	11341	28862	41390	800	23
23	1400	0.00	100	9.64	36.96	46	4522	32	24.7	32	1.97	0.63	0.09	35.36	75	0.47	5.01	2	1213	11130	28657	41001	1400	23
23	2000	0.00	100	9.64	37.42	46	4540	31	24.6	32	1.97	0.62	0.09	35.83	75	0.47	5.07	2	1241	10928	28225	40395	2000	23
24	200	0.00	100	9.64	37.77	47	4558	31	18.5	31	1.48	0.46	0.09	36.30	75	0.34	5.03	2	1268	10733	27578	39581	200	24
24	800	0.00	100	9.64	38.11	47	4571	30	18.5	31	1.48	0.45	0.09	36.65	75	0.34	5.00	2	1295	10546	26543	38386	800	24
24	1400	0.00	100	9.64	38.44	47	4584	30	18.4	30	1.47	0.45	0.09	37.00	75	0.33	4.97	2	1322	10365	25003	36692	1400	24
24	2000	0.00	100	9.64	38.77	48	4597	30	18.4	30	1.47	0.44	0.09	37.35	75	0.33	4.94	2	1349	10189	23146	34685	2000	24
25	200	0.00	99	9.64	39.04	48	4609	29	15.3	29	1.23	0.36	0.09	37.69	75	0.27	4.86	2	1375	10019	21250	32645	200	25
25	800	0.00	99	9.64	39.31	49	4620	29	15.3	29	1.22	0.36	0.09	37.98	75	0.27	4.80	2	1400	9854	19418	30675	800	25
25	1400	0.00	99	9.64	39.57	49	4630	29	15.2	29	1.22	0.35	0.09	38.26	75	0.26	4.73	2	1426	9694	17659	28780	1400	25
25	2000	0.00	99	9.64	39.83	49	4640	29	15.2	29	1.22	0.35	0.09	38.54	75	0.26	4.67	2	1451	9540	16036	27028	2000	25
26	200	0.00	99	9.64	40.07	49	4650	28	14.2	28	1.14	0.32	0.09	38.82	75	0.24	4.59	2	1475	9391	14631	25498	200	26
26	800	0.00	99	9.64	40.31	50	4659	28	14.2	28	1.13	0.31	0.09	39.08	75	0.24	4.52	2	1499	9247	13446	24194	800	26
26	1400	0.00	99	9.64	40.54	50	4668	28	14.1	28	1.13	0.31	0.09	39.34	75	0.23	4.45	2	1523	9108	12444	23077	1400	26
26	2000	0.00	99	9.64	40.78	50	4677	28	14.1	27	1.13	0.31	0.09	39.59	75	0.23	4.39	3	1546	8975	11604	22126	2000	26
27	200	0.00	99	9.64	40.99	51	4686	27	13.1	27	1.05	0.28	0.09	39.85	75	0.21	4.31	3	1568	8846	10908	21324	200	27
27	800	0.00	99	9.64	41.19	51	4694	27	13.1	27	1.04	0.28	0.09	40.08	75	0.21	4.24	3	1590	8722	10306	20619	800	27
27	1400	0.00	99	9.64	41.40	51	4702	27	13.0	26	1.04	0.27	0.09	40.31	75	0.21	4.17	3	1612	8601	9749	19964	1400	27
27	2000	0.00	99	9.64	41.60	51	4710	27	13.0	26	1.04	0.27	0.09	40.54	75	0.20	4.11	3	1633	8485	9235	19355	2000	27
28	200	0.00	99	9.64	41.81	52	4717	26	13.0	26	1.04	0.27	0.09	40.77	75	0.20	4.05	3	1653	8373	8783	18810	200	28
28	800	0.00	99	9.64	42.01	52	4725	26	12.9	26	1.03	0.27	0.09	41.00	75	0.20	3.99	3	1673	8264	8406	18344	800	28
28	1400	0.00	99	9.64	42.20	52	4733	26	12.9	25	1.03	0.26	0.09	41.23	75	0.20	3.93	3	1692	8159	8101	17954	1400	28
28	2000	0.00	99	9.64	42.40	52	4740	26	12.9	25	1.03	0.26	0.09	41.46	75	0.20	3.88	3	1711	8058	7858	17629	2000	28
29	200	0.00	98	9.64	42.57	53	4748	26	11.9	25	0.95	0.24	0.09	41.69	75	0.18	3.82	3	1729	7960	7650	17341	200	29
29	800	0.00	98	9.64	42.75	53	4754	25	11.9	25	0.95	0.23	0.09	41.90	75	0.17	3.75	3	1746	7866	7429	17043	800	29
29	1400	0.00	98	9.64	42.92	53	4761	25	11.8	24	0.95	0.23	0.09	42.10	75	0.17	3.70	3	1763	7775	7162	16702	1400	29
29	2000	0.00	98	9.64	43.09	53	4768	25	11.8	24	0.94	0.23	0.09	42.31	75	0.17	3.64	3	1779	7687	6863	16331	2000	29
30	200	0.00	98	9.64	43.25	53	4774	25	10.8	24	0.86	0.21	0.09	42.51	75	0.15	3.57	3	1795	7601	6557	15955	200	30
30	800	0.00	98	9.64	43.40	54	4780	25	10.8	24	0.86	0.20	0.09	42.69	75	0.15	3.51	3	1810	7518	6240	15570	800	30
30	1400	0.00	98	9.64	43.55	54	4786	25	10.8	23	0.86	0.20	0.09	42.88	75	0.15	3.45	3	1824	7437	5900	15163	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																							MAY 1972	
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.09	4.00	0	0.00	0.03	0	70	10	5	85	1400	1
1	2000	0.00	0	0.00	0.00	0	2370	100	1.0	36	0.03	0.01	0.09	4.00	32	0.00	0.03	57	70	10	4	85	2000	1
2	200	0.00	0	0.00	0.01	0	2370	100	1.0	36	0.03	0.01	0.09	3.98	32	0.00	0.03	57	70	11	3	85	200	2
2	800	0.00	0	0.00	0.01	0	2371	100	1.0	36	0.03	0.01	0.09	3.97	32	0.00	0.03	57	69	15	2	88	800	2
2	1400	0.00	0	0.00	0.01	0	2371	100	1.0	36	0.03	0.01	0.09	3.95	32	0.00	0.03	57	69	20	2	93	1400	2
2	2000	0.00	0	0.00	0.01	0	2371	100	1.0	36	0.03	0.01	0.09	3.94	31	0.00	0.03	57	69	25	2	98	2000	2
3	200	0.00	0	0.00	0.02	0	2372	100	1.0	36	0.03	0.01	0.09	3.92	31	0.00	0.02	57	69	29	2	102	200	3
3	800	0.00	0	0.00	0.02	0	2372	100	1.0	36	0.03	0.01	0.09	3.90	31	0.00	0.02	58	69	33	2	105	800	3
3	1400	0.00	0	0.00	0.02	0	2373	100	1.0	36	0.03	0.01	0.09	3.89	31	0.00	0.02	58	69	35	2	108	1400	3
3	2000	0.00	0	0.00	0.03	0	2373	100	1.0	36	0.03	0.01	0.09	3.87	31	0.00	0.02	58	69	37	2	109	2000	3
4	200	0.00	0	0.00	0.03	0	2373	100	1.0	36	0.03	0.01	0.09	3.85	31	0.00	0.02	58	69	37	2	110	200	4
4	800	0.00	0	0.00	0.03	0	2374	100	1.0	36	0.03	0.01	0.09	3.84	31	0.00	0.02	58	69	38	2	110	800	4
4	1400	0.00	0	0.00	0.03	0	2374	100	1.0	36	0.03	0.01	0.09	3.82	31	0.00	0.02	58	69	38	2	111	1400	4
4	2000	0.00	0	0.00	0.04	0	2374	100	1.0	36	0.03	0.01	0.09	3.81	30	0.00	0.02	58	69	38	2	111	2000	4
5	200	0.00	0	0.00	0.04	0	2375	100	1.0	36	0.03	0.01	0.09	3.79	30	0.00	0.02	58	69	38	1	110	200	5
5	800	0.00	0	0.00	0.04	0	2375	100	1.0	36	0.03	0.01	0.09	3.77	30	0.00	0.02	58	69	38	1	110	800	5
5	1400	0.00	0	0.00	0.05	0	2375	100	1.0	36	0.03	0.01	0.09	3.76	30	0.00	0.02	58	69	38	1	110	1400	5
5	2000	0.00	0	0.00	0.05	0	2376	100	1.0	36	0.03	0.01	0.09	3.74	30	0.00	0.02	58	69	37	1	110	2000	5
6	200	0.00	0	0.00	0.05	0	2376	100	1.0	36	0.03	0.01	0.09	3.73	30	0.00	0.02	58	69	37	1	109	200	6
6	800	0.00	0	0.00	0.05	0	2376	100	1.0	36	0.03	0.01	0.09	3.71	30	0.00	0.02	58	69	37	1	109	800	6
6	1400	0.00	0	0.00	0.06	0	2377	100	1.0	36	0.03	0.01	0.09	3.69	30	0.00	0.02	58	69	37	1	109	1400	6
6	2000	0.00	0	0.00	0.06	0	2377	100	1.0	35	0.03	0.01	0.09	3.68	29	0.00	0.02	58	69	36	1	109	2000	6
7	200	0.00	0	0.00	0.06	0	2377	100	1.0	35	0.03	0.01	0.09	3.66	29	0.00	0.02	58	69	36	1	108	200	7
7	800	0.00	0	0.00	0.06	0	2378	100	1.0	35	0.03	0.01	0.09	3.65	29	0.00	0.02	58	69	36	1	108	800	7
7	1400	0.00	0	0.00	0.07	0	2378	100	1.0	35	0.03	0.01	0.09	3.63	29	0.00	0.02	58	69	36	1	108	1400	7
7	2000	0.00	0	0.00	0.07	0	2378	99	1.0	35	0.03	0.01	0.09	3.61	29	0.00	0.02	58	69	36	1	108	2000	7
8	200	0.00	0	0.00	0.07	0	2379	99	1.0	35	0.03	0.01	0.09	3.60	29	0.00	0.02	58	69	35	1	107	200	8
8	800	0.00	0	0.00	0.08	0	2379	99	1.0	35	0.03	0.01	0.09	3.58	29	0.00	0.01	58	69	35	1	107	800	8
8	1400	0.00	0	0.00	0.08	0	2379	99	1.0	35	0.03	0.01	0.09	3.57	29	0.00	0.01	59	69	35	1	107	1400	8
8	2000	0.00	0	0.00	0.08	0	2380	99	1.0	35	0.03	0.01	0.09	3.55	28	0.00	0.01	59	69	35	1	107	2000	8
9	200	0.00	0	0.00	0.08	0	2380	99	1.0	35	0.03	0.01	0.09	3.53	28	0.00	0.01	59	69	34	1	106	200	9
9	800	0.00	0	0.00	0.09	0	2380	99	1.0	35	0.03	0.01	0.09	3.52	28	0.00	0.01	59	69	34	1	106	800	9
9	1400	0.00	0	0.00	0.09	0	2381	99	1.0	35	0.03	0.01	0.09	3.50	28	0.00	0.01	59	69	34	1	106	1400	9
9	2000	0.00	0	0.00	0.09	0	2381	99	1.0	35	0.03	0.01	0.09	3.49	28	0.00	0.01	59	69	34	1	105	2000	9
10	200	0.00	0	0.00	0.09	0	2381	99	1.0	35	0.03	0.01	0.09	3.47	28	0.00	0.01	59	69	34	1	105	200	10
10	800	0.00	0	0.00	0.10	0	2382	99	1.0	35	0.03	0.01	0.09	3.45	28	0.00	0.01	59	69	33	1	105	800	10
10	1400	0.00	0	0.00	0.10	0	2382	99	1.0	35	0.03	0.01	0.09	3.44	28	0.00	0.01	59	69	33	1	105	1400	10
10	2000	0.00	0	0.00	0.10	0	2382	99	1.0	35	0.03	0.01	0.09	3.42	27	0.00	0.01	59	69	33	1	104	2000	10
11	200	0.00	0	0.00	0.10	0	2383	99	1.0	35	0.03	0.01	0.09	3.41	27	0.00	0.01	59	69	33	1	104	200	11
11	800	0.00	0	0.00	0.11	0	2383	99	1.0	35	0.03	0.01	0.09	3.39	27	0.00	0.01	59	69	33	1	104	800	11
11	1400	0.00	0	0.00	0.11	0	2383	99	1.0	35	0.03	0.01	0.09	3.38	27	0.00	0.01	59	68	32	1	104	1400	11
11	2000	0.00	0	0.00	0.11	0	2384	99	1.0	35	0.03	0.01	0.09	3.36	27	0.00	0.01	59	68	32	1	103	2000	11
12	200	0.00	0	0.00	0.11	0	2384	99	1.0	35	0.03	0.01	0.09	3.34	27	0.00	0.01	59	68	32	1	103	200	12
12	800	0.00	0	0.00	0.12	0	2384	99	1.0	35	0.03	0.01	0.09	3.33	27	0.00	0.01	59	68	32	1	103	800	12

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. 310881 INITIAL DATE, HOUR 1 MAY 1972 1400 JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.101 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	0	0.00	0.12	0	2384	99	1.0	35	0.03	0.01	0.09	3.31	26	0.00	0.01	59	68	32	1	102	1400	12
12	2000	0.00	0	0.00	0.12	0	2385	99	1.0	35	0.03	0.01	0.09	3.30	26	0.00	0.01	59	68	31	1	102	2000	12
13	200	0.00	0	0.00	0.12	0	2385	99	1.0	35	0.03	0.01	0.09	3.28	26	0.00	0.01	59	68	31	1	102	200	13
13	800	0.00	0	0.00	0.12	0	2385	99	1.0	35	0.03	0.01	0.09	3.26	26	0.00	0.01	59	68	31	1	102	800	13
13	1400	0.00	0	0.00	0.13	0	2386	99	1.0	35	0.03	0.01	0.09	3.25	26	0.00	0.01	59	68	31	1	101	1400	13
13	2000	0.00	0	0.00	0.13	0	2386	99	1.0	35	0.03	0.01	0.09	3.23	26	0.00	0.01	59	68	31	1	101	2000	13
14	200	0.00	0	0.00	0.13	0	2386	99	1.0	35	0.03	0.01	0.09	3.22	26	0.00	0.01	59	67	31	1	101	200	14
14	800	0.00	0	0.00	0.13	0	2387	99	1.0	35	0.03	0.01	0.09	3.20	26	0.00	0.01	59	67	30	1	100	800	14
14	1400	0.00	0	0.00	0.14	0	2387	99	1.0	35	0.03	0.01	0.09	3.19	25	0.00	0.01	59	67	30	1	100	1400	14
14	2000	0.00	0	0.00	0.14	0	2387	99	1.0	35	0.03	0.01	0.09	3.17	25	0.00	0.01	59	67	30	1	100	2000	14
15	200	0.00	0	0.00	0.14	0	2387	99	1.0	35	0.03	0.01	0.09	3.15	25	0.00	0.01	59	67	30	1	99	200	15
15	800	0.00	0	0.00	0.14	0	2388	99	1.0	35	0.03	0.01	0.09	3.14	25	0.00	0.01	59	67	30	1	99	800	15
15	1400	0.00	0	0.00	0.15	0	2388	99	1.0	35	0.03	0.01	0.09	3.12	25	0.00	0.01	59	67	29	1	99	1400	15
15	2000	0.00	0	0.00	0.15	0	2388	99	1.0	35	0.03	0.01	0.09	3.11	25	0.00	0.01	59	67	29	1	98	2000	15
16	200	0.00	0	0.00	0.15	0	2388	99	1.0	35	0.03	0.01	0.09	3.09	25	0.00	0.01	59	66	29	1	98	200	16
16	800	0.00	0	0.00	0.15	0	2389	99	1.0	35	0.03	0.01	0.09	3.07	25	0.00	0.01	59	66	29	1	98	800	16
16	1400	0.00	0	0.00	0.15	0	2389	99	1.0	35	0.03	0.01	0.09	3.06	24	0.00	0.01	59	66	29	1	97	1400	16
16	2000	0.00	0	0.00	0.16	0	2389	99	1.0	35	0.03	0.01	0.09	3.04	24	0.00	0.01	59	66	29	1	97	2000	16
17	200	0.00	0	0.00	0.16	0	2390	99	1.0	35	0.03	0.01	0.09	3.03	24	0.00	0.01	59	66	28	1	97	200	17
17	800	0.00	0	0.00	0.16	0	2390	99	1.0	35	0.03	0.01	0.09	3.01	24	0.00	0.01	59	66	28	1	96	800	17
17	1400	0.00	0	0.00	0.16	0	2390	99	1.0	35	0.03	0.01	0.09	3.00	24	0.00	0.01	59	66	28	1	96	1400	17
17	2000	0.00	0	0.00	0.16	0	2390	99	1.0	35	0.03	0.01	0.09	2.98	24	0.00	0.01	59	65	28	1	96	2000	17
18	200	0.00	0	0.00	0.17	0	2391	99	1.0	35	0.03	0.01	0.09	2.96	24	0.00	0.01	59	65	28	1	95	200	18
18	800	0.00	0	0.00	0.17	0	2391	99	1.0	35	0.03	0.01	0.09	2.95	24	0.00	0.01	59	65	28	1	95	800	18
18	1400	0.00	0	0.00	0.17	0	2391	99	1.0	35	0.03	0.01	0.09	2.93	23	0.00	0.01	59	65	27	1	95	1400	18
18	2000	0.00	0	0.00	0.17	0	2391	99	1.0	35	0.03	0.01	0.09	2.92	23	0.00	0.01	59	65	27	1	94	2000	18
19	200	0.00	0	0.00	0.18	1	2392	99	1.0	35	0.03	0.01	0.09	2.90	23	0.00	0.01	59	65	27	1	94	200	19
19	800	0.00	0	0.00	0.18	1	2392	99	1.0	35	0.03	0.01	0.09	2.89	23	0.00	0.01	59	64	27	1	94	800	19
19	1400	0.00	0	0.00	0.18	1	2392	99	1.0	35	0.03	0.01	0.09	2.87	23	0.00	0.01	59	64	27	1	93	1400	19
19	2000	0.00	0	0.00	0.18	1	2392	99	1.0	35	0.03	0.01	0.09	2.86	23	0.00	0.01	59	64	26	1	93	2000	19
20	200	0.00	0	0.00	0.18	1	2393	99	1.0	35	0.03	0.01	0.09	2.84	23	0.00	0.01	59	64	26	1	93	200	20
20	800	0.00	0	0.00	0.19	1	2393	99	1.0	35	0.03	0.01	0.09	2.82	23	0.00	0.01	59	64	26	1	92	800	20
20	1400	0.00	0	0.00	0.19	1	2393	99	1.0	35	0.03	0.01	0.09	2.81	22	0.00	0.01	59	63	26	1	92	1400	20
20	2000	0.00	0	0.00	0.19	1	2393	99	1.0	35	0.03	0.01	0.09	2.79	22	0.00	0.01	59	63	26	1	91	2000	20
21	200	0.00	0	0.00	0.19	1	2394	99	1.0	35	0.03	0.01	0.09	2.78	22	0.00	0.01	59	63	26	1	91	200	21
21	800	0.00	0	0.00	0.19	1	2394	99	1.0	35	0.03	0.01	0.09	2.76	22	0.00	0.01	59	63	25	1	91	800	21
21	1400	0.00	0	0.00	0.19	1	2394	99	1.0	35	0.03	0.01	0.09	2.75	22	0.00	0.01	59	63	25	1	90	1400	21
21	2000	0.00	0	0.00	0.20	1	2394	99	1.0	35	0.03	0.01	0.09	2.73	22	0.00	0.01	59	63	25	1	90	2000	21
22	200	0.00	0	0.00	0.20	1	2395	99	1.0	34	0.03	0.01	0.09	2.71	22	0.00	0.01	59	62	25	1	90	200	22
22	800	0.00	0	0.00	0.20	1	2395	99	1.0	34	0.03	0.01	0.09	2.70	22	0.00	0.01	59	62	25	1	89	800	22
22	1400	0.00	0	0.00	0.20	1	2395	99	1.0	34	0.03	0.01	0.09	2.68	21	0.00	0.01	59	62	25	1	89	1400	22
22	2000	0.00	0	0.00	0.20	1	2395	99	1.0	34	0.03	0.01	0.09	2.67	21	0.00	0.01	59	62	25	1	89	2000	22
23	200	0.00	0	0.00	0.21	1	2396	99	1.0	34	0.03	0.01	0.09	2.65	21	0.00	0.01	59	61	24	1	88	200	23
23	800	0.00	0	0.00	0.21	1	2396	99	1.0	34	0.03	0.01	0.09	2.64	21	0.00	0.01	59	61	24	1	88	800	23

FORM 1413-2

PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.101 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	0	0.00	0.21	1	2396	99	1.0	34	0.03	0.01	0.09	2.62	21	0.00	0.01	59	61	24	1	87	1400	23
23	2000	0.00	0	0.00	0.21	1	2396	98	1.0	34	0.03	0.01	0.09	2.61	21	0.00	0.01	59	61	24	1	87	2000	23
24	200	0.00	0	0.00	0.21	1	2397	98	1.0	34	0.03	0.01	0.09	2.59	21	0.00	0.01	59	61	24	1	87	200	24
24	800	0.00	0	0.00	0.22	1	2397	98	1.0	34	0.03	0.01	0.09	2.58	21	0.00	0.01	59	60	24	1	86	800	24
24	1400	0.00	0	0.00	0.22	1	2397	98	1.0	34	0.03	0.01	0.09	2.56	20	0.00	0.01	59	60	23	1	86	1400	24
24	2000	0.00	0	0.00	0.22	1	2397	98	1.0	34	0.03	0.01	0.09	2.54	20	0.00	0.01	59	60	23	1	85	2000	24
25	200	0.00	0	0.00	0.22	1	2397	98	1.0	34	0.03	0.01	0.09	2.53	20	0.00	0.01	59	60	23	1	85	200	25
25	800	0.00	0	0.00	0.22	1	2398	98	1.0	34	0.03	0.01	0.09	2.51	20	0.00	0.01	59	60	23	1	85	800	25
25	1400	0.00	0	0.00	0.22	1	2398	98	1.0	34	0.03	0.01	0.09	2.50	20	0.00	0.01	59	59	23	1	84	1400	25
25	2000	0.00	0	0.00	0.23	1	2398	98	1.0	34	0.03	0.01	0.09	2.48	20	0.00	0.01	59	59	23	1	84	2000	25
26	200	0.00	0	0.00	0.23	1	2398	98	1.0	34	0.03	0.01	0.09	2.47	20	0.00	0.01	59	59	22	1	84	200	26
26	800	0.00	0	0.00	0.23	1	2399	98	1.0	34	0.03	0.01	0.09	2.45	20	0.00	0.01	59	59	22	1	83	800	26
26	1400	0.00	0	0.00	0.23	1	2399	98	1.0	34	0.03	0.01	0.09	2.44	20	0.00	0.01	59	58	22	1	83	1400	26
26	2000	0.00	0	0.00	0.23	1	2399	98	1.0	34	0.03	0.01	0.09	2.42	20	0.00	0.01	59	58	22	1	82	2000	26
27	200	0.00	0	0.00	0.23	1	2399	98	1.0	34	0.03	0.01	0.09	2.41	20	0.00	0.01	59	58	22	1	82	200	27
27	800	0.00	0	0.00	0.24	1	2399	98	1.0	34	0.03	0.01	0.09	2.39	20	0.00	0.01	59	58	22	1	82	800	27
27	1400	0.00	0	0.00	0.24	1	2400	98	1.0	34	0.03	0.01	0.09	2.37	19	0.00	0.01	59	58	22	1	81	1400	27
27	2000	0.00	0	0.00	0.24	1	2400	98	1.0	34	0.03	0.01	0.09	2.36	19	0.00	0.01	59	57	22	1	81	2000	27
28	200	0.00	0	0.00	0.24	1	2400	98	1.0	34	0.03	0.01	0.09	2.34	19	0.00	0.01	59	57	22	1	81	200	28
28	800	0.00	0	0.00	0.24	1	2400	98	1.0	34	0.03	0.01	0.09	2.33	19	0.00	0.01	59	57	21	1	80	800	28
28	1400	0.00	0	0.00	0.24	1	2400	98	1.0	34	0.03	0.01	0.09	2.31	19	0.00	0.01	59	57	21	1	80	1400	28
28	2000	0.00	0	0.00	0.25	1	2401	98	1.0	34	0.03	0.01	0.09	2.30	19	0.00	0.01	59	56	21	1	80	2000	28
29	200	0.00	0	0.00	0.25	1	2401	98	1.0	34	0.03	0.01	0.09	2.28	19	0.00	0.01	59	56	21	1	79	200	29
29	800	0.00	0	0.00	0.25	1	2401	98	1.0	34	0.03	0.01	0.09	2.27	19	0.00	0.01	59	56	21	1	79	800	29
29	1400	0.00	0	0.00	0.25	1	2401	98	1.0	34	0.03	0.01	0.09	2.25	19	0.00	0.01	59	56	21	1	79	1400	29
29	2000	0.00	0	0.00	0.25	1	2401	98	1.0	34	0.03	0.01	0.09	2.24	19	0.00	0.01	59	55	21	1	78	2000	29
30	200	0.00	0	0.00	0.25	1	2402	98	1.0	34	0.03	0.01	0.09	2.22	19	0.00	0.01	59	55	21	1	78	200	30
30	800	0.00	0	0.00	0.26	1	2402	98	1.0	34	0.03	0.01	0.09	2.20	19	0.00	0.01	59	55	21	1	78	800	30
30	1400	0.00	0	0.00	0.26	1	2402	98	1.0	34	0.03	0.01	0.09	2.19	19	0.00	0.01	59	55	21	1	78	1400	30
30	2000	0.00	0	0.00	0.26	1	2402	98	1.0	34	0.03	0.01	0.09	2.17	19	0.00	0.01	59	54	21	1	77	2000	30
31	200	0.00	0	0.00	0.26	1	2402	98	1.0	34	0.03	0.01	0.09	2.16	19	0.00	0.01	59	54	21	1	77	200	31
31	800	0.00	0	0.00	0.26	1	2403	98	1.0	34	0.03	0.01	0.09	2.14	19	0.00	0.01	59	54	20	1	77	800	31
31	1400	0.00	0	0.00	0.26	1	2403	98	1.0	34	0.03	0.01	0.09	2.13	19	0.00	0.01	59	54	20	1	76	1400	31
31	2000	0.00	0	0.00	0.27	1	2403	98	1.0	34	0.03	0.01	0.09	2.11	18	0.00	0.01	59	53	20	1	76	2000	31

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

FORM 1613-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. 310881 INITIAL DATE, HOUR 1 MAY 1972 1400

JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF

N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.102 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	0	0.00	0.27	1	2403	98	1.0	34	0.03	0.01	0.09	2.10	18	0.00	0.01	59	53	20	1	76	200	1
1	800	0.00	0	0.00	0.27	1	2403	98	1.0	34	0.03	0.01	0.09	2.08	18	0.00	0.01	59	53	20	1	75	800	1
1	1400	0.00	0	0.00	0.27	1	2404	98	1.0	34	0.03	0.01	0.09	2.07	18	0.00	0.01	59	53	20	1	75	1400	1
1	2000	0.00	0	0.00	0.27	1	2404	98	1.0	34	0.03	0.01	0.09	2.05	18	0.00	0.01	59	53	20	1	75	2000	1
2	200	0.00	0	0.00	0.27	1	2404	98	1.0	34	0.03	0.01	0.09	2.03	18	0.00	0.01	59	52	20	1	74	200	2
2	800	0.00	0	0.00	0.27	1	2404	98	1.0	34	0.03	0.01	0.09	2.02	18	0.00	0.01	59	52	20	1	74	800	2
2	1400	0.00	0	0.00	0.28	1	2404	98	1.0	34	0.03	0.01	0.09	2.00	18	0.00	0.01	59	52	20	1	74	1400	2
2	2000	0.00	0	0.00	0.28	1	2405	98	1.0	34	0.03	0.01	0.09	1.99	18	0.00	0.01	59	52	20	1	73	2000	2
3	200	0.00	0	0.00	0.28	1	2405	98	1.0	34	0.03	0.01	0.09	1.97	18	0.00	0.01	59	51	20	1	73	200	3
3	800	0.00	0	0.00	0.28	1	2405	98	1.0	34	0.03	0.01	0.09	1.96	18	0.00	0.01	59	51	20	1	73	800	3
3	1400	0.00	0	0.00	0.28	1	2405	98	1.0	34	0.03	0.01	0.09	1.94	18	0.00	0.01	59	51	19	1	72	1400	3
3	2000	0.00	0	0.00	0.28	1	2405	98	1.0	34	0.03	0.01	0.09	1.93	18	0.00	0.01	59	51	19	1	72	2000	3
4	200	0.00	1	0.00	0.29	1	2406	98	1.6	46	0.04	0.02	0.09	1.91	18	0.00	0.01	59	50	20	1	72	200	4
4	800	0.00	1	0.00	0.29	1	2406	98	1.6	46	0.04	0.02	0.09	1.91	18	0.00	0.01	59	50	21	1	74	800	4
4	1400	0.00	36	0.00	0.30	1	2406	98	2.9	69	0.08	0.05	0.09	1.90	18	0.01	0.01	59	50	24	2	78	1400	4
4	2000	0.00	36	0.00	0.31	1	2408	98	2.9	69	0.08	0.05	0.09	1.92	18	0.01	0.01	59	50	32	4	87	2000	4
5	200	0.00	71	0.00	0.33	1	2409	98	5.0	91	0.13	0.12	0.09	1.94	18	0.02	0.02	59	49	47	6	104	200	5
5	800	0.00	79	0.00	0.35	1	2411	97	5.8	95	0.15	0.14	0.09	2.02	18	0.03	0.02	58	49	71	11	132	800	5
5	1400	0.00	97	0.00	0.39	1	2414	97	8.7	97	0.22	0.22	0.09	2.11	18	0.04	0.03	58	49	110	16	176	1400	5
5	2000	0.00	100	0.00	0.45	1	2419	97	11.7	97	0.30	0.29	0.09	2.27	19	0.06	0.04	57	49	168	24	242	2000	5
6	200	0.00	100	0.00	0.51	1	2426	96	12.7	97	0.33	0.32	0.09	2.49	20	0.06	0.05	56	48	250	33	334	200	6
6	800	0.00	100	0.00	0.60	2	2434	96	15.6	96	0.41	0.39	0.09	2.73	22	0.09	0.07	55	48	360	43	453	800	6
6	1400	0.00	100	0.00	0.70	2	2445	95	17.6	96	0.46	0.44	0.09	3.03	24	0.11	0.09	53	48	498	57	605	1400	6
6	2000	0.00	100	0.00	0.84	2	2458	94	19.6	95	0.51	0.49	0.09	3.36	27	0.13	0.12	51	48	673	77	799	2000	6
7	200	0.00	100	0.00	1.00	3	2475	93	22.5	94	0.60	0.56	0.09	3.71	30	0.17	0.15	49	48	894	110	1054	200	7
7	800	0.00	100	0.00	1.20	3	2496	91	24.5	93	0.66	0.61	0.09	4.12	33	0.20	0.20	47	48	1174	162	1386	800	7
7	1400	0.00	100	0.00	1.44	4	2521	90	26.4	91	0.72	0.66	0.09	4.54	36	0.24	0.25	45	48	1521	234	1804	1400	7
7	2000	0.00	100	0.00	1.70	5	2551	88	25.9	90	0.71	0.64	0.09	4.98	40	0.25	0.30	41	48	1939	328	2317	2000	7
8	200	0.00	100	0.00	1.95	6	2583	86	25.1	88	0.70	0.62	0.09	5.40	41	0.25	0.35	37	48	2416	425	2890	200	8
8	800	0.00	100	0.00	2.21	6	2614	84	25.0	86	0.71	0.61	0.09	5.80	42	0.26	0.40	34	49	2921	506	3478	800	8
8	1400	0.02	100	0.01	2.46	7	2647	82	24.1	84	0.70	0.60	0.09	6.19	43	0.26	0.45	32	49	3417	581	4048	1400	8
8	2000	0.02	100	0.01	2.72	8	2679	81	24.0	82	0.71	0.60	0.09	6.59	45	0.27	0.50	30	50	3874	650	4576	2000	8
9	200	0.05	100	0.04	2.98	9	2711	79	23.5	80	0.70	0.61	0.09	6.97	46	0.28	0.55	29	51	4281	719	5052	200	9
9	800	0.05	100	0.06	3.24	9	2736	78	23.4	79	0.71	0.61	0.09	7.37	47	0.29	0.61	28	53	4638	801	5494	800	9
9	1400	0.05	100	0.08	3.50	10	2758	77	22.8	78	0.70	0.60	0.09	7.76	48	0.29	0.66	27	54	4954	885	5895	1400	9
9	2000	0.06	100	0.11	3.77	11	2780	75	22.8	77	0.71	0.60	0.09	8.14	49	0.29	0.71	26	56	5231	960	6248	2000	9
10	200	0.15	100	0.19	4.03	12	2802	74	21.9	75	0.70	0.68	0.09	8.53	50	0.34	0.77	25	58	5480	1085	6625	200	10
10	800	0.16	100	0.27	4.30	12	2824	73	21.9	74	0.70	0.68	0.09	8.95	51	0.35	0.83	24	61	5729	1316	7108	800	10
10	1400	0.16	100	0.36	4.57	13	2846	72	21.6	73	0.71	0.68	0.09	9.37	52	0.35	0.89	23	64	6002	1541	7608	1400	10
10	2000	0.16	100	0.44	4.85	14	2869	70	21.6	71	0.72	0.67	0.09	9.78	54	0.36	0.95	22	67	6293	1713	8076	2000	10
11	200	0.12	100	0.51	5.11	15	2892	69	20.7	70	0.70	0.61	0.09	10.19	55	0.33	1.00	21	71	6573	1823	8469	200	11
11	800	0.12	100	0.58	5.39	15	2914	68	20.7	69	0.71	0.61	0.09	10.56	56	0.34	1.05	20	76	6807	1827	8712	800	11
11	1400	0.18	100	0.68	5.66	16	2937	66	20.4	68	0.71	0.66	0.09	10.92	57	0.37	1.11	20	80	6981	1910	8973	1400	11
11	2000	0.43	100	0.93	5.93	17	2960	65	20.4	66	0.71	0.90	0.09	11.30	58	0.52	1.20	19	85	7134	2445	9667	2000	11

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.144 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.15	100	1.01	6.18	18	2983	64	18.3	65	0.65	0.57	0.09	11.78	59	0.34	1.24	18	91	7326	3251	10670	200	12
12	800	0.15	100	1.10	6.42	18	3005	63	17.2	64	0.62	0.54	0.09	12.11	61	0.33	1.28	18	97	7528	2875	10502	800	12
12	1400	0.19	100	1.22	6.65	19	3035	62	16.2	63	0.59	0.56	0.09	12.41	62	0.35	1.32	17	104	7651	2344	10101	1400	12
12	2000	0.49	100	1.53	6.87	20	3064	61	15.2	62	0.56	0.83	0.09	12.70	64	0.53	1.40	17	111	7696	2588	10396	2000	12
13	200	0.19	100	1.66	7.09	20	3091	60	15.1	61	0.56	0.53	0.09	13.08	65	0.35	1.43	16	119	7753	3436	11309	200	13
13	800	0.19	100	1.79	7.32	21	3115	59	15.1	60	0.57	0.53	0.09	13.34	67	0.36	1.47	16	127	7844	3174	11146	800	13
13	1400	0.26	100	1.96	7.55	22	3136	58	15.0	59	0.58	0.60	0.09	13.59	68	0.41	1.52	15	135	7912	2849	10898	1400	13
13	2000	0.66	100	2.42	7.79	22	3158	57	15.0	58	0.59	1.00	0.09	13.86	69	0.70	1.63	15	144	7962	3898	12005	2000	13
14	200	0.23	100	2.59	8.02	23	3180	56	14.2	57	0.57	0.56	0.09	14.24	71	0.40	1.67	14	154	8062	6029	14246	200	14
14	800	0.23	100	2.76	8.25	24	3201	56	14.1	56	0.58	0.56	0.09	14.47	72	0.40	1.71	13	164	8206	5365	13737	800	14
14	1400	0.32	100	2.99	8.49	24	3223	55	14.1	55	0.59	0.64	0.09	14.69	73	0.47	1.77	13	175	8324	4419	12920	1400	14
14	2000	0.79	100	3.58	8.73	25	3245	54	14.1	55	0.59	1.12	0.09	14.93	75	0.83	1.91	12	186	8411	5793	14392	2000	14
15	200	0.40	100	3.88	8.99	26	3267	53	15.0	54	0.65	0.74	0.09	15.28	75	0.56	1.98	11	197	8524	9226	17949	200	15
15	800	0.40	100	4.18	9.25	26	3291	52	15.0	53	0.66	0.74	0.09	15.54	75	0.56	2.05	10	209	8671	9385	18267	800	15
15	1400	0.53	100	4.57	9.51	27	3316	51	14.9	52	0.67	0.87	0.09	15.80	75	0.65	2.14	10	222	8803	8868	17894	1400	15
15	2000	1.32	100	5.56	9.77	28	3340	50	14.9	51	0.68	1.66	0.09	16.09	75	1.25	2.37	10	235	8907	11802	20945	2000	15
16	200	0.72	100	6.10	10.01	29	3364	49	13.6	50	0.63	1.04	0.09	16.59	75	0.78	2.47	10	248	9026	17801	27077	200	16
16	800	0.30	100	6.33	10.21	29	3386	49	11.6	49	0.55	0.57	0.09	16.93	75	0.43	2.47	10	262	9160	16165	25589	800	16
16	1400	0.21	100	6.48	10.41	30	3404	48	11.5	48	0.55	0.48	0.09	17.14	75	0.36	2.46	10	276	9224	9893	19395	1400	16
16	2000	0.21	100	6.64	10.63	30	3423	47	12.5	48	0.60	0.50	0.09	17.32	75	0.37	2.46	10	291	9134	5677	15103	2000	16
17	200	0.49	100	7.01	10.85	31	3443	46	12.6	47	0.62	0.78	0.09	17.52	75	0.59	2.52	10	306	8909	4908	14123	200	17
17	800	0.20	100	7.16	11.06	32	3463	45	12.5	46	0.63	0.49	0.09	17.80	75	0.37	2.52	10	321	8650	6096	15068	800	17
17	1400	0.15	100	7.27	11.28	32	3483	45	12.5	45	0.63	0.43	0.09	18.00	75	0.32	2.51	10	337	8408	5327	14073	1400	17
17	2000	0.15	100	7.38	11.49	33	3503	44	12.4	45	0.64	0.43	0.09	18.19	75	0.32	2.50	10	353	8152	4034	12540	2000	17
18	200	0.00	100	7.38	11.72	33	3523	43	13.4	44	0.69	0.30	0.09	18.39	75	0.23	2.48	10	369	7841	3250	11461	200	18
18	800	0.00	100	7.38	11.95	34	3544	42	13.3	43	0.70	0.30	0.09	18.54	75	0.23	2.46	10	386	7450	2539	10377	800	18
18	1400	0.00	100	7.38	12.17	35	3565	42	13.3	42	0.71	0.30	0.09	18.69	75	0.22	2.44	10	403	6983	2125	9513	1400	18
18	2000	0.00	100	7.38	12.39	35	3586	41	13.2	41	0.71	0.30	0.09	18.85	75	0.22	2.43	10	420	6490	1985	8896	2000	18
19	200	0.00	100	7.38	12.66	36	3607	40	15.9	41	0.87	0.36	0.09	19.01	75	0.27	2.44	10	437	6035	2090	8564	200	19
19	800	0.00	100	7.38	12.96	37	3630	39	17.9	40	1.00	0.40	0.09	19.21	75	0.30	2.48	10	455	5667	2666	8790	800	19
19	1400	0.00	100	7.38	13.29	38	3649	38	19.8	39	1.12	0.44	0.09	19.44	75	0.33	2.53	10	473	5401	3548	9424	1400	19
19	2000	0.00	100	7.38	13.65	39	3670	37	22.0	38	1.27	0.48	0.09	19.71	75	0.36	2.61	10	490	5220	4561	10273	2000	19
20	200	0.00	100	7.38	14.03	40	3694	36	22.9	37	1.35	0.50	0.09	20.01	75	0.38	2.70	10	508	5093	5572	11174	200	20
20	800	0.00	100	7.38	14.40	41	3718	36	22.8	36	1.37	0.50	0.09	20.33	75	0.37	2.79	10	526	4992	6295	11815	800	20
20	1400	0.00	100	7.38	14.77	42	3742	35	22.8	35	1.41	0.50	0.09	20.66	75	0.37	2.88	10	544	4901	6641	12088	1400	20
20	2000	0.00	100	7.38	15.15	43	3766	34	22.7	34	1.44	0.50	0.09	20.99	75	0.37	2.97	10	562	4809	6794	12167	2000	20
21	200	0.00	100	7.38	15.58	45	3790	33	26.4	34	1.72	0.58	0.09	21.34	75	0.43	3.10	10	581	4712	7133	12427	200	21
21	800	0.00	100	7.38	16.01	46	3818	32	26.4	33	1.76	0.57	0.09	21.76	75	0.43	3.24	10	599	4610	7995	13205	800	21
21	1400	0.00	100	7.38	16.43	47	3846	30	26.3	31	1.80	0.57	0.09	22.19	75	0.43	3.38	10	617	4502	8607	13727	1400	21
21	2000	0.00	100	7.38	16.85	48	3873	29	26.2	30	1.85	0.56	0.09	22.63	75	0.42	3.51	10	635	4389	8835	13861	2000	21
22	200	0.00	100	7.38	17.30	49	3900	28	28.1	29	2.03	0.60	0.09	23.08	75	0.45	3.67	10	652	4271	9019	13944	200	22
22	800	0.00	100	7.38	17.74	51	3929	27	28.0	28	2.08	0.59	0.09	23.58	75	0.44	3.84	10	670	4149	9418	14238	800	22
22	1400	0.00	100	7.38	18.17	52	3958	26	28.0	27	2.11	0.57	0.09	24.10	75	0.43	4.00	10	688	4023	9650	14362	1400	22
22	2000	0.00	100	7.38	18.59	53	3985	25	27.9	26	2.14	0.56	0.09	24.62	75	0.42	4.15	10	705	3894	9627	14228	2000	22

FORM 1811-2
PRINTED IN U.S.A.

BASIN RESULTS - STATION 8.0 LOCAL ABOVE DENALI DAMSITE 312 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.314 IN./DEGREE-DAY, AREA = 312.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	7.38	18.98	54	4021	24	26.8	25	2.08	0.52	0.09	25.15	75	0.39	4.29	10	723	3763	9401	13889	200	23
23	800	0.00	100	7.38	19.36	55	4064	23	26.7	24	2.10	0.51	0.09	25.67	75	0.38	4.42	10	740	3631	8991	13364	800	23
23	1400	0.00	100	7.38	19.73	56	4105	22	26.7	23	2.12	0.49	0.09	26.19	75	0.37	4.54	10	757	3499	8625	12883	1400	23
23	2000	0.00	100	7.38	20.08	57	4146	21	26.6	22	2.14	0.47	0.09	26.72	75	0.36	4.67	10	774	3369	8344	12489	2000	23
24	200	0.00	100	7.38	20.35	58	4184	21	20.5	21	1.67	0.36	0.09	27.25	75	0.27	4.69	10	790	3241	7789	11822	200	24
24	800	0.00	100	7.38	20.61	59	4214	20	20.5	21	1.68	0.35	0.09	27.65	75	0.26	4.72	10	807	3117	6569	10494	800	24
24	1400	0.00	100	7.38	20.86	60	4242	20	20.4	20	1.68	0.34	0.09	28.06	75	0.25	4.75	10	823	2997	5688	9510	1400	24
24	2000	0.00	100	7.38	21.11	60	4260	19	20.4	20	1.69	0.33	0.09	28.46	75	0.25	4.77	10	839	2884	5303	9028	2000	24
25	200	0.00	100	7.38	21.32	61	4275	19	17.4	19	1.45	0.28	0.09	28.87	75	0.21	4.75	10	855	2780	5003	8640	200	25
25	800	0.00	100	7.38	21.53	62	4288	19	17.4	19	1.46	0.28	0.09	29.21	75	0.21	4.73	10	870	2687	4464	8023	800	25
25	1400	0.00	100	7.38	21.73	62	4301	18	17.4	19	1.47	0.27	0.09	29.55	75	0.21	4.71	10	886	2606	4091	7584	1400	25
25	2000	0.00	100	7.38	21.94	63	4313	18	17.3	18	1.47	0.27	0.09	29.90	75	0.20	4.70	10	901	2536	3938	7376	2000	25
26	200	0.00	100	7.38	22.13	63	4326	18	16.3	18	1.40	0.25	0.09	30.25	75	0.19	4.67	10	915	2476	3829	7222	200	26
26	800	0.00	100	7.38	22.32	64	4337	18	16.3	18	1.40	0.25	0.09	30.58	75	0.19	4.65	10	930	2424	3642	6997	800	26
26	1400	0.00	100	7.38	22.50	64	4349	17	16.3	18	1.41	0.25	0.09	30.91	75	0.19	4.63	10	944	2378	3506	6829	1400	26
26	2000	0.00	100	7.38	22.68	65	4360	17	16.3	17	1.41	0.24	0.09	31.24	75	0.18	4.61	10	958	2336	3440	6734	2000	26
27	200	0.00	100	7.38	22.86	65	4372	17	15.2	17	1.33	0.23	0.09	31.57	75	0.17	4.57	10	971	2297	3357	6626	200	27
27	800	0.00	100	7.38	23.02	66	4382	17	15.2	17	1.34	0.22	0.09	31.88	75	0.17	4.54	10	984	2260	3183	6429	800	27
27	1400	0.00	100	7.38	23.19	66	4392	16	15.2	17	1.34	0.22	0.09	32.20	75	0.17	4.51	10	997	2225	3055	6279	1400	27
27	2000	0.00	100	7.38	23.36	67	4403	16	15.2	16	1.34	0.22	0.09	32.51	75	0.17	4.49	10	1009	2192	2994	6197	2000	27
28	200	0.00	100	7.38	23.52	67	4413	16	15.2	16	1.35	0.22	0.09	32.83	75	0.16	4.46	10	1022	2159	2960	6142	200	28
28	800	0.00	100	7.38	23.68	68	4423	16	15.1	16	1.35	0.22	0.09	33.14	75	0.16	4.44	10	1033	2128	2933	6096	800	28
28	1400	0.00	100	7.38	23.84	68	4433	16	15.1	16	1.36	0.21	0.09	33.46	75	0.16	4.42	10	1045	2098	2907	6051	1400	28
28	2000	0.00	100	7.38	24.00	69	4443	15	15.1	15	1.36	0.21	0.09	33.78	75	0.16	4.41	10	1056	2068	2882	6007	2000	28
29	200	0.00	100	7.38	24.14	69	4452	15	14.1	15	1.28	0.19	0.09	34.10	75	0.15	4.37	10	1066	2038	2815	5921	200	29
29	800	0.00	100	7.38	24.29	69	4461	15	14.1	15	1.28	0.19	0.09	34.39	75	0.14	4.34	10	1076	2009	2658	5745	800	29
29	1400	0.00	100	7.38	24.43	70	4470	15	14.1	15	1.28	0.19	0.09	34.69	75	0.14	4.32	10	1086	1981	2540	5609	1400	29
29	2000	0.00	100	7.38	24.57	70	4479	15	14.1	15	1.29	0.19	0.09	34.99	75	0.14	4.29	10	1096	1953	2485	5535	2000	29
30	200	0.00	100	7.38	24.70	71	4488	14	13.0	14	1.20	0.17	0.09	35.29	75	0.13	4.25	10	1105	1926	2415	5447	200	30
30	800	0.00	100	7.38	24.83	71	4496	14	13.0	14	1.20	0.17	0.09	35.57	75	0.13	4.22	10	1113	1899	2264	5278	800	30
30	1400	0.00	100	7.38	24.96	71	4503	14	13.0	14	1.20	0.17	0.09	35.85	75	0.13	4.18	10	1121	1874	2154	5151	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

FORM 1413-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310883 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	O-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																							MAY 1972	
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.09	4.00	0	0.00	0.03	0	108	10	7	125	1400	1
1	2000	0.00	0	0.00	0.00	0	2350	100	1.1	35	0.03	0.01	0.09	4.00	32	0.00	0.03	57	108	10	6	125	2000	1
2	200	0.00	0	0.00	0.01	0	2350	100	1.1	35	0.03	0.01	0.09	3.98	32	0.00	0.03	57	108	13	4	126	200	2
2	800	0.00	0	0.00	0.01	0	2351	100	1.1	35	0.03	0.01	0.09	3.97	32	0.00	0.03	57	108	19	3	131	800	2
2	1400	0.00	0	0.00	0.01	0	2351	100	1.1	35	0.03	0.01	0.09	3.95	32	0.00	0.03	57	108	27	3	139	1400	2
2	2000	0.00	0	0.00	0.01	0	2352	100	1.1	35	0.03	0.01	0.09	3.94	31	0.00	0.03	57	108	36	3	148	2000	2
3	200	0.00	0	0.00	0.02	0	2352	100	1.1	35	0.03	0.01	0.09	3.92	31	0.00	0.02	57	107	44	3	155	200	3
3	800	0.00	0	0.00	0.02	0	2353	100	1.1	35	0.03	0.01	0.09	3.90	31	0.00	0.02	58	107	49	3	161	800	3
3	1400	0.00	0	0.00	0.02	0	2353	100	1.1	35	0.03	0.01	0.09	3.89	31	0.00	0.02	58	107	53	3	165	1400	3
3	2000	0.00	0	0.00	0.03	0	2353	100	1.1	35	0.03	0.01	0.09	3.87	31	0.00	0.02	58	107	56	3	168	2000	3
4	200	0.00	0	0.00	0.03	0	2354	100	1.1	35	0.03	0.01	0.09	3.86	31	0.00	0.02	58	107	58	3	169	200	4
4	800	0.00	0	0.00	0.03	0	2354	100	1.1	35	0.03	0.01	0.09	3.84	31	0.00	0.02	58	107	58	3	170	800	4
4	1400	0.00	0	0.00	0.04	0	2355	100	1.1	35	0.03	0.01	0.09	3.82	31	0.00	0.02	58	107	59	3	170	1400	4
4	2000	0.00	0	0.00	0.04	0	2355	100	1.1	35	0.03	0.01	0.09	3.81	30	0.00	0.02	58	107	59	3	170	2000	4
5	200	0.00	0	0.00	0.04	0	2355	100	1.1	35	0.03	0.01	0.09	3.79	30	0.00	0.02	58	107	59	3	170	200	5
5	800	0.00	0	0.00	0.04	0	2356	100	1.1	35	0.03	0.01	0.09	3.77	30	0.00	0.02	58	107	58	3	170	800	5
5	1400	0.00	0	0.00	0.05	0	2356	100	1.1	35	0.03	0.01	0.09	3.76	30	0.00	0.02	58	107	58	3	169	1400	5
5	2000	0.00	0	0.00	0.05	0	2357	100	1.1	35	0.03	0.01	0.09	3.74	30	0.00	0.02	58	107	58	2	169	2000	5
6	200	0.00	0	0.00	0.05	0	2357	100	1.1	35	0.03	0.01	0.09	3.73	30	0.00	0.02	58	107	57	2	169	200	6
6	800	0.00	0	0.00	0.05	0	2358	100	1.1	35	0.03	0.01	0.09	3.71	30	0.00	0.02	58	107	57	2	168	800	6
6	1400	0.00	0	0.00	0.06	0	2358	100	1.1	35	0.03	0.01	0.09	3.69	30	0.00	0.02	58	107	57	2	168	1400	6
6	2000	0.00	0	0.00	0.06	0	2358	100	1.1	35	0.03	0.01	0.09	3.68	29	0.00	0.02	58	107	56	2	168	2000	6
7	200	0.00	0	0.00	0.06	0	2359	100	1.1	35	0.03	0.01	0.09	3.66	29	0.00	0.02	58	107	56	2	167	200	7
7	800	0.00	0	0.00	0.07	0	2359	99	1.1	35	0.03	0.01	0.09	3.65	29	0.00	0.02	58	107	55	2	167	800	7
7	1400	0.00	0	0.00	0.07	0	2359	99	1.1	34	0.03	0.01	0.09	3.63	29	0.00	0.02	58	107	55	2	166	1400	7
7	2000	0.00	0	0.00	0.07	0	2360	99	1.1	34	0.03	0.01	0.09	3.61	29	0.00	0.02	58	107	55	2	166	2000	7
8	200	0.00	0	0.00	0.07	0	2360	99	1.1	34	0.03	0.01	0.09	3.60	29	0.00	0.02	58	107	54	2	166	200	8
8	800	0.00	0	0.00	0.08	0	2361	99	1.1	34	0.03	0.01	0.09	3.58	29	0.00	0.01	58	107	54	2	165	800	8
8	1400	0.00	0	0.00	0.08	0	2361	99	1.1	34	0.03	0.01	0.09	3.57	29	0.00	0.01	59	107	54	2	165	1400	8
8	2000	0.00	0	0.00	0.08	0	2361	99	1.1	34	0.03	0.01	0.09	3.55	28	0.00	0.01	59	107	53	2	165	2000	8
9	200	0.00	0	0.00	0.08	0	2362	99	1.1	34	0.03	0.01	0.09	3.54	28	0.00	0.01	59	107	53	2	164	200	9
9	800	0.00	0	0.00	0.09	0	2362	99	1.1	34	0.03	0.01	0.09	3.52	28	0.00	0.01	59	107	53	2	164	800	9
9	1400	0.00	0	0.00	0.09	0	2362	99	1.1	34	0.03	0.01	0.09	3.50	28	0.00	0.01	59	107	52	2	163	1400	9
9	2000	0.00	0	0.00	0.09	0	2363	99	1.1	34	0.03	0.01	0.09	3.49	28	0.00	0.01	59	107	52	2	163	2000	9
10	200	0.00	0	0.00	0.09	0	2363	99	1.1	34	0.03	0.01	0.09	3.47	28	0.00	0.01	59	107	52	2	163	200	10
10	800	0.00	0	0.00	0.10	0	2364	99	1.1	34	0.03	0.01	0.09	3.46	28	0.00	0.01	59	107	51	2	162	800	10
10	1400	0.00	0	0.00	0.10	0	2364	99	1.0	34	0.03	0.01	0.09	3.44	28	0.00	0.01	59	107	51	2	162	1400	10
10	2000	0.00	0	0.00	0.10	0	2364	99	1.0	34	0.03	0.01	0.09	3.42	27	0.00	0.01	59	107	51	2	162	2000	10
11	200	0.00	0	0.00	0.10	0	2365	99	1.0	34	0.03	0.01	0.09	3.41	27	0.00	0.01	59	107	51	2	161	200	11
11	800	0.00	0	0.00	0.11	0	2365	99	1.0	34	0.03	0.01	0.09	3.39	27	0.00	0.01	59	107	50	2	161	800	11
11	1400	0.00	0	0.00	0.11	0	2365	99	1.0	34	0.03	0.01	0.09	3.38	27	0.00	0.01	59	107	50	2	161	1400	11
11	2000	0.00	0	0.00	0.11	0	2366	99	1.0	34	0.03	0.01	0.09	3.36	27	0.00	0.01	59	107	50	2	160	2000	11
12	200	0.00	0	0.00	0.11	0	2366	99	1.0	34	0.03	0.01	0.09	3.34	27	0.00	0.01	59	107	49	2	160	200	12
12	800	0.00	0	0.00	0.12	0	2366	99	1.0	34	0.03	0.01	0.09	3.33	27	0.00	0.01	59	107	49	2	159	800	12

FORM 1411-2
PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.101 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	0	0.00	0.12	0	2367	99	1.0	34	0.03	0.01	0.09	3.31	27	0.00	0.01	59	107	49	2	159	1400	12
12	2000	0.00	0	0.00	0.12	0	2367	99	1.0	34	0.03	0.01	0.09	3.30	26	0.00	0.01	59	107	48	2	159	2000	12
13	200	0.00	0	0.00	0.12	0	2367	99	1.0	34	0.03	0.01	0.09	3.28	26	0.00	0.01	59	107	48	2	158	200	13
13	800	0.00	0	0.00	0.13	0	2368	99	1.0	34	0.03	0.01	0.09	3.27	26	0.00	0.01	59	107	48	2	158	800	13
13	1400	0.00	0	0.00	0.13	0	2368	99	1.0	34	0.03	0.01	0.09	3.25	26	0.00	0.01	59	107	48	2	158	1400	13
13	2000	0.00	0	0.00	0.13	0	2369	99	1.0	34	0.03	0.01	0.09	3.23	26	0.00	0.01	59	106	47	2	157	2000	13
14	200	0.00	0	0.00	0.13	0	2369	99	1.0	34	0.03	0.01	0.09	3.22	26	0.00	0.01	59	106	47	2	157	200	14
14	800	0.00	0	0.00	0.13	0	2369	99	1.0	34	0.03	0.01	0.09	3.20	26	0.00	0.01	59	106	47	2	156	800	14
14	1400	0.00	0	0.00	0.14	0	2370	99	1.0	34	0.03	0.01	0.09	3.19	25	0.00	0.01	59	106	46	2	156	1400	14
14	2000	0.00	0	0.00	0.14	0	2370	99	1.0	34	0.03	0.01	0.09	3.17	25	0.00	0.01	59	106	46	2	156	2000	14
15	200	0.00	0	0.00	0.14	0	2370	99	1.0	34	0.03	0.01	0.09	3.15	25	0.00	0.01	59	106	46	2	155	200	15
15	800	0.00	0	0.00	0.14	0	2370	99	1.0	34	0.03	0.01	0.09	3.14	25	0.00	0.01	59	106	46	2	155	800	15
15	1400	0.00	0	0.00	0.15	0	2371	99	1.0	34	0.03	0.01	0.09	3.12	25	0.00	0.01	59	106	45	2	155	1400	15
15	2000	0.00	0	0.00	0.15	0	2371	99	1.0	34	0.03	0.01	0.09	3.11	25	0.00	0.01	59	106	45	2	154	2000	15
16	200	0.00	0	0.00	0.15	0	2371	99	1.0	34	0.03	0.01	0.09	3.09	25	0.00	0.01	59	106	45	2	154	200	16
16	800	0.00	0	0.00	0.15	0	2372	99	1.0	34	0.03	0.01	0.09	3.08	25	0.00	0.01	59	106	44	2	153	800	16
16	1400	0.00	0	0.00	0.15	0	2372	99	1.0	34	0.03	0.01	0.09	3.06	24	0.00	0.01	59	105	44	2	153	1400	16
16	2000	0.00	0	0.00	0.16	0	2372	99	1.0	34	0.03	0.01	0.09	3.04	24	0.00	0.01	59	105	44	2	152	2000	16
17	200	0.00	0	0.00	0.16	0	2373	99	1.0	34	0.03	0.01	0.09	3.03	24	0.00	0.01	59	105	44	2	152	200	17
17	800	0.00	0	0.00	0.16	1	2373	99	1.0	34	0.03	0.01	0.09	3.01	24	0.00	0.01	59	105	43	2	152	800	17
17	1400	0.00	0	0.00	0.16	1	2373	99	1.0	34	0.03	0.01	0.09	3.00	24	0.00	0.01	59	105	43	2	151	1400	17
17	2000	0.00	0	0.00	0.17	1	2374	99	1.0	34	0.03	0.01	0.09	2.98	24	0.00	0.01	59	105	43	2	151	2000	17
18	200	0.00	0	0.00	0.17	1	2374	99	1.0	34	0.03	0.01	0.09	2.97	24	0.00	0.01	59	105	43	2	150	200	18
18	800	0.00	0	0.00	0.17	1	2374	99	1.0	34	0.03	0.01	0.09	2.95	24	0.00	0.01	59	104	42	2	150	800	18
18	1400	0.00	0	0.00	0.17	1	2375	99	1.0	34	0.03	0.01	0.09	2.93	23	0.00	0.01	59	104	42	2	150	1400	18
18	2000	0.00	0	0.00	0.17	1	2375	99	1.0	34	0.03	0.01	0.09	2.92	23	0.00	0.01	59	104	42	2	149	2000	18
19	200	0.00	0	0.00	0.18	1	2375	99	1.0	34	0.03	0.01	0.09	2.90	23	0.00	0.01	59	104	42	2	149	200	19
19	800	0.00	0	0.00	0.18	1	2375	99	1.0	34	0.03	0.01	0.09	2.89	23	0.00	0.01	59	104	41	2	148	800	19
19	1400	0.00	0	0.00	0.18	1	2376	99	1.0	34	0.03	0.01	0.09	2.87	23	0.00	0.01	59	104	41	2	148	1400	19
19	2000	0.00	0	0.00	0.18	1	2376	99	1.0	34	0.03	0.01	0.09	2.86	23	0.00	0.01	59	103	41	2	147	2000	19
20	200	0.00	0	0.00	0.18	1	2376	99	1.0	34	0.03	0.01	0.09	2.84	23	0.00	0.01	59	103	40	2	147	200	20
20	800	0.00	0	0.00	0.19	1	2377	99	1.0	34	0.03	0.01	0.09	2.83	23	0.00	0.01	59	103	40	2	146	800	20
20	1400	0.00	0	0.00	0.19	1	2377	99	1.0	34	0.03	0.01	0.09	2.81	22	0.00	0.01	59	103	40	2	146	1400	20
20	2000	0.00	0	0.00	0.19	1	2377	99	1.0	34	0.03	0.01	0.09	2.79	22	0.00	0.01	59	103	40	2	146	2000	20
21	200	0.00	0	0.00	0.19	1	2377	99	1.0	34	0.03	0.01	0.09	2.78	22	0.00	0.01	59	103	39	2	145	200	21
21	800	0.00	0	0.00	0.19	1	2378	98	1.0	34	0.03	0.01	0.09	2.76	22	0.00	0.01	59	102	39	2	145	800	21
21	1400	0.00	0	0.00	0.20	1	2378	98	1.0	33	0.03	0.01	0.09	2.75	22	0.00	0.01	59	102	39	2	144	1400	21
21	2000	0.00	0	0.00	0.20	1	2378	98	1.0	33	0.03	0.01	0.09	2.73	22	0.00	0.01	59	102	39	2	144	2000	21
22	200	0.00	0	0.00	0.20	1	2379	98	1.0	33	0.03	0.01	0.09	2.72	22	0.00	0.01	59	102	38	2	143	200	22
22	800	0.00	0	0.00	0.20	1	2379	98	1.0	33	0.03	0.01	0.09	2.70	22	0.00	0.01	59	102	38	1	143	800	22
22	1400	0.00	0	0.00	0.20	1	2379	98	1.0	33	0.03	0.01	0.09	2.68	21	0.00	0.01	59	101	38	1	142	1400	22
22	2000	0.00	0	0.00	0.20	1	2379	98	1.0	33	0.03	0.01	0.09	2.67	21	0.00	0.01	59	101	38	1	142	2000	22
23	200	0.00	0	0.00	0.21	1	2380	98	1.0	33	0.03	0.01	0.09	2.65	21	0.00	0.01	59	101	37	1	141	200	23
23	800	0.00	0	0.00	0.21	1	2380	98	1.0	33	0.03	0.01	0.09	2.64	21	0.00	0.01	59	101	37	1	141	800	23

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.102 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	0	0.00	0.21	1	2380	98	1.0	33	0.03	0.01	0.09	2.62	21	0.00	0.01	59	100	37	1	140	1400	23
23	2000	0.00	0	0.00	0.21	1	2380	98	1.0	33	0.03	0.01	0.09	2.61	21	0.00	0.01	59	100	37	1	140	2000	23
24	200	0.00	0	0.00	0.21	1	2381	98	1.0	33	0.03	0.01	0.09	2.59	21	0.00	0.01	59	100	36	1	139	200	24
24	800	0.00	0	0.00	0.22	1	2381	98	1.0	33	0.03	0.01	0.09	2.58	21	0.00	0.01	59	100	36	1	139	800	24
24	1400	0.00	0	0.00	0.22	1	2381	98	1.0	33	0.03	0.01	0.09	2.56	20	0.00	0.01	59	99	36	1	138	1400	24
24	2000	0.00	0	0.00	0.22	1	2382	98	1.0	33	0.03	0.01	0.09	2.54	20	0.00	0.01	59	99	36	1	138	2000	24
25	200	0.00	0	0.00	0.22	1	2382	98	1.0	33	0.03	0.01	0.09	2.53	20	0.00	0.01	59	99	35	1	137	200	25
25	800	0.00	0	0.00	0.22	1	2382	98	1.0	33	0.03	0.01	0.09	2.51	20	0.00	0.01	59	99	35	1	137	800	25
25	1400	0.00	0	0.00	0.22	1	2382	98	1.0	33	0.03	0.01	0.09	2.50	20	0.00	0.01	59	98	35	1	136	1400	25
25	2000	0.00	0	0.00	0.23	1	2383	98	1.0	33	0.03	0.01	0.09	2.48	20	0.00	0.01	59	98	35	1	136	2000	25
26	200	0.00	0	0.00	0.23	1	2383	98	1.0	33	0.03	0.01	0.09	2.47	20	0.00	0.01	59	98	34	1	135	200	26
26	800	0.00	0	0.00	0.23	1	2383	98	1.0	33	0.03	0.01	0.09	2.45	20	0.00	0.01	59	98	34	1	135	800	26
26	1400	0.00	0	0.00	0.23	1	2383	98	1.0	33	0.03	0.01	0.09	2.44	20	0.00	0.01	59	97	34	1	134	1400	26
26	2000	0.00	0	0.00	0.23	1	2384	98	1.0	33	0.03	0.01	0.09	2.42	20	0.00	0.01	59	97	34	1	134	2000	26
27	200	0.00	0	0.00	0.23	1	2384	98	1.0	33	0.03	0.01	0.09	2.41	20	0.00	0.01	59	97	34	1	133	200	27
27	800	0.00	0	0.00	0.24	1	2384	98	1.0	33	0.03	0.01	0.09	2.39	20	0.00	0.01	59	96	34	1	133	800	27
27	1400	0.00	0	0.00	0.24	1	2384	98	1.0	33	0.03	0.01	0.09	2.37	19	0.00	0.01	59	96	33	1	132	1400	27
27	2000	0.00	0	0.00	0.24	1	2384	98	1.0	33	0.03	0.01	0.09	2.36	19	0.00	0.01	59	96	33	1	132	2000	27
28	200	0.00	0	0.00	0.24	1	2385	98	1.0	33	0.03	0.01	0.09	2.34	19	0.00	0.01	59	96	33	1	131	200	28
28	800	0.00	0	0.00	0.24	1	2385	98	1.0	33	0.03	0.01	0.09	2.33	19	0.00	0.01	59	95	33	1	131	800	28
28	1400	0.00	0	0.00	0.24	1	2385	98	1.0	33	0.03	0.01	0.09	2.31	19	0.00	0.01	59	95	33	1	131	1400	28
28	2000	0.00	0	0.00	0.25	1	2385	98	1.0	33	0.03	0.01	0.09	2.30	19	0.00	0.01	59	95	33	1	130	2000	28
29	200	0.00	0	0.00	0.25	1	2386	98	1.0	33	0.03	0.01	0.09	2.28	19	0.00	0.01	59	94	33	1	130	200	29
29	800	0.00	0	0.00	0.25	1	2386	98	1.0	33	0.03	0.01	0.09	2.27	19	0.00	0.01	59	94	32	1	129	800	29
29	1400	0.00	0	0.00	0.25	1	2386	98	1.0	33	0.03	0.01	0.09	2.25	19	0.00	0.01	59	94	32	1	129	1400	29
29	2000	0.00	0	0.00	0.25	1	2386	98	1.0	33	0.03	0.01	0.09	2.24	19	0.00	0.01	59	93	32	1	128	2000	29
30	200	0.00	0	0.00	0.25	1	2387	98	1.0	33	0.03	0.01	0.09	2.22	19	0.00	0.01	59	93	32	1	128	200	30
30	800	0.00	0	0.00	0.26	1	2387	98	1.0	33	0.03	0.01	0.09	2.20	19	0.00	0.01	59	93	32	1	127	800	30
30	1400	0.00	0	0.00	0.26	1	2387	98	1.0	33	0.03	0.01	0.09	2.19	19	0.00	0.01	59	93	32	1	127	1400	30
30	2000	0.00	0	0.00	0.26	1	2387	98	1.0	33	0.03	0.01	0.09	2.17	19	0.00	0.01	59	92	32	1	127	2000	30
31	200	0.00	0	0.00	0.26	1	2388	98	1.0	33	0.03	0.01	0.09	2.16	19	0.00	0.01	59	92	32	1	126	200	31
31	800	0.00	0	0.00	0.26	1	2388	98	1.0	33	0.03	0.01	0.09	2.14	19	0.00	0.01	59	92	31	1	126	800	31
31	1400	0.00	0	0.00	0.26	1	2388	98	1.0	33	0.03	0.01	0.09	2.13	19	0.00	0.01	59	91	31	1	125	1400	31
31	2000	0.00	0	0.00	0.27	1	2388	98	1.0	33	0.03	0.01	0.09	2.11	18	0.00	0.01	59	91	31	1	125	2000	31

FORM 141-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. 310881 INITIAL DATE, HOUR 1 MAY 1972 1400 JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.102 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	R-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	0	0.00	0.27	1	2388	98	1.0	33	0.03	0.01	0.09	2.10	18	0.00	0.01	59	91	31	1	124	200	1
1	800	0.00	0	0.00	0.27	1	2389	98	1.0	33	0.03	0.01	0.09	2.08	18	0.00	0.01	59	90	31	1	124	800	1
1	1400	0.00	0	0.00	0.27	1	2389	98	1.0	33	0.03	0.01	0.09	2.07	18	0.00	0.01	59	90	31	1	123	1400	1
1	2000	0.00	0	0.00	0.27	1	2389	98	1.0	33	0.03	0.01	0.09	2.05	18	0.00	0.01	59	90	31	1	123	2000	1
2	200	0.00	0	0.00	0.27	1	2389	98	1.0	33	0.03	0.01	0.09	2.03	18	0.00	0.01	59	89	31	1	122	200	2
2	800	0.00	0	0.00	0.27	1	2390	98	1.0	33	0.03	0.01	0.09	2.02	18	0.00	0.01	59	89	30	1	122	800	2
2	1400	0.00	0	0.00	0.28	1	2390	98	1.0	33	0.03	0.01	0.09	2.00	18	0.00	0.01	59	89	30	1	121	1400	2
2	2000	0.00	0	0.00	0.28	1	2390	98	1.0	33	0.03	0.01	0.09	1.99	18	0.00	0.01	59	88	30	1	121	2000	2
3	200	0.00	0	0.00	0.28	1	2390	98	1.0	33	0.03	0.01	0.09	1.97	18	0.00	0.01	59	88	30	1	121	200	3
3	800	0.00	0	0.00	0.28	1	2390	98	1.0	33	0.03	0.01	0.09	1.96	18	0.00	0.01	59	88	30	1	120	800	3
3	1400	0.00	0	0.00	0.28	1	2391	98	1.0	33	0.03	0.01	0.09	1.94	18	0.00	0.01	59	87	30	1	120	1400	3
3	2000	0.00	0	0.00	0.28	1	2391	98	1.0	33	0.03	0.01	0.09	1.93	18	0.00	0.01	59	87	30	1	119	2000	3
4	200	0.00	2	0.00	0.29	1	2391	98	1.6	47	0.04	0.02	0.09	1.91	18	0.00	0.01	59	87	30	1	119	200	4
4	800	0.00	2	0.00	0.29	1	2392	98	1.6	47	0.04	0.02	0.09	1.90	18	0.00	0.01	59	86	32	2	122	800	4
4	1400	0.00	35	0.00	0.30	1	2392	98	2.6	75	0.07	0.05	0.09	1.90	18	0.01	0.01	59	86	37	3	128	1400	4
4	2000	0.00	35	0.00	0.31	1	2393	98	2.6	75	0.07	0.05	0.09	1.92	18	0.01	0.01	59	85	49	6	142	2000	4
5	200	0.00	78	0.00	0.33	1	2395	97	5.1	91	0.13	0.12	0.09	1.94	18	0.02	0.02	59	85	71	10	167	200	5
5	800	0.00	85	0.00	0.36	1	2398	97	6.0	94	0.15	0.14	0.09	2.02	18	0.03	0.02	58	85	108	17	211	800	5
5	1400	0.00	96	0.00	0.40	1	2402	97	9.0	94	0.23	0.22	0.09	2.12	18	0.04	0.03	58	84	169	25	280	1400	5
5	2000	0.00	97	0.00	0.45	1	2407	96	11.8	97	0.31	0.30	0.09	2.28	19	0.06	0.04	57	84	259	37	382	2000	5
6	200	0.00	100	0.00	0.52	2	2416	96	12.8	96	0.33	0.32	0.09	2.50	20	0.06	0.05	56	84	387	52	525	200	6
6	800	0.00	100	0.00	0.60	2	2425	95	15.8	96	0.41	0.39	0.09	2.75	22	0.09	0.07	55	83	557	68	709	800	6
6	1400	0.00	100	0.00	0.71	2	2437	94	17.8	95	0.47	0.44	0.09	3.05	24	0.11	0.09	53	83	772	89	946	1400	6
6	2000	0.00	100	0.00	0.84	3	2453	93	19.8	94	0.52	0.49	0.09	3.38	27	0.13	0.12	51	83	1044	120	1249	2000	6
7	200	0.00	100	0.00	1.01	3	2472	92	22.7	93	0.61	0.56	0.09	3.74	30	0.17	0.16	49	82	1389	173	1646	200	7
7	800	0.00	100	0.00	1.22	4	2497	91	24.7	92	0.67	0.61	0.09	4.15	33	0.20	0.20	47	82	1824	256	2163	800	7
7	1400	0.00	100	0.00	1.46	5	2526	89	26.6	90	0.73	0.66	0.09	4.58	37	0.24	0.25	45	82	2364	368	2815	1400	7
7	2000	0.00	100	0.00	1.71	5	2561	87	26.1	89	0.73	0.64	0.09	5.03	40	0.26	0.31	41	81	3014	518	3615	2000	7
8	200	0.00	100	0.00	1.97	6	2599	85	25.3	87	0.72	0.62	0.09	5.45	41	0.26	0.36	37	81	3754	673	4509	200	8
8	800	0.00	100	0.00	2.23	7	2636	83	25.2	85	0.73	0.61	0.09	5.86	42	0.26	0.41	34	81	4536	805	5423	800	8
8	1400	0.01	100	0.00	2.49	8	2674	81	24.3	82	0.71	0.60	0.09	6.26	44	0.26	0.46	32	81	5301	921	6303	1400	8
8	2000	0.01	100	0.01	2.75	9	2711	79	24.3	80	0.72	0.59	0.09	6.66	45	0.27	0.51	30	81	6000	1020	7102	2000	8
9	200	0.03	100	0.02	3.01	9	2740	78	23.7	79	0.72	0.60	0.09	7.05	46	0.27	0.57	29	80	6610	1117	7809	200	9
9	800	0.03	100	0.04	3.28	10	2765	76	23.7	78	0.73	0.60	0.09	7.44	47	0.28	0.62	28	80	7134	1230	8446	800	9
9	1400	0.03	100	0.05	3.54	11	2791	75	23.1	76	0.73	0.58	0.09	7.83	48	0.28	0.67	27	80	7584	1349	9015	1400	9
9	2000	0.03	100	0.07	3.81	12	2816	73	23.1	75	0.74	0.58	0.09	8.21	49	0.29	0.72	26	81	7967	1458	9507	2000	9
10	200	0.09	100	0.11	4.08	13	2843	72	22.2	73	0.72	0.62	0.09	8.59	50	0.31	0.77	25	81	8301	1606	9989	200	10
10	800	0.10	100	0.16	4.35	14	2868	71	22.2	72	0.73	0.62	0.09	8.99	51	0.32	0.83	24	81	8614	1836	10533	800	10
10	1400	0.19	100	0.21	4.62	14	2894	69	21.9	71	0.73	0.61	0.09	9.39	53	0.32	0.88	23	82	8932	2074	11090	1400	10
10	2000	0.19	100	0.26	4.90	15	2921	68	21.9	69	0.74	0.61	0.09	9.78	54	0.33	0.94	22	83	9252	2275	11612	2000	10
11	200	0.07	100	0.30	5.17	16	2947	66	21.0	68	0.73	0.56	0.09	10.16	55	0.31	0.99	21	84	9551	2417	12053	200	11
11	800	0.07	100	0.34	5.44	17	2974	65	21.0	66	0.74	0.56	0.09	10.52	56	0.31	1.04	20	85	9798	2452	12336	800	11
11	1400	0.11	100	0.40	5.71	18	3000	64	20.7	65	0.74	0.58	0.09	10.87	57	0.33	1.09	20	86	9978	2556	12622	1400	11
11	2000	0.25	100	0.55	5.98	19	3030	62	20.7	63	0.75	0.73	0.09	11.23	58	0.42	1.16	19	88	10135	3033	13257	2000	11

FORM 1115
PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.149 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.09	100	0.60	6.24	19	3060	61	18.6	62	0.68	0.51	0.09	11.66	59	0.30	1.20	18	89	10326	3687	14103	200	12
12	800	0.09	100	0.65	6.47	20	3088	60	17.6	61	0.65	0.48	0.09	11.97	60	0.29	1.24	18	91	10516	3327	13936	800	12
12	1400	0.12	100	0.72	6.70	21	3112	59	16.5	60	0.62	0.49	0.09	12.26	61	0.30	1.27	18	94	10603	2822	13520	1400	12
12	2000	0.29	100	0.90	6.92	22	3131	58	15.5	59	0.60	0.64	0.09	12.54	63	0.40	1.33	17	96	10589	2926	13614	2000	12
13	200	0.12	100	0.98	7.15	22	3150	57	15.5	58	0.61	0.47	0.09	12.87	64	0.30	1.36	17	99	10577	3520	14198	200	13
13	800	0.12	100	1.05	7.38	23	3169	56	15.4	57	0.62	0.47	0.09	13.12	66	0.31	1.40	16	103	10501	3386	14092	800	13
13	1400	0.15	100	1.15	7.62	24	3188	55	15.4	56	0.63	0.51	0.09	13.37	67	0.34	1.44	16	106	10613	3246	13967	1400	13
13	2000	0.39	100	1.42	7.86	25	3207	54	15.4	55	0.64	0.75	0.09	13.62	68	0.51	1.52	16	110	10633	4077	14821	2000	13
14	200	0.14	100	1.52	8.09	25	3227	53	14.5	54	0.62	0.48	0.09	13.95	70	0.33	1.56	15	115	10751	5616	16483	200	14
14	800	0.14	100	1.62	8.33	26	3247	52	14.5	53	0.63	0.48	0.09	14.18	71	0.34	1.60	14	120	10947	5204	16272	800	14
14	1400	0.19	100	1.75	8.57	27	3267	52	14.5	52	0.64	0.52	0.09	14.40	72	0.38	1.64	14	125	11101	4626	15853	1400	14
14	2000	0.47	100	2.10	8.82	28	3287	51	14.4	51	0.65	0.81	0.09	14.63	73	0.59	1.74	14	130	11199	5763	17094	2000	14
15	200	0.24	100	2.27	9.08	28	3307	50	15.4	50	0.71	0.59	0.09	14.93	75	0.44	1.81	13	136	11336	8481	19955	200	15
15	800	0.24	100	2.45	9.35	29	3329	48	15.4	49	0.72	0.59	0.09	15.17	75	0.44	1.87	12	143	11540	8868	20552	800	15
15	1400	0.31	100	2.68	9.62	30	3352	47	15.3	48	0.73	0.67	0.09	15.40	75	0.50	1.95	11	150	11737	8775	20663	1400	15
15	2000	0.78	100	3.27	9.88	31	3374	46	15.3	47	0.75	1.14	0.09	15.66	75	0.85	2.10	11	157	11900	11491	23549	2000	15
16	200	0.43	100	3.59	10.13	32	3396	45	14.1	46	0.70	0.75	0.09	16.05	75	0.56	2.18	10	165	12082	16701	28949	200	16
16	800	0.18	100	3.72	10.33	32	3416	45	12.0	45	0.61	0.45	0.09	16.33	75	0.34	2.19	10	173	12275	15245	27695	800	16
16	1400	0.12	100	3.81	10.54	33	3433	44	12.0	45	0.62	0.40	0.09	16.52	75	0.30	2.20	10	182	12347	9775	22305	1400	16
16	2000	0.12	100	3.91	10.76	34	3450	43	13.0	44	0.68	0.42	0.09	16.70	75	0.32	2.21	10	191	12180	6174	18546	2000	16
17	200	0.29	100	4.13	10.98	34	3469	42	13.1	43	0.69	0.59	0.09	16.90	75	0.44	2.26	10	200	11819	5604	17625	200	17
17	800	0.12	100	4.22	11.21	35	3487	41	13.1	42	0.70	0.42	0.09	17.14	75	0.31	2.27	10	210	11415	6658	18285	800	17
17	1400	0.09	100	4.28	11.43	36	3506	40	13.1	41	0.71	0.38	0.09	17.34	75	0.28	2.28	10	221	11047	6100	17369	1400	17
17	2000	0.09	100	4.35	11.64	36	3524	40	13.1	40	0.72	0.38	0.09	17.53	75	0.28	2.29	10	232	10678	5076	15987	2000	17
18	200	0.00	100	4.35	11.88	37	3539	39	14.0	40	0.78	0.31	0.09	17.73	75	0.23	2.30	10	243	10266	4467	14978	200	18
18	800	0.00	100	4.35	12.11	38	3552	38	14.0	39	0.80	0.31	0.09	17.90	75	0.23	2.30	10	255	9794	3950	14001	800	18
18	1400	0.00	100	4.35	12.34	39	3566	38	14.0	38	0.81	0.31	0.09	18.08	75	0.23	2.31	10	268	9274	3673	13216	1400	18
18	2000	0.00	100	4.35	12.57	39	3579	37	14.0	38	0.82	0.31	0.09	18.26	75	0.23	2.32	10	280	8751	3608	12640	2000	18
19	200	0.00	100	4.35	12.85	40	3593	36	16.7	37	0.99	0.37	0.09	18.45	75	0.28	2.36	10	294	8281	3883	12459	200	19
19	800	0.00	100	4.35	13.15	41	3609	36	18.7	36	1.13	0.41	0.09	18.68	75	0.31	2.43	10	307	7896	4959	13163	800	19
19	1400	0.00	100	4.35	13.49	42	3626	35	20.7	35	1.27	0.45	0.09	18.94	75	0.34	2.51	10	321	7598	6461	14382	1400	19
19	2000	0.00	100	4.35	13.86	43	3646	34	22.8	35	1.44	0.50	0.09	19.25	75	0.37	2.62	10	336	7370	8083	15791	2000	19
20	200	0.00	100	4.35	14.25	45	3667	33	23.6	34	1.54	0.52	0.09	19.59	75	0.39	2.75	10	350	7185	9653	17190	200	20
20	800	0.00	100	4.35	14.63	46	3690	32	23.5	32	1.57	0.51	0.09	19.97	75	0.38	2.87	10	366	7018	10764	18149	800	20
20	1400	0.00	100	4.35	15.01	47	3712	31	23.4	31	1.61	0.50	0.09	20.35	75	0.38	2.99	10	381	6856	11270	18509	1400	20
20	2000	0.00	100	4.35	15.39	48	3734	29	23.3	30	1.64	0.50	0.09	20.74	75	0.37	3.11	10	397	6689	11428	18515	2000	20
21	200	0.00	100	4.35	15.81	49	3755	28	27.0	29	1.94	0.57	0.09	21.14	75	0.43	3.29	10	413	6515	11818	18748	200	21
21	800	0.00	100	4.35	16.24	51	3780	27	26.8	28	1.99	0.56	0.09	21.62	75	0.42	3.45	10	430	6334	12964	19730	800	21
21	1400	0.00	100	4.35	16.65	52	3805	26	26.7	27	2.02	0.55	0.09	22.11	75	0.41	3.62	10	447	6146	13694	20289	1400	21
21	2000	0.00	100	4.35	17.04	53	3828	25	26.6	26	2.04	0.53	0.09	22.61	75	0.40	3.78	10	464	5952	13775	20193	2000	21
22	200	0.00	100	4.35	17.46	55	3851	24	28.5	25	2.21	0.55	0.09	23.12	75	0.41	3.96	10	482	5752	13706	19941	200	22
22	800	0.00	100	4.35	17.85	56	3875	23	28.5	24	2.23	0.53	0.09	23.67	75	0.40	4.14	10	499	5548	13904	19952	800	22
22	1400	0.00	100	4.35	18.24	57	3898	22	28.2	23	2.25	0.51	0.09	24.23	75	0.38	4.31	10	517	5341	13073	19732	1400	22
22	2000	0.00	100	4.35	18.61	58	3920	21	28.1	22	2.27	0.49	0.09	24.79	75	0.37	4.47	10	535	5132	13554	19223	2000	22

FORM 1311-5
PRINTED IN U.S.A.

BASIN RESULTS - STATION 18.0 SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.331 IN./DEGREE-DAY, AREA = 477.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BFI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	4.35	18.95	59	3942	20	27.0	21	2.21	0.46	0.09	25.36	75	0.34	4.61	10	554	4924	13042	18521	200	23
23	800	0.00	100	4.35	19.28	60	3960	19	26.9	20	2.22	0.44	0.09	25.91	75	0.33	4.74	10	573	4717	12343	17634	800	23
23	1400	0.00	100	4.35	19.60	61	3970	19	26.8	19	2.24	0.43	0.09	26.45	75	0.32	4.86	10	591	4515	11777	16885	1400	23
23	2000	0.00	100	4.35	19.92	62	3981	18	26.8	19	2.26	0.42	0.09	27.00	75	0.32	4.98	10	610	4323	11440	16374	2000	23
24	200	0.00	100	4.35	20.16	63	3991	18	20.7	18	1.76	0.32	0.09	27.55	75	0.24	5.01	10	629	4146	10792	15569	200	24
24	800	0.00	100	4.35	20.40	64	3999	18	20.7	18	1.77	0.32	0.09	27.98	75	0.24	5.03	10	649	3988	9240	13878	800	24
24	1400	0.00	100	4.35	20.64	64	4022	17	20.6	18	1.78	0.31	0.09	28.40	75	0.24	5.05	10	668	3849	8130	12648	1400	24
24	2000	0.00	100	4.35	20.87	65	4047	17	20.6	17	1.79	0.31	0.09	28.83	75	0.23	5.08	10	687	3727	7671	12087	2000	24
25	200	0.00	100	4.35	21.06	66	4072	17	17.5	17	1.54	0.26	0.09	29.26	75	0.19	5.05	10	707	3620	7277	11605	200	25
25	800	0.00	100	4.35	21.26	66	4092	16	17.5	17	1.54	0.26	0.09	29.63	75	0.19	5.03	10	726	3525	6509	10763	800	25
25	1400	0.00	100	4.35	21.44	67	4113	16	17.5	16	1.55	0.25	0.09	29.99	75	0.19	5.01	10	746	3440	5961	10149	1400	25
25	2000	0.00	100	4.35	21.63	68	4133	16	17.4	16	1.55	0.25	0.09	30.36	75	0.19	5.00	10	766	3363	5722	9853	2000	25
26	200	0.00	100	4.35	21.80	68	4152	16	16.4	16	1.47	0.23	0.09	30.73	75	0.17	4.96	10	785	3292	5546	9625	200	26
26	800	0.00	100	4.35	21.98	69	4171	15	16.4	15	1.47	0.23	0.09	31.08	75	0.17	4.94	10	805	3226	5262	9295	800	26
26	1400	0.00	100	4.35	22.14	69	4189	15	16.3	15	1.48	0.22	0.09	31.43	75	0.17	4.91	10	825	3164	5050	9041	1400	26
26	2000	0.00	100	4.35	22.31	70	4207	15	16.3	15	1.48	0.22	0.09	31.78	75	0.17	4.89	10	844	3106	4937	8888	2000	26
27	200	0.00	100	4.35	22.46	70	4224	15	15.3	15	1.40	0.20	0.09	32.13	75	0.15	4.85	10	864	3050	4802	8717	200	27
27	800	0.00	100	4.35	22.62	71	4241	14	15.3	14	1.40	0.20	0.09	32.46	75	0.15	4.81	10	883	2996	4543	8424	800	27
27	1400	0.00	100	4.35	22.77	71	4257	14	15.2	14	1.40	0.20	0.09	32.79	75	0.15	4.78	10	903	2944	4349	8197	1400	27
27	2000	0.00	100	4.35	22.91	72	4272	14	15.2	14	1.41	0.20	0.09	33.12	75	0.15	4.75	10	922	2893	4247	8064	2000	27
28	200	0.00	100	4.35	23.06	72	4288	14	15.2	14	1.41	0.19	0.09	33.45	75	0.15	4.72	10	942	2845	4183	7971	200	28
28	800	0.00	100	4.35	23.20	73	4304	13	15.1	14	1.41	0.19	0.09	33.78	75	0.14	4.70	10	961	2797	4130	7889	800	28
28	1400	0.00	100	4.35	23.35	73	4319	13	15.1	13	1.42	0.19	0.09	34.11	75	0.14	4.67	10	980	2751	4079	7811	1400	28
28	2000	0.00	100	4.35	23.48	73	4334	13	15.1	13	1.42	0.19	0.09	34.45	75	0.14	4.65	10	999	2706	4028	7735	2000	28
29	200	0.00	100	4.35	23.61	74	4349	13	14.1	13	1.33	0.17	0.09	34.78	75	0.13	4.62	10	1017	2662	3923	7604	200	29
29	800	0.00	100	4.35	23.74	74	4362	13	14.1	13	1.33	0.17	0.09	35.09	75	0.13	4.58	10	1036	2619	3695	7351	800	29
29	1400	0.00	100	4.35	23.87	75	4376	12	14.0	12	1.33	0.17	0.09	35.41	75	0.13	4.55	10	1054	2577	3523	7155	1400	29
29	2000	0.00	100	4.35	23.99	75	4389	12	14.0	12	1.34	0.16	0.09	35.72	75	0.12	4.52	10	1072	2535	3434	7044	2000	29
30	200	0.00	100	4.35	24.10	75	4402	12	13.0	12	1.24	0.15	0.09	36.03	75	0.11	4.48	10	1090	2495	3328	6915	200	30
30	800	0.00	100	4.35	24.21	76	4414	12	13.0	12	1.25	0.15	0.09	36.32	75	0.11	4.44	10	1108	2456	3114	6680	800	30
30	1400	0.00	100	4.35	24.32	76	4426	12	12.9	12	1.25	0.15	0.09	36.61	75	0.11	4.40	10	1125	2418	2956	6501	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE,LAPSE=Y

FORM 1417-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF

N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.09	8.00	0	0.00	0.03	0	10	10	10	30	1400	1
1	2000	0.00	0	0.00	0.00	0	3150	100	0.6	4	0.01	0.00	0.05	8.00	95	0.00	0.03	100	9	9	9	29	2000	1
2	200	0.00	0	0.00	0.00	0	3150	100	0.6	4	0.01	0.00	0.05	7.99	95	0.00	0.03	100	9	9	7	26	200	2
2	800	0.00	0	0.00	0.00	0	3150	100	0.6	4	0.01	0.00	0.05	7.98	95	0.00	0.03	100	9	8	4	22	800	2
2	1400	0.00	0	0.00	0.00	0	3150	100	0.6	4	0.01	0.00	0.05	7.96	95	0.00	0.02	100	9	6	2	19	1400	2
2	2000	0.00	0	0.00	0.00	0	3150	100	0.6	4	0.01	0.00	0.05	7.95	95	0.00	0.02	100	9	5	1	16	2000	2
3	200	0.00	0	0.00	0.00	0	3150	100	0.6	4	0.01	0.00	0.05	7.94	95	0.00	0.02	100	8	4	0	13	200	3
3	800	0.00	0	0.00	0.00	0	3150	100	0.6	4	0.01	0.00	0.05	7.93	95	0.00	0.02	100	8	3	0	12	800	3
3	1400	0.00	0	0.00	0.00	0	3150	100	0.6	4	0.02	0.00	0.05	7.91	95	0.00	0.02	100	7	2	0	10	1400	3
3	2000	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.90	95	0.00	0.02	100	7	1	0	9	2000	3
4	200	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.89	95	0.00	0.02	100	6	1	0	8	200	4
4	800	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.88	95	0.00	0.02	100	6	0	0	7	800	4
4	1400	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.86	95	0.00	0.02	100	5	0	0	6	1400	4
4	2000	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.85	95	0.00	0.02	100	5	0	0	6	2000	4
5	200	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.84	95	0.00	0.01	100	5	0	0	5	200	5
5	800	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.83	95	0.00	0.01	100	4	0	0	5	800	5
5	1400	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.81	95	0.00	0.01	100	4	0	0	5	1400	5
5	2000	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.80	95	0.00	0.01	100	4	0	0	4	2000	5
6	200	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.79	95	0.00	0.01	100	4	0	0	4	200	6
6	800	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.78	95	0.00	0.01	100	3	0	0	4	800	6
6	1400	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.76	95	0.00	0.01	100	3	0	0	4	1400	6
6	2000	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.75	95	0.00	0.01	100	3	0	0	4	2000	6
7	200	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.74	95	0.00	0.01	100	3	0	0	4	200	7
7	800	0.00	0	0.00	0.01	0	3150	100	0.6	4	0.02	0.00	0.05	7.73	95	0.00	0.01	100	3	0	0	4	800	7
7	1400	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.71	95	0.00	0.01	100	3	0	0	3	1400	7
7	2000	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.70	95	0.00	0.01	100	3	0	0	3	2000	7
8	200	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.69	95	0.00	0.01	100	3	0	0	3	200	8
8	800	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.68	95	0.00	0.01	100	3	0	0	3	800	8
8	1400	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.66	95	0.00	0.01	100	3	0	0	3	1400	8
8	2000	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.65	95	0.00	0.01	100	3	0	0	3	2000	8
9	200	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.64	95	0.00	0.01	100	3	0	0	3	200	9
9	800	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.63	95	0.00	0.01	100	3	0	0	3	800	9
9	1400	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.61	95	0.00	0.01	100	3	0	0	3	1400	9
9	2000	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.60	95	0.00	0.01	100	3	0	0	3	2000	9
10	200	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.59	95	0.00	0.01	100	3	0	0	3	200	10
10	800	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.58	95	0.00	0.01	100	3	0	0	3	800	10
10	1400	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.56	95	0.00	0.01	100	3	0	0	3	1400	10
10	2000	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.55	95	0.00	0.01	100	3	0	0	3	2000	10
11	200	0.00	0	0.00	0.02	0	3150	100	0.6	4	0.02	0.00	0.05	7.54	95	0.00	0.01	100	3	0	0	3	200	11
11	800	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.53	95	0.00	0.01	100	3	0	0	3	800	11
11	1400	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.51	95	0.00	0.01	100	3	0	0	3	1400	11
11	2000	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.50	95	0.00	0.00	100	3	0	0	3	2000	11
12	200	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.49	95	0.00	0.00	100	3	0	0	3	200	12
12	800	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.48	95	0.00	0.00	100	3	0	0	3	800	12

PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	HEP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.46	95	0.00	0.00	100	3	0	0	3	1400	12
12	2000	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.45	95	0.00	0.00	100	3	0	0	3	2000	12
13	200	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.44	95	0.00	0.00	100	3	0	0	3	200	13
13	800	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.43	95	0.00	0.00	100	3	0	0	3	800	13
13	1400	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.41	95	0.00	0.00	100	3	0	0	3	1400	13
13	2000	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.40	95	0.00	0.00	100	3	0	0	3	2000	13
14	200	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.39	95	0.00	0.00	100	3	0	0	3	200	14
14	800	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.38	95	0.00	0.00	100	3	0	0	3	800	14
14	1400	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.36	95	0.00	0.00	100	3	0	0	3	1400	14
14	2000	0.00	0	0.00	0.03	0	3150	100	0.6	4	0.02	0.00	0.05	7.35	95	0.00	0.00	100	3	0	0	3	2000	14
15	200	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.34	95	0.00	0.00	100	3	0	0	3	200	15
15	800	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.33	95	0.00	0.00	100	3	0	0	3	800	15
15	1400	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.31	95	0.00	0.00	100	3	0	0	3	1400	15
15	2000	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.30	95	0.00	0.00	100	3	0	0	3	2000	15
16	200	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.29	95	0.00	0.00	100	3	0	0	3	200	16
16	800	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.28	95	0.00	0.00	100	3	0	0	3	800	16
16	1400	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.26	95	0.00	0.00	100	3	0	0	3	1400	16
16	2000	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.25	95	0.00	0.00	100	3	0	0	3	2000	16
17	200	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.24	95	0.00	0.00	100	3	0	0	3	200	17
17	800	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.23	95	0.00	0.00	100	3	0	0	3	800	17
17	1400	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.21	95	0.00	0.00	100	3	0	0	3	1400	17
17	2000	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.20	95	0.00	0.00	100	3	0	0	3	2000	17
18	200	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.19	95	0.00	0.00	100	3	0	0	3	200	18
18	800	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.18	95	0.00	0.00	100	3	0	0	3	800	18
18	1400	0.00	0	0.00	0.04	0	3150	100	0.6	4	0.02	0.00	0.05	7.16	95	0.00	0.00	100	3	0	0	3	1400	18
18	2000	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.15	95	0.00	0.00	100	3	0	0	3	2000	18
19	200	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.14	95	0.00	0.00	100	3	0	0	3	200	19
19	800	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.13	95	0.00	0.00	100	3	0	0	3	800	19
19	1400	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.11	95	0.00	0.00	100	3	0	0	3	1400	19
19	2000	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.10	95	0.00	0.00	100	3	0	0	3	2000	19
20	200	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.09	95	0.00	0.00	100	3	0	0	3	200	20
20	800	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.08	95	0.00	0.00	100	3	0	0	3	800	20
20	1400	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.07	95	0.00	0.00	100	3	0	0	3	1400	20
20	2000	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.05	95	0.00	0.00	100	3	0	0	3	2000	20
21	200	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.04	95	0.00	0.00	100	3	0	0	3	200	21
21	800	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.03	95	0.00	0.00	100	3	0	0	3	800	21
21	1400	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.02	95	0.00	0.00	100	3	0	0	3	1400	21
21	2000	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	7.00	95	0.00	0.00	100	3	0	0	3	2000	21
22	200	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	6.99	95	0.00	0.00	100	3	0	0	3	200	22
22	800	0.00	0	0.00	0.05	0	3150	100	0.6	4	0.02	0.00	0.05	6.98	95	0.00	0.00	100	3	0	0	3	800	22
22	1400	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.97	95	0.00	0.00	100	3	0	0	3	1400	22
22	2000	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.95	95	0.00	0.00	100	3	0	0	3	2000	22
23	200	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.94	95	0.00	0.00	100	3	0	0	3	200	23
23	800	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.93	95	0.00	0.00	100	3	0	0	3	800	23

FORM 1611-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.92	95	0.00	0.00	100	3	0	0	3	1400	23
23	2000	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.90	95	0.00	0.00	100	3	0	0	3	2000	23
24	200	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.89	95	0.00	0.00	100	3	0	0	3	200	24
24	800	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.88	95	0.00	0.00	100	3	0	0	3	800	24
24	1400	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.87	95	0.00	0.00	100	3	0	0	3	1400	24
24	2000	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.85	95	0.00	0.00	100	3	0	0	3	2000	24
25	200	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.84	95	0.00	0.00	100	3	0	0	3	200	25
25	800	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.83	95	0.00	0.00	100	3	0	0	3	800	25
25	1400	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.82	95	0.00	0.00	100	3	0	0	3	1400	25
25	2000	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.80	95	0.00	0.00	100	3	0	0	3	2000	25
26	200	0.00	0	0.00	0.06	0	3150	100	0.6	4	0.02	0.00	0.05	6.79	95	0.00	0.00	100	3	0	0	3	200	26
26	800	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.78	95	0.00	0.00	100	3	0	0	3	800	26
26	1400	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.77	95	0.00	0.00	100	3	0	0	3	1400	26
26	2000	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.75	95	0.00	0.00	100	3	0	0	3	2000	26
27	200	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.74	95	0.00	0.00	100	3	0	0	3	200	27
27	800	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.73	95	0.00	0.00	100	3	0	0	3	800	27
27	1400	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.72	95	0.00	0.00	100	3	0	0	3	1400	27
27	2000	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.70	95	0.00	0.00	100	3	0	0	3	2000	27
28	200	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.69	95	0.00	0.00	100	3	0	0	3	200	28
28	800	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.68	95	0.00	0.00	100	3	0	0	3	800	28
28	1400	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.67	95	0.00	0.00	100	3	0	0	3	1400	28
28	2000	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.65	95	0.00	0.00	100	3	0	0	3	2000	28
29	200	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.64	95	0.00	0.00	100	3	0	0	3	200	29
29	800	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.63	95	0.00	0.00	100	3	0	0	3	800	29
29	1400	0.00	0	0.00	0.07	0	3150	100	0.6	4	0.02	0.00	0.05	6.62	95	0.00	0.00	100	3	0	0	3	1400	29
29	2000	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.05	6.60	95	0.00	0.00	100	3	0	0	3	2000	29
30	200	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.05	6.59	95	0.00	0.00	100	3	0	0	3	200	30
30	800	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.05	6.58	95	0.00	0.00	100	3	0	0	3	800	30
30	1400	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.05	6.57	95	0.00	0.00	100	3	0	0	3	1400	30
30	2000	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.05	6.55	95	0.00	0.00	100	3	0	0	3	2000	30
31	200	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.05	6.54	95	0.00	0.00	100	3	0	0	3	200	31
31	800	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.05	6.53	95	0.00	0.00	100	3	0	0	3	800	31
31	1400	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.05	6.52	95	0.00	0.00	100	3	0	0	3	1400	31
31	2000	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.05	6.50	95	0.00	0.00	100	3	0	0	3	2000	31

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE	RUN NO.	INITIAL DATE, HOUR	JOB DESCRIPTION
	310881	1 MAY 1972 1400	0 SUSITNA HEP SPRING PMF

N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.05	6.49	95	0.00	0.00	100	3	0	0	3	200	1
1	800	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.06	6.48	95	0.00	0.00	100	3	0	0	3	800	1
1	1400	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.06	6.46	95	0.00	0.00	100	3	0	0	3	1400	1
1	2000	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.06	6.45	95	0.00	0.00	100	3	0	0	3	2000	1
2	200	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.06	6.43	95	0.00	0.00	100	3	0	0	3	200	2
2	800	0.00	0	0.00	0.08	0	3150	100	0.6	4	0.02	0.00	0.06	6.42	95	0.00	0.00	100	3	0	0	3	800	2
2	1400	0.00	0	0.00	0.09	0	3150	100	0.6	4	0.02	0.00	0.06	6.40	95	0.00	0.00	100	3	0	0	3	1400	2
2	2000	0.00	0	0.00	0.09	0	3150	100	0.6	4	0.02	0.00	0.06	6.39	95	0.00	0.00	100	3	0	0	3	2000	2
3	200	0.00	0	0.00	0.09	0	3150	100	0.6	4	0.02	0.00	0.06	6.37	95	0.00	0.00	100	3	0	0	3	200	3
3	800	0.00	0	0.00	0.09	0	3150	100	0.6	4	0.02	0.00	0.06	6.36	95	0.00	0.00	100	3	0	0	3	800	3
3	1400	0.00	0	0.00	0.09	0	3150	100	0.6	4	0.02	0.00	0.06	6.34	95	0.00	0.00	100	3	0	0	3	1400	3
3	2000	0.00	0	0.00	0.09	0	3150	100	0.6	4	0.02	0.00	0.06	6.33	95	0.00	0.00	100	3	0	0	3	2000	3
4	200	0.00	0	0.00	0.09	0	3150	100	1.1	8	0.03	0.00	0.06	6.31	95	0.00	0.00	100	3	0	0	3	200	4
4	800	0.00	0	0.00	0.09	0	3150	100	1.1	8	0.03	0.00	0.06	6.30	95	0.00	0.00	100	3	0	0	3	800	4
4	1400	0.00	5	0.00	0.10	0	3150	100	2.1	17	0.06	0.01	0.06	6.28	95	0.01	0.01	100	3	0	0	4	1400	4
4	2000	0.00	5	0.00	0.11	0	3150	100	2.1	17	0.06	0.01	0.06	6.27	95	0.01	0.01	100	4	0	0	4	2000	4
5	200	0.00	17	0.00	0.14	0	3150	100	2.2	41	0.07	0.03	0.06	6.26	95	0.03	0.01	100	5	0	0	6	200	5
5	800	0.00	22	0.00	0.17	0	3150	100	2.1	55	0.06	0.03	0.06	6.24	95	0.03	0.02	100	8	0	0	9	800	5
5	1400	0.00	57	0.00	0.27	0	3150	100	4.0	86	0.12	0.10	0.06	6.23	95	0.10	0.04	100	14	0	0	14	1400	5
5	2000	0.00	88	0.00	0.46	0	3150	100	6.7	98	0.20	0.20	0.06	6.22	95	0.19	0.08	100	25	0	0	26	2000	5
6	200	0.00	96	0.00	0.68	1	3150	100	7.7	100	0.23	0.23	0.06	6.21	95	0.22	0.13	100	47	0	0	47	200	6
6	800	0.00	100	0.00	0.99	1	3150	100	10.9	100	0.33	0.33	0.06	6.21	95	0.31	0.19	99	82	0	0	83	800	6
6	1400	0.00	100	0.00	1.36	1	3150	100	13.0	100	0.39	0.39	0.06	6.21	95	0.37	0.27	99	133	1	0	136	1400	6
6	2000	0.00	100	0.00	1.79	2	3150	100	15.1	100	0.45	0.45	0.06	6.22	95	0.43	0.35	99	204	3	0	208	2000	6
7	200	0.00	100	0.00	2.31	2	3150	100	18.2	100	0.55	0.55	0.06	6.22	95	0.52	0.45	98	295	6	0	302	200	7
7	800	0.00	100	0.00	2.89	3	3150	100	20.3	100	0.61	0.61	0.06	6.24	95	0.58	0.56	98	406	10	0	418	800	7
7	1400	0.00	100	0.00	3.52	4	3150	100	22.4	100	0.67	0.67	0.06	6.25	95	0.64	0.68	97	538	17	0	557	1400	7
7	2000	0.00	100	0.00	4.15	4	3150	100	21.9	100	0.66	0.66	0.06	6.27	95	0.62	0.78	97	689	25	1	716	2000	7
8	200	0.00	100	0.00	4.75	5	3150	100	21.2	100	0.63	0.63	0.06	6.29	95	0.60	0.88	96	852	36	1	891	200	8
8	800	0.00	100	0.00	5.35	5	3150	100	21.2	100	0.63	0.63	0.06	6.30	95	0.60	0.97	96	1023	48	1	1074	800	8
8	1400	0.02	100	0.02	5.93	6	3150	100	20.3	100	0.61	0.62	0.06	6.32	95	0.59	1.05	95	1194	61	2	1258	1400	8
8	2000	0.02	100	0.03	6.51	7	3150	100	20.3	100	0.61	0.62	0.06	6.34	95	0.59	1.13	95	1359	74	2	1436	2000	8
9	200	0.05	100	0.08	7.07	7	3150	100	19.8	100	0.59	0.64	0.06	6.35	95	0.61	1.20	95	1516	87	2	1606	200	9
9	800	0.05	100	0.12	7.64	8	3150	100	19.8	100	0.59	0.64	0.06	6.38	95	0.61	1.28	95	1662	98	2	1764	800	9
9	1400	0.05	100	0.17	8.19	8	3150	100	19.3	100	0.58	0.63	0.06	6.40	95	0.59	1.34	95	1796	108	2	1908	1400	9
9	2000	0.06	100	0.22	8.74	9	3150	100	19.3	100	0.58	0.63	0.06	6.42	95	0.60	1.40	95	1918	116	2	2038	2000	9
10	200	0.15	100	0.36	9.26	9	3150	100	18.4	100	0.55	0.70	0.06	6.44	95	0.67	1.48	95	2028	122	2	2154	200	10
10	800	0.16	100	0.52	9.79	10	3150	100	18.4	100	0.55	0.71	0.06	6.47	95	0.68	1.55	95	2128	128	2	2260	800	10
10	1400	0.16	100	0.67	10.31	10	3150	100	18.2	100	0.55	0.71	0.06	6.50	95	0.67	1.61	95	2221	133	3	2359	1400	10
10	2000	0.16	100	0.82	10.82	11	3150	100	18.2	100	0.55	0.71	0.06	6.53	95	0.67	1.68	95	2308	138	3	2450	2000	10
11	200	0.12	100	0.93	11.32	11	3150	100	17.4	100	0.52	0.64	0.06	6.56	95	0.61	1.72	95	2388	142	3	2534	200	11
11	800	0.12	100	1.05	11.81	12	3150	100	17.4	100	0.52	0.64	0.06	6.59	95	0.61	1.76	95	2459	144	3	2607	800	11
11	1400	0.18	100	1.22	12.30	12	3150	100	17.2	100	0.52	0.69	0.06	6.62	95	0.66	1.81	95	2521	146	3	2670	1400	11
11	2000	0.42	100	1.62	12.79	13	3150	100	17.2	100	0.52	0.94	0.06	6.65	95	0.89	1.91	95	2577	147	3	2728	2000	11

FORM 1411-2
PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.14	100	1.75	13.22	13	3150	100	15.1	100	0.45	0.60	0.06	6.69	95	0.57	1.94	95	2633	150	3	2787	200	12
12	800	0.14	100	1.89	13.62	14	3150	100	14.0	100	0.42	0.56	0.06	6.71	95	0.54	1.95	95	2684	152	3	2840	800	12
12	1400	0.19	100	2.07	13.99	14	3150	100	13.0	100	0.39	0.58	0.06	6.74	95	0.55	1.96	95	2723	151	3	2879	1400	12
12	2000	0.48	100	2.53	14.33	14	3150	100	11.9	100	0.36	0.84	0.06	6.76	95	0.79	2.03	95	2753	150	2	2907	2000	12
13	200	0.19	100	2.71	14.67	15	3150	100	11.9	100	0.36	0.55	0.06	6.80	95	0.52	2.04	95	2777	149	2	2930	200	13
13	800	0.19	100	2.89	15.01	15	3150	100	11.9	100	0.36	0.55	0.06	6.83	95	0.52	2.04	95	2794	148	2	2945	800	13
13	1400	0.26	100	3.14	15.35	16	3150	100	11.9	100	0.36	0.61	0.06	6.85	95	0.58	2.06	95	2801	145	2	2950	1400	13
13	2000	0.66	100	3.76	15.69	16	3150	100	11.9	100	0.36	1.01	0.06	6.88	95	0.96	2.16	95	2804	144	2	2952	2000	13
14	200	0.23	100	3.98	16.00	16	3150	100	11.1	100	0.33	0.56	0.06	6.92	95	0.54	2.16	95	2812	145	3	2962	200	14
14	800	0.23	100	4.20	16.32	16	3150	100	11.1	100	0.33	0.56	0.06	6.95	95	0.54	2.16	95	2823	147	3	2974	800	14
14	1400	0.31	100	4.49	16.63	17	3150	100	11.1	100	0.33	0.64	0.06	6.97	95	0.61	2.18	95	2829	147	3	2980	1400	14
14	2000	0.78	100	5.24	16.95	17	3150	100	11.1	100	0.33	1.11	0.06	7.00	95	1.06	2.30	95	2836	148	3	2988	2000	14
15	200	0.39	100	5.61	17.30	17	3150	100	12.1	100	0.36	0.75	0.06	7.06	95	0.72	2.33	95	2854	151	3	3010	200	15
15	800	0.39	100	5.98	17.64	18	3150	100	12.1	100	0.36	0.75	0.06	7.09	95	0.72	2.36	95	2884	157	3	3045	800	15
15	1400	0.52	100	6.48	17.99	18	3150	100	12.1	100	0.36	0.88	0.06	7.12	95	0.84	2.42	95	2920	162	3	3086	1400	15
15	2000	1.30	100	7.71	18.33	19	3150	100	12.1	100	0.36	1.67	0.06	7.16	95	1.58	2.65	95	2972	169	3	3146	2000	15
16	200	0.71	100	8.39	18.64	19	3150	100	10.9	100	0.33	1.04	0.06	7.24	95	0.98	2.72	95	3053	182	4	3241	200	16
16	800	0.30	97	8.66	18.89	19	3150	100	8.8	100	0.26	0.55	0.06	7.29	95	0.52	2.68	95	3155	195	4	3356	800	16
16	1400	0.21	97	8.85	19.14	19	3150	100	8.8	100	0.26	0.47	0.06	7.32	95	0.44	2.63	95	3250	200	4	3455	1400	16
16	2000	0.21	99	9.05	19.42	20	3150	100	9.8	100	0.29	0.50	0.06	7.34	95	0.47	2.59	95	3317	196	3	3517	2000	16
17	200	0.49	99	9.51	19.71	20	3150	100	10.0	100	0.30	0.78	0.06	7.36	95	0.74	2.61	95	3352	187	3	3542	200	17
17	800	0.20	99	9.69	19.99	20	3150	100	10.0	100	0.30	0.50	0.06	7.39	95	0.47	2.57	95	3361	176	2	3541	800	17
17	1400	0.14	99	9.83	20.28	20	3150	100	10.0	100	0.30	0.44	0.06	7.42	95	0.42	2.52	95	3346	166	2	3516	1400	17
17	2000	0.14	99	9.96	20.56	21	3150	100	10.0	100	0.30	0.44	0.06	7.43	95	0.42	2.47	95	3306	155	2	3465	2000	17
18	200	0.00	100	9.96	20.88	21	3150	100	11.1	100	0.33	0.33	0.06	7.45	95	0.32	2.40	95	3242	144	2	3390	200	18
18	800	0.00	100	9.96	21.19	21	3150	100	11.1	100	0.33	0.33	0.06	7.45	95	0.32	2.33	95	3157	132	1	3293	800	18
18	1400	0.00	100	9.96	21.51	22	3150	100	11.1	100	0.33	0.33	0.06	7.45	95	0.32	2.27	95	3053	121	1	3177	1400	18
18	2000	0.00	100	9.96	21.83	22	3150	100	11.1	100	0.33	0.33	0.06	7.45	95	0.32	2.21	95	2936	111	1	3049	2000	18
19	200	0.00	100	9.96	22.23	22	3150	100	14.0	100	0.42	0.42	0.06	7.46	95	0.40	2.18	95	2812	102	1	2916	200	19
19	800	0.00	100	9.96	22.68	23	3150	100	16.1	100	0.48	0.48	0.06	7.46	95	0.46	2.16	95	2688	96	1	2787	800	19
19	1400	0.00	100	9.96	23.20	23	3150	100	18.2	100	0.55	0.55	0.06	7.47	95	0.52	2.15	95	2574	93	1	2670	1400	19
19	2000	0.00	100	9.96	23.79	24	3150	100	20.5	100	0.62	0.62	0.06	7.48	95	0.58	2.16	95	2475	94	2	2572	2000	19
20	200	0.00	100	9.96	24.40	25	3150	100	21.6	100	0.65	0.65	0.06	7.50	95	0.61	2.18	95	2398	98	2	2499	200	20
20	800	0.00	100	9.96	25.02	25	3150	100	21.6	100	0.65	0.65	0.06	7.52	95	0.61	2.20	95	2344	104	2	2452	800	20
20	1400	0.00	100	9.96	25.63	26	3150	100	21.6	100	0.65	0.65	0.06	7.53	95	0.61	2.21	95	2313	110	2	2427	1400	20
20	2000	0.00	100	9.96	26.25	27	3150	100	21.6	100	0.65	0.65	0.06	7.55	95	0.61	2.23	95	2301	117	2	2422	2000	20
21	200	0.00	100	9.96	26.98	27	3150	100	25.6	100	0.77	0.77	0.06	7.57	95	0.73	2.27	95	2306	123	2	2433	200	21
21	800	0.00	100	9.96	27.70	28	3150	100	25.6	100	0.77	0.77	0.06	7.59	95	0.73	2.30	95	2328	129	3	2462	800	21
21	1400	0.00	100	9.96	28.43	29	3150	100	25.6	100	0.77	0.77	0.06	7.61	95	0.73	2.34	95	2366	136	3	2506	1400	21
21	2000	0.00	100	9.96	29.16	29	3150	100	25.6	100	0.77	0.77	0.06	7.64	95	0.73	2.37	95	2415	143	3	2562	2000	21
22	200	0.00	100	9.96	29.95	30	3150	100	27.7	100	0.83	0.83	0.06	7.66	95	0.79	2.42	95	2475	149	3	2628	200	22
22	800	0.00	100	9.96	30.74	31	3150	100	27.7	100	0.83	0.83	0.06	7.69	95	0.79	2.46	95	2542	154	3	2701	800	22
22	1400	0.00	100	9.96	31.52	32	3150	100	27.7	100	0.83	0.83	0.06	7.71	95	0.79	2.50	95	2616	160	3	2781	1400	22
22	2000	0.00	100	9.96	32.31	33	3150	100	27.7	100	0.83	0.83	0.06	7.74	95	0.79	2.54	95	2694	165	3	2863	2000	22

FORM 1613-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 21.0 MACLAREN GLACIER

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.06 IN./DAY, MELT RATE = 0.120 IN./DEGREE-DAY, AREA = 44.0 SQ. MI.

DAY	HOUR	PCPN	XRA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	9.96	33.07	33	3150	100	26.6	100	0.80	0.80	0.06	7.76	95	0.76	2.57	95	2773	169	3	2946	200	23
23	800	0.00	100	9.96	33.83	34	3150	100	26.6	100	0.80	0.80	0.06	7.79	95	0.76	2.59	95	2849	172	3	3025	800	23
23	1400	0.00	100	9.96	34.59	35	3150	100	26.6	100	0.80	0.80	0.06	7.81	95	0.76	2.62	95	2921	174	3	3099	1400	23
23	2000	0.00	100	9.96	35.35	36	3150	100	26.6	100	0.80	0.80	0.06	7.84	95	0.76	2.64	95	2987	175	3	3166	2000	23
24	200	0.00	100	9.96	35.92	36	3150	100	20.3	100	0.61	0.61	0.06	7.86	95	0.58	2.63	95	3044	175	3	3224	200	24
24	800	0.00	100	9.96	36.50	37	3150	100	20.3	100	0.61	0.61	0.06	7.88	95	0.58	2.61	95	3088	172	3	3265	800	24
24	1400	0.00	100	9.96	37.08	37	3150	100	20.3	100	0.61	0.61	0.06	7.89	95	0.58	2.59	95	3114	168	3	3286	1400	24
24	2000	0.00	100	9.96	37.66	38	3150	100	20.3	100	0.61	0.61	0.06	7.91	95	0.58	2.57	95	3123	163	2	3289	2000	24
25	200	0.00	100	9.96	38.15	39	3150	100	17.2	100	0.52	0.51	0.06	7.92	95	0.49	2.54	95	3116	157	2	3276	200	25
25	800	0.00	100	9.96	38.64	39	3150	100	17.2	100	0.52	0.51	0.06	7.93	95	0.49	2.50	95	3093	150	2	3247	800	25
25	1400	0.00	100	9.96	39.13	40	3150	100	17.2	100	0.52	0.51	0.06	7.94	95	0.49	2.47	95	3056	143	2	3203	1400	25
25	2000	0.00	100	9.96	39.62	40	3150	100	17.2	100	0.52	0.51	0.06	7.95	95	0.49	2.44	95	3008	137	2	3148	2000	25
26	200	0.00	100	9.96	40.08	40	3150	100	16.1	100	0.48	0.48	0.06	7.97	95	0.46	2.41	95	2951	131	2	3086	200	26
26	800	0.00	100	9.96	40.54	41	3150	100	16.1	100	0.48	0.48	0.06	7.97	95	0.46	2.37	95	2888	126	2	3017	800	26
26	1400	0.00	100	9.96	40.99	41	3150	100	16.1	100	0.48	0.48	0.06	7.98	95	0.46	2.34	95	2820	122	2	2946	1400	26
26	2000	0.00	100	9.96	41.45	42	3150	100	16.1	100	0.48	0.48	0.06	7.99	95	0.46	2.31	95	2752	118	2	2873	2000	26
27	200	0.00	100	9.96	41.88	42	3150	100	15.1	100	0.45	0.45	0.06	8.00	95	0.43	2.28	95	2683	115	2	2801	200	27
27	800	0.00	100	9.96	42.31	43	3150	100	15.1	100	0.45	0.45	0.06	8.01	95	0.43	2.25	95	2615	112	2	2730	800	27
27	1400	0.00	100	9.96	42.74	43	3150	100	15.1	100	0.45	0.45	0.06	8.02	95	0.43	2.21	95	2548	110	2	2661	1400	27
27	2000	0.00	100	9.96	43.17	44	3150	100	15.1	100	0.45	0.45	0.06	8.02	95	0.43	2.19	95	2484	107	2	2594	2000	27
28	200	0.00	100	9.96	43.60	44	3150	100	15.1	100	0.45	0.45	0.06	8.03	95	0.43	2.16	95	2422	105	2	2531	200	28
28	800	0.00	100	9.96	44.03	44	3150	100	15.1	100	0.45	0.45	0.06	8.04	95	0.43	2.13	95	2365	104	2	2472	800	28
28	1400	0.00	100	9.96	44.46	45	3150	100	15.1	100	0.45	0.45	0.06	8.05	95	0.43	2.11	95	2312	102	2	2417	1400	28
28	2000	0.00	100	9.96	44.89	45	3150	100	15.1	100	0.45	0.45	0.06	8.05	95	0.43	2.09	95	2263	101	2	2368	2000	28
29	200	0.00	100	9.96	45.29	46	3150	100	14.0	100	0.42	0.42	0.06	8.06	95	0.40	2.06	95	2219	101	2	2322	200	29
29	800	0.00	100	9.96	45.69	46	3150	100	14.0	100	0.42	0.42	0.06	8.07	95	0.40	2.03	95	2178	100	1	2280	800	29
29	1400	0.00	100	9.96	46.09	47	3150	100	14.0	100	0.42	0.42	0.06	8.07	95	0.40	2.01	95	2139	99	1	2241	1400	29
29	2000	0.00	100	9.96	46.49	47	3150	100	14.0	100	0.42	0.42	0.06	8.08	95	0.40	1.98	95	2103	97	1	2203	2000	29
30	200	0.00	100	9.96	46.86	47	3150	100	13.0	100	0.39	0.39	0.06	8.08	95	0.37	1.95	95	2068	96	1	2167	200	30
30	800	0.00	100	9.96	47.22	48	3150	100	13.0	100	0.39	0.39	0.06	8.09	95	0.37	1.92	95	2035	95	1	2133	800	30
30	1400	0.00	100	9.96	47.59	48	3150	100	13.0	100	0.39	0.39	0.06	8.09	95	0.37	1.90	95	2002	93	1	2099	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.010 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.06	4.00	0	0.00	0.03	0	60	10	10	80	1400	1
1	2000	0.00	0	0.00	0.00	0	2866	100	1.1	29	0.00	0.00	0.09	4.00	32	0.00	0.03	69	60	9	9	80	2000	1
2	200	0.00	0	0.00	0.00	0	2866	100	1.1	29	0.01	0.00	0.09	3.98	32	0.00	0.03	69	60	9	8	78	200	2
2	800	0.00	0	0.00	0.00	0	2866	100	1.1	29	0.02	0.00	0.09	3.96	32	0.00	0.02	69	60	9	5	76	800	2
2	1400	0.00	0	0.00	0.00	0	2866	100	1.1	29	0.02	0.01	0.09	3.94	32	0.00	0.02	69	60	9	3	74	1400	2
2	2000	0.00	0	0.00	0.01	0	2866	100	1.1	29	0.03	0.01	0.09	3.92	31	0.00	0.02	69	59	9	2	72	2000	2
3	200	0.00	0	0.00	0.01	0	2866	100	1.1	29	0.03	0.01	0.09	3.90	31	0.00	0.02	69	59	9	2	72	200	3
3	800	0.00	0	0.00	0.01	0	2867	100	1.1	29	0.04	0.01	0.09	3.89	31	0.00	0.02	69	59	9	2	72	800	3
3	1400	0.00	0	0.00	0.02	0	2867	100	1.1	29	0.04	0.01	0.09	3.87	31	0.00	0.02	69	59	9	3	73	1400	3
3	2000	0.00	0	0.00	0.02	0	2867	100	1.1	29	0.05	0.01	0.09	3.86	31	0.00	0.02	69	59	9	3	74	2000	3
4	200	0.00	0	0.00	0.03	0	2867	100	1.1	29	0.05	0.01	0.09	3.84	31	0.00	0.02	69	59	10	4	75	200	4
4	800	0.00	0	0.00	0.03	0	2868	100	1.1	29	0.05	0.02	0.09	3.83	31	0.00	0.02	69	59	10	4	76	800	4
4	1400	0.00	0	0.00	0.04	0	2868	100	1.1	29	0.06	0.02	0.09	3.82	31	0.00	0.02	69	59	11	5	77	1400	4
4	2000	0.00	0	0.00	0.04	0	2868	100	1.1	29	0.06	0.02	0.09	3.81	30	0.01	0.02	69	59	12	5	78	2000	4
5	200	0.00	0	0.00	0.05	0	2869	100	1.1	29	0.06	0.02	0.09	3.80	30	0.01	0.02	69	59	13	5	80	200	5
5	800	0.00	0	0.00	0.05	0	2869	100	1.1	29	0.06	0.02	0.09	3.79	30	0.01	0.02	69	59	15	6	81	800	5
5	1400	0.00	0	0.00	0.06	0	2869	100	1.1	29	0.07	0.02	0.09	3.78	30	0.01	0.02	69	59	16	6	83	1400	5
5	2000	0.00	0	0.00	0.06	0	2870	100	1.1	28	0.07	0.02	0.09	3.77	30	0.01	0.02	69	59	18	6	85	2000	5
6	200	0.00	0	0.00	0.07	0	2870	100	1.1	28	0.07	0.02	0.09	3.76	30	0.01	0.02	69	59	19	6	86	200	6
6	800	0.00	0	0.00	0.07	0	2871	100	1.1	28	0.07	0.02	0.09	3.75	30	0.01	0.02	69	59	21	7	88	800	6
6	1400	0.00	0	0.00	0.08	0	2871	100	1.1	28	0.07	0.02	0.09	3.74	30	0.01	0.02	69	59	22	7	90	1400	6
6	2000	0.00	0	0.00	0.09	0	2871	100	1.1	28	0.07	0.02	0.09	3.73	30	0.01	0.02	69	59	24	7	92	2000	6
7	200	0.00	0	0.00	0.09	0	2872	100	1.1	28	0.07	0.02	0.09	3.73	30	0.01	0.02	69	59	25	7	93	200	7
7	800	0.00	0	0.00	0.10	0	2872	100	1.1	28	0.08	0.02	0.09	3.72	30	0.01	0.02	69	59	27	7	95	800	7
7	1400	0.00	0	0.00	0.11	0	2873	100	1.1	28	0.08	0.02	0.09	3.71	30	0.01	0.02	69	59	28	7	96	1400	7
7	2000	0.00	0	0.00	0.11	0	2873	100	1.1	28	0.08	0.02	0.09	3.70	30	0.01	0.02	69	59	29	7	98	2000	7
8	200	0.00	0	0.00	0.12	0	2873	100	1.1	28	0.08	0.02	0.09	3.70	30	0.01	0.02	69	59	31	7	99	200	8
8	800	0.00	0	0.00	0.13	0	2874	99	1.1	28	0.08	0.02	0.09	3.69	30	0.01	0.02	69	59	32	8	100	800	8
8	1400	0.00	0	0.00	0.13	0	2874	99	1.1	28	0.08	0.02	0.09	3.68	29	0.01	0.02	69	59	33	8	102	1400	8
8	2000	0.00	0	0.00	0.14	0	2875	99	1.1	28	0.08	0.02	0.09	3.68	29	0.01	0.02	69	59	34	8	103	2000	8
9	200	0.00	0	0.00	0.15	0	2875	99	1.1	28	0.08	0.02	0.09	3.67	29	0.01	0.02	69	59	35	8	104	200	9
9	800	0.00	0	0.00	0.15	0	2876	99	1.1	28	0.08	0.02	0.09	3.66	29	0.01	0.02	69	59	36	8	105	800	9
9	1400	0.00	0	0.00	0.16	0	2876	99	1.1	28	0.08	0.02	0.09	3.66	29	0.01	0.02	69	59	37	8	105	1400	9
9	2000	0.00	0	0.00	0.17	0	2877	99	1.1	28	0.08	0.02	0.09	3.65	29	0.01	0.02	69	59	37	8	106	2000	9
10	200	0.00	0	0.00	0.17	0	2877	99	1.1	28	0.08	0.02	0.09	3.65	29	0.01	0.02	69	59	38	8	107	200	10
10	800	0.00	0	0.00	0.18	0	2877	99	1.1	28	0.08	0.02	0.09	3.64	29	0.01	0.03	69	59	39	8	108	800	10
10	1400	0.00	0	0.00	0.19	0	2878	99	1.1	28	0.08	0.02	0.09	3.63	29	0.01	0.03	69	59	39	8	108	1400	10
10	2000	0.00	0	0.00	0.19	0	2878	99	1.1	28	0.08	0.02	0.09	3.63	29	0.01	0.03	69	59	40	8	109	2000	10
11	200	0.00	0	0.00	0.20	0	2879	99	1.1	28	0.08	0.02	0.09	3.62	29	0.01	0.03	69	59	40	8	109	200	11
11	800	0.00	0	0.00	0.21	0	2879	99	1.1	28	0.08	0.02	0.09	3.62	29	0.01	0.03	69	59	41	8	110	800	11
11	1400	0.00	0	0.00	0.21	0	2880	99	1.1	28	0.08	0.02	0.09	3.61	29	0.01	0.03	69	59	41	8	110	1400	11
11	2000	0.00	0	0.00	0.22	0	2880	99	1.1	28	0.08	0.02	0.09	3.61	29	0.01	0.03	69	59	41	8	110	2000	11
12	200	0.00	0	0.00	0.23	0	2881	99	1.1	28	0.08	0.02	0.09	3.60	29	0.01	0.03	69	59	42	8	111	200	12
12	800	0.00	0	0.00	0.23	0	2881	99	1.1	28	0.08	0.02	0.09	3.59	29	0.01	0.03	69	60	42	8	111	800	12

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.313 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	0	0.00	0.24	0	2881	99	1.1	28	0.08	0.02	0.09	3.59	29	0.01	0.03	69	60	42	8	111	1400	12
12	2000	0.00	0	0.00	0.25	0	2882	99	1.1	28	0.08	0.02	0.09	3.58	29	0.01	0.03	69	60	42	8	112	2000	12
13	200	0.00	0	0.00	0.25	0	2882	99	1.1	28	0.08	0.02	0.09	3.58	29	0.01	0.03	69	60	43	8	112	200	13
13	800	0.00	0	0.00	0.26	0	2883	99	1.1	28	0.08	0.02	0.09	3.57	29	0.01	0.03	69	60	43	8	112	800	13
13	1400	0.00	0	0.00	0.27	0	2883	99	1.1	28	0.08	0.02	0.09	3.57	29	0.01	0.03	69	60	43	8	112	1400	13
13	2000	0.00	0	0.00	0.27	0	2884	99	1.1	28	0.08	0.02	0.09	3.56	28	0.01	0.03	69	60	43	8	112	2000	13
14	200	0.00	0	0.00	0.28	0	2884	99	1.1	28	0.08	0.02	0.09	3.56	28	0.01	0.03	69	60	43	8	112	200	14
14	800	0.00	0	0.00	0.29	0	2885	99	1.1	28	0.08	0.02	0.09	3.55	28	0.01	0.03	69	60	43	8	112	800	14
14	1400	0.00	0	0.00	0.29	0	2885	99	1.1	28	0.08	0.02	0.09	3.54	28	0.01	0.03	69	60	43	8	112	1400	14
14	2000	0.00	0	0.00	0.30	0	2885	99	1.1	28	0.08	0.02	0.09	3.54	28	0.01	0.03	69	60	43	8	113	2000	14
15	200	0.00	0	0.00	0.31	0	2886	99	1.1	27	0.08	0.02	0.09	3.53	28	0.01	0.03	69	60	43	8	113	200	15
15	800	0.00	0	0.00	0.31	1	2886	99	1.1	27	0.08	0.02	0.09	3.53	28	0.01	0.03	69	60	43	8	113	800	15
15	1400	0.00	0	0.00	0.32	1	2887	99	1.1	27	0.08	0.02	0.09	3.52	28	0.01	0.03	69	60	43	8	113	1400	15
15	2000	0.00	0	0.00	0.33	1	2887	99	1.1	27	0.08	0.02	0.09	3.52	28	0.01	0.03	69	60	43	8	113	2000	15
16	200	0.00	0	0.00	0.33	1	2888	99	1.1	27	0.08	0.02	0.09	3.51	28	0.01	0.03	69	61	43	8	113	200	16
16	800	0.00	0	0.00	0.34	1	2888	99	1.1	27	0.08	0.02	0.09	3.51	28	0.01	0.03	69	61	43	8	113	800	16
16	1400	0.00	0	0.00	0.35	1	2888	99	1.1	27	0.08	0.02	0.09	3.50	28	0.01	0.03	69	61	43	8	113	1400	16
16	2000	0.00	0	0.00	0.35	1	2889	99	1.1	27	0.08	0.02	0.09	3.49	28	0.01	0.03	69	61	43	8	113	2000	16
17	200	0.00	0	0.00	0.36	1	2889	99	1.1	27	0.08	0.02	0.09	3.49	28	0.01	0.03	69	61	43	8	113	200	17
17	800	0.00	0	0.00	0.37	1	2890	99	1.1	27	0.08	0.02	0.09	3.48	28	0.01	0.03	69	61	43	8	113	800	17
17	1400	0.00	0	0.00	0.37	1	2890	98	1.1	27	0.08	0.02	0.09	3.48	28	0.01	0.03	69	61	43	8	113	1400	17
17	2000	0.00	0	0.00	0.38	1	2891	98	1.1	27	0.08	0.02	0.09	3.47	28	0.01	0.03	69	62	42	8	113	2000	17
18	200	0.00	0	0.00	0.39	1	2891	98	1.1	27	0.08	0.02	0.09	3.47	28	0.01	0.03	69	62	42	8	113	200	18
18	800	0.00	0	0.00	0.39	1	2891	98	1.1	27	0.08	0.02	0.09	3.46	28	0.01	0.03	69	62	42	8	113	800	18
18	1400	0.00	0	0.00	0.40	1	2892	98	1.1	27	0.08	0.02	0.09	3.46	28	0.01	0.03	69	62	42	8	113	1400	18
18	2000	0.00	0	0.00	0.40	1	2892	98	1.1	27	0.08	0.02	0.09	3.45	28	0.01	0.03	69	62	42	8	113	2000	18
19	200	0.00	0	0.00	0.41	1	2893	98	1.1	27	0.08	0.02	0.09	3.44	28	0.01	0.03	69	62	42	7	113	200	19
19	800	0.00	0	0.00	0.42	1	2893	98	1.1	27	0.08	0.02	0.09	3.44	28	0.01	0.03	69	63	42	7	113	800	19
19	1400	0.00	0	0.00	0.42	1	2893	98	1.1	27	0.08	0.02	0.09	3.43	27	0.01	0.03	69	63	42	7	113	1400	19
19	2000	0.00	0	0.00	0.43	1	2894	98	1.1	27	0.08	0.02	0.09	3.43	27	0.01	0.03	69	63	42	7	114	2000	19
20	200	0.00	0	0.00	0.44	1	2894	98	1.1	27	0.08	0.02	0.09	3.42	27	0.01	0.03	69	63	41	7	114	200	20
20	800	0.00	0	0.00	0.44	1	2895	98	1.1	27	0.08	0.02	0.09	3.42	27	0.01	0.03	69	64	41	7	114	800	20
20	1400	0.00	0	0.00	0.45	1	2895	98	1.1	27	0.08	0.02	0.09	3.41	27	0.01	0.03	69	64	41	7	114	1400	20
20	2000	0.00	0	0.00	0.45	1	2896	98	1.0	27	0.08	0.02	0.09	3.40	27	0.01	0.03	69	64	41	7	114	2000	20
21	200	0.00	0	0.00	0.46	1	2896	98	1.0	27	0.08	0.02	0.09	3.40	27	0.01	0.03	69	64	41	7	114	200	21
21	800	0.00	0	0.00	0.47	1	2896	98	1.0	27	0.08	0.02	0.09	3.39	27	0.01	0.03	69	65	41	7	114	800	21
21	1400	0.00	0	0.00	0.47	1	2897	98	1.0	27	0.08	0.02	0.09	3.39	27	0.01	0.03	69	65	41	7	114	1400	21
21	2000	0.00	0	0.00	0.48	1	2897	98	1.0	27	0.08	0.02	0.09	3.38	27	0.01	0.03	69	65	41	7	114	2000	21
22	200	0.00	0	0.00	0.48	1	2898	98	1.0	27	0.08	0.02	0.09	3.38	27	0.01	0.03	69	65	40	7	114	200	22
22	800	0.00	0	0.00	0.49	1	2898	98	1.0	27	0.08	0.02	0.09	3.37	27	0.01	0.03	69	66	40	7	115	800	22
22	1400	0.00	0	0.00	0.50	1	2898	98	1.0	27	0.08	0.02	0.09	3.36	27	0.01	0.03	69	66	40	7	115	1400	22
22	2000	0.00	0	0.00	0.50	1	2899	98	1.0	27	0.08	0.02	0.09	3.36	27	0.01	0.03	69	66	40	7	115	2000	22
23	200	0.00	0	0.00	0.51	1	2899	98	1.0	27	0.08	0.02	0.09	3.35	27	0.01	0.03	69	67	40	7	115	200	23
23	800	0.00	0	0.00	0.51	1	2899	98	1.0	27	0.08	0.02	0.09	3.35	27	0.01	0.03	69	67	40	7	115	800	23

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	0	0.00	0.52	1	2900	98	1.0	27	0.08	0.02	0.09	3.34	27	0.01	0.03	69	67	40	7	115	1400	23
23	2000	0.00	0	0.00	0.53	1	2900	98	1.0	27	0.08	0.02	0.09	3.33	27	0.01	0.02	69	68	39	7	115	2000	23
24	200	0.00	0	0.00	0.53	1	2901	98	1.0	27	0.08	0.02	0.09	3.33	27	0.01	0.02	69	68	39	7	116	200	24
24	800	0.00	0	0.00	0.54	1	2901	98	1.0	27	0.08	0.02	0.09	3.32	27	0.01	0.02	69	68	39	7	116	800	24
24	1400	0.00	0	0.00	0.54	1	2901	98	1.0	27	0.08	0.02	0.09	3.32	27	0.01	0.02	69	69	39	7	116	1400	24
24	2000	0.00	0	0.00	0.55	1	2902	98	1.0	27	0.08	0.02	0.09	3.31	26	0.01	0.02	69	69	39	7	116	2000	24
25	200	0.00	0	0.00	0.56	1	2902	98	1.0	26	0.08	0.02	0.09	3.30	26	0.01	0.02	69	69	39	7	116	200	25
25	800	0.00	0	0.00	0.56	1	2903	98	1.0	26	0.08	0.02	0.09	3.30	26	0.01	0.02	69	70	39	7	117	800	25
25	1400	0.00	0	0.00	0.57	1	2903	98	1.0	26	0.08	0.02	0.09	3.29	26	0.01	0.02	69	70	38	7	117	1400	25
25	2000	0.00	0	0.00	0.57	1	2903	98	1.0	26	0.08	0.02	0.09	3.29	26	0.01	0.02	69	70	38	7	117	2000	25
26	200	0.00	0	0.00	0.58	1	2904	98	1.0	26	0.08	0.02	0.09	3.28	26	0.01	0.02	69	71	38	7	117	200	26
26	800	0.00	0	0.00	0.58	1	2904	98	1.0	26	0.08	0.02	0.09	3.27	26	0.01	0.02	69	71	38	7	117	800	26
26	1400	0.00	0	0.00	0.59	1	2904	98	1.0	26	0.08	0.02	0.09	3.27	26	0.01	0.02	69	71	38	7	118	1400	26
26	2000	0.00	0	0.00	0.60	1	2905	98	1.0	26	0.08	0.02	0.09	3.26	26	0.01	0.02	69	72	38	7	118	2000	26
27	200	0.00	0	0.00	0.60	1	2905	98	1.0	26	0.08	0.02	0.09	3.26	26	0.01	0.02	69	72	38	7	118	200	27
27	800	0.00	0	0.00	0.61	1	2906	98	1.0	26	0.08	0.02	0.09	3.25	26	0.01	0.02	69	73	38	7	118	800	27
27	1400	0.00	0	0.00	0.61	1	2906	98	1.0	26	0.08	0.02	0.09	3.24	26	0.01	0.02	69	73	37	7	118	1400	27
27	2000	0.00	0	0.00	0.62	1	2906	98	1.0	26	0.08	0.02	0.09	3.24	26	0.01	0.02	69	73	37	7	119	2000	27
28	200	0.00	0	0.00	0.62	1	2907	97	1.0	26	0.08	0.02	0.09	3.23	26	0.01	0.02	69	74	37	7	119	200	28
28	800	0.00	0	0.00	0.63	1	2907	97	1.0	26	0.08	0.02	0.09	3.22	26	0.01	0.02	69	74	37	7	119	800	28
28	1400	0.00	0	0.00	0.63	1	2907	97	1.0	26	0.08	0.02	0.09	3.22	26	0.01	0.02	69	74	37	6	119	1400	28
28	2000	0.00	0	0.00	0.64	1	2908	97	1.0	26	0.08	0.02	0.09	3.21	26	0.01	0.02	69	75	37	6	119	2000	28
29	200	0.00	0	0.00	0.64	1	2908	97	1.0	26	0.08	0.02	0.09	3.21	26	0.01	0.02	69	75	37	6	120	200	29
29	800	0.00	0	0.00	0.65	1	2909	97	1.0	26	0.08	0.02	0.09	3.20	26	0.01	0.02	69	76	36	6	120	800	29
29	1400	0.00	0	0.00	0.66	1	2909	97	1.0	26	0.08	0.02	0.09	3.19	26	0.01	0.02	69	76	36	6	120	1400	29
29	2000	0.00	0	0.00	0.66	1	2909	97	1.0	26	0.08	0.02	0.09	3.19	25	0.01	0.02	69	76	36	6	120	2000	29
30	200	0.00	0	0.00	0.67	1	2910	97	1.0	26	0.08	0.02	0.09	3.18	25	0.01	0.02	69	77	36	6	121	200	30
30	800	0.00	0	0.00	0.67	1	2910	97	1.0	26	0.08	0.02	0.09	3.17	25	0.01	0.02	69	77	36	6	121	800	30
30	1400	0.00	0	0.00	0.68	1	2910	97	1.0	26	0.08	0.02	0.09	3.17	25	0.01	0.02	69	77	36	6	121	1400	30
30	2000	0.00	0	0.00	0.68	1	2911	97	1.0	26	0.08	0.02	0.09	3.16	25	0.01	0.02	69	78	36	6	121	2000	30
31	200	0.00	0	0.00	0.69	1	2911	97	1.0	26	0.08	0.02	0.09	3.16	25	0.01	0.02	69	78	35	6	121	200	31
31	800	0.00	0	0.00	0.69	1	2911	97	1.0	26	0.08	0.02	0.09	3.15	25	0.01	0.02	69	79	35	6	122	800	31
31	1400	0.00	0	0.00	0.70	1	2912	97	1.0	26	0.08	0.02	0.09	3.14	25	0.01	0.02	69	79	35	6	122	1400	31
31	2000	0.00	0	0.00	0.70	1	2912	97	1.0	26	0.08	0.02	0.09	3.14	25	0.01	0.02	69	79	35	6	122	2000	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	0	0.00	0.71	1	2912	97	1.0	26	0.08	0.02	0.09	3.13	25	0.01	0.02	69	80	35	6	122	200	1
1	800	0.00	0	0.00	0.71	1	2913	97	1.0	26	0.08	0.02	0.09	3.12	25	0.01	0.02	69	80	35	6	122	800	1
1	1400	0.00	0	0.00	0.72	1	2913	97	1.0	26	0.08	0.02	0.09	3.12	25	0.01	0.02	69	80	35	6	123	1400	1
1	2000	0.00	0	0.00	0.72	1	2913	97	1.0	26	0.08	0.02	0.09	3.11	25	0.01	0.02	69	81	35	6	123	2000	1
2	200	0.00	0	0.00	0.73	1	2914	97	1.0	26	0.08	0.02	0.09	3.10	25	0.01	0.02	69	81	34	6	123	200	2
2	800	0.00	0	0.00	0.73	1	2914	97	1.0	26	0.08	0.02	0.09	3.10	25	0.01	0.02	69	81	34	6	123	800	2
2	1400	0.00	0	0.00	0.74	1	2914	97	1.0	26	0.08	0.02	0.09	3.09	25	0.01	0.02	69	82	34	6	123	1400	2
2	2000	0.00	0	0.00	0.75	1	2915	97	1.0	26	0.08	0.02	0.09	3.09	25	0.01	0.02	69	82	34	6	124	2000	2
3	200	0.00	0	0.00	0.75	1	2915	97	1.0	26	0.08	0.02	0.09	3.08	25	0.01	0.02	69	83	34	6	124	200	3
3	800	0.00	0	0.00	0.76	1	2915	97	1.0	26	0.08	0.02	0.09	3.07	25	0.01	0.02	69	83	34	6	124	800	3
3	1400	0.00	0	0.00	0.76	1	2916	97	1.0	26	0.08	0.02	0.09	3.07	25	0.01	0.02	69	83	34	6	124	1400	3
3	2000	0.00	0	0.00	0.77	1	2916	97	1.0	26	0.08	0.02	0.09	3.06	24	0.01	0.02	69	84	34	6	124	2000	3
4	200	0.00	2	0.00	0.78	1	2916	97	1.5	39	0.12	0.05	0.09	3.05	24	0.01	0.02	69	84	33	6	125	200	4
4	800	0.00	2	0.00	0.79	1	2917	97	1.5	39	0.12	0.05	0.09	3.07	25	0.01	0.03	69	84	33	7	127	800	4
4	1400	0.00	31	0.00	0.82	1	2918	97	2.8	60	0.22	0.13	0.09	3.08	25	0.03	0.03	69	84	34	11	130	1400	4
4	2000	0.00	31	0.00	0.86	1	2920	97	2.8	60	0.22	0.13	0.09	3.16	25	0.03	0.04	69	85	35	17	138	2000	4
5	200	0.00	65	0.00	0.94	2	2922	96	5.1	82	0.40	0.33	0.09	3.25	26	0.09	0.07	68	85	38	28	153	200	5
5	800	0.00	74	0.00	1.06	2	2928	96	5.9	87	0.47	0.41	0.09	3.48	28	0.11	0.10	67	85	44	48	179	800	5
5	1400	0.00	91	0.00	1.25	2	2936	95	8.8	93	0.70	0.65	0.09	3.77	30	0.20	0.15	66	86	55	82	224	1400	5
5	2000	0.00	98	0.00	1.55	3	2949	94	11.8	94	0.94	0.89	0.09	4.22	34	0.30	0.24	64	86	75	140	303	2000	5
6	200	0.00	99	0.00	1.92	3	2968	92	12.7	93	1.02	0.95	0.09	4.83	39	0.37	0.35	60	86	110	243	440	200	6
6	800	0.00	100	0.00	2.40	4	2993	90	15.8	92	1.26	1.16	0.09	5.44	41	0.48	0.48	56	87	166	417	671	800	6
6	1400	0.00	100	0.00	2.96	5	3035	88	17.8	90	1.42	1.28	0.09	6.17	43	0.56	0.64	51	87	251	697	1036	1400	6
6	2000	0.00	100	0.00	3.59	6	3088	86	19.7	88	1.58	1.39	0.09	6.98	46	0.63	0.82	48	87	373	1109	1570	2000	6
7	200	0.00	100	0.00	4.34	7	3148	83	22.8	85	1.[illegible]	1.55	0.09	7.84	48	0.75	1.03	46	88	538	1673	2300	200	7
7	800	0.00	100	0.00	5.17	8	3220	79	24.7	82	1.[illegible]	1.63	0.09	8.79	51	0.83	1.28	44	88	750	2432	3272	800	7
7	1400	0.00	100	0.00	6.07	10	3292	77	26.6	79	2.[illegible]	1.69	0.09	9.78	54	0.91	1.54	41	88	1010	3414	4513	1400	7
7	2000	0.00	100	0.00	6.97	11	3350	75	26.0	77	2.00	1.60	0.09	10.77	56	0.90	1.79	38	89	1312	4535	5938	2000	7
8	200	0.00	100	0.00	7.86	13	3407	72	25.1	74	2.01	1.49	0.09	11.68	59	0.88	2.05	34	89	1652	5602	7345	200	8
8	800	0.00	100	0.00	8.76	14	3463	70	25.0	72	2.00	1.44	0.09	12.50	63	0.90	2.27	32	90	2022	6462	8576	800	8
8	1400	0.02	100	0.01	9.64	16	3520	67	24.0	70	1.92	1.35	0.09	13.25	66	0.90	2.50	29	90	2413	7124	9529	1400	8
8	2000	0.02	100	0.02	10.54	17	3577	65	23.8	67	1.91	1.30	0.09	13.91	70	0.90	2.74	26	91	2817	7672	10582	2000	8
9	200	0.05	100	0.06	11.41	18	3633	63	23.2	65	1.85	1.25	0.09	14.49	72	0.91	2.97	23	92	3227	8168	11488	200	9
9	800	0.05	100	0.09	12.27	20	3689	60	23.1	63	1.84	1.20	0.09	15.02	75	0.90	3.19	20	93	3636	8638	12368	800	9
9	1400	0.05	100	0.13	13.08	21	3744	59	22.4	60	1.79	1.13	0.09	15.49	75	0.85	3.38	19	94	4040	9049	13184	1400	9
9	2000	0.06	100	0.17	13.87	22	3784	57	22.3	59	1.78	1.10	0.09	15.95	75	0.83	3.56	18	95	4432	9311	13840	2000	9
10	200	0.15	100	0.28	14.60	24	3822	56	21.4	57	1.71	1.13	0.09	16.41	75	0.84	3.72	17	97	4808	9406	14312	200	10
10	800	0.16	100	0.40	15.31	25	3857	54	21.3	55	1.70	1.10	0.09	16.88	75	0.83	3.88	16	99	5162	9432	14695	800	10
10	1400	0.16	100	0.52	15.99	26	3890	53	21.0	54	1.68	1.07	0.09	17.35	75	0.80	4.01	16	101	5490	9456	15049	1400	10
10	2000	0.16	100	0.64	16.65	27	3923	51	20.9	53	1.67	1.04	0.09	17.81	75	0.78	4.14	15	104	5791	9445	15341	2000	10
11	200	0.12	100	0.73	17.27	28	3954	50	20.0	51	1.60	0.94	0.09	18.27	75	0.71	4.22	14	106	6061	9344	15513	200	11
11	800	0.12	100	0.82	17.87	29	3984	49	19.9	50	1.60	0.92	0.09	18.70	75	0.69	4.30	14	110	6298	9112	15521	800	11
11	1400	0.18	100	0.96	18.44	30	4018	48	19.7	49	1.57	0.94	0.09	19.13	75	0.71	4.38	13	113	6499	8802	15416	1400	11
11	2000	0.42	100	1.27	19.00	31	4057	47	19.6	48	1.57	1.17	0.09	19.57	75	0.88	4.51	13	117	6665	8641	15425	2000	11

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
510881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BI1	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.14	100	1.38	19.49	31	4095	46	17.4	47	1.40	0.79	0.09	20.07	75	0.60	4.53	12	122	6799	8731	15653	200	12
12	800	0.14	100	1.49	19.94	32	4128	45	16.3	46	1.31	0.74	0.09	20.46	75	0.56	4.52	12	127	6904	8694	15727	800	12
12	1400	0.19	100	1.63	20.35	33	4159	44	15.2	45	1.22	0.74	0.09	20.82	75	0.55	4.50	12	132	6980	8217	15330	1400	12
12	2000	0.48	100	1.99	20.72	33	4187	43	14.1	44	1.13	0.98	0.09	21.17	75	0.73	4.53	12	138	7024	7639	14802	2000	12
13	200	0.19	100	2.14	21.08	34	4212	42	14.1	43	1.13	0.68	0.09	21.57	75	0.51	4.49	12	144	7039	7364	14549	200	13
13	800	0.19	100	2.28	21.44	35	4237	42	14.1	42	1.12	0.67	0.09	21.90	75	0.50	4.45	13	151	7028	7204	14385	800	13
13	1400	0.26	100	2.47	21.79	35	4261	41	14.0	42	1.12	0.72	0.09	22.23	75	0.54	4.43	13	159	6993	6877	14029	1400	13
13	2000	0.66	100	2.96	22.14	36	4285	40	14.0	41	1.12	1.11	0.09	22.57	75	0.84	4.51	13	167	6936	6677	13780	2000	13
14	200	0.23	100	3.14	22.45	36	4308	40	13.1	40	1.05	0.65	0.09	23.02	75	0.49	4.46	12	175	6865	6911	13953	200	14
14	800	0.23	100	3.31	22.76	37	4327	39	13.1	40	1.05	0.65	0.09	23.33	75	0.49	4.41	13	184	6788	7142	14115	800	14
14	1400	0.31	100	3.54	23.07	37	4342	39	13.0	39	1.04	0.72	0.09	23.65	75	0.54	4.39	13	194	6707	6922	13824	1400	14
14	2000	0.78	100	4.13	23.37	38	4357	39	13.0	39	1.04	1.19	0.09	23.98	75	0.89	4.47	13	204	6623	6704	13532	2000	14
15	200	0.39	100	4.43	23.70	38	4371	38	14.0	38	1.12	0.82	0.09	24.44	75	0.62	4.48	13	215	6542	7045	13804	200	15
15	800	0.39	100	4.72	24.01	39	4386	38	13.9	38	1.11	0.81	0.09	24.81	75	0.61	4.48	13	226	6473	7597	14298	800	15
15	1400	0.52	100	5.11	24.33	39	4401	37	13.9	38	1.11	0.94	0.09	25.18	75	0.70	4.52	13	238	6418	7818	14476	1400	15
15	2000	1.30	100	6.09	24.63	40	4416	37	13.8	37	1.11	1.71	0.09	25.59	75	1.29	4.73	12	251	6382	8148	14782	2000	15
16	200	0.71	100	6.62	24.91	40	4431	36	12.5	37	1.00	1.08	0.09	26.19	75	0.81	4.76	11	264	6374	9215	15854	200	16
16	800	0.30	99	6.84	25.14	41	4444	36	10.4	36	0.83	0.59	0.09	26.61	75	0.45	4.66	11	277	6402	10204	16885	800	16
16	1400	0.21	99	6.99	25.36	41	4454	36	10.4	36	0.83	0.50	0.09	26.89	75	0.38	4.54	12	291	6459	9802	16554	1400	16
16	2000	0.21	99	7.15	25.60	41	4465	35	11.4	36	0.91	0.53	0.09	27.14	75	0.40	4.45	12	306	6523	8205	15036	2000	16
17	200	0.49	99	7.51	25.85	42	4476	35	11.5	35	0.92	0.81	0.09	27.42	75	0.61	4.43	13	321	6574	6659	13555	200	17
17	800	0.20	99	7.66	26.09	42	4488	35	11.5	35	0.92	0.52	0.09	27.77	75	0.39	4.35	13	336	6597	5879	12814	800	17
17	1400	0.14	99	7.77	26.33	42	4499	34	11.5	35	0.92	0.46	0.09	28.04	75	0.35	4.26	13	352	6587	5554	12495	1400	17
17	2000	0.14	99	7.88	26.56	43	4511	34	11.4	34	0.91	0.46	0.09	28.30	75	0.34	4.18	14	369	6540	5143	12054	2000	17
18	200	0.00	100	7.88	26.81	43	4522	34	12.4	34	0.99	0.34	0.09	28.56	75	0.25	4.09	14	386	6455	4590	11433	200	18
18	800	0.00	100	7.88	27.06	44	4534	33	12.4	34	0.99	0.33	0.09	28.79	75	0.25	4.01	15	403	6331	4020	10756	800	18
18	1400	0.00	100	7.88	27.31	44	4546	33	12.4	33	0.99	0.33	0.09	29.01	75	0.25	3.93	15	421	6170	3499	10091	1400	18
18	2000	0.00	100	7.88	27.55	44	4557	33	12.3	33	0.99	0.32	0.09	29.24	75	0.24	3.85	15	439	5975	3103	9519	2000	18
19	200	0.00	100	7.88	27.85	45	4569	32	15.2	33	1.22	0.40	0.09	29.46	75	0.30	3.84	16	458	5752	2881	9093	200	19
19	800	0.00	100	7.88	28.18	45	4583	32	17.3	32	1.38	0.44	0.09	29.75	75	0.33	3.87	16	477	5510	2869	8857	800	19
19	1400	0.00	100	7.88	28.55	46	4599	31	19.3	32	1.55	0.49	0.09	30.07	75	0.37	3.93	16	496	5260	3068	8825	1400	19
19	2000	0.00	100	7.88	28.96	47	4616	31	21.6	31	1.73	0.54	0.09	30.44	75	0.40	4.04	15	516	5013	3413	8943	2000	19
20	200	0.00	100	7.88	29.37	47	4635	30	22.6	31	1.80	0.55	0.09	30.85	75	0.41	4.15	15	535	4779	3820	9136	200	20
20	800	0.00	100	7.88	29.78	48	4655	30	22.5	30	1.80	0.54	0.09	31.29	75	0.41	4.25	14	556	4567	4205	9329	800	20
20	1400	0.00	100	7.88	30.17	49	4674	29	22.4	29	1.79	0.53	0.09	31.72	75	0.40	4.35	14	576	4382	4486	9446	1400	20
20	2000	0.00	100	7.88	30.56	49	4693	28	22.4	29	1.79	0.52	0.09	32.15	75	0.39	4.43	13	597	4227	4635	9460	2000	20
21	200	0.00	100	7.88	31.01	50	4711	28	26.3	28	2.10	0.60	0.09	32.58	75	0.45	4.59	13	617	4101	4712	9431	200	21
21	800	0.00	100	7.88	31.44	51	4733	27	26.2	28	2.10	0.58	0.09	33.09	75	0.44	4.73	12	638	4003	4831	9473	800	21
21	1400	0.00	100	7.88	31.87	51	4753	27	26.2	27	2.09	0.57	0.09	33.60	75	0.43	4.86	11	660	3930	5010	9601	1400	21
21	2000	0.00	100	7.88	32.29	52	4773	26	26.1	27	2.09	0.55	0.09	34.11	75	0.42	4.97	11	681	3881	5157	9720	2000	21
22	200	0.00	100	7.88	32.72	53	4793	25	28.1	26	2.25	0.58	0.09	34.62	75	0.44	5.12	10	702	3852	5233	9789	200	22
22	800	0.00	100	7.88	33.15	53	4814	25	28.1	25	2.24	0.57	0.09	35.17	75	0.43	5.26	10	724	3840	5289	9854	800	22
22	1400	0.00	100	7.88	33.57	54	4834	24	28.0	25	2.24	0.55	0.09	35.72	75	0.42	5.38	9	745	3841	5342	9930	1400	22
22	2000	0.00	100	7.88	33.97	55	4854	24	27.9	24	2.23	0.54	0.09	36.26	75	0.40	5.49	9	767	3852	5360	9980	2000	22

FORM 1411-2
PRINTED IN U.S.A.

BASIN RESULTS - STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE

RUN DATE	RUN NO.	INITIAL DATE, HOUR	JOB DESCRIPTION
	310881	1 MAY 1972 1400	0 SUSITNA HEP SPRING PMF

N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.320 IN./DEGREE-DAY, AREA = 232.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	7.88	34.35	55	4873	23	26.8	24	2.14	0.51	0.09	36.81	75	0.38	5.58	9	788	3869	5313	9972	200	23
23	800	0.00	100	7.88	34.72	56	4891	23	26.8	23	2.14	0.49	0.09	37.33	75	0.37	5.65	9	810	3889	5201	9902	800	23
23	1400	0.00	100	7.88	35.08	57	4909	22	26.7	23	2.14	0.48	0.09	37.85	75	0.36	5.72	9	831	3908	5046	9787	1400	23
23	2000	0.00	100	7.88	35.43	57	4926	22	26.6	22	2.13	0.47	0.09	38.37	75	0.35	5.78	9	853	3923	4887	9664	2000	23
24	200	0.00	100	7.88	35.70	58	4942	21	20.3	22	1.62	0.35	0.09	38.88	75	0.26	5.71	8	874	3931	4700	9507	200	24
24	800	0.00	100	7.88	35.95	58	4955	21	20.2	21	1.62	0.34	0.09	39.27	75	0.26	5.65	9	896	3929	4399	9225	800	24
24	1400	0.00	100	7.88	36.21	58	4967	21	20.2	21	1.62	0.34	0.09	39.66	75	0.25	5.60	9	917	3913	3997	8828	1400	24
24	2000	0.00	100	7.88	36.45	59	4979	20	20.2	20	1.61	0.33	0.09	40.04	75	0.25	5.54	9	938	3882	3629	8451	2000	24
25	200	0.00	100	7.88	36.66	59	4991	20	17.0	20	1.36	0.27	0.09	40.42	75	0.20	5.43	9	959	3834	3353	8148	200	25
25	800	0.00	100	7.88	36.86	59	4999	20	16.9	20	1.36	0.27	0.09	40.74	75	0.20	5.33	9	980	3770	3110	7862	800	25
25	1400	0.00	100	7.88	37.06	60	5008	20	16.9	20	1.35	0.27	0.09	41.06	75	0.20	5.23	9	1001	3691	2870	7564	1400	25
25	2000	0.00	100	7.88	37.26	60	5019	19	16.9	20	1.35	0.26	0.09	41.37	75	0.20	5.15	10	1021	3598	2674	7295	2000	25
26	200	0.00	100	7.88	37.44	60	5029	19	15.8	19	1.27	0.25	0.09	41.69	75	0.18	5.04	10	1042	3494	2537	7074	200	26
26	800	0.00	100	7.88	37.63	61	5039	19	15.8	19	1.27	0.24	0.09	41.98	75	0.18	4.95	10	1062	3382	2431	6877	800	26
26	1400	0.00	100	7.88	37.81	61	5049	19	15.8	19	1.26	0.24	0.09	42.27	75	0.18	4.86	10	1082	3265	2338	6686	1400	26
26	2000	0.00	100	7.88	37.99	61	5058	19	15.8	19	1.26	0.24	0.09	42.57	75	0.18	4.78	11	1101	3146	2261	6509	2000	26
27	200	0.00	100	7.88	38.15	62	5068	19	14.7	19	1.18	0.22	0.09	42.86	75	0.17	4.69	11	1120	3026	2197	6345	200	27
27	800	0.00	100	7.88	38.32	62	5077	19	14.7	19	1.18	0.22	0.09	43.13	75	0.17	4.60	12	1139	2909	2129	6179	800	27
27	1400	0.00	100	7.88	38.48	62	5086	19	14.7	19	1.18	0.22	0.09	43.40	75	0.16	4.52	12	1158	2794	2052	6006	1400	27
27	2000	0.00	100	7.88	38.65	62	5094	18	14.7	18	1.17	0.22	0.09	43.67	75	0.16	4.44	12	1176	2685	1983	5845	2000	27
28	200	0.00	100	7.88	38.81	63	5103	18	14.7	18	1.17	0.21	0.09	43.94	75	0.16	4.37	13	1194	2580	1930	5706	200	28
28	800	0.00	100	7.88	38.97	63	5112	18	14.7	18	1.17	0.21	0.09	44.21	75	0.16	4.31	13	1212	2481	1891	5585	800	28
28	1400	0.00	100	7.88	39.12	63	5120	18	14.6	18	1.17	0.21	0.09	44.48	75	0.16	4.25	13	1229	2389	1860	5479	1400	28
28	2000	0.00	100	7.88	39.28	63	5129	18	14.6	18	1.17	0.21	0.09	44.75	75	0.16	4.19	14	1246	2302	1833	5384	2000	28
29	200	0.00	100	7.88	39.43	64	5137	18	13.6	18	1.09	0.19	0.09	45.02	75	0.14	4.12	14	1263	2223	1804	5291	200	29
29	800	0.00	100	7.88	39.57	64	5145	18	13.6	18	1.08	0.19	0.09	45.26	75	0.14	4.05	14	1279	2149	1758	5188	800	29
29	1400	0.00	100	7.88	39.71	64	5152	18	13.5	18	1.08	0.19	0.09	45.51	75	0.14	3.99	15	1295	2081	1698	5076	1400	29
29	2000	0.00	100	7.88	39.86	64	5160	17	13.5	17	1.08	0.19	0.09	45.76	75	0.14	3.94	15	1310	2018	1642	4972	2000	29
30	200	0.00	100	7.88	39.99	64	5167	17	12.5	17	1.00	0.17	0.09	46.01	75	0.13	3.86	15	1325	1959	1594	4881	200	30
30	800	0.00	100	7.88	40.11	65	5174	17	12.5	17	1.00	0.17	0.09	46.23	75	0.13	3.80	16	1340	1904	1542	4788	800	30
30	1400	0.00	100	7.88	40.24	65	5181	17	12.4	17	1.00	0.17	0.09	46.46	75	0.13	3.74	16	1354	1853	1482	4690	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1311-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.09	4.00	0	0.00	0.03	0	70	10	4	84	1400	1
1	2000	0.00	0	0.00	0.00	0	2350	100	1.1	50	0.03	0.01	0.09	4.00	32	0.00	0.03	57	70	10	3	84	2000	1
2	200	0.00	0	0.00	0.01	0	2350	100	1.1	50	0.03	0.01	0.09	3.99	32	0.00	0.03	57	70	13	3	87	200	2
2	800	0.00	0	0.00	0.01	0	2351	100	1.1	50	0.03	0.01	0.09	3.97	32	0.00	0.03	57	70	18	3	92	800	2
2	1400	0.00	0	0.00	0.02	0	2351	100	1.1	50	0.03	0.01	0.09	3.96	32	0.00	0.03	57	70	26	3	99	1400	2
2	2000	0.00	0	0.00	0.02	0	2352	100	1.1	50	0.03	0.01	0.09	3.95	32	0.00	0.03	57	70	34	2	107	2000	2
3	200	0.00	0	0.00	0.03	0	2352	100	1.1	50	0.03	0.01	0.09	3.93	31	0.00	0.03	57	70	40	2	114	200	3
3	800	0.00	0	0.00	0.03	0	2353	100	1.1	50	0.03	0.01	0.09	3.92	31	0.00	0.03	57	70	46	2	119	800	3
3	1400	0.00	0	0.00	0.03	0	2353	100	1.1	50	0.03	0.01	0.09	3.91	31	0.00	0.02	57	70	49	2	123	1400	3
3	2000	0.00	0	0.00	0.04	0	2354	100	1.1	50	0.03	0.01	0.09	3.89	31	0.00	0.02	58	70	52	2	125	2000	3
4	200	0.00	0	0.00	0.04	0	2354	100	1.1	49	0.03	0.01	0.09	3.88	31	0.00	0.02	58	70	53	2	126	200	4
4	800	0.00	0	0.00	0.05	0	2355	100	1.1	49	0.03	0.01	0.09	3.87	31	0.00	0.02	58	70	54	2	127	800	4
4	1400	0.00	0	0.00	0.05	0	2355	100	1.1	49	0.03	0.01	0.09	3.85	31	0.00	0.02	58	70	54	2	128	1400	4
4	2000	0.00	0	0.00	0.05	0	2355	100	1.1	49	0.03	0.01	0.09	3.84	31	0.00	0.02	58	70	54	2	128	2000	4
5	200	0.00	0	0.00	0.06	0	2356	100	1.1	49	0.03	0.01	0.09	3.83	31	0.00	0.02	58	70	54	2	127	200	5
5	800	0.00	0	0.00	0.06	0	2356	99	1.1	49	0.03	0.01	0.09	3.81	31	0.00	0.02	58	70	54	2	127	800	5
5	1400	0.00	0	0.00	0.07	0	2357	99	1.1	49	0.03	0.01	0.09	3.80	30	0.00	0.02	58	70	54	2	127	1400	5
5	2000	0.00	0	0.00	0.07	0	2357	99	1.1	49	0.03	0.01	0.09	3.79	30	0.00	0.02	58	70	53	2	127	2000	5
6	200	0.00	0	0.00	0.07	0	2358	99	1.1	49	0.03	0.01	0.09	3.77	30	0.00	0.02	58	70	53	2	126	200	6
6	800	0.00	0	0.00	0.08	0	2358	99	1.1	49	0.03	0.01	0.09	3.76	30	0.00	0.02	58	70	53	2	126	800	6
6	1400	0.00	0	0.00	0.08	0	2358	99	1.1	49	0.03	0.01	0.09	3.75	30	0.00	0.02	58	70	53	2	126	1400	6
6	2000	0.00	0	0.00	0.09	0	2359	99	1.1	49	0.03	0.01	0.09	3.73	30	0.00	0.02	58	70	52	2	126	2000	6
7	200	0.00	0	0.00	0.09	0	2359	99	1.1	49	0.03	0.01	0.09	3.72	30	0.00	0.02	58	70	52	2	125	200	7
7	800	0.00	0	0.00	0.09	0	2360	99	1.1	49	0.03	0.01	0.09	3.71	30	0.00	0.02	58	70	52	2	125	800	7
7	1400	0.00	0	0.00	0.10	0	2360	99	1.1	49	0.03	0.01	0.09	3.69	30	0.00	0.02	58	70	52	2	125	1400	7
7	2000	0.00	0	0.00	0.10	0	2361	99	1.1	49	0.03	0.01	0.09	3.68	29	0.00	0.02	58	70	51	2	124	2000	7
8	200	0.00	0	0.00	0.11	0	2361	99	1.1	49	0.03	0.01	0.09	3.67	29	0.00	0.02	58	70	51	2	124	200	8
8	800	0.00	0	0.00	0.11	0	2361	99	1.1	49	0.03	0.01	0.09	3.65	29	0.00	0.02	58	70	51	2	124	800	8
8	1400	0.00	0	0.00	0.11	0	2362	99	1.1	49	0.03	0.01	0.09	3.64	29	0.00	0.02	58	70	50	2	124	1400	8
8	2000	0.00	0	0.00	0.12	0	2362	99	1.1	49	0.03	0.01	0.09	3.63	29	0.00	0.02	58	70	50	2	123	2000	8
9	200	0.00	0	0.00	0.12	0	2363	99	1.1	49	0.03	0.01	0.09	3.61	29	0.00	0.02	58	70	50	2	123	200	9
9	800	0.00	0	0.00	0.12	0	2363	99	1.1	49	0.03	0.01	0.09	3.60	29	0.00	0.02	58	70	50	2	123	800	9
9	1400	0.00	0	0.00	0.13	0	2363	99	1.1	49	0.03	0.01	0.09	3.59	29	0.00	0.02	58	70	49	2	123	1400	9
9	2000	0.00	0	0.00	0.13	0	2364	99	1.0	49	0.03	0.01	0.09	3.57	29	0.00	0.02	58	70	49	2	122	2000	9
10	200	0.00	0	0.00	0.14	0	2364	99	1.0	49	0.03	0.01	0.09	3.56	28	0.00	0.02	58	70	49	2	122	200	10
10	800	0.00	0	0.00	0.14	0	2365	99	1.0	49	0.03	0.01	0.09	3.55	28	0.00	0.02	58	70	49	2	122	800	10
10	1400	0.00	0	0.00	0.14	0	2365	99	1.0	49	0.03	0.01	0.09	3.54	28	0.00	0.02	58	70	48	2	122	1400	10
10	2000	0.00	0	0.00	0.15	0	2365	99	1.0	49	0.03	0.01	0.09	3.52	28	0.00	0.02	58	70	48	2	121	2000	10
11	200	0.00	0	0.00	0.15	0	2366	99	1.0	49	0.03	0.01	0.09	3.51	28	0.00	0.02	58	70	48	2	121	200	11
11	800	0.00	0	0.00	0.15	1	2366	99	1.0	49	0.03	0.01	0.09	3.50	28	0.00	0.02	58	70	48	2	121	800	11
11	1400	0.00	0	0.00	0.16	1	2367	99	1.0	49	0.03	0.01	0.09	3.48	28	0.00	0.02	58	70	47	2	121	1400	11
11	2000	0.00	0	0.00	0.16	1	2367	99	1.0	48	0.03	0.01	0.09	3.47	28	0.00	0.02	58	70	47	2	120	2000	11
12	200	0.00	0	0.00	0.16	1	2367	99	1.0	48	0.03	0.01	0.09	3.46	28	0.00	0.02	58	70	47	2	120	200	12
12	800	0.00	0	0.00	0.17	1	2368	99	1.0	48	0.03	0.01	0.09	3.44	28	0.00	0.02	58	70	47	2	120	800	12

PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.101 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	0	0.00	0.17	1	2368	99	1.0	48	0.03	0.01	0.09	3.43	27	0.00	0.02	58	70	46	2	120	1400	12
12	2000	0.00	0	0.00	0.17	1	2369	99	1.0	48	0.03	0.01	0.09	3.42	27	0.00	0.02	58	70	46	2	119	2000	12
13	200	0.00	0	0.00	0.18	1	2369	99	1.0	48	0.03	0.01	0.09	3.40	27	0.00	0.02	58	70	46	2	119	200	13
13	800	0.00	0	0.00	0.18	1	2369	98	1.0	48	0.03	0.01	0.09	3.39	27	0.00	0.02	58	70	46	2	119	800	13
13	1400	0.00	0	0.00	0.18	1	2370	98	1.0	48	0.03	0.01	0.09	3.38	27	0.00	0.02	58	70	46	2	119	1400	13
13	2000	0.00	0	0.00	0.19	1	2370	98	1.0	48	0.03	0.01	0.09	3.36	27	0.00	0.02	58	70	45	2	118	2000	13
14	200	0.00	0	0.00	0.19	1	2370	98	1.0	48	0.03	0.01	0.09	3.35	27	0.00	0.02	58	70	45	2	118	200	14
14	800	0.00	0	0.00	0.19	1	2371	98	1.0	48	0.03	0.01	0.09	3.34	27	0.00	0.02	58	70	45	2	118	800	14
14	1400	0.00	0	0.00	0.20	1	2371	98	1.0	48	0.03	0.01	0.09	3.33	27	0.00	0.02	58	70	45	2	118	1400	14
14	2000	0.00	0	0.00	0.20	1	2372	98	1.0	48	0.03	0.01	0.09	3.31	27	0.00	0.02	58	70	44	2	118	2000	14
15	200	0.00	0	0.00	0.21	1	2372	98	1.0	48	0.03	0.01	0.09	3.30	26	0.00	0.02	58	70	44	2	117	200	15
15	800	0.00	0	0.00	0.21	1	2372	98	1.0	48	0.03	0.01	0.09	3.29	26	0.00	0.02	58	70	44	2	117	800	15
15	1400	0.00	0	0.00	0.21	1	2373	98	1.0	48	0.03	0.01	0.09	3.27	26	0.00	0.01	58	70	44	2	117	1400	15
15	2000	0.00	0	0.00	0.22	1	2373	98	1.0	48	0.03	0.01	0.09	3.26	26	0.00	0.01	59	70	43	2	117	2000	15
16	200	0.00	0	0.00	0.22	1	2373	98	1.0	48	0.03	0.01	0.09	3.25	26	0.00	0.01	59	70	43	2	117	200	16
16	800	0.00	0	0.00	0.22	1	2374	98	1.0	48	0.03	0.01	0.09	3.23	26	0.00	0.01	59	70	43	2	116	800	16
16	1400	0.00	0	0.00	0.22	1	2374	98	1.0	48	0.03	0.01	0.09	3.22	26	0.00	0.01	59	70	43	2	116	1400	16
16	2000	0.00	0	0.00	0.23	1	2374	98	1.0	48	0.03	0.01	0.09	3.21	26	0.00	0.01	59	70	43	2	116	2000	16
17	200	0.00	0	0.00	0.23	1	2375	98	1.0	48	0.03	0.01	0.09	3.20	26	0.00	0.01	59	70	42	2	116	200	17
17	800	0.00	0	0.00	0.23	1	2375	98	1.0	48	0.03	0.01	0.09	3.18	25	0.00	0.01	59	70	42	2	116	800	17
17	1400	0.00	0	0.00	0.24	1	2376	98	1.0	48	0.03	0.01	0.09	3.17	25	0.00	0.01	59	70	42	2	115	1400	17
17	2000	0.00	0	0.00	0.24	1	2376	98	1.0	48	0.03	0.01	0.09	3.16	25	0.00	0.01	59	70	42	2	115	2000	17
18	200	0.00	0	0.00	0.24	1	2376	98	1.0	48	0.03	0.01	0.09	3.14	25	0.00	0.01	59	70	42	2	115	200	18
18	800	0.00	0	0.00	0.25	1	2377	98	1.0	48	0.03	0.01	0.09	3.13	25	0.00	0.01	59	70	41	2	115	800	18
18	1400	0.00	0	0.00	0.25	1	2377	98	1.0	48	0.03	0.01	0.09	3.12	25	0.00	0.01	59	70	41	2	115	1400	18
18	2000	0.00	0	0.00	0.25	1	2377	98	1.0	48	0.03	0.01	0.09	3.11	25	0.00	0.01	59	70	41	2	114	2000	18
19	200	0.00	0	0.00	0.26	1	2378	98	1.0	48	0.03	0.01	0.09	3.09	25	0.00	0.01	59	70	41	2	114	200	19
19	800	0.00	0	0.00	0.26	1	2378	98	1.0	48	0.03	0.01	0.09	3.08	25	0.00	0.01	59	70	40	2	114	800	19
19	1400	0.00	0	0.00	0.26	1	2378	98	1.0	48	0.03	0.01	0.09	3.07	25	0.00	0.01	59	70	40	2	114	1400	19
19	2000	0.00	0	0.00	0.27	1	2379	98	1.0	48	0.03	0.01	0.09	3.05	24	0.00	0.01	59	70	40	2	114	2000	19
20	200	0.00	0	0.00	0.27	1	2379	98	1.0	48	0.03	0.01	0.09	3.04	24	0.00	0.01	59	70	40	2	113	200	20
20	800	0.00	0	0.00	0.27	1	2379	98	1.0	48	0.03	0.01	0.09	3.03	24	0.00	0.01	59	70	40	2	113	800	20
20	1400	0.00	0	0.00	0.27	1	2380	98	1.0	48	0.03	0.01	0.09	3.02	24	0.00	0.01	59	70	39	2	113	1400	20
20	2000	0.00	0	0.00	0.28	1	2380	98	1.0	48	0.03	0.01	0.09	3.00	24	0.00	0.01	59	70	39	2	113	2000	20
21	200	0.00	0	0.00	0.28	1	2380	98	1.0	47	0.03	0.01	0.09	2.99	24	0.00	0.01	59	70	39	2	112	200	21
21	800	0.00	0	0.00	0.28	1	2381	98	1.0	47	0.03	0.01	0.09	2.98	24	0.00	0.01	59	70	39	2	112	800	21
21	1400	0.00	0	0.00	0.29	1	2381	98	1.0	47	0.03	0.01	0.09	2.96	24	0.00	0.01	59	70	39	2	112	1400	21
21	2000	0.00	0	0.00	0.29	1	2381	98	1.0	47	0.03	0.01	0.09	2.95	24	0.00	0.01	59	70	38	2	112	2000	21
22	200	0.00	0	0.00	0.29	1	2381	98	1.0	47	0.03	0.01	0.09	2.94	24	0.00	0.01	59	70	38	2	112	200	22
22	800	0.00	0	0.00	0.30	1	2382	98	1.0	47	0.03	0.01	0.09	2.93	23	0.00	0.01	59	71	38	1	111	800	22
22	1400	0.00	0	0.00	0.30	1	2382	98	1.0	47	0.03	0.01	0.09	2.91	23	0.00	0.01	59	71	38	1	111	1400	22
22	2000	0.00	0	0.00	0.30	1	2382	97	1.0	47	0.03	0.01	0.09	2.90	23	0.00	0.01	59	71	38	1	111	2000	22
23	200	0.00	0	0.00	0.30	1	2383	97	1.0	47	0.03	0.01	0.09	2.89	23	0.00	0.01	59	71	37	1	111	200	23
23	800	0.00	0	0.00	0.31	1	2383	97	1.0	47	0.03	0.01	0.09	2.87	23	0.00	0.01	59	71	37	1	111	800	23

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

EII = 0.09 IN./DAY, MELT RATE = 0.103 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	EII	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	0	0.00	0.31	1	2383	97	1.0	47	0.03	0.01	0.09	2.86	23	0.00	0.01	59	71	37	1	110	1400	23
23	2000	0.00	0	0.00	0.31	1	2384	97	1.0	47	0.03	0.01	0.09	2.85	23	0.00	0.01	59	71	37	1	110	2000	23
24	200	0.00	0	0.00	0.32	1	2384	97	1.0	47	0.03	0.01	0.09	2.84	23	0.00	0.01	59	71	37	1	110	200	24
24	800	0.00	0	0.00	0.32	1	2384	97	1.0	47	0.03	0.01	0.09	2.82	23	0.00	0.01	59	71	36	1	110	800	24
24	1400	0.00	0	0.00	0.32	1	2385	97	1.0	47	0.03	0.01	0.09	2.81	22	0.00	0.01	59	71	36	1	110	1400	24
24	2000	0.00	0	0.00	0.32	1	2385	97	1.0	47	0.03	0.01	0.09	2.80	22	0.00	0.01	59	71	36	1	109	2000	24
25	200	0.00	0	0.00	0.33	1	2385	97	1.0	47	0.03	0.01	0.09	2.79	22	0.00	0.01	59	70	36	1	109	200	25
25	800	0.00	0	0.00	0.33	1	2385	97	1.0	47	0.03	0.01	0.09	2.77	22	0.00	0.01	59	70	36	1	109	800	25
25	1400	0.00	0	0.00	0.33	1	2386	97	1.0	47	0.03	0.01	0.09	2.76	22	0.00	0.01	59	70	35	1	109	1400	25
25	2000	0.00	0	0.00	0.33	1	2386	97	1.0	47	0.03	0.01	0.09	2.75	22	0.00	0.01	59	70	35	1	109	2000	25
26	200	0.00	0	0.00	0.34	1	2386	97	1.0	47	0.03	0.01	0.09	2.73	22	0.00	0.01	59	70	35	1	108	200	26
26	800	0.00	0	0.00	0.34	1	2387	97	1.0	47	0.03	0.01	0.09	2.72	22	0.00	0.01	59	70	35	1	108	800	26
26	1400	0.00	0	0.00	0.34	1	2387	97	1.0	47	0.03	0.01	0.09	2.71	22	0.00	0.01	59	70	35	1	108	1400	26
26	2000	0.00	0	0.00	0.34	1	2387	97	1.0	47	0.03	0.01	0.09	2.70	22	0.00	0.01	59	70	34	1	108	2000	26
27	200	0.00	0	0.00	0.35	1	2388	97	1.0	47	0.03	0.01	0.09	2.68	21	0.00	0.01	59	70	34	1	107	200	27
27	800	0.00	0	0.00	0.35	1	2388	97	1.0	47	0.03	0.01	0.09	2.67	21	0.00	0.01	59	70	34	1	107	800	27
27	1400	0.00	0	0.00	0.35	1	2388	97	1.0	47	0.03	0.01	0.09	2.66	21	0.00	0.01	59	70	34	1	107	1400	27
27	2000	0.00	0	0.00	0.36	1	2388	97	1.0	47	0.03	0.01	0.09	2.65	21	0.00	0.01	59	70	34	1	107	2000	27
28	200	0.00	0	0.00	0.36	1	2389	97	1.0	47	0.03	0.01	0.09	2.63	21	0.00	0.01	59	70	33	1	106	200	28
28	800	0.00	0	0.00	0.36	1	2389	97	1.0	47	0.03	0.01	0.09	2.62	21	0.00	0.01	59	70	33	1	106	800	28
28	1400	0.00	0	0.00	0.36	1	2389	97	1.0	47	0.03	0.01	0.09	2.61	21	0.00	0.01	59	70	33	1	106	1400	28
28	2000	0.00	0	0.00	0.37	1	2389	97	1.0	47	0.03	0.01	0.09	2.60	21	0.00	0.01	59	70	33	1	106	2000	28
29	200	0.00	0	0.00	0.37	1	2390	97	1.0	47	0.03	0.01	0.09	2.58	21	0.00	0.01	59	70	33	1	106	200	29
29	800	0.00	0	0.00	0.37	1	2390	97	1.0	47	0.03	0.01	0.09	2.57	21	0.00	0.01	59	70	33	1	105	800	29
29	1400	0.00	0	0.00	0.37	1	2390	97	1.0	47	0.03	0.01	0.09	2.56	20	0.00	0.01	59	70	32	1	105	1400	29
29	2000	0.00	0	0.00	0.38	1	2391	97	1.0	47	0.03	0.01	0.09	2.55	20	0.00	0.01	59	70	32	1	105	2000	29
30	200	0.00	0	0.00	0.38	1	2391	97	1.0	47	0.03	0.01	0.09	2.53	20	0.00	0.01	59	70	32	1	105	200	30
30	800	0.00	0	0.00	0.38	1	2391	97	1.0	47	0.03	0.01	0.09	2.52	20	0.00	0.01	59	70	32	1	104	800	30
30	1400	0.00	0	0.00	0.38	1	2391	97	1.0	47	0.03	0.01	0.09	2.51	20	0.00	0.01	59	70	32	1	104	1400	30
30	2000	0.00	0	0.00	0.39	1	2392	97	1.0	47	0.03	0.01	0.09	2.50	20	0.00	0.01	59	70	31	1	104	2000	30
31	200	0.00	0	0.00	0.39	1	2392	97	1.0	47	0.03	0.01	0.09	2.48	20	0.00	0.01	59	70	31	1	104	200	31
31	800	0.00	0	0.00	0.39	1	2392	97	1.0	47	0.03	0.01	0.09	2.47	20	0.00	0.01	59	70	31	1	103	800	31
31	1400	0.00	0	0.00	0.39	1	2392	97	1.0	47	0.03	0.01	0.09	2.46	20	0.00	0.01	59	70	31	1	103	1400	31
31	2000	0.00	0	0.00	0.39	1	2393	97	1.0	47	0.03	0.01	0.09	2.45	20	0.00	0.01	59	69	31	1	103	2000	31

FORM 1413-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE 310881 RUN NO. INITIAL DATE, HOUR 1 MAY 1972 1400 JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.103 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	0	0.00	0.40	1	2393	97	1.0	47	0.03	0.01	0.09	2.43	20	0.00	0.01	59	69	31	1	103	200	1
1	800	0.00	0	0.00	0.40	1	2393	97	1.0	46	0.03	0.01	0.09	2.42	20	0.00	0.01	59	69	31	1	102	800	1
1	1400	0.00	0	0.00	0.40	1	2393	97	1.0	46	0.03	0.01	0.09	2.41	20	0.00	0.01	59	69	30	1	102	1400	1
1	2000	0.00	0	0.00	0.40	1	2394	97	1.0	46	0.03	0.01	0.09	2.40	20	0.00	0.01	59	69	30	1	102	2000	1
2	200	0.00	0	0.00	0.41	1	2394	97	1.0	46	0.03	0.01	0.09	2.38	20	0.00	0.01	59	69	30	1	102	200	2
2	800	0.00	0	0.00	0.41	1	2394	97	1.0	46	0.03	0.01	0.09	2.37	19	0.00	0.01	59	69	30	1	102	800	2
2	1400	0.00	0	0.00	0.41	1	2394	97	1.0	46	0.03	0.01	0.09	2.36	19	0.00	0.01	59	69	30	1	101	1400	2
2	2000	0.00	0	0.00	0.41	1	2395	97	1.0	46	0.03	0.01	0.09	2.35	19	0.00	0.01	59	69	30	1	101	2000	2
3	200	0.00	0	0.00	0.42	1	2395	97	1.0	46	0.03	0.01	0.09	2.33	19	0.00	0.01	59	69	30	1	101	200	3
3	800	0.00	0	0.00	0.42	1	2395	97	1.0	46	0.03	0.01	0.09	2.32	19	0.00	0.01	59	69	30	1	101	800	3
3	1400	0.00	0	0.00	0.42	1	2395	96	1.0	46	0.03	0.01	0.09	2.31	19	0.00	0.01	59	69	30	1	101	1400	3
3	2000	0.00	0	0.00	0.42	1	2396	96	1.0	46	0.03	0.01	0.09	2.30	19	0.00	0.01	59	68	29	1	100	2000	3
4	200	0.00	3	0.00	0.43	1	2396	96	1.7	60	0.04	0.03	0.09	2.28	19	0.01	0.01	59	68	30	1	101	200	4
4	800	0.00	3	0.00	0.43	1	2397	96	1.7	60	0.04	0.03	0.09	2.28	19	0.01	0.01	59	68	32	2	103	800	4
4	1400	0.00	50	0.00	0.45	1	2397	96	3.1	89	0.08	0.07	0.09	2.28	19	0.01	0.01	59	68	37	3	110	1400	4
4	2000	0.00	50	0.00	0.46	2	2399	96	3.1	89	0.08	0.07	0.09	2.32	19	0.01	0.02	59	68	48	6	124	2000	4
5	200	0.00	92	0.00	0.49	2	2400	96	6.0	93	0.15	0.14	0.09	2.36	19	0.03	0.02	58	68	69	9	148	200	5
5	800	0.00	97	0.00	0.52	2	2403	96	6.9	94	0.18	0.17	0.09	2.45	20	0.03	0.03	58	68	103	15	187	800	5
5	1400	0.00	98	0.00	0.57	2	2407	95	9.8	96	0.26	0.25	0.09	2.57	21	0.05	0.04	57	68	155	21	245	1400	5
5	2000	0.00	100	0.00	0.64	2	2412	95	12.8	95	0.34	0.32	0.09	2.76	22	0.07	0.05	56	68	229	31	329	2000	5
6	200	0.00	100	0.00	0.72	2	2420	94	13.8	95	0.36	0.34	0.09	3.00	24	0.08	0.07	55	67	334	43	446	200	6
6	800	0.00	100	0.00	0.83	3	2429	93	16.8	94	0.44	0.42	0.09	3.25	26	0.11	0.10	53	67	473	57	598	800	6
6	1400	0.00	100	0.00	0.97	3	2441	92	18.7	93	0.50	0.47	0.09	3.56	28	0.13	0.12	50	67	651	77	797	1400	6
6	2000	0.00	100	0.00	1.13	4	2455	91	20.7	92	0.56	0.51	0.09	3.90	31	0.16	0.16	49	67	875	110	1054	2000	6
7	200	0.00	100	0.00	1.33	4	2473	89	23.7	91	0.65	0.59	0.09	4.27	34	0.20	0.20	47	67	1153	159	1380	200	7
7	800	0.00	100	0.00	1.56	5	2494	87	25.6	89	0.71	0.63	0.09	4.68	37	0.24	0.25	45	67	1493	230	1791	800	7
7	1400	0.00	100	0.00	1.84	6	2520	85	27.5	87	0.78	0.68	0.09	5.11	40	0.27	0.31	41	67	1904	335	2307	1400	7
7	2000	0.00	100	0.00	2.11	7	2550	82	27.0	85	0.78	0.66	0.09	5.56	42	0.27	0.37	36	67	2387	466	2921	2000	7
8	200	0.00	100	0.00	2.38	8	2579	80	26.2	82	0.77	0.63	0.09	6.01	43	0.27	0.43	33	67	2921	581	3570	200	8
8	800	0.00	100	0.00	2.66	9	2609	79	26.1	80	0.78	0.63	0.09	6.44	44	0.28	0.49	31	66	3461	667	4196	800	8
8	1400	0.02	100	0.01	2.93	10	2630	77	25.2	78	0.77	0.62	0.09	6.86	45	0.28	0.54	29	66	3964	745	4776	1400	8
8	2000	0.02	100	0.01	3.21	11	2649	75	25.2	77	0.78	0.62	0.09	7.28	47	0.29	0.60	28	66	4405	830	5303	2000	8
9	200	0.05	100	0.04	3.49	12	2670	74	24.6	75	0.78	0.64	0.09	7.69	48	0.30	0.66	27	67	4784	932	5784	200	9
9	800	0.05	100	0.06	3.78	13	2690	72	24.6	74	0.79	0.63	0.09	8.12	49	0.31	0.72	26	67	5110	1055	6233	800	9
9	1400	0.05	100	0.09	4.06	14	2711	71	24.0	72	0.79	0.62	0.09	8.54	50	0.31	0.77	25	67	5397	1172	6638	1400	9
9	2000	0.06	100	0.11	4.35	15	2732	69	24.0	71	0.80	0.62	0.09	8.95	51	0.32	0.83	24	67	5649	1280	6998	2000	9
10	200	0.15	100	0.19	4.64	15	2753	68	23.1	69	0.79	0.70	0.09	9.36	52	0.36	0.90	23	67	5875	1460	7403	200	10
10	800	0.16	100	0.28	4.93	16	2773	66	23.0	67	0.80	0.70	0.09	9.81	54	0.38	0.97	22	68	6099	1776	7945	800	10
10	1400	0.16	100	0.37	5.22	17	2794	64	22.8	66	0.80	0.69	0.09	10.25	55	0.38	1.04	20	68	6343	2084	8497	1400	10
10	2000	0.16	100	0.46	5.51	18	2816	63	22.7	64	0.82	0.68	0.09	10.69	56	0.38	1.11	20	69	6599	2326	8995	2000	10
11	200	0.12	100	0.53	5.80	19	2837	61	21.9	63	0.80	0.62	0.09	11.12	57	0.36	1.17	19	70	6837	2481	9390	200	11
11	800	0.12	100	0.60	6.09	20	2858	60	21.8	61	0.81	0.61	0.09	11.51	59	0.36	1.23	18	71	7024	2484	9580	800	11
11	1400	0.18	100	0.70	6.38	21	2877	58	21.6	60	0.82	0.66	0.09	11.90	60	0.39	1.30	18	72	7146	2585	9804	1400	11
11	2000	0.42	100	0.96	6.68	22	2893	57	21.5	58	0.84	0.91	0.09	12.30	61	0.56	1.41	17	73	7238	3310	10623	2000	11

FORM 1115-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310681 1 MAY 1972 1800 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.164 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BFI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.14	100	1.05	6.97	23	2909	56	19.5	57	0.78	0.59	0.09	12.78	64	0.38	1.47	16	74	7354	4481	11911	200	12
12	800	0.14	100	1.15	7.24	24	2925	55	18.4	56	0.76	0.57	0.09	13.12	66	0.37	1.52	15	76	7485	4138	11700	800	12
12	1400	0.19	100	1.28	7.51	25	2940	54	17.4	55	0.73	0.59	0.09	13.42	67	0.40	1.58	15	77	7570	3582	11231	1400	12
12	2000	0.48	100	1.61	7.77	26	2954	53	16.4	54	0.71	0.86	0.09	13.73	69	0.59	1.68	14	79	7608	4075	11764	2000	12
13	200	0.19	100	1.74	8.04	27	2969	51	16.3	53	0.72	0.57	0.09	14.10	70	0.40	1.73	13	82	7656	5412	13150	200	13
13	800	0.19	100	1.88	8.31	28	2983	50	16.3	51	0.74	0.57	0.09	14.37	72	0.41	1.79	13	84	7722	5131	12938	800	13
13	1400	0.26	100	2.07	8.59	29	2998	49	16.2	50	0.75	0.63	0.09	14.63	73	0.46	1.86	12	87	7765	4764	12617	1400	13
13	2000	0.66	100	2.55	8.87	30	3021	48	16.2	49	0.76	1.03	0.09	14.90	74	0.77	2.00	11	90	7783	6186	14060	2000	13
14	200	0.23	100	2.73	9.13	30	3046	47	15.4	48	0.74	0.59	0.09	15.26	75	0.44	2.06	10	93	7816	8846	16756	200	14
14	800	0.23	100	2.90	9.40	31	3069	46	15.3	47	0.75	0.59	0.09	15.50	75	0.44	2.11	10	96	7857	8014	15969	800	14
14	1400	0.31	100	3.14	9.66	32	3093	45	15.3	46	0.77	0.66	0.09	15.75	75	0.50	2.18	10	100	7859	6757	14718	1400	14
14	2000	0.78	100	3.72	9.92	33	3116	44	15.2	45	0.78	1.13	0.09	16.02	75	0.85	2.33	10	104	7825	7987	15917	2000	14
15	200	0.39	100	4.02	10.20	34	3140	42	16.2	44	0.85	0.76	0.09	16.41	75	0.57	2.42	10	108	7812	11220	19141	200	15
15	800	0.39	100	4.31	10.47	35	3164	41	16.2	42	0.86	0.76	0.09	16.72	75	0.57	2.50	10	112	7831	11143	19088	800	15
15	1400	0.52	100	4.70	10.74	36	3189	40	16.1	41	0.88	0.88	0.09	17.03	75	0.66	2.60	10	117	7838	10410	18367	1400	15
15	2000	1.30	100	5.68	11.01	37	3213	39	16.1	40	0.89	1.66	0.09	17.38	75	1.24	2.83	10	122	7835	13053	21010	2000	15
16	200	0.71	100	6.21	11.26	38	3231	39	14.9	39	0.84	1.04	0.09	17.93	75	0.78	2.94	10	128	7874	18684	26687	200	16
16	800	0.30	100	6.43	11.47	38	3246	38	12.8	39	0.73	0.58	0.09	18.31	75	0.43	2.95	10	133	7959	17081	25175	800	16
16	1400	0.21	100	6.59	11.68	39	3259	37	12.6	38	0.74	0.49	0.09	18.57	75	0.37	2.95	10	140	7994	11035	19170	1400	16
16	2000	0.21	100	6.74	11.91	40	3272	37	13.8	37	0.81	0.51	0.09	18.81	75	0.38	2.96	10	146	7890	6913	14951	2000	16
17	200	0.49	100	7.11	12.14	40	3286	36	14.0	37	0.83	0.79	0.09	19.06	75	0.60	3.02	10	152	7662	6205	14021	200	17
17	800	0.20	100	7.26	12.37	41	3300	35	13.9	36	0.85	0.50	0.09	19.39	75	0.38	3.03	10	159	7397	7436	14994	800	17
17	1400	0.14	100	7.37	12.60	42	3314	35	13.9	35	0.86	0.45	0.09	19.65	75	0.34	3.03	10	167	7144	6706	14018	1400	17
17	2000	0.14	100	7.48	12.82	43	3329	34	13.9	35	0.88	0.45	0.09	19.89	75	0.34	3.03	10	174	6880	5417	12472	2000	17
18	200	0.00	100	7.48	13.07	44	3343	33	14.9	34	0.95	0.32	0.09	20.15	75	0.24	3.03	10	182	6578	4606	11367	200	18
18	800	0.00	100	7.48	13.31	44	3358	33	14.8	33	0.97	0.32	0.09	20.36	75	0.24	3.02	10	190	6222	3790	10204	800	18
18	1400	0.00	100	7.48	13.55	45	3373	32	14.8	33	0.99	0.32	0.09	20.59	75	0.24	3.02	10	199	5816	3323	9340	1400	18
18	2000	0.00	100	7.48	13.79	46	3388	31	14.8	32	1.00	0.32	0.09	20.82	75	0.24	3.02	10	208	5398	3198	8805	2000	18
19	200	0.00	100	7.48	14.08	47	3402	31	17.6	31	1.21	0.38	0.09	21.05	75	0.28	3.07	10	217	5012	3379	8609	200	19
19	800	0.00	100	7.48	14.39	48	3420	30	19.5	30	1.38	0.42	0.09	21.34	75	0.31	3.13	10	226	4683	4110	9020	800	19
19	1400	0.00	100	7.48	14.73	49	3439	29	21.5	29	1.55	0.46	0.09	21.67	75	0.34	3.23	10	236	4415	5078	9731	1400	19
19	2000	0.00	100	7.48	15.11	50	3461	28	23.7	29	1.74	0.50	0.09	22.04	75	0.37	3.36	10	246	4201	6072	10520	2000	19
20	200	0.00	100	7.48	15.49	52	3484	26	24.6	27	1.86	0.51	0.09	22.47	75	0.38	3.50	10	256	4024	6996	11277	200	20
20	800	0.00	100	7.48	15.86	53	3507	25	24.6	26	1.88	0.49	0.09	22.93	75	0.37	3.64	10	267	3872	7587	11726	800	20
20	1400	0.00	100	7.48	16.22	54	3530	24	24.6	25	1.90	0.48	0.09	23.39	75	0.36	3.77	10	277	3732	7746	11757	1400	20
20	2000	0.00	100	7.48	16.57	55	3552	23	24.5	24	1.92	0.47	0.09	23.87	75	0.35	3.90	10	288	3599	7661	11550	2000	20
21	200	0.00	100	7.48	16.96	57	3574	22	28.3	23	2.24	0.52	0.09	24.38	75	0.39	4.08	10	300	3469	7697	11467	200	21
21	800	0.00	100	7.48	17.33	58	3598	21	28.3	22	2.27	0.50	0.09	24.91	75	0.38	4.26	10	311	3339	8154	11805	800	21
21	1400	0.00	100	7.48	17.70	59	3621	20	28.2	21	2.30	0.48	0.09	25.48	75	0.36	4.43	10	323	3209	8372	11906	1400	21
21	2000	0.00	100	7.48	18.04	60	3644	19	28.2	20	2.32	0.46	0.09	26.05	75	0.35	4.59	10	335	3079	8260	11675	2000	21
22	200	0.00	100	7.48	18.41	61	3656	19	30.2	19	2.52	0.49	0.09	26.63	75	0.37	4.78	10	347	2949	8131	11428	200	22
22	800	0.00	100	7.48	18.77	63	3668	18	30.1	19	2.55	0.48	0.09	27.25	75	0.36	4.96	10	359	2822	8248	11430	800	22
22	1400	0.00	100	7.48	19.12	64	3681	18	30.1	18	2.57	0.47	0.09	27.88	75	0.35	5.13	10	371	2701	8311	11385	1400	22
22	2000	0.00	100	7.48	19.46	65	3693	17	30.1	18	2.60	0.46	0.09	28.51	75	0.34	5.30	10	384	2591	8244	11220	2000	22

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.353 IN./DEGREE-DAY, AREA = 307.0 SQ. MI.

DAY	HOUR	PCPN	%PA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	7.48	19.79	66	3705	17	29.1	17	2.54	0.43	0.09	29.16	75	0.32	5.44	10	397	2490	8073	10961	200	23
23	800	0.00	100	7.48	20.10	67	3716	16	29.1	17	2.57	0.42	0.09	29.78	75	0.32	5.59	10	410	2398	7787	10597	800	23
23	1400	0.00	100	7.48	20.41	68	3727	16	29.0	16	2.59	0.41	0.09	30.42	75	0.31	5.73	10	423	2314	7541	10279	1400	23
23	2000	0.00	100	7.48	20.72	69	3738	15	29.0	15	2.61	0.40	0.09	31.06	75	0.30	5.86	10	436	2235	7359	10032	2000	23
24	200	0.00	100	7.48	20.95	70	3749	15	23.0	15	2.09	0.31	0.09	31.70	75	0.24	5.89	10	449	2162	6962	9574	200	24
24	800	0.00	100	7.48	21.18	71	3757	14	23.0	15	2.10	0.31	0.09	32.21	75	0.23	5.93	10	462	2092	6045	8601	800	24
24	1400	0.00	100	7.48	21.41	71	3765	14	23.0	14	2.12	0.30	0.09	32.72	75	0.23	5.96	10	476	2026	5382	7884	1400	24
24	2000	0.00	100	7.48	21.63	72	3773	14	23.0	14	2.13	0.30	0.09	33.24	75	0.22	5.99	10	489	1963	5089	7543	2000	24
25	200	0.00	100	7.48	21.82	73	3780	13	19.9	14	1.86	0.25	0.09	33.76	75	0.19	5.97	10	503	1904	4837	7246	200	25
25	800	0.00	100	7.48	22.01	73	3787	13	19.9	13	1.87	0.25	0.09	34.20	75	0.19	5.96	10	516	1849	4383	6750	800	25
25	1400	0.00	100	7.48	22.19	74	3793	13	19.9	13	1.88	0.24	0.09	34.66	75	0.18	5.95	10	530	1798	4053	6382	1400	25
25	2000	0.00	100	7.48	22.37	75	3800	12	19.9	13	1.89	0.24	0.09	35.11	75	0.18	5.94	10	543	1750	3896	6190	2000	25
26	200	0.00	100	7.48	22.54	75	3806	12	18.9	12	1.81	0.22	0.09	35.57	75	0.17	5.91	10	557	1704	3775	6037	200	26
26	800	0.00	100	7.48	22.70	76	3812	12	18.9	12	1.81	0.22	0.09	36.00	75	0.16	5.89	10	570	1662	3597	5830	800	26
26	1400	0.00	100	7.48	22.86	76	3817	12	18.9	12	1.82	0.21	0.09	36.43	75	0.16	5.87	10	584	1621	3459	5665	1400	26
26	2000	0.00	100	7.48	23.02	77	3823	11	18.9	12	1.83	0.21	0.09	36.87	75	0.16	5.85	10	598	1583	3374	5556	2000	26
27	200	0.00	100	7.48	23.17	77	3828	11	17.9	11	1.74	0.20	0.09	37.31	75	0.15	5.82	10	611	1546	3280	5438	200	27
27	800	0.00	100	7.48	23.31	78	3833	11	17.9	11	1.74	0.19	0.09	37.72	75	0.14	5.79	10	624	1510	3121	5257	800	27
27	1400	0.00	100	7.48	23.45	78	3838	11	17.9	11	1.75	0.19	0.09	38.14	75	0.14	5.76	10	638	1476	2996	5112	1400	27
27	2000	0.00	100	7.48	23.59	79	3843	10	17.8	11	1.76	0.19	0.09	38.56	75	0.14	5.74	10	651	1443	2922	5018	2000	27
28	200	0.00	100	7.48	23.73	79	3848	10	17.8	10	1.76	0.18	0.09	38.98	75	0.14	5.71	10	664	1411	2868	4945	200	28
28	800	0.00	100	7.48	23.86	80	3853	10	17.8	10	1.77	0.18	0.09	39.40	75	0.13	5.70	10	678	1380	2819	4878	800	28
28	1400	0.00	100	7.48	23.99	80	3858	10	17.8	10	1.78	0.18	0.09	39.82	75	0.13	5.68	10	691	1350	2772	4814	1400	28
28	2000	0.00	100	7.48	24.12	80	3862	10	17.8	10	1.78	0.17	0.09	40.25	75	0.13	5.66	10	703	1321	2726	4752	2000	28
29	200	0.00	100	7.48	24.24	81	3867	9	16.8	9	1.69	0.16	0.09	40.67	75	0.12	5.63	10	716	1292	2651	4661	200	29
29	800	0.00	100	7.48	24.36	81	3871	9	16.8	9	1.69	0.16	0.09	41.08	75	0.12	5.60	10	729	1265	2515	4509	800	29
29	1400	0.00	100	7.48	24.48	82	3875	9	16.8	9	1.69	0.15	0.09	41.48	75	0.12	5.57	10	741	1237	2406	4386	1400	29
29	2000	0.00	100	7.48	24.59	82	3879	9	16.8	9	1.70	0.15	0.09	41.88	75	0.11	5.55	10	754	1211	2341	4307	2000	29
30	200	0.00	100	7.48	24.69	82	3883	9	15.8	9	1.60	0.14	0.09	42.28	75	0.10	5.51	10	766	1185	2268	4220	200	30
30	800	0.00	100	7.48	24.80	83	3886	8	15.8	9	1.60	0.14	0.09	42.66	75	0.10	5.47	10	778	1160	2143	4082	800	30
30	1400	0.00	100	7.48	24.90	83	3890	8	15.8	8	1.60	0.13	0.09	43.04	75	0.10	5.43	10	790	1136	2046	3973	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1611-5

PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION N.P.D., CORPS OF ENGINEERS

310681 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.09	4.00	0	0.00	0.03	0	0	0	18	18	1400	1
1	2000	0.00	100	0.00	0.17	1	2361	98	6.9	100	0.17	0.17	0.09	4.00	100	0.17	0.07	57	507	360	18	896	2000	1
2	200	0.00	100	0.00	0.34	1	2361	96	6.9	98	0.18	0.17	0.09	3.98	100	0.17	0.11	53	472	391	18	882	200	2
2	800	0.00	100	0.00	0.52	2	2361	94	6.9	96	0.18	0.17	0.09	3.95	100	0.17	0.14	50	441	417	18	878	800	2
2	1400	0.00	100	0.00	0.69	3	2361	93	6.9	94	0.18	0.17	0.09	3.93	100	0.17	0.18	48	424	431	19	875	1400	2
2	2000	0.00	100	0.00	0.86	4	2361	91	6.9	92	0.19	0.17	0.09	3.91	100	0.17	0.21	46	408	443	20	873	2000	2
3	200	0.00	100	0.00	1.03	4	2361	89	6.9	91	0.19	0.17	0.09	3.89	100	0.17	0.24	44	388	458	22	869	200	3
3	800	0.00	100	0.00	1.20	5	2361	87	6.9	89	0.19	0.17	0.09	3.86	100	0.17	0.28	41	364	476	23	865	800	3
3	1400	0.00	100	0.00	1.37	6	2361	85	6.9	87	0.20	0.17	0.09	3.84	100	0.17	0.31	39	340	494	25	861	1400	3
3	2000	0.00	100	0.00	1.54	7	2361	83	6.9	85	0.20	0.17	0.09	3.82	100	0.17	0.34	37	319	507	27	855	2000	3
4	200	0.00	100	0.00	1.71	7	2361	81	6.9	83	0.20	0.17	0.09	3.80	100	0.17	0.36	35	304	514	29	849	200	4
4	800	0.00	100	0.00	1.87	8	2361	80	6.9	81	0.20	0.17	0.09	3.77	100	0.17	0.39	34	290	521	31	844	800	4
4	1400	0.00	100	0.00	2.04	9	2361	79	6.9	80	0.21	0.17	0.09	3.75	100	0.17	0.42	32	277	527	33	839	1400	4
4	2000	0.00	100	0.00	2.20	10	2361	77	6.9	78	0.21	0.17	0.09	3.73	100	0.17	0.44	31	268	533	36	839	2000	4
5	200	0.00	100	0.00	2.37	10	2361	76	6.9	77	0.21	0.17	0.09	3.71	100	0.17	0.47	31	262	538	38	839	200	5
5	800	0.00	100	0.00	2.54	11	2361	75	6.9	76	0.22	0.17	0.09	3.68	100	0.17	0.49	30	255	542	40	839	800	5
5	1400	0.00	100	0.00	2.70	12	2362	74	6.9	75	0.22	0.16	0.09	3.66	100	0.16	0.52	29	248	546	42	838	1400	5
5	2000	0.00	100	0.00	2.86	12	2362	73	6.9	74	0.22	0.16	0.09	3.64	100	0.16	0.54	29	243	548	44	837	2000	5
6	200	0.00	100	0.00	3.03	13	2362	71	6.9	72	0.23	0.16	0.09	3.62	100	0.16	0.56	28	239	550	46	836	200	6
6	800	0.00	100	0.00	3.19	14	2362	70	6.9	71	0.23	0.16	0.09	3.59	100	0.16	0.58	28	234	551	48	834	800	6
6	1400	0.00	100	0.00	3.36	15	2362	69	6.9	70	0.23	0.16	0.09	3.57	100	0.16	0.60	27	230	552	49	832	1400	6
6	2000	0.00	100	0.00	3.52	15	2362	68	6.9	69	0.24	0.16	0.09	3.55	100	0.16	0.62	27	225	552	51	830	2000	6
7	200	0.00	100	0.00	3.68	16	2362	67	6.9	68	0.24	0.16	0.09	3.53	100	0.16	0.64	27	221	552	52	827	200	7
7	800	0.00	100	0.00	3.84	17	2362	66	6.9	67	0.24	0.16	0.09	3.50	100	0.16	0.66	26	217	551	54	824	800	7
7	1400	0.00	100	0.00	4.00	17	2362	64	6.9	65	0.24	0.16	0.09	3.48	100	0.16	0.68	26	213	550	55	820	1400	7
7	2000	0.00	100	0.00	4.16	18	2362	63	6.9	64	0.25	0.16	0.09	3.46	100	0.16	0.70	26	209	548	56	815	2000	7
8	200	0.00	100	0.00	4.32	19	2362	62	6.9	63	0.25	0.16	0.09	3.44	100	0.16	0.72	25	205	547	57	810	200	8
8	800	0.00	100	0.00	4.47	19	2362	61	6.9	62	0.25	0.16	0.09	3.41	100	0.16	0.74	25	201	544	58	805	800	8
8	1400	0.00	100	0.00	4.63	20	2362	60	6.9	61	0.26	0.16	0.09	3.39	100	0.16	0.76	25	197	542	59	800	1400	8
8	2000	0.00	100	0.00	4.79	21	2362	59	6.9	60	0.26	0.16	0.09	3.37	100	0.16	0.77	24	194	541	60	796	2000	8
9	200	0.00	100	0.00	4.94	21	2362	58	6.9	59	0.27	0.16	0.09	3.35	100	0.16	0.79	24	193	545	60	799	200	9
9	800	0.00	100	0.00	5.10	22	2362	57	6.9	58	0.27	0.16	0.09	3.32	100	0.16	0.81	24	191	548	61	802	800	9
9	1400	0.00	100	0.00	5.26	23	2362	56	6.9	57	0.28	0.16	0.09	3.30	100	0.16	0.83	23	190	552	62	805	1400	9
9	2000	0.00	100	0.00	5.41	24	2362	56	6.9	56	0.28	0.16	0.09	3.28	100	0.16	0.84	23	188	555	63	808	2000	9
10	200	0.00	100	0.00	5.57	24	2362	55	6.9	55	0.29	0.16	0.09	3.26	100	0.16	0.86	23	186	558	65	810	200	10
10	800	0.00	100	0.00	5.73	25	2362	54	6.9	55	0.29	0.16	0.09	3.23	100	0.16	0.88	22	184	561	66	812	800	10
10	1400	0.00	100	0.00	5.89	26	2362	53	6.9	54	0.30	0.16	0.09	3.21	100	0.16	0.90	22	181	563	67	814	1400	10
10	2000	0.00	100	0.00	6.05	26	2362	52	6.9	53	0.30	0.16	0.09	3.19	100	0.16	0.92	22	179	566	69	815	2000	10
11	200	0.00	100	0.00	6.21	27	2362	51	6.9	52	0.31	0.16	0.09	3.17	100	0.16	0.94	21	176	567	70	815	200	11
11	800	0.00	100	0.00	6.37	28	2362	50	6.9	51	0.31	0.16	0.09	3.14	100	0.16	0.96	21	174	567	72	814	800	11
11	1400	0.00	100	0.00	6.53	28	2362	49	6.9	50	0.32	0.16	0.09	3.12	100	0.16	0.98	21	171	568	73	813	1400	11
11	2000	0.00	100	0.00	6.69	29	2362	49	6.9	49	0.32	0.16	0.09	3.10	100	0.16	1.00	20	168	567	75	812	2000	11
12	200	0.00	100	0.00	6.85	30	2362	48	6.9	49	0.33	0.16	0.09	3.08	100	0.16	1.02	20	165	567	77	810	200	12
12	800	0.00	100	0.00	7.01	30	2362	47	6.9	48	0.33	0.16	0.09	3.05	100	0.16	1.04	20	163	565	79	809	800	12

FORM 1411-3 PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. 310881 INITIAL DATE, HOUR 1 MAY 1972 1400 JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.200 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RGP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	100	0.00	7.17	31	2362	46	6.9	47	0.34	0.16	0.09	3.03	100	0.16	1.06	20	161	564	81	807	1400	12
12	2000	0.00	100	0.00	7.33	32	2362	45	6.9	46	0.35	0.16	0.09	3.01	100	0.16	1.08	19	159	561	83	805	2000	12
13	200	0.00	100	0.00	7.49	33	2362	44	6.9	45	0.35	0.16	0.09	2.99	100	0.16	1.10	19	156	559	85	802	200	13
13	800	0.00	100	0.00	7.65	33	2362	43	6.9	44	0.36	0.16	0.09	2.96	100	0.16	1.12	19	154	556	87	800	800	13
13	1400	0.00	100	0.00	7.80	34	2362	43	6.9	43	0.36	0.16	0.09	2.94	100	0.16	1.14	19	152	554	90	796	1400	13
13	2000	0.00	100	0.00	7.96	35	2362	42	6.9	42	0.37	0.16	0.09	2.92	100	0.16	1.16	19	149	550	92	793	2000	13
14	200	0.00	100	0.00	8.11	35	2362	41	6.9	42	0.37	0.16	0.09	2.90	100	0.16	1.18	18	147	546	93	788	200	14
14	800	0.00	100	0.00	8.27	36	2362	40	6.9	41	0.38	0.15	0.09	2.87	100	0.15	1.20	18	144	542	95	783	800	14
14	1400	0.00	100	0.00	8.42	37	2362	39	6.9	40	0.38	0.15	0.09	2.85	100	0.15	1.22	18	141	537	97	777	1400	14
14	2000	0.00	100	0.00	8.57	37	2362	39	6.9	39	0.39	0.15	0.09	2.83	100	0.15	1.24	18	140	535	99	775	2000	14
15	200	0.00	100	0.00	8.73	38	2362	38	6.9	39	0.39	0.15	0.09	2.81	100	0.15	1.26	18	138	533	101	773	200	15
15	800	0.00	100	0.00	8.88	39	2362	38	6.9	38	0.40	0.15	0.09	2.78	100	0.15	1.28	17	136	531	103	771	800	15
15	1400	0.00	100	0.00	9.03	39	2362	37	6.9	38	0.40	0.15	0.09	2.76	100	0.15	1.30	17	134	529	105	769	1400	15
15	2000	0.00	100	0.00	9.18	40	2362	37	6.9	37	0.41	0.15	0.09	2.74	100	0.15	1.32	17	132	527	107	767	2000	15
16	200	0.00	100	0.00	9.33	41	2362	36	6.9	36	0.41	0.15	0.09	2.72	100	0.15	1.34	17	130	524	109	765	200	16
16	800	0.00	100	0.00	9.48	41	2362	35	6.9	36	0.42	0.15	0.09	2.69	100	0.15	1.37	17	128	523	111	764	800	16
16	1400	0.00	100	0.00	9.63	42	2362	35	6.9	35	0.43	0.15	0.09	2.67	100	0.15	1.39	16	127	522	113	763	1400	16
16	2000	0.00	100	0.00	9.79	43	2362	34	6.9	35	0.43	0.15	0.09	2.65	100	0.15	1.41	16	125	520	115	762	2000	16
17	200	0.00	100	0.00	9.94	43	2362	34	6.9	34	0.44	0.15	0.09	2.63	100	0.15	1.43	16	123	517	117	760	200	17
17	800	0.00	100	0.00	10.09	44	2362	33	6.9	34	0.45	0.15	0.09	2.60	100	0.15	1.45	16	121	515	120	757	800	17
17	1400	0.00	100	0.00	10.24	45	2362	33	6.9	33	0.45	0.15	0.09	2.58	100	0.15	1.48	15	119	512	122	755	1400	17
17	2000	0.00	100	0.00	10.39	45	2362	32	6.9	33	0.46	0.15	0.09	2.56	100	0.15	1.50	15	117	508	125	752	2000	17
18	200	0.00	100	0.00	10.54	46	2362	31	6.9	32	0.47	0.15	0.09	2.54	100	0.15	1.52	15	115	505	128	750	200	18
18	800	0.00	100	0.00	10.68	46	2362	31	6.9	31	0.47	0.15	0.09	2.51	100	0.15	1.55	15	113	502	131	747	800	18
18	1400	0.00	100	0.00	10.83	47	2362	30	6.9	31	0.48	0.15	0.09	2.49	100	0.15	1.57	15	111	498	134	744	1400	18
18	2000	0.00	100	0.00	10.98	48	2362	30	6.9	30	0.49	0.15	0.09	2.47	100	0.15	1.59	14	108	494	137	741	2000	18
19	200	0.00	100	0.00	11.13	48	2362	29	6.9	30	0.49	0.15	0.09	2.45	100	0.15	1.62	14	106	490	140	737	200	19
19	800	0.00	100	0.00	11.27	49	2362	29	6.9	29	0.50	0.15	0.09	2.42	100	0.15	1.64	14	104	485	143	733	800	19
19	1400	0.00	100	0.00	11.42	50	2362	28	6.9	29	0.51	0.15	0.09	2.40	100	0.15	1.67	14	101	480	146	728	1400	19
19	2000	0.00	100	0.00	11.56	50	2362	28	6.9	28	0.51	0.14	0.09	2.38	100	0.14	1.69	13	99	475	149	723	2000	19
20	200	0.00	100	0.00	11.71	51	2362	27	6.9	27	0.52	0.14	0.09	2.36	100	0.14	1.72	13	96	469	151	718	200	20
20	800	0.00	100	0.00	11.85	52	2362	27	6.9	27	0.52	0.14	0.09	2.33	100	0.14	1.74	13	93	462	154	711	800	20
20	1400	0.00	100	0.00	11.99	52	2362	26	6.9	26	0.53	0.14	0.09	2.31	100	0.14	1.76	13	90	455	157	704	1400	20
20	2000	0.00	100	0.00	12.12	53	2362	25	6.9	26	0.53	0.14	0.09	2.29	100	0.14	1.79	12	87	448	160	697	2000	20
21	200	0.00	100	0.00	12.26	53	2362	25	6.9	25	0.53	0.14	0.09	2.27	100	0.14	1.81	12	84	441	162	689	200	21
21	800	0.00	100	0.00	12.39	54	2363	24	6.9	25	0.54	0.13	0.09	2.24	100	0.13	1.83	12	82	435	164	682	800	21
21	1400	0.00	100	0.00	12.52	54	2363	24	6.9	24	0.54	0.13	0.09	2.22	100	0.13	1.85	12	79	428	165	674	1400	21
21	2000	0.00	100	0.00	12.65	55	2363	23	6.9	24	0.54	0.13	0.09	2.20	100	0.13	1.87	11	76	421	167	666	2000	21
22	200	0.00	100	0.00	12.78	56	2363	23	6.9	23	0.55	0.13	0.09	2.18	100	0.13	1.89	11	74	414	168	657	200	22
22	800	0.00	100	0.00	12.91	56	2363	23	6.9	23	0.55	0.13	0.09	2.15	100	0.13	1.91	11	71	407	168	648	800	22
22	1400	0.00	100	0.00	13.03	57	2363	22	6.9	22	0.55	0.12	0.09	2.13	100	0.12	1.93	11	69	400	169	639	1400	22
22	2000	0.00	100	0.00	13.15	57	2363	22	6.9	22	0.56	0.12	0.09	2.11	100	0.12	1.95	11	67	393	169	630	2000	22
23	200	0.00	100	0.00	13.27	58	2363	21	6.9	21	0.56	0.12	0.09	2.09	100	0.12	1.97	10	65	386	169	621	200	23
23	800	0.00	100	0.00	13.39	58	2363	21	6.9	21	0.56	0.12	0.09	2.06	100	0.12	1.99	10	62	379	169	612	800	23

FORM 2182 PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310681 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.329 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	100	0.00	13.51	59	2363	20	6.9	21	0.56	0.12	0.09	2.04	100	0.12	2.01	10	60	372	169	603	1400	23
23	2000	0.00	100	0.00	13.62	59	2363	20	6.9	20	0.57	0.11	0.09	2.02	100	0.11	2.02	10	59	365	169	594	2000	23
24	200	0.00	100	0.00	13.73	60	2363	20	6.9	20	0.57	0.11	0.09	2.00	100	0.11	2.04	10	58	359	169	588	200	24
24	800	0.00	100	0.00	13.85	60	2363	19	6.9	20	0.57	0.11	0.09	1.97	100	0.11	2.06	10	57	356	169	583	800	24
24	1400	0.00	100	0.00	13.96	61	2363	19	6.9	19	0.58	0.11	0.09	1.95	100	0.11	2.07	10	57	352	168	579	1400	24
24	2000	0.00	100	0.00	14.07	61	2363	19	6.9	19	0.58	0.11	0.09	1.93	100	0.11	2.09	10	57	349	167	574	2000	24
25	200	0.00	100	0.00	14.18	62	2363	19	6.9	19	0.58	0.11	0.09	1.91	100	0.11	2.10	10	56	345	167	570	200	25
25	800	0.00	100	0.00	14.29	62	2363	18	6.9	19	0.58	0.11	0.09	1.88	100	0.11	2.12	10	56	341	166	565	800	25
25	1400	0.00	100	0.00	14.39	63	2363	18	6.9	18	0.59	0.11	0.09	1.86	100	0.11	2.13	10	55	338	166	561	1400	25
25	2000	0.00	100	0.00	14.50	63	2363	18	6.9	18	0.59	0.11	0.09	1.84	100	0.11	2.14	10	55	334	165	556	2000	25
26	200	0.00	100	0.00	14.61	64	2363	18	6.9	18	0.59	0.11	0.09	1.82	100	0.11	2.16	10	54	331	165	552	200	26
26	800	0.00	100	0.00	14.71	64	2363	18	6.9	18	0.60	0.11	0.09	1.79	100	0.11	2.17	10	54	327	164	547	800	26
26	1400	0.00	100	0.00	14.82	64	2363	17	6.9	17	0.60	0.10	0.09	1.77	100	0.10	2.19	10	53	324	164	543	1400	26
26	2000	0.00	100	0.00	14.92	65	2363	17	6.9	17	0.60	0.10	0.09	1.75	100	0.10	2.20	10	53	320	164	538	2000	26
27	200	0.00	100	0.00	15.02	65	2363	17	6.9	17	0.60	0.10	0.09	1.73	100	0.10	2.21	10	53	317	163	534	200	27
27	800	0.00	100	0.00	15.13	66	2363	17	6.9	17	0.61	0.10	0.09	1.70	100	0.10	2.23	10	52	313	163	529	800	27
27	1400	0.00	100	0.00	15.23	66	2363	16	6.9	17	0.61	0.10	0.09	1.68	100	0.10	2.24	10	52	309	162	525	1400	27
27	2000	0.00	100	0.00	15.33	67	2363	16	6.9	16	0.61	0.10	0.09	1.66	100	0.10	2.25	10	51	306	162	520	2000	27
28	200	0.00	100	0.00	15.43	67	2363	16	6.9	16	0.61	0.10	0.09	1.64	100	0.10	2.27	10	51	302	161	516	200	28
28	800	0.00	100	0.00	15.52	67	2363	16	6.9	16	0.62	0.10	0.09	1.61	100	0.10	2.28	10	50	299	161	511	800	28
28	1400	0.00	100	0.00	15.62	68	2363	16	6.9	16	0.62	0.10	0.09	1.59	100	0.10	2.29	10	50	295	160	507	1400	28
28	2000	0.00	100	0.00	15.72	68	2363	15	6.9	16	0.62	0.10	0.09	1.57	100	0.10	2.30	10	49	291	160	502	2000	28
29	200	0.00	100	0.00	15.81	69	2363	15	6.9	15	0.62	0.10	0.09	1.55	100	0.10	2.31	10	49	288	159	498	200	29
29	800	0.00	100	0.00	15.91	69	2363	15	6.9	15	0.63	0.09	0.09	1.52	100	0.09	2.33	10	48	285	159	493	800	29
29	1400	0.00	100	0.00	16.00	70	2363	15	6.9	15	0.63	0.09	0.09	1.50	100	0.09	2.34	10	48	281	158	489	1400	29
29	2000	0.00	100	0.00	16.10	70	2363	15	6.9	15	0.63	0.09	0.09	1.48	100	0.09	2.35	10	47	278	158	484	2000	29
30	200	0.00	100	0.00	16.19	70	2363	14	6.9	15	0.63	0.09	0.09	1.46	100	0.09	2.36	10	47	274	157	480	200	30
30	800	0.00	100	0.00	16.28	71	2363	14	6.9	14	0.63	0.09	0.09	1.43	100	0.09	2.37	10	47	271	156	475	800	30
30	1400	0.00	100	0.00	16.37	71	2363	14	6.9	14	0.64	0.09	0.09	1.41	100	0.09	2.38	10	46	267	156	471	1400	30
30	2000	0.00	100	0.00	16.46	72	2363	14	6.9	14	0.64	0.09	0.09	1.39	100	0.09	2.39	10	46	264	155	466	2000	30
31	200	0.00	100	0.00	16.55	72	2363	14	6.9	14	0.64	0.09	0.09	1.37	100	0.09	2.41	10	45	261	154	462	200	31
31	800	0.00	100	0.00	16.64	72	2363	14	6.9	14	0.64	0.09	0.09	1.34	100	0.09	2.42	10	45	258	154	457	800	31
31	1400	0.00	100	0.00	16.72	73	2363	13	6.9	13	0.65	0.09	0.09	1.32	100	0.09	2.43	10	44	254	153	453	1400	31
31	2000	0.00	100	0.00	16.81	73	2363	13	6.9	13	0.65	0.09	0.09	1.30	100	0.09	2.44	10	44	251	152	448	2000	31

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.378 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	HII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	100	0.00	16.89	73	2363	13	6.9	13	0.65	0.08	0.09	1.28	100	0.08	2.45	10	43	248	151	444	200	1
1	800	0.00	100	0.00	16.97	74	2363	13	6.9	13	0.65	0.08	0.09	1.25	100	0.08	2.46	10	43	245	150	439	800	1
1	1400	0.00	100	0.00	17.06	74	2363	13	6.9	13	0.65	0.08	0.09	1.23	100	0.08	2.47	10	42	242	150	435	1400	1
1	2000	0.00	100	0.00	17.14	75	2363	12	6.9	13	0.66	0.08	0.09	1.21	100	0.08	2.48	10	42	238	149	430	2000	1
2	200	0.00	100	0.00	17.22	75	2363	12	6.9	12	0.66	0.08	0.09	1.19	100	0.08	2.49	10	41	235	148	426	200	2
2	800	0.00	100	0.00	17.30	75	2363	12	6.9	12	0.66	0.08	0.09	1.16	100	0.08	2.50	10	41	232	147	422	800	2
2	1400	0.00	100	0.00	17.38	76	2363	12	6.9	12	0.66	0.08	0.09	1.14	100	0.08	2.51	10	41	229	146	417	1400	2
2	2000	0.00	100	0.00	17.46	76	2363	12	6.9	12	0.66	0.08	0.09	1.12	100	0.08	2.52	10	40	226	145	413	2000	2
3	200	0.00	100	0.00	17.54	76	2363	12	6.9	12	0.67	0.08	0.09	1.10	100	0.08	2.53	10	40	223	144	408	200	3
3	800	0.00	100	0.00	17.61	77	2363	11	6.9	11	0.67	0.08	0.09	1.07	100	0.08	2.54	10	39	220	143	404	800	3
3	1400	0.00	100	0.00	17.69	77	2363	11	6.9	11	0.67	0.08	0.09	1.05	100	0.08	2.55	10	39	217	142	399	1400	3
3	2000	0.00	100	0.00	17.76	77	2363	11	6.9	11	0.67	0.08	0.09	1.03	100	0.08	2.56	10	38	214	141	395	2000	3
4	200	0.00	100	0.00	17.85	78	2363	11	8.1	11	0.79	0.09	0.09	1.01	100	0.09	2.59	10	44	211	140	397	200	4
4	800	0.00	100	0.00	17.94	78	2363	11	8.1	11	0.79	0.09	0.09	0.98	100	0.09	2.63	10	44	207	142	394	800	4
4	1400	0.00	100	0.00	18.05	78	2363	11	10.4	11	1.02	0.11	0.09	0.96	100	0.11	2.71	10	55	204	146	406	1400	4
4	2000	0.00	100	0.00	18.15	79	2363	10	10.4	10	1.02	0.11	0.09	0.94	100	0.11	2.80	10	54	199	154	409	2000	4
5	200	0.00	100	0.00	18.29	80	2363	10	13.8	10	1.37	0.14	0.09	0.92	100	0.14	2.96	10	71	195	168	436	200	5
5	800	0.00	100	0.00	18.44	80	2363	10	15.0	10	1.49	0.15	0.09	0.89	100	0.15	3.14	10	76	189	190	456	800	5
5	1400	0.00	100	0.00	18.61	81	2363	9	18.4	10	1.84	0.18	0.09	0.87	100	0.18	3.40	10	91	183	220	496	1400	5
5	2000	0.00	100	0.00	18.82	82	2363	9	21.9	9	2.20	0.20	0.09	0.85	100	0.20	3.73	10	104	176	261	542	2000	5
6	200	0.00	100	0.00	19.02	83	2363	8	23.0	9	2.33	0.20	0.09	0.83	100	0.20	4.08	10	105	168	311	586	200	6
6	800	0.00	100	0.00	19.25	84	2363	8	26.5	8	2.69	0.22	0.09	0.80	100	0.22	4.50	10	115	160	370	646	800	6
6	1400	0.00	100	0.00	19.48	85	2363	7	28.8	8	2.94	0.23	0.09	0.78	100	0.23	4.96	10	119	150	434	705	1400	6
6	2000	0.00	100	0.00	19.71	86	2363	7	31.1	7	3.20	0.24	0.09	0.76	100	0.24	5.46	10	121	141	501	765	2000	6
7	200	0.00	100	0.00	19.96	87	2363	6	34.5	7	3.57	0.25	0.09	0.74	100	0.25	6.02	10	126	131	569	828	200	7
7	800	0.00	100	0.00	20.20	88	2363	6	36.8	6	3.84	0.24	0.09	0.71	100	0.24	6.63	10	125	121	635	883	800	7
7	1400	0.00	100	0.00	20.44	89	2363	5	39.1	6	4.10	0.24	0.09	0.69	100	0.24	7.27	10	123	112	697	933	1400	7
7	2000	0.00	100	0.00	20.66	90	2363	5	38.5	5	4.07	0.22	0.09	0.67	100	0.22	7.86	10	111	102	752	967	2000	7
8	200	0.00	100	0.00	20.85	91	2363	5	37.7	5	4.00	0.19	0.09	0.65	100	0.19	8.40	10	100	93	797	991	200	8
8	800	0.00	100	0.00	21.03	91	2363	4	37.7	4	4.02	0.18	0.09	0.62	100	0.18	8.91	10	92	85	828	1006	800	8
8	1400	0.01	100	0.01	21.19	92	2363	4	36.8	4	3.94	0.17	0.09	0.60	100	0.17	9.00	10	87	82	843	1015	1400	8
8	2000	0.01	100	0.02	21.34	93	2363	4	36.8	4	3.96	0.16	0.09	0.58	100	0.16	9.00	10	81	76	846	1004	2000	8
9	200	0.03	100	0.05	21.47	93	2363	3	36.2	3	3.91	0.16	0.09	0.56	100	0.16	9.00	10	83	79	837	1000	200	9
9	800	0.05	100	0.08	21.60	94	2363	3	36.2	3	3.93	0.15	0.09	0.54	100	0.15	9.00	10	78	73	821	973	800	9
9	1400	0.08	100	0.11	21.71	94	2363	3	35.7	3	3.87	0.14	0.09	0.52	100	0.14	9.00	10	72	68	799	941	1400	9
9	2000	0.08	100	0.14	21.81	95	2363	3	35.7	3	3.89	0.14	0.09	0.50	100	0.14	9.00	10	70	66	774	911	2000	9
10	200	0.09	100	0.23	21.90	95	2363	2	34.7	2	3.80	0.18	0.09	0.49	100	0.18	9.00	10	94	90	749	934	200	10
10	800	0.10	100	0.33	21.99	96	2363	2	34.7	2	3.80	0.18	0.09	0.47	100	0.18	9.00	10	93	88	728	911	800	10
10	1400	0.10	100	0.42	22.07	96	2363	2	34.5	2	3.79	0.17	0.09	0.46	100	0.17	9.00	10	89	85	715	891	1400	10
10	2000	0.10	100	0.52	22.14	96	2363	2	34.5	2	3.79	0.17	0.09	0.45	100	0.17	9.00	10	86	82	708	877	2000	10
11	200	0.07	100	0.59	22.20	97	2363	2	33.6	2	3.70	0.14	0.09	0.44	100	0.14	9.00	10	70	69	703	843	200	11
11	800	0.07	100	0.66	22.26	97	2363	2	33.6	2	3.71	0.13	0.09	0.43	100	0.13	9.00	10	67	66	695	830	800	11
11	1400	0.11	100	0.77	22.31	97	2363	1	33.4	1	3.69	0.16	0.09	0.42	100	0.16	9.00	10	82	80	685	849	1400	11
11	2000	0.25	100	1.02	22.36	97	2363	1	33.4	1	3.69	0.30	0.09	0.41	100	0.30	9.00	10	157	148	680	985	2000	11

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.444 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.09	100	1.11	22.41	97	2363	1	31.1	1	3.44	0.13	0.09	0.40	100	0.13	9.00	10	66	70	687	824	200	12
12	800	0.09	100	1.19	22.45	98	2363	1	29.9	1	3.32	0.12	0.09	0.39	100	0.12	9.00	10	64	70	696	832	800	12
12	1400	0.12	100	1.31	22.48	98	2363	1	28.8	1	3.19	0.15	0.09	0.38	100	0.15	9.00	10	77	86	698	863	1400	12
12	2000	0.29	100	1.60	22.51	98	2363	1	27.6	1	3.07	0.32	0.09	0.37	100	0.32	9.00	10	164	182	700	1047	2000	12
13	200	0.12	100	1.71	22.54	98	2363	1	27.6	1	3.07	0.14	0.09	0.37	100	0.14	9.00	10	74	86	710	871	200	13
13	800	0.12	100	1.83	22.57	98	2363	1	27.6	1	3.07	0.14	0.09	0.36	100	0.14	9.00	10	73	85	721	881	800	13
13	1400	0.15	100	1.98	22.59	98	2363	1	27.6	1	3.07	0.18	0.09	0.35	100	0.18	9.00	10	92	106	727	926	1400	13
13	2000	0.39	100	2.37	22.61	98	2363	1	27.6	1	3.07	0.42	0.09	0.34	100	0.42	9.00	10	215	230	736	1182	2000	13
14	200	0.14	100	2.51	22.64	98	2363	1	26.7	1	2.97	0.16	0.09	0.34	100	0.16	9.00	10	82	98	761	944	200	14
14	800	0.14	100	2.65	22.66	99	2363	1	26.7	1	2.98	0.16	0.09	0.33	100	0.16	9.00	10	82	98	790	971	800	14
14	1400	0.19	100	2.84	22.67	99	2363	1	26.7	1	2.98	0.21	0.09	0.33	100	0.21	9.00	10	106	124	809	1041	1400	14
14	2000	0.47	100	3.31	22.69	99	2363	1	26.7	1	2.98	0.49	0.09	0.32	100	0.49	9.00	10	251	271	830	1353	2000	14
15	200	0.24	100	3.54	22.71	99	2363	1	27.8	1	3.11	0.25	0.09	0.32	100	0.25	9.00	10	130	144	869	1144	200	15
15	800	0.24	100	3.78	22.73	99	2363	1	27.8	1	3.11	0.25	0.09	0.31	100	0.25	9.00	10	129	144	918	1192	800	15
15	1400	0.31	100	4.09	22.74	99	2363	1	27.8	0	3.11	0.33	0.09	0.31	100	0.33	9.00	10	168	183	965	1317	1400	15
15	2000	0.78	100	4.87	22.75	99	2363	1	27.8	0	3.11	0.80	0.09	0.30	100	0.80	9.00	10	410	392	1027	1830	2000	15
16	200	0.43	100	5.30	22.77	99	2363	0	26.5	0	2.96	0.44	0.09	0.30	100	0.44	9.00	10	226	249	1130	1606	200	16
16	800	0.18	100	5.48	22.78	99	2363	0	24.2	0	2.70	0.19	0.09	0.29	100	0.19	9.00	10	97	125	1247	1470	800	16
16	1400	0.12	100	5.60	22.79	99	2363	0	24.2	0	2.70	0.13	0.09	0.29	100	0.13	9.00	10	69	91	1328	1489	1400	16
16	2000	0.12	100	5.73	22.80	99	2363	0	25.3	0	2.83	0.13	0.09	0.28	100	0.13	9.00	10	69	87	1349	1506	2000	16
17	200	0.29	100	6.02	22.81	99	2363	0	25.5	0	2.86	0.30	0.09	0.27	100	0.30	9.00	10	155	183	1323	1663	200	17
17	800	0.12	100	6.14	22.82	99	2363	0	25.5	0	2.86	0.13	0.09	0.27	100	0.13	9.00	10	66	82	1273	1423	800	17
17	1400	0.09	100	6.22	22.82	99	2363	0	25.5	0	2.86	0.09	0.09	0.26	100	0.09	9.00	10	48	61	1207	1318	1400	17
17	2000	0.09	100	6.31	22.83	99	2363	0	25.5	0	2.86	0.09	0.09	0.25	100	0.09	9.00	10	48	61	1123	1233	2000	17
18	200	0.00	100	6.31	22.84	99	2363	0	26.7	0	2.99	0.01	0.09	0.24	100	0.01	9.00	10	3	4	1025	1034	200	18
18	800	0.00	100	6.31	22.85	99	2363	0	26.7	0	2.99	0.01	0.09	0.22	100	0.01	8.99	10	3	4	914	923	800	18
18	1400	0.00	100	6.31	22.85	99	2363	0	26.7	0	2.99	0.01	0.09	0.19	100	0.01	8.97	10	3	4	796	804	1400	18
18	2000	0.00	100	6.31	22.86	99	2363	0	26.7	0	2.99	0.01	0.09	0.17	100	0.01	8.94	10	3	4	677	685	2000	18
19	200	0.00	100	6.31	22.87	99	2363	0	29.9	0	3.35	0.01	0.09	0.15	100	0.01	8.97	10	3	3	565	573	200	19
19	800	0.00	100	6.31	22.87	99	2363	0	32.2	0	3.61	0.01	0.09	0.13	100	0.01	9.00	10	3	3	464	472	800	19
19	1400	0.00	100	6.31	22.88	99	2363	0	34.5	0	3.87	0.01	0.09	0.10	100	0.01	9.00	10	3	3	377	384	1400	19
19	2000	0.00	100	6.31	22.89	100	2363	0	37.0	0	4.15	0.01	0.09	0.08	100	0.01	9.00	10	3	2	303	309	2000	19
20	200	0.00	100	6.31	22.89	100	2363	0	38.2	0	4.28	0.01	0.09	0.06	100	0.01	9.00	10	3	2	242	248	200	20
20	800	0.00	100	6.31	22.90	100	2363	0	38.2	0	4.28	0.01	0.09	0.04	100	0.01	9.00	10	2	2	192	198	800	20
20	1400	0.00	100	6.31	22.90	100	2363	0	38.2	0	4.28	0.01	0.09	0.01	100	0.01	9.00	10	2	2	153	158	1400	20
20	2000	0.00	100	6.31	22.91	100	2363	0	38.2	0	4.29	0.00	0.09	0.00	100	0.00	9.00	10	2	2	122	127	2000	20
21	200	0.00	100	6.31	22.91	100	2363	0	42.6	0	4.78	0.00	0.09	0.00	100	0.00	9.00	10	2	1	97	102	200	21
21	800	0.00	100	6.31	22.92	100	2363	0	42.6	0	4.78	0.00	0.09	0.00	100	0.00	9.00	10	2	1	78	83	800	21
21	1400	0.00	100	6.31	22.92	100	2363	0	42.6	0	4.78	0.00	0.09	0.00	100	0.00	8.99	10	1	1	64	67	1400	21
21	2000	0.00	100	6.31	22.92	100	2363	0	42.6	0	4.78	0.00	0.09	0.00	100	0.00	8.94	10	1	1	52	56	2000	21
22	200	0.00	100	6.31	22.93	100	2363	0	44.9	0	5.04	0.00	0.09	0.00	100	0.00	8.89	10	1	1	43	47	200	22
22	800	0.00	100	6.31	22.93	100	2363	0	44.9	0	5.04	0.00	0.09	0.00	100	0.00	8.82	10	1	1	36	39	800	22
22	1400	0.00	100	6.31	22.93	100	2363	0	44.9	0	5.04	0.00	0.09	0.00	100	0.00	8.71	10	1	0	31	33	1400	22
22	2000	0.00	100	6.31	22.93	100	2363	0	44.9	0	5.04	0.00	0.09	0.00	100	0.00	8.58	10	1	0	26	29	2000	22

FORM 1811-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF

N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.449 IN./DEGREE-DAY, AREA = 48.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	6.31	22.94	100	2363	0	43.7	0	4.91	0.00	0.09	0.00	100	0.00	8.42	10	1	0	23	25	200	23
23	800	0.00	100	6.31	22.94	100	2363	0	43.7	0	4.91	0.00	0.09	0.00	100	0.00	8.24	10	0	0	20	22	800	23
23	1400	0.00	100	6.31	22.94	100	2363	0	43.7	0	4.91	0.00	0.09	0.00	100	0.00	8.04	10	0	0	17	19	1400	23
23	2000	0.00	100	6.31	22.94	100	2363	0	43.7	0	4.91	0.00	0.09	0.00	100	0.00	7.84	10	0	0	15	17	2000	23
24	200	0.00	100	6.31	22.94	100	2363	0	36.8	0	4.13	0.00	0.09	0.00	100	0.00	7.58	10	0	0	13	15	200	24
24	800	0.00	100	6.31	22.94	100	2363	0	36.8	0	4.13	0.00	0.09	0.00	100	0.00	7.33	10	0	0	12	13	800	24
24	1400	0.00	100	6.31	22.94	100	2363	0	36.8	0	4.13	0.00	0.09	0.00	100	0.00	7.07	10	0	0	10	12	1400	24
24	2000	0.00	100	6.31	22.94	100	2363	0	36.8	0	4.13	0.00	0.09	0.00	100	0.00	6.82	10	0	0	9	10	2000	24
25	200	0.00	100	6.31	22.95	100	2363	0	33.4	0	3.75	0.00	0.09	0.00	100	0.00	6.56	10	0	0	8	9	200	25
25	800	0.00	100	6.31	22.95	100	2363	0	33.4	0	3.75	0.00	0.09	0.00	100	0.00	6.30	10	0	0	7	8	800	25
25	1400	0.00	100	6.31	22.95	100	2363	0	33.4	0	3.75	0.00	0.09	0.00	100	0.00	6.05	10	0	0	6	7	1400	25
25	2000	0.00	100	6.31	22.95	100	2363	0	33.4	0	3.75	0.00	0.09	0.00	100	0.00	5.81	10	0	0	5	6	2000	25
26	200	0.00	100	6.31	22.95	100	2363	0	32.2	0	3.62	0.00	0.09	0.00	100	0.00	5.57	10	0	0	5	6	200	26
26	800	0.00	100	6.31	22.95	100	2363	0	32.2	0	3.62	0.00	0.09	0.00	100	0.00	5.33	10	0	0	4	5	800	26
26	1400	0.00	100	6.31	22.95	100	2363	0	32.2	0	3.62	0.00	0.09	0.00	100	0.00	5.11	10	0	0	4	4	1400	26
26	2000	0.00	100	6.31	22.95	100	2363	0	32.2	0	3.62	0.00	0.09	0.00	100	0.00	4.89	10	0	0	3	4	2000	26
27	200	0.00	100	6.31	22.95	100	2363	0	31.1	0	3.49	0.00	0.09	0.00	100	0.00	4.67	10	0	0	3	4	200	27
27	800	0.00	100	6.31	22.95	100	2363	0	31.1	0	3.49	0.00	0.09	0.00	100	0.00	4.46	10	0	0	2	3	800	27
27	1400	0.00	100	6.31	22.95	100	2363	0	31.1	0	3.49	0.00	0.09	0.00	100	0.00	4.26	10	0	0	2	3	1400	27
27	2000	0.00	100	6.31	22.95	100	2363	0	31.1	0	3.49	0.00	0.09	0.00	100	0.00	4.07	10	0	0	2	3	2000	27
28	200	0.00	100	6.31	22.95	100	2363	0	31.1	0	3.49	0.00	0.09	0.00	100	0.00	3.89	10	0	0	2	2	200	28
28	800	0.00	100	6.31	22.95	100	2363	0	31.1	0	3.49	0.00	0.09	0.00	100	0.00	3.71	10	0	0	1	2	800	28
28	1400	0.00	100	6.31	22.95	100	2363	0	31.1	0	3.49	0.00	0.09	0.00	100	0.00	3.54	10	0	0	1	2	1400	28
28	2000	0.00	100	6.31	22.95	100	2363	0	31.1	0	3.49	0.00	0.09	0.00	100	0.00	3.38	10	0	0	1	2	2000	28
29	200	0.00	100	6.31	22.95	100	2363	0	29.9	0	3.36	0.00	0.09	0.00	100	0.00	3.22	10	0	0	1	2	200	29
29	800	0.00	100	6.31	22.95	100	2363	0	29.9	0	3.36	0.00	0.09	0.00	100	0.00	3.06	10	0	0	1	1	800	29
29	1400	0.00	100	6.31	22.95	100	2363	0	29.9	0	3.36	0.00	0.09	0.00	100	0.00	2.92	10	0	0	1	1	1400	29
29	2000	0.00	100	6.31	22.95	100	2363	0	29.9	0	3.36	0.00	0.09	0.00	100	0.00	2.78	10	0	0	1	1	2000	29
30	200	0.00	100	6.31	22.95	100	2363	0	28.8	0	3.23	0.00	0.09	0.00	100	0.00	2.64	10	0	0	0	1	200	30
30	800	0.00	100	6.31	22.95	100	2363	0	28.8	0	3.23	0.00	0.09	0.00	100	0.00	2.52	10	0	0	0	1	800	30
30	1400	0.00	100	6.31	22.95	100	2363	0	28.8	0	3.23	0.00	0.09	0.00	100	0.00	2.39	10	0	0	0	1	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

BASIN RESULTS - STATION 33.0 TYONE RIVER BASIN 1047 SQ MI

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.05 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																							MAY 1972	
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.09	4.00	0	0.00	0.03	0	120	20	0	140	1400	1
1	2000	0.00	83	0.00	0.04	0	2100	100	5.7	97	0.14	0.14	0.09	4.00	32	0.04	0.04	57	120	20	0	140	2000	1
2	200	0.00	83	0.00	0.09	0	2105	99	5.7	97	0.14	0.14	0.09	4.07	33	0.04	0.05	56	120	20	2	142	200	2
2	800	0.00	83	0.00	0.13	0	2111	99	5.6	96	0.14	0.14	0.09	4.14	33	0.05	0.05	55	120	20	4	145	800	2
2	1400	0.00	83	0.00	0.18	1	2116	98	5.6	96	0.14	0.14	0.09	4.21	34	0.05	0.06	55	120	20	8	148	1400	2
2	2000	0.00	83	0.00	0.23	1	2122	98	5.6	96	0.14	0.14	0.09	4.28	34	0.05	0.07	54	120	20	11	152	2000	2
3	200	0.00	83	0.00	0.28	1	2128	97	5.6	95	0.14	0.14	0.09	4.35	35	0.05	0.08	53	120	20	15	156	200	3
3	800	0.00	83	0.00	0.32	1	2133	97	5.6	95	0.14	0.14	0.09	4.42	35	0.05	0.08	52	120	20	20	160	800	3
3	1400	0.00	83	0.00	0.37	1	2139	97	5.6	94	0.14	0.14	0.09	4.49	36	0.05	0.09	52	120	20	25	166	1400	3
3	2000	0.00	83	0.00	0.42	2	2145	96	5.6	94	0.14	0.14	0.09	4.56	36	0.05	0.10	51	120	20	32	173	2000	3
4	200	0.00	83	0.00	0.47	2	2151	96	5.6	93	0.15	0.14	0.09	4.62	37	0.05	0.10	50	120	20	40	181	200	4
4	800	0.00	83	0.00	0.52	2	2157	95	5.6	93	0.15	0.14	0.09	4.69	38	0.05	0.11	50	120	20	49	190	800	4
4	1400	0.00	83	0.00	0.57	2	2163	95	5.6	92	0.15	0.13	0.09	4.76	38	0.05	0.12	49	120	20	59	200	1400	4
4	2000	0.00	83	0.00	0.63	2	2170	94	5.6	92	0.15	0.13	0.09	4.82	39	0.05	0.12	49	120	20	68	210	2000	4
5	200	0.00	83	0.00	0.68	3	2176	94	5.5	91	0.15	0.13	0.09	4.89	39	0.05	0.13	49	120	21	78	219	200	5
5	800	0.00	83	0.00	0.73	3	2182	93	5.5	91	0.15	0.13	0.09	4.95	40	0.05	0.13	49	120	21	87	229	800	5
5	1400	0.00	83	0.00	0.78	3	2189	93	5.5	91	0.15	0.13	0.09	5.02	40	0.05	0.14	48	120	22	95	238	1400	5
5	2000	0.00	83	0.00	0.84	3	2195	92	5.5	90	0.15	0.13	0.09	5.08	40	0.05	0.15	48	120	23	103	247	2000	5
6	200	0.00	83	0.00	0.89	3	2202	92	5.5	90	0.15	0.13	0.09	5.14	40	0.05	0.15	48	120	25	110	256	200	6
6	800	0.00	83	0.00	0.95	4	2208	91	5.5	89	0.15	0.13	0.09	5.21	41	0.05	0.16	47	120	26	117	264	800	6
6	1400	0.00	83	0.00	1.00	4	2215	91	5.5	89	0.15	0.13	0.09	5.27	41	0.05	0.16	47	120	29	122	272	1400	6
6	2000	0.00	83	0.00	1.05	4	2221	90	5.5	88	0.15	0.13	0.09	5.34	41	0.05	0.16	47	120	32	127	280	2000	6
7	200	0.00	83	0.00	1.11	4	2228	90	5.5	88	0.15	0.13	0.09	5.40	41	0.05	0.17	47	120	36	132	289	200	7
7	800	0.00	83	0.00	1.16	4	2234	89	5.4	87	0.15	0.13	0.09	5.46	41	0.05	0.17	47	120	41	136	297	800	7
7	1400	0.00	83	0.00	1.21	4	2241	89	5.4	87	0.15	0.13	0.09	5.53	42	0.05	0.18	46	120	46	139	307	1400	7
7	2000	0.00	83	0.00	1.27	5	2247	88	5.4	86	0.15	0.13	0.09	5.59	42	0.05	0.18	46	120	53	143	317	2000	7
8	200	0.00	83	0.00	1.32	5	2254	88	5.4	86	0.15	0.13	0.09	5.65	42	0.05	0.19	46	120	61	145	327	200	8
8	800	0.00	83	0.00	1.38	5	2260	87	5.4	85	0.15	0.13	0.09	5.72	42	0.05	0.19	46	120	70	148	339	800	8
8	1400	0.00	83	0.00	1.43	5	2267	87	5.4	85	0.15	0.13	0.09	5.78	42	0.05	0.19	46	120	81	150	352	1400	8
8	2000	0.00	83	0.00	1.49	6	2274	86	5.4	84	0.15	0.13	0.09	5.84	42	0.05	0.20	45	120	93	152	366	2000	8
9	200	0.00	83	0.00	1.54	6	2280	86	5.4	84	0.15	0.13	0.09	5.90	43	0.05	0.20	45	120	107	154	382	200	9
9	800	0.00	83	0.00	1.59	6	2287	85	5.4	83	0.15	0.13	0.09	5.97	43	0.05	0.20	45	120	122	155	399	800	9
9	1400	0.00	83	0.00	1.65	6	2293	85	5.3	83	0.15	0.13	0.09	6.03	43	0.05	0.21	45	120	139	157	417	1400	9
9	2000	0.00	83	0.00	1.70	6	2300	84	5.3	82	0.15	0.13	0.09	6.09	43	0.05	0.21	45	120	158	158	438	2000	9
10	200	0.00	83	0.00	1.76	7	2307	84	5.3	82	0.15	0.13	0.09	6.16	43	0.05	0.21	44	120	179	159	460	200	10
10	800	0.00	83	0.00	1.81	7	2313	83	5.3	81	0.15	0.13	0.09	6.22	43	0.05	0.21	44	120	202	160	484	800	10
10	1400	0.00	83	0.00	1.87	7	2320	83	5.3	81	0.15	0.12	0.09	6.28	44	0.05	0.22	44	120	227	161	510	1400	10
10	2000	0.00	83	0.00	1.92	7	2326	82	5.3	80	0.16	0.12	0.09	6.34	44	0.05	0.22	44	120	254	162	537	2000	10
11	200	0.00	83	0.00	1.98	7	2333	82	5.3	80	0.16	0.12	0.09	6.41	44	0.05	0.22	43	120	283	163	567	200	11
11	800	0.00	83	0.00	2.03	8	2340	81	5.3	79	0.16	0.12	0.09	6.47	44	0.05	0.23	43	120	314	164	599	800	11
11	1400	0.00	83	0.00	2.08	8	2346	81	5.3	78	0.16	0.12	0.09	6.53	44	0.05	0.23	43	120	347	165	633	1400	11
11	2000	0.00	83	0.00	2.14	8	2353	80	5.2	78	0.16	0.12	0.09	6.59	45	0.05	0.23	43	120	382	166	668	2000	11
12	200	0.00	83	0.00	2.19	8	2359	80	5.2	77	0.16	0.12	0.09	6.65	45	0.05	0.23	43	120	418	166	706	200	12
12	800	0.00	83	0.00	2.25	8	2365	79	5.2	77	0.16	0.12	0.09	6.72	45	0.05	0.24	42	120	457	167	746	800	12

FORM 419-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. 310881 INITIAL DATE, HOUR 1 MAY 1972 1400

JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF

N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.121 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	DII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 19	72																						MAY	1972
12	1400	0.00	83	0.00	2.30	9	2369	79	5.2	77	0.16	0.12	0.09	6.78	45	0.05	0.24	42	120	498	168	787	1400	12
12	2000	0.00	83	0.00	2.36	9	2374	79	5.2	76	0.16	0.12	0.09	6.84	45	0.05	0.24	42	120	540	169	830	2000	12
13	200	0.00	83	0.00	2.41	9	2378	78	5.2	76	0.16	0.12	0.09	6.90	45	0.05	0.24	42	120	584	169	875	200	13
13	800	0.00	83	0.00	2.47	9	2382	78	5.2	76	0.16	0.12	0.09	6.96	46	0.05	0.24	42	120	630	170	921	800	13
13	1400	0.00	83	0.00	2.52	9	2387	78	5.2	75	0.16	0.12	0.09	7.02	46	0.06	0.25	41	120	677	171	969	1400	13
13	2000	0.00	83	0.00	2.58	10	2391	77	5.2	75	0.16	0.12	0.09	7.08	46	0.06	0.25	41	120	726	172	1019	2000	13
14	200	0.00	83	0.00	2.63	10	2396	77	5.2	75	0.16	0.12	0.09	7.15	46	0.06	0.25	41	120	776	172	1069	200	14
14	800	0.00	83	0.00	2.69	10	2400	77	5.2	74	0.16	0.12	0.09	7.21	46	0.06	0.25	41	120	827	173	1121	800	14
14	1400	0.00	83	0.00	2.74	10	2405	76	5.2	74	0.16	0.12	0.09	7.27	46	0.06	0.26	41	120	879	174	1174	1400	14
14	2000	0.00	83	0.00	2.80	10	2409	76	5.2	74	0.16	0.12	0.09	7.33	47	0.06	0.26	41	120	932	175	1228	2000	14
15	200	0.00	83	0.00	2.85	11	2414	76	5.1	73	0.16	0.12	0.09	7.39	47	0.06	0.26	40	120	986	175	1283	200	15
15	800	0.00	83	0.00	2.91	11	2418	75	5.1	73	0.16	0.12	0.09	7.45	47	0.06	0.26	40	120	1041	176	1339	800	15
15	1400	0.00	83	0.00	2.97	11	2423	75	5.1	73	0.16	0.12	0.09	7.51	47	0.06	0.26	40	120	1096	177	1395	1400	15
15	2000	0.00	83	0.00	3.02	11	2427	75	5.1	72	0.16	0.12	0.09	7.57	47	0.06	0.27	40	121	1152	178	1452	2000	15
16	200	0.00	83	0.00	3.08	11	2432	74	5.1	72	0.16	0.12	0.09	7.63	48	0.06	0.27	40	121	1208	179	1509	200	16
16	800	0.00	83	0.00	3.13	12	2436	74	5.1	72	0.16	0.12	0.09	7.69	48	0.06	0.27	40	121	1265	180	1566	800	16
16	1400	0.00	83	0.00	3.19	12	2441	74	5.1	71	0.16	0.12	0.09	7.76	48	0.06	0.27	39	121	1321	180	1624	1400	16
16	2000	0.00	83	0.00	3.25	12	2445	73	5.1	71	0.17	0.12	0.09	7.82	48	0.06	0.27	39	121	1378	181	1682	2000	16
17	200	0.00	83	0.00	3.30	12	2450	73	5.1	71	0.17	0.12	0.09	7.88	48	0.06	0.28	39	121	1435	182	1740	200	17
17	800	0.00	83	0.00	3.36	12	2454	73	5.1	70	0.17	0.12	0.09	7.94	48	0.06	0.28	39	122	1491	183	1797	800	17
17	1400	0.00	83	0.00	3.42	13	2459	72	5.1	70	0.17	0.12	0.09	8.00	49	0.06	0.28	39	122	1548	184	1855	1400	17
17	2000	0.00	83	0.00	3.47	13	2464	72	5.1	70	0.17	0.12	0.09	8.06	49	0.06	0.28	39	122	1604	185	1912	2000	17
18	200	0.00	83	0.00	3.53	13	2468	72	5.1	69	0.17	0.12	0.09	8.12	49	0.06	0.28	38	122	1660	186	1969	200	18
18	800	0.00	83	0.00	3.59	13	2473	71	5.1	69	0.17	0.12	0.09	8.18	49	0.06	0.29	38	123	1715	186	2025	800	18
18	1400	0.00	83	0.00	3.64	13	2477	71	5.0	68	0.17	0.12	0.09	8.24	49	0.06	0.29	38	123	1770	187	2081	1400	18
18	2000	0.00	83	0.00	3.70	14	2482	71	5.0	68	0.17	0.11	0.09	8.30	49	0.06	0.29	38	123	1824	188	2137	2000	18
19	200	0.00	83	0.00	3.76	14	2486	70	5.0	68	0.17	0.11	0.09	8.36	50	0.06	0.29	38	124	1677	189	2191	200	19
19	800	0.00	83	0.00	3.81	14	2491	70	5.0	67	0.17	0.11	0.09	8.42	50	0.06	0.29	38	124	1930	190	2245	800	19
19	1400	0.00	83	0.00	3.87	14	2496	69	5.0	67	0.17	0.11	0.09	8.48	50	0.06	0.30	37	124	1982	190	2298	1400	19
19	2000	0.00	83	0.00	3.93	15	2500	69	5.0	67	0.17	0.11	0.09	8.54	50	0.06	0.30	37	125	2033	191	2351	2000	19
20	200	0.00	83	0.00	3.98	15	2505	69	5.0	66	0.17	0.11	0.09	8.60	50	0.06	0.30	37	125	2084	192	2402	200	20
20	800	0.00	83	0.00	4.04	15	2509	68	5.0	66	0.17	0.11	0.09	8.66	50	0.06	0.30	37	126	2133	193	2453	800	20
20	1400	0.00	83	0.00	4.10	15	2514	68	5.0	66	0.17	0.11	0.09	8.71	51	0.06	0.30	37	126	2182	194	2503	1400	20
20	2000	0.00	83	0.00	4.15	15	2519	68	5.0	65	0.17	0.11	0.09	8.77	51	0.06	0.31	37	127	2230	194	2552	2000	20
21	200	0.00	83	0.00	4.21	16	2523	67	5.0	65	0.17	0.11	0.09	8.83	51	0.06	0.31	37	127	2277	195	2600	200	21
21	800	0.00	83	0.00	4.27	16	2528	67	5.0	65	0.17	0.11	0.09	8.89	51	0.06	0.31	37	128	2322	196	2647	800	21
21	1400	0.00	83	0.00	4.32	16	2532	67	5.0	64	0.17	0.11	0.09	8.95	51	0.06	0.31	37	129	2367	196	2694	1400	21
21	2000	0.00	83	0.00	4.38	16	2537	66	4.9	64	0.17	0.11	0.09	9.01	51	0.06	0.31	36	129	2411	197	2739	2000	21
22	200	0.00	83	0.00	4.44	16	2542	66	4.9	64	0.17	0.11	0.09	9.07	52	0.06	0.32	36	130	2454	198	2783	200	22
22	800	0.00	83	0.00	4.50	17	2546	66	4.9	63	0.17	0.11	0.09	9.13	52	0.06	0.32	36	131	2496	198	2827	800	22
22	1400	0.00	83	0.00	4.55	17	2551	65	4.9	63	0.17	0.11	0.09	9.18	52	0.06	0.32	36	132	2538	199	2869	1400	22
22	2000	0.00	83	0.00	4.61	17	2555	65	4.9	63	0.17	0.11	0.09	9.24	52	0.06	0.32	36	132	2578	199	2911	2000	22
23	200	0.00	83	0.00	4.67	17	2560	65	4.9	62	0.18	0.11	0.09	9.30	52	0.06	0.32	36	133	2617	200	2952	200	23
23	800	0.00	83	0.00	4.72	17	2565	64	4.9	62	0.18	0.11	0.09	9.36	52	0.06	0.32	36	134	2655	200	2991	800	23

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.144 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	83	0.00	4.78	18	2569	64	4.9	61	0.18	0.11	0.09	9.42	53	0.06	0.33	36	135	2692	201	3030	1400	23
23	2000	0.00	83	0.00	4.84	18	2574	63	4.9	61	0.18	0.11	0.09	9.47	53	0.06	0.33	36	136	2729	201	3068	2000	23
24	200	0.00	83	0.00	4.89	18	2578	63	4.9	61	0.18	0.11	0.09	9.53	53	0.06	0.33	36	137	2764	202	3105	200	24
24	800	0.00	83	0.00	4.95	18	2583	63	4.9	60	0.18	0.11	0.09	9.59	53	0.06	0.33	36	139	2799	202	3141	800	24
24	1400	0.00	83	0.00	5.01	19	2588	62	4.9	60	0.18	0.11	0.09	9.65	53	0.06	0.33	35	140	2833	203	3177	1400	24
24	2000	0.00	83	0.00	5.06	19	2592	62	4.9	60	0.18	0.11	0.09	9.70	53	0.06	0.34	35	141	2866	203	3211	2000	24
25	200	0.00	83	0.00	5.12	19	2597	62	4.8	59	0.18	0.11	0.09	9.76	54	0.06	0.34	35	142	2898	203	3245	200	25
25	800	0.00	83	0.00	5.18	19	2601	61	4.8	59	0.18	0.11	0.09	9.82	54	0.06	0.34	35	144	2929	204	3278	800	25
25	1400	0.00	83	0.00	5.23	19	2606	61	4.8	59	0.18	0.10	0.09	9.87	54	0.06	0.34	35	145	2960	204	3311	1400	25
25	2000	0.00	83	0.00	5.29	20	2611	61	4.8	58	0.18	0.10	0.09	9.93	54	0.06	0.34	35	147	2990	204	3342	2000	25
26	200	0.00	83	0.00	5.35	20	2615	60	4.8	58	0.18	0.10	0.09	9.99	54	0.06	0.34	35	148	3019	205	3373	200	26
26	800	0.00	83	0.00	5.40	20	2620	60	4.8	58	0.18	0.10	0.09	10.04	54	0.06	0.35	35	150	3047	205	3404	800	26
26	1400	0.00	83	0.00	5.46	20	2624	60	4.8	57	0.18	0.10	0.09	10.10	55	0.06	0.35	35	152	3075	206	3434	1400	26
26	2000	0.00	83	0.00	5.52	20	2628	59	4.8	57	0.18	0.10	0.09	10.16	55	0.06	0.35	35	153	3102	207	3463	2000	26
27	200	0.00	83	0.00	5.57	21	2631	59	4.8	57	0.18	0.10	0.09	10.21	55	0.06	0.35	34	155	3128	207	3492	200	27
27	800	0.00	83	0.00	5.63	21	2634	59	4.8	56	0.18	0.10	0.09	10.27	55	0.06	0.35	34	157	3153	208	3520	800	27
27	1400	0.00	83	0.00	5.68	21	2638	59	4.7	56	0.18	0.10	0.09	10.32	55	0.06	0.36	34	159	3178	209	3548	1400	27
27	2000	0.00	83	0.00	5.74	21	2641	58	4.7	56	0.18	0.10	0.09	10.38	55	0.06	0.36	34	161	3203	210	3576	2000	27
28	200	0.00	83	0.00	5.80	21	2645	58	4.7	56	0.18	0.10	0.09	10.44	56	0.06	0.36	34	163	3226	212	3603	200	28
28	800	0.00	83	0.00	5.86	22	2648	58	4.7	55	0.18	0.10	0.09	10.49	56	0.06	0.36	34	166	3249	213	3629	800	28
28	1400	0.00	83	0.00	5.91	22	2652	58	4.7	55	0.18	0.10	0.09	10.55	56	0.06	0.36	34	168	3272	214	3656	1400	28
28	2000	0.00	83	0.00	5.97	22	2655	57	4.7	55	0.18	0.10	0.09	10.60	56	0.06	0.37	34	170	3294	216	3681	2000	28
29	200	0.00	83	0.00	6.03	22	2659	57	4.6	55	0.19	0.10	0.09	10.66	56	0.06	0.37	34	173	3315	217	3707	200	29
29	800	0.00	83	0.00	6.08	23	2662	57	4.6	54	0.19	0.10	0.09	10.71	56	0.06	0.37	34	175	3336	219	3731	800	29
29	1400	0.00	83	0.00	6.14	23	2665	57	4.6	54	0.19	0.10	0.09	10.77	56	0.06	0.37	34	178	3357	220	3756	1400	29
29	2000	0.00	83	0.00	6.20	23	2669	56	4.6	54	0.19	0.10	0.09	10.82	57	0.06	0.37	33	181	3376	222	3780	2000	29
30	200	0.00	83	0.00	6.25	23	2672	56	4.6	54	0.19	0.10	0.09	10.88	57	0.06	0.37	33	183	3396	223	3804	200	30
30	800	0.00	83	0.00	6.31	23	2676	56	4.6	53	0.19	0.10	0.09	10.93	57	0.06	0.38	33	186	3415	225	3827	800	30
30	1400	0.00	83	0.00	6.37	24	2679	56	4.5	53	0.19	0.10	0.09	10.99	57	0.06	0.38	33	189	3433	227	3850	1400	30
30	2000	0.00	83	0.00	6.42	24	2683	55	4.5	53	0.19	0.10	0.09	11.04	57	0.06	0.38	33	192	3451	229	3873	2000	30
31	200	0.00	83	0.00	6.48	24	2686	55	4.5	53	0.19	0.10	0.09	11.10	57	0.06	0.38	33	195	3468	230	3895	200	31
31	800	0.00	83	0.00	6.54	24	2690	55	4.5	52	0.19	0.10	0.09	11.15	58	0.06	0.38	33	199	3485	232	3917	800	31
31	1400	0.00	83	0.00	6.59	24	2693	54	4.5	52	0.19	0.10	0.09	11.20	58	0.06	0.39	33	202	3502	234	3939	1400	31
31	2000	0.00	83	0.00	6.65	25	2696	54	4.5	52	0.19	0.10	0.09	11.26	58	0.06	0.39	33	205	3518	235	3960	2000	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. 310881 INITIAL DATE, HOUR 1 MAY 1972 1400 JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.15 IN./DAY, MELT RATE = 0.172 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	RASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	83	0.00	6.71	25	2700	54	4.4	52	0.19	0.10	0.09	11.31	58	0.06	0.39	33	209	3533	237	3981	200	1
1	800	0.00	83	0.00	6.76	25	2703	54	4.4	51	0.19	0.10	0.15	11.36	58	0.06	0.39	32	212	3549	239	4001	800	1
1	1400	0.00	83	0.00	6.82	25	2707	53	4.4	51	0.19	0.10	0.15	11.40	58	0.06	0.39	32	216	3563	240	4021	1400	1
1	2000	0.00	83	0.00	6.88	25	2710	53	4.4	51	0.19	0.10	0.15	11.44	58	0.06	0.40	32	220	3578	242	4041	2000	1
2	200	0.00	83	0.00	6.93	26	2714	53	4.4	50	0.19	0.10	0.15	11.48	59	0.06	0.40	32	224	3592	244	4061	200	2
2	800	0.00	83	0.00	6.99	26	2717	53	4.4	50	0.19	0.10	0.15	11.52	59	0.06	0.40	32	228	3606	245	4080	800	2
2	1400	0.00	83	0.00	7.05	26	2720	52	4.3	50	0.19	0.10	0.15	11.56	59	0.06	0.40	32	232	3619	247	4099	1400	2
2	2000	0.00	83	0.00	7.10	26	2724	52	4.3	50	0.19	0.10	0.15	11.59	59	0.06	0.40	32	236	3632	248	4117	2000	2
3	200	0.00	83	0.00	7.16	27	2727	52	4.3	49	0.19	0.10	0.15	11.63	59	0.06	0.40	32	240	3644	249	4136	200	3
3	800	0.00	83	0.00	7.21	27	2731	52	4.3	49	0.19	0.09	0.15	11.67	59	0.06	0.41	32	245	3657	251	4154	800	3
3	1400	0.00	83	0.00	7.27	27	2734	51	4.3	49	0.19	0.09	0.15	11.71	59	0.06	0.41	32	249	3668	252	4171	1400	3
3	2000	0.00	83	0.00	7.33	27	2737	51	4.3	49	0.19	0.09	0.15	11.74	59	0.06	0.41	32	254	3680	253	4189	2000	3
4	200	0.00	92	0.00	7.40	27	2741	51	5.3	50	0.24	0.12	0.15	11.78	59	0.07	0.42	32	258	3691	255	4206	200	4
4	800	0.00	92	0.00	7.47	28	2745	50	5.3	50	0.24	0.12	0.15	11.84	60	0.07	0.43	31	263	3702	256	4223	800	4
4	1400	0.00	98	0.00	7.57	28	2750	50	7.5	50	0.35	0.17	0.15	11.90	60	0.10	0.45	31	268	3713	257	4239	1400	4
4	2000	0.00	98	0.00	7.68	28	2756	49	7.5	50	0.35	0.17	0.15	12.00	60	0.10	0.47	30	273	3723	258	4256	2000	4
5	200	0.00	100	0.00	7.83	29	2762	49	10.9	49	0.51	0.25	0.15	12.11	61	0.15	0.52	30	278	3734	261	4274	200	5
5	800	0.00	100	0.00	8.00	30	2771	48	12.0	49	0.57	0.28	0.15	12.27	61	0.17	0.57	29	283	3744	265	4293	800	5
5	1400	0.00	100	0.00	8.22	30	2782	47	15.4	48	0.74	0.36	0.15	12.46	62	0.22	0.65	28	289	3753	273	4316	1400	5
5	2000	0.00	100	0.00	8.50	31	2795	46	18.8	47	0.93	0.43	0.15	12.71	64	0.28	0.75	26	294	3763	288	4347	2000	5
6	200	0.00	100	0.00	8.79	33	2812	44	19.9	46	1.00	0.46	0.15	13.02	65	0.30	0.86	24	299	3772	317	4389	200	6
6	800	0.00	100	0.00	9.15	34	2830	43	23.2	44	1.20	0.53	0.15	13.34	67	0.35	1.01	22	305	3781	367	4454	800	6
6	1400	0.00	100	0.00	9.54	35	2851	41	25.4	43	1.35	0.57	0.15	13.71	69	0.39	1.17	20	311	3790	453	4555	1400	6
6	2000	0.00	100	0.00	9.98	37	2875	39	27.6	41	1.51	0.62	0.15	14.12	71	0.43	1.36	18	316	3798	599	4715	2000	6
7	200	0.00	100	0.00	10.47	39	2897	38	30.9	39	1.75	0.68	0.15	14.54	73	0.50	1.59	16	322	3807	835	4966	200	7
7	800	0.00	100	0.00	11.02	41	2918	36	33.1	37	1.94	0.73	0.15	15.00	75	0.55	1.85	14	328	3816	1208	5353	800	7
7	1400	0.00	100	0.00	11.60	43	2941	34	35.3	36	2.16	0.77	0.15	15.47	75	0.58	2.14	11	334	3824	1772	5933	1400	7
7	2000	0.00	100	0.00	12.17	45	2965	32	34.6	34	2.23	0.76	0.15	16.01	75	0.57	2.43	10	341	3833	2597	6772	2000	7
8	200	0.00	100	0.00	12.71	47	2989	30	33.7	32	2.28	0.73	0.15	16.56	75	0.55	2.71	10	347	3843	3752	7943	200	8
8	800	0.00	100	0.00	13.25	49	3036	29	33.6	30	2.37	0.72	0.15	17.12	75	0.54	2.99	10	353	3853	5302	9509	800	8
8	1400	0.01	100	0.01	13.77	51	3101	27	32.6	29	2.40	0.69	0.15	17.71	75	0.52	3.26	10	360	3864	7290	11515	1400	8
8	2000	0.01	100	0.01	14.26	53	3163	25	32.5	27	2.46	0.67	0.15	18.31	75	0.50	3.53	10	366	3876	9717	13961	2000	8
9	200	0.03	100	0.04	14.73	55	3224	24	31.8	25	2.46	0.65	0.15	18.93	75	0.49	3.78	10	373	3889	12535	16798	200	9
9	800	0.03	100	0.06	15.17	56	3280	22	31.7	24	2.50	0.62	0.15	19.56	75	0.47	4.03	10	380	3905	15641	19928	800	9
9	1400	0.03	100	0.08	15.59	58	3335	21	31.1	22	2.49	0.58	0.15	20.19	75	0.44	4.26	10	387	3923	18899	23210	1400	9
9	2000	0.03	100	0.10	15.99	59	3385	20	31.0	21	2.52	0.56	0.15	20.83	75	0.42	4.49	10	394	3944	22150	26489	2000	9
10	200	0.09	100	0.17	16.36	61	3430	19	30.0	20	2.48	0.58	0.15	21.47	75	0.44	4.69	10	401	3968	25243	29613	200	10
10	800	0.10	100	0.24	16.72	62	3456	19	29.9	19	2.51	0.58	0.15	22.11	75	0.43	4.88	10	408	3996	28046	32450	800	10
10	1400	0.10	100	0.32	17.07	63	3480	18	29.7	18	2.52	0.56	0.15	22.76	75	0.42	5.07	10	415	4028	30461	34905	1400	10
10	2000	0.10	100	0.39	17.41	64	3504	17	29.6	18	2.55	0.55	0.15	23.42	75	0.41	5.25	10	422	4065	32433	36921	2000	10
11	200	0.07	100	0.44	17.73	66	3527	17	28.7	17	2.50	0.50	0.15	24.08	75	0.38	5.40	10	430	4107	33945	38483	200	11
11	800	0.07	100	0.50	18.05	67	3549	16	28.6	17	2.52	0.49	0.15	24.71	75	0.37	5.56	10	437	4154	35018	39611	800	11
11	1400	0.11	100	0.58	18.35	68	3571	16	28.4	16	2.53	0.51	0.15	25.36	75	0.38	5.70	10	445	4208	35699	40353	1400	11
11	2000	0.25	100	0.77	18.65	69	3591	15	28.3	16	2.55	0.65	0.15	26.02	75	0.49	5.88	10	452	4268	36046	40768	2000	11

FORM 1413-C PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.15 IN./DAY, MELT RATE = 0.367 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.09	100	0.83	18.91	70	3612	15	26.0	15	2.36	0.44	0.15	26.73	75	0.33	5.97	10	460	4334	36120	40916	200	12
12	800	0.09	100	0.90	19.16	71	3630	14	24.8	15	2.28	0.42	0.15	27.33	75	0.31	6.05	10	468	4407	35981	40858	800	12
12	1400	0.12	100	0.98	19.39	72	3647	14	23.6	14	2.19	0.42	0.15	27.92	75	0.32	6.11	10	476	4487	35686	40651	1400	12
12	2000	0.29	100	1.20	19.61	73	3662	13	22.5	14	2.09	0.57	0.15	28.49	75	0.43	6.17	10	484	4574	35285	40345	2000	12
13	200	0.12	100	1.28	19.82	73	3677	13	22.4	13	2.11	0.39	0.15	29.09	75	0.30	6.21	10	492	4668	34816	39977	200	13
13	800	0.12	100	1.37	20.02	74	3691	13	22.4	13	2.12	0.39	0.15	29.64	75	0.29	6.25	10	500	4769	34297	39568	800	13
13	1400	0.15	100	1.49	20.22	75	3705	12	22.4	13	2.13	0.42	0.15	30.19	75	0.32	6.29	10	509	4876	33736	39121	1400	13
13	2000	0.39	100	1.78	20.42	76	3719	12	22.4	12	2.14	0.65	0.15	30.76	75	0.49	6.38	10	517	4989	33130	38637	2000	13
14	200	0.14	100	1.89	20.60	76	3732	12	21.4	12	2.06	0.38	0.15	31.40	75	0.29	6.40	10	525	5108	32481	38117	200	14
14	800	0.14	100	1.99	20.78	77	3745	11	21.4	11	2.07	0.38	0.15	31.95	75	0.28	6.42	10	534	5233	31797	37565	800	14
14	1400	0.19	100	2.13	20.95	78	3757	11	21.4	11	2.08	0.42	0.15	32.50	75	0.31	6.45	10	542	5363	31095	37002	1400	14
14	2000	0.47	100	2.48	21.12	78	3769	11	21.4	11	2.09	0.70	0.15	33.07	75	0.52	6.53	10	551	5497	30402	36452	2000	14
15	200	0.24	100	2.66	21.30	79	3780	10	22.5	11	2.22	0.47	0.15	33.71	75	0.35	6.59	10	560	5636	29748	35945	200	15
15	800	0.24	100	2.84	21.47	80	3792	10	22.5	10	2.23	0.46	0.15	34.32	75	0.35	6.64	10	568	5777	29156	35503	800	15
15	1400	0.31	100	3.07	21.63	80	3804	10	22.5	10	2.24	0.53	0.15	34.94	75	0.40	6.71	10	577	5922	28644	35144	1400	15
15	2000	0.78	100	3.66	21.80	81	3815	9	22.4	10	2.25	1.00	0.15	35.58	75	0.75	6.86	10	586	6068	28234	34890	2000	15
16	200	0.43	100	3.98	21.94	81	3826	9	21.0	9	2.11	0.62	0.15	36.33	75	0.47	6.91	10	595	6216	27950	34763	200	16
16	800	0.18	100	4.11	22.07	82	3836	9	18.6	9	1.88	0.35	0.15	36.97	75	0.26	6.87	10	604	6365	27820	34790	800	16
16	1400	0.12	100	4.21	22.19	82	3845	9	18.5	9	1.87	0.29	0.15	37.48	75	0.22	6.82	10	613	6513	27875	35003	1400	16
16	2000	0.12	100	4.30	22.32	83	3854	8	19.6	9	1.99	0.30	0.15	37.97	75	0.22	6.80	10	623	6662	28144	35429	2000	16
17	200	0.29	100	4.52	22.45	83	3862	8	19.8	8	2.01	0.46	0.15	38.49	75	0.35	6.81	10	632	6809	28620	36062	200	17
17	800	0.12	100	4.61	22.57	84	3871	8	19.7	8	2.01	0.28	0.15	39.06	75	0.21	6.79	10	641	6954	29237	36834	800	17
17	1400	0.09	100	4.67	22.69	84	3879	8	19.6	8	2.00	0.24	0.15	39.59	75	0.18	6.77	10	651	7097	29869	37617	1400	17
17	2000	0.09	100	4.74	22.81	84	3887	8	19.5	8	2.00	0.24	0.15	40.10	75	0.18	6.75	10	660	7237	30361	38259	2000	17
18	200	0.00	100	4.74	22.92	85	3895	7	20.6	7	2.12	0.16	0.15	40.60	75	0.12	6.73	10	670	7373	30581	38625	200	18
18	800	0.00	100	4.74	23.04	85	3903	7	20.5	7	2.11	0.15	0.15	41.10	75	0.12	6.71	10	679	7506	30443	38630	800	18
18	1400	0.00	100	4.74	23.15	86	3911	7	20.4	7	2.11	0.15	0.15	41.60	75	0.11	6.70	10	689	7635	29919	38244	1400	18
18	2000	0.00	100	4.74	23.26	86	3919	7	20.4	7	2.11	0.14	0.15	42.09	75	0.11	6.68	10	699	7759	29022	37481	2000	18
19	200	0.00	100	4.74	23.38	87	3926	7	23.5	7	2.44	0.16	0.15	42.59	75	0.12	6.73	10	708	7878	27798	36386	200	19
19	800	0.00	100	4.74	23.51	87	3935	6	25.7	6	2.68	0.17	0.15	43.17	75	0.13	6.81	10	718	7992	26308	35020	800	19
19	1400	0.00	100	4.74	23.65	88	3943	6	28.0	6	2.92	0.18	0.15	43.81	75	0.14	6.94	10	728	8101	24624	33455	1400	19
19	2000	0.00	100	4.74	23.79	88	3953	6	30.4	6	3.18	0.19	0.15	44.51	75	0.14	7.11	10	738	8204	22824	31768	2000	19
20	200	0.00	100	4.74	23.93	89	3962	6	31.5	6	3.30	0.19	0.15	45.29	75	0.14	7.29	10	748	8302	20991	30042	200	20
20	800	0.00	100	4.74	24.07	89	3972	5	31.4	5	3.31	0.18	0.15	46.10	75	0.14	7.46	10	758	8394	19204	28358	800	20
20	1400	0.00	100	4.74	24.20	90	3981	5	31.3	5	3.31	0.17	0.15	46.90	75	0.13	7.62	10	768	8480	17539	26788	1400	20
20	2000	0.00	100	4.74	24.32	90	3990	5	31.2	5	3.31	0.16	0.15	47.71	75	0.12	7.77	10	779	8559	16053	25392	2000	20
21	200	0.00	100	4.74	24.45	91	3998	5	35.5	5	3.77	0.18	0.15	48.51	75	0.13	8.00	10	789	8633	14786	24209	200	21
21	800	0.00	100	4.74	24.58	91	4044	4	35.4	4	3.77	0.17	0.15	49.44	75	0.13	8.21	10	799	8700	13753	23254	800	21
21	1400	0.00	100	4.74	24.70	91	4094	4	35.3	4	3.77	0.16	0.15	50.37	75	0.12	8.41	10	810	8761	12947	22519	1400	21
21	2000	0.00	100	4.74	24.82	92	4141	4	35.2	4	3.78	0.15	0.15	51.29	75	0.11	8.60	10	820	8815	12345	21982	2000	21
22	200	0.00	100	4.74	24.93	92	4187	4	37.5	4	4.02	0.15	0.15	52.22	75	0.12	8.83	10	830	8863	11912	21607	200	22
22	800	0.00	100	4.74	25.04	93	4232	4	37.4	4	4.03	0.15	0.15	53.21	75	0.11	9.00	10	841	8905	11610	21358	800	22
22	1400	0.00	100	4.74	25.15	93	4275	3	37.3	3	4.03	0.14	0.15	54.20	75	0.10	9.00	10	852	8940	11404	21197	1400	22
22	2000	0.00	100	4.74	25.25	94	4316	3	37.2	3	4.03	0.13	0.15	55.19	75	0.10	9.00	10	862	8968	11260	21092	2000	22

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 34.0 TYONE RIVER BASIN 1047 SQ MI

RUN DATE	RUN NO.	INITIAL DATE, HOUR	JOB DESCRIPTION
	310881	1 MAY 1972 1400	0 SUSITNA HEP SPRING PMF

N.P.D., CORPS OF ENGINEERS

ETI = 0.15 IN./DAY, MELT RATE = 0.435 IN./DEGREE-DAY, AREA = 1047.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	4.74	25.34	94	4355	3	36.0	3	3.91	0.12	0.15	56.17	75	0.09	9.00	10	873	8990	11151	21015	200	23
23	800	0.00	100	4.74	25.42	94	4390	3	36.0	3	3.91	0.11	0.15	57.12	75	0.09	9.00	10	884	9005	11055	20945	800	23
23	1400	0.00	100	4.74	25.50	94	4424	3	35.9	3	3.91	0.11	0.15	58.07	75	0.08	9.00	10	895	9013	10953	20862	1400	23
23	2000	0.00	100	4.74	25.58	95	4456	3	35.9	3	3.91	0.10	0.15	59.02	75	0.08	9.00	10	906	9014	10834	20755	2000	23
24	200	0.00	100	4.74	25.64	95	4486	2	28.9	2	3.16	0.08	0.15	59.97	75	0.06	9.00	10	917	9008	10686	20612	200	24
24	800	0.00	100	4.74	25.69	95	4509	2	28.9	2	3.16	0.07	0.15	60.71	75	0.06	9.00	10	928	8996	10503	20428	800	24
24	1400	0.00	100	4.74	25.75	95	4531	2	28.8	2	3.16	0.07	0.15	61.46	75	0.05	9.00	10	939	8976	10281	20197	1400	24
24	2000	0.00	100	4.74	25.80	96	4552	2	28.8	2	3.16	0.07	0.15	62.20	75	0.05	9.00	10	950	8950	10016	19917	2000	24
25	200	0.00	100	4.74	25.84	96	4572	2	25.3	2	2.78	0.06	0.15	62.94	75	0.04	8.96	10	961	8917	9708	19587	200	25
25	800	0.00	100	4.74	25.88	96	4589	2	25.3	2	2.78	0.06	0.15	63.59	75	0.04	8.92	10	972	8877	9356	19206	800	25
25	1400	0.00	100	4.74	25.92	96	4605	2	25.3	2	2.78	0.05	0.15	64.23	75	0.04	8.88	10	983	8830	8962	18778	1400	25
25	2000	0.00	100	4.74	25.96	96	4621	2	25.2	2	2.78	0.05	0.15	64.87	75	0.04	8.84	10	995	8777	8532	18306	2000	25
26	200	0.00	100	4.74	26.00	96	4636	2	24.1	2	2.65	0.05	0.15	65.51	75	0.04	8.78	10	1006	8718	8073	17798	200	26
26	800	0.00	100	4.74	26.03	96	4650	2	24.0	2	2.65	0.05	0.15	66.11	75	0.03	8.72	10	1018	8651	7593	17264	800	26
26	1400	0.00	100	4.74	26.07	97	4663	2	24.0	2	2.65	0.04	0.15	66.71	75	0.03	8.67	10	1029	8579	7104	16714	1400	26
26	2000	0.00	100	4.74	26.10	97	4676	2	24.0	2	2.65	0.04	0.15	67.32	75	0.03	8.62	10	1041	8500	6616	16159	2000	26
27	200	0.00	100	4.74	26.13	97	4689	2	22.8	2	2.52	0.04	0.15	67.92	75	0.03	8.54	10	1052	8416	6140	15610	200	27
27	800	0.00	100	4.74	26.15	97	4700	2	22.8	1	2.52	0.04	0.15	68.48	75	0.03	8.47	10	1064	8326	5684	15076	800	27
27	1400	0.00	100	4.74	26.18	97	4711	1	22.8	1	2.52	0.04	0.15	69.05	75	0.03	8.41	10	1076	8230	5255	14563	1400	27
27	2000	0.00	100	4.74	26.21	97	4722	1	22.8	1	2.52	0.03	0.15	69.61	75	0.03	8.34	10	1088	8129	4858	14076	2000	27
28	200	0.00	100	4.74	26.23	97	4732	1	22.8	1	2.52	0.03	0.15	70.18	75	0.03	8.28	10	1100	8023	4493	13617	200	28
28	800	0.00	100	4.74	26.26	97	4742	1	22.7	1	2.52	0.03	0.15	70.74	75	0.02	8.22	10	1111	7912	4163	13188	800	28
28	1400	0.00	100	4.74	26.28	97	4752	1	22.7	1	2.52	0.03	0.15	71.30	75	0.02	8.16	10	1123	7797	3864	12786	1400	28
28	2000	0.00	100	4.74	26.30	97	4761	1	22.7	1	2.52	0.03	0.15	71.85	75	0.02	8.11	10	1135	7677	3597	12411	2000	28
29	200	0.00	100	4.74	26.32	97	4770	1	21.5	1	2.39	0.03	0.15	72.41	75	0.02	8.03	10	1148	7554	3358	12061	200	29
29	800	0.00	100	4.74	26.34	98	4778	1	21.5	1	2.39	0.03	0.15	72.93	75	0.02	7.96	10	1160	7427	3144	11732	800	29
29	1400	0.00	100	4.74	26.36	98	4786	1	21.5	1	2.39	0.03	0.15	73.45	75	0.02	7.89	10	1172	7296	2953	11423	1400	29
29	2000	0.00	100	4.74	26.38	98	4794	1	21.5	1	2.39	0.03	0.15	73.97	75	0.02	7.83	10	1184	7163	2783	11131	2000	29
30	200	0.00	100	4.74	26.40	98	4801	1	20.3	1	2.26	0.02	0.15	74.49	75	0.02	7.74	10	1196	7026	2630	10854	200	30
30	800	0.00	100	4.74	26.42	98	4808	1	20.3	1	2.26	0.02	0.15	74.97	75	0.02	7.66	10	1209	6888	2492	10590	800	30
30	1400	0.00	100	4.74	26.43	98	4814	1	20.3	1	2.26	0.02	0.15	75.46	75	0.02	7.59	10	1221	6747	2366	10336	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.15	4.00	0	0.00	0.03	0	130	20	8	158	1400	1
1	2000	0.00	34	0.00	0.02	0	1910	100	3.3	62	0.08	0.05	0.09	4.00	32	0.02	0.03	57	130	25	13	169	2000	1
2	200	0.00	34	0.00	0.03	0	1941	100	3.3	62	0.08	0.05	0.09	4.01	32	0.02	0.03	57	130	52	23	206	200	2
2	800	0.00	34	0.00	0.05	0	1972	100	3.3	62	0.08	0.05	0.09	4.02	32	0.02	0.04	57	130	111	26	269	800	2
2	1400	0.00	34	0.00	0.07	0	2000	100	3.3	62	0.08	0.05	0.09	4.04	32	0.02	0.04	56	130	193	27	352	1400	2
2	2000	0.00	34	0.00	0.08	0	2005	100	3.2	62	0.08	0.05	0.09	4.05	32	0.02	0.04	56	130	279	28	438	2000	2
3	200	0.00	34	0.00	0.10	0	2009	100	3.2	62	0.08	0.05	0.09	4.06	32	0.02	0.04	56	131	355	28	515	200	3
3	800	0.00	34	0.00	0.11	0	2014	100	3.2	62	0.08	0.05	0.09	4.07	33	0.02	0.04	56	131	415	28	576	800	3
3	1400	0.00	34	0.00	0.13	0	2019	99	3.2	62	0.08	0.05	0.09	4.08	33	0.02	0.04	56	132	459	28	621	1400	3
3	2000	0.00	34	0.00	0.15	0	2023	99	3.2	62	0.08	0.05	0.09	4.10	33	0.02	0.04	56	134	490	28	654	2000	3
4	200	0.00	34	0.00	0.16	0	2028	99	3.2	62	0.08	0.05	0.09	4.11	33	0.02	0.05	56	136	511	28	677	200	4
4	800	0.00	34	0.00	0.18	0	2032	99	3.2	62	0.08	0.05	0.09	4.12	33	0.02	0.05	55	138	525	29	693	800	4
4	1400	0.00	34	0.00	0.20	0	2037	99	3.2	62	0.08	0.05	0.09	4.13	33	0.02	0.05	55	141	534	29	705	1400	4
4	2000	0.00	34	0.00	0.21	0	2041	99	3.2	62	0.08	0.05	0.09	4.14	33	0.02	0.05	55	144	541	29	715	2000	4
5	200	0.00	34	0.00	0.23	0	2046	99	3.2	62	0.08	0.05	0.09	4.15	33	0.02	0.05	55	148	546	29	724	200	5
5	800	0.00	34	0.00	0.25	0	2050	99	3.2	61	0.08	0.05	0.09	4.16	33	0.02	0.05	55	152	549	29	732	800	5
5	1400	0.00	34	0.00	0.26	0	2055	99	3.2	61	0.08	0.05	0.09	4.17	33	0.02	0.05	55	157	552	29	740	1400	5
5	2000	0.00	34	0.00	0.28	0	2060	99	3.2	61	0.08	0.05	0.09	4.19	33	0.02	0.05	55	163	555	29	748	2000	5
6	200	0.00	34	0.00	0.30	1	2064	99	3.2	61	0.08	0.05	0.09	4.20	34	0.02	0.05	55	169	557	29	757	200	6
6	800	0.00	34	0.00	0.31	1	2069	99	3.2	61	0.08	0.05	0.09	4.21	34	0.02	0.05	55	175	559	29	766	800	6
6	1400	0.00	34	0.00	0.33	1	2073	99	3.2	61	0.08	0.05	0.09	4.22	34	0.02	0.06	55	182	561	29	775	1400	6
6	2000	0.00	34	0.00	0.35	1	2078	99	3.2	61	0.08	0.05	0.09	4.23	34	0.02	0.06	54	190	563	30	784	2000	6
7	200	0.00	34	0.00	0.36	1	2082	98	3.2	61	0.08	0.05	0.09	4.24	34	0.02	0.06	54	198	565	30	794	200	7
7	800	0.00	34	0.00	0.38	1	2087	98	3.2	61	0.08	0.05	0.09	4.25	34	0.02	0.06	54	206	567	30	804	800	7
7	1400	0.00	34	0.00	0.40	1	2092	98	3.2	61	0.08	0.05	0.09	4.26	34	0.02	0.06	54	215	568	30	814	1400	7
7	2000	0.00	34	0.00	0.41	1	2096	98	3.2	61	0.08	0.05	0.09	4.27	34	0.02	0.06	54	224	570	30	825	2000	7
8	200	0.00	34	0.00	0.43	1	2101	98	3.2	61	0.08	0.05	0.09	4.28	34	0.02	0.06	54	233	571	30	836	200	8
8	800	0.00	34	0.00	0.45	1	2105	98	3.2	61	0.08	0.05	0.09	4.29	34	0.02	0.06	54	243	573	30	847	800	8
8	1400	0.00	34	0.00	0.46	1	2110	98	3.2	61	0.08	0.05	0.09	4.30	34	0.02	0.06	54	253	574	30	859	1400	8
8	2000	0.00	34	0.00	0.48	1	2115	98	3.2	60	0.08	0.05	0.09	4.31	34	0.02	0.06	54	263	576	30	871	2000	8
9	200	0.00	34	0.00	0.50	1	2119	98	3.2	60	0.08	0.05	0.09	4.32	35	0.02	0.06	54	274	577	30	882	200	9
9	800	0.00	34	0.00	0.51	1	2124	98	3.2	60	0.08	0.05	0.09	4.33	35	0.02	0.06	54	285	578	30	894	800	9
9	1400	0.00	34	0.00	0.53	1	2129	98	3.2	60	0.08	0.05	0.09	4.34	35	0.02	0.06	54	295	579	30	906	1400	9
9	2000	0.00	34	0.00	0.55	1	2133	98	3.2	60	0.08	0.05	0.09	4.35	35	0.02	0.06	54	306	580	30	918	2000	9
10	200	0.00	34	0.00	0.57	1	2138	98	3.1	60	0.08	0.05	0.09	4.36	35	0.02	0.06	54	317	581	30	930	200	10
10	800	0.00	34	0.00	0.58	1	2143	98	3.1	60	0.08	0.05	0.09	4.37	35	0.02	0.06	54	328	583	30	943	800	10
10	1400	0.00	34	0.00	0.60	1	2147	97	3.1	60	0.08	0.05	0.09	4.38	35	0.02	0.06	54	339	584	30	955	1400	10
10	2000	0.00	34	0.00	0.62	1	2152	97	3.1	60	0.08	0.05	0.09	4.39	35	0.02	0.06	54	350	584	30	967	2000	10
11	200	0.00	34	0.00	0.63	1	2157	97	3.1	60	0.08	0.05	0.09	4.40	35	0.02	0.06	54	361	585	31	979	200	11
11	800	0.00	34	0.00	0.65	1	2161	97	3.1	60	0.08	0.05	0.09	4.41	35	0.02	0.06	54	372	586	31	990	800	11
11	1400	0.00	34	0.00	0.67	1	2166	97	3.1	60	0.08	0.05	0.09	4.42	35	0.02	0.07	54	383	587	31	1002	1400	11
11	2000	0.00	34	0.00	0.68	1	2171	97	3.1	60	0.08	0.05	0.09	4.43	35	0.02	0.07	53	394	588	31	1014	2000	11
12	200	0.00	34	0.00	0.70	1	2175	97	3.1	60	0.08	0.05	0.09	4.44	36	0.02	0.07	53	404	589	31	1025	200	12
12	800	0.00	34	0.00	0.72	1	2180	97	3.1	59	0.08	0.05	0.09	4.45	36	0.02	0.07	53	415	589	31	1037	800	12

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. 310881 | INITIAL DATE, HOUR 1 MAY 1972 1400 | JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF | N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.103 IN./DEGREE-DAY; AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	34	0.00	0.73	1	2185	97	3.1	59	0.08	0.05	0.09	4.46	36	0.02	0.07	53	425	590	31	1048	1400	12
12	2000	0.00	34	0.00	0.75	1	2189	97	3.1	59	0.08	0.05	0.09	4.47	36	0.02	0.07	53	435	591	31	1059	2000	12
13	200	0.00	34	0.00	0.77	1	2194	97	3.1	59	0.08	0.05	0.09	4.48	36	0.02	0.07	53	446	592	31	1069	200	13
13	800	0.00	34	0.00	0.79	1	2199	97	3.1	59	0.08	0.05	0.09	4.48	36	0.02	0.07	53	455	592	31	1080	800	13
13	1400	0.00	34	0.00	0.80	1	2203	97	3.1	59	0.08	0.05	0.09	4.49	36	0.02	0.07	53	465	593	31	1090	1400	13
13	2000	0.00	34	0.00	0.82	1	2208	97	3.1	59	0.08	0.05	0.09	4.50	36	0.02	0.07	53	474	593	31	1100	2000	13
14	200	0.00	34	0.00	0.84	1	2213	96	3.1	59	0.08	0.05	0.09	4.51	36	0.02	0.07	53	484	594	31	1110	200	14
14	800	0.00	34	0.00	0.85	1	2217	96	3.1	59	0.08	0.05	0.09	4.52	36	0.02	0.07	53	493	594	31	1120	800	14
14	1400	0.00	34	0.00	0.87	1	2222	96	3.1	59	0.08	0.05	0.09	4.53	36	0.02	0.07	53	501	595	31	1129	1400	14
14	2000	0.00	34	0.00	0.89	2	2227	96	3.1	59	0.08	0.05	0.09	4.54	36	0.02	0.07	53	510	595	31	1138	2000	14
15	200	0.00	34	0.00	0.90	2	2231	96	3.1	59	0.08	0.05	0.09	4.55	36	0.02	0.07	53	518	596	31	1147	200	15
15	800	0.00	34	0.00	0.92	2	2236	96	3.1	59	0.08	0.05	0.09	4.55	36	0.02	0.07	53	526	596	31	1155	800	15
15	1400	0.00	34	0.00	0.94	2	2241	96	3.1	59	0.08	0.05	0.09	4.56	36	0.02	0.07	53	534	597	31	1163	1400	15
15	2000	0.00	34	0.00	0.96	2	2245	96	3.1	58	0.08	0.05	0.09	4.57	37	0.02	0.07	53	542	597	31	1172	2000	15
16	200	0.00	34	0.00	0.97	2	2250	96	3.1	58	0.08	0.05	0.09	4.58	37	0.02	0.07	53	549	597	31	1179	200	16
16	800	0.00	34	0.00	0.99	2	2255	96	3.1	58	0.08	0.05	0.09	4.59	37	0.02	0.07	53	556	598	31	1187	800	16
16	1400	0.00	34	0.00	1.01	2	2259	96	3.1	58	0.08	0.05	0.09	4.60	37	0.02	0.07	53	563	598	31	1194	1400	16
16	2000	0.00	34	0.00	1.02	2	2264	96	3.1	58	0.08	0.05	0.09	4.60	37	0.02	0.07	53	570	598	31	1201	2000	16
17	200	0.00	34	0.00	1.04	2	2269	96	3.0	58	0.08	0.05	0.09	4.61	37	0.02	0.07	53	577	599	31	1208	200	17
17	800	0.00	34	0.00	1.06	2	2273	96	3.0	58	0.08	0.05	0.09	4.62	37	0.02	0.07	53	583	599	31	1214	800	17
17	1400	0.00	34	0.00	1.08	2	2278	95	3.0	58	0.08	0.05	0.09	4.63	37	0.02	0.07	53	589	599	31	1221	1400	17
17	2000	0.00	34	0.00	1.09	2	2283	95	3.0	58	0.08	0.05	0.09	4.64	37	0.02	0.07	53	595	599	31	1227	2000	17
18	200	0.00	34	0.00	1.11	2	2288	95	3.0	58	0.08	0.05	0.09	4.64	37	0.02	0.07	53	600	600	31	1232	200	18
18	800	0.00	34	0.00	1.13	2	2292	95	3.0	58	0.08	0.05	0.09	4.65	37	0.02	0.07	53	606	600	31	1238	800	18
18	1400	0.00	34	0.00	1.14	2	2297	95	3.0	58	0.08	0.05	0.09	4.66	37	0.02	0.07	53	611	600	31	1243	1400	18
18	2000	0.00	34	0.00	1.16	2	2302	95	3.0	58	0.08	0.05	0.09	4.67	37	0.02	0.07	53	616	600	31	1248	2000	18
19	200	0.00	34	0.00	1.18	2	2306	95	3.0	58	0.08	0.05	0.09	4.67	37	0.02	0.07	53	620	600	31	1253	200	19
19	800	0.00	34	0.00	1.19	2	2311	95	3.0	57	0.08	0.05	0.09	4.68	37	0.02	0.07	53	625	600	31	1258	800	19
19	1400	0.00	34	0.00	1.21	2	2316	95	3.0	57	0.08	0.05	0.09	4.69	38	0.02	0.07	53	629	600	31	1262	1400	19
19	2000	0.00	34	0.00	1.23	2	2320	95	3.0	57	0.08	0.05	0.09	4.70	38	0.02	0.07	53	634	601	31	1267	2000	19
20	200	0.00	34	0.00	1.25	2	2325	95	3.0	57	0.08	0.05	0.09	4.70	38	0.02	0.07	53	638	601	31	1271	200	20
20	800	0.00	34	0.00	1.26	2	2330	95	3.0	57	0.08	0.05	0.09	4.71	38	0.02	0.07	53	641	601	31	1275	800	20
20	1400	0.00	34	0.00	1.28	2	2334	95	3.0	57	0.08	0.05	0.09	4.72	38	0.02	0.07	53	645	601	31	1278	1400	20
20	2000	0.00	34	0.00	1.30	2	2339	95	3.0	57	0.08	0.04	0.09	4.72	38	0.02	0.07	53	649	601	31	1282	2000	20
21	200	0.00	34	0.00	1.31	2	2344	94	3.0	57	0.08	0.04	0.09	4.73	38	0.02	0.07	53	652	601	31	1285	200	21
21	800	0.00	34	0.00	1.33	2	2348	94	3.0	57	0.08	0.04	0.09	4.74	38	0.02	0.07	53	655	601	31	1288	800	21
21	1400	0.00	34	0.00	1.35	2	2353	94	3.0	57	0.08	0.04	0.09	4.75	38	0.02	0.07	53	658	601	31	1292	1400	21
21	2000	0.00	34	0.00	1.36	2	2358	94	3.0	57	0.08	0.04	0.09	4.75	38	0.02	0.07	53	661	601	31	1294	2000	21
22	200	0.00	34	0.00	1.38	2	2362	94	3.0	57	0.08	0.04	0.09	4.76	38	0.02	0.07	53	664	601	31	1297	200	22
22	800	0.00	34	0.00	1.40	2	2367	94	3.0	57	0.08	0.04	0.09	4.77	38	0.02	0.07	53	667	601	31	1300	800	22
22	1400	0.00	34	0.00	1.42	2	2372	94	3.0	56	0.08	0.04	0.09	4.77	38	0.02	0.07	53	669	600	31	1302	1400	22
22	2000	0.00	34	0.00	1.43	2	2376	94	3.0	56	0.08	0.04	0.09	4.78	38	0.02	0.07	53	671	600	31	1304	2000	22
23	200	0.00	34	0.00	1.45	2	2381	94	3.0	56	0.08	0.04	0.09	4.79	38	0.02	0.07	53	674	600	31	1307	200	23
23	800	0.00	34	0.00	1.47	2	2386	94	3.0	56	0.08	0.04	0.09	4.79	38	0.02	0.07	53	676	600	31	1309	800	23

FORM 1611-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.106 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RSP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	34	0.00	1.48	3	2390	94	3.0	56	0.08	0.04	0.09	4.80	38	0.02	0.07	53	678	600	31	1310	1400	23
23	2000	0.00	34	0.00	1.50	3	2395	94	3.0	56	0.08	0.04	0.09	4.81	38	0.02	0.07	53	680	600	31	1312	2000	23
24	200	0.00	34	0.00	1.52	3	2400	94	2.9	56	0.08	0.04	0.09	4.81	39	0.02	0.07	53	682	600	31	1314	200	24
24	800	0.00	34	0.00	1.53	3	2404	93	2.9	56	0.08	0.04	0.09	4.82	39	0.02	0.07	53	683	600	31	1315	800	24
24	1400	0.00	34	0.00	1.55	3	2409	93	2.9	56	0.08	0.04	0.09	4.83	39	0.02	0.07	53	685	599	31	1317	1400	24
24	2000	0.00	34	0.00	1.57	3	2414	93	2.9	56	0.08	0.04	0.09	4.83	39	0.02	0.07	53	687	599	31	1318	2000	24
25	200	0.00	34	0.00	1.58	3	2418	93	2.9	56	0.08	0.04	0.09	4.84	39	0.02	0.07	53	688	599	31	1320	200	25
25	800	0.00	34	0.00	1.60	3	2423	93	2.9	56	0.08	0.04	0.09	4.84	39	0.02	0.07	53	689	599	31	1321	800	25
25	1400	0.00	34	0.00	1.62	3	2428	93	2.9	56	0.08	0.04	0.09	4.85	39	0.02	0.07	53	691	599	31	1322	1400	25
25	2000	0.00	34	0.00	1.64	3	2432	93	2.9	56	0.08	0.04	0.09	4.86	39	0.02	0.07	53	692	598	31	1323	2000	25
26	200	0.00	34	0.00	1.65	3	2437	93	2.9	55	0.08	0.04	0.09	4.86	39	0.02	0.07	53	693	598	31	1324	200	26
26	800	0.00	34	0.00	1.67	3	2442	93	2.9	55	0.08	0.04	0.09	4.87	39	0.02	0.07	53	694	598	31	1324	800	26
26	1400	0.00	34	0.00	1.69	3	2446	93	2.9	55	0.08	0.04	0.09	4.87	39	0.02	0.07	53	695	598	31	1325	1400	26
26	2000	0.00	34	0.00	1.70	3	2451	93	2.9	55	0.08	0.04	0.09	4.88	39	0.02	0.07	53	696	597	31	1326	2000	26
27	200	0.00	34	0.00	1.72	3	2456	93	2.9	55	0.08	0.04	0.09	4.89	39	0.02	0.07	53	697	597	31	1326	200	27
27	800	0.00	34	0.00	1.74	3	2460	93	2.9	55	0.08	0.04	0.09	4.89	39	0.02	0.07	53	698	597	31	1327	800	27
27	1400	0.00	34	0.00	1.75	3	2465	93	2.9	55	0.08	0.04	0.09	4.90	39	0.02	0.07	53	698	596	31	1327	1400	27
27	2000	0.00	34	0.00	1.77	3	2469	93	2.9	55	0.08	0.04	0.09	4.90	39	0.02	0.07	53	699	596	31	1328	2000	27
28	200	0.00	34	0.00	1.79	3	2474	92	2.9	55	0.08	0.04	0.09	4.91	39	0.02	0.07	53	700	596	31	1328	200	28
28	800	0.00	34	0.00	1.80	3	2479	92	2.9	55	0.08	0.04	0.09	4.91	39	0.02	0.07	53	700	595	31	1328	800	28
28	1400	0.00	34	0.00	1.82	3	2483	92	2.9	55	0.08	0.04	0.09	4.92	39	0.02	0.07	53	701	595	31	1328	1400	28
28	2000	0.00	34	0.00	1.84	3	2488	92	2.9	55	0.08	0.04	0.09	4.93	39	0.02	0.07	53	701	595	31	1328	2000	28
29	200	0.00	34	0.00	1.85	3	2492	92	2.9	55	0.08	0.04	0.09	4.93	39	0.02	0.07	53	702	594	31	1329	200	29
29	800	0.00	34	0.00	1.87	3	2497	92	2.9	55	0.08	0.04	0.09	4.94	39	0.02	0.07	53	702	594	31	1329	800	29
29	1400	0.00	34	0.00	1.89	3	2502	92	2.9	54	0.08	0.04	0.09	4.94	40	0.02	0.07	53	703	594	31	1328	1400	29
29	2000	0.00	34	0.00	1.90	3	2506	92	2.9	54	0.08	0.04	0.09	4.95	40	0.02	0.07	53	703	593	31	1328	2000	29
30	200	0.00	34	0.00	1.92	3	2511	92	2.9	54	0.08	0.04	0.09	4.95	40	0.02	0.07	53	703	593	31	1328	200	30
30	800	0.00	34	0.00	1.94	3	2515	92	2.9	54	0.08	0.04	0.09	4.96	40	0.02	0.07	53	704	592	31	1328	800	30
30	1400	0.00	34	0.00	1.95	3	2520	92	2.9	54	0.08	0.04	0.09	4.96	40	0.02	0.07	53	704	592	31	1328	1400	30
30	2000	0.00	34	0.00	1.97	3	2525	92	2.9	54	0.08	0.04	0.09	4.97	40	0.02	0.07	53	704	591	31	1328	2000	30
31	200	0.00	34	0.00	1.99	3	2529	92	2.9	54	0.08	0.04	0.09	4.97	40	0.02	0.07	53	704	591	31	1327	200	31
31	800	0.00	34	0.00	2.00	3	2534	92	2.8	54	0.08	0.04	0.09	4.98	40	0.02	0.07	53	704	591	31	1327	800	31
31	1400	0.00	34	0.00	2.02	3	2538	91	2.8	54	0.08	0.04	0.09	4.98	40	0.02	0.07	53	704	590	30	1327	1400	31
31	2000	0.00	34	0.00	2.04	3	2543	91	2.8	54	0.08	0.04	0.09	4.99	40	0.02	0.07	53	705	590	30	1326	2000	31

FORM 1613
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.109 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	I	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	34	0.00	2.05	3	2547	91	2.8	54	0.08	0.04	0.09	4.99	40	0.02	0.07	53	705	589	30	1326	200	1
1	800	0.00	34	0.00	2.07	4	2552	91	2.8	54	0.08	0.04	0.09	5.00	40	0.02	0.07	53	705	589	30	1325	800	1
1	1400	0.00	34	0.00	2.09	4	2557	91	2.8	54	0.08	0.04	0.09	5.00	40	0.02	0.07	53	705	588	30	1325	1400	1
1	2000	0.00	34	0.00	2.10	4	2561	91	2.8	54	0.08	0.04	0.09	5.01	40	0.02	0.07	53	705	588	30	1324	2000	1
2	200	0.00	34	0.00	2.12	4	2566	91	2.8	54	0.08	0.04	0.09	5.01	40	0.02	0.07	53	705	587	30	1323	200	2
2	800	0.00	34	0.00	2.14	4	2570	91	2.8	53	0.08	0.04	0.09	5.02	40	0.02	0.07	53	704	586	30	1323	800	2
2	1400	0.00	34	0.00	2.15	4	2575	91	2.8	53	0.08	0.04	0.09	5.02	40	0.02	0.07	53	704	586	30	1322	1400	2
2	2000	0.00	34	0.00	2.17	4	2579	91	2.8	53	0.08	0.04	0.09	5.02	40	0.02	0.07	53	704	585	30	1321	2000	2
3	200	0.00	34	0.00	2.18	4	2584	91	2.8	53	0.08	0.04	0.09	5.03	40	0.02	0.07	53	704	584	30	1320	200	3
3	800	0.00	34	0.00	2.20	4	2588	91	2.8	53	0.08	0.04	0.09	5.03	40	0.02	0.07	53	704	583	30	1319	800	3
3	1400	0.00	34	0.00	2.22	4	2593	91	2.8	53	0.08	0.04	0.09	5.04	40	0.02	0.07	53	704	583	30	1318	1400	3
3	2000	0.00	34	0.00	2.23	4	2597	91	2.8	53	0.08	0.04	0.09	5.04	40	0.02	0.07	53	704	582	30	1317	2000	3
4	200	0.00	46	0.00	2.26	4	2602	90	3.4	63	0.09	0.06	0.09	5.05	40	0.02	0.07	53	703	584	34	1323	200	4
4	800	0.00	46	0.00	2.28	4	2608	90	3.4	63	0.09	0.06	0.09	5.06	40	0.02	0.08	53	703	597	41	1343	800	4
4	1400	0.00	66	0.00	2.32	4	2615	90	5.0	78	0.14	0.11	0.09	5.08	40	0.04	0.08	52	703	636	54	1394	1400	4
4	2000	0.00	66	0.00	2.37	4	2627	90	5.0	77	0.14	0.11	0.09	5.13	40	0.04	0.09	52	703	715	72	1492	2000	4
5	200	0.00	90	0.00	2.44	4	2638	90	7.8	88	0.22	0.19	0.09	5.18	41	0.08	0.10	51	703	855	99	1659	200	5
5	800	0.00	96	0.00	2.53	4	2660	89	8.9	89	0.25	0.22	0.09	5.28	41	0.09	0.12	50	703	1081	141	1926	800	5
5	1400	0.00	100	0.00	2.66	5	2684	89	12.3	89	0.34	0.30	0.09	5.40	41	0.12	0.15	49	704	1422	201	2328	1400	5
5	2000	0.00	100	0.00	2.82	5	2718	88	15.7	89	0.44	0.39	0.09	5.58	42	0.16	0.18	48	705	1906	312	2924	2000	5
6	200	0.00	100	0.00	3.00	5	2763	87	16.8	88	0.47	0.41	0.09	5.82	42	0.18	0.22	46	707	2550	437	3696	200	6
6	800	0.00	100	0.00	3.21	5	2811	86	20.2	87	0.57	0.50	0.09	6.07	43	0.21	0.26	44	711	3348	591	4652	800	6
6	1400	0.00	100	0.00	3.45	6	2870	85	22.5	86	0.64	0.55	0.09	6.37	44	0.24	0.31	40	717	4286	829	5834	1400	6
6	2000	0.00	100	0.00	3.72	6	2937	84	24.7	85	0.71	0.60	0.09	6.71	45	0.27	0.37	36	726	5364	1144	7235	2000	6
7	200	0.00	100	0.00	4.04	7	3005	83	28.1	84	0.81	0.68	0.09	7.08	46	0.31	0.44	34	737	6591	1596	8926	200	7
7	800	0.00	100	0.00	4.38	7	3045	81	30.3	83	0.89	0.74	0.09	7.51	47	0.35	0.51	31	752	7973	2219	10946	800	7
7	1400	0.00	100	0.00	4.76	8	3089	80	32.6	81	0.97	0.78	0.09	7.96	48	0.38	0.59	29	772	9494	3015	13283	1400	7
7	2000	0.00	100	0.00	5.15	9	3135	79	31.9	80	0.96	0.76	0.09	8.45	50	0.38	0.67	27	796	11091	3746	15635	2000	7
8	200	0.00	100	0.00	5.53	9	3167	78	31.0	79	0.94	0.74	0.09	8.91	51	0.38	0.75	26	826	12653	4170	17651	200	8
8	800	0.00	100	0.00	5.92	10	3199	77	31.0	78	0.96	0.74	0.09	9.36	52	0.39	0.82	24	862	14059	4533	19456	800	8
8	1400	0.01	100	0.00	6.30	11	3232	76	30.0	77	0.94	0.73	0.09	9.79	54	0.39	0.89	23	903	15236	4934	21075	1400	8
8	2000	0.01	100	0.01	6.69	11	3265	74	29.9	75	0.95	0.72	0.09	10.22	55	0.40	0.96	22	951	16173	5336	22461	2000	8
9	200	0.02	100	0.02	7.08	12	3298	73	29.3	74	0.94	0.72	0.09	10.63	56	0.41	1.04	21	1005	16903	5826	23736	200	9
9	800	0.02	100	0.04	7.48	13	3331	72	29.2	73	0.95	0.72	0.09	11.04	57	0.41	1.11	20	1065	17478	6375	24919	800	9
9	1400	0.02	100	0.05	7.88	13	3364	71	28.6	72	0.94	0.70	0.09	11.44	58	0.41	1.18	19	1131	17938	6835	25906	1400	9
9	2000	0.03	100	0.07	8.28	14	3398	70	28.5	71	0.95	0.70	0.09	11.83	60	0.42	1.24	18	1204	18307	7232	26743	2000	9
10	200	0.08	100	0.11	8.68	15	3432	69	27.5	70	0.93	0.73	0.09	12.21	61	0.44	1.32	18	1282	18602	7925	27810	200	10
10	800	0.08	100	0.16	9.08	15	3465	68	27.5	69	0.94	0.73	0.09	12.60	63	0.46	1.39	17	1365	18859	8900	29126	800	10
10	1400	0.08	100	0.22	9.50	16	3499	67	27.2	68	0.94	0.72	0.09	12.97	65	0.46	1.47	16	1453	19108	9832	30394	1400	10
10	2000	0.08	100	0.27	9.92	17	3534	65	27.1	66	0.95	0.71	0.09	13.32	67	0.47	1.54	15	1545	19350	10710	31606	2000	10
11	200	0.06	100	0.31	10.33	18	3570	64	26.1	65	0.93	0.67	0.09	13.66	68	0.45	1.61	15	1641	19558	11203	32404	200	11
11	800	0.06	100	0.35	10.75	18	3604	63	26.1	64	0.94	0.66	0.09	13.96	70	0.46	1.69	14	1741	19700	11415	32857	800	11
11	1400	0.09	100	0.41	11.17	19	3640	62	25.8	63	0.94	0.68	0.09	14.25	71	0.48	1.76	13	1844	19757	12279	33882	1400	11
11	2000	0.21	100	0.57	11.59	20	3675	61	25.7	62	0.95	0.80	0.09	14.54	73	0.58	1.86	12	1949	19753	15082	36785	2000	11

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.151 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.07	100	0.62	11.99	20	3711	60	23.3	60	0.87	0.60	0.09	14.86	74	0.44	1.91	11	2056	19724	16134	37915	200	12
12	800	0.07	100	0.68	12.36	21	3740	59	22.1	60	0.84	0.57	0.09	15.09	75	0.43	1.96	11	2164	19665	13597	35427	800	12
12	1400	0.16	100	0.75	12.71	22	3764	58	20.9	59	0.81	0.57	0.09	15.30	75	0.43	2.01	10	2273	19541	12209	34024	1400	12
12	2000	0.24	100	0.93	13.05	22	3786	57	19.7	58	0.77	0.69	0.09	15.52	75	0.52	2.07	10	2382	19373	13328	35084	2000	12
13	200	0.10	100	1.00	13.39	23	3807	57	19.7	57	0.79	0.55	0.09	15.77	75	0.41	2.10	10	2490	19227	13913	35632	200	13
13	800	0.10	100	1.07	13.73	23	3829	56	19.7	57	0.80	0.55	0.09	15.98	75	0.41	2.14	10	2598	19114	12114	33827	800	13
13	1400	0.13	100	1.17	14.06	24	3850	55	19.6	56	0.81	0.58	0.09	16.20	75	0.43	2.18	10	2703	18983	11830	33518	1400	13
13	2000	0.33	100	1.41	14.40	24	3872	54	19.6	55	0.82	0.78	0.09	16.43	75	0.58	2.26	10	2807	18838	15019	36665	2000	13
14	200	0.12	100	1.50	14.73	25	3893	54	18.6	54	0.79	0.55	0.09	16.71	75	0.41	2.26	10	2909	18739	16446	38095	200	14
14	800	0.12	100	1.59	15.05	26	3913	53	18.6	54	0.80	0.55	0.09	16.93	75	0.41	2.31	10	3007	18680	13358	35046	800	14
14	1400	0.16	100	1.70	15.37	26	3934	52	18.5	53	0.81	0.59	0.09	17.16	75	0.44	2.35	10	3102	18586	12552	34242	1400	14
14	2000	0.39	100	2.00	15.69	27	3954	52	18.5	52	0.82	0.82	0.09	17.40	75	0.62	2.42	10	3194	18460	16181	37837	2000	14
15	200	0.20	100	2.14	16.03	27	3975	51	19.6	52	0.88	0.65	0.09	17.70	75	0.49	2.47	10	3282	18383	19331	40998	200	15
15	800	0.20	100	2.29	16.37	28	3996	50	19.6	51	0.89	0.65	0.09	17.96	75	0.49	2.52	10	3365	18367	18056	39790	800	15
15	1400	0.26	100	2.49	16.71	28	4020	50	19.5	50	0.90	0.71	0.09	18.23	75	0.53	2.58	10	3445	18340	18210	39996	1400	15
15	2000	0.65	100	2.97	17.05	29	4045	49	19.5	49	0.91	1.10	0.09	18.52	75	0.83	2.71	10	3521	18301	24776	46599	2000	15
16	200	0.36	100	3.24	17.37	29	4069	48	18.1	49	0.86	0.77	0.09	18.91	75	0.58	2.76	10	3592	18343	29206	51143	200	16
16	800	0.15	100	3.35	17.64	30	4092	48	15.7	48	0.76	0.51	0.09	19.21	75	0.38	2.76	10	3659	18463	21698	43822	800	16
16	1400	0.10	100	3.43	17.91	30	4112	47	15.7	48	0.76	0.47	0.09	19.43	75	0.35	2.75	10	3723	18499	13652	35875	1400	16
16	2000	0.10	100	3.51	18.21	31	4132	46	16.8	47	0.83	0.49	0.09	19.64	75	0.37	2.76	10	3782	18309	10756	32849	2000	16
17	200	0.24	100	3.69	18.50	31	4153	46	17.0	46	0.85	0.64	0.09	19.87	75	0.48	2.79	10	3838	17920	12386	34145	200	17
17	800	0.10	100	3.77	18.79	32	4174	45	17.0	46	0.85	0.49	0.09	20.14	75	0.37	2.79	10	3889	17473	13638	35001	800	17
17	1400	0.07	100	3.82	19.08	32	4195	45	16.9	45	0.86	0.46	0.09	20.37	75	0.35	2.80	10	3937	17045	11761	32744	1400	17
17	2000	0.07	100	3.87	19.37	33	4216	44	16.9	44	0.87	0.46	0.09	20.59	75	0.34	2.80	10	3981	16612	10560	31154	2000	17
18	200	0.00	100	3.87	19.68	33	4237	43	18.0	44	0.94	0.41	0.09	20.81	75	0.31	2.80	10	4021	16139	9894	30055	200	18
18	800	0.00	100	3.87	19.99	34	4259	43	18.0	43	0.95	0.41	0.09	21.03	75	0.31	2.81	10	4057	15612	9317	28988	800	18
18	1400	0.00	100	3.87	20.29	34	4281	42	17.9	43	0.95	0.41	0.09	21.24	75	0.30	2.81	10	4089	15038	9147	28276	1400	18
18	2000	0.00	100	3.87	20.59	35	4303	41	17.9	42	0.96	0.40	0.09	21.46	75	0.30	2.82	10	4118	14458	9134	27711	2000	18
19	200	0.00	100	3.87	20.95	36	4325	41	21.0	41	1.14	0.47	0.09	21.68	75	0.35	2.86	10	4142	13920	10290	28354	200	19
19	800	0.00	100	3.87	21.34	36	4351	40	23.3	41	1.28	0.52	0.09	21.95	75	0.39	2.92	10	4163	13451	12925	30540	800	19
19	1400	0.00	100	3.87	21.76	37	4377	39	25.5	40	1.42	0.5[illegible]	0.09	22.25	75	0.42	3.00	10	4180	13053	15705	32940	1400	19
19	2000	0.00	100	3.87	22.22	38	4398	39	28.0	39	1.58	0.62	0.09	22.59	75	0.46	3.10	10	4194	12716	18540	35451	2000	19
20	200	0.00	100	3.87	22.70	38	4421	38	29.1	38	1.67	0.64	0.09	22.97	75	0.48	3.22	10	4203	12424	21035	37663	200	20
20	800	0.00	100	3.87	23.18	39	4446	37	29.0	38	1.69	0.64	0.09	23.37	75	0.48	3.33	10	4210	12164	22404	38779	800	20
20	1400	0.00	100	3.87	23.66	40	4470	36	28.9	37	1.71	0.63	0.09	23.77	75	0.48	3.44	10	4213	11926	22837	36978	1400	20
20	2000	0.00	100	3.87	24.13	41	4494	36	28.9	36	1.74	0.63	0.09	24.19	75	0.47	3.55	10	4214	11702	22948	38865	2000	20
21	200	0.00	100	3.87	24.68	42	4518	35	33.2	36	2.03	0.73	0.09	24.60	75	0.54	3.71	10	4212	11485	24533	40232	200	21
21	800	0.00	100	3.87	25.22	43	4545	34	33.1	35	2.08	0.72	0.09	25.10	75	0.54	3.86	10	4208	11274	27055	42538	800	21
21	1400	0.00	100	3.87	25.76	44	4572	33	33.0	34	2.12	0.72	0.09	25.60	75	0.54	4.01	10	4201	11063	28086	43352	1400	21
21	2000	0.00	100	3.87	26.30	45	4599	33	32.9	33	2.16	0.72	0.09	26.12	75	0.54	4.17	10	4193	10850	28393	43438	2000	21
22	200	0.00	100	3.87	26.87	46	4626	32	35.2	32	2.35	0.76	0.09	26.65	75	0.57	4.34	10	4183	10633	29278	44096	200	22
22	800	0.00	100	3.87	27.44	47	4655	31	35.1	32	2.40	0.76	0.09	27.23	75	0.57	4.52	10	4172	10412	30554	45140	800	22
22	1400	0.00	100	3.87	28.00	47	4684	30	35.0	31	2.44	0.75	0.09	27.81	75	0.56	4.69	10	4160	10186	30997	45345	1400	22
22	2000	0.00	100	3.87	28.56	48	4712	29	34.9	30	2.49	0.74	0.09	28.42	75	0.56	4.87	10	4148	9955	31030	45135	2000	22

FORM 1115
PRINTED IN U.S.A.

BASIN RESULTS - STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.296 IN./DEGREE-DAY, AREA = 735.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	3.87	29.10	49	4740	28	33.7	29	2.45	0.71	0.09	29.03	75	0.53	5.02	10	4135	9721	30544	44401	200	23
23	800	0.00	100	3.87	29.63	50	4767	28	33.6	28	2.49	0.70	0.09	29.63	75	0.53	5.17	10	4122	9483	29776	43382	800	23
23	1400	0.00	100	3.87	30.15	51	4794	27	33.6	28	2.52	0.69	0.09	30.24	75	0.52	5.33	10	4109	9244	29334	42688	1400	23
23	2000	0.00	100	3.87	30.66	52	4820	26	33.5	27	2.54	0.68	0.09	30.87	75	0.51	5.47	10	4096	9005	28942	42044	2000	23
24	200	0.00	100	3.87	31.05	53	4846	26	26.5	26	2.03	0.53	0.09	31.49	75	0.40	5.51	10	4083	8768	26281	39133	200	24
24	800	0.00	100	3.87	31.44	53	4866	25	26.5	25	2.04	0.52	0.09	31.99	75	0.39	5.56	10	4071	8533	22352	34958	800	24
24	1400	0.00	100	3.87	31.83	54	4885	24	26.4	25	2.05	0.51	0.09	32.48	75	0.38	5.60	10	4059	8304	20668	33033	1400	24
24	2000	0.00	100	3.87	32.20	55	4905	24	26.3	24	2.06	0.50	0.09	32.98	75	0.38	5.64	10	4048	8084	20024	32157	2000	24
25	200	0.00	100	3.87	32.52	55	4924	23	22.8	24	1.80	0.43	0.09	33.48	75	0.32	5.65	10	4037	7875	18619	30532	200	25
25	800	0.00	100	3.87	32.84	56	4940	23	22.8	23	1.81	0.42	0.09	33.91	75	0.32	5.63	10	4026	7677	16686	28391	800	25
25	1400	0.00	100	3.87	33.15	56	4956	22	22.8	23	1.81	0.41	0.09	34.35	75	0.31	5.62	10	4016	7490	15815	27322	1400	25
25	2000	0.00	100	3.87	33.46	57	4971	22	22.7	22	1.82	0.41	0.09	34.79	75	0.31	5.62	10	4005	7315	15432	26754	2000	25
26	200	0.00	100	3.87	33.74	57	4987	22	21.5	22	1.73	0.38	0.09	35.22	75	0.29	5.60	10	3995	7149	14851	25997	200	26
26	800	0.00	100	3.87	34.02	58	5001	21	21.5	21	1.74	0.37	0.09	35.64	75	0.28	5.58	10	3984	6993	14113	25091	800	26
26	1400	0.00	100	3.87	34.30	58	5025	21	21.4	21	1.75	0.37	0.09	36.06	75	0.28	5.57	10	3973	6844	13709	24527	1400	26
26	2000	0.00	100	3.87	34.57	59	5048	20	21.4	21	1.75	0.36	0.09	36.47	75	0.27	5.55	10	3962	6702	13459	24124	2000	26
27	200	0.00	100	3.87	34.82	59	5071	20	20.2	20	1.66	0.34	0.09	36.89	75	0.25	5.52	10	3950	6565	12945	23462	200	27
27	800	0.00	100	3.87	35.07	59	5092	20	20.2	20	1.67	0.33	0.09	37.29	75	0.25	5.49	10	3937	6434	12270	22642	800	27
27	1400	0.00	100	3.87	35.32	60	5103	20	20.2	20	1.67	0.33	0.09	37.68	75	0.25	5.47	10	3923	6308	11941	22173	1400	27
27	2000	0.00	100	3.87	35.56	60	5115	19	20.1	19	1.68	0.33	0.09	38.08	75	0.25	5.44	10	3909	6188	11807	21905	2000	27
28	200	0.00	100	3.87	35.81	61	5126	19	20.1	19	1.68	0.32	0.09	38.48	75	0.24	5.42	10	3893	6078	11727	21700	200	28
28	800	0.00	100	3.87	36.05	61	5138	19	20.1	19	1.69	0.32	0.09	38.88	75	0.24	5.40	10	3876	5979	11658	21515	800	28
28	1400	0.00	100	3.87	36.29	62	5149	19	20.1	19	1.69	0.32	0.09	39.27	75	0.24	5.39	10	3858	5891	11591	21341	1400	28
28	2000	0.00	100	3.87	36.53	62	5160	19	20.1	19	1.70	0.32	0.09	39.68	75	0.24	5.37	10	3838	5811	11523	21175	2000	28
29	200	0.00	100	3.87	36.75	62	5172	18	18.9	18	1.61	0.30	0.09	40.08	75	0.22	5.34	10	3817	5739	11169	20727	200	29
29	800	0.00	100	3.87	36.97	63	5182	18	18.9	18	1.61	0.29	0.09	40.46	75	0.22	5.31	10	3795	5671	10648	20116	800	29
29	1400	0.00	100	3.87	37.19	63	5192	18	18.9	18	1.61	0.29	0.09	40.84	75	0.22	5.29	10	3772	5607	10413	19794	1400	29
29	2000	0.00	100	3.87	37.41	63	5203	18	18.8	18	1.62	0.29	0.09	41.22	75	0.22	5.26	10	3747	5546	10311	19606	2000	29
30	200	0.00	100	3.87	37.61	64	5213	18	17.7	18	1.52	0.27	0.09	41.60	75	0.20	5.23	10	3721	5488	9963	19173	200	30
30	800	0.00	100	3.87	37.81	64	5223	18	17.7	18	1.53	0.27	0.09	41.96	75	0.20	5.19	10	3693	5430	9460	18585	800	30
30	1400	0.00	100	3.87	38.01	64	5232	17	17.7	17	1.53	0.27	0.09	42.31	75	0.20	5.16	10	3664	5375	9237	18277	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1413-2

PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.09	4.00	0	0.00	0.03	0	420	30	16	466	1400	1
1	2000	0.00	17	0.00	0.01	0	1450	100	2.1	47	0.05	0.03	0.09	4.00	50	0.01	0.03	57	420	30	16	467	2000	1
2	200	0.00	17	0.00	0.03	0	1460	100	2.1	47	0.05	0.03	0.09	3.99	50	0.01	0.03	57	420	35	16	473	200	2
2	800	0.00	17	0.00	0.04	0	1470	100	2.1	47	0.05	0.03	0.09	3.98	50	0.01	0.03	57	420	48	18	487	800	2
2	1400	0.00	17	0.00	0.05	0	1480	100	2.1	47	0.05	0.03	0.09	3.97	50	0.01	0.03	57	420	72	20	514	1400	2
2	2000	0.00	17	0.00	0.06	0	1490	100	2.1	47	0.05	0.03	0.09	3.96	50	0.01	0.04	57	420	107	23	551	2000	2
3	200	0.00	17	0.00	0.08	0	1500	100	2.1	47	0.05	0.03	0.09	3.95	50	0.01	0.04	56	420	149	25	595	200	3
3	800	0.00	17	0.00	0.09	0	1510	100	2.1	47	0.05	0.02	0.09	3.94	49	0.01	0.04	56	420	197	27	645	800	3
3	1400	0.00	17	0.00	0.10	0	1520	100	2.1	47	0.05	0.02	0.09	3.93	49	0.01	0.04	56	420	246	28	695	1400	3
3	2000	0.00	17	0.00	0.11	0	1530	100	2.1	47	0.05	0.02	0.09	3.92	49	0.01	0.04	56	420	294	29	744	2000	3
4	200	0.00	17	0.00	0.12	0	1540	99	2.1	47	0.05	0.02	0.09	3.91	49	0.01	0.04	56	420	339	29	789	200	4
4	800	0.00	17	0.00	0.14	0	1550	99	2.1	47	0.05	0.02	0.09	3.90	49	0.01	0.04	56	420	380	29	830	800	4
4	1400	0.00	17	0.00	0.15	0	1559	99	2.1	47	0.05	0.02	0.09	3.89	49	0.01	0.04	56	420	415	29	865	1400	4
4	2000	0.00	17	0.00	0.16	0	1569	99	2.1	47	0.05	0.02	0.09	3.88	49	0.01	0.04	56	420	445	29	896	2000	4
5	200	0.00	17	0.00	0.17	0	1579	99	2.1	47	0.05	0.02	0.09	3.87	49	0.01	0.04	56	420	471	29	921	200	5
5	800	0.00	17	0.00	0.18	0	1588	99	2.1	47	0.05	0.02	0.09	3.86	49	0.01	0.04	56	420	491	29	942	800	5
5	1400	0.00	17	0.00	0.20	0	1598	99	2.1	47	0.05	0.02	0.09	3.85	49	0.01	0.04	56	420	508	29	959	1400	5
5	2000	0.00	17	0.00	0.21	0	1608	99	2.1	47	0.05	0.02	0.09	3.84	48	0.01	0.04	56	420	521	29	972	2000	5
6	200	0.00	17	0.00	0.22	0	1617	99	2.1	46	0.05	0.02	0.09	3.83	48	0.01	0.04	56	420	531	29	982	200	6
6	800	0.00	17	0.00	0.23	0	1627	99	2.1	46	0.05	0.02	0.09	3.82	48	0.01	0.04	56	420	539	29	989	800	6
6	1400	0.00	17	0.00	0.24	0	1636	99	2.1	46	0.05	0.02	0.09	3.81	48	0.01	0.04	56	420	544	29	995	1400	6
6	2000	0.00	17	0.00	0.25	0	1645	99	2.1	46	0.05	0.02	0.09	3.80	48	0.01	0.04	56	420	548	29	999	2000	6
7	200	0.00	17	0.00	0.27	0	1655	99	2.1	46	0.05	0.02	0.09	3.79	48	0.01	0.04	56	420	551	29	1001	200	7
7	800	0.00	17	0.00	0.28	0	1664	99	2.1	46	0.05	0.02	0.09	3.78	48	0.01	0.04	56	420	552	29	1003	800	7
7	1400	0.00	17	0.00	0.29	1	1673	99	2.1	46	0.05	0.02	0.09	3.77	48	0.01	0.04	56	420	553	29	1004	1400	7
7	2000	0.00	17	0.00	0.30	1	1682	99	2.1	46	0.05	0.02	0.09	3.76	48	0.01	0.04	56	421	553	28	1004	2000	7
8	200	0.00	17	0.00	0.31	1	1692	99	2.0	46	0.05	0.02	0.09	3.75	48	0.01	0.04	56	421	553	28	1003	200	8
8	800	0.00	17	0.00	0.32	1	1701	99	2.0	46	0.05	0.02	0.09	3.74	47	0.01	0.04	56	421	552	28	1003	800	8
8	1400	0.00	17	0.00	0.33	1	1710	99	2.0	46	0.05	0.02	0.09	3.73	47	0.01	0.04	56	421	551	28	1002	1400	8
8	2000	0.00	17	0.00	0.35	1	1719	98	2.0	46	0.05	0.02	0.09	3.73	47	0.01	0.04	56	422	549	28	1000	2000	8
9	200	0.00	17	0.00	0.36	1	1728	98	2.0	46	0.05	0.02	0.09	3.72	47	0.01	0.04	56	422	548	28	999	200	9
9	800	0.00	17	0.00	0.37	1	1737	98	2.0	46	0.05	0.02	0.09	3.71	47	0.01	0.04	56	422	546	28	998	800	9
9	1400	0.00	17	0.00	0.38	1	1746	98	2.0	46	0.05	0.02	0.09	3.70	47	0.01	0.04	56	423	544	28	996	1400	9
9	2000	0.00	17	0.00	0.39	1	1755	98	2.0	46	0.05	0.02	0.09	3.69	47	0.01	0.04	56	423	542	28	995	2000	9
10	200	0.00	17	0.00	0.40	1	1764	98	2.0	46	0.05	0.02	0.09	3.68	47	0.01	0.04	56	423	540	27	993	200	10
10	800	0.00	17	0.00	0.41	1	1772	98	2.0	46	0.05	0.02	0.09	3.67	47	0.01	0.04	56	424	538	27	991	800	10
10	1400	0.00	17	0.00	0.42	1	1781	98	2.0	46	0.05	0.02	0.09	3.66	47	0.01	0.04	56	424	536	27	990	1400	10
10	2000	0.00	17	0.00	0.43	1	1790	98	2.0	46	0.05	0.02	0.09	3.65	46	0.01	0.04	56	425	534	27	988	2000	10
11	200	0.00	17	0.00	0.44	1	1799	98	2.0	45	0.05	0.02	0.09	3.64	46	0.01	0.04	56	426	532	27	986	200	11
11	800	0.00	17	0.00	0.46	1	1807	98	2.0	45	0.05	0.02	0.09	3.63	46	0.01	0.04	56	426	530	27	985	800	11
11	1400	0.00	17	0.00	0.47	1	1816	98	2.0	45	0.05	0.02	0.09	3.62	46	0.01	0.04	56	427	528	27	983	1400	11
11	2000	0.00	17	0.00	0.48	1	1825	98	2.0	45	0.05	0.02	0.09	3.61	46	0.01	0.04	56	427	526	27	981	2000	11
12	200	0.00	17	0.00	0.49	1	1833	98	2.0	45	0.05	0.02	0.09	3.60	46	0.01	0.04	56	428	524	27	980	200	12
12	800	0.00	17	0.00	0.50	1	1842	98	2.0	45	0.05	0.02	0.09	3.59	46	0.01	0.04	56	429	521	26	978	800	12

FORM 1613
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE 310881 | RUN NO. | INITIAL DATE, HOUR 1 MAY 1972 1400 | JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF | N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.102 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%PA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY	1972																							MAY 1972
12	1400	0.00	17	0.00	0.51	1	1850	98	2.0	45	0.05	0.02	0.09	3.58	46	0.01	0.04	56	430	519	26	977	1400	12
12	2000	0.00	17	0.00	0.52	1	1859	98	2.0	45	0.05	0.02	0.09	3.57	46	0.01	0.04	56	431	517	26	975	2000	12
13	200	0.00	17	0.00	0.53	1	1867	98	2.0	45	0.05	0.02	0.09	3.56	46	0.01	0.04	56	431	515	26	974	200	13
13	800	0.00	17	0.00	0.54	1	1875	98	2.0	45	0.05	0.02	0.09	3.55	45	0.01	0.04	56	432	513	26	973	800	13
13	1400	0.00	17	0.00	0.55	1	1884	98	2.0	45	0.05	0.02	0.09	3.54	45	0.01	0.04	56	433	510	26	971	1400	13
13	2000	0.00	17	0.00	0.56	1	1892	98	2.0	45	0.05	0.02	0.09	3.53	45	0.01	0.04	56	434	508	26	970	2000	13
14	200	0.00	17	0.00	0.57	1	1900	97	2.0	45	0.05	0.02	0.09	3.52	45	0.01	0.04	56	435	506	26	969	200	14
14	800	0.00	17	0.00	0.58	1	1909	97	2.0	45	0.05	0.02	0.09	3.51	45	0.01	0.04	56	437	504	26	967	800	14
14	1400	0.00	17	0.00	0.59	1	1917	97	2.0	45	0.05	0.02	0.09	3.50	45	0.01	0.04	56	438	502	25	966	1400	14
14	2000	0.00	17	0.00	0.60	1	1925	97	2.0	45	0.05	0.02	0.09	3.49	45	0.01	0.04	56	439	500	25	965	2000	14
15	200	0.00	17	0.00	0.61	1	1933	97	2.0	45	0.05	0.02	0.09	3.48	45	0.01	0.04	56	440	497	25	964	200	15
15	800	0.00	17	0.00	0.62	1	1941	97	2.0	45	0.05	0.02	0.09	3.47	45	0.01	0.04	56	441	495	25	963	800	15
15	1400	0.00	17	0.00	0.63	1	1949	97	2.0	45	0.05	0.02	0.09	3.46	45	0.01	0.04	56	443	493	25	962	1400	15
15	2000	0.00	17	0.00	0.64	1	1957	97	2.0	45	0.05	0.02	0.09	3.45	45	0.01	0.04	56	444	491	25	961	2000	15
16	200	0.00	17	0.00	0.65	1	1965	97	1.9	45	0.05	0.02	0.09	3.44	44	0.01	0.04	56	445	489	25	960	200	16
16	800	0.00	17	0.00	0.66	1	1973	97	1.9	45	0.05	0.02	0.09	3.43	44	0.01	0.04	56	447	486	25	959	800	16
16	1400	0.00	17	0.00	0.67	1	1981	97	1.9	44	0.05	0.02	0.09	3.42	44	0.01	0.04	56	448	484	24	958	1400	16
16	2000	0.00	17	0.00	0.68	1	1989	97	1.9	44	0.05	0.02	0.09	3.41	44	0.01	0.04	56	449	482	24	957	2000	16
17	200	0.00	17	0.00	0.69	1	1997	97	1.9	44	0.05	0.02	0.09	3.40	44	0.01	0.04	56	451	480	24	957	200	17
17	800	0.00	17	0.00	0.70	1	2001	97	1.9	44	0.05	0.02	0.09	3.39	44	0.01	0.04	56	452	478	24	956	800	17
17	1400	0.00	17	0.00	0.71	1	2003	97	1.9	44	0.05	0.02	0.09	3.38	44	0.01	0.04	56	454	476	24	955	1400	17
17	2000	0.00	17	0.00	0.72	1	2005	97	1.9	44	0.05	0.02	0.09	3.37	44	0.01	0.04	56	456	474	24	955	2000	17
18	200	0.00	17	0.00	0.73	1	2006	97	1.9	44	0.05	0.02	0.09	3.36	44	0.01	0.04	56	457	471	24	954	200	18
18	800	0.00	17	0.00	0.74	1	2008	97	1.9	44	0.05	0.02	0.09	3.35	44	0.01	0.04	56	459	469	24	953	800	18
18	1400	0.00	17	0.00	0.75	1	2010	97	1.9	44	0.05	0.02	0.09	3.34	43	0.01	0.04	56	460	467	24	953	1400	18
18	2000	0.00	17	0.00	0.76	1	2011	97	1.9	44	0.05	0.02	0.09	3.34	43	0.01	0.04	56	462	465	23	952	2000	18
19	200	0.00	17	0.00	0.77	1	2013	97	1.9	44	0.05	0.02	0.09	3.33	43	0.01	0.04	56	464	463	23	952	200	19
19	800	0.00	17	0.00	0.78	1	2015	97	1.9	44	0.05	0.02	0.09	3.32	43	0.01	0.04	56	465	461	23	951	800	19
19	1400	0.00	17	0.00	0.79	1	2016	97	1.9	44	0.05	0.02	0.09	3.31	43	0.01	0.04	56	467	459	23	951	1400	19
19	2000	0.00	17	0.00	0.79	1	2018	97	1.9	44	0.05	0.02	0.09	3.30	43	0.01	0.04	56	469	457	23	950	2000	19
20	200	0.00	17	0.00	0.80	1	2020	96	1.9	44	0.05	0.02	0.09	3.29	43	0.01	0.04	56	471	455	23	950	200	20
20	800	0.00	17	0.00	0.81	1	2021	96	1.9	44	0.05	0.02	0.09	3.28	43	0.01	0.04	56	473	453	23	950	800	20
20	1400	0.00	17	0.00	0.82	1	2023	96	1.9	44	0.05	0.02	0.09	3.27	43	0.01	0.04	56	474	451	23	949	1400	20
20	2000	0.00	17	0.00	0.83	1	2025	96	1.9	44	0.05	0.02	0.09	3.26	43	0.01	0.04	56	476	449	23	949	2000	20
21	200	0.00	17	0.00	0.84	1	2026	96	1.9	44	0.05	0.02	0.09	3.25	42	0.01	0.04	56	478	447	23	949	200	21
21	800	0.00	17	0.00	0.85	1	2028	96	1.9	44	0.05	0.02	0.09	3.24	42	0.01	0.04	56	480	445	22	948	800	21
21	1400	0.00	17	0.00	0.86	2	2029	96	1.9	44	0.05	0.02	0.09	3.23	42	0.01	0.04	56	482	443	22	948	1400	21
21	2000	0.00	17	0.00	0.87	2	2031	96	1.9	44	0.05	0.02	0.09	3.22	42	0.01	0.04	56	484	441	22	948	2000	21
22	200	0.00	17	0.00	0.88	2	2033	96	1.9	44	0.05	0.02	0.09	3.21	42	0.01	0.04	56	485	439	22	948	200	22
22	800	0.00	17	0.00	0.89	2	2034	96	1.9	44	0.05	0.02	0.09	3.20	42	0.01	0.04	56	487	437	22	947	800	22
22	1400	0.00	17	0.00	0.89	2	2036	96	1.9	44	0.05	0.02	0.09	3.19	42	0.01	0.04	56	489	435	22	947	1400	22
22	2000	0.00	17	0.00	0.90	2	2037	96	1.9	43	0.05	0.02	0.09	3.18	42	0.01	0.04	56	491	433	22	947	2000	22
23	200	0.00	17	0.00	0.91	2	2039	96	1.9	43	0.05	0.02	0.09	3.17	42	0.01	0.04	56	493	431	22	947	200	23
23	800	0.00	17	0.00	0.92	2	2040	96	1.9	43	0.05	0.02	0.09	3.16	42	0.01	0.04	56	495	429	22	947	800	23

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.104 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	GEP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	17	0.00	0.93	2	2042	96	1.9	43	0.05	0.02	0.09	3.15	42	0.01	0.04	56	497	427	22	947	1400	23
23	2000	0.00	17	0.00	0.94	2	2044	96	1.9	43	0.05	0.02	0.09	3.14	41	0.01	0.04	56	499	425	21	946	2000	23
24	200	0.00	17	0.00	0.95	2	2045	96	1.9	43	0.05	0.02	0.09	3.13	41	0.01	0.04	56	501	423	21	946	200	24
24	800	0.00	17	0.00	0.96	2	2047	96	1.9	43	0.05	0.02	0.09	3.12	41	0.01	0.04	56	502	421	21	946	800	24
24	1400	0.00	17	0.00	0.96	2	2048	96	1.9	43	0.05	0.02	0.09	3.11	41	0.01	0.04	56	504	419	21	946	1400	24
24	2000	0.00	17	0.00	0.97	2	2050	96	1.9	43	0.05	0.02	0.09	3.10	41	0.01	0.04	56	506	417	21	946	2000	24
25	200	0.00	17	0.00	0.98	2	2051	96	1.9	43	0.05	0.02	0.09	3.09	41	0.01	0.04	56	508	415	21	946	200	25
25	800	0.00	17	0.00	0.99	2	2053	96	1.8	43	0.05	0.02	0.09	3.08	41	0.01	0.04	56	510	413	21	946	800	25
25	1400	0.00	17	0.00	1.00	2	2054	96	1.8	43	0.05	0.02	0.09	3.07	41	0.01	0.04	56	512	411	21	945	1400	25
25	2000	0.00	17	0.00	1.01	2	2056	96	1.8	43	0.05	0.02	0.09	3.06	41	0.01	0.04	56	513	410	21	945	2000	25
26	200	0.00	17	0.00	1.01	2	2057	96	1.8	43	0.05	0.02	0.09	3.05	41	0.01	0.04	56	515	408	21	945	200	26
26	800	0.00	17	0.00	1.02	2	2059	96	1.8	43	0.05	0.02	0.09	3.04	40	0.01	0.04	56	517	406	20	945	800	26
26	1400	0.00	17	0.00	1.03	2	2060	95	1.8	43	0.05	0.02	0.09	3.03	40	0.01	0.04	56	519	404	20	945	1400	26
26	2000	0.00	17	0.00	1.04	2	2062	95	1.8	43	0.05	0.02	0.09	3.03	40	0.01	0.04	56	521	402	20	945	2000	26
27	200	0.00	17	0.00	1.05	2	2063	95	1.8	43	0.05	0.02	0.09	3.02	40	0.01	0.04	56	522	400	20	944	200	27
27	800	0.00	17	0.00	1.06	2	2065	95	1.8	43	0.05	0.02	0.09	3.01	40	0.01	0.04	56	524	399	20	944	800	27
27	1400	0.00	17	0.00	1.06	2	2066	95	1.8	43	0.05	0.02	0.09	3.00	40	0.01	0.04	56	526	397	20	944	1400	27
27	2000	0.00	17	0.00	1.07	2	2068	95	1.8	43	0.05	0.02	0.09	2.99	40	0.01	0.04	56	527	395	20	944	2000	27
28	200	0.00	17	0.00	1.08	2	2069	95	1.8	43	0.05	0.02	0.09	2.98	40	0.01	0.04	56	529	393	20	944	200	28
28	800	0.00	17	0.00	1.09	2	2070	95	1.8	43	0.05	0.02	0.09	2.97	40	0.01	0.04	56	531	391	20	943	800	28
28	1400	0.00	17	0.00	1.10	2	2072	95	1.8	43	0.05	0.02	0.09	2.96	40	0.01	0.04	56	532	390	20	943	1400	28
28	2000	0.00	17	0.00	1.10	2	2073	95	1.8	43	0.05	0.02	0.09	2.95	39	0.01	0.04	56	534	388	20	943	2000	28
29	200	0.00	17	0.00	1.11	2	2075	95	1.8	43	0.05	0.02	0.09	2.94	39	0.01	0.04	56	536	386	19	943	200	29
29	800	0.00	17	0.00	1.12	2	2076	95	1.8	43	0.05	0.02	0.09	2.93	39	0.01	0.04	56	537	384	19	942	800	29
29	1400	0.00	17	0.00	1.13	2	2077	95	1.8	42	0.05	0.02	0.09	2.92	39	0.01	0.04	56	539	383	19	942	1400	29
29	2000	0.00	17	0.00	1.14	2	2079	95	1.8	42	0.05	0.02	0.09	2.91	39	0.01	0.04	56	540	381	19	942	2000	29
30	200	0.00	17	0.00	1.14	2	2080	95	1.8	42	0.05	0.02	0.09	2.90	39	0.01	0.04	56	542	379	19	941	200	30
30	800	0.00	17	0.00	1.15	2	2082	95	1.8	42	0.05	0.02	0.09	2.89	39	0.01	0.03	56	543	377	19	941	800	30
30	1400	0.00	17	0.00	1.16	2	2083	95	1.8	42	0.05	0.02	0.09	2.88	39	0.01	0.03	57	544	376	19	940	1400	30
30	2000	0.00	17	0.00	1.17	2	2084	95	1.8	42	0.05	0.02	0.09	2.87	39	0.01	0.03	57	546	374	19	940	2000	30
31	200	0.00	17	0.00	1.17	2	2086	95	1.8	42	0.05	0.02	0.09	2.86	39	0.01	0.03	57	547	372	19	940	200	31
31	800	0.00	17	0.00	1.18	2	2087	95	1.8	42	0.05	0.02	0.09	2.85	39	0.01	0.03	57	548	371	19	939	800	31
31	1400	0.00	17	0.00	1.19	2	2089	95	1.8	42	0.05	0.02	0.09	2.84	38	0.01	0.03	57	550	369	19	939	1400	31
31	2000	0.00	17	0.00	1.20	2	2090	95	1.8	42	0.05	0.02	0.09	2.83	38	0.01	0.03	57	551	367	18	938	2000	31

FORM 1115
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.105 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	17	0.00	1.21	2	2091	95	1.8	42	0.05	0.02	0.09	2.82	38	0.01	0.03	57	552	366	18	938	200	1
1	800	0.00	17	0.00	1.21	2	2093	95	1.8	42	0.05	0.02	0.09	2.81	38	0.01	0.03	57	553	364	18	937	800	1
1	1400	0.00	17	0.00	1.22	2	2094	95	1.8	42	0.05	0.02	0.09	2.80	38	0.01	0.03	57	554	362	18	937	1400	1
1	2000	0.00	17	0.00	1.23	2	2095	95	1.8	42	0.05	0.02	0.09	2.79	38	0.01	0.03	57	556	361	18	936	2000	1
2	200	0.00	17	0.00	1.24	2	2097	95	1.8	42	0.05	0.02	0.09	2.78	38	0.01	0.03	57	557	359	18	935	200	2
2	800	0.00	17	0.00	1.24	2	2098	95	1.8	42	0.05	0.02	0.09	2.78	38	0.01	0.03	57	558	357	18	935	800	2
2	1400	0.00	17	0.00	1.25	2	2099	95	1.8	42	0.05	0.02	0.09	2.77	38	0.01	0.03	57	559	356	18	934	1400	2
2	2000	0.00	17	0.00	1.26	2	2101	94	1.8	42	0.05	0.02	0.09	2.76	38	0.01	0.03	57	560	354	18	933	2000	2
3	200	0.00	17	0.00	1.26	2	2102	94	1.8	42	0.05	0.02	0.09	2.75	37	0.01	0.03	57	561	353	18	932	200	3
3	800	0.00	17	0.00	1.27	2	2103	94	1.8	42	0.05	0.02	0.09	2.74	37	0.01	0.03	57	562	351	18	932	800	3
3	1400	0.00	17	0.00	1.28	2	2104	94	1.8	42	0.05	0.02	0.09	2.73	37	0.01	0.03	57	562	349	18	931	1400	3
3	2000	0.00	17	0.00	1.29	2	2106	94	1.8	42	0.05	0.02	0.09	2.72	37	0.01	0.03	57	563	348	17	930	2000	3
4	200	0.00	25	0.00	1.30	2	2107	94	2.2	55	0.06	0.03	0.09	2.71	37	0.01	0.03	57	564	347	17	930	200	4
4	800	0.00	25	0.00	1.31	2	2109	94	2.2	55	0.06	0.03	0.09	2.71	37	0.01	0.03	57	565	347	18	931	800	4
4	1400	0.00	49	0.00	1.34	2	2111	94	3.6	73	0.09	0.07	0.09	2.71	37	0.03	0.04	57	566	352	20	938	1400	4
4	2000	0.00	49	0.00	1.36	2	2116	94	3.6	72	0.09	0.07	0.09	2.73	37	0.03	0.04	56	566	365	23	956	2000	4
5	200	0.00	79	0.00	1.41	2	2120	94	6.1	88	0.16	0.14	0.09	2.75	38	0.05	0.05	56	567	395	30	993	200	5
5	800	0.00	87	0.00	1.48	3	2130	94	7.0	90	0.19	0.17	0.09	2.82	38	0.06	0.07	55	568	451	41	1061	800	5
5	1400	0.00	97	0.00	1.58	3	2141	93	10.1	92	0.27	0.25	0.09	2.91	39	0.10	0.09	53	568	548	59	1177	1400	5
5	2000	0.00	99	0.00	1.71	3	2158	93	13.2	93	0.35	0.33	0.09	3.05	41	0.13	0.12	51	569	707	86	1364	2000	5
6	200	0.00	99	0.00	1.86	3	2182	92	14.2	92	0.38	0.35	0.09	3.24	42	0.15	0.15	49	569	951	128	1650	200	6
6	800	0.00	100	0.00	2.05	4	2208	91	17.3	92	0.47	0.43	0.09	3.44	44	0.19	0.19	48	570	1303	189	2064	800	6
6	1400	0.00	100	0.00	2.27	4	2242	90	19.4	91	0.53	0.48	0.09	3.68	47	0.22	0.23	46	570	1784	278	2633	1400	6
6	2000	0.00	100	0.00	2.64	4	2282	89	21.4	90	0.59	0.53	0.09	3.94	49	0.26	0.29	42	571	2412	403	3388	2000	6
7	200	0.00	100	0.00	2.85	5	2329	87	24.5	89	0.68	0.61	0.09	4.22	52	0.32	0.36	38	571	3207	585	4364	200	7
7	800	0.00	100	0.00	3.21	6	2385	86	26.6	87	0.75	0.65	0.09	4.53	55	0.36	0.43	34	572	4192	856	5622	800	7
7	1400	0.00	100	0.00	3.62	6	2449	84	28.6	86	0.82	0.70	0.09	4.85	58	0.41	0.52	31	572	5393	1269	7236	1400	7
7	2000	0.00	100	0.00	4.04	7	2522	82	28.0	84	0.81	0.68	0.09	5.17	62	0.42	0.61	29	573	6825	1872	9272	2000	7
8	200	0.00	100	0.00	4.47	8	2596	80	27.2	82	0.80	0.66	0.09	5.46	65	0.43	0.70	27	573	8476	2668	11719	200	8
8	800	0.00	100	0.00	4.91	9	2672	79	27.1	80	0.81	0.65	0.09	5.73	67	0.44	0.79	25	574	10304	3602	14481	800	8
8	1400	0.01	100	0.01	5.35	9	2729	78	26.2	79	0.80	0.64	0.09	5.98	70	0.45	0.87	24	575	12240	4609	17426	1400	8
8	2000	0.01	100	0.02	5.80	10	2781	76	26.2	78	0.81	0.64	0.09	6.21	72	0.46	0.96	22	576	14212	5654	20444	2000	8
9	200	0.04	100	0.05	6.25	11	2835	75	25.6	76	0.80	0.65	0.09	6.42	74	0.49	1.06	21	577	16156	6736	23471	200	9
9	800	0.04	100	0.08	6.72	12	2888	74	25.6	75	0.81	0.65	0.09	6.62	76	0.50	1.15	19	579	18022	7887	26489	800	9
9	1400	0.04	100	0.12	7.18	13	2944	72	25.0	74	0.81	0.64	0.09	6.81	78	0.50	1.24	19	580	19774	9126	29482	1400	9
9	2000	0.05	100	0.15	7.65	13	2999	71	24.9	72	0.82	0.64	0.09	6.98	80	0.51	1.33	18	582	21389	10426	32398	2000	9
10	200	0.13	100	0.26	8.12	14	3033	70	24.0	71	0.80	0.70	0.09	7.15	81	0.57	1.43	17	584	22850	11794	35230	200	10
10	800	0.14	100	0.38	8.59	15	3066	68	24.0	70	0.81	0.70	0.09	7.32	83	0.59	1.54	16	587	24153	13351	38093	800	10
10	1400	0.14	100	0.50	9.06	16	3100	67	23.7	68	0.82	0.70	0.09	7.47	85	0.59	1.64	15	590	25301	15209	41101	1400	10
10	2000	0.14	100	0.62	9.53	17	3134	65	23.6	67	0.83	0.69	0.09	7.61	86	0.60	1.74	14	594	26295	17325	44216	2000	10
11	200	0.10	100	0.71	9.99	18	3168	64	22.7	65	0.81	0.63	0.09	7.74	87	0.55	1.83	13	598	27136	19503	47239	200	11
11	800	0.10	100	0.80	10.45	18	3202	63	22.7	64	0.82	0.63	0.09	7.85	89	0.56	1.92	12	603	27822	21476	49902	800	11
11	1400	0.15	100	0.94	10.91	19	3235	61	22.4	63	0.82	0.67	0.09	7.95	89	0.60	2.01	11	608	28351	23104	52065	1400	11
11	2000	0.37	100	1.28	11.37	20	3268	60	22.3	61	0.82	0.88	0.09	8.05	90	0.79	2.15	10	615	28736	24714	54066	2000	11

FORM 1121-E
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA REP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.153 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	RII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.13	100	1.39	11.78	21	3301	59	20.1	60	0.75	0.58	0.09	8.16	92	0.53	2.21	10	621	29000	26787	56411	200	12
12	800	0.13	100	1.51	12.18	21	3324	58	19.0	59	0.73	0.56	0.09	8.23	92	0.51	2.27	10	629	29166	28956	58753	800	12
12	1400	0.17	100	1.66	12.56	22	3345	57	17.9	58	0.70	0.57	0.09	8.29	93	0.53	2.33	10	637	29243	30258	60140	1400	12
12	2000	0.42	100	2.06	12.92	23	3366	57	16.8	57	0.67	0.80	0.09	8.34	93	0.75	2.43	10	647	29243	30600	60492	2000	12
13	200	0.17	100	2.21	13.28	23	3385	56	16.7	57	0.68	0.55	0.09	8.41	94	0.52	2.48	10	657	29195	30775	60628	200	13
13	800	0.17	100	2.37	13.64	24	3404	55	16.7	56	0.69	0.55	0.09	8.45	95	0.52	2.52	10	668	29121	31055	60846	800	13
13	1400	0.22	100	2.58	14.00	25	3424	54	16.6	55	0.70	0.61	0.09	8.50	95	0.58	2.58	10	680	29027	31044	60753	1400	13
13	2000	0.57	100	3.13	14.37	25	3444	53	16.5	54	0.71	0.96	0.09	8.54	95	0.91	2.72	10	693	28917	31027	60639	2000	13
14	200	0.20	100	5.33	14.71	26	3463	53	15.7	53	0.68	0.57	0.09	8.59	96	0.54	2.76	10	708	28808	31918	61435	200	14
14	800	0.20	100	5.52	15.06	26	3482	52	15.6	53	0.69	0.56	0.09	8.62	96	0.54	2.80	10	723	28712	33515	62952	800	14
14	1400	0.27	100	3.78	15.41	27	3501	51	15.5	52	0.70	0.63	0.09	8.65	97	0.61	2.85	10	739	28619	34629	63989	1400	14
14	2000	0.69	100	4.45	15.76	28	3520	50	15.5	51	0.70	1.04	0.09	8.68	97	1.01	3.00	10	756	28523	35262	64543	2000	14
15	200	0.34	100	4.78	16.13	28	3538	50	16.5	50	0.76	0.73	0.09	8.72	97	0.70	3.08	10	775	28437	36708	65921	200	15
15	800	0.34	100	5.11	16.50	29	3558	49	16.4	50	0.77	0.72	0.09	8.75	97	0.71	3.16	10	794	28376	39284	68455	800	15
15	1400	0.46	100	5.56	16.87	30	3578	48	16.4	49	0.78	0.83	0.09	8.77	98	0.81	3.26	10	815	28333	41990	71140	1400	15
15	2000	1.14	100	6.68	17.24	30	3599	47	16.3	48	0.79	1.52	0.09	8.80	98	1.49	3.51	10	837	28306	44978	74123	2000	15
16	200	0.62	100	7.29	17.58	31	3618	46	15.0	47	0.73	0.97	0.09	8.83	98	0.95	3.62	10	860	28312	49834	79008	200	16
16	800	0.26	100	7.54	17.87	31	3637	46	12.8	46	0.64	0.55	0.09	8.85	98	0.55	3.61	10	884	28364	55976	85225	800	16
16	1400	0.18	100	7.72	18.16	32	3653	45	12.8	46	0.64	0.48	0.09	8.86	99	0.47	3.59	10	909	28436	59839	89186	1400	16
16	2000	0.18	100	7.90	18.47	32	3668	44	13.8	45	0.70	0.50	0.09	8.86	99	0.49	3.59	10	936	28470	58981	88388	2000	16
17	200	0.43	100	8.32	18.79	33	3685	44	13.9	44	0.72	0.75	0.09	8.87	99	0.74	3.65	10	963	28416	54446	83826	200	17
17	800	0.17	100	8.49	19.10	34	3702	43	13.9	44	0.72	0.49	0.09	8.88	99	0.49	3.64	10	992	28263	48946	78203	800	17
17	1400	0.13	100	8.62	19.41	34	3719	42	13.8	43	0.73	0.44	0.09	8.89	99	0.43	3.63	10	1022	28020	44076	73119	1400	17
17	2000	0.13	100	8.74	19.72	35	3736	42	13.8	42	0.74	0.44	0.09	8.89	99	0.43	3.62	10	1053	27684	39786	68525	2000	17
18	200	0.00	100	8.74	20.05	35	3752	41	14.8	42	0.80	0.33	0.09	8.89	99	0.33	3.60	10	1085	27250	35721	64058	200	18
18	800	0.00	100	8.74	20.37	36	3770	40	14.7	41	0.80	0.33	0.09	8.88	99	0.33	3.57	10	1119	26706	31792	59618	800	18
18	1400	0.00	100	8.74	20.70	36	3788	40	14.7	40	0.81	0.33	0.09	8.87	99	0.32	3.56	10	1153	26044	28060	55258	1400	18
18	2000	0.00	100	8.74	21.01	37	3802	39	14.7	40	0.82	0.32	0.09	8.85	99	0.32	3.54	10	1189	25272	24724	51186	2000	18
19	200	0.00	100	8.74	21.40	38	3814	39	17.6	39	0.99	0.39	0.09	8.84	98	0.38	3.56	10	1225	24416	22054	47697	200	19
19	800	0.00	100	8.74	21.82	38	3829	38	19.6	39	1.12	0.43	0.09	8.84	98	0.43	3.62	10	1263	23513	20368	45145	800	19
19	1400	0.00	100	8.74	22.29	39	3845	37	21.7	38	1.26	0.48	0.09	8.83	98	0.47	3.70	10	1301	22600	19941	43844	1400	19
19	2000	0.00	100	8.74	22.81	40	3862	37	23.9	37	1.41	0.53	0.09	8.83	98	0.52	3.81	10	1341	21708	20833	43883	2000	19
20	200	0.00	100	8.74	23.34	41	3882	36	24.9	36	1.50	0.54	0.09	8.83	98	0.54	3.94	10	1382	20858	22864	45105	200	20
20	800	0.00	100	8.74	23.88	42	3902	35	24.9	36	1.53	0.54	0.09	8.84	98	0.53	4.07	10	1423	20066	25660	47151	800	20
20	1400	0.00	100	8.74	24.41	43	3922	34	24.8	35	1.56	0.54	0.09	8.84	98	0.53	4.20	10	1465	19337	28722	49525	1400	20
20	2000	0.00	100	8.74	24.94	44	3942	33	24.7	34	1.59	0.54	0.09	8.84	98	0.53	4.32	10	1509	18669	31590	51769	2000	20
21	200	0.00	100	8.74	25.56	45	3962	32	28.7	33	1.88	0.62	0.09	8.85	98	0.61	4.51	10	1553	18059	34083	53697	200	21
21	800	0.00	100	8.74	26.17	46	3985	31	28.6	32	1.92	0.62	0.09	8.85	99	0.61	4.70	10	1598	17500	36389	55489	800	21
21	1400	0.00	100	8.74	26.77	47	4014	30	28.5	31	1.97	0.61	0.09	8.86	99	0.61	4.89	10	1644	16986	38729	57360	1400	21
21	2000	0.00	100	8.74	27.38	48	4054	30	28.5	30	2.01	0.61	0.09	8.87	99	0.60	5.08	10	1690	16507	41032	59230	2000	21
22	200	0.00	100	8.74	28.01	49	4095	29	30.5	29	2.20	0.65	0.09	8.87	99	0.64	5.31	10	1737	16056	43119	60913	200	22
22	800	0.00	100	8.74	28.65	50	4137	28	30.4	28	2.24	0.64	0.09	8.88	99	0.63	5.53	10	1785	15626	44967	62380	800	22
22	1400	0.00	100	8.74	29.27	51	4180	27	30.4	28	2.28	0.63	0.09	8.88	99	0.62	5.75	10	1833	15212	46626	63673	1400	22
22	2000	0.00	100	8.74	29.87	52	4221	26	30.3	27	2.31	0.61	0.09	8.89	99	0.61	5.97	10	1882	14809	48036	64729	2000	22

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI

RUN DATE RUN NO. 310881 | INITIAL DATE, HOUR 1 MAY 1972 1400 | JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF | N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.311 IN./DEGREE-DAY, AREA = 1045.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	O-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BGP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	8.74	30.44	53	4262	25	29.2	26	2.25	0.58	0.09	8.89	99	0.57	6.15	10	1932	14412	49052	65397	200	23
23	800	0.00	100	8.74	31.00	54	4300	24	29.1	25	2.27	0.56	0.09	8.89	99	0.56	6.33	10	1982	14020	49529	65532	800	23
23	1400	0.00	100	8.74	31.54	55	4337	23	29.1	24	2.29	0.55	0.09	8.90	99	0.54	6.51	10	2032	13630	49429	65092	1400	23
23	2000	0.00	100	8.74	32.06	56	4373	22	29.0	23	2.30	0.53	0.09	8.90	99	0.53	6.68	10	2083	13242	48854	64180	2000	23
24	200	0.00	100	8.74	32.47	57	4408	22	22.6	22	1.82	0.40	0.09	8.90	99	0.40	6.72	10	2134	12856	47847	62839	200	24
24	800	0.00	100	8.74	32.86	58	4435	21	22.6	22	1.83	0.40	0.09	8.90	99	0.39	6.76	10	2186	12472	46203	60862	800	24
24	1400	0.00	100	8.74	33.24	58	4461	21	22.6	21	1.84	0.39	0.09	8.89	99	0.38	6.79	10	2237	12093	43796	58128	1400	24
24	2000	0.00	100	8.74	33.61	59	4487	20	22.5	20	1.84	0.38	0.09	8.89	99	0.37	6.83	10	2289	11719	40918	54928	2000	24
25	200	0.00	100	8.74	33.93	60	4512	20	19.3	20	1.59	0.32	0.09	8.89	99	0.31	6.81	10	2342	11353	37978	51674	200	25
25	800	0.00	100	8.74	34.24	60	4524	19	19.3	20	1.60	0.31	0.09	8.88	99	0.31	6.78	10	2394	10997	35142	48535	800	25
25	1400	0.00	100	8.74	34.55	61	4536	19	19.3	19	1.61	0.31	0.09	8.88	99	0.31	6.76	10	2447	10654	32444	45546	1400	25
25	2000	0.00	100	8.74	34.85	61	4548	19	19.3	19	1.61	0.31	0.09	8.88	99	0.30	6.74	10	2500	10326	29991	42819	2000	25
26	200	0.00	100	8.74	35.14	62	4559	19	18.2	19	1.53	0.29	0.09	8.87	99	0.29	6.70	10	2553	10016	27903	40473	200	26
26	800	0.00	100	8.74	35.42	62	4570	18	18.2	19	1.54	0.29	0.09	8.87	99	0.28	6.67	10	2606	9725	26181	38514	800	26
26	1400	0.00	100	8.74	35.70	63	4580	18	18.2	18	1.55	0.28	0.09	8.87	99	0.28	6.64	10	2658	9456	24763	36880	1400	26
26	2000	0.00	100	8.74	35.98	63	4591	18	18.1	18	1.55	0.28	0.09	8.87	99	0.28	6.61	10	2711	9208	23606	35527	2000	26
27	200	0.00	100	8.74	36.24	64	4601	18	17.1	18	1.47	0.26	0.09	8.87	99	0.26	6.57	10	2764	8981	22669	34415	200	27
27	800	0.00	100	8.74	36.49	64	4611	18	17.1	18	1.47	0.26	0.09	8.86	99	0.26	6.52	10	2817	8774	21872	33464	800	27
27	1400	0.00	100	8.74	36.75	64	4621	17	17.0	17	1.48	0.26	0.09	8.86	99	0.25	6.49	10	2869	8584	21145	32599	1400	27
27	2000	0.00	100	8.74	37.00	65	4630	17	17.0	17	1.48	0.25	0.09	8.86	99	0.25	6.45	10	2922	8410	20473	31806	2000	27
28	200	0.00	100	8.74	37.25	65	4640	17	16.9	17	1.48	0.25	0.09	8.86	99	0.25	6.42	10	2974	8250	19878	31104	200	28
28	800	0.00	100	8.74	37.49	66	4649	17	16.9	17	1.48	0.25	0.09	8.86	99	0.25	6.38	10	3026	8103	19373	30504	800	28
28	1400	0.00	100	8.74	37.73	66	4658	16	16.8	17	1.48	0.25	0.09	8.85	99	0.24	6.36	10	3078	7966	18955	30000	1400	28
28	2000	0.00	100	8.74	37.97	67	4667	16	16.8	16	1.49	0.24	0.09	8.85	99	0.24	6.33	10	3129	7838	18608	29577	2000	28
29	200	0.00	100	8.74	38.20	67	4676	16	15.7	16	1.39	0.23	0.09	8.85	99	0.22	6.28	10	3180	7717	18298	29198	200	29
29	800	0.00	100	8.74	38.42	67	4685	16	15.7	16	1.40	0.22	0.09	8.85	99	0.22	6.24	10	3231	7604	17964	28799	800	29
29	1400	0.00	100	8.74	38.63	68	4693	16	15.6	16	1.40	0.22	0.09	8.85	98	0.22	6.20	10	3281	7495	17561	28338	1400	29
29	2000	0.00	100	8.74	38.85	68	4701	16	15.6	16	1.40	0.22	0.09	8.85	98	0.22	6.16	10	3331	7391	17110	27833	2000	29
30	200	0.00	100	8.74	39.05	69	4709	15	14.5	15	1.31	0.20	0.09	8.85	98	0.20	6.10	10	3380	7291	16647	27320	200	30
30	800	0.00	100	8.74	39.24	69	4716	15	14.5	15	1.31	0.20	0.09	8.84	98	0.20	6.05	10	3429	7194	16165	26789	800	30
30	1400	0.00	100	8.74	39.44	69	4724	15	14.4	15	1.31	0.20	0.09	8.84	98	0.19	6.00	10	3477	7101	15648	26227	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 4413

PRINTED IN U.S.A.

BASIN RESULTS - STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 620 SQ MI

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION

310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.09	4.00	0	0.00	0.03	0	260	15	5	280	1400	1
1	2000	0.00	29	0.00	0.02	0	910	100	2.8	61	0.07	0.04	0.09	4.00	50	0.02	0.03	57	260	15	5	281	2000	1
2	200	0.00	29	0.00	0.04	0	961	100	2.8	61	0.07	0.04	0.09	4.00	50	0.02	0.04	57	260	21	6	288	200	2
2	800	0.00	29	0.00	0.07	0	1003	100	2.8	61	0.07	0.04	0.09	4.00	50	0.02	0.04	56	260	35	9	305	800	2
2	1400	0.00	29	0.00	0.09	0	1017	100	2.8	61	0.07	0.04	0.09	4.00	50	0.02	0.04	56	260	60	14	335	1400	2
2	2000	0.00	29	0.00	0.11	0	1031	99	2.8	61	0.07	0.04	0.09	4.00	50	0.02	0.04	56	260	97	18	376	2000	2
3	200	0.00	29	0.00	0.13	0	1044	99	2.8	61	0.07	0.04	0.09	4.00	50	0.02	0.05	56	260	143	22	426	200	3
3	800	0.00	29	0.00	0.15	0	1058	99	2.8	61	0.07	0.04	0.09	4.00	50	0.02	0.05	55	260	195	25	481	800	3
3	1400	0.00	29	0.00	0.17	0	1072	99	2.8	60	0.07	0.04	0.09	3.99	50	0.02	0.05	55	260	248	28	537	1400	3
3	2000	0.00	29	0.00	0.19	0	1085	99	2.8	60	0.07	0.04	0.09	3.99	50	0.02	0.05	55	260	300	29	591	2000	3
4	200	0.00	29	0.00	0.22	0	1099	99	2.8	60	0.07	0.04	0.09	3.99	50	0.02	0.06	55	260	350	30	641	200	4
4	800	0.00	29	0.00	0.24	0	1112	99	2.8	60	0.07	0.04	0.09	3.99	50	0.02	0.06	54	260	395	31	687	800	4
4	1400	0.00	29	0.00	0.26	1	1126	99	2.8	60	0.07	0.04	0.09	3.99	50	0.02	0.06	54	260	435	31	727	1400	4
4	2000	0.00	29	0.00	0.28	1	1139	99	2.8	60	0.07	0.04	0.09	3.99	50	0.02	0.06	54	260	470	32	762	2000	4
5	200	0.00	29	0.00	0.30	1	1153	98	2.8	60	0.07	0.04	0.09	3.99	50	0.02	0.06	54	260	499	32	792	200	5
5	800	0.00	29	0.00	0.32	1	1166	98	2.8	60	0.07	0.04	0.09	3.99	50	0.02	0.06	54	260	524	32	817	800	5
5	1400	0.00	29	0.00	0.34	1	1179	98	2.8	60	0.07	0.04	0.09	3.99	50	0.02	0.06	54	260	544	32	837	1400	5
5	2000	0.00	29	0.00	0.36	1	1193	98	2.8	59	0.07	0.04	0.09	3.99	50	0.02	0.07	54	260	560	32	854	2000	5
6	200	0.00	29	0.00	0.38	1	1206	98	2.8	59	0.07	0.04	0.09	3.98	50	0.02	0.07	53	260	574	32	867	200	6
6	800	0.00	29	0.00	0.40	1	1219	98	2.8	59	0.07	0.04	0.09	3.98	50	0.02	0.07	53	260	584	32	878	800	6
6	1400	0.00	29	0.00	0.42	1	1232	98	2.7	59	0.07	0.04	0.09	3.98	50	0.02	0.07	53	260	593	32	887	1400	6
6	2000	0.00	29	0.00	0.45	1	1245	98	2.7	59	0.07	0.04	0.09	3.98	50	0.02	0.07	53	260	599	32	893	2000	6
7	200	0.00	29	0.00	0.47	1	1258	98	2.7	59	0.07	0.04	0.09	3.98	50	0.02	0.07	53	261	604	32	899	200	7
7	800	0.00	29	0.00	0.49	1	1271	97	2.7	59	0.07	0.04	0.09	3.98	50	0.02	0.07	53	261	608	32	903	800	7
7	1400	0.00	29	0.00	0.51	1	1284	97	2.7	59	0.07	0.04	0.09	3.98	50	0.02	0.07	53	261	611	32	906	1400	7
7	2000	0.00	29	0.00	0.53	1	1297	97	2.7	59	0.07	0.04	0.09	3.98	50	0.02	0.07	53	261	614	32	908	2000	7
8	200	0.00	29	0.00	0.55	1	1310	97	2.7	59	0.07	0.04	0.09	3.97	50	0.02	0.07	53	262	615	32	910	200	8
8	800	0.00	29	0.00	0.57	1	1323	97	2.7	58	0.07	0.04	0.09	3.97	50	0.02	0.07	53	262	616	32	912	800	8
8	1400	0.00	29	0.00	0.59	1	1336	97	2.7	58	0.07	0.04	0.09	3.97	50	0.02	0.07	53	262	617	32	913	1400	8
8	2000	0.00	29	0.00	0.61	1	1349	97	2.7	58	0.07	0.04	0.09	3.97	50	0.02	0.08	53	263	617	32	913	2000	8
9	200	0.00	29	0.00	0.63	1	1362	97	2.7	58	0.07	0.04	0.09	3.97	50	0.02	0.08	52	263	617	32	914	200	9
9	800	0.00	29	0.00	0.65	1	1375	97	2.7	58	0.07	0.04	0.09	3.97	50	0.02	0.08	52	264	617	32	914	800	9
9	1400	0.00	29	0.00	0.67	1	1387	97	2.7	58	0.07	0.04	0.09	3.97	50	0.02	0.08	52	264	617	32	915	1400	9
9	2000	0.00	29	0.00	0.69	1	1400	96	2.7	58	0.07	0.04	0.09	3.96	50	0.02	0.08	52	265	617	32	915	2000	9
10	200	0.00	29	0.00	0.71	1	1413	96	2.7	58	0.07	0.04	0.09	3.96	50	0.02	0.08	52	265	616	32	915	200	10
10	800	0.00	29	0.00	0.73	2	1425	96	2.7	58	0.07	0.04	0.09	3.96	50	0.02	0.08	52	266	615	32	915	800	10
10	1400	0.00	29	0.00	0.75	2	1438	96	2.7	57	0.07	0.04	0.09	3.96	50	0.02	0.08	52	267	615	32	915	1400	10
10	2000	0.00	29	0.00	0.77	2	1450	96	2.7	57	0.07	0.04	0.09	3.96	50	0.02	0.08	52	268	614	32	915	2000	10
11	200	0.00	29	0.00	0.79	2	1463	96	2.7	57	0.07	0.04	0.09	3.96	50	0.02	0.08	52	269	613	32	914	200	11
11	800	0.00	29	0.00	0.81	2	1475	96	2.7	57	0.07	0.04	0.09	3.95	50	0.02	0.08	52	269	612	31	914	800	11
11	1400	0.00	29	0.00	0.83	2	1488	96	2.7	57	0.07	0.04	0.09	3.95	50	0.02	0.08	52	270	611	31	914	1400	11
11	2000	0.00	29	0.00	0.85	2	1500	96	2.6	57	0.07	0.04	0.09	3.95	50	0.02	0.08	52	271	610	31	914	2000	11
12	200	0.00	29	0.00	0.86	2	1513	95	2.6	57	0.07	0.04	0.09	3.95	49	0.02	0.08	52	273	608	31	914	200	12
12	800	0.00	29	0.00	0.88	2	1525	95	2.6	57	0.07	0.04	0.09	3.95	49	0.02	0.08	52	274	607	31	914	800	12

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. 310881 INITIAL DATE, HOUR 1 MAY 1972 1400

JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF

N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.105 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	29	0.00	0.90	2	1537	95	2.6	57	0.07	0.04	0.09	3.95	49	0.02	0.08	52	275	606	31	913	1400	12
12	2000	0.00	29	0.00	0.92	2	1549	95	2.6	57	0.07	0.04	0.09	3.94	49	0.02	0.08	52	276	605	31	913	2000	12
13	200	0.00	29	0.00	0.94	2	1562	95	2.6	56	0.07	0.04	0.09	3.94	49	0.02	0.08	52	278	603	31	913	200	13
13	800	0.00	29	0.00	0.96	2	1574	95	2.6	56	0.07	0.04	0.09	3.94	49	0.02	0.08	52	279	602	31	913	800	13
13	1400	0.00	29	0.00	0.98	2	1586	95	2.6	56	0.07	0.04	0.09	3.94	49	0.02	0.08	52	280	600	31	913	1400	13
13	2000	0.00	29	0.00	1.00	2	1598	95	2.6	56	0.07	0.04	0.09	3.94	49	0.02	0.08	52	282	599	31	913	2000	13
14	200	0.00	29	0.00	1.02	2	1610	95	2.6	56	0.07	0.04	0.09	3.93	49	0.02	0.08	52	284	597	31	913	200	14
14	800	0.00	29	0.00	1.04	2	1622	95	2.6	56	0.07	0.04	0.09	3.93	49	0.02	0.08	52	285	596	31	913	800	14
14	1400	0.00	29	0.00	1.06	2	1634	95	2.6	56	0.07	0.04	0.09	3.93	49	0.02	0.08	52	287	594	30	913	1400	14
14	2000	0.00	29	0.00	1.07	2	1646	94	2.6	56	0.07	0.04	0.09	3.93	49	0.02	0.08	52	289	593	30	914	2000	14
15	200	0.00	29	0.00	1.09	2	1658	94	2.6	56	0.07	0.04	0.09	3.93	49	0.02	0.08	52	291	591	30	914	200	15
15	800	0.00	29	0.00	1.11	2	1670	94	2.6	56	0.07	0.04	0.09	3.92	49	0.02	0.08	52	293	590	30	914	800	15
15	1400	0.00	29	0.00	1.13	2	1682	94	2.6	55	0.07	0.04	0.09	3.92	49	0.02	0.08	52	295	588	30	914	1400	15
15	2000	0.00	29	0.00	1.15	2	1694	94	2.6	55	0.07	0.04	0.09	3.92	49	0.02	0.08	52	297	587	30	915	2000	15
16	200	0.00	29	0.00	1.17	2	1705	94	2.6	55	0.07	0.04	0.09	3.92	49	0.02	0.08	52	299	585	30	915	200	16
16	800	0.00	29	0.00	1.19	2	1717	94	2.6	55	0.07	0.04	0.09	3.92	49	0.02	0.08	52	301	583	30	915	800	16
16	1400	0.00	29	0.00	1.20	3	1729	94	2.6	55	0.07	0.04	0.09	3.91	49	0.02	0.08	52	303	582	30	916	1400	16
16	2000	0.00	29	0.00	1.22	3	1741	94	2.6	55	0.07	0.04	0.09	3.91	49	0.02	0.08	52	305	580	30	916	2000	16
17	200	0.00	29	0.00	1.24	3	1752	94	2.6	55	0.07	0.04	0.09	3.91	49	0.02	0.08	52	306	578	30	917	200	17
17	800	0.00	29	0.00	1.26	3	1764	93	2.5	55	0.07	0.04	0.09	3.91	49	0.02	0.08	52	310	576	29	917	800	17
17	1400	0.00	29	0.00	1.28	3	1775	93	2.5	55	0.07	0.04	0.09	3.91	49	0.02	0.08	52	312	575	29	918	1400	17
17	2000	0.00	29	0.00	1.30	3	1787	93	2.5	55	0.07	0.04	0.09	3.90	49	0.02	0.08	52	315	573	29	919	2000	17
18	200	0.00	29	0.00	1.31	3	1798	93	2.5	55	0.07	0.04	0.09	3.90	49	0.02	0.08	52	317	571	29	919	200	18
18	800	0.00	29	0.00	1.33	3	1810	93	2.5	54	0.07	0.04	0.09	3.90	49	0.02	0.08	52	320	570	29	920	800	18
18	1400	0.00	29	0.00	1.35	3	1821	93	2.5	54	0.07	0.04	0.09	3.90	49	0.02	0.08	52	323	568	29	921	1400	18
18	2000	0.00	29	0.00	1.37	3	1833	93	2.5	54	0.07	0.04	0.09	3.89	49	0.02	0.08	52	325	566	29	922	2000	18
19	200	0.00	29	0.00	1.39	3	1844	93	2.5	54	0.07	0.04	0.09	3.89	49	0.02	0.08	52	328	564	29	922	200	19
19	800	0.00	29	0.00	1.40	3	1855	93	2.5	54	0.07	0.04	0.09	3.89	49	0.02	0.08	52	331	563	29	923	800	19
19	1400	0.00	29	0.00	1.42	3	1867	93	2.5	54	0.07	0.04	0.09	3.89	49	0.02	0.08	52	333	561	29	924	1400	19
19	2000	0.00	29	0.00	1.44	3	1878	93	2.5	54	0.07	0.04	0.09	3.88	49	0.02	0.08	52	336	559	29	925	2000	19
20	200	0.00	29	0.00	1.46	3	1889	92	2.5	54	0.07	0.04	0.09	3.88	49	0.02	0.08	52	339	557	28	926	200	20
20	800	0.00	29	0.00	1.47	3	1900	92	2.5	54	0.07	0.04	0.09	3.88	49	0.02	0.08	52	342	555	28	927	800	20
20	1400	0.00	29	0.00	1.49	3	1912	92	2.5	54	0.07	0.04	0.09	3.88	49	0.02	0.08	52	345	554	28	928	1400	20
20	2000	0.00	29	0.00	1.51	3	1923	92	2.5	53	0.07	0.04	0.09	3.87	49	0.02	0.08	52	348	552	28	929	2000	20
21	200	0.00	29	0.00	1.53	3	1934	92	2.5	53	0.07	0.04	0.09	3.87	49	0.02	0.08	52	351	550	28	931	200	21
21	800	0.00	29	0.00	1.54	3	1945	92	2.5	53	0.07	0.04	0.09	3.87	49	0.02	0.08	52	354	548	28	932	800	21
21	1400	0.00	29	0.00	1.56	3	1956	92	2.5	53	0.07	0.04	0.09	3.87	49	0.02	0.08	52	357	547	28	933	1400	21
21	2000	0.00	29	0.00	1.58	3	1967	92	2.5	53	0.07	0.04	0.09	3.86	49	0.02	0.08	52	360	545	28	934	2000	21
22	200	0.00	29	0.00	1.60	3	1978	92	2.5	53	0.07	0.04	0.09	3.86	49	0.02	0.08	52	363	543	28	935	200	22
22	800	0.00	29	0.00	1.61	3	1989	92	2.5	53	0.07	0.04	0.09	3.86	49	0.02	0.08	52	366	541	28	936	800	22
22	1400	0.00	29	0.00	1.63	3	2000	92	2.5	53	0.07	0.04	0.09	3.86	49	0.02	0.08	52	369	539	27	938	1400	22
22	2000	0.00	29	0.00	1.65	3	2002	91	2.5	53	0.07	0.04	0.09	3.85	49	0.02	0.08	52	372	538	27	939	2000	22
23	200	0.00	29	0.00	1.66	3	2005	91	2.4	53	0.07	0.04	0.09	3.85	49	0.02	0.08	52	376	536	27	940	200	23
23	800	0.00	29	0.00	1.68	4	2007	91	2.4	53	0.07	0.03	0.09	3.85	48	0.02	0.08	52	379	534	27	942	800	23

FORM 1111-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.109 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	29	0.00	1.70	4	2010	91	2.4	53	0.07	0.03	0.09	3.84	48	0.02	0.08	52	382	532	27	943	1400	23
23	2000	0.00	29	0.00	1.71	4	2012	91	2.4	52	0.07	0.03	0.09	3.84	48	0.02	0.08	52	385	531	27	944	2000	23
24	200	0.00	29	0.00	1.73	4	2015	91	2.4	52	0.07	0.03	0.09	3.84	48	0.02	0.08	52	388	529	27	945	200	24
24	800	0.00	29	0.00	1.75	4	2017	91	2.4	52	0.07	0.03	0.09	3.84	48	0.02	0.08	52	391	527	27	947	800	24
24	1400	0.00	29	0.00	1.76	4	2020	91	2.4	52	0.07	0.03	0.09	3.83	48	0.02	0.08	52	395	525	27	948	1400	24
24	2000	0.00	29	0.00	1.78	4	2022	91	2.4	52	0.07	0.03	0.09	3.83	48	0.02	0.08	52	398	523	27	949	2000	24
25	200	0.00	29	0.00	1.80	4	2025	91	2.4	52	0.07	0.03	0.09	3.83	48	0.02	0.08	52	401	522	27	951	200	25
25	800	0.00	29	0.00	1.81	4	2027	91	2.4	52	0.07	0.03	0.09	3.82	48	0.02	0.08	52	404	520	26	952	800	25
25	1400	0.00	29	0.00	1.83	4	2029	90	2.4	52	0.07	0.03	0.09	3.82	48	0.02	0.08	52	407	518	26	953	1400	25
25	2000	0.00	29	0.00	1.85	4	2032	90	2.4	52	0.07	0.03	0.09	3.82	48	0.02	0.08	52	411	516	26	955	2000	25
26	200	0.00	29	0.00	1.86	4	2034	90	2.4	52	0.07	0.03	0.09	3.82	48	0.02	0.07	52	414	515	26	956	200	26
26	800	0.00	29	0.00	1.88	4	2037	90	2.4	52	0.07	0.03	0.09	3.81	48	0.02	0.07	53	417	513	26	957	800	26
26	1400	0.00	29	0.00	1.90	4	2039	90	2.4	51	0.07	0.03	0.09	3.81	48	0.02	0.07	53	420	511	26	959	1400	26
26	2000	0.00	29	0.00	1.91	4	2041	90	2.4	51	0.07	0.03	0.09	3.81	48	0.02	0.07	53	423	509	26	960	2000	26
27	200	0.00	29	0.00	1.93	4	2044	90	2.4	51	0.07	0.03	0.09	3.80	48	0.02	0.07	53	426	508	26	961	200	27
27	800	0.00	29	0.00	1.94	4	2046	90	2.4	51	0.07	0.03	0.09	3.80	48	0.02	0.07	53	429	506	26	963	800	27
27	1400	0.00	29	0.00	1.96	4	2048	90	2.4	51	0.07	0.03	0.09	3.80	48	0.02	0.07	53	433	504	26	964	1400	27
27	2000	0.00	29	0.00	1.98	4	2051	90	2.4	51	0.07	0.03	0.09	3.79	48	0.02	0.07	53	436	503	26	965	2000	27
28	200	0.00	29	0.00	1.99	4	2053	90	2.4	51	0.07	0.03	0.09	3.79	48	0.02	0.07	53	439	501	25	966	200	28
28	800	0.00	29	0.00	2.01	4	2055	90	2.4	51	0.07	0.03	0.09	3.79	48	0.02	0.07	53	442	499	25	968	800	28
28	1400	0.00	29	0.00	2.02	4	2058	89	2.4	51	0.07	0.03	0.09	3.78	48	0.02	0.07	53	445	497	25	969	1400	28
28	2000	0.00	29	0.00	2.04	4	2060	89	2.4	51	0.07	0.03	0.09	3.78	48	0.02	0.07	53	448	496	25	970	2000	28
29	200	0.00	29	0.00	2.06	4	2062	89	2.4	51	0.07	0.03	0.09	3.78	48	0.02	0.07	53	451	494	25	971	200	29
29	800	0.00	29	0.00	2.07	4	2065	89	2.4	51	0.07	0.03	0.09	3.78	48	0.02	0.07	53	454	492	25	972	800	29
29	1400	0.00	29	0.00	2.09	4	2067	89	2.3	50	0.06	0.03	0.09	3.77	48	0.02	0.07	53	457	491	25	974	1400	29
29	2000	0.00	29	0.00	2.10	4	2069	89	2.3	50	0.06	0.03	0.09	3.77	48	0.02	0.07	53	460	489	25	975	2000	29
30	200	0.00	29	0.00	2.12	4	2071	89	2.3	50	0.06	0.03	0.09	3.77	48	0.02	0.07	53	462	487	25	976	200	30
30	800	0.00	29	0.00	2.13	4	2074	89	2.3	50	0.06	0.03	0.09	3.76	48	0.02	0.07	53	465	485	25	977	800	30
30	1400	0.00	29	0.00	2.15	4	2076	89	2.3	50	0.06	0.03	0.09	3.76	48	0.02	0.07	53	468	484	25	978	1400	30
30	2000	0.00	29	0.00	2.16	5	2078	89	2.3	50	0.06	0.03	0.09	3.76	48	0.02	0.07	53	471	482	24	979	2000	30
31	200	0.00	29	0.00	2.18	5	2080	89	2.3	50	0.06	0.03	0.09	3.75	48	0.02	0.07	53	474	480	24	980	200	31
31	800	0.00	29	0.00	2.20	5	2083	89	2.3	50	0.06	0.03	0.09	3.75	47	0.02	0.07	53	476	479	24	981	800	31
31	1400	0.00	29	0.00	2.21	5	2085	88	2.3	50	0.06	0.03	0.09	3.75	47	0.02	0.07	53	479	477	24	982	1400	31
31	2000	0.00	29	0.00	2.23	5	2087	88	2.3	50	0.06	0.03	0.09	3.74	47	0.02	0.07	53	482	475	24	983	2000	31

FORM 1413
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

EII = 0.09 IN./DAY, MELT RATE = 0.112 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	29	0.00	2.24	5	2089	88	2.3	50	0.06	0.03	0.09	3.74	47	0.02	0.07	53	484	474	24	984	200	1
1	800	0.00	29	0.00	2.26	5	2092	88	2.3	50	0.06	0.03	0.09	3.74	47	0.02	0.07	53	487	472	24	984	800	1
1	1400	0.00	29	0.00	2.27	5	2094	88	2.3	50	0.06	0.03	0.09	3.73	47	0.02	0.07	53	489	470	24	985	1400	1
1	2000	0.00	29	0.00	2.29	5	2096	88	2.3	49	0.06	0.03	0.09	3.73	47	0.02	0.07	53	492	469	24	986	2000	1
2	200	0.00	29	0.00	2.30	5	2098	88	2.3	49	0.06	0.03	0.09	3.72	47	0.01	0.07	53	494	467	24	987	200	2
2	800	0.00	29	0.00	2.32	5	2100	88	2.3	49	0.06	0.03	0.09	3.72	47	0.01	0.07	53	497	465	24	987	800	2
2	1400	0.00	29	0.00	2.33	5	2103	88	2.3	49	0.06	0.03	0.09	3.72	47	0.01	0.07	53	499	464	24	988	1400	2
2	2000	0.00	29	0.00	2.35	5	2105	88	2.3	49	0.06	0.03	0.09	3.71	47	0.01	0.07	53	502	462	23	989	2000	2
3	200	0.00	29	0.00	2.36	5	2107	88	2.3	49	0.06	0.03	0.09	3.71	47	0.01	0.07	53	504	461	23	989	200	3
3	800	0.00	29	0.00	2.37	5	2109	88	2.3	49	0.06	0.03	0.09	3.71	47	0.01	0.07	53	506	459	23	990	800	3
3	1400	0.00	29	0.00	2.39	5	2111	88	2.3	49	0.06	0.03	0.09	3.70	47	0.01	0.07	53	508	457	23	990	1400	3
3	2000	0.00	29	0.00	2.40	5	2113	87	2.3	49	0.06	0.03	0.09	3.70	47	0.01	0.07	53	511	456	23	991	2000	3
4	200	0.00	40	0.00	2.43	5	2115	87	2.8	60	0.08	0.05	0.09	3.70	47	0.02	0.07	53	513	455	23	992	200	4
4	800	0.00	40	0.00	2.45	5	2119	87	2.8	60	0.08	0.05	0.09	3.70	47	0.02	0.07	53	515	455	24	995	800	4
4	1400	0.00	63	0.00	2.49	5	2122	87	4.2	74	0.12	0.09	0.09	3.71	47	0.04	0.08	53	517	460	25	1003	1400	4
4	2000	0.00	63	0.00	2.53	5	2128	87	4.2	74	0.12	0.09	0.09	3.74	47	0.04	0.09	52	519	473	29	1023	2000	4
5	200	0.00	88	0.00	2.61	5	2134	86	6.8	84	0.19	0.16	0.09	3.77	48	0.08	0.10	51	521	502	35	1060	200	5
5	800	0.00	93	0.00	2.70	6	2145	86	7.8	85	0.22	0.19	0.09	3.85	48	0.09	0.12	50	523	556	46	1126	800	5
5	1400	0.00	99	0.00	2.83	6	2159	85	10.9	86	0.31	0.27	0.09	3.94	49	0.13	0.15	49	525	647	62	1235	1400	5
5	2000	0.00	100	0.00	3.01	6	2178	84	14.0	85	0.40	0.34	0.09	4.07	51	0.17	0.19	47	527	790	89	1407	2000	5
6	200	0.00	100	0.00	3.20	7	2203	83	15.0	84	0.43	0.37	0.09	4.25	53	0.19	0.23	46	528	1002	133	1665	200	6
6	800	0.00	100	0.00	3.44	7	2231	82	18.1	83	0.53	0.44	0.09	4.44	54	0.24	0.29	42	530	1299	198	2028	800	6
6	1400	0.00	100	0.00	3.71	8	2266	81	20.2	82	0.59	0.49	0.09	4.66	57	0.28	0.35	38	532	1694	293	2520	1400	6
6	2000	0.00	100	0.00	4.03	8	2307	79	22.2	81	0.66	0.53	0.09	4.90	59	0.31	0.42	35	534	2199	434	3168	2000	6
7	200	0.00	100	0.00	4.40	9	2343	78	25.3	79	0.76	0.61	0.09	5.15	62	0.37	0.51	31	535	2828	644	4009	200	7
7	800	0.00	100	0.00	4.82	10	2380	77	27.3	78	0.84	0.65	0.09	5.43	64	0.42	0.61	29	537	3589	963	5090	800	7
7	1400	0.00	100	0.00	5.29	11	2421	75	29.4	76	0.92	0.70	0.09	5.71	67	0.47	0.72	27	539	4485	1441	6466	1400	7
7	2000	0.00	100	0.00	5.77	12	2466	73	28.8	75	0.92	0.69	0.09	6.00	70	0.48	0.83	25	541	5507	2116	8165	2000	7
8	200	0.00	100	0.00	6.26	13	2513	72	27.9	73	0.91	0.67	0.09	6.26	73	0.48	0.94	23	542	6632	2970	10145	200	8
8	800	0.00	100	0.00	6.75	14	2560	70	27.9	72	0.92	0.66	0.09	6.49	75	0.49	1.05	21	544	7819	3937	12301	800	8
8	1400	0.01	100	0.01	7.24	15	2608	68	27.0	70	0.91	0.65	0.09	6.70	77	0.50	1.16	20	546	9022	4951	14519	1400	8
8	2000	0.01	100	0.02	7.74	16	2656	66	26.9	68	0.93	0.64	0.09	6.90	79	0.51	1.27	18	548	10193	5974	16717	2000	8
9	200	0.04	100	0.06	8.23	17	2704	65	26.3	66	0.92	0.66	0.09	7.08	81	0.53	1.38	17	550	11295	7000	18846	200	9
9	800	0.04	100	0.09	8.73	18	2752	63	26.2	65	0.94	0.65	0.09	7.25	83	0.54	1.49	16	552	12298	8046	20898	800	9
9	1400	0.04	100	0.13	9.23	19	2801	61	25.6	63	0.93	0.63	0.09	7.41	84	0.53	1.60	15	554	13180	9130	22865	1400	9
9	2000	0.05	100	0.17	9.72	20	2849	60	25.5	61	0.94	0.63	0.09	7.55	86	0.54	1.71	14	557	13928	10230	24716	2000	9
10	200	0.14	100	0.30	10.20	21	2894	58	24.6	60	0.93	0.69	0.09	7.69	87	0.60	1.83	13	559	14540	11347	26447	200	10
10	800	0.15	100	0.42	10.69	22	2929	57	24.5	58	0.95	0.70	0.09	7.82	88	0.62	1.95	12	562	15020	12566	28150	800	10
10	1400	0.15	100	0.55	11.19	23	2965	56	24.3	57	0.97	0.70	0.09	7.95	89	0.63	2.08	10	565	15384	13977	29928	1400	10
10	2000	0.15	100	0.69	11.69	24	3001	55	24.2	56	1.00	0.70	0.09	8.06	91	0.64	2.20	10	569	15648	15558	31776	2000	10
11	200	0.11	100	0.79	12.18	25	3038	53	23.3	54	0.99	0.65	0.09	8.16	92	0.59	2.31	10	572	15824	17171	33569	200	11
11	800	0.11	100	0.89	12.68	26	3074	52	23.2	53	1.01	0.65	0.09	8.25	92	0.60	2.43	10	577	15924	18610	35112	800	11
11	1400	0.16	100	1.04	13.18	27	3111	51	23.0	52	1.03	0.69	0.09	8.33	93	0.65	2.55	10	581	15954	19760	36297	1400	11
11	2000	0.39	100	1.40	13.68	28	3147	49	22.9	51	1.05	0.92	0.09	8.40	94	0.86	2.72	10	586	15927	20826	37341	2000	11

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.193 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.13	100	1.53	14.13	29	3184	48	20.7	49	0.98	0.61	0.09	8.48	95	0.58	2.81	10	591	15861	22134	38588	200	12
12	800	0.13	100	1.65	14.57	30	3218	47	19.6	48	0.95	0.59	0.09	8.54	95	0.56	2.89	10	597	15769	23472	39840	800	12
12	1400	0.18	100	1.82	14.98	31	3250	46	18.5	47	0.91	0.60	0.09	8.58	96	0.58	2.97	10	603	15654	24239	40498	1400	12
12	2000	0.44	100	2.24	15.36	32	3280	45	17.4	46	0.87	0.84	0.09	8.62	96	0.81	3.09	10	609	15519	24378	40508	2000	12
13	200	0.18	100	2.41	15.75	33	3308	44	17.4	45	0.89	0.57	0.09	8.67	97	0.55	3.16	10	616	15378	24391	40387	200	13
13	800	0.18	100	2.58	16.13	34	3337	43	17.3	44	0.90	0.57	0.09	8.70	97	0.55	3.22	10	624	15240	24453	40318	800	13
13	1400	0.23	100	2.80	16.51	34	3365	42	17.3	43	0.91	0.63	0.09	8.72	97	0.61	3.30	10	632	15104	24309	40047	1400	13
13	2000	0.60	100	3.39	16.89	35	3393	41	17.3	42	0.93	0.99	0.09	8.75	98	0.96	3.46	10	640	14969	24143	39754	2000	13
14	200	0.21	100	3.60	17.25	36	3421	40	16.4	41	0.89	0.58	0.09	8.79	98	0.56	3.51	10	650	14843	24538	40032	200	14
14	800	0.21	100	3.80	17.60	37	3447	39	16.3	40	0.90	0.57	0.09	8.80	98	0.56	3.56	10	659	14732	25370	40763	800	14
14	1400	0.28	100	4.08	17.95	37	3466	39	16.2	39	0.91	0.64	0.09	8.82	98	0.63	3.63	10	670	14628	25891	41190	1400	14
14	2000	0.72	100	4.78	18.31	38	3484	38	16.2	39	0.92	1.07	0.09	8.84	98	1.05	3.80	10	681	14525	26102	41309	2000	14
15	200	0.36	100	5.14	18.68	39	3502	37	17.1	38	0.99	0.73	0.09	8.86	99	0.72	3.89	10	692	14434	26823	41951	200	15
15	800	0.36	100	5.49	19.05	40	3521	37	17.1	37	1.00	0.73	0.09	8.88	99	0.72	3.98	10	704	14365	28256	43327	800	15
15	1400	0.47	100	5.96	19.42	40	3540	36	17.0	37	1.01	0.85	0.09	8.89	99	0.84	4.10	10	717	14314	29774	44806	1400	15
15	2000	1.19	100	7.14	19.78	41	3558	35	16.9	36	1.03	1.56	0.09	8.90	99	1.54	4.37	10	730	14279	31471	46482	2000	15
16	200	0.65	100	7.78	20.12	42	3577	35	15.6	35	0.97	0.99	0.09	8.92	99	0.98	4.49	10	744	14274	34350	49370	200	16
16	800	0.27	100	8.05	20.41	43	3595	34	13.5	35	0.85	0.56	0.09	8.93	99	0.56	4.49	10	759	14308	38059	53128	800	16
16	1400	0.19	100	8.24	20.70	43	3609	34	13.4	34	0.85	0.48	0.09	8.93	99	0.48	4.48	10	774	14362	40383	55520	1400	16
16	2000	0.19	100	8.42	21.02	44	3624	33	14.4	34	0.93	0.50	0.09	8.93	99	0.50	4.48	10	790	14394	39793	54978	2000	16
17	200	0.45	100	8.87	21.33	44	3640	33	14.6	33	0.96	0.76	0.09	8.93	99	0.76	4.54	10	806	14370	36931	52108	200	17
17	800	0.18	100	9.05	21.64	45	3656	32	14.5	33	0.97	0.50	0.09	8.94	99	0.49	4.55	10	823	14282	33476	48582	800	17
17	1400	0.13	100	9.18	21.95	46	3672	32	14.4	32	0.98	0.44	0.09	8.94	99	0.44	4.54	10	841	14134	30413	45389	1400	17
17	2000	0.13	100	9.31	22.26	46	3688	31	14.4	31	0.99	0.44	0.09	8.94	99	0.44	4.54	10	859	13927	27708	42495	2000	17
18	200	0.00	100	9.31	22.59	47	3704	30	15.4	31	1.07	0.33	0.09	8.94	99	0.33	4.53	10	878	13656	25134	39670	200	18
18	800	0.00	100	9.31	22.92	48	3721	30	15.3	30	1.08	0.33	0.09	8.92	99	0.33	4.52	10	897	13319	22627	36844	800	18
18	1400	0.00	100	9.31	23.24	48	3738	29	15.3	30	1.09	0.32	0.09	8.91	99	0.32	4.51	10	917	12912	20220	34050	1400	18
18	2000	0.00	100	9.31	23.55	49	3754	29	15.2	29	1.10	0.32	0.09	8.90	99	0.32	4.51	10	938	12441	18045	31426	2000	18
19	200	0.00	100	9.31	23.93	50	3770	28	18.1	29	1.33	0.38	0.09	8.89	99	0.38	4.56	10	959	11925	16279	29164	200	19
19	800	0.00	100	9.31	24.34	51	3789	27	20.1	28	1.50	0.42	0.09	8.88	99	0.41	4.65	10	981	11384	15111	27478	800	19
19	1400	0.00	100	9.31	24.79	52	3811	26	22.1	27	1.67	0.45	0.09	8.88	99	0.45	4.77	10	1003	10840	14693	26537	1400	19
19	2000	0.00	100	9.31	25.28	53	3834	26	24.4	26	1.86	0.49	0.09	8.87	99	0.48	4.94	10	1026	10310	15033	26370	2000	19
20	200	0.00	100	9.31	25.77	54	3858	25	25.3	25	1.96	0.50	0.09	8.88	99	0.49	5.11	10	1049	9806	15995	26851	200	20
20	800	0.00	100	9.31	26.24	55	3883	24	25.3	25	1.97	0.48	0.09	8.88	99	0.48	5.28	10	1073	9335	17335	27744	800	20
20	1400	0.00	100	9.31	26.71	56	3908	23	25.2	24	1.99	0.47	0.09	8.88	99	0.46	5.45	10	1098	8899	18746	28744	1400	20
20	2000	0.00	100	9.31	27.16	57	3932	22	25.1	23	2.00	0.46	0.09	8.88	99	0.45	5.61	10	1122	8498	19959	29581	2000	20
21	200	0.00	100	9.31	27.67	58	3955	21	29.0	22	2.33	0.51	0.09	8.88	99	0.51	5.84	10	1148	8129	20872	30150	200	21
21	800	0.00	100	9.31	28.16	59	3981	20	28.9	21	2.35	0.50	0.09	8.89	99	0.49	6.06	10	1173	7789	21586	30550	800	21
21	1400	0.00	100	9.31	28.63	60	4012	20	28.8	20	2.37	0.48	0.09	8.89	99	0.47	6.27	10	1200	7474	22227	30902	1400	21
21	2000	0.00	100	9.31	29.09	61	4049	19	28.8	20	2.39	0.47	0.09	8.90	99	0.46	6.46	10	1226	7179	22779	31186	2000	21
22	200	0.00	100	9.31	29.58	62	4077	19	30.8	19	2.58	0.49	0.09	8.90	99	0.49	6.70	10	1253	6902	23185	31341	200	22
22	800	0.00	100	9.31	30.06	63	4107	18	30.8	19	2.60	0.48	0.09	8.90	99	0.48	6.92	10	1280	6640	23475	31397	800	22
22	1400	0.00	100	9.31	30.53	64	4136	18	30.7	18	2.63	0.48	0.09	8.91	99	0.47	7.14	10	1308	6392	23713	31415	1400	22
22	2000	0.00	100	9.31	31.00	65	4165	17	30.7	18	2.65	0.47	0.09	8.91	99	0.46	7.34	10	1336	6159	23903	31399	2000	22

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.352 IN./DEGREE-DAY, AREA = 628.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	9.31	31.44	65	4193	17	29.6	17	2.58	0.44	0.09	8.91	99	0.44	7.52	10	1364	5938	24000	31304	200	23
23	800	0.00	100	9.31	31.87	66	4220	16	29.5	17	2.60	0.43	0.09	8.91	99	0.43	7.70	10	1392	5731	23949	31074	800	23
23	1400	0.00	100	9.31	32.29	67	4246	16	29.5	16	2.61	0.43	0.09	8.91	99	0.42	7.87	10	1421	5537	23731	30690	1400	23
23	2000	0.00	100	9.31	32.70	68	4271	16	29.4	16	2.63	0.42	0.09	8.91	99	0.41	8.03	10	1450	5354	23380	30185	2000	23
24	200	0.00	100	9.31	33.02	69	4297	15	23.1	15	2.08	0.32	0.09	8.91	99	0.32	8.05	10	1479	5182	22897	29559	200	24
24	800	0.00	100	9.31	33.33	69	4316	15	23.1	15	2.09	0.32	0.09	8.91	99	0.31	8.07	10	1508	5020	22164	28693	800	24
24	1400	0.00	100	9.31	33.64	70	4335	15	23.0	15	2.10	0.31	0.09	8.91	99	0.31	8.09	10	1537	4868	21104	27510	1400	24
24	2000	0.00	100	9.31	33.95	71	4354	14	23.0	14	2.11	0.31	0.09	8.90	99	0.30	8.11	10	1567	4723	19837	26129	2000	24
25	200	0.00	100	9.31	34.20	71	4372	14	19.8	14	1.83	0.26	0.09	8.90	99	0.26	8.07	10	1596	4587	18545	24730	200	25
25	800	0.00	100	9.31	34.46	72	4388	14	19.8	14	1.84	0.26	0.09	8.90	99	0.25	8.03	10	1626	4459	17296	23382	800	25
25	1400	0.00	100	9.31	34.70	72	4403	14	19.8	14	1.84	0.25	0.09	8.89	99	0.25	7.99	10	1655	4338	16096	22090	1400	25
25	2000	0.00	100	9.31	34.95	73	4418	13	19.7	13	1.85	0.25	0.09	8.89	99	0.25	7.95	10	1685	4224	14987	20897	2000	25
26	200	0.00	100	9.31	35.18	73	4433	13	18.7	13	1.76	0.23	0.09	8.89	99	0.23	7.90	10	1714	4116	14021	19853	200	26
26	800	0.00	100	9.31	35.40	74	4447	13	18.6	13	1.76	0.23	0.09	8.89	99	0.23	7.85	10	1744	4015	13201	18961	800	26
26	1400	0.00	100	9.31	35.62	74	4461	13	18.6	13	1.77	0.22	0.09	8.88	99	0.22	7.80	10	1774	3919	12502	18196	1400	26
26	2000	0.00	100	9.31	35.84	75	4474	12	18.6	12	1.77	0.22	0.09	8.88	99	0.22	7.76	10	1803	3828	11910	17543	2000	26
27	200	0.00	100	9.31	36.05	75	4488	12	17.5	12	1.68	0.21	0.09	8.88	99	0.20	7.70	10	1832	3743	11412	16989	200	27
27	800	0.00	100	9.31	36.25	76	4500	12	17.5	12	1.68	0.20	0.09	8.88	99	0.20	7.64	10	1861	3662	10977	16501	800	27
27	1400	0.00	100	9.31	36.44	76	4512	12	17.5	12	1.68	0.20	0.09	8.88	99	0.20	7.58	10	1890	3585	10572	16049	1400	27
27	2000	0.00	100	9.31	36.64	76	4524	12	17.5	12	1.69	0.20	0.09	8.87	99	0.19	7.53	10	1919	3512	10195	15627	2000	27
28	200	0.00	100	9.31	36.83	77	4536	11	17.4	11	1.69	0.19	0.09	8.87	99	0.19	7.49	10	1948	3442	9858	15249	200	28
28	800	0.00	100	9.31	37.02	77	4548	11	17.4	11	1.70	0.19	0.09	8.87	99	0.19	7.44	10	1976	3375	9567	14920	800	28
28	1400	0.00	100	9.31	37.20	78	4559	11	17.4	11	1.70	0.19	0.09	8.87	99	0.19	7.40	10	2005	3310	9322	14639	1400	28
28	2000	0.00	100	9.31	37.38	78	4570	11	17.4	11	1.70	0.19	0.09	8.87	99	0.18	7.37	10	2033	3248	9115	14398	2000	28
29	200	0.00	100	9.31	37.55	78	4582	11	16.3	11	1.60	0.17	0.09	8.87	99	0.17	7.31	10	2060	3189	8930	14180	200	29
29	800	0.00	100	9.31	37.72	79	4592	10	16.3	11	1.61	0.17	0.09	8.87	99	0.17	7.26	10	2088	3131	8737	13957	800	29
29	1400	0.00	100	9.31	37.88	79	4602	10	16.3	10	1.61	0.17	0.09	8.87	99	0.16	7.21	10	2115	3075	8517	13708	1400	29
29	2000	0.00	100	9.31	36.05	79	4612	10	16.3	10	1.61	0.16	0.09	8.87	99	0.16	7.16	10	2141	3020	8280	13443	2000	29
30	200	0.00	100	9.31	38.20	80	4622	10	15.2	10	1.51	0.15	0.09	8.87	99	0.15	7.09	10	2168	2968	8039	13175	200	30
30	800	0.00	100	9.31	38.34	80	4631	10	15.2	10	1.51	0.15	0.09	8.86	99	0.15	7.03	10	2194	2916	7792	12903	800	30
30	1400	0.00	100	9.31	38.49	80	4640	10	15.2	10	1.52	0.15	0.09	8.86	99	0.15	6.97	10	2219	2866	7533	12619	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1411-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 58.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.100 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
1	1400	0.00	0	0.00	0.00	0	0	100	0.0	0	0.00	0.00	0.09	4.00	0	0.00	0.03	0	140	10	4	154	1400	1
1	2000	0.00	40	0.00	0.03	0	677	100	4.0	65	0.10	0.07	0.09	4.00	50	0.03	0.04	57	140	10	4	155	2000	1
2	200	0.00	40	0.00	0.07	0	694	100	4.0	65	0.10	0.07	0.09	4.01	50	0.03	0.04	56	140	15	5	160	200	2
2	800	0.00	40	0.00	0.10	0	712	99	4.0	65	0.10	0.07	0.09	4.02	50	0.03	0.05	56	140	26	8	175	800	2
2	1400	0.00	40	0.00	0.13	0	729	99	4.0	65	0.10	0.07	0.09	4.03	50	0.03	0.05	55	140	48	11	200	1400	2
2	2000	0.00	40	0.00	0.16	0	746	99	4.0	65	0.10	0.06	0.09	4.04	50	0.03	0.06	55	140	79	15	235	2000	2
3	200	0.00	40	0.00	0.20	0	763	99	4.0	65	0.10	0.06	0.09	4.05	51	0.03	0.06	54	140	118	18	277	200	3
3	800	0.00	40	0.00	0.23	0	780	99	4.0	64	0.10	0.06	0.09	4.06	51	0.03	0.06	54	140	161	21	323	800	3
3	1400	0.00	40	0.00	0.26	1	797	99	3.9	64	0.10	0.06	0.09	4.07	51	0.03	0.07	54	140	207	23	371	1400	3
3	2000	0.00	40	0.00	0.29	1	815	98	3.9	64	0.10	0.06	0.09	4.08	51	0.03	0.07	53	140	252	25	418	2000	3
4	200	0.00	40	0.00	0.33	1	832	98	3.9	64	0.10	0.06	0.09	4.09	51	0.03	0.08	53	140	295	26	461	200	4
4	800	0.00	40	0.00	0.36	1	849	98	3.9	64	0.10	0.06	0.09	4.10	51	0.03	0.08	52	140	334	26	501	800	4
4	1400	0.00	40	0.00	0.39	1	866	98	3.9	64	0.10	0.06	0.09	4.11	51	0.03	0.08	52	140	369	27	537	1400	4
4	2000	0.00	40	0.00	0.42	1	883	98	3.9	63	0.10	0.06	0.09	4.12	51	0.03	0.09	52	140	400	27	568	2000	4
5	200	0.00	40	0.00	0.46	1	899	98	3.9	63	0.10	0.06	0.09	4.13	51	0.03	0.09	51	140	427	28	595	200	5
5	800	0.00	40	0.00	0.49	1	916	97	3.9	63	0.10	0.06	0.09	4.13	51	0.03	0.09	51	140	449	28	618	800	5
5	1400	0.00	40	0.00	0.52	1	933	97	3.9	63	0.10	0.06	0.09	4.14	51	0.03	0.09	51	140	468	28	637	1400	5
5	2000	0.00	40	0.00	0.55	1	950	97	3.8	63	0.10	0.06	0.09	4.15	52	0.03	0.10	51	140	484	28	654	2000	5
6	200	0.00	40	0.00	0.58	1	967	97	3.8	63	0.10	0.06	0.09	4.16	52	0.03	0.10	50	140	497	28	667	200	6
6	800	0.00	40	0.00	0.61	1	983	97	3.8	62	0.10	0.06	0.09	4.17	52	0.03	0.10	50	140	508	28	678	800	6
6	1400	0.00	40	0.00	0.65	1	1000	97	3.8	62	0.10	0.06	0.09	4.18	52	0.03	0.10	50	140	517	28	688	1400	6
6	2000	0.00	40	0.00	0.68	1	1007	96	3.8	62	0.10	0.06	0.09	4.18	52	0.03	0.10	50	140	525	29	695	2000	6
7	200	0.00	40	0.00	0.71	1	1014	96	3.8	62	0.10	0.06	0.09	4.19	52	0.03	0.10	50	140	531	29	702	200	7
7	800	0.00	40	0.00	0.74	2	1022	96	3.8	62	0.10	0.06	0.09	4.20	52	0.03	0.11	50	141	536	29	707	800	7
7	1400	0.00	40	0.00	0.77	2	1029	96	3.8	62	0.10	0.06	0.09	4.21	52	0.03	0.11	50	141	540	29	711	1400	7
7	2000	0.00	40	0.00	0.80	2	1036	96	3.8	61	0.10	0.06	0.09	4.22	52	0.03	0.11	50	141	544	29	715	2000	7
8	200	0.00	40	0.00	0.83	2	1043	96	3.7	61	0.10	0.06	0.09	4.22	52	0.03	0.11	50	141	546	29	718	200	8
8	800	0.00	40	0.00	0.87	2	1050	95	3.7	61	0.10	0.06	0.09	4.23	52	0.03	0.11	50	142	548	29	720	800	8
8	1400	0.00	40	0.00	0.90	2	1057	95	3.7	61	0.10	0.06	0.09	4.24	52	0.03	0.11	49	142	550	29	722	1400	8
8	2000	0.00	40	0.00	0.93	2	1064	95	3.7	61	0.10	0.06	0.09	4.24	52	0.03	0.11	49	143	551	29	724	2000	8
9	200	0.00	40	0.00	0.96	2	1071	95	3.7	61	0.10	0.06	0.09	4.25	53	0.03	0.11	49	143	552	29	725	200	9
9	800	0.00	40	0.00	0.99	2	1078	95	3.7	61	0.10	0.06	0.09	4.26	53	0.03	0.12	49	143	553	29	726	800	9
9	1400	0.00	40	0.00	1.02	2	1085	95	3.7	60	0.10	0.06	0.09	4.27	53	0.03	0.12	49	144	553	29	727	1400	9
9	2000	0.00	40	0.00	1.05	2	1092	95	3.7	60	0.10	0.06	0.09	4.27	53	0.03	0.12	49	145	553	29	728	2000	9
10	200	0.00	40	0.00	1.08	2	1099	94	3.7	60	0.10	0.06	0.09	4.28	53	0.03	0.12	49	145	553	29	728	200	10
10	800	0.00	40	0.00	1.11	2	1106	94	3.6	60	0.10	0.06	0.09	4.28	53	0.03	0.12	49	146	553	29	729	800	10
10	1400	0.00	40	0.00	1.14	2	1113	94	3.6	60	0.10	0.06	0.09	4.29	53	0.03	0.12	49	146	552	28	729	1400	10
10	2000	0.00	40	0.00	1.17	2	1120	94	3.6	60	0.10	0.06	0.09	4.30	53	0.03	0.12	49	147	552	28	729	2000	10
11	200	0.00	40	0.00	1.20	3	1127	94	3.6	59	0.10	0.06	0.09	4.30	53	0.03	0.12	49	148	551	28	729	200	11
11	800	0.00	40	0.00	1.23	3	1134	94	3.6	59	0.10	0.06	0.09	4.31	53	0.03	0.12	49	149	550	28	729	800	11
11	1400	0.00	40	0.00	1.26	3	1141	93	3.6	59	0.10	0.06	0.09	4.32	53	0.03	0.12	49	150	550	28	729	1400	11
11	2000	0.00	40	0.00	1.29	3	1148	93	3.6	59	0.10	0.06	0.09	4.32	53	0.03	0.12	49	151	549	28	729	2000	11
12	200	0.00	40	0.00	1.32	3	1154	93	3.6	59	0.10	0.06	0.09	4.33	53	0.03	0.12	49	152	548	28	729	200	12
12	800	0.00	40	0.00	1.35	3	1161	93	3.6	59	0.10	0.06	0.09	4.33	53	0.03	0.12	49	153	547	28	729	800	12

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

FORM 1317C
PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. 310881 INITIAL DATE, HOUR 1 MAY 1972 1400 JOB DESCRIPTION 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.107 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ME-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	RUP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
12	1400	0.00	40	0.00	1.38	3	1168	93	3.6	58	0.10	0.06	0.09	4.34	53	0.03	0.12	49	154	546	28	729	1400	12
12	2000	0.00	40	0.00	1.41	3	1175	93	3.5	58	0.09	0.06	0.09	4.34	53	0.03	0.12	49	155	545	28	729	2000	12
13	200	0.00	40	0.00	1.44	3	1181	92	3.5	58	0.09	0.06	0.09	4.35	53	0.03	0.12	49	157	543	28	729	200	13
13	800	0.00	40	0.00	1.47	3	1188	92	3.5	58	0.09	0.05	0.09	4.35	54	0.03	0.12	49	158	542	28	729	800	13
13	1400	0.00	40	0.00	1.50	3	1195	92	3.5	58	0.09	0.05	0.09	4.36	54	0.03	0.12	49	159	541	28	730	1400	13
13	2000	0.00	40	0.00	1.53	3	1201	92	3.5	58	0.09	0.05	0.09	4.36	54	0.03	0.12	49	161	540	28	730	2000	13
14	200	0.00	40	0.00	1.56	3	1208	92	3.5	58	0.09	0.05	0.09	4.37	54	0.03	0.12	49	162	538	28	730	200	14
14	800	0.00	40	0.00	1.59	3	1215	92	3.5	57	0.09	0.05	0.09	4.37	54	0.03	0.12	49	164	537	27	730	800	14
14	1400	0.00	40	0.00	1.62	3	1221	92	3.5	57	0.09	0.05	0.09	4.38	54	0.03	0.12	49	165	536	27	730	1400	14
14	2000	0.00	40	0.00	1.64	3	1228	91	3.5	57	0.09	0.05	0.09	4.38	54	0.03	0.12	49	167	534	27	730	2000	14
15	200	0.00	40	0.00	1.67	3	1234	91	3.5	57	0.09	0.05	0.09	4.39	54	0.03	0.12	49	169	533	27	730	200	15
15	800	0.00	40	0.00	1.70	4	1241	91	3.4	57	0.09	0.05	0.09	4.39	54	0.03	0.12	49	171	531	27	731	800	15
15	1400	0.00	40	0.00	1.73	4	1247	91	3.4	57	0.09	0.05	0.09	4.40	54	0.03	0.12	49	173	530	27	731	1400	15
15	2000	0.00	40	0.00	1.76	4	1254	91	3.4	56	0.09	0.05	0.09	4.40	54	0.03	0.12	49	174	528	27	731	2000	15
16	200	0.00	40	0.00	1.79	4	1260	91	3.4	56	0.09	0.05	0.09	4.41	54	0.03	0.12	49	176	527	27	732	200	16
16	800	0.00	40	0.00	1.82	4	1267	91	3.4	56	0.09	0.05	0.09	4.41	54	0.03	0.12	49	178	525	27	732	800	16
16	1400	0.00	40	0.00	1.84	4	1273	90	3.4	56	0.09	0.05	0.09	4.41	54	0.03	0.12	49	181	524	27	732	1400	16
16	2000	0.00	40	0.00	1.87	4	1280	90	3.4	56	0.09	0.05	0.09	4.42	54	0.03	0.12	49	183	522	27	733	2000	16
17	200	0.00	40	0.00	1.90	4	1286	90	3.4	56	0.09	0.05	0.09	4.42	54	0.03	0.12	49	185	520	27	733	200	17
17	800	0.00	40	0.00	1.93	4	1292	90	3.4	56	0.09	0.05	0.09	4.42	54	0.03	0.12	49	187	519	26	734	800	17
17	1400	0.00	40	0.00	1.96	4	1299	90	3.4	55	0.09	0.05	0.09	4.43	54	0.03	0.12	49	189	517	26	734	1400	17
17	2000	0.00	40	0.00	1.98	4	1305	90	3.3	55	0.09	0.05	0.09	4.43	54	0.03	0.12	49	192	516	26	735	2000	17
18	200	0.00	40	0.00	2.01	4	1311	90	3.3	55	0.09	0.05	0.09	4.44	54	0.03	0.12	49	194	514	26	736	200	18
18	800	0.00	40	0.00	2.04	4	1318	89	3.3	55	0.09	0.05	0.09	4.44	54	0.03	0.12	49	196	512	26	736	800	18
18	1400	0.00	40	0.00	2.07	4	1324	89	3.3	55	0.09	0.05	0.09	4.44	54	0.03	0.12	49	199	510	26	737	1400	18
18	2000	0.00	40	0.00	2.09	4	1330	89	3.3	55	0.09	0.05	0.09	4.45	54	0.03	0.12	49	201	509	26	738	2000	18
19	200	0.00	40	0.00	2.12	4	1336	89	3.3	55	0.09	0.05	0.09	4.45	54	0.03	0.12	49	204	507	26	738	200	19
19	800	0.00	40	0.00	2.15	4	1343	89	3.3	54	0.09	0.05	0.09	4.45	55	0.03	0.12	49	207	505	26	739	800	19
19	1400	0.00	40	0.00	2.17	5	1349	89	3.3	54	0.09	0.05	0.09	4.45	55	0.03	0.12	49	209	504	26	740	1400	19
19	2000	0.00	40	0.00	2.20	5	1355	89	3.3	54	0.09	0.05	0.09	4.46	55	0.03	0.12	49	212	502	26	741	2000	19
20	200	0.00	40	0.00	2.23	5	1361	88	3.3	54	0.09	0.05	0.09	4.46	55	0.03	0.12	49	215	500	25	741	200	20
20	800	0.00	40	0.00	2.25	5	1367	88	3.2	54	0.09	0.05	0.09	4.46	55	0.03	0.12	49	217	498	25	742	800	20
20	1400	0.00	40	0.00	2.28	5	1373	88	3.2	54	0.09	0.05	0.09	4.47	55	0.03	0.12	49	220	496	25	743	1400	20
20	2000	0.00	40	0.00	2.31	5	1379	88	3.2	54	0.09	0.05	0.09	4.47	55	0.03	0.12	49	223	495	25	744	2000	20
21	200	0.00	40	0.00	2.33	5	1385	88	3.2	53	0.09	0.05	0.09	4.47	55	0.03	0.12	49	226	493	25	745	200	21
21	800	0.00	40	0.00	2.36	5	1391	88	3.2	53	0.09	0.05	0.09	4.47	55	0.03	0.12	49	228	491	25	746	800	21
21	1400	0.00	40	0.00	2.39	5	1397	88	3.2	53	0.09	0.05	0.09	4.47	55	0.03	0.12	49	231	489	25	747	1400	21
21	2000	0.00	40	0.00	2.41	5	1403	87	3.2	53	0.09	0.05	0.09	4.48	55	0.03	0.12	49	234	487	25	748	2000	21
22	200	0.00	40	0.00	2.44	5	1409	87	3.2	53	0.09	0.05	0.09	4.48	55	0.03	0.12	49	237	486	25	749	200	22
22	800	0.00	40	0.00	2.46	5	1415	87	3.2	53	0.09	0.05	0.09	4.48	55	0.03	0.12	49	240	484	25	750	800	22
22	1400	0.00	40	0.00	2.49	5	1421	87	3.2	53	0.09	0.05	0.09	4.48	55	0.03	0.12	49	243	482	24	751	1400	22
22	2000	0.00	40	0.00	2.52	5	1427	87	3.2	53	0.09	0.05	0.09	4.49	55	0.03	0.12	49	246	480	24	752	2000	22
23	200	0.00	40	0.00	2.54	5	1433	87	3.2	52	0.09	0.05	0.09	4.49	55	0.03	0.12	49	249	478	24	753	200	23
23	800	0.00	40	0.00	2.57	5	1438	87	3.1	52	0.09	0.05	0.09	4.49	55	0.03	0.12	49	252	476	24	754	800	23

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.114 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
MAY 1972																								MAY 1972
23	1400	0.00	40	0.00	2.59	5	1444	86	3.1	52	0.09	0.05	0.09	4.49	55	0.03	0.12	49	255	475	24	755	1400	23
23	2000	0.00	40	0.00	2.62	5	1450	86	3.1	52	0.09	0.05	0.09	4.49	55	0.03	0.12	49	258	473	24	756	2000	23
24	200	0.00	40	0.00	2.64	6	1456	86	3.1	52	0.09	0.05	0.09	4.49	55	0.03	0.12	49	261	471	24	757	200	24
24	800	0.00	40	0.00	2.67	6	1461	86	3.1	52	0.09	0.05	0.09	4.50	55	0.03	0.12	49	264	469	24	758	800	24
24	1400	0.00	40	0.00	2.69	6	1467	86	3.1	52	0.09	0.05	0.09	4.50	55	0.03	0.12	49	267	467	24	759	1400	24
24	2000	0.00	40	0.00	2.72	6	1473	86	3.1	51	0.09	0.05	0.09	4.50	55	0.02	0.12	49	270	465	24	760	2000	24
25	200	0.00	40	0.00	2.74	6	1479	86	3.1	51	0.09	0.05	0.09	4.50	55	0.02	0.12	49	273	463	23	761	200	25
25	800	0.00	40	0.00	2.77	6	1484	86	3.1	51	0.09	0.04	0.09	4.50	55	0.02	0.12	49	276	462	23	762	800	25
25	1400	0.00	40	0.00	2.79	6	1490	85	3.1	51	0.09	0.04	0.09	4.50	55	0.02	0.12	49	279	460	23	763	1400	25
25	2000	0.00	40	0.00	2.82	6	1495	85	3.1	51	0.09	0.04	0.09	4.50	55	0.02	0.12	49	282	458	23	765	2000	25
26	200	0.00	40	0.00	2.84	6	1501	85	3.0	51	0.09	0.04	0.09	4.50	55	0.02	0.12	49	285	456	23	766	200	26
26	800	0.00	40	0.00	2.87	6	1507	85	3.0	51	0.09	0.04	0.09	4.50	55	0.02	0.12	49	288	454	23	767	800	26
26	1400	0.00	40	0.00	2.89	6	1512	85	3.0	51	0.09	0.04	0.09	4.51	55	0.02	0.12	49	291	452	23	768	1400	26
26	2000	0.00	40	0.00	2.91	6	1518	85	3.0	50	0.09	0.04	0.09	4.51	55	0.02	0.12	49	294	450	23	769	2000	26
27	200	0.00	40	0.00	2.94	6	1523	85	3.0	50	0.09	0.04	0.09	4.51	55	0.02	0.12	49	297	448	23	770	200	27
27	800	0.00	40	0.00	2.96	6	1529	85	3.0	50	0.09	0.04	0.09	4.51	55	0.02	0.12	49	300	447	23	771	800	27
27	1400	0.00	40	0.00	2.99	6	1534	84	3.0	50	0.09	0.04	0.09	4.51	55	0.02	0.12	49	303	445	22	772	1400	27
27	2000	0.00	40	0.00	3.01	6	1539	84	3.0	50	0.09	0.04	0.09	4.51	55	0.02	0.12	49	306	443	22	773	2000	27
28	200	0.00	40	0.00	3.03	6	1545	84	3.0	50	0.09	0.04	0.09	4.51	55	0.02	0.12	49	309	441	22	774	200	28
28	800	0.00	40	0.00	3.06	6	1550	84	3.0	50	0.09	0.04	0.09	4.51	55	0.02	0.12	49	312	439	22	774	800	28
28	1400	0.00	40	0.00	3.08	6	1556	84	3.0	50	0.09	0.04	0.09	4.51	55	0.02	0.12	49	314	437	22	775	1400	28
28	2000	0.00	40	0.00	3.10	6	1561	84	3.0	49	0.09	0.04	0.09	4.51	55	0.02	0.12	49	317	435	22	776	2000	28
29	200	0.00	40	0.00	3.13	7	1566	84	2.9	49	0.09	0.04	0.09	4.51	55	0.02	0.12	49	320	434	22	777	200	29
29	800	0.00	40	0.00	3.15	7	1571	84	2.9	49	0.09	0.04	0.09	4.51	55	0.02	0.12	49	323	432	22	778	800	29
29	1400	0.00	40	0.00	3.17	7	1577	83	2.9	49	0.09	0.04	0.09	4.51	55	0.02	0.11	49	326	430	22	779	1400	29
29	2000	0.00	40	0.00	3.20	7	1582	83	2.9	49	0.09	0.04	0.09	4.51	55	0.02	0.11	49	328	428	22	780	2000	29
30	200	0.00	40	0.00	3.22	7	1587	83	2.9	49	0.09	0.04	0.09	4.51	55	0.02	0.11	49	331	426	22	780	200	30
30	800	0.00	40	0.00	3.24	7	1592	83	2.9	49	0.08	0.04	0.09	4.51	55	0.02	0.11	49	334	424	21	781	800	30
30	1400	0.00	40	0.00	3.26	7	1598	83	2.9	49	0.08	0.04	0.09	4.51	55	0.02	0.11	49	337	423	21	782	1400	30
30	2000	0.00	40	0.00	3.29	7	1603	83	2.9	48	0.08	0.04	0.09	4.51	55	0.02	0.11	49	339	421	21	783	2000	30
31	200	0.00	40	0.00	3.31	7	1608	83	2.9	48	0.08	0.04	0.09	4.51	55	0.02	0.11	49	342	419	21	783	200	31
31	800	0.00	40	0.00	3.33	7	1613	83	2.9	48	0.08	0.04	0.09	4.51	55	0.02	0.11	49	344	417	21	784	800	31
31	1400	0.00	40	0.00	3.35	7	1618	83	2.9	48	0.08	0.04	0.09	4.51	55	0.02	0.11	49	347	415	21	785	1400	31
31	2000	0.00	40	0.00	3.38	7	1623	82	2.9	48	0.08	0.04	0.09	4.51	55	0.02	0.11	49	350	413	21	785	2000	31

FORM 1411-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.118 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	O-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
1	200	0.00	40	0.00	3.40	7	1628	82	2.9	48	0.08	0.04	0.09	4.51	55	0.02	0.11	49	352	412	21	786	200	1
1	800	0.00	40	0.00	3.42	7	1633	82	2.8	48	0.08	0.04	0.09	4.51	55	0.02	0.11	49	354	410	21	786	800	1
1	1400	0.00	40	0.00	3.44	7	1638	82	2.8	48	0.08	0.04	0.09	4.51	55	0.02	0.11	49	357	408	21	787	1400	1
1	2000	0.00	40	0.00	3.46	7	1643	82	2.8	48	0.08	0.04	0.09	4.51	55	0.02	0.11	49	359	406	20	787	2000	1
2	200	0.00	40	0.00	3.49	7	1648	82	2.8	47	0.08	0.04	0.09	4.51	55	0.02	0.11	49	362	404	20	788	200	2
2	800	0.00	40	0.00	3.51	7	1653	82	2.8	47	0.08	0.04	0.09	4.50	55	0.02	0.11	49	364	403	20	788	800	2
2	1400	0.00	40	0.00	3.53	7	1658	82	2.8	47	0.08	0.04	0.09	4.50	55	0.02	0.11	49	366	401	20	789	1400	2
2	2000	0.00	40	0.00	3.55	7	1663	82	2.8	47	0.08	0.04	0.09	4.50	55	0.02	0.11	49	369	399	20	789	2000	2
3	200	0.00	40	0.00	3.57	7	1668	81	2.8	47	0.08	0.04	0.09	4.50	55	0.02	0.11	49	371	397	20	789	200	3
3	800	0.00	40	0.00	3.59	7	1673	81	2.8	47	0.08	0.04	0.09	4.50	55	0.02	0.11	50	373	395	20	790	800	3
3	1400	0.00	40	0.00	3.62	8	1678	81	2.8	47	0.08	0.04	0.09	4.50	55	0.02	0.11	50	375	394	20	790	1400	3
3	2000	0.00	40	0.00	3.64	8	1683	81	2.8	47	0.08	0.04	0.09	4.50	55	0.02	0.11	50	377	392	20	790	2000	3
4	200	0.00	48	0.00	3.67	8	1687	81	3.2	56	0.09	0.05	0.09	4.50	55	0.03	0.11	50	379	390	20	791	200	4
4	800	0.00	48	0.00	3.69	8	1694	81	3.2	56	0.09	0.05	0.09	4.50	55	0.03	0.11	49	381	390	20	793	300	4
4	1400	0.00	67	0.00	3.75	8	1701	80	4.5	69	0.13	0.09	0.09	4.51	55	0.05	0.12	49	383	392	21	798	1400	4
4	2000	0.00	67	0.00	3.80	8	1712	80	4.4	69	0.13	0.09	0.09	4.54	55	0.05	0.13	49	385	400	23	810	2000	4
5	200	0.00	89	0.00	3.89	8	1723	80	7.0	78	0.21	0.16	0.09	4.57	56	0.09	0.15	49	387	418	27	834	200	5
5	800	0.00	94	0.00	3.99	8	1741	79	8.0	79	0.24	0.19	0.09	4.64	56	0.11	0.17	48	389	452	34	876	800	5
5	1400	0.00	99	0.00	4.15	9	1757	79	11.1	79	0.33	0.27	0.09	4.72	57	0.15	0.21	46	391	509	46	947	1400	5
5	2000	0.00	100	0.00	4.34	9	1780	78	14.2	79	0.43	0.34	0.09	4.84	58	0.20	0.25	45	392	600	66	1060	2000	5
6	200	0.00	100	0.00	4.56	10	1810	77	15.2	78	0.47	0.36	0.09	5.00	60	0.22	0.30	41	394	734	100	1230	200	6
6	800	0.00	100	0.00	4.83	10	1843	77	18.3	77	0.57	0.44	0.09	5.16	62	0.27	0.37	37	396	924	153	1475	800	6
6	1400	0.00	100	0.00	5.14	11	1884	75	20.4	76	0.64	0.49	0.09	5.36	64	0.31	0.44	34	398	1177	234	1810	1400	6
6	2000	0.00	100	0.00	5.50	11	1931	74	22.4	75	0.71	0.54	0.09	5.57	66	0.35	0.53	31	399	1502	354	2257	2000	6
7	200	0.00	100	0.00	5.91	12	1985	73	25.5	74	0.82	0.61	0.09	5.80	68	0.41	0.63	28	401	1902	533	2838	200	7
7	800	0.00	100	0.00	6.37	13	2044	71	27.5	73	0.90	0.65	0.09	6.04	70	0.46	0.74	26	402	2378	800	3582	800	7
7	1400	0.00	100	0.00	6.88	14	2108	69	29.5	71	0.98	0.70	0.09	6.29	73	0.51	0.87	24	404	2923	1186	4515	1400	7
7	2000	0.00	100	0.00	7.39	15	2179	68	28.9	69	0.98	0.68	0.09	6.54	75	0.51	1.00	22	406	3526	1712	5644	2000	7
8	200	0.00	100	0.00	7.90	16	2251	66	28.1	68	0.97	0.66	0.09	6.77	78	0.51	1.12	20	407	4165	2359	6933	200	8
8	800	0.00	100	0.00	8.42	18	2322	64	28.0	66	0.99	0.65	0.09	6.97	80	0.52	1.24	19	409	4816	3074	8301	800	8
8	1400	0.01	100	0.01	8.93	19	2394	62	27.0	64	0.97	0.63	0.09	7.15	82	0.52	1.36	18	410	5450	3803	9664	1400	8
8	2000	0.01	100	0.02	9.44	20	2465	61	26.9	62	0.99	0.63	0.09	7.32	83	0.52	1.48	16	412	6042	4509	10964	2000	8
9	200	0.04	100	0.05	9.94	21	2536	59	26.3	60	0.98	0.63	0.09	7.47	85	0.53	1.60	15	414	6571	5182	12168	200	9
9	800	0.04	100	0.09	10.45	22	2594	58	26.2	59	1.00	0.63	0.09	7.61	86	0.54	1.72	14	415	7027	5830	13274	800	9
9	1400	0.04	100	0.12	10.96	23	2647	56	25.6	58	1.01	0.62	0.09	7.74	87	0.54	1.84	13	417	7403	6469	14290	1400	9
9	2000	0.04	100	0.16	11.48	24	2701	55	25.6	56	1.04	0.63	0.09	7.86	89	0.56	1.96	12	419	7700	7105	15225	2000	9
10	200	0.12	100	0.27	11.99	25	2755	54	24.6	55	1.03	0.69	0.09	7.97	90	0.62	2.09	10	421	7922	7760	16104	200	10
10	800	0.13	100	0.38	12.51	26	2808	52	24.6	54	1.06	0.70	0.09	8.08	91	0.63	2.23	10	423	8079	8481	16984	800	10
10	1400	0.13	100	0.50	13.03	27	2862	51	24.3	52	1.08	0.69	0.09	8.19	92	0.63	2.36	10	425	8182	9296	17905	1400	10
10	2000	0.13	100	0.62	13.55	28	2916	50	24.2	51	1.10	0.69	0.09	8.28	93	0.64	2.50	10	427	8243	10160	18832	2000	10
11	200	0.10	100	0.71	14.05	29	2971	48	23.3	50	1.09	0.64	0.09	8.36	94	0.60	2.62	10	430	8267	10980	19679	200	11
11	800	0.10	100	0.80	14.56	30	3020	47	23.2	48	1.11	0.63	0.09	8.43	94	0.60	2.73	10	432	8261	11654	20349	800	11
11	1400	0.14	100	0.93	15.06	31	3064	46	22.9	47	1.13	0.67	0.09	8.49	95	0.64	2.86	10	435	8227	12140	20803	1400	11
11	2000	0.34	100	1.26	15.56	32	3108	44	22.9	46	1.15	0.86	0.09	8.55	96	0.83	3.03	10	438	8170	12557	21166	2000	11

FORM 141-3

PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF N.P.D., CORPS OF ENGINEERS

ETI = 0.09 IN./DAY, MELT RATE = 0.210 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BTI	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
12	200	0.12	100	1.37	16.02	33	3152	45	20.7	44	1.07	0.59	0.09	8.61	96	0.57	3.13	10	441	8100	13076	21618	200	12
12	800	0.12	100	1.48	16.45	34	3191	42	19.6	43	1.03	0.56	0.09	8.65	97	0.54	3.21	10	444	8021	13598	22065	800	12
12	1400	0.15	100	1.63	16.85	35	3229	41	18.5	42	0.99	0.57	0.09	8.69	97	0.55	3.28	10	448	7933	13831	22213	1400	12
12	2000	0.38	100	2.00	17.23	36	3268	40	17.4	41	0.95	0.77	0.09	8.72	97	0.75	3.40	10	452	7839	13744	22037	2000	12
13	200	0.15	100	2.15	17.60	37	3297	39	17.3	40	0.96	0.54	0.09	8.75	97	0.52	3.46	10	456	7745	13588	21790	200	13
13	800	0.15	100	2.30	17.98	37	3321	39	17.3	39	0.97	0.54	0.09	8.77	98	0.52	3.52	10	460	7654	13455	21571	800	13
13	1400	0.20	100	2.50	18.35	38	3343	38	17.2	39	0.98	0.59	0.09	8.79	98	0.57	3.59	10	464	7567	13239	21272	1400	13
13	2000	0.52	100	3.02	18.72	39	3366	37	17.2	38	1.00	0.90	0.09	8.81	98	0.89	3.73	10	469	7483	13036	20990	2000	13
14	200	0.19	100	3.20	19.07	40	3388	37	16.3	37	0.96	0.54	0.09	8.84	98	0.53	3.78	10	474	7407	13131	21014	200	14
14	800	0.19	100	3.38	19.42	40	3410	36	16.2	37	0.97	0.54	0.09	8.85	98	0.53	3.82	10	480	7342	13459	21283	800	14
14	1400	0.25	100	3.63	19.77	41	3431	35	16.2	36	0.98	0.60	0.09	8.86	99	0.59	3.89	10	485	7285	13657	21429	1400	14
14	2000	0.63	100	4.25	20.12	42	3452	35	16.1	35	0.99	0.98	0.09	8.87	99	0.97	4.04	10	491	7232	13722	21446	2000	14
15	200	0.31	100	4.56	20.49	43	3473	34	17.1	35	1.07	0.69	0.09	8.89	99	0.68	4.13	10	497	7187	14043	21729	200	15
15	800	0.31	100	4.87	20.85	43	3495	34	17.0	34	1.09	0.68	0.09	8.90	99	0.68	4.21	10	504	7156	14720	22381	800	15
15	1400	0.42	100	5.28	21.22	44	3518	33	16.9	33	1.10	0.78	0.09	8.91	99	0.78	4.32	10	510	7136	15453	23101	1400	15
15	2000	1.04	100	6.31	21.58	45	3540	32	16.9	33	1.12	1.41	0.09	8.92	99	1.40	4.58	10	517	7124	16284	23927	2000	15
16	200	0.57	100	6.88	21.92	46	3562	32	15.5	32	1.05	0.91	0.09	8.93	99	0.90	4.69	10	525	7127	17680	25333	200	16
16	800	0.24	100	7.11	22.21	46	3582	31	13.4	31	0.92	0.53	0.09	8.94	99	0.52	4.68	10	532	7149	19459	27142	800	16
16	1400	0.17	100	7.28	22.49	47	3599	31	13.3	31	0.93	0.45	0.09	8.94	99	0.45	4.67	10	540	7182	20551	28274	1400	16
16	2000	0.17	100	7.44	22.80	47	3617	30	14.3	30	1.01	0.47	0.09	8.94	99	0.47	4.67	10	548	7201	20228	27979	2000	16
17	200	0.39	100	7.83	23.10	48	3635	29	14.5	30	1.03	0.70	0.09	8.94	99	0.69	4.73	10	557	7191	18808	26557	200	17
17	800	0.16	100	7.99	23.41	49	3654	29	14.4	29	1.04	0.47	0.09	8.95	99	0.46	4.74	10	566	7145	17106	24818	800	17
17	1400	0.12	100	8.10	23.71	49	3672	28	14.4	29	1.05	0.42	0.09	8.95	99	0.42	4.74	10	575	7067	15600	23243	1400	17
17	2000	0.12	100	8.22	24.01	50	3690	28	14.3	28	1.06	0.41	0.09	8.95	99	0.41	4.74	10	584	6957	14272	21815	2000	17
18	200	0.00	100	8.22	24.32	51	3708	27	15.3	28	1.15	0.32	0.09	8.94	99	0.32	4.73	10	594	6815	13013	20423	200	18
18	800	0.00	100	8.22	24.63	51	3728	27	15.3	27	1.15	0.31	0.09	8.93	99	0.31	4.73	10	604	6638	11788	19032	800	18
18	1400	0.00	100	8.22	24.94	52	3746	26	15.2	27	1.16	0.31	0.09	8.91	99	0.30	4.72	10	614	6427	10612	17654	1400	18
18	2000	0.00	100	8.22	25.24	53	3765	26	15.1	26	1.16	0.30	0.09	8.90	99	0.30	4.72	10	624	6185	9541	16352	2000	18
19	200	0.00	100	8.22	25.59	53	3783	25	18.0	25	1.39	0.35	0.09	8.89	99	0.35	4.77	10	635	5921	8657	15215	200	19
19	800	0.00	100	8.22	25.97	54	3804	24	20.1	25	1.56	0.39	0.09	8.88	99	0.38	4.86	10	646	5645	8056	14348	800	19
19	1400	0.00	100	8.22	26.38	55	3828	24	22.1	24	1.73	0.42	0.09	8.88	99	0.41	4.99	10	657	5369	7815	13843	1400	19
19	2000	0.00	100	8.22	26.83	56	3853	23	24.3	23	1.92	0.45	0.09	8.88	99	0.45	5.16	10	669	5101	7945	13716	2000	19
20	200	0.00	100	8.22	27.28	57	3880	22	25.3	23	2.02	0.46	0.09	8.88	99	0.45	5.34	10	681	4846	8384	13912	200	20
20	800	0.00	100	8.22	27.72	58	3907	21	25.2	22	2.03	0.44	0.09	8.88	99	0.44	5.51	10	693	4608	9014	14316	800	20
20	1400	0.00	100	8.22	28.14	59	3933	20	25.1	21	2.05	0.43	0.09	8.88	99	0.42	5.68	10	705	4388	9682	14777	1400	20
20	2000	0.00	100	8.22	28.55	59	3959	20	25.0	20	2.06	0.42	0.09	8.89	99	0.41	5.83	10	718	4186	10254	15159	2000	20
21	200	0.00	100	8.22	29.02	60	3978	19	29.0	20	2.40	0.47	0.09	8.89	99	0.47	6.05	10	730	4000	10679	15410	200	21
21	800	0.00	100	8.22	29.48	61	3994	19	28.9	19	2.42	0.46	0.09	8.89	99	0.46	6.27	10	743	3828	11013	15586	800	21
21	1400	0.00	100	8.22	29.93	62	4017	18	28.9	19	2.44	0.46	0.09	8.90	99	0.45	6.48	10	756	3670	11334	15762	1400	21
21	2000	0.00	100	8.22	30.38	63	4046	18	28.8	18	2.46	0.45	0.09	8.90	99	0.44	6.68	10	769	3525	11645	15941	2000	21
22	200	0.00	100	8.22	30.85	64	4074	17	30.9	18	2.66	0.47	0.09	8.90	99	0.47	6.92	10	783	3390	11915	16089	200	22
22	800	0.00	100	8.22	31.31	65	4103	17	30.8	17	2.68	0.46	0.09	8.91	99	0.46	7.15	10	796	3265	12146	16209	800	22
22	1400	0.00	100	8.22	31.76	66	4132	17	30.8	17	2.70	0.46	0.09	8.91	99	0.45	7.37	10	810	3150	12349	16310	1400	22
22	2000	0.00	100	8.22	32.20	67	4160	16	30.8	16	2.72	0.45	0.09	8.91	99	0.44	7.58	10	824	3043	12513	16382	2000	22

FORM 1413-3
PRINTED IN U.S.A.

BASIN RESULTS - STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI

RUN DATE RUN NO. INITIAL DATE, HOUR JOB DESCRIPTION N.P.D., CORPS OF ENGINEERS
310881 1 MAY 1972 1400 0 SUSITNA HEP SPRING PMF

ETI = 0.09 IN./DAY, MELT RATE = 0.360 IN./DEGREE-DAY, AREA = 345.0 SQ. MI.

DAY	HOUR	PCPN	%RA	RN-AR	ML-AR	%AR	ELEV	SCA	D-DY	%MA	MELT	MI	ETI	SMI	ROP	RGP	BII	BFP	BASEF	SUBSF	SURF	DISCH	HOUR	DAY
JUN 1972																								JUN 1972
23	200	0.00	100	8.22	32.62	68	4188	16	29.7	16	2.65	0.42	0.09	8.91	99	0.42	7.76	10	838	2944	12609	16392	200	23
23	800	0.00	100	8.22	33.03	69	4214	15	29.6	16	2.66	0.41	0.09	8.91	99	0.41	7.94	10	852	2851	12609	16313	800	23
23	1400	0.00	100	8.22	33.43	70	4240	15	29.6	15	2.68	0.41	0.09	8.92	99	0.40	8.11	10	866	2764	12506	16137	1400	23
23	2000	0.00	100	8.22	33.82	70	4265	14	29.5	15	2.70	0.40	0.09	8.92	99	0.39	8.27	10	880	2681	12323	15885	2000	23
24	200	0.00	100	8.22	34.13	71	4290	14	23.2	14	2.13	0.31	0.09	8.92	99	0.30	8.29	10	894	2603	12063	15562	200	24
24	800	0.00	100	8.22	34.43	72	4309	14	23.2	14	2.14	0.30	0.09	8.91	99	0.30	8.31	10	909	2528	11669	15107	800	24
24	1400	0.00	100	8.22	34.72	72	4327	13	23.1	14	2.15	0.29	0.09	8.91	99	0.29	8.33	10	923	2457	11103	14485	1400	24
24	2000	0.00	100	8.22	35.00	73	4346	13	23.1	13	2.16	0.29	0.09	8.91	99	0.29	8.35	10	937	2389	10430	13757	2000	24
25	200	0.00	100	8.22	35.25	73	4364	13	19.9	13	1.87	0.25	0.09	8.90	99	0.24	8.30	10	952	2323	9744	13020	200	25
25	800	0.00	100	8.22	35.49	74	4379	13	19.9	13	1.88	0.24	0.09	8.90	99	0.24	8.26	10	966	2261	9082	12310	800	25
25	1400	0.00	100	8.22	35.72	74	4394	12	19.9	13	1.89	0.24	0.09	8.90	99	0.24	8.22	10	981	2201	8446	11629	1400	25
25	2000	0.00	100	8.22	35.95	75	4409	12	19.8	12	1.89	0.23	0.09	8.89	99	0.23	8.18	10	995	2144	7860	11001	2000	25
26	200	0.00	100	8.22	36.17	75	4423	12	18.8	12	1.80	0.22	0.09	8.89	99	0.22	8.12	10	1009	2090	7349	10450	200	26
26	800	0.00	100	8.22	36.38	76	4437	12	18.7	12	1.80	0.21	0.09	8.89	99	0.21	8.07	10	1024	2039	6915	9980	800	26
26	1400	0.00	100	8.22	36.59	76	4450	12	18.7	12	1.81	0.21	0.09	8.89	99	0.21	8.02	10	1038	1990	6546	9575	1400	26
26	2000	0.00	100	8.22	36.80	77	4463	11	18.7	11	1.81	0.21	0.09	8.88	99	0.21	7.97	10	1052	1944	6232	9230	2000	26
27	200	0.00	100	8.22	36.99	77	4476	11	17.6	11	1.71	0.19	0.09	8.88	99	0.19	7.91	10	1066	1900	5968	8937	200	27
27	800	0.00	100	8.22	37.18	77	4488	11	17.6	11	1.72	0.19	0.09	8.88	99	0.19	7.84	10	1081	1859	5737	8678	800	27
27	1400	0.00	100	8.22	37.36	78	4500	11	17.6	11	1.72	0.19	0.09	8.88	99	0.19	7.79	10	1095	1819	5522	8437	1400	27
27	2000	0.00	100	8.22	37.54	78	4512	11	17.6	11	1.73	0.18	0.09	8.88	99	0.18	7.73	10	1108	1781	5322	8213	2000	27
28	200	0.00	100	8.22	37.72	79	4523	10	17.6	11	1.73	0.18	0.09	8.88	99	0.18	7.68	10	1122	1745	5143	8012	200	28
28	800	0.00	100	8.22	37.90	79	4534	10	17.5	10	1.73	0.18	0.09	8.88	99	0.18	7.64	10	1136	1710	4989	7837	800	28
28	1400	0.00	100	8.22	38.08	79	4545	10	17.5	10	1.74	0.18	0.09	8.87	99	0.17	7.60	10	1149	1677	4858	7686	1400	28
28	2000	0.00	100	8.22	38.25	80	4556	10	17.5	10	1.74	0.17	0.09	8.87	99	0.17	7.56	10	1163	1645	4747	7557	2000	28
29	200	0.00	100	8.22	38.41	80	4567	10	16.4	10	1.64	0.16	0.09	8.87	99	0.16	7.50	10	1176	1614	4648	7439	200	29
29	800	0.00	100	8.22	38.56	80	4577	10	16.4	10	1.64	0.16	0.09	8.87	99	0.16	7.44	10	1189	1584	4545	7319	800	29
29	1400	0.00	100	8.22	38.72	81	4587	9	16.4	9	1.64	0.16	0.09	8.87	99	0.15	7.39	10	1202	1555	4428	7187	1400	29
29	2000	0.00	100	8.22	38.87	81	4597	9	16.4	9	1.64	0.15	0.09	8.87	99	0.15	7.34	10	1215	1527	4302	7045	2000	29
30	200	0.00	100	8.22	39.01	81	4606	9	15.3	9	1.54	0.14	0.09	8.87	99	0.14	7.26	10	1227	1500	4174	6903	200	30
30	800	0.00	100	8.22	39.14	82	4615	9	15.3	9	1.54	0.14	0.09	8.87	99	0.14	7.20	10	1239	1473	4043	6757	800	30
30	1400	0.00	100	8.22	39.28	82	4624	9	15.3	9	1.54	0.14	0.09	8.86	99	0.14	7.13	10	1251	1447	3906	6606	1400	30

MELT OPTIONS ARE MELT INDEX, %AR FUNCTION OF MELT ONLY, DEPL. CURVE, LAPSE=Y

FORM 1411-3

PRINTED IN U.S.A.

SUSITNA HEP SPRING PMF

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 1.0 SUSITNA GLACIER			STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE			STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	100.			120.			220.			140 1 MAY 72
1 MAY 72 2000	99.			120.			220.			200 1 MAY 72
2 MAY 72 200	98.			119.			217.			20 2 MAY 72
2 MAY 72 800	94.			118.			212.			80 2 MAY 72
2 MAY 72 1400	89.			116.			205.			140 2 MAY 72
2 MAY 72 2000	83.			114.			197.			200 2 MAY 72
3 MAY 72 200	77.			112.			190.			20 3 MAY 72
3 MAY 72 800	71.			111.			183.			80 3 MAY 72
3 MAY 72 1400	66.			111.			177.			140 3 MAY 72
3 MAY 72 2000	60.			112.			173.			200 3 MAY 72
4 MAY 72 200	55.			114.			169.			20 4 MAY 72
4 MAY 72 800	50.			117.			167.			80 4 MAY 72
4 MAY 72 1400	46.			120.			167.			140 4 MAY 72
4 MAY 72 2000	42.			125.			167.			200 4 MAY 72
5 MAY 72 200	38.			130.			168.			20 5 MAY 72
5 MAY 72 800	34.			136.			171.			80 5 MAY 72
5 MAY 72 1400	31.			142.			174.			140 5 MAY 72
5 MAY 72 2000	28.			149.			178.			200 5 MAY 72
6 MAY 72 200	26.			156.			182.			20 6 MAY 72
6 MAY 72 800	23.			162.			186.			80 6 MAY 72
6 MAY 72 1400	21.			169.			191.			140 6 MAY 72
6 MAY 72 2000	19.			176.			196.			200 6 MAY 72
7 MAY 72 200	18.			183.			201.			20 7 MAY 72
7 MAY 72 800	16.			190.			206.			80 7 MAY 72
7 MAY 72 1400	15.			196.			211.			140 7 MAY 72
7 MAY 72 2000	14.			202.			216.			200 7 MAY 72
8 MAY 72 200	13.			207.			221.			20 8 MAY 72
8 MAY 72 800	12.			213.			225.			80 8 MAY 72
8 MAY 72 1400	11.			218.			229.			140 8 MAY 72
8 MAY 72 2000	10.			223.			233.			200 8 MAY 72
9 MAY 72 200	10.			227.			237.			20 9 MAY 72
9 MAY 72 800	9.			231.			241.			80 9 MAY 72
9 MAY 72 1400	9.			235.			244.			140 9 MAY 72
9 MAY 72 2000	9.			238.			247.			200 9 MAY 72
10 MAY 72 200	8.			241.			250.			20 10 MAY 72
10 MAY 72 800	8.			244.			252.			80 10 MAY 72
10 MAY 72 1400	8.			246.			255.			140 10 MAY 72
10 MAY 72 2000	7.			249.			257.			200 10 MAY 72
11 MAY 72 200	7.			251.			259.			20 11 MAY 72
11 MAY 72 800	7.			253.			260.			80 11 MAY 72
11 MAY 72 1400	7.			254.			262.			140 11 MAY 72
11 MAY 72 2000	7.			256.			263.			200 11 MAY 72
12 MAY 72 200	7.			257.			265.			20 12 MAY 72

FORM 1813-2
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 1.0 SUSITNA GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 800		7.		258.			266.			80 12 MAY 72
12 MAY 72 1400		7.		259.			267.			140 12 MAY 72
12 MAY 72 2000		7.		260.			268.			200 12 MAY 72
13 MAY 72 200		7.		261.			268.			20 13 MAY 72
13 MAY 72 800		7.		262.			269.			80 13 MAY 72
13 MAY 72 1400		6.		263.			270.			140 13 MAY 72
13 MAY 72 2000		6.		263.			270.			200 13 MAY 72
14 MAY 72 200		6.		264.			270.			20 14 MAY 72
14 MAY 72 800		6.		264.			271.			80 14 MAY 72
14 MAY 72 1400		6.		264.			271.			140 14 MAY 72
14 MAY 72 2000		6.		265.			271.			200 14 MAY 72
15 MAY 72 200		6.		265.			272.			20 15 MAY 72
15 MAY 72 800		6.		265.			272.			80 15 MAY 72
15 MAY 72 1400		6.		265.			272.			140 15 MAY 72
15 MAY 72 2000		6.		265.			272.			200 15 MAY 72
16 MAY 72 200		6.		265.			272.			20 16 MAY 72
16 MAY 72 800		6.		265.			272.			80 16 MAY 72
16 MAY 72 1400		6.		266.			272.			140 16 MAY 72
16 MAY 72 2000		6.		266.			272.			200 16 MAY 72
17 MAY 72 200		6.		266.			272.			20 17 MAY 72
17 MAY 72 800		6.		266.			272.			80 17 MAY 72
17 MAY 72 1400		6.		266.			272.			140 17 MAY 72
17 MAY 72 2000		6.		266.			272.			200 17 MAY 72
18 MAY 72 200		6.		266.			272.			20 18 MAY 72
18 MAY 72 800		6.		266.			272.			80 18 MAY 72
18 MAY 72 1400		6.		266.			272.			140 18 MAY 72
18 MAY 72 2000		6.		266.			272.			200 18 MAY 72
19 MAY 72 200		6.		266.			272.			20 19 MAY 72
19 MAY 72 800		6.		266.			272.			80 19 MAY 72
19 MAY 72 1400		6.		266.			272.			140 19 MAY 72
19 MAY 72 2000		6.		266.			273.			200 19 MAY 72
20 MAY 72 200		6.		266.			273.			20 20 MAY 72
20 MAY 72 800		6.		266.			273.			80 20 MAY 72
20 MAY 72 1400		6.		266.			273.			140 20 MAY 72
20 MAY 72 2000		6.		266.			273.			200 20 MAY 72
21 MAY 72 200		6.		266.			273.			20 21 MAY 72
21 MAY 72 800		6.		266.			273.			80 21 MAY 72
21 MAY 72 1400		6.		266.			273.			140 21 MAY 72
21 MAY 72 2000		6.		266.			273.			200 21 MAY 72
22 MAY 72 200		6.		266.			273.			20 22 MAY 72
22 MAY 72 800		6.		267.			273.			80 22 MAY 72
22 MAY 72 1400		6.		267.			273.			140 22 MAY 72
22 MAY 72 2000		6.		267.			274.			200 22 MAY 72

FORM 4117-2
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 1.0 SUSITNA GLACIER		STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE			STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
23 MAY 72 200		6.		267.			274.			20 23 MAY 72
23 MAY 72 800		6.		267.			274.			80 23 MAY 72
23 MAY 72 1400		6.		267.			274.			140 23 MAY 72
23 MAY 72 2000		6.		268.			274.			200 23 MAY 72
24 MAY 72 200		6.		268.			275.			20 24 MAY 72
24 MAY 72 800		6.		268.			275.			80 24 MAY 72
24 MAY 72 1400		6.		268.			275.			140 24 MAY 72
24 MAY 72 2000		6.		268.			275.			200 24 MAY 72
25 MAY 72 200		6.		269.			275.			20 25 MAY 72
25 MAY 72 800		6.		269.			276.			80 25 MAY 72
25 MAY 72 1400		6.		269.			276.			140 25 MAY 72
25 MAY 72 2000		6.		269.			276.			200 25 MAY 72
26 MAY 72 200		6.		270.			276.			20 26 MAY 72
26 MAY 72 800		6.		270.			277.			80 26 MAY 72
26 MAY 72 1400		6.		270.			277.			140 26 MAY 72
26 MAY 72 2000		6.		271.			277.			200 26 MAY 72
27 MAY 72 200		6.		271.			278.			20 27 MAY 72
27 MAY 72 800		6.		271.			278.			80 27 MAY 72
27 MAY 72 1400		6.		271.			278.			140 27 MAY 72
27 MAY 72 2000		6.		272.			278.			200 27 MAY 72
28 MAY 72 200		6.		272.			279.			20 28 MAY 72
28 MAY 72 800		6.		272.			279.			80 28 MAY 72
28 MAY 72 1400		6.		273.			279.			140 28 MAY 72
28 MAY 72 2000		6.		273.			280.			200 28 MAY 72
29 MAY 72 200		6.		273.			280.			20 29 MAY 72
29 MAY 72 800		6.		274.			280.			80 29 MAY 72
29 MAY 72 1400		6.		274.			281.			140 29 MAY 72
29 MAY 72 2000		6.		274.			281.			200 29 MAY 72
30 MAY 72 200		6.		275.			281.			20 30 MAY 72
30 MAY 72 800		6.		275.			282.			80 30 MAY 72
30 MAY 72 1400		6.		275.			282.			140 30 MAY 72
30 MAY 72 2000		6.		275.			282.			200 30 MAY 72
31 MAY 72 200		6.		276.			282.			20 31 MAY 72
31 MAY 72 800		6.		276.			283.			80 31 MAY 72
31 MAY 72 1400		6.		276.			283.			140 31 MAY 72
31 MAY 72 2000		6.		277.			283.			200 31 MAY 72

FORM 1411-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 1.0 SUSITNA GLACIER FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200		6.		277.			284.			20 1 JUN 72
1 JUN 72 800		6.		277.			284.			80 1 JUN 72
1 JUN 72 1400		6.		277.			284.			140 1 JUN 72
1 JUN 72 2000		6.		278.			284.			200 1 JUN 72
2 JUN 72 200		6.		278.			285.			20 2 JUN 72
2 JUN 72 800		6.		278.			285.			80 2 JUN 72
2 JUN 72 1400		6.		279.			285.			140 2 JUN 72
2 JUN 72 2000		6.		279.			286.			200 2 JUN 72
3 JUN 72 200		6.		279.			286.			20 3 JUN 72
3 JUN 72 800		6.		279.			286.			80 3 JUN 72
3 JUN 72 1400		6.		279.			286.			140 3 JUN 72
3 JUN 72 2000		6.		280.			286.			200 3 JUN 72
4 JUN 72 200		6.		280.			287.			20 4 JUN 72
4 JUN 72 800		6.		282.			288.			80 4 JUN 72
4 JUN 72 1400		7.		286.			293.			140 4 JUN 72
4 JUN 72 2000		7.		295.			303.			200 4 JUN 72
5 JUN 72 200		8.		315.			324.			20 5 JUN 72
5 JUN 72 800		11.		352.			364.			80 5 JUN 72
5 JUN 72 1400		17.		418.			435.			140 5 JUN 72
5 JUN 72 2000		27.		533.			560.			200 5 JUN 72
6 JUN 72 200		45.		733.			779.			20 6 JUN 72
6 JUN 72 800		76.		1,070.			1,140.			80 6 JUN 72
6 JUN 72 1400		125.		1,600.			1,730.			140 6 JUN 72
6 JUN 72 2000		199.		2,460.			2,660.			200 6 JUN 72
7 JUN 72 200		305.		3,820.			4,130.			20 7 JUN 72
7 JUN 72 800		450.		5,890.			6,340.			80 7 JUN 72
7 JUN 72 1400		641.		8,900.			9,540.			140 7 JUN 72
7 JUN 72 2000		882.		12,900.			13,800.			200 7 JUN 72
8 JUN 72 200		1,180.		17,800.			19,000.			20 8 JUN 72
8 JUN 72 800		1,520.		23,100.			24,600.			80 8 JUN 72
8 JUN 72 1400		1,900.		28,200.			30,100.			140 8 JUN 72
8 JUN 72 2000		2,320.		33,000.			35,300.			200 8 JUN 72
9 JUN 72 200		2,760.		37,400.			40,200.			20 9 JUN 72
9 JUN 72 800		3,210.		41,600.			44,800.			80 9 JUN 72
9 JUN 72 1400		3,660.		45,400.			49,100.			140 9 JUN 72
9 JUN 72 2000		4,110.		49,000.			53,100.			200 9 JUN 72
10 JUN 72 200		4,560.		52,200.			56,800.			20 10 JUN 72
10 JUN 72 800		4,990.		55,000.			60,000.			80 10 JUN 72
10 JUN 72 1400		5,420.		57,400.			62,900.			140 10 JUN 72
10 JUN 72 2000		5,850.		59,400.			65,200.			200 10 JUN 72
11 JUN 72 200		6,270.		60,700.			67,000.			20 11 JUN 72
11 JUN 72 800		6,680.		61,300.			68,000.			80 11 JUN 72
11 JUN 72 1400		7,070.		61,100.			68,200.			140 11 JUN 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 1.0 SUSITNA GLACIER			STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE			STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	7,450.			60,600.			68,100.			200 11 JUN 72
12 JUN 72 200	7,830.			60,400.			68,200.			20 12 JUN 72
12 JUN 72 800	8,190.			60,200.			68,400.			80 12 JUN 72
12 JUN 72 1400	8,540.			59,300.			67,800.			140 12 JUN 72
12 JUN 72 2000	8,870.			57,500.			66,400.			200 12 JUN 72
13 JUN 72 200	9,180.			55,600.			64,800.			20 13 JUN 72
13 JUN 72 800	9,460.			54,000.			63,400.			80 13 JUN 72
13 JUN 72 1400	9,710.			52,200.			61,900.			140 13 JUN 72
13 JUN 72 2000	9,940.			50,600.			60,600.			200 13 JUN 72
14 JUN 72 200	10,200.			50,000.			60,100.			20 14 JUN 72
14 JUN 72 800	10,400.			50,100.			60,400.			80 14 JUN 72
14 JUN 72 1400	10,600.			49,900.			60,500.			140 14 JUN 72
14 JUN 72 2000	10,700.			49,500.			60,200.			200 14 JUN 72
15 JUN 72 200	10,900.			49,700.			60,700.			20 15 JUN 72
15 JUN 72 800	11,100.			51,000.			62,100.			80 15 JUN 72
15 JUN 72 1400	11,400.			52,500.			63,900.			140 15 JUN 72
15 JUN 72 2000	11,600.			54,300.			65,900.			200 15 JUN 72
16 JUN 72 200	11,900.			57,600.			69,500.			20 16 JUN 72
16 JUN 72 800	12,300.			61,900.			74,200.			80 16 JUN 72
16 JUN 72 1400	12,800.			64,500.			77,300.			140 16 JUN 72
16 JUN 72 2000	13,300.			63,300.			76,600.			200 16 JUN 72
17 JUN 72 200	13,700.			59,400.			73,000.			20 17 JUN 72
17 JUN 72 800	14,000.			54,700.			68,700.			80 17 JUN 72
17 JUN 72 1400	14,200.			50,600.			64,800.			140 17 JUN 72
17 JUN 72 2000	14,400.			46,900.			61,300.			200 17 JUN 72
18 JUN 72 200	14,400.			43,400.			57,900.			20 18 JUN 72
18 JUN 72 800	14,300.			40,100.			54,400.			80 18 JUN 72
18 JUN 72 1400	14,200.			36,900.			51,000.			140 18 JUN 72
18 JUN 72 2000	13,900.			33,900.			47,800.			200 18 JUN 72
19 JUN 72 200	13,500.			31,500.			44,900.			20 19 JUN 72
19 JUN 72 800	13,000.			29,700.			42,700.			80 19 JUN 72
19 JUN 72 1400	12,500.			28,900.			41,400.			140 19 JUN 72
19 JUN 72 2000	12,000.			29,100.			41,000.			200 19 JUN 72
20 JUN 72 200	11,400.			30,100.			41,500.			20 20 JUN 72
20 JUN 72 800	10,900.			31,600.			42,500.			80 20 JUN 72
20 JUN 72 1400	10,400.			33,300.			43,800.			140 20 JUN 72
20 JUN 72 2000	10,000.			34,800.			44,800.			200 20 JUN 72
21 JUN 72 200	9,620.			36,000.			45,600.			20 21 JUN 72
21 JUN 72 800	9,300.			37,000.			46,300.			80 21 JUN 72
21 JUN 72 1400	9,040.			38,000.			47,000.			140 21 JUN 72
21 JUN 72 2000	8,840.			39,000.			47,800.			200 21 JUN 72
22 JUN 72 200	8,700.			39,800.			48,500.			20 22 JUN 72
22 JUN 72 800	8,620.			40,400.			49,000.			80 22 JUN 72

FORM 1611-5
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 1.0 SUSITNA GLACIER			STATION 2.0 SUSITNA NON-GLACIER ABV USGS GAGE			STATION 3.0 SUSITNA RIVER NEAR DENALI CALCULATED			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400	8,590.			40,900.			49,500.			140 22 JUN 72
22 JUN 72 2000	8,600.			41,300.			49,900.			200 22 JUN 72
23 JUN 72 200	8,650.			41,500.			50,100.			20 23 JUN 72
23 JUN 72 800	8,740.			41,400.			50,100.			80 23 JUN 72
23 JUN 72 1400	8,850.			41,000.			49,800.			140 23 JUN 72
23 JUN 72 2000	8,970.			40,400.			49,400.			200 23 JUN 72
24 JUN 72 200	9,100.			39,600.			48,700.			20 24 JUN 72
24 JUN 72 800	9,230.			38,400.			47,600.			80 24 JUN 72
24 JUN 72 1400	9,350.			36,700.			46,000.			140 24 JUN 72
24 JUN 72 2000	9,440.			34,700.			44,100.			200 24 JUN 72
25 JUN 72 200	9,500.			32,600.			42,100.			20 25 JUN 72
25 JUN 72 800	9,530.			30,700.			40,200.			80 25 JUN 72
25 JUN 72 1400	9,520.			28,800.			38,300.			140 25 JUN 72
25 JUN 72 2000	9,470.			27,000.			36,500.			200 25 JUN 72
26 JUN 72 200	9,400.			25,500.			34,900.			20 26 JUN 72
26 JUN 72 800	9,290.			24,200.			33,500.			80 26 JUN 72
26 JUN 72 1400	9,160.			23,100.			32,200.			140 26 JUN 72
26 JUN 72 2000	9,000.			22,100.			31,100.			200 26 JUN 72
27 JUN 72 200	8,830.			21,300.			30,200.			20 27 JUN 72
27 JUN 72 800	8,640.			20,600.			29,300.			80 27 JUN 72
27 JUN 72 1400	8,450.			20,000.			28,400.			140 27 JUN 72
27 JUN 72 2000	8,250.			19,400.			27,600.			200 27 JUN 72
28 JUN 72 200	8,050.			18,800.			26,900.			20 28 JUN 72
28 JUN 72 800	7,850.			18,300.			26,200.			80 28 JUN 72
28 JUN 72 1400	7,660.			18,000.			25,600.			140 28 JUN 72
28 JUN 72 2000	7,470.			17,600.			25,100.			200 28 JUN 72
29 JUN 72 200	7,290.			17,300.			24,600.			20 29 JUN 72
29 JUN 72 800	7,120.			17,000.			24,200.			80 29 JUN 72
29 JUN 72 1400	6,960.			16,700.			23,700.			140 29 JUN 72
29 JUN 72 2000	6,800.			16,300.			23,100.			200 29 JUN 72
30 JUN 72 200	6,660.			16,000.			22,600.			20 30 JUN 72
30 JUN 72 800	6,520.			15,600.			22,100.			80 30 JUN 72
30 JUN 72 1400	6,390.			15,200.			21,600.			140 30 JUN 72

FORM 1413-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE						DENALI DAMSITE 1260 SQ MI			
	LOCAL ABOVE DENALI DAMSITE 312 SQ MI									
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	220.			85.			305.			140 1 MAY 72
1 MAY 72 2000	220.			85.			305.			200 1 MAY 72
2 MAY 72 200	219.			85.			305.			20 2 MAY 72
2 MAY 72 800	217.			88.			305.			80 2 MAY 72
2 MAY 72 1400	213.			92.			305.			140 2 MAY 72
2 MAY 72 2000	207.			97.			304.			200 2 MAY 72
3 MAY 72 200	199.			102.			301.			20 3 MAY 72
3 MAY 72 800	192.			105.			297.			80 3 MAY 72
3 MAY 72 1400	185.			108.			293.			140 3 MAY 72
3 MAY 72 2000	179.			109.			288.			200 3 MAY 72
4 MAY 72 200	174.			110.			284.			20 4 MAY 72
4 MAY 72 800	171.			110.			281.			80 4 MAY 72
4 MAY 72 1400	168.			111.			279.			140 4 MAY 72
4 MAY 72 2000	167.			111.			278.			200 4 MAY 72
5 MAY 72 200	167.			110.			278.			20 5 MAY 72
5 MAY 72 800	168.			110.			278.			80 5 MAY 72
5 MAY 72 1400	170.			110.			280.			140 5 MAY 72
5 MAY 72 2000	173.			110.			283.			200 5 MAY 72
6 MAY 72 200	177.			109.			286.			20 6 MAY 72
6 MAY 72 800	181.			109.			290.			80 6 MAY 72
6 MAY 72 1400	185.			109.			294.			140 6 MAY 72
6 MAY 72 2000	190.			109.			299.			200 6 MAY 72
7 MAY 72 200	195.			108.			303.			20 7 MAY 72
7 MAY 72 800	200.			108.			308.			80 7 MAY 72
7 MAY 72 1400	205.			108.			313.			140 7 MAY 72
7 MAY 72 2000	210.			108.			318.			200 7 MAY 72
8 MAY 72 200	215.			107.			322.			20 8 MAY 72
8 MAY 72 800	220.			107.			327.			80 8 MAY 72
8 MAY 72 1400	224.			107.			331.			140 8 MAY 72
8 MAY 72 2000	228.			107.			335.			200 8 MAY 72
9 MAY 72 200	232.			106.			339.			20 9 MAY 72
9 MAY 72 800	236.			106.			342.			80 9 MAY 72
9 MAY 72 1400	240.			106.			346.			140 9 MAY 72
9 MAY 72 2000	243.			105.			349.			200 9 MAY 72
10 MAY 72 200	246.			105.			351.			20 10 MAY 72
10 MAY 72 800	249.			105.			354.			80 10 MAY 72
10 MAY 72 1400	252.			105.			356.			140 10 MAY 72
10 MAY 72 2000	254.			104.			358.			200 10 MAY 72
11 MAY 72 200	256.			104.			360.			20 11 MAY 72
11 MAY 72 800	258.			104.			362.			80 11 MAY 72
11 MAY 72 1400	260.			104.			364.			140 11 MAY 72
11 MAY 72 2000	262.			103.			365.			200 11 MAY 72
12 MAY 72 200	263.			103.			366.			20 12 MAY 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE			LOCAL ABOVE DENALI DAMSITE 312 SQ MI			DENALI DAMSITE 1260 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 800	264.			103.			367.			80 12 MAY 72
12 MAY 72 1400	265.			102.			368.			140 12 MAY 72
12 MAY 72 2000	266.			102.			369.			200 12 MAY 72
13 MAY 72 200	267.			102.			369.			20 13 MAY 72
13 MAY 72 800	268.			102.			370.			80 13 MAY 72
13 MAY 72 1400	269.			101.			370.			140 13 MAY 72
13 MAY 72 2000	269.			101.			370.			200 13 MAY 72
14 MAY 72 200	270.			101.			371.			20 14 MAY 72
14 MAY 72 800	270.			100.			371.			80 14 MAY 72
14 MAY 72 1400	271.			100.			371.			140 14 MAY 72
14 MAY 72 2000	271.			99.			371.			200 14 MAY 72
15 MAY 72 200	271.			99.			371.			20 15 MAY 72
15 MAY 72 800	272.			99.			371.			80 15 MAY 72
15 MAY 72 1400	272.			98.			370.			140 15 MAY 72
15 MAY 72 2000	272.			98.			370.			200 15 MAY 72
16 MAY 72 200	272.			98.			370.			20 16 MAY 72
16 MAY 72 800	272.			97.			370.			80 16 MAY 72
16 MAY 72 1400	272.			97.			370.			140 16 MAY 72
16 MAY 72 2000	272.			97.			369.			200 16 MAY 72
17 MAY 72 200	272.			96.			369.			20 17 MAY 72
17 MAY 72 800	272.			96.			369.			80 17 MAY 72
17 MAY 72 1400	272.			96.			368.			140 17 MAY 72
17 MAY 72 2000	272.			95.			368.			200 17 MAY 72
18 MAY 72 200	272.			95.			368.			20 18 MAY 72
18 MAY 72 800	272.			95.			367.			80 18 MAY 72
18 MAY 72 1400	272.			94.			367.			140 18 MAY 72
18 MAY 72 2000	272.			94.			367.			200 18 MAY 72
19 MAY 72 200	272.			94.			366.			20 19 MAY 72
19 MAY 72 800	272.			93.			366.			80 19 MAY 72
19 MAY 72 1400	272.			93.			366.			140 19 MAY 72
19 MAY 72 2000	272.			92.			365.			200 19 MAY 72
20 MAY 72 200	273.			92.			365.			20 20 MAY 72
20 MAY 72 800	273.			92.			365.			80 20 MAY 72
20 MAY 72 1400	273.			91.			364.			140 20 MAY 72
20 MAY 72 2000	273.			91.			364.			200 20 MAY 72
21 MAY 72 200	273.			91.			364.			20 21 MAY 72
21 MAY 72 800	273.			90.			364.			80 21 MAY 72
21 MAY 72 1400	273.			90.			363.			140 21 MAY 72
21 MAY 72 2000	273.			90.			363.			200 21 MAY 72
22 MAY 72 200	273.			89.			363.			20 22 MAY 72
22 MAY 72 800	273.			89.			362.			80 22 MAY 72
22 MAY 72 1400	273.			88.			362.			140 22 MAY 72
22 MAY 72 2000	273.			88.			362.			200 22 MAY 72

FORM 1413

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

STATION 5.5 STATION 8.0 STATION 10.0
30-100 ROUT DENALI GAGE TO DENALI DAMSITE DENALI DAMSITE 1260 SQ MI
LOCAL ABOVE DENALI DAMSITE 312 SQ MI

DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
23 MAY 72 200		274.			88.			362.		20 23 MAY 72
23 MAY 72 800		274.			87.			362.		80 23 MAY 72
23 MAY 72 1400		274.			87.			361.		140 23 MAY 72
23 MAY 72 2000		274.			87.			361.		200 23 MAY 72
24 MAY 72 200		274.			86.			361.		20 24 MAY 72
24 MAY 72 800		275.			86.			361.		80 24 MAY 72
24 MAY 72 1400		275.			85.			361.		140 24 MAY 72
24 MAY 72 2000		275.			85.			360.		200 24 MAY 72
25 MAY 72 200		275.			85.			360.		20 25 MAY 72
25 MAY 72 800		275.			84.			360.		80 25 MAY 72
25 MAY 72 1400		276.			84.			360.		140 25 MAY 72
25 MAY 72 2000		276.			83.			360.		200 25 MAY 72
26 MAY 72 200		276.			83.			360.		20 26 MAY 72
26 MAY 72 800		276.			83.			360.		80 26 MAY 72
26 MAY 72 1400		277.			82.			359.		140 26 MAY 72
26 MAY 72 2000		277.			82.			359.		200 26 MAY 72
27 MAY 72 200		277.			82.			359.		20 27 MAY 72
27 MAY 72 800		278.			81.			359.		80 27 MAY 72
27 MAY 72 1400		278.			81.			359.		140 27 MAY 72
27 MAY 72 2000		278.			81.			359.		200 27 MAY 72
28 MAY 72 200		278.			80.			359.		20 28 MAY 72
28 MAY 72 800		279.			80.			359.		80 28 MAY 72
28 MAY 72 1400		279.			80.			359.		140 28 MAY 72
28 MAY 72 2000		279.			79.			359.		200 28 MAY 72
29 MAY 72 200		280.			79.			359.		20 29 MAY 72
29 MAY 72 800		280.			79.			359.		80 29 MAY 72
29 MAY 72 1400		280.			78.			359.		140 29 MAY 72
29 MAY 72 2000		281.			78.			359.		200 29 MAY 72
30 MAY 72 200		281.			78.			359.		20 30 MAY 72
30 MAY 72 800		281.			77.			359.		80 30 MAY 72
30 MAY 72 1400		281.			77.			359.		140 30 MAY 72
30 MAY 72 2000		282.			77.			359.		200 30 MAY 72
31 MAY 72 200		282.			76.			359.		20 31 MAY 72
31 MAY 72 800		282.			76.			359.		80 31 MAY 72
31 MAY 72 1400		283.			76.			359.		140 31 MAY 72
31 MAY 72 2000		283.			75.			359.		200 31 MAY 72

FORM 1611-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE						DENALI DAMSITE 1260 SQ MI			
	LOCAL ABOVE DENALI DAMSITE 312 SQ MI									
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200	283.			75.			359.			20 1 JUN 72
1 JUN 72 800	284.			75.			359.			80 1 JUN 72
1 JUN 72 1400	284.			74.			359.			140 1 JUN 72
1 JUN 72 2000	284.			74.			359.			200 1 JUN 72
2 JUN 72 200	284.			74.			359.			20 2 JUN 72
2 JUN 72 800	285.			73.			359.			80 2 JUN 72
2 JUN 72 1400	285.			73.			359.			140 2 JUN 72
2 JUN 72 2000	285.			73.			358.			200 2 JUN 72
3 JUN 72 200	285.			72.			358.			20 3 JUN 72
3 JUN 72 800	286.			72.			358.			80 3 JUN 72
3 JUN 72 1400	286.			72.			358.			140 3 JUN 72
3 JUN 72 2000	286.			72.			358.			200 3 JUN 72
4 JUN 72 200	286.			72.			359.			20 4 JUN 72
4 JUN 72 800	287.			73.			361.			80 4 JUN 72
4 JUN 72 1400	289.			77.			367.			140 4 JUN 72
4 JUN 72 2000	293.			87.			381.			200 4 JUN 72
5 JUN 72 200	304.			104.			408.			20 5 JUN 72
5 JUN 72 800	325.			132.			457.			80 5 JUN 72
5 JUN 72 1400	365.			176.			541.			140 5 JUN 72
5 JUN 72 2000	459.			242.			681.			200 5 JUN 72
6 JUN 72 200	573.			334.			907.			20 6 JUN 72
6 JUN 72 800	809.			453.			1,260.			80 6 JUN 72
6 JUN 72 1400	1,240.			605.			1,850.			140 6 JUN 72
6 JUN 72 2000	1,920.			799.			2,720.			200 6 JUN 72
7 JUN 72 200	3,040.			1,050.			4,090.			20 7 JUN 72
7 JUN 72 800	4,810.			1,390.			6,200.			80 7 JUN 72
7 JUN 72 1400	7,490.			1,800.			9,290.			140 7 JUN 72
7 JUN 72 2000	11,300.			2,320.			13,600.			200 7 JUN 72
8 JUN 72 200	16,100.			2,890.			19,000.			20 8 JUN 72
8 JUN 72 800	21,600.			3,480.			25,100.			80 8 JUN 72
8 JUN 72 1400	27,000.			4,050.			31,000.			140 8 JUN 72
8 JUN 72 2000	32,500.			4,580.			37,000.			200 8 JUN 72
9 JUN 72 200	37,600.			5,050.			42,600.			20 9 JUN 72
9 JUN 72 800	42,300.			5,490.			47,800.			80 9 JUN 72
9 JUN 72 1400	46,800.			5,890.			52,700.			140 9 JUN 72
9 JUN 72 2000	51,000.			6,250.			57,200.			200 9 JUN 72
10 JUN 72 200	54,800.			6,620.			61,500.			20 10 JUN 72
10 JUN 72 800	58,300.			7,110.			65,400.			80 10 JUN 72
10 JUN 72 1400	61,400.			7,610.			69,000.			140 10 JUN 72
10 JUN 72 2000	64,000.			8,080.			72,100.			200 10 JUN 72
11 JUN 72 200	66,100.			8,470.			74,600.			20 11 JUN 72
11 JUN 72 800	67,500.			8,710.			76,200.			80 11 JUN 72
11 JUN 72 1400	68,100.			8,970.			77,100.			140 11 JUN 72

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE			LOCAL ABOVE DENALI DAMSITE 312 SQ MI			DENALI DAMSITE 1260 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	68,200.			9,670.			77,800.			200 11 JUN 72
12 JUN 72 200	68,200.			10,700.			78,800.			20 12 JUN 72
12 JUN 72 800	68,300.			10,500.			78,800.			80 12 JUN 72
12 JUN 72 1400	68,100.			10,100.			78,200.			140 12 JUN 72
12 JUN 72 2000	67,100.			10,400.			77,500.			200 12 JUN 72
13 JUN 72 200	65,600.			11,300.			76,900.			20 13 JUN 72
13 JUN 72 800	64,100.			11,100.			75,300.			80 13 JUN 72
13 JUN 72 1400	62,700.			10,900.			73,600.			140 13 JUN 72
13 JUN 72 2000	61,300.			12,000.			73,300.			200 13 JUN 72
14 JUN 72 200	60,400.			14,200.			74,600.			20 14 JUN 72
14 JUN 72 800	60,300.			13,700.			74,000.			80 14 JUN 72
14 JUN 72 1400	60,400.			12,900.			73,400.			140 14 JUN 72
14 JUN 72 2000	60,300.			14,400.			74,700.			200 14 JUN 72
15 JUN 72 200	60,400.			17,900.			78,400.			20 15 JUN 72
15 JUN 72 800	61,400.			18,300.			79,700.			80 15 JUN 72
15 JUN 72 1400	63,000.			17,900.			80,900.			140 15 JUN 72
15 JUN 72 2000	64,900.			20,900.			85,800.			200 15 JUN 72
16 JUN 72 200	67,700.			27,100.			94,800.			20 16 JUN 72
16 JUN 72 800	71,800.			25,600.			97,400.			80 16 JUN 72
16 JUN 72 1400	75,700.			19,400.			95,100.			140 16 JUN 72
16 JUN 72 2000	76,900.			15,100.			92,000.			200 16 JUN 72
17 JUN 72 200	74,800.			14,100.			89,000.			20 17 JUN 72
17 JUN 72 800	70,900.			15,100.			86,000.			80 17 JUN 72
17 JUN 72 1400	66,800.			14,100.			80,900.			140 17 JUN 72
17 JUN 72 2000	63,100.			12,500.			75,600.			200 17 JUN 72
18 JUN 72 200	59,600.			11,500.			71,100.			20 18 JUN 72
18 JUN 72 800	56,200.			10,400.			66,600.			80 18 JUN 72
18 JUN 72 1400	52,800.			9,510.			62,300.			140 18 JUN 72
18 JUN 72 2000	49,500.			8,900.			58,400.			200 18 JUN 72
19 JUN 72 200	46,400.			8,560.			55,000.			20 19 JUN 72
19 JUN 72 800	43,900.			8,790.			52,700.			80 19 JUN 72
19 JUN 72 1400	42,100.			9,420.			51,500.			140 19 JUN 72
19 JUN 72 2000	41,200.			10,300.			51,500.			200 19 JUN 72
20 JUN 72 200	41,300.			11,200.			52,400.			20 20 JUN 72
20 JUN 72 800	42,000.			11,800.			53,800.			80 20 JUN 72
20 JUN 72 1400	43,100.			12,100.			55,200.			140 20 JUN 72
20 JUN 72 2000	44,300.			12,200.			56,400.			200 20 JUN 72
21 JUN 72 200	45,200.			12,400.			57,600.			20 21 JUN 72
21 JUN 72 800	45,900.			13,200.			59,100.			80 21 JUN 72
21 JUN 72 1400	46,700.			13,700.			60,400.			140 21 JUN 72
21 JUN 72 2000	47,400.			13,900.			61,300.			200 21 JUN 72
22 JUN 72 200	48,100.			13,900.			62,100.			20 22 JUN 72
22 JUN 72 800	48,700.			14,200.			63,000.			80 22 JUN 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 5.5			STATION 8.0			STATION 10.0			
	30-100 ROUT DENALI GAGE TO DENALI DAMSITE						DENALI DAMSITE 1260 SQ MI			
				LOCAL ABOVE DENALI DAMSITE 312 SQ MI						
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400	49,300.			14,400.			63,600.			140 22 JUN 72
22 JUN 72 2000	49,700.			14,200.			63,900.			200 22 JUN 72
23 JUN 72 200	50,000.			13,900.			63,900.			20 23 JUN 72
23 JUN 72 800	50,100.			13,400.			63,500.			80 23 JUN 72
23 JUN 72 1400	50,000.			12,900.			62,900.			140 23 JUN 72
23 JUN 72 2000	49,600.			12,500.			62,100.			200 23 JUN 72
24 JUN 72 200	49,000.			11,800.			60,900.			20 24 JUN 72
24 JUN 72 800	48,200.			10,500.			58,700.			80 24 JUN 72
24 JUN 72 1400	46,900.			9,510.			56,400.			140 24 JUN 72
24 JUN 72 2000	45,100.			9,030.			54,100.			200 24 JUN 72
25 JUN 72 200	43,200.			8,640.			51,800.			20 25 JUN 72
25 JUN 72 800	41,200.			8,020.			49,200.			80 25 JUN 72
25 JUN 72 1400	39,300.			7,580.			46,900.			140 25 JUN 72
25 JUN 72 2000	37,500.			7,380.			44,800.			200 25 JUN 72
26 JUN 72 200	35,800.			7,220.			43,000.			20 26 JUN 72
26 JUN 72 800	34,200.			7,000.			41,200.			80 26 JUN 72
26 JUN 72 1400	32,900.			6,830.			39,700.			140 26 JUN 72
26 JUN 72 2000	31,700.			6,730.			38,500.			200 26 JUN 72
27 JUN 72 200	30,700.			6,630.			37,300.			20 27 JUN 72
27 JUN 72 800	29,700.			6,430.			36,200.			80 27 JUN 72
27 JUN 72 1400	28,700.			6,280.			35,200.			140 27 JUN 72
27 JUN 72 2000	28,000.			6,200.			34,200.			200 27 JUN 72
28 JUN 72 200	27,300.			6,140.			33,400.			20 28 JUN 72
28 JUN 72 800	26,600.			6,100.			32,700.			80 28 JUN 72
28 JUN 72 1400	25,900.			6,050.			32,000.			140 28 JUN 72
28 JUN 72 2000	25,400.			6,010.			31,400.			200 28 JUN 72
29 JUN 72 200	24,900.			5,920.			30,800.			20 29 JUN 72
29 JUN 72 800	24,400.			5,740.			30,200.			80 29 JUN 72
29 JUN 72 1400	23,900.			5,610.			29,500.			140 29 JUN 72
29 JUN 72 2000	23,400.			5,530.			29,000.			200 29 JUN 72
30 JUN 72 200	22,900.			5,450.			28,400.			20 30 JUN 72
30 JUN 72 800	22,400.			5,280.			27,700.			80 30 JUN 72
30 JUN 72 1400	21,900.			5,150.			27,000.			140 30 JUN 72

FORM 1211-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 18.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUSKMAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	305.			125.			30.			140 1 MAY 72
1 MAY 72 2000	305.			125.			29.			200 1 MAY 72
2 MAY 72 200	305.			126.			26.			20 2 MAY 72
2 MAY 72 800	305.			131.			22.			80 2 MAY 72
2 MAY 72 1400	305.			139.			18.			140 2 MAY 72
2 MAY 72 2000	305.			148.			15.			200 2 MAY 72
3 MAY 72 200	305.			155.			13.			20 3 MAY 72
3 MAY 72 800	303.			161.			11.			80 3 MAY 72
3 MAY 72 1400	300.			165.			10.			140 3 MAY 72
3 MAY 72 2000	296.			168.			8.			200 3 MAY 72
4 MAY 72 200	292.			169.			7.			20 4 MAY 72
4 MAY 72 800	288.			170.			7.			80 4 MAY 72
4 MAY 72 1400	284.			170.			6.			140 4 MAY 72
4 MAY 72 2000	281.			170.			5.			200 4 MAY 72
5 MAY 72 200	279.			170.			5.			20 5 MAY 72
5 MAY 72 800	278.			170.			5.			80 5 MAY 72
5 MAY 72 1400	278.			169.			4.			140 5 MAY 72
5 MAY 72 2000	279.			169.			4.			200 5 MAY 72
6 MAY 72 200	281.			169.			4.			20 6 MAY 72
6 MAY 72 800	284.			168.			4.			80 6 MAY 72
6 MAY 72 1400	287.			168.			3.			140 6 MAY 72
6 MAY 72 2000	291.			168.			3.			200 6 MAY 72
7 MAY 72 200	295.			167.			3.			20 7 MAY 72
7 MAY 72 800	300.			167.			3.			80 7 MAY 72
7 MAY 72 1400	304.			166.			3.			140 7 MAY 72
7 MAY 72 2000	309.			166.			3.			200 7 MAY 72
8 MAY 72 200	314.			166.			3.			20 8 MAY 72
8 MAY 72 800	319.			165.			3.			80 8 MAY 72
8 MAY 72 1400	323.			165.			3.			140 8 MAY 72
8 MAY 72 2000	328.			165.			3.			200 8 MAY 72
9 MAY 72 200	332.			164.			3.			20 9 MAY 72
9 MAY 72 800	336.			164.			3.			80 9 MAY 72
9 MAY 72 1400	340.			163.			3.			140 9 MAY 72
9 MAY 72 2000	343.			163.			3.			200 9 MAY 72
10 MAY 72 200	346.			163.			3.			20 10 MAY 72
10 MAY 72 800	349.			162.			3.			80 10 MAY 72
10 MAY 72 1400	352.			162.			3.			140 10 MAY 72
10 MAY 72 2000	355.			162.			3.			200 10 MAY 72
11 MAY 72 200	357.			161.			3.			20 11 MAY 72
11 MAY 72 800	359.			161.			3.			80 11 MAY 72
11 MAY 72 1400	361.			161.			3.			140 11 MAY 72
11 MAY 72 2000	362.			160.			3.			200 11 MAY 72
12 MAY 72 200	364.			160.			3.			20 12 MAY 72

FORM 1413

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 18.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUSRMAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 800	365.			159.			3.			80 12 MAY 72
12 MAY 72 1400	366.			159.			3.			140 12 MAY 72
12 MAY 72 2000	367.			159.			3.			200 12 MAY 72
13 MAY 72 200	368.			158.			3.			20 13 MAY 72
13 MAY 72 800	369.			158.			3.			80 13 MAY 72
13 MAY 72 1400	369.			158.			3.			140 13 MAY 72
13 MAY 72 2000	370.			157.			3.			200 13 MAY 72
14 MAY 72 200	370.			157.			3.			20 14 MAY 72
14 MAY 72 800	370.			156.			3.			80 14 MAY 72
14 MAY 72 1400	371.			156.			3.			140 14 MAY 72
14 MAY 72 2000	371.			156.			3.			200 14 MAY 72
15 MAY 72 200	371.			155.			3.			20 15 MAY 72
15 MAY 72 800	371.			155.			3.			80 15 MAY 72
15 MAY 72 1400	371.			155.			3.			140 15 MAY 72
15 MAY 72 2000	371.			154.			3.			200 15 MAY 72
16 MAY 72 200	370.			154.			3.			20 16 MAY 72
16 MAY 72 800	370.			153.			3.			80 16 MAY 72
16 MAY 72 1400	370.			153.			3.			140 16 MAY 72
16 MAY 72 2000	370.			152.			3.			200 16 MAY 72
17 MAY 72 200	370.			152.			3.			20 17 MAY 72
17 MAY 72 800	369.			152.			3.			80 17 MAY 72
17 MAY 72 1400	369.			151.			3.			140 17 MAY 72
17 MAY 72 2000	369.			151.			3.			200 17 MAY 72
18 MAY 72 200	368.			150.			3.			20 18 MAY 72
18 MAY 72 800	368.			150.			3.			80 18 MAY 72
18 MAY 72 1400	368.			150.			3.			140 18 MAY 72
18 MAY 72 2000	367.			149.			3.			200 18 MAY 72
19 MAY 72 200	367.			149.			3.			20 19 MAY 72
19 MAY 72 800	367.			148.			3.			80 19 MAY 72
19 MAY 72 1400	366.			148.			3.			140 19 MAY 72
19 MAY 72 2000	366.			147.			3.			200 19 MAY 72
20 MAY 72 200	366.			147.			3.			20 20 MAY 72
20 MAY 72 800	365.			146.			3.			80 20 MAY 72
20 MAY 72 1400	365.			146.			3.			140 20 MAY 72
20 MAY 72 2000	365.			146.			3.			200 20 MAY 72
21 MAY 72 200	364.			145.			3.			20 21 MAY 72
21 MAY 72 800	364.			145.			3.			80 21 MAY 72
21 MAY 72 1400	364.			144.			3.			140 21 MAY 72
21 MAY 72 2000	363.			144.			3.			200 21 MAY 72
22 MAY 72 200	363.			143.			3.			20 22 MAY 72
22 MAY 72 800	363.			143.			3.			80 22 MAY 72
22 MAY 72 1400	363.			142.			3.			140 22 MAY 72
22 MAY 72 2000	362.			142.			3.			200 22 MAY 72

FORM 1611-2
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 18.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
23 MAY 72 200		362.			141.			3.		20 23 MAY 72
23 MAY 72 800		362.			141.			3.		80 23 MAY 72
23 MAY 72 1400		362.			140.			3.		140 23 MAY 72
23 MAY 72 2000		361.			140.			3.		200 23 MAY 72
24 MAY 72 200		361.			139.			3.		20 24 MAY 72
24 MAY 72 800		361.			139.			3.		80 24 MAY 72
24 MAY 72 1400		361.			138.			3.		140 24 MAY 72
24 MAY 72 2000		361.			138.			3.		200 24 MAY 72
25 MAY 72 200		360.			137.			3.		20 25 MAY 72
25 MAY 72 800		360.			137.			3.		80 25 MAY 72
25 MAY 72 1400		360.			136.			3.		140 25 MAY 72
25 MAY 72 2000		360.			136.			3.		200 25 MAY 72
26 MAY 72 200		360.			135.			3.		20 26 MAY 72
26 MAY 72 800		360.			135.			3.		80 26 MAY 72
26 MAY 72 1400		360.			134.			3.		140 26 MAY 72
26 MAY 72 2000		360.			134.			3.		200 26 MAY 72
27 MAY 72 200		359.			133.			3.		20 27 MAY 72
27 MAY 72 800		359.			133.			3.		80 27 MAY 72
27 MAY 72 1400		359.			132.			3.		140 27 MAY 72
27 MAY 72 2000		359.			132.			3.		200 27 MAY 72
28 MAY 72 200		359.			131.			3.		20 28 MAY 72
28 MAY 72 800		359.			131.			3.		80 28 MAY 72
28 MAY 72 1400		359.			131.			3.		140 28 MAY 72
28 MAY 72 2000		359.			130.			3.		200 28 MAY 72
29 MAY 72 200		359.			130.			3.		20 29 MAY 72
29 MAY 72 800		359.			129.			3.		80 29 MAY 72
29 MAY 72 1400		359.			129.			3.		140 29 MAY 72
29 MAY 72 2000		359.			128.			3.		200 29 MAY 72
30 MAY 72 200		359.			128.			3.		20 30 MAY 72
30 MAY 72 800		359.			127.			3.		80 30 MAY 72
30 MAY 72 1400		359.			127.			3.		140 30 MAY 72
30 MAY 72 2000		359.			127.			3.		200 30 MAY 72
31 MAY 72 200		359.			126.			3.		20 31 MAY 72
31 MAY 72 800		359.			126.			3.		80 31 MAY 72
31 MAY 72 1400		359.			125.			3.		140 31 MAY 72
31 MAY 72 2000		359.			125.			3.		200 31 MAY 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 18.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200	359.			124.			3.			20 1 JUN 72
1 JUN 72 800	359.			124.			3.			80 1 JUN 72
1 JUN 72 1400	359.			123.			3.			140 1 JUN 72
1 JUN 72 2000	359.			123.			3.			200 1 JUN 72
2 JUN 72 200	359.			122.			3.			20 2 JUN 72
2 JUN 72 800	359.			122.			3.			80 2 JUN 72
2 JUN 72 1400	359.			121.			3.			140 2 JUN 72
2 JUN 72 2000	359.			121.			3.			200 2 JUN 72
3 JUN 72 200	359.			121.			3.			20 3 JUN 72
3 JUN 72 800	358.			120.			3.			80 3 JUN 72
3 JUN 72 1400	358.			120.			3.			140 3 JUN 72
3 JUN 72 2000	358.			119.			3.			200 3 JUN 72
4 JUN 72 200	358.			119.			3.			20 4 JUN 72
4 JUN 72 800	359.			122.			3.			80 4 JUN 72
4 JUN 72 1400	360.			128.			3.			140 4 JUN 72
4 JUN 72 2000	364.			142.			4.			200 4 JUN 72
5 JUN 72 200	374.			167.			5.			20 5 JUN 72
5 JUN 72 800	395.			211.			8.			80 5 JUN 72
5 JUN 72 1400	433.			280.			14.			140 5 JUN 72
5 JUN 72 2000	502.			382.			25.			200 5 JUN 72
6 JUN 72 200	620.			525.			47.			20 6 JUN 72
6 JUN 72 800	833.			709.			82.			80 6 JUN 72
6 JUN 72 1400	1,170.			946.			136.			140 6 JUN 72
6 JUN 72 2000	1,740.			1,250.			208.			200 6 JUN 72
7 JUN 72 200	2,650.			1,650.			302.			20 7 JUN 72
7 JUN 72 800	4,120.			2,160.			418.			80 7 JUN 72
7 JUN 72 1400	6,420.			2,820.			557.			140 7 JUN 72
7 JUN 72 2000	9,830.			3,610.			716.			200 7 JUN 72
8 JUN 72 200	14,500.			4,510.			891.			20 8 JUN 72
8 JUN 72 800	20,300.			5,420.			1,070.			80 8 JUN 72
8 JUN 72 1400	26,700.			6,300.			1,260.			140 8 JUN 72
8 JUN 72 2000	32,900.			7,100.			1,440.			200 8 JUN 72
9 JUN 72 200	38,800.			7,810.			1,610.			20 9 JUN 72
9 JUN 72 800	44,400.			8,450.			1,760.			80 9 JUN 72
9 JUN 72 1400	49,600.			9,010.			1,910.			140 9 JUN 72
9 JUN 72 2000	54,400.			9,510.			2,040.			200 9 JUN 72
10 JUN 72 200	58,900.			9,990.			2,150.			20 10 JUN 72
10 JUN 72 800	63,100.			10,500.			2,260.			80 10 JUN 72
10 JUN 72 1400	66,900.			11,100.			2,360.			140 10 JUN 72
10 JUN 72 2000	70,300.			11,600.			2,450.			200 10 JUN 72
11 JUN 72 200	73,100.			12,100.			2,530.			20 11 JUN 72
11 JUN 72 800	75,200.			12,300.			2,610.			80 11 JUN 72
11 JUN 72 1400	76,500.			12,600.			2,670.			140 11 JUN 72

FORM 1613

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5			STATION 18.0			STATION 21.0			
	100-300 ROUT DENALI DAMSITE TO SUSRMAC CONF			SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477			MACLAREN GLACIER			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	77,400.			13,300.			2,730.			200 11 JUN 72
12 JUN 72 200	78,300.			14,100.			2,790.			20 12 JUN 72
12 JUN 72 800	78,800.			13,900.			2,840.			80 12 JUN 72
12 JUN 72 1400	78,500.			13,500.			2,880.			140 12 JUN 72
12 JUN 72 2000	77,900.			13,600.			2,910.			200 12 JUN 72
13 JUN 72 200	77,300.			14,200.			2,930.			20 13 JUN 72
13 JUN 72 800	76,200.			14,100.			2,950.			80 13 JUN 72
13 JUN 72 1400	74,500.			14,000.			2,950.			140 13 JUN 72
13 JUN 72 2000	73,500.			14,800.			2,950.			200 13 JUN 72
14 JUN 72 200	73,900.			16,500.			2,960.			20 14 JUN 72
14 JUN 72 800	74,300.			16,300.			2,970.			80 14 JUN 72
14 JUN 72 1400	73,700.			15,900.			2,980.			140 14 JUN 72
14 JUN 72 2000	74,000.			17,100.			2,990.			200 14 JUN 72
15 JUN 72 200	76,400.			20,000.			3,010.			20 15 JUN 72
15 JUN 72 800	78,900.			20,600.			3,050.			80 15 JUN 72
15 JUN 72 1400	80,200.			20,700.			3,090.			140 15 JUN 72
15 JUN 72 2000	83,100.			23,500.			3,150.			200 15 JUN 72
16 JUN 72 200	89,900.			28,900.			3,240.			20 16 JUN 72
16 JUN 72 800	95,800.			27,700.			3,360.			80 16 JUN 72
16 JUN 72 1400	96,300.			22,300.			3,460.			140 16 JUN 72
16 JUN 72 2000	93,700.			18,500.			3,520.			200 16 JUN 72
17 JUN 72 200	90,600.			17,600.			3,540.			20 17 JUN 72
17 JUN 72 800	87,600.			18,300.			3,540.			80 17 JUN 72
17 JUN 72 1400	83,600.			17,400.			3,520.			140 17 JUN 72
17 JUN 72 2000	78,500.			16,000.			3,460.			200 17 JUN 72
18 JUN 72 200	73,700.			15,000.			3,390.			20 18 JUN 72
18 JUN 72 800	69,100.			14,000.			3,290.			80 18 JUN 72
18 JUN 72 1400	64,800.			13,200.			3,180.			140 18 JUN 72
18 JUN 72 2000	60,700.			12,600.			3,050.			200 18 JUN 72
19 JUN 72 200	57,000.			12,500.			2,920.			20 19 JUN 72
19 JUN 72 800	54,100.			13,200.			2,790.			80 19 JUN 72
19 JUN 72 1400	52,300.			14,400.			2,670.			140 19 JUN 72
19 JUN 72 2000	51,600.			15,800.			2,570.			200 19 JUN 72
20 JUN 72 200	51,900.			17,200.			2,500.			20 20 JUN 72
20 JUN 72 800	53,000.			18,100.			2,450.			80 20 JUN 72
20 JUN 72 1400	54,400.			18,500.			2,430.			140 20 JUN 72
20 JUN 72 2000	55,700.			18,500.			2,420.			200 20 JUN 72
21 JUN 72 200	56,900.			18,700.			2,430.			20 21 JUN 72
21 JUN 72 800	58,200.			19,700.			2,460.			80 21 JUN 72
21 JUN 72 1400	59,600.			20,300.			2,510.			140 21 JUN 72
21 JUN 72 2000	60,700.			20,200.			2,560.			200 21 JUN 72
22 JUN 72 200	61,600.			19,900.			2,630.			20 22 JUN 72
22 JUN 72 800	62,400.			20,000.			2,700.			80 22 JUN 72

FORM 1413-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 12.5	STATION 18.0	STATION 21.0	
	100-300 ROUT DENALI DAMSITE TO SUS&MAC CONF		MACLAREN GLACIER	
		SUSITNA LOCAL ABOVE MACLAREN CONFLUENCE 477		
DATE-HOUR	FLOW CFS / GAGE HEIGHT FEET / STORAGE ACRE-FEET	FLOW CFS / GAGE HEIGHT FEET / STORAGE ACRE-FEET	FLOW CFS / GAGE HEIGHT FEET / STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400	65,200.	19,700.	2,780.	140 22 JUN 72
22 JUN 72 2000	63,700.	19,200.	2,860.	200 22 JUN 72
23 JUN 72 200	63,900.	18,500.	2,950.	20 23 JUN 72
23 JUN 72 800	63,700.	17,600.	3,030.	80 23 JUN 72
23 JUN 72 1400	63,200.	16,900.	3,100.	140 23 JUN 72
23 JUN 72 2000	62,600.	16,400.	3,170.	200 23 JUN 72
24 JUN 72 200	61,600.	15,600.	3,220.	20 24 JUN 72
24 JUN 72 800	59,900.	13,900.	3,260.	80 24 JUN 72
24 JUN 72 1400	57,700.	12,600.	3,290.	140 24 JUN 72
24 JUN 72 2000	55,500.	12,100.	3,290.	200 24 JUN 72
25 JUN 72 200	53,200.	11,600.	3,280.	20 25 JUN 72
25 JUN 72 800	50,800.	10,800.	3,250.	80 25 JUN 72
25 JUN 72 1400	48,400.	10,100.	3,200.	140 25 JUN 72
25 JUN 72 2000	46,100.	9,850.	3,150.	200 25 JUN 72
26 JUN 72 200	44,200.	9,620.	3,090.	20 26 JUN 72
26 JUN 72 800	42,300.	9,290.	3,020.	80 26 JUN 72
26 JUN 72 1400	40,700.	9,040.	2,950.	140 26 JUN 72
26 JUN 72 2000	39,300.	8,890.	2,870.	200 26 JUN 72
27 JUN 72 200	38,100.	8,720.	2,800.	20 27 JUN 72
27 JUN 72 800	36,900.	8,420.	2,730.	80 27 JUN 72
27 JUN 72 1400	35,800.	8,200.	2,660.	140 27 JUN 72
27 JUN 72 2000	34,900.	8,060.	2,590.	200 27 JUN 72
28 JUN 72 200	34,000.	7,970.	2,530.	20 28 JUN 72
28 JUN 72 800	33,200.	7,890.	2,470.	80 28 JUN 72
28 JUN 72 1400	32,400.	7,810.	2,420.	140 28 JUN 72
28 JUN 72 2000	31,800.	7,730.	2,370.	200 28 JUN 72
29 JUN 72 200	31,200.	7,600.	2,320.	20 29 JUN 72
29 JUN 72 800	30,600.	7,350.	2,280.	80 29 JUN 72
29 JUN 72 1400	30,000.	7,150.	2,240.	140 29 JUN 72
29 JUN 72 2000	29,400.	7,040.	2,200.	200 29 JUN 72
30 JUN 72 200	28,800.	6,910.	2,170.	20 30 JUN 72
30 JUN 72 800	28,100.	6,680.	2,130.	80 30 JUN 72
30 JUN 72 1400	27,500.	6,500.	2,100.	140 30 JUN 72

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			HOUR-DATE
	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	
1 MAY 72 1400		80.		110.			110.			140 1 MAY 72
1 MAY 72 2000		79.		109.			110.			200 1 MAY 72
2 MAY 72 200		78.		104.			110.			20 2 MAY 72
2 MAY 72 800		75.		97.			109.			80 2 MAY 72
2 MAY 72 1400		73.		92.			108.			140 2 MAY 72
2 MAY 72 2000		72.		88.			106.			200 2 MAY 72
3 MAY 72 200		72.		85.			102.			20 3 MAY 72
3 MAY 72 800		72.		84.			97.			80 3 MAY 72
3 MAY 72 1400		73.		83.			93.			140 3 MAY 72
3 MAY 72 2000		73.		82.			89.			200 3 MAY 72
4 MAY 72 200		74.		82.			87.			20 4 MAY 72
4 MAY 72 800		75.		82.			85.			80 4 MAY 72
4 MAY 72 1400		76.		83.			83.			140 4 MAY 72
4 MAY 72 2000		78.		84.			83.			200 4 MAY 72
5 MAY 72 200		79.		85.			83.			20 5 MAY 72
5 MAY 72 800		81.		86.			83.			80 5 MAY 72
5 MAY 72 1400		83.		87.			83.			140 5 MAY 72
5 MAY 72 2000		84.		89.			84.			200 5 MAY 72
6 MAY 72 200		86.		90.			85.			20 6 MAY 72
6 MAY 72 800		88.		92.			86.			80 6 MAY 72
6 MAY 72 1400		89.		93.			87.			140 6 MAY 72
6 MAY 72 2000		91.		95.			89.			200 6 MAY 72
7 MAY 72 200		93.		96.			90.			20 7 MAY 72
7 MAY 72 800		94.		98.			92.			80 7 MAY 72
7 MAY 72 1400		96.		99.			93.			140 7 MAY 72
7 MAY 72 2000		97.		101.			95.			200 7 MAY 72
8 MAY 72 200		99.		102.			96.			20 8 MAY 72
8 MAY 72 800		100.		104.			98.			80 8 MAY 72
8 MAY 72 1400		102.		105.			99.			140 8 MAY 72
8 MAY 72 2000		103.		106.			101.			200 8 MAY 72
9 MAY 72 200		104.		107.			102.			20 9 MAY 72
9 MAY 72 800		105.		108.			104.			80 9 MAY 72
9 MAY 72 1400		105.		109.			105.			140 9 MAY 72
9 MAY 72 2000		106.		109.			106.			200 9 MAY 72
10 MAY 72 200		107.		110.			107.			20 10 MAY 72
10 MAY 72 800		108.		111.			108.			80 10 MAY 72
10 MAY 72 1400		108.		111.			109.			140 10 MAY 72
10 MAY 72 2000		109.		112.			109.			200 10 MAY 72
11 MAY 72 200		109.		112.			110.			20 11 MAY 72
11 MAY 72 800		110.		113.			111.			80 11 MAY 72
11 MAY 72 1400		110.		113.			111.			140 11 MAY 72
11 MAY 72 2000		110.		114.			112.			200 11 MAY 72
12 MAY 72 200		111.		114.			112.			20 12 MAY 72

FORM 1411-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0			STATION 23.0			STATION 25.5			
	MACLAREN NON-GLACIER ABV USGS GAGE			MACLAREN RIVER NEAR PAXSON CALCULATED			230-300 ROUT MACLAREN GAGE TO SUSMAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 800		111.			114.			113.		80 12 MAY 72
12 MAY 72 1400		111.			114.			113.		140 12 MAY 72
12 MAY 72 2000		112.			115.			114.		200 12 MAY 72
13 MAY 72 200		112.			115.			114.		20 13 MAY 72
13 MAY 72 800		112.			115.			114.		80 13 MAY 72
13 MAY 72 1400		112.			115.			114.		140 13 MAY 72
13 MAY 72 2000		112.			115.			115.		200 13 MAY 72
14 MAY 72 200		112.			115.			115.		20 14 MAY 72
14 MAY 72 800		112.			116.			115.		80 14 MAY 72
14 MAY 72 1400		112.			116.			115.		140 14 MAY 72
14 MAY 72 2000		113.			116.			115.		200 14 MAY 72
15 MAY 72 200		113.			116.			115.		20 15 MAY 72
15 MAY 72 800		113.			116.			116.		80 15 MAY 72
15 MAY 72 1400		113.			116.			116.		140 15 MAY 72
15 MAY 72 2000		113.			116.			116.		200 15 MAY 72
16 MAY 72 200		113.			116.			116.		20 16 MAY 72
16 MAY 72 800		113.			116.			116.		80 16 MAY 72
16 MAY 72 1400		113.			116.			116.		140 16 MAY 72
16 MAY 72 2000		113.			116.			116.		200 16 MAY 72
17 MAY 72 200		113.			116.			116.		20 17 MAY 72
17 MAY 72 800		113			116.			116.		80 17 MAY 72
17 MAY 72 1400		113.			116.			116.		140 17 MAY 72
17 MAY 72 2000		113.			116.			116.		200 17 MAY 72
18 MAY 72 200		113.			116.			116.		20 18 MAY 72
18 MAY 72 800		113.			116.			116.		80 18 MAY 72
18 MAY 72 1400		113.			116.			116.		140 18 MAY 72
18 MAY 72 2000		113.			116.			116.		200 18 MAY 72
19 MAY 72 200		113.			117.			116.		20 19 MAY 72
19 MAY 72 800		113.			117.			116.		80 19 MAY 72
19 MAY 72 1400		113.			117.			116.		140 19 MAY 72
19 MAY 72 2000		114.			117.			117.		200 19 MAY 72
20 MAY 72 200		114.			117.			117.		20 20 MAY 72
20 MAY 72 800		114.			117.			117.		80 20 MAY 72
20 MAY 72 1400		114.			117.			117.		140 20 MAY 72
20 MAY 72 2000		114.			117.			117.		200 20 MAY 72
21 MAY 72 200		114.			117.			117.		20 21 MAY 72
21 MAY 72 800		114.			117.			117.		80 21 MAY 72
21 MAY 72 1400		114.			117.			117.		140 21 MAY 72
21 MAY 72 2000		114.			118.			117.		200 21 MAY 72
22 MAY 72 200		114.			118.			117.		20 22 MAY 72
22 MAY 72 800		115.			118.			117.		80 22 MAY 72
22 MAY 72 1400		115.			118.			117.		140 22 MAY 72
22 MAY 72 2000		115.			118.			116.		200 22 MAY 72

FORM 1411-J
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0			STATION 23.0			STATION 25.5			
	MACLAREN NON-GLACIER ABV USGS GAGE			MACLAREN RIVER NEAR PAXSON CALCULATED			230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
23 MAY 72 200		115.			118.			118.		20 23 MAY 72
23 MAY 72 800		115.			118.			118.		80 23 MAY 72
23 MAY 72 1400		115.			119.			118.		140 23 MAY 72
23 MAY 72 2000		115.			119.			118.		200 23 MAY 72
24 MAY 72 200		116.			119.			118.		20 24 MAY 72
24 MAY 72 800		116.			119.			118.		80 24 MAY 72
24 MAY 72 1400		116.			119.			119.		140 24 MAY 72
24 MAY 72 2000		116.			119.			119.		200 24 MAY 72
25 MAY 72 200		116.			120.			119.		20 25 MAY 72
25 MAY 72 800		117.			120.			119.		80 25 MAY 72
25 MAY 72 1400		117.			120.			119.		140 25 MAY 72
25 MAY 72 2000		117.			120.			119.		200 25 MAY 72
26 MAY 72 200		117.			120.			120.		20 26 MAY 72
26 MAY 72 800		117.			121.			120.		80 26 MAY 72
26 MAY 72 1400		118.			121.			120.		140 26 MAY 72
26 MAY 72 2000		118.			121.			120.		200 26 MAY 72
27 MAY 72 200		118.			121.			120.		20 27 MAY 72
27 MAY 72 800		118.			121.			121.		80 27 MAY 72
27 MAY 72 1400		118.			122.			121.		140 27 MAY 72
27 MAY 72 2000		119.			122.			121.		200 27 MAY 72
28 MAY 72 200		119.			122.			121.		20 28 MAY 72
28 MAY 72 800		119.			122.			121.		80 28 MAY 72
28 MAY 72 1400		119.			122.			122.		140 28 MAY 72
28 MAY 72 2000		119.			123.			122.		200 28 MAY 72
29 MAY 72 200		120.			123.			122.		20 29 MAY 72
29 MAY 72 800		120.			123.			122.		80 29 MAY 72
29 MAY 72 1400		120.			123.			122.		140 29 MAY 72
29 MAY 72 2000		120.			123.			123.		200 29 MAY 72
30 MAY 72 200		121.			124.			123.		20 30 MAY 72
30 MAY 72 800		121.			124.			123.		80 30 MAY 72
30 MAY 72 1400		121.			124.			123.		140 30 MAY 72
30 MAY 72 2000		121.			124.			124.		200 30 MAY 72
31 MAY 72 200		121.			125.			124.		20 31 MAY 72
31 MAY 72 800		122.			125.			124.		80 31 MAY 72
31 MAY 72 1400		122.			125.			124.		140 31 MAY 72
31 MAY 72 2000		122.			125.			124.		200 31 MAY 72

FORM 1417-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200	122.			125.			125.			20 1 JUN 72
1 JUN 72 800	122.			126.			125.			80 1 JUN 72
1 JUN 72 1400	123.			126.			125.			140 1 JUN 72
1 JUN 72 2000	123.			126.			125.			200 1 JUN 72
2 JUN 72 200	123.			126.			125.			20 2 JUN 72
2 JUN 72 800	123.			126.			126.			80 2 JUN 72
2 JUN 72 1400	123.			127.			126.			140 2 JUN 72
2 JUN 72 2000	124.			127.			126.			200 2 JUN 72
3 JUN 72 200	124.			127.			126.			20 3 JUN 72
3 JUN 72 800	124.			127.			126.			80 3 JUN 72
3 JUN 72 1400	124.			127.			127.			140 3 JUN 72
3 JUN 72 2000	124.			128.			127.			200 3 JUN 72
4 JUN 72 200	125.			128.			127.			20 4 JUN 72
4 JUN 72 800	127.			130.			127.			80 4 JUN 72
4 JUN 72 1400	130.			134.			128.			140 4 JUN 72
4 JUN 72 2000	138.			143.			128.			200 4 JUN 72
5 JUN 72 200	153.			159.			130.			20 5 JUN 72
5 JUN 72 800	179.			188.			134.			80 5 JUN 72
5 JUN 72 1400	224.			239.			142.			140 5 JUN 72
5 JUN 72 2000	303.			329.			158.			200 5 JUN 72
6 JUN 72 200	440.			488.			188.			20 6 JUN 72
6 JUN 72 800	671.			754.			246.			80 6 JUN 72
6 JUN 72 1400	1,040.			1,170.			359.			140 6 JUN 72
6 JUN 72 2000	1,570.			1,780.			575.			200 6 JUN 72
7 JUN 72 200	2,300.			2,600.			971.			20 7 JUN 72
7 JUN 72 800	3,270.			3,690.			1,600.			80 7 JUN 72
7 JUN 72 1400	4,510.			5,070.			2,510.			140 7 JUN 72
7 JUN 72 2000	5,940.			6,650.			3,750.			200 7 JUN 72
8 JUN 72 200	7,340.			8,240.			5,290.			20 8 JUN 72
8 JUN 72 800	8,580.			9,650.			6,990.			80 8 JUN 72
8 JUN 72 1400	9,630.			10,900.			8,630.			140 8 JUN 72
8 JUN 72 2000	10,600.			12,000.			10,100.			200 8 JUN 72
9 JUN 72 200	11,500.			13,100.			11,300.			20 9 JUN 72
9 JUN 72 800	12,400.			14,100.			12,500.			80 9 JUN 72
9 JUN 72 1400	13,200.			15,100.			13,600.			140 9 JUN 72
9 JUN 72 2000	13,800.			15,900.			14,600.			200 9 JUN 72
10 JUN 72 200	14,300.			16,500.			15,500.			20 10 JUN 72
10 JUN 72 800	14,700.			17,000.			16,200.			80 10 JUN 72
10 JUN 72 1400	15,000.			17,400.			16,700.			140 10 JUN 72
10 JUN 72 2000	15,300.			17,800.			17,200.			200 10 JUN 72
11 JUN 72 200	15,500.			18,000.			17,600.			20 11 JUN 72
11 JUN 72 800	15,500.			18,100.			17,900.			80 11 JUN 72
11 JUN 72 1400	15,400.			18,100.			18,100.			140 11 JUN 72

FORM 1413-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	15,400.			18,200.			18,100.			200 11 JUN 72
12 JUN 72 200	15,700.			18,400.			18,200.			20 12 JUN 72
12 JUN 72 800	15,700.			18,600.			18,300.			80 12 JUN 72
12 JUN 72 1400	15,300.			18,200.			18,400.			140 12 JUN 72
12 JUN 72 2000	14,800.			17,700.			18,300.			200 12 JUN 72
13 JUN 72 200	14,500.			17,500.			17,900.			20 13 JUN 72
13 JUN 72 800	14,400.			17,300.			17,600.			80 13 JUN 72
13 JUN 72 1400	14,000.			17,000.			17,400.			140 13 JUN 72
13 JUN 72 2000	13,800.			16,700.			17,100.			200 13 JUN 72
14 JUN 72 200	14,000.			16,900.			16,900.			20 14 JUN 72
14 JUN 72 800	14,100.			17,100.			16,900.			80 14 JUN 72
14 JUN 72 1400	13,800.			16,800.			17,000.			140 14 JUN 72
14 JUN 72 2000	13,500.			16,500.			16,900.			200 14 JUN 72
15 JUN 72 200	13,800.			16,800.			16,700.			20 15 JUN 72
15 JUN 72 800	14,300.			17,300.			16,800.			80 15 JUN 72
15 JUN 72 1400	14,500.			17,600.			17,100.			140 15 JUN 72
15 JUN 72 2000	14,800.			17,900.			17,500.			200 15 JUN 72
16 JUN 72 200	15,900.			19,100.			17,900.			20 16 JUN 72
16 JUN 72 800	16,900.			20,200.			18,700.			80 16 JUN 72
16 JUN 72 1400	16,600.			20,000.			19,600.			140 16 JUN 72
16 JUN 72 2000	15,000.			18,600.			19,900.			200 16 JUN 72
17 JUN 72 200	13,600.			17,100.			19,000.			20 17 JUN 72
17 JUN 72 800	12,800.			16,400.			17,800.			80 17 JUN 72
17 JUN 72 1400	12,500.			16,000.			16,800.			140 17 JUN 72
17 JUN 72 2000	12,100.			15,500.			16,200.			200 17 JUN 72
18 JUN 72 200	11,400.			14,800.			15,700.			20 18 JUN 72
18 JUN 72 800	10,800.			14,000.			15,100.			80 18 JUN 72
18 JUN 72 1400	10,100.			13,300.			14,400.			140 18 JUN 72
18 JUN 72 2000	9,520.			12,600.			13,600.			200 18 JUN 72
19 JUN 72 200	9,090.			12,000.			12,900.			20 19 JUN 72
19 JUN 72 800	8,860.			11,600.			12,300.			80 19 JUN 72
19 JUN 72 1400	8,830.			11,500.			11,900.			140 19 JUN 72
19 JUN 72 2000	8,940.			11,500.			11,600.			200 19 JUN 72
20 JUN 72 200	9,140.			11,600.			11,500.			20 20 JUN 72
20 JUN 72 800	9,330.			11,800.			11,600.			80 20 JUN 72
20 JUN 72 1400	9,450.			11,900.			11,700.			140 20 JUN 72
20 JUN 72 2000	9,460.			11,900.			11,800.			200 20 JUN 72
21 JUN 72 200	9,430.			11,900.			11,900.			20 21 JUN 72
21 JUN 72 800	9,470.			11,900.			11,900.			80 21 JUN 72
21 JUN 72 1400	9,600.			12,100.			11,900.			140 21 JUN 72
21 JUN 72 2000	9,720.			12,300.			12,000.			200 21 JUN 72
22 JUN 72 200	9,790.			12,400.			12,200.			20 22 JUN 72
22 JUN 72 800	9,850.			12,600.			12,300.			80 22 JUN 72

FORM 1413-S

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 22.0 MACLAREN NON-GLACIER ABV USGS GAGE			STATION 23.0 MACLAREN RIVER NEAR PAXSON CALCULATED			STATION 25.5 230-300 ROUT MACLAREN GAGE TO SUS&MAC CONFL			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400	9,930.			12,700.			12,500.			140 22 JUN 72
22 JUN 72 2000	9,980.			12,800.			12,600.			200 22 JUN 72
23 JUN 72 200	9,970.			12,900.			12,800.			20 23 JUN 72
23 JUN 72 800	9,900.			12,900.			12,900.			80 23 JUN 72
23 JUN 72 1400	9,790.			12,900.			12,900.			140 23 JUN 72
23 JUN 72 2000	9,660.			12,800.			12,900.			200 23 JUN 72
24 JUN 72 200	9,510.			12,700.			12,900.			20 24 JUN 72
24 JUN 72 800	9,220.			12,500.			12,800.			80 24 JUN 72
24 JUN 72 1400	8,830.			12,100.			12,600.			140 24 JUN 72
24 JUN 72 2000	8,450.			11,700.			12,300.			200 24 JUN 72
25 JUN 72 200	8,150.			11,400.			11,900.			20 25 JUN 72
25 JUN 72 800	7,860.			11,100.			11,600.			80 25 JUN 72
25 JUN 72 1400	7,560.			10,800.			11,300.			140 25 JUN 72
25 JUN 72 2000	7,290.			10,400.			11,000.			200 25 JUN 72
26 JUN 72 200	7,070.			10,200.			10,600.			20 26 JUN 72
26 JUN 72 800	6,880.			9,890.			10,300.			80 26 JUN 72
26 JUN 72 1400	6,690.			9,630.			10,000.			140 26 JUN 72
26 JUN 72 2000	6,510.			9,380.			9,790.			200 26 JUN 72
27 JUN 72 200	6,350.			9,150.			9,530.			20 27 JUN 72
27 JUN 72 800	6,180.			8,910.			9,290.			80 27 JUN 72
27 JUN 72 1400	6,010.			8,670.			9,050.			140 27 JUN 72
27 JUN 72 2000	5,850.			8,440.			8,820.			200 27 JUN 72
28 JUN 72 200	5,710.			8,240.			8,590.			20 28 JUN 72
28 JUN 72 800	5,590.			8,060.			8,370.			80 28 JUN 72
28 JUN 72 1400	5,480.			7,900.			8,180.			140 28 JUN 72
28 JUN 72 2000	5,380.			7,750.			8,010.			200 28 JUN 72
29 JUN 72 200	5,290.			7,610.			7,850.			20 29 JUN 72
29 JUN 72 800	5,190.			7,470.			7,710.			80 29 JUN 72
29 JUN 72 1400	5,080.			7,320.			7,560.			140 29 JUN 72
29 JUN 72 2000	4,970.			7,180.			7,420.			200 29 JUN 72
30 JUN 72 200	4,880.			7,050.			7,270.			20 30 JUN 72
30 JUN 72 800	4,790.			6,920.			7,140.			80 30 JUN 72
30 JUN 72 1400	4,690.			6,790.			7,010.			140 30 JUN 72

FORM 1611-5
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 28.0 MACLAREN RIVER ABOVE SUSITNA CONFLUENCE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 30.0 CONFLUENCE OF MACLAREN RIVER WITH SUSITNA FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 32.5 300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	84.			624.			624.			140 1 MAY 72
1 MAY 72 2000	84.			624.			624.			200 1 MAY 72
2 MAY 72 200	86.			628.			624.			20 2 MAY 72
2 MAY 72 800	91.			637.			626.			80 2 MAY 72
2 MAY 72 1400	99.			652.			630.			140 2 MAY 72
2 MAY 72 2000	107.			666.			639.			200 2 MAY 72
3 MAY 72 200	114.			676.			651.			20 3 MAY 72
3 MAY 72 800	119.			681.			664.			80 3 MAY 72
3 MAY 72 1400	123.			681.			673.			140 3 MAY 72
3 MAY 72 2000	125.			679.			678.			200 3 MAY 72
4 MAY 72 200	126.			675.			680.			20 4 MAY 72
4 MAY 72 800	127.			670.			678.			80 4 MAY 72
4 MAY 72 1400	128.			666.			674.			140 4 MAY 72
4 MAY 72 2000	128.			662.			670.			200 4 MAY 72
5 MAY 72 200	127.			660.			666.			20 5 MAY 72
5 MAY 72 800	127.			659.			663.			80 5 MAY 72
5 MAY 72 1400	127.			658.			661.			140 5 MAY 72
5 MAY 72 2000	127.			660.			659.			200 5 MAY 72
6 MAY 72 200	126.			662.			659.			20 6 MAY 72
6 MAY 72 800	126.			665.			660.			80 6 MAY 72
6 MAY 72 1400	126.			669.			662.			140 6 MAY 72
6 MAY 72 2000	126.			673.			665.			200 6 MAY 72
7 MAY 72 200	125.			678.			669.			20 7 MAY 72
7 MAY 72 800	125.			684.			673.			80 7 MAY 72
7 MAY 72 1400	125.			689.			678.			140 7 MAY 72
7 MAY 72 2000	124.			695.			684.			200 7 MAY 72
8 MAY 72 200	124.			700.			689.			20 8 MAY 72
8 MAY 72 800	124.			706.			695.			80 8 MAY 72
8 MAY 72 1400	124.			711.			700.			140 8 MAY 72
8 MAY 72 2000	123.			717.			706.			200 8 MAY 72
9 MAY 72 200	123.			721.			711.			20 9 MAY 72
9 MAY 72 800	123.			726.			716.			80 9 MAY 72
9 MAY 72 1400	123.			730.			721.			140 9 MAY 72
9 MAY 72 2000	122.			734.			726.			200 9 MAY 72
10 MAY 72 200	122.			738.			730.			20 10 MAY 72
10 MAY 72 800	122.			741.			734.			80 10 MAY 72
10 MAY 72 1400	122.			744.			738.			140 10 MAY 72
10 MAY 72 2000	121.			747.			741.			200 10 MAY 72
11 MAY 72 200	121.			749.			744.			20 11 MAY 72
11 MAY 72 800	121.			751.			747.			80 11 MAY 72
11 MAY 72 1400	121.			753.			749.			140 11 MAY 72
11 MAY 72 2000	120.			755.			751.			200 11 MAY 72
12 MAY 72 200	120.			756.			753.			20 12 MAY 72

FORM 1413-S

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0			STATION 30.0			STATION 32.5		
	MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307			300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE					
	CONFLUENCE OF MACLAREN RIVER WITH SUSITNA								
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 800	120.			757.			755.			80 12 MAY 72
12 MAY 72 1400	120.			758.			756.			140 12 MAY 72
12 MAY 72 2000	119.			759.			757.			200 12 MAY 72
13 MAY 72 200	119.			759.			758.			20 13 MAY 72
13 MAY 72 800	119.			760.			759.			80 13 MAY 72
13 MAY 72 1400	119.			760.			759.			140 13 MAY 72
13 MAY 72 2000	118.			760.			760.			200 13 MAY 72
14 MAY 72 200	118.			760.			760.			20 14 MAY 72
14 MAY 72 800	118.			760.			760.			80 14 MAY 72
14 MAY 72 1400	118.			760.			760.			140 14 MAY 72
14 MAY 72 2000	118.			759.			760.			200 14 MAY 72
15 MAY 72 200	117.			759.			760.			20 15 MAY 72
15 MAY 72 800	117.			758.			759.			80 15 MAY 72
15 MAY 72 1400	117.			758.			759.			140 15 MAY 72
15 MAY 72 2000	117.			757.			758.			200 15 MAY 72
16 MAY 72 200	117.			756.			758.			20 16 MAY 72
16 MAY 72 800	116.			756.			757.			80 16 MAY 72
16 MAY 72 1400	116.			755.			756.			140 16 MAY 72
16 MAY 72 2000	116.			754.			756.			200 16 MAY 72
17 MAY 72 200	116.			753.			755.			20 17 MAY 72
17 MAY 72 800	116.			752.			754.			80 17 MAY 72
17 MAY 72 1400	115.			752.			753.			140 17 MAY 72
17 MAY 72 2000	115.			751.			752.			200 17 MAY 72
18 MAY 72 200	115.			750.			752.			20 18 MAY 72
18 MAY 72 800	115.			749.			751.			80 18 MAY 72
18 MAY 72 1400	115.			748.			750.			140 18 MAY 72
18 MAY 72 2000	114.			747.			749.			200 18 MAY 72
19 MAY 72 200	114.			746.			748.			20 19 MAY 72
19 MAY 72 800	114.			745.			747.			80 19 MAY 72
19 MAY 72 1400	114.			744.			746.			140 19 MAY 72
19 MAY 72 2000	114.			743.			745.			200 19 MAY 72
20 MAY 72 200	113.			742.			744.			20 20 MAY 72
20 MAY 72 800	113.			741.			743.			80 20 MAY 72
20 MAY 72 1400	113.			741.			742.			140 20 MAY 72
20 MAY 72 2000	113.			740.			741.			200 20 MAY 72
21 MAY 72 200	112.			739.			741.			20 21 MAY 72
21 MAY 72 800	112.			738.			740.			80 21 MAY 72
21 MAY 72 1400	112.			737.			739.			140 21 MAY 72
21 MAY 72 2000	112.			736.			738.			200 21 MAY 72
22 MAY 72 200	112.			735.			737.			20 22 MAY 72
22 MAY 72 800	111.			734.			736.			80 22 MAY 72
22 MAY 72 1400	111.			734.			735.			140 22 MAY 72
22 MAY 72 2000	111.			733.			734.			200 22 MAY 72

FORM 1411-A
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0			STATION 30.0			STATION 32.5			
	MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307			CONFLUENCE OF MACLAREN RIVER WITH SUSITNA			300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
23 MAY 72 200	111.			732.			734.			20 23 MAY 72
23 MAY 72 800	111.			731.			733.			80 23 MAY 72
23 MAY 72 1400	110.			730.			732.			140 23 MAY 72
23 MAY 72 2000	110.			730.			731.			200 23 MAY 72
24 MAY 72 200	110.			729.			730.			20 24 MAY 72
24 MAY 72 800	110.			728.			730.			80 24 MAY 72
24 MAY 72 1400	110.			727.			729.			140 24 MAY 72
24 MAY 72 2000	109.			726.			728.			200 24 MAY 72
25 MAY 72 200	109.			726.			727.			20 25 MAY 72
25 MAY 72 800	109.			725.			726.			80 25 MAY 72
25 MAY 72 1400	109.			724.			726.			140 25 MAY 72
25 MAY 72 2000	109.			724.			725.			200 25 MAY 72
26 MAY 72 200	108.			723.			724.			20 26 MAY 72
26 MAY 72 800	108.			722.			724.			80 26 MAY 72
26 MAY 72 1400	108.			722.			723.			140 26 MAY 72
26 MAY 72 2000	108.			721.			722.			200 26 MAY 72
27 MAY 72 200	107.			720.			722.			20 27 MAY 72
27 MAY 72 800	107.			720.			721.			80 27 MAY 72
27 MAY 72 1400	107.			719.			720.			140 27 MAY 72
27 MAY 72 2000	107.			719.			720.			200 27 MAY 72
28 MAY 72 200	106.			718.			719.			20 28 MAY 72
28 MAY 72 800	106.			718.			719.			80 28 MAY 72
28 MAY 72 1400	106.			717.			718.			140 28 MAY 72
28 MAY 72 2000	106.			717.			718.			200 28 MAY 72
29 MAY 72 200	106.			716.			717.			20 29 MAY 72
29 MAY 72 800	105.			716.			717.			80 29 MAY 72
29 MAY 72 1400	105.			715.			716.			140 29 MAY 72
29 MAY 72 2000	105.			715.			716.			200 29 MAY 72
30 MAY 72 200	105.			714.			715.			20 30 MAY 72
30 MAY 72 800	104.			714.			715.			80 30 MAY 72
30 MAY 72 1400	104.			713.			714.			140 30 MAY 72
30 MAY 72 2000	104.			713.			714.			200 30 MAY 72
31 MAY 72 200	104.			712.			713.			20 31 MAY 72
31 MAY 72 800	103.			712.			713.			80 31 MAY 72
31 MAY 72 1400	103.			711.			712.			140 31 MAY 72
31 MAY 72 2000	103.			711.			712.			200 31 MAY 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0			STATION 30.0			STATION 32.5			
	MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307			CONFLUENCE OF MACLAREN RIVER WITH SUSITNA			300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200	103.			710.			711.			20 1 JUN 72
1 JUN 72 800	102.			710.			711.			80 1 JUN 72
1 JUN 72 1400	102.			709.			710.			140 1 JUN 72
1 JUN 72 2000	102.			709.			710.			200 1 JUN 72
2 JUN 72 200	102.			708.			709.			20 2 JUN 72
2 JUN 72 800	102.			708.			709.			80 2 JUN 72
2 JUN 72 1400	101.			707.			708.			140 2 JUN 72
2 JUN 72 2000	101.			707.			708.			200 2 JUN 72
3 JUN 72 200	101.			706.			707.			20 3 JUN 72
3 JUN 72 800	101.			706.			707.			80 3 JUN 72
3 JUN 72 1400	101.			705.			706.			140 3 JUN 72
3 JUN 72 2000	100.			705.			706.			200 3 JUN 72
4 JUN 72 200	101.			705.			705.			20 4 JUN 72
4 JUN 72 800	103.			711.			705.			80 4 JUN 72
4 JUN 72 1400	110.			725.			708.			140 4 JUN 72
4 JUN 72 2000	124.			759.			715.			200 4 JUN 72
5 JUN 72 200	148.			819.			734.			20 5 JUN 72
5 JUN 72 800	187.			927.			773.			80 5 JUN 72
5 JUN 72 1400	245.			1,100.			845.			140 5 JUN 72
5 JUN 72 2000	329.			1,370.			969.			200 5 JUN 72
6 JUN 72 200	446.			1,780.			1,180.			20 6 JUN 72
6 JUN 72 800	598.			2,390.			1,500.			80 6 JUN 72
6 JUN 72 1400	797.			3,280.			2,020.			140 6 JUN 72
6 JUN 72 2000	1,050.			4,610.			2,820.			200 6 JUN 72
7 JUN 72 200	1,380.			6,650.			4,060.			20 7 JUN 72
7 JUN 72 800	1,790.			9,670.			6,020.			80 7 JUN 72
7 JUN 72 1400	2,310.			14,100.			9,040.			140 7 JUN 72
7 JUN 72 2000	2,920.			20,100.			13,700.			200 7 JUN 72
8 JUN 72 200	3,570.			27,900.			20,000.			20 8 JUN 72
8 JUN 72 800	4,200.			36,900.			28,100.			80 8 JUN 72
8 JUN 72 1400	4,780.			46,400.			37,600.			140 8 JUN 72
8 JUN 72 2000	5,300.			55,300.			47,300.			200 8 JUN 72
9 JUN 72 200	5,780.			63,800.			56,600.			20 9 JUN 72
9 JUN 72 800	6,230.			71,600.			65,100.			80 9 JUN 72
9 JUN 72 1400	6,640.			78,800.			73,200.			140 9 JUN 72
9 JUN 72 2000	7,000.			85,500.			80,400.			200 9 JUN 72
10 JUN 72 200	7,400.			91,800.			87,100.			20 10 JUN 72
10 JUN 72 800	7,940.			97,700.			93,400.			80 10 JUN 72
10 JUN 72 1400	8,500.			103,000.			99,200.			140 10 JUN 72
10 JUN 72 2000	9,000.			108,000.			105,000.			200 10 JUN 72
11 JUN 72 200	9,390.			112,000.			109,000.			20 11 JUN 72
11 JUN 72 800	9,580.			115,000.			113,000.			80 11 JUN 72
11 JUN 72 1400	9,800.			117,000.			116,000.			140 11 JUN 72

FORM 1411-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0			STATION 30.0			STATION 32.5			
	MACLAREN RIVER ABOVE SUSITNA CONFLUENCE 307			300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE						
	CONFLUENCE OF MACLAREN RIVER WITH SUSITNA									
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	10,600.			119,000.			118,000.			200 11 JUN 72
12 JUN 72 200	11,900.			122,000.			120,000.			20 12 JUN 72
12 JUN 72 800	11,700.			123,000.			122,000.			80 12 JUN 72
12 JUN 72 1400	11,200.			122,000.			122,000.			140 12 JUN 72
12 JUN 72 2000	11,800.			122,000.			122,000.			200 12 JUN 72
13 JUN 72 200	13,200.			123,000.			122,000.			20 13 JUN 72
13 JUN 72 800	12,900.			121,000.			122,000.			80 13 JUN 72
13 JUN 72 1400	12,600.			118,000.			120,000.			140 13 JUN 72
13 JUN 72 2000	14,100.			119,000.			119,000.			200 13 JUN 72
14 JUN 72 200	16,800.			124,000.			121,000.			20 14 JUN 72
14 JUN 72 800	16,000.			123,000.			123,000.			80 14 JUN 72
14 JUN 72 1400	14,700.			121,000.			123,000.			140 14 JUN 72
14 JUN 72 2000	15,900.			124,000.			123,000.			200 14 JUN 72
15 JUN 72 200	19,100.			132,000.			127,000.			20 15 JUN 72
15 JUN 72 800	19,100.			135,000.			133,000.			80 15 JUN 72
15 JUN 72 1400	18,400.			136,000.			135,000.			140 15 JUN 72
15 JUN 72 2000	21,000.			145,000.			140,000.			200 15 JUN 72
16 JUN 72 200	26,700.			163,000.			152,000.			20 16 JUN 72
16 JUN 72 800	25,200.			167,000.			164,000.			80 16 JUN 72
16 JUN 72 1400	19,200.			157,000.			163,000.			140 16 JUN 72
16 JUN 72 2000	15,000.			147,000.			153,000.			200 16 JUN 72
17 JUN 72 200	14,000.			141,000.			145,000.			20 17 JUN 72
17 JUN 72 800	15,000.			139,000.			141,000.			80 17 JUN 72
17 JUN 72 1400	14,000.			132,000.			136,000.			140 17 JUN 72
17 JUN 72 2000	12,500.			123,000.			129,000.			200 17 JUN 72
18 JUN 72 200	11,400.			116,000.			121,000.			20 18 JUN 72
18 JUN 72 800	10,200.			108,000.			113,000.			80 18 JUN 72
18 JUN 72 1400	9,340.			102,000.			106,000.			140 18 JUN 72
18 JUN 72 2000	8,800.			95,800.			100,000.			200 18 JUN 72
19 JUN 72 200	8,610.			91,000.			94,500.			20 19 JUN 72
19 JUN 72 800	9,020.			88,600.			90,600.			80 19 JUN 72
19 JUN 72 1400	9,730.			88,300.			88,800.			140 19 JUN 72
19 JUN 72 2000	10,500.			89,500.			88,800.			200 19 JUN 72
20 JUN 72 200	11,300.			91,900.			90,300.			20 20 JUN 72
20 JUN 72 800	11,700.			94,500.			92,700.			80 20 JUN 72
20 JUN 72 1400	11,800.			96,300.			94,900.			140 20 JUN 72
20 JUN 72 2000	11,500.			97,500.			96,600.			200 20 JUN 72
21 JUN 72 200	11,500.			99,000.			98,000.			20 21 JUN 72
21 JUN 72 800	11,800.			102,000.			99,900.			80 21 JUN 72
21 JUN 72 1400	11,900.			104,000.			102,000.			140 21 JUN 72
21 JUN 72 2000	11,700.			105,000.			104,000.			200 21 JUN 72
22 JUN 72 200	11,400.			105,000.			105,000.			20 22 JUN 72
22 JUN 72 800	11,400.			106,000.			106,000.			80 22 JUN 72

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 28.0			STATION 30.0			STATION 32.5			
	MACLAREN RIVER ABOVE SUSITNA CONFLUENCE			CONFLUENCE OF MACLAREN RIVER WITH SUSITNA			300-350 ROUT SUS&MAC CONF-SVS&OSHET CONFLUE			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400	11,400.			107,000.			106,000.			140 22 JUN 72
22 JUN 72 2000	11,200.			107,000.			107,000.			200 22 JUN 72
23 JUN 72 200	11,000.			106,000.			107,000.			20 23 JUN 72
23 JUN 72 800	10,600.			105,000.			106,000.			80 23 JUN 72
23 JUN 72 1400	10,300.			103,000.			104,000.			140 23 JUN 72
23 JUN 72 2000	10,000.			102,000.			103,000.			200 23 JUN 72
24 JUN 72 200	9,570.			99,600.			101,000.			20 24 JUN 72
24 JUN 72 800	8,600.			95,200.			98,000.			80 24 JUN 72
24 JUN 72 1400	7,880.			90,800.			93,900.			140 24 JUN 72
24 JUN 72 2000	7,540.			87,400.			89,900.			200 24 JUN 72
25 JUN 72 200	7,250.			84,000.			86,500.			20 25 JUN 72
25 JUN 72 800	6,750.			79,900.			82,800.			80 25 JUN 72
25 JUN 72 1400	6,380.			76,200.			79,000.			140 25 JUN 72
25 JUN 72 2000	6,190.			73,100.			75,500.			200 25 JUN 72
26 JUN 72 200	6,040.			70,400.			72,500.			20 26 JUN 72
26 JUN 72 800	5,830.			67,800.			69,800.			80 26 JUN 72
26 JUN 72 1400	5,670.			65,500.			67,300.			140 26 JUN 72
26 JUN 72 2000	5,560.			63,500.			65,100.			200 26 JUN 72
27 JUN 72 200	5,440.			61,800.			63,200.			20 27 JUN 72
27 JUN 72 800	5,260.			59,900.			61,300.			80 27 JUN 72
27 JUN 72 1400	5,110.			58,200.			59,600.			140 27 JUN 72
27 JUN 72 2000	5,020.			56,800.			57,900.			200 27 JUN 72
28 JUN 72 200	4,940.			55,500.			56,500.			20 28 JUN 72
28 JUN 72 800	4,880.			54,300.			55,300.			80 28 JUN 72
28 JUN 72 1400	4,810.			53,200.			54,100.			140 28 JUN 72
28 JUN 72 2000	4,750.			52,300.			53,100.			200 28 JUN 72
29 JUN 72 200	4,660.			51,300.			52,100.			20 29 JUN 72
29 JUN 72 800	4,510.			50,200.			51,100.			80 29 JUN 72
29 JUN 72 1400	4,390.			49,100.			50,000.			140 29 JUN 72
29 JUN 72 2000	4,310.			48,100.			49,000.			200 29 JUN 72
30 JUN 72 200	4,220.			47,200.			48,000.			20 30 JUN 72
30 JUN 72 800	4,080.			46,000.			47,000.			80 30 JUN 72
30 JUN 72 1400	3,970.			44,900.			45,900.			140 30 JUN 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0			STATION 33.5			STATION 34.0			
	LAKE LOUISE AND SUSITNA LAKE 48 SQ MI			330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	18.			18.			140.			140 1 MAY 72
1 MAY 72 2000	886.			18.			140.			200 1 MAY 72
2 MAY 72 200	882.			24.			142.			20 2 MAY 72
2 MAY 72 800	878.			57.			145.			80 2 MAY 72
2 MAY 72 1400	875.			143.			148.			140 2 MAY 72
2 MAY 72 2000	873.			284.			152.			200 2 MAY 72
3 MAY 72 200	869.			450.			156.			20 3 MAY 72
3 MAY 72 800	865.			600.			160.			80 3 MAY 72
3 MAY 72 1400	861.			712.			166.			140 3 MAY 72
3 MAY 72 2000	855.			782.			173.			200 3 MAY 72
4 MAY 72 200	849.			820.			181.			20 4 MAY 72
4 MAY 72 800	844.			839.			190.			80 4 MAY 72
4 MAY 72 1400	839.			846.			200.			140 4 MAY 72
4 MAY 72 2000	839.			846.			210.			200 4 MAY 72
5 MAY 72 200	839.			845.			219.			20 5 MAY 72
5 MAY 72 800	839.			843.			229.			80 5 MAY 72
5 MAY 72 1400	838.			841.			238.			140 5 MAY 72
5 MAY 72 2000	837.			840.			247.			200 5 MAY 72
6 MAY 72 200	836.			839.			256.			20 6 MAY 72
6 MAY 72 800	834.			838.			264.			80 6 MAY 72
6 MAY 72 1400	832.			837.			272.			140 6 MAY 72
6 MAY 72 2000	830.			836.			280.			200 6 MAY 72
7 MAY 72 200	827.			834.			289.			20 7 MAY 72
7 MAY 72 800	824.			832.			297.			80 7 MAY 72
7 MAY 72 1400	820.			830.			307.			140 7 MAY 72
7 MAY 72 2000	815.			827.			317.			200 7 MAY 72
8 MAY 72 200	810.			824.			327.			20 8 MAY 72
8 MAY 72 800	805.			820.			339.			80 8 MAY 72
8 MAY 72 1400	800.			816.			352.			140 8 MAY 72
8 MAY 72 2000	796.			812.			366.			200 8 MAY 72
9 MAY 72 200	799.			807.			382.			20 9 MAY 72
9 MAY 72 800	802.			804.			399.			80 9 MAY 72
9 MAY 72 1400	805.			802.			417.			140 9 MAY 72
9 MAY 72 2000	808.			802.			438.			200 9 MAY 72
10 MAY 72 200	810.			803.			460.			20 10 MAY 72
10 MAY 72 800	812.			805.			484.			80 10 MAY 72
10 MAY 72 1400	814.			807.			510.			140 10 MAY 72
10 MAY 72 2000	815.			809.			537.			200 10 MAY 72
11 MAY 72 200	815.			811.			567.			20 11 MAY 72
11 MAY 72 800	814.			812.			599.			80 11 MAY 72
11 MAY 72 1400	813.			813.			633.			140 11 MAY 72
11 MAY 72 2000	812.			814.			668.			200 11 MAY 72
12 MAY 72 200	810.			814.			706.			20 12 MAY 72

FORM 1413-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI			STATION 33.5 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			STATION 34.0 TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 800	809.			813.			746.			80 12 MAY 72
12 MAY 72 1400	807.			812.			787.			140 12 MAY 72
12 MAY 72 2000	805.			811.			830.			200 12 MAY 72
13 MAY 72 200	802.			809.			875.			20 13 MAY 72
13 MAY 72 800	800.			807.			921.			80 13 MAY 72
13 MAY 72 1400	796.			805.			969.			140 13 MAY 72
13 MAY 72 2000	793.			803.			1,020.			200 13 MAY 72
14 MAY 72 200	788.			800.			1,070.			20 14 MAY 72
14 MAY 72 800	783.			797.			1,120.			80 14 MAY 72
14 MAY 72 1400	777.			793.			1,170.			140 14 MAY 72
14 MAY 72 2000	775.			789.			1,230.			200 14 MAY 72
15 MAY 72 200	773.			785.			1,280.			20 15 MAY 72
15 MAY 72 800	771.			781.			1,340.			80 15 MAY 72
15 MAY 72 1400	769.			778.			1,390.			140 15 MAY 72
15 MAY 72 2000	767.			775.			1,450.			200 15 MAY 72
16 MAY 72 200	765.			773.			1,510.			20 16 MAY 72
16 MAY 72 800	764.			770.			1,570.			80 16 MAY 72
16 MAY 72 1400	763.			768.			1,620.			140 16 MAY 72
16 MAY 72 2000	762.			767.			1,680.			200 16 MAY 72
17 MAY 72 200	760.			765.			1,740.			20 17 MAY 72
17 MAY 72 800	757.			764.			1,800.			80 17 MAY 72
17 MAY 72 1400	755.			762.			1,850.			140 17 MAY 72
17 MAY 72 2000	752.			760.			1,910.			200 17 MAY 72
18 MAY 72 200	750.			758.			1,970.			20 18 MAY 72
18 MAY 72 800	747.			756.			2,030.			80 18 MAY 72
18 MAY 72 1400	744.			753.			2,080.			140 18 MAY 72
18 MAY 72 2000	741.			751.			2,140.			200 18 MAY 72
19 MAY 72 200	737.			748.			2,190.			20 19 MAY 72
19 MAY 72 800	733.			745.			2,250.			80 19 MAY 72
19 MAY 72 1400	728.			742.			2,300.			140 19 MAY 72
19 MAY 72 2000	723.			738.			2,350.			200 19 MAY 72
20 MAY 72 200	718.			734.			2,400.			20 20 MAY 72
20 MAY 72 800	711.			730.			2,450.			80 20 MAY 72
20 MAY 72 1400	704.			725.			2,500.			140 20 MAY 72
20 MAY 72 2000	697.			720.			2,550.			200 20 MAY 72
21 MAY 72 200	689.			714.			2,600.			20 21 MAY 72
21 MAY 72 800	682.			707.			2,650.			80 21 MAY 72
21 MAY 72 1400	674.			700.			2,690.			140 21 MAY 72
21 MAY 72 2000	666.			693.			2,740.			200 21 MAY 72
22 MAY 72 200	657.			686.			2,780.			20 22 MAY 72
22 MAY 72 800	648.			678.			2,830.			80 22 MAY 72
22 MAY 72 1400	639.			670.			2,870.			140 22 MAY 72
22 MAY 72 2000	630.			662.			2,910.			200 22 MAY 72

FORM 1911-2

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0			STATION 33.5			STATION 34.0			
	LAKE LOUISE AND SUSITNA LAKE 48 SQ MI			330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
23 MAY 72 200	621.			654.			2,950.			20 23 MAY 72
23 MAY 72 800	612.			645.			2,990.			80 23 MAY 72
23 MAY 72 1400	603.			637.			3,030.			140 23 MAY 72
23 MAY 72 2000	594.			628.			3,070.			200 23 MAY 72
24 MAY 72 200	588.			619.			3,110.			20 24 MAY 72
24 MAY 72 800	583.			611.			3,140.			80 24 MAY 72
24 MAY 72 1400	579.			603.			3,180.			140 24 MAY 72
24 MAY 72 2000	574.			596.			3,210.			200 24 MAY 72
25 MAY 72 200	570.			590.			3,250.			20 25 MAY 72
25 MAY 72 800	565.			584.			3,280.			80 25 MAY 72
25 MAY 72 1400	561.			579.			3,310.			140 25 MAY 72
25 MAY 72 2000	556.			574.			3,340.			200 25 MAY 72
26 MAY 72 200	552.			570.			3,370.			20 26 MAY 72
26 MAY 72 800	547.			565.			3,400.			80 26 MAY 72
26 MAY 72 1400	543.			560.			3,430.			140 26 MAY 72
26 MAY 72 2000	538.			556.			3,460.			200 26 MAY 72
27 MAY 72 200	534.			552.			3,490.			20 27 MAY 72
27 MAY 72 800	529.			547.			3,520.			80 27 MAY 72
27 MAY 72 1400	525.			543.			3,550.			140 27 MAY 72
27 MAY 72 2000	520.			538.			3,580.			200 27 MAY 72
28 MAY 72 200	516.			534.			3,600.			20 28 MAY 72
28 MAY 72 800	511.			529.			3,630.			80 28 MAY 72
28 MAY 72 1400	507.			525.			3,660.			140 28 MAY 72
28 MAY 72 2000	502.			520.			3,680.			200 28 MAY 72
29 MAY 72 200	498.			516.			3,710.			20 29 MAY 72
29 MAY 72 800	493.			512.			3,730.			80 29 MAY 72
29 MAY 72 1400	489.			507.			3,760.			140 29 MAY 72
29 MAY 72 2000	484.			503.			3,780.			200 29 MAY 72
30 MAY 72 200	480.			498.			3,800.			20 30 MAY 72
30 MAY 72 800	475.			494.			3,820.			80 30 MAY 72
30 MAY 72 1400	471.			489.			3,850.			140 30 MAY 72
30 MAY 72 2000	466.			485.			3,870.			200 30 MAY 72
31 MAY 72 200	462.			481.			3,900.			20 31 MAY 72
31 MAY 72 800	457.			476.			3,920.			80 31 MAY 72
31 MAY 72 1400	453.			472.			3,940.			140 31 MAY 72
31 MAY 72 2000	448.			467.			3,960.			200 31 MAY 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI			STATION 33.5 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			STATION 34.0 TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200	444.			463.			3,980.			20 1 JUN 72
1 JUN 72 800	439.			459.			4,000.			80 1 JUN 72
1 JUN 72 1400	435.			454.			4,020.			140 1 JUN 72
1 JUN 72 2000	430.			450.			4,040.			200 1 JUN 72
2 JUN 72 200	426.			445.			4,060.			20 2 JUN 72
2 JUN 72 800	422.			441.			4,080.			80 2 JUN 72
2 JUN 72 1400	417.			437.			4,100.			140 2 JUN 72
2 JUN 72 2000	413.			432.			4,120.			200 2 JUN 72
3 JUN 72 200	408.			428.			4,140.			20 3 JUN 72
3 JUN 72 800	404.			423.			4,150.			80 3 JUN 72
3 JUN 72 1400	399.			419.			4,170.			140 3 JUN 72
3 JUN 72 2000	395.			415.			4,190.			200 3 JUN 72
4 JUN 72 200	397.			410.			4,210.			20 4 JUN 72
4 JUN 72 800	394.			406.			4,220.			80 4 JUN 72
4 JUN 72 1400	406.			403.			4,240.			140 4 JUN 72
4 JUN 72 2000	409.			401.			4,260.			200 4 JUN 72
5 JUN 72 200	436.			402.			4,270.			20 5 JUN 72
5 JUN 72 800	456.			405.			4,290.			80 5 JUN 72
5 JUN 72 1400	496.			412.			4,320.			140 5 JUN 72
5 JUN 72 2000	542.			425.			4,350.			200 5 JUN 72
6 JUN 72 200	586.			445.			,390.			20 6 JUN 72
6 JUN 72 800	646.			472.			4,450.			80 6 JUN 72
6 JUN 72 1400	705.			508.			4,560.			140 6 JUN 72
6 JUN 72 2000	765.			552.			4,710.			200 6 JUN 72
7 JUN 72 200	828.			603.			4,970.			20 7 JUN 72
7 JUN 72 800	883.			661.			5,350.			80 7 JUN 72
7 JUN 72 1400	933.			723.			5,930.			140 7 JUN 72
7 JUN 72 2000	967.			785.			6,770.			200 7 JUN 72
8 JUN 72 200	991.			843.			7,940.			20 8 JUN 72
8 JUN 72 800	1,010.			895.			9,510.			80 8 JUN 72
8 JUN 72 1400	1,010.			936.			11,500.			140 8 JUN 72
8 JUN 72 2000	1,000.			966.			14,000.			200 8 JUN 72
9 JUN 72 200	1,000.			986.			16,800.			20 9 JUN 72
9 JUN 72 800	973.			995.			19,900.			80 9 JUN 72
9 JUN 72 1400	941.			994.			23,200.			140 9 JUN 72
9 JUN 72 2000	911.			983.			26,500.			200 9 JUN 72
10 JUN 72 200	934.			967.			29,600.			20 10 JUN 72
10 JUN 72 800	911.			950.			32,500.			80 10 JUN 72
10 JUN 72 1400	891.			937.			34,900.			140 10 JUN 72
10 JUN 72 2000	877.			924			36,900.			200 10 JUN 72
11 JUN 72 200	843.			910.			38,500.			20 11 JUN 72
11 JUN 72 800	830.			893.			39,600.			80 11 JUN 72
11 JUN 72 1400	84?.			876.			40,400.			140 11 JUN 72

FORM 1413

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI			STATION 33.5 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			STATION 34.0 TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	985.			866.			40,800.			200 11 JUN 72
12 JUN 72 200	824.			870.			40,900.			20 12 JUN 72
12 JUN 72 800	832.			876.			40,900.			80 12 JUN 72
12 JUN 72 1400	863.			873.			40,700.			140 12 JUN 72
12 JUN 72 2000	1,050.			870.			40,300.			200 12 JUN 72
13 JUN 72 200	871.			884.			40,000.			20 13 JUN 72
13 JUN 72 800	681.			902.			39,600.			80 13 JUN 72
13 JUN 72 1400	926.			908.			39,100.			140 13 JUN 72
13 JUN 72 2000	1,180.			916.			38,600.			200 13 JUN 72
14 JUN 72 200	944.			944.			38,100.			20 14 JUN 72
14 JUN 72 800	971.			977.			37,600.			80 14 JUN 72
14 JUN 72 1400	1,040.			992.			37,000.			140 14 JUN 72
14 JUN 72 2000	1,350.			1,010.			36,500.			200 14 JUN 72
15 JUN 72 200	1,140.			1,060.			35,900.			20 15 JUN 72
15 JUN 72 800	1,190.			1,120.			35,500.			80 15 JUN 72
15 JUN 72 1400	1,320.			1,160.			35,100.			140 15 JUN 72
15 JUN 72 2000	1,830.			1,220.			34,900.			200 15 JUN 72
16 JUN 72 200	1,610.			1,330.			34,800.			20 16 JUN 72
16 JUN 72 800	1,470.			1,470.			34,800.			80 16 JUN 72
16 JUN 72 1400	1,490.			1,530.			35,000.			140 16 JUN 72
16 JUN 72 2000	1,510.			1,530.			35,400.			200 16 JUN 72
17 JUN 72 200	1,660.			1,520.			36,100.			20 17 JUN 72
17 JUN 72 800	1,420.			1,530.			36,800.			80 17 JUN 72
17 JUN 72 1400	1,320.			1,530.			37,600.			140 17 JUN 72
17 JUN 72 2000	1,230.			1,470.			38,300.			200 17 JUN 72
18 JUN 72 200	1,030.			1,390.			38,600.			20 18 JUN 72
18 JUN 72 800	923.			1,280.			38,600.			80 18 JUN 72
18 JUN 72 1400	804.			1,170.			38,200.			140 18 JUN 72
18 JUN 72 2000	685.			1,050.			37,500.			200 18 JUN 72
19 JUN 72 200	573.			937.			36,400.			20 19 JUN 72
19 JUN 72 800	472.			831.			35,000.			80 19 JUN 72
19 JUN 72 1400	384.			731.			33,500.			140 19 JUN 72
19 JUN 72 2000	309.			639.			31,800.			200 19 JUN 72
20 JUN 72 200	248.			555.			30,000.			20 20 JUN 72
20 JUN 72 800	198.			481.			28,400.			80 20 JUN 72
20 JUN 72 1400	158.			415.			26,800.			140 20 JUN 72
20 JUN 72 2000	127.			358.			25,400.			200 20 JUN 72
21 JUN 72 200	102.			309.			24,200.			20 21 JUN 72
21 JUN 72 800	82.			267.			23,300.			80 21 JUN 72
21 JUN 72 1400	67.			231.			22,500.			140 21 JUN 72
21 JUN 72 2000	55.			201.			22,000.			200 21 JUN 72
22 JUN 72 200	46.			175.			21,600.			20 22 JUN 72
22 JUN 72 800	39.			153.			21,400.			80 22 JUN 72

FORM 1411-S

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 33.0 LAKE LOUISE AND SUSITNA LAKE 48 SQ MI		STATION 33.5 330-350 ROUT LAKE LOUISE&SVS LAKE - SUS RIV			STATION 34.0 TYONE RIVER BASIN 1047 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400		33.			134.			21,200.		140 22 JUN 72
22 JUN 72 2000		28.			118.			21,100.		200 22 JUN 72
23 JUN 72 200		25.			105.			21,000.		20 23 JUN 72
23 JUN 72 800		21.			93.			20,900.		80 23 JUN 72
23 JUN 72 1400		19.			83.			20,900.		140 23 JUN 72
23 JUN 72 2000		17.			74.			20,800.		200 23 JUN 72
24 JUN 72 200		15.			66.			20,600.		20 24 JUN 72
24 JUN 72 800		13.			60.			20,400.		80 24 JUN 72
24 JUN 72 1400		11.			54.			20,200.		140 24 JUN 72
24 JUN 72 2000		10.			49.			19,900.		200 24 JUN 72
25 JUN 72 200		9.			45.			19,600.		20 25 JUN 72
25 JUN 72 800		8.			41.			19,200.		80 25 JUN 72
25 JUN 72 1400		7.			37.			18,800.		140 25 JUN 72
25 JUN 72 2000		6.			34.			18,300.		200 25 JUN 72
26 JUN 72 200		5.			31.			17,800.		20 26 JUN 72
26 JUN 72 800		5.			29.			17,300.		80 26 JUN 72
26 JUN 72 1400		4.			27.			16,700.		140 26 JUN 72
26 JUN 72 2000		3.			25.			16,200.		200 26 JUN 72
27 JUN 72 200		3.			23.			15,600.		20 27 JUN 72
27 JUN 72 800		3.			21.			15,100.		80 27 JUN 72
27 JUN 72 1400		2.			20.			14,600.		140 27 JUN 72
27 JUN 72 2000		2.			18.			14,100.		200 27 JUN 72
28 JUN 72 200		2.			17.			13,600.		20 28 JUN 72
28 JUN 72 800		2.			16.			13,200.		80 28 JUN 72
28 JUN 72 1400		1.			15.			12,800.		140 28 JUN 72
28 JUN 72 2000		1.			14.			12,400.		200 28 JUN 72
29 JUN 72 200		1.			13.			12,100.		20 29 JUN 72
29 JUN 72 800		1.			12.			11,700.		80 29 JUN 72
29 JUN 72 1400		1.			11.			11,400.		140 29 JUN 72
29 JUN 72 2000		1.			11.			11,100.		200 29 JUN 72
30 JUN 72 200		1.			10.			10,900.		20 30 JUN 72
30 JUN 72 800		1.			9.			10,600.		80 30 JUN 72
30 JUN 72 1400		1.			9.			10,300.		140 30 JUN 72

FORM 1613-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 38.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	782.			782.			158.			140 1 MAY 72
1 MAY 72 2000	783.			782.			169.			200 1 MAY 72
2 MAY 72 200	791.			787.			206.			20 2 MAY 72
2 MAY 72 800	828.			808.			269.			80 2 MAY 72
2 MAY 72 1400	921.			871.			352.			140 2 MAY 72
2 MAY 72 2000	1,070.			992.			438.			200 2 MAY 72
3 MAY 72 200	1,260.			1,160.			515.			20 3 MAY 72
3 MAY 72 800	1,420.			1,330.			576.			80 3 MAY 72
3 MAY 72 1400	1,550.			1,480.			621.			140 3 MAY 72
3 MAY 72 2000	1,630.			1,590.			654.			200 3 MAY 72
4 MAY 72 200	1,680.			1,660.			677.			20 4 MAY 72
4 MAY 72 800	1,710.			1,690.			693.			80 4 MAY 72
4 MAY 72 1400	1,720.			1,710.			705.			140 4 MAY 72
4 MAY 72 2000	1,730.			1,720.			715.			200 4 MAY 72
5 MAY 72 200	1,730.			1,730.			724.			20 5 MAY 72
5 MAY 72 800	1,730.			1,730.			732.			80 5 MAY 72
5 MAY 72 1400	1,740.			1,740.			740.			140 5 MAY 72
5 MAY 72 2000	1,750.			1,740.			748.			200 5 MAY 72
6 MAY 72 200	1,750.			1,750.			757.			20 6 MAY 72
6 MAY 72 800	1,760.			1,760.			766.			80 6 MAY 72
6 MAY 72 1400	1,770.			1,770.			775.			140 6 MAY 72
6 MAY 72 2000	1,780.			1,780.			784.			200 6 MAY 72
7 MAY 72 200	1,790.			1,790.			794.			20 7 MAY 72
7 MAY 72 800	1,800.			1,800.			804.			80 7 MAY 72
7 MAY 72 1400	1,810.			1,810.			814.			140 7 MAY 72
7 MAY 72 2000	1,830.			1,820.			825.			200 7 MAY 72
8 MAY 72 200	1,840.			1,830.			836.			20 8 MAY 72
8 MAY 72 800	1,850.			1,850.			847.			80 8 MAY 72
8 MAY 72 1400	1,870.			1,860.			859.			140 8 MAY 72
8 MAY 72 2000	1,880.			1,880.			871.			200 8 MAY 72
9 MAY 72 200	1,900.			1,890.			882.			20 9 MAY 72
9 MAY 72 800	1,920.			1,910.			894.			80 9 MAY 72
9 MAY 72 1400	1,940.			1,930.			906.			140 9 MAY 72
9 MAY 72 2000	1,970.			1,950.			918.			200 9 MAY 72
10 MAY 72 200	1,990.			1,980.			930.			20 10 MAY 72
10 MAY 72 800	2,020.			2,010.			943.			80 10 MAY 72
10 MAY 72 1400	2,050.			2,040.			955.			140 10 MAY 72
10 MAY 72 2000	2,090.			2,070.			967.			200 10 MAY 72
11 MAY 72 200	2,120.			2,100.			979.			20 11 MAY 72
11 MAY 72 800	2,160.			2,140.			990.			80 11 MAY 72
11 MAY 72 1400	2,200.			2,180.			1,000.			140 11 MAY 72
11 MAY 72 2000	2,230.			2,210.			1,010.			200 11 MAY 72
12 MAY 72 200	2,270.			2,250.			1,030.			20 12 MAY 72

FORM 1413-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 38.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(O)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 800	2,310.			2,290.			1,040.			80 12 MAY 72
12 MAY 72 1400	2,360.			2,330.			1,050.			140 12 MAY 72
12 MAY 72 2000	2,400.			2,380.			1,060.			200 12 MAY 72
13 MAY 72 200	2,440.			2,420.			1,070.			20 13 MAY 72
13 MAY 72 800	2,490.			2,460.			1,080.			80 13 MAY 72
13 MAY 72 1400	2,530.			2,510.			1,090.			140 13 MAY 72
13 MAY 72 2000	2,580.			2,560.			1,100.			200 13 MAY 72
14 MAY 72 200	2,630.			2,600.			1,110.			20 14 MAY 72
14 MAY 72 800	2,680.			2,650.			1,120.			80 14 MAY 72
14 MAY 72 1400	2,730.			2,700.			1,130.			140 14 MAY 72
14 MAY 72 2000	2,780.			2,750.			1,140.			200 14 MAY 72
15 MAY 72 200	2,830.			2,800.			1,150.			20 15 MAY 72
15 MAY 72 800	2,880.			2,850.			1,160.			80 15 MAY 72
15 MAY 72 1400	2,930.			2,900.			1,160.			140 15 MAY 72
15 MAY 72 2000	2,980.			2,960.			1,170.			200 15 MAY 72
16 MAY 72 200	3,040.			3,010.			1,180.			20 16 MAY 72
16 MAY 72 800	3,090.			3,070.			1,190.			80 16 MAY 72
16 MAY 72 1400	3,150.			3,120.			1,190.			140 16 MAY 72
16 MAY 72 2000	3,200.			3,180.			1,200.			200 16 MAY 72
17 MAY 72 200	3,260.			3,230.			1,210.			20 17 MAY 72
17 MAY 72 800	3,320.			3,290.			1,210.			80 17 MAY 72
17 MAY 72 1400	3,370.			3,340.			1,220.			140 17 MAY 72
17 MAY 72 2000	3,420.			3,400.			1,230.			200 17 MAY 72
18 MAY 72 200	3,480.			3,450.			1,230.			20 18 MAY 72
18 MAY 72 800	3,530.			3,500.			1,240.			80 18 MAY 72
18 MAY 72 1400	3,580.			3,560.			1,240.			140 18 MAY 72
18 MAY 72 2000	3,640.			3,610.			1,250.			200 18 MAY 72
19 MAY 72 200	3,690.			3,660.			1,250.			20 19 MAY 72
19 MAY 72 800	3,740.			3,710.			1,260.			80 19 MAY 72
19 MAY 72 1400	3,790.			3,760.			1,260.			140 19 MAY 72
19 MAY 72 2000	3,830.			3,810.			1,270.			200 19 MAY 72
20 MAY 72 200	3,880.			3,860.			1,270.			20 20 MAY 72
20 MAY 72 800	3,930.			3,900.			1,270.			80 20 MAY 72
20 MAY 72 1400	3,970.			3,950.			1,280.			140 20 MAY 72
20 MAY 72 2000	4,010.			3,990.			1,280.			200 20 MAY 72
21 MAY 72 200	4,050.			4,030.			1,290.			20 21 MAY 72
21 MAY 72 800	4,090.			4,070.			1,290.			80 21 MAY 72
21 MAY 72 1400	4,130.			4,110.			1,290.			140 21 MAY 72
21 MAY 72 2000	4,170.			4,150.			1,290.			200 21 MAY 72
22 MAY 72 200	4,210.			4,190.			1,300.			20 22 MAY 72
22 MAY 72 800	4,240.			4,220.			1,300.			80 22 MAY 72
22 MAY 72 1400	4,280.			4,260.			1,300.			140 22 MAY 72
22 MAY 72 2000	4,310.			4,290.			1,300.			200 22 MAY 72

FORM 5113
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0	STATION 37.5	STATION 38.0	
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS	350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)	OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI	
DATE-HOUR	FLOW CFS / GAGE HEIGHT FEET / STORAGE ACRE-FEET	FLOW CFS / GAGE HEIGHT FEET / STORAGE ACRE-FEET	FLOW CFS / GAGE HEIGHT FEET / STORAGE ACRE-FEET	HOUR-DATE
23 MAY 72 200	4,340.	4,320.	1,310.	20 23 MAY 72
23 MAY 72 800	4,370.	4,350.	1,310.	80 23 MAY 72
23 MAY 72 1400	4,400.	4,380.	1,310.	140 23 MAY 72
23 MAY 72 2000	4,430.	4,410.	1,310.	200 23 MAY 72
24 MAY 72 200	4,450.	4,440.	1,310.	20 24 MAY 72
24 MAY 72 800	4,480.	4,470.	1,320.	80 24 MAY 72
24 MAY 72 1400	4,510.	4,490.	1,320.	140 24 MAY 72
24 MAY 72 2000	4,540.	4,520.	1,320.	200 24 MAY 72
25 MAY 72 200	4,560.	4,550.	1,320.	20 25 MAY 72
25 MAY 72 800	4,590.	4,580.	1,320.	80 25 MAY 72
25 MAY 72 1400	4,620.	4,600.	1,320.	140 25 MAY 72
25 MAY 72 2000	4,640.	4,630.	1,320.	200 25 MAY 72
26 MAY 72 200	4,670.	4,650.	1,320.	20 26 MAY 72
26 MAY 72 800	4,690.	4,680.	1,320.	80 26 MAY 72
26 MAY 72 1400	4,720.	4,700.	1,330.	140 26 MAY 72
26 MAY 72 2000	4,740.	4,730.	1,330.	200 26 MAY 72
27 MAY 72 200	4,770.	4,750.	1,330.	20 27 MAY 72
27 MAY 72 800	4,790.	4,780.	1,330.	80 27 MAY 72
27 MAY 72 1400	4,810.	4,800.	1,330.	140 27 MAY 72
27 MAY 72 2000	4,830.	4,820.	1,330.	200 27 MAY 72
28 MAY 72 200	4,860.	4,850.	1,330.	20 28 MAY 72
28 MAY 72 800	4,880.	4,870.	1,330.	80 28 MAY 72
28 MAY 72 1400	4,900.	4,890.	1,330.	140 28 MAY 72
28 MAY 72 2000	4,920.	4,910.	1,330.	200 28 MAY 72
29 MAY 72 200	4,940.	4,930.	1,330.	20 29 MAY 72
29 MAY 72 800	4,960.	4,950.	1,330.	80 29 MAY 72
29 MAY 72 1400	4,980.	4,970.	1,330.	140 29 MAY 72
29 MAY 72 2000	5,000.	4,990.	1,330.	200 29 MAY 72
30 MAY 72 200	5,020.	5,010.	1,330.	20 30 MAY 72
30 MAY 72 800	5,040.	5,030.	1,330.	80 30 MAY 72
30 MAY 72 1400	5,050.	5,050.	1,330.	140 30 MAY 72
30 MAY 72 2000	5,070.	5,060.	1,330.	200 30 MAY 72
31 MAY 72 200	5,090.	5,080.	1,330.	20 31 MAY 72
31 MAY 72 800	5,110.	5,100.	1,330.	80 31 MAY 72
31 MAY 72 1400	5,120.	5,110.	1,330.	140 31 MAY 72
31 MAY 72 2000	5,140.	5,130.	1,330.	200 31 MAY 72

FORM 1411-3
PRINTED IN USA

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 35.0 COLLECTION ONE MI ABV CONFL OF OSHET & SUS FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 37.5 350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U) FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200	5,160.			5,150.			1,330.			20 1 JUN 72
1 JUN 72 800	5,170.			5,160.			1,330.			80 1 JUN 72
1 JUN 72 1400	5,190.			5,180.			1,320.			140 1 JUN 72
1 JUN 72 2000	5,200.			5,190.			1,320.			200 1 JUN 72
2 JUN 72 200	5,220.			5,210.			1,320.			20 2 JUN 72
2 JUN 72 800	5,230.			5,220.			1,320.			80 2 JUN 72
2 JUN 72 1400	5,240.			5,240.			1,320.			140 2 JUN 72
2 JUN 72 2000	5,260.			5,250.			1,320.			200 2 JUN 72
3 JUN 72 200	5,270.			5,260.			1,320.			20 3 JUN 72
3 JUN 72 800	5,280.			5,280.			1,320.			80 3 JUN 72
3 JUN 72 1400	5,300.			5,290.			1,320.			140 3 JUN 72
3 JUN 72 2000	5,310.			5,300.			1,320.			200 3 JUN 72
4 JUN 72 200	5,320.			5,320.			1,320.			20 4 JUN 72
4 JUN 72 800	5,330.			5,330.			1,340.			80 4 JUN 72
4 JUN 72 1400	5,350.			5,340.			1,390.			140 4 JUN 72
4 JUN 72 2000	5,370.			5,360.			1,490.			200 4 JUN 72
5 JUN 72 200	5,410.			5,390.			1,660.			20 5 JUN 72
5 JUN 72 800	5,470.			5,440.			1,930.			80 5 JUN 72
5 JUN 72 1400	5,570.			5,520.			2,330.			140 5 JUN 72
5 JUN 72 2000	5,740.			5,660.			2,920.			200 5 JUN 72
6 JUN 72 200	6,010.			5,880.			3,700.			20 6 JUN 72
6 JUN 72 800	6,430.			6,220.			4,650.			80 6 JUN 72
6 JUN 72 1400	7,080.			6,760.			5,830.			140 6 JUN 72
6 JUN 72 2000	8,090.			7,590.			7,240.			200 6 JUN 72
7 JUN 72 200	9,630.			8,860.			8,930.			20 7 JUN 72
7 JUN 72 800	12,000.			10,800.			10,900.			80 7 JUN 72
7 JUN 72 1400	15,700.			13,800.			13,300.			140 7 JUN 72
7 JUN 72 2000	21,200.			18,400.			15,600.			200 7 JUN 72
8 JUN 72 200	28,800.			25,000.			17,700.			20 8 JUN 72
8 JUN 72 800	38,600.			33,700.			19,500.			80 8 JUN 72
8 JUN 72 1400	50,000.			44,300.			21,100.			140 8 JUN 72
8 JUN 72 2000	62,200.			56,100.			22,500.			200 8 JUN 72
9 JUN 72 200	74,300.			68,300.			23,700.			20 9 JUN 72
9 JUN 72 800	86,100.			80,200.			24,900.			80 9 JUN 72
9 JUN 72 1400	97,400.			91,700.			25,900.			140 9 JUN 72
9 JUN 72 2000	108,000.			103,000.			26,700.			200 9 JUN 72
10 JUN 72 200	118,000.			113,000.			27,800.			20 10 JUN 72
10 JUN 72 800	127,000.			122,000.			29,100.			80 10 JUN 72
10 JUN 72 1400	135,000.			131,000.			30,400.			140 10 JUN 72
10 JUN 72 2000	142,000.			139,000.			31,600.			200 10 JUN 72
11 JUN 72 200	149,000.			146,000.			32,400.			20 11 JUN 72
14 JUN 72 800	153,000.			151,000.			32,900.			80 11 JUN 72
11 JUN 72 1400	157,000.			155,000.			33,900.			140 11 JUN 72

FORM 1815-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 35.0			STATION 37.5			STATION 38.0			
	COLLECTION ONE MI ABV CONFL OF OSHET & SUS			350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U)			OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	159,000.			158,000.			36,800.			200 11 JUN 72
12 JUN 72 200	162,000.			161,000.			37,900.			20 12 JUN 72
12 JUN 72 800	164,000.			163,000.			35,400.			80 12 JUN 72
12 JUN 72 1400	164,000.			164,000.			34,000.			140 12 JUN 72
12 JUN 72 2000	163,000.			163,000.			35,100.			200 12 JUN 72
13 JUN 72 200	163,000.			163,000.			35,600.			20 13 JUN 72
13 JUN 72 800	162,000.			163,000.			33,800.			80 13 JUN 72
13 JUN 72 1400	160,000.			161,000.			33,500.			140 13 JUN 72
13 JUN 72 2000	159,000.			159,000.			36,700.			200 13 JUN 72
14 JUN 72 200	160,000.			160,000.			38,100.			20 14 JUN 72
14 JUN 72 800	162,000.			161,000.			35,000.			80 14 JUN 72
14 JUN 72 1400	161,000.			161,000.			34,200.			140 14 JUN 72
14 JUN 72 2000	160,000.			160,000.			37,800.			200 14 JUN 72
15 JUN 72 200	164,000.			162,000.			41,000.			20 15 JUN 72
15 JUN 72 800	169,000.			167,000.			39,800.			80 15 JUN 72
15 JUN 72 1400	172,000.			171,000.			40,000.			140 15 JUN 72
15 JUN 72 2000	176,000.			174,000.			46,600.			200 15 JUN 72
16 JUN 72 200	188,000.			182,000.			51,100.			20 16 JUN 72
16 JUN 72 800	200,000.			194,000.			43,800.			80 16 JUN 72
16 JUN 72 1400	199,000.			200,000.			35,900.			140 16 JUN 72
16 JUN 72 2000	190,000.			195,000.			32,800.			200 16 JUN 72
17 JUN 72 200	183,000.			187,000.			34,100.			20 17 JUN 72
17 JUN 72 800	179,000.			181,000.			35,000.			80 17 JUN 72
17 JUN 72 1400	175,000.			177,000.			32,700.			140 17 JUN 72
17 JUN 72 2000	168,000.			172,000.			31,200.			200 17 JUN 72
18 JUN 72 200	161,000.			165,000.			30,100.			20 18 JUN 72
18 JUN 72 800	153,000.			157,000.			29,000.			80 18 JUN 72
18 JUN 72 1400	146,000.			150,000.			28,300.			140 18 JUN 72
18 JUN 72 2000	138,000.			142,000.			27,700.			200 18 JUN 72
19 JUN 72 200	132,000.			135,000.			28,400.			20 19 JUN 72
19 JUN 72 800	126,000.			129,000.			30,500.			80 19 JUN 72
19 JUN 72 1400	123,000.			125,000.			32,900.			140 19 JUN 72
19 JUN 72 2000	121,000.			122,000.			35,500.			200 19 JUN 72
20 JUN 72 200	121,000.			121,000.			37,700.			20 20 JUN 72
20 JUN 72 800	121,000.			121,000.			38,800.			80 20 JUN 72
20 JUN 72 1400	122,000.			122,000.			39,000.			140 20 JUN 72
20 JUN 72 2000	122,000.			122,000.			38,900.			200 20 JUN 72
21 JUN 72 200	123,000.			122,000.			40,200.			20 21 JUN 72
21 JUN 72 800	123,000.			123,000.			42,500.			80 21 JUN 72
21 JUN 72 1400	125,000.			124,000.			43,400.			140 21 JUN 72
21 JUN 72 2000	126,000.			126,000.			43,400.			200 21 JUN 72
22 JUN 72 200	127,000.			126,000.			44,100.			20 22 JUN 72
22 JUN 72 800	127,000.			127,000.			45,100.			80 22 JUN 72

FORM 1115-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 35.0 COLLECTION ONE MI ABV CONFL OF OSHET & SUS FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 37.5 350-400 ROUT 1 MI ABV SUS&OSHET-SUS CANT(U) FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 38.0 OSHETNA AND GOOSE CREEK LOCAL 735 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400	128,000.			127,000.			45,300.			140 22 JUN 72
22 JUN 72 2000	128,000.			128,000.			45,100.			200 22 JUN 72
23 JUN 72 200	128,000.			128,000.			44,400.			20 23 JUN 72
23 JUN 72 800	127,000.			127,000.			43,400.			80 23 JUN 72
23 JUN 72 1400	125,000.			126,000.			42,700.			140 23 JUN 72
23 JUN 72 2000	124,000.			124,000.			42,000.			200 23 JUN 72
24 JUN 72 200	122,000.			123,000.			39,100.			20 24 JUN 72
24 JUN 72 800	119,000.			120,000.			35,000.			80 24 JUN 72
24 JUN 72 1400	114,000.			116,000.			33,000.			140 24 JUN 72
24 JUN 72 2000	110,000.			112,000.			32,200.			200 24 JUN 72
25 JUN 72 200	106,000.			108,000.			30,500.			20 25 JUN 72
25 JUN 72 800	102,000.			104,000.			28,400.			80 25 JUN 72
25 JUN 72 1400	97,800.			99,900.			27,300.			140 25 JUN 72
25 JUN 72 2000	93,800.			95,800.			26,800.			200 25 JUN 72
26 JUN 72 200	90,300.			92,100.			26,000.			20 26 JUN 72
26 JUN 72 800	87,100.			88,700.			25,100.			80 26 JUN 72
26 JUN 72 1400	84,000.			85,600.			24,500.			140 26 JUN 72
26 JUN 72 2000	81,300.			82,600.			24,100.			200 26 JUN 72
27 JUN 72 200	78,800.			80,000.			23,500.			20 27 JUN 72
27 JUN 72 800	76,400.			77,600.			22,600.			80 27 JUN 72
27 JUN 72 1400	74,100.			75,300.			22,200.			140 27 JUN 72
27 JUN 72 2000	72,000.			73,100.			21,900.			200 27 JUN 72
28 JUN 72 200	70,200.			71,100.			21,700.			20 28 JUN 72
28 JUN 72 800	68,500.			69,300.			21,500.			80 28 JUN 72
28 JUN 72 1400	66,900.			67,700.			21,300.			140 28 JUN 72
28 JUN 72 2000	65,500.			66,200.			21,200.			200 28 JUN 72
29 JUN 72 200	64,200.			64,900.			20,700.			20 29 JUN 72
29 JUN 72 800	62,800.			63,500.			20,100.			80 29 JUN 72
29 JUN 72 1400	61,400.			62,100.			19,800.			140 29 JUN 72
29 JUN 72 2000	60,100.			60,800.			19,600.			200 29 JUN 72
30 JUN 72 200	58,900.			59,500.			19,200.			20 30 JUN 72
30 JUN 72 800	57,600.			58,200.			18,600.			80 30 JUN 72
30 JUN 72 1400	56,200.			56,900.			18,300.			140 30 JUN 72

FORM 1113
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGRS

	STATION 40.0	STATION 42.5	STATION 48.0	
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M		WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI	
	400-500 ROUT VEE DAMSITE TO WATANA DAMSITE			
DATE-HOUR	FLOW CFS / GAGE HEIGHT FEET / STORAGE ACRE-FEET	FLOW CFS / GAGE HEIGHT FEET / STORAGE ACRE-FEET	FLOW CFS / GAGE HEIGHT FEET / STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	940.	940.	466.	140 1 MAY 72
1 MAY 72 2000	952.	943.	467.	200 1 MAY 72
2 MAY 72 200	993.	959.	473.	20 2 MAY 72
2 MAY 72 800	1,080.	1,000.	487.	80 2 MAY 72
2 MAY 72 1400	1,220.	1,090.	514.	140 2 MAY 72
2 MAY 72 2000	1,430.	1,250.	551.	200 2 MAY 72
3 MAY 72 200	1,670.	1,450.	595.	20 3 MAY 72
3 MAY 72 800	1,910.	1,680.	645.	80 3 MAY 72
3 MAY 72 1400	2,100.	1,910.	695.	140 3 MAY 72
3 MAY 72 2000	2,240.	2,100.	744.	200 3 MAY 72
4 MAY 72 200	2,330.	2,240.	789.	20 4 MAY 72
4 MAY 72 800	2,390.	2,330.	830.	80 4 MAY 72
4 MAY 72 1400	2,420.	2,380.	865.	140 4 MAY 72
4 MAY 72 2000	2,440.	2,420.	896.	200 4 MAY 72
5 MAY 72 200	2,450.	2,440.	921.	20 5 MAY 72
5 MAY 72 800	2,460.	2,450.	942.	80 5 MAY 72
5 MAY 72 1400	2,480.	2,470.	959.	140 5 MAY 72
5 MAY 72 2000	2,490.	2,480.	972.	200 5 MAY 72
6 MAY 72 200	2,510.	2,490.	982.	20 6 MAY 72
6 MAY 72 800	2,520.	2,510.	989.	80 6 MAY 72
6 MAY 72 1400	2,540.	2,530.	995.	140 6 MAY 72
6 MAY 72 2000	2,560.	2,540.	999.	200 6 MAY 72
7 MAY 72 200	2,580.	2,560.	1,000.	20 7 MAY 72
7 MAY 72 800	2,600.	2,580.	1,000.	80 7 MAY 72
7 MAY 72 1400	2,620.	2,600.	1,000.	140 7 MAY 72
7 MAY 72 2000	2,650.	2,630.	1,000.	200 7 MAY 72
8 MAY 72 200	2,670.	2,650.	1,000.	20 8 MAY 72
8 MAY 72 800	2,690.	2,670.	1,000.	80 8 MAY 72
8 MAY 72 1400	2,720.	2,700.	1,000.	140 8 MAY 72
8 MAY 72 2000	2,750.	2,720.	1,000.	200 8 MAY 72
9 MAY 72 200	2,770.	2,750.	999.	20 9 MAY 72
9 MAY 72 800	2,800.	2,780.	998.	80 9 MAY 72
9 MAY 72 1400	2,840.	2,810.	996.	140 9 MAY 72
9 MAY 72 2000	2,870.	2,840.	995.	200 9 MAY 72
10 MAY 72 200	2,910.	2,880.	993.	20 10 MAY 72
10 MAY 72 800	2,950.	2,910.	991.	80 10 MAY 72
10 MAY 72 1400	2,990.	2,960.	990.	140 10 MAY 72
10 MAY 72 2000	3,040.	3,000.	988.	200 10 MAY 72
11 MAY 72 200	3,080.	3,040.	986.	20 11 MAY 72
11 MAY 72 800	3,130.	3,090.	985.	80 11 MAY 72
11 MAY 72 1400	3,180.	3,140.	983.	140 11 MAY 72
11 MAY 72 2000	3,250.	3,180.	981.	200 11 MAY 72
12 MAY 72 200	3,280.	3,230.	980.	20 12 MAY 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 40.0			STATION 42.5			STATION 48.0			
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M			400-500 ROUT VEE DAMSITE TO WATANA DAMSITE			WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 800	3,330.			3,280.			976.			80 12 MAY 72
12 MAY 72 1400	3,380.			3,340.			977.			140 12 MAY 72
12 MAY 72 2000	3,430.			3,390.			975.			200 12 MAY 72
13 MAY 72 200	3,490.			3,440.			974.			20 13 MAY 72
13 MAY 72 800	3,540.			3,500.			973.			80 13 MAY 72
13 MAY 72 1400	3,600.			3,550.			971.			140 13 MAY 72
13 MAY 72 2000	3,660.			3,610.			970.			200 13 MAY 72
14 MAY 72 200	3,710.			3,670.			969.			20 14 MAY 72
14 MAY 72 800	3,770.			3,720.			967.			80 14 MAY 72
14 MAY 72 1400	3,830.			3,780.			966.			140 14 MAY 72
14 MAY 72 2000	3,890.			3,840.			965.			200 14 MAY 72
15 MAY 72 200	3,950.			3,900.			964.			20 15 MAY 72
15 MAY 72 800	4,010.			3,960.			963.			80 15 MAY 72
15 MAY 72 1400	4,070.			4,020.			962.			140 15 MAY 72
15 MAY 72 2000	4,130.			4,080.			961.			200 15 MAY 72
16 MAY 72 200	4,190.			4,140.			960.			20 16 MAY 72
16 MAY 72 800	4,250.			4,200.			959.			80 16 MAY 72
16 MAY 72 1400	4,310.			4,260.			958.			140 16 MAY 72
16 MAY 72 2000	4,380.			4,320.			957.			200 16 MAY 72
17 MAY 72 200	4,440.			4,390.			957.			20 17 MAY 72
17 MAY 72 800	4,500.			4,450.			956.			80 17 MAY 72
17 MAY 72 1400	4,560.			4,510.			955.			140 17 MAY 72
17 MAY 72 2000	4,620.			4,570.			955.			200 17 MAY 72
18 MAY 72 200	4,680.			4,630.			954.			20 18 MAY 72
18 MAY 72 800	4,740.			4,690.			953.			80 18 MAY 72
18 MAY 72 1400	4,800.			4,750.			953.			140 18 MAY 72
18 MAY 72 2000	4,860.			4,810.			952.			200 18 MAY 72
19 MAY 72 200	4,910.			4,870.			952.			20 19 MAY 72
19 MAY 72 800	4,970.			4,920.			951.			80 19 MAY 72
19 MAY 72 1400	5,020.			4,980.			951.			140 19 MAY 72
19 MAY 72 2000	5,080.			5,030.			950.			200 19 MAY 72
20 MAY 72 200	5,130.			5,090.			950.			20 20 MAY 72
20 MAY 72 800	5,180.			5,140.			950.			80 20 MAY 72
20 MAY 72 1400	5,230.			5,190.			949.			140 20 MAY 72
20 MAY 72 2000	5,270.			5,230.			949.			200 20 MAY 72
21 MAY 72 200	5,320.			5,280.			949.			20 21 MAY 72
21 MAY 72 800	5,360.			5,330.			948.			80 21 MAY 72
21 MAY 72 1400	5,400.			5,370.			948.			140 21 MAY 72
21 MAY 72 2000	5,450.			5,410.			948.			200 21 MAY 72
22 MAY 72 200	5,490.			5,450.			948.			20 22 MAY 72
22 MAY 72 800	5,520.			5,490.			947.			80 22 MAY 72
22 MAY 72 1400	5,560.			5,530.			947.			140 22 MAY 72
22 MAY 72 2000	5,600.			5,570.			947.			200 22 MAY 72

FORM 1411-J
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 40.0			STATION 42.5			STATION 48.0			
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M			400-500 ROUT VEE DAMSITE TO WATANA DAMSITE			WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
23 MAY 72 200	5,630.			5,600.			947.			20 23 MAY 72
23 MAY 72 800	5,660.			5,640.			947.			80 23 MAY 72
23 MAY 72 1400	5,690.			5,670.			947.			140 23 MAY 72
23 MAY 72 2000	5,730.			5,700.			946.			200 23 MAY 72
24 MAY 72 200	5,750.			5,730.			946.			20 24 MAY 72
24 MAY 72 800	5,780.			5,760.			946.			80 24 MAY 72
24 MAY 72 1400	5,810.			5,790.			946.			140 24 MAY 72
24 MAY 72 2000	5,840.			5,820.			946.			200 24 MAY 72
25 MAY 72 200	5,870.			5,850.			946.			20 25 MAY 72
25 MAY 72 800	5,900.			5,870.			946.			80 25 MAY 72
25 MAY 72 1400	5,920.			5,900.			945.			140 25 MAY 72
25 MAY 72 2000	5,950.			5,930.			945.			200 25 MAY 72
26 MAY 72 200	5,980.			5,960.			945.			20 26 MAY 72
26 MAY 72 800	6,000.			5,980.			945.			80 26 MAY 72
26 MAY 72 1400	6,030.			6,010.			945.			140 26 MAY 72
26 MAY 72 2000	6,050.			6,030.			945.			200 26 MAY 72
27 MAY 72 200	6,080.			6,060.			944.			20 27 MAY 72
27 MAY 72 800	6,100.			6,080.			944.			80 27 MAY 72
27 MAY 72 1400	6,130.			6,110.			944.			140 27 MAY 72
27 MAY 72 2000	6,150.			6,130.			944.			200 27 MAY 72
28 MAY 72 200	6,170.			6,150.			944.			20 28 MAY 72
28 MAY 72 800	6,190.			6,180.			943.			80 28 MAY 72
28 MAY 72 1400	6,220.			6,200.			943.			140 28 MAY 72
28 MAY 72 2000	6,240.			6,220.			943.			200 28 MAY 72
29 MAY 72 200	6,260.			6,240.			943.			20 29 MAY 72
29 MAY 72 800	6,280.			6,260.			942.			80 29 MAY 72
29 MAY 72 1400	6,300.			6,280.			942.			140 29 MAY 72
29 MAY 72 2000	6,320.			6,300.			942.			200 29 MAY 72
30 MAY 72 200	6,340.			6,320.			941.			20 30 MAY 72
30 MAY 72 800	6,350.			6,340.			941.			80 30 MAY 72
30 MAY 72 1400	6,370.			6,360.			940.			140 30 MAY 72
30 MAY 72 2000	6,390.			6,380.			940.			200 30 MAY 72
31 MAY 72 200	6,410.			6,390.			940.			20 31 MAY 72
31 MAY 72 800	6,420.			6,410.			939.			80 31 MAY 72
31 MAY 72 1400	6,440.			6,430.			939.			140 31 MAY 72
31 MAY 72 2000	6,460.			6,440.			938.			200 31 MAY 72

FORM 1613-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

STATION 40.0 STATION 42.5 STATION 48.0
SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI
400-500 ROUT VEE DAMSITE TO WATANA DAMSITE

DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200	6,470.			6,460.			938.			20 1 JUN 72
1 JUN 72 800	6,490.			6,480.			937.			80 1 JUN 72
1 JUN 72 1400	6,500.			6,490.			937.			140 1 JUN 72
1 JUN 72 2000	6,520.			6,510.			936.			200 1 JUN 72
2 JUN 72 200	6,540.			6,520.			935.			20 2 JUN 72
2 JUN 72 800	6,550.			6,530.			935.			80 2 JUN 72
2 JUN 72 1400	6,560.			6,550.			934.			140 2 JUN 72
2 JUN 72 2000	6,570.			6,560.			933.			200 2 JUN 72
3 JUN 72 200	6,580.			6,570.			932.			20 3 JUN 72
3 JUN 72 800	6,600.			6,590.			932.			80 3 JUN 72
3 JUN 72 1400	6,610.			6,600.			931.			140 3 JUN 72
3 JUN 72 2000	6,620.			6,610.			930.			200 3 JUN 72
4 JUN 72 200	6,640.			6,620.			930.			20 4 JUN 72
4 JUN 72 800	6,670.			6,650.			931.			80 4 JUN 72
4 JUN 72 1400	6,740.			6,690.			938.			140 4 JUN 72
4 JUN 72 2000	6,850.			6,770.			956.			200 4 JUN 72
5 JUN 72 200	7,050.			6,900.			993.			20 5 JUN 72
5 JUN 72 800	7,370.			7,130.			1,060.			80 5 JUN 72
5 JUN 72 1400	7,850.			7,490.			1,180.			140 5 JUN 72
5 JUN 72 2000	8,580.			8,040.			1,360.			200 5 JUN 72
6 JUN 72 200	9,570.			8,830.			1,650.			20 6 JUN 72
6 JUN 72 800	10,900.			9,900.			2,060.			80 6 JUN 72
6 JUN 72 1400	12,600.			11,300.			2,630.			140 6 JUN 72
6 JUN 72 2000	14,800.			13,200.			3,390.			200 6 JUN 72
7 JUN 72 200	17,800.			15,700.			4,360.			20 7 JUN 72
7 JUN 72 800	21,800.			19,000.			5,620.			80 7 JUN 72
7 JUN 72 1400	27,100.			23,500.			7,240.			140 7 JUN 72
7 JUN 72 2000	34,100.			29,400.			9,270.			200 7 JUN 72
8 JUN 72 200	42,600.			37,000.			11,700.			20 8 JUN 72
8 JUN 72 800	53,100.			46,400.			14,500.			80 8 JUN 72
8 JUN 72 1400	65,400.			57,600.			17,400.			140 8 JUN 72
8 JUN 72 2000	78,600.			70,400.			20,400.			200 8 JUN 72
9 JUN 72 200	92,000.			83,700.			23,500.			20 9 JUN 72
9 JUN 72 800	105,000.			97,100.			26,500.			80 9 JUN 72
9 JUN 72 1400	118,000.			110,000.			29,500.			140 9 JUN 72
9 JUN 72 2000	129,000.			122,000.			32,400.			200 9 JUN 72
10 JUN 72 200	141,000.			134,000.			35,200.			20 10 JUN 72
10 JUN 72 800	151,000.			145,000.			38,100.			80 10 JUN 72
10 JUN 72 1400	161,000.			156,000.			41,100.			140 10 JUN 72
10 JUN 72 2000	170,000.			165,000.			44,200.			200 10 JUN 72
11 JUN 72 200	178,000.			174,000.			47,200.			20 11 JUN 72
11 JUN 72 800	184,000.			180,000.			49,900.			80 11 JUN 72
11 JUN 72 1400	189,000.			186,000.			52,100.			140 11 JUN 72

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 40.0 SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 42.5 400-500 ROUT VEE DAMSITE TO WATANA DAMSITE FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 48.0 WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	195,000.			192,000.			54,100.			200 11 JUN 72
12 JUN 72 200	199,000.			197,000.			56,400.			20 12 JUN 72
12 JUN 72 800	199,000.			199,000.			58,800.			80 12 JUN 72
12 JUN 72 1400	198,000.			198,000.			60,100.			140 12 JUN 72
12 JUN 72 2000	198,000.			198,000.			60,500.			200 12 JUN 72
13 JUN 72 200	199,000.			198,000.			60,600.			20 13 JUN 72
13 JUN 72 800	196,000.			198,000.			60,800.			80 13 JUN 72
13 JUN 72 1400	195,000.			196,000.			60,800.			140 13 JUN 72
13 JUN 72 2000	196,000.			195,000.			60,600.			200 13 JUN 72
14 JUN 72 200	198,000.			197,000.			61,400.			20 14 JUN 72
14 JUN 72 800	196,000.			197,000.			63,000.			80 14 JUN 72
14 JUN 72 1400	195,000.			196,000.			64,000.			140 14 JUN 72
14 JUN 72 2000	198,000.			197,000.			64,500.			200 14 JUN 72
15 JUN 72 200	203,000.			200,000.			65,900.			20 15 JUN 72
15 JUN 72 800	207,000.			205,000.			68,500.			80 15 JUN 72
15 JUN 72 1400	211,000.			208,000.			71,100.			140 15 JUN 72
15 JUN 72 2000	221,000.			215,000.			74,100.			200 15 JUN 72
16 JUN 72 200	233,000.			226,000.			79,000.			20 16 JUN 72
16 JUN 72 800	238,000.			235,000.			85,200.			80 16 JUN 72
16 JUN 72 1400	236,000.			237,000.			89,200.			140 16 JUN 72
16 JUN 72 2000	228,000.			232,000.			88,400.			200 16 JUN 72
17 JUN 72 200	221,000.			225,000.			83,800.			20 17 JUN 72
17 JUN 72 800	216,000.			219,000.			78,200.			80 17 JUN 72
17 JUN 72 1400	210,000.			213,000.			73,100.			140 17 JUN 72
17 JUN 72 2000	203,000.			207,000.			68,500.			200 17 JUN 72
18 JUN 72 200	195,000.			199,000.			64,100.			20 18 JUN 72
18 JUN 72 800	186,000.			191,000.			59,600.			80 18 JUN 72
18 JUN 72 1400	178,000.			182,000.			55,300.			140 18 JUN 72
18 JUN 72 2000	170,000.			174,000.			51,200.			200 18 JUN 72
19 JUN 72 200	163,000.			167,000.			47,700.			20 19 JUN 72
19 JUN 72 800	160,000.			162,000.			45,100.			80 19 JUN 72
19 JUN 72 1400	158,000.			159,000.			43,800.			140 19 JUN 72
19 JUN 72 2000	158,000.			158,000.			43,900.			200 19 JUN 72
20 JUN 72 200	159,000.			158,000.			45,100.			20 20 JUN 72
20 JUN 72 800	160,000.			159,000.			47,200.			80 20 JUN 72
20 JUN 72 1400	161,000.			160,000.			49,500.			140 20 JUN 72
20 JUN 72 2000	161,000.			161,000.			51,800.			200 20 JUN 72
21 JUN 72 200	163,000.			162,000.			53,700.			20 21 JUN 72
21 JUN 72 800	166,000.			164,000.			55,500.			80 21 JUN 72
21 JUN 72 1400	168,000.			166,000.			57,400.			140 21 JUN 72
21 JUN 72 2000	169,000.			168,000.			59,200.			200 21 JUN 72
22 JUN 72 200	170,000.			170,000.			60,900.			20 22 JUN 72
22 JUN 72 800	172,000.			171,000.			62,400.			80 22 JUN 72

FORM 1413
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 40.0			STATION 42.5			STATION 48.0			
	SUSITNA NR CANTWELL CAL(VEE DAMSITE) 41405M			400-500 ROUT VEE DAMSITE TO WATANA DAMSITE			WATANA AND DEADMAN CREEK LOCAL 1045 SQ MI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400	173,000.			172,000.			63,700.			140 22 JUN 72
22 JUN 72 2000	173,000.			173,000.			64,700.			200 22 JUN 72
23 JUN 72 200	172,000.			173,000.			65,400.			20 23 JUN 72
23 JUN 72 800	171,000.			171,000.			65,500.			80 23 JUN 72
23 JUN 72 1400	169,000.			170,000.			65,100.			140 23 JUN 72
23 JUN 72 2000	167,000.			168,000.			64,200.			200 23 JUN 72
24 JUN 72 200	162,000.			164,000.			62,800.			20 24 JUN 72
24 JUN 72 800	155,000.			159,000.			60,900.			80 24 JUN 72
24 JUN 72 1400	149,000.			153,000.			58,100.			140 24 JUN 72
24 JUN 72 2000	144,000.			147,000.			54,900.			200 24 JUN 72
25 JUN 72 200	139,000.			142,000.			51,700.			20 25 JUN 72
25 JUN 72 800	132,000.			136,000.			48,500.			80 25 JUN 72
25 JUN 72 1400	127,000.			130,000.			45,500.			140 25 JUN 72
25 JUN 72 2000	123,000.			125,000.			42,800.			200 25 JUN 72
26 JUN 72 200	118,000.			121,000.			40,500.			20 26 JUN 72
26 JUN 72 800	114,000.			116,000.			38,500.			80 26 JUN 72
26 JUN 72 1400	110,000.			112,000.			36,900.			140 26 JUN 72
26 JUN 72 2000	107,000.			109,000.			35,500.			200 26 JUN 72
27 JUN 72 200	103,000.			105,000.			34,400.			20 27 JUN 72
27 JUN 72 800	100,000.			102,000.			33,500.			80 27 JUN 72
27 JUN 72 1400	97,500.			99,200.			32,600.			140 27 JUN 72
27 JUN 72 2000	95,000.			96,500.			31,800.			200 27 JUN 72
28 JUN 72 200	92,800.			94,100.			31,100.			20 28 JUN 72
28 JUN 72 800	90,800.			92,000.			30,500.			80 28 JUN 72
28 JUN 72 1400	89,100.			90,100.			30,000.			140 28 JUN 72
28 JUN 72 2000	87,400.			88,400.			29,600.			200 28 JUN 72
29 JUN 72 200	85,600.			86,700.			29,200.			20 29 JUN 72
29 JUN 72 800	83,600.			84,800.			28,800.			80 29 JUN 72
29 JUN 72 1400	81,900.			83,000.			28,300.			140 29 JUN 72
29 JUN 72 2000	80,400.			81,300.			27,800.			200 29 JUN 72
30 JUN 72 200	78,600.			79,700.			27,300.			20 30 JUN 72
30 JUN 72 800	76,800.			77,900.			26,800.			80 30 JUN 72
30 JUN 72 1400	75,200.			76,200.			26,200.			140 30 JUN 72

FORM 1413-C

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 50.0 WATANA INFLOW		STATION 50.1 WATANA OUTFLOW			STATION 52.5 500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	1,410.			1,500.	2,215.00	10,659,900.	1,500.			140 1 MAY 72
				1,410.S	2,215.00	10,659,900.				
1 MAY 72 2000	1,410.			1,410.	2,215.00	10,659,900.	1,460.			200 1 MAY 72
2 MAY 72 200	1,430.			1,430.	2,215.00	10,659,900.	1,430.			20 2 MAY 72
2 MAY 72 800	1,490.			1,490.	2,215.00	10,659,900.	1,450.			80 2 MAY 72
2 MAY 72 1400	1,610.			1,610.	2,215.00	10,659,900.	1,530.			140 2 MAY 72
2 MAY 72 2000	1,800.			1,800.	2,215.00	10,659,900.	1,670.			200 2 MAY 72
3 MAY 72 200	2,040.			2,040.	2,215.00	10,659,900.	1,880.			20 3 MAY 72
3 MAY 72 800	2,330.			2,330.	2,215.00	10,659,900.	2,140.			80 3 MAY 72
3 MAY 72 1400	2,610.			2,610.	2,215.00	10,659,900.	2,420.			140 3 MAY 72
3 MAY 72 2000	2,850.			2,850.	2,215.00	10,659,900.	2,680.			200 3 MAY 72
4 MAY 72 200	3,030.			3,030.	2,215.00	10,659,900.	2,900.			20 4 MAY 72
4 MAY 72 800	3,160.			3,160.	2,215.00	10,659,900.	3,070.			80 4 MAY 72
4 MAY 72 1400	3,250.			3,250.	2,215.00	10,659,900.	3,190.			140 4 MAY 72
4 MAY 72 2000	3,310.			3,310.	2,215.00	10,659,900.	3,270.			200 4 MAY 72
5 MAY 72 200	3,360.			3,360.	2,215.00	10,659,900.	3,330.			20 5 MAY 72
5 MAY 72 800	3,400.			3,400.	2,215.00	10,659,900.	3,370.			80 5 MAY 72
5 MAY 72 1400	3,420.			3,420.	2,215.00	10,659,900.	3,400.			140 5 MAY 72
5 MAY 72 2000	3,450.			3,450.	2,215.00	10,659,900.	3,430.			200 5 MAY 72
6 MAY 72 200	3,470.			3,470.	2,215.00	10,659,900.	3,460.			20 6 MAY 72
6 MAY 72 800	3,500.			3,500.	2,215.00	10,659,900.	3,480.			80 6 MAY 72
6 MAY 72 1400	3,520.			3,520.	2,215.00	10,659,900.	3,510.			140 6 MAY 72
6 MAY 72 2000	3,540.			3,540.	2,215.00	10,659,900.	3,530.			200 6 MAY 72
7 MAY 72 200	3,560.			3,560.	2,215.00	10,659,900.	3,550.			20 7 MAY 72
7 MAY 72 800	3,590.			3,590.	2,215.00	10,659,900.	3,570.			80 7 MAY 72
7 MAY 72 1400	3,610.			3,610.	2,215.00	10,659,900.	3,590.			140 7 MAY 72
7 MAY 72 2000	3,630.			3,630.	2,215.00	10,659,900.	3,620.			200 7 MAY 72
8 MAY 72 200	3,650.			3,650.	2,215.00	10,659,900.	3,640.			20 8 MAY 72
8 MAY 72 800	3,680.			3,680.	2,215.00	10,659,900.	3,660.			80 8 MAY 72
8 MAY 72 1400	3,700.			3,700.	2,215.00	10,659,900.	3,680.			140 8 MAY 72
8 MAY 72 2000	3,720.			3,720.	2,215.00	10,659,900.	3,710.			200 8 MAY 72
9 MAY 72 200	3,750.			3,750.	2,215.00	10,659,900.	3,730.			20 9 MAY 72
9 MAY 72 800	3,780.			3,780.	2,215.00	10,659,900.	3,760.			80 9 MAY 72
9 MAY 72 1400	3,800.			3,800.	2,215.00	10,659,900.	3,790.			140 9 MAY 72
9 MAY 72 2000	3,830.			3,830.	2,215.00	10,659,900.	3,810.			200 9 MAY 72
10 MAY 72 200	3,870.			3,870.	2,215.00	10,659,900.	3,850.			20 10 MAY 72
10 MAY 72 800	3,910.			3,910.	2,215.00	10,659,900.	3,880.			80 10 MAY 72
10 MAY 72 1400	3,940.			3,940.	2,215.00	10,659,900.	3,920.			140 10 MAY 72
10 MAY 72 2000	3,990.			3,990.	2,215.00	10,659,900.	3,960.			200 10 MAY 72
11 MAY 72 200	4,030.			4,030.	2,215.00	10,659,900.	4,000.			20 11 MAY 72
11 MAY 72 800	4,070.			4,070.	2,215.00	10,659,900.	4,050.			80 11 MAY 72
11 MAY 72 1400	4,120.			4,120.	2,215.00	10,659,900.	4,090.			140 11 MAY 72
11 MAY 72 2000	4,170.			4,170.	2,215.00	10,659,900.	4,140.			200 11 MAY 72

FORM 1417-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 50.0 WATANA INFLOW		STATION 50.1 WATANA OUTFLOW			STATION 52.5 500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI		
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 200	4,210.			4,210.	2,215.00	10,659,900.	4,180.			20 12 MAY 72
12 MAY 72 800	4,260.			4,260.	2,215.00	10,659,900.	4,230.			80 12 MAY 72
12 MAY 72 1400	4,310.			4,310.	2,215.00	10,659,900.	4,280.			140 12 MAY 72
12 MAY 72 2000	4,360.			4,360.	2,215.00	10,659,900.	4,330.			200 12 MAY 72
13 MAY 72 200	4,420.			4,420.	2,215.00	10,659,900.	4,380.			20 13 MAY 72
13 MAY 72 800	4,470.			4,470.	2,215.00	10,659,900.	4,440.			80 13 MAY 72
13 MAY 72 1400	4,520.			4,520.	2,215.00	10,659,900.	4,490.			140 13 MAY 72
13 MAY 72 2000	4,580.			4,580.	2,215.00	10,659,900.	4,540.			200 13 MAY 72
14 MAY 72 200	4,630.			4,630.	2,215.00	10,659,900.	4,600.			20 14 MAY 72
14 MAY 72 800	4,690.			4,690.	2,215.00	10,659,900.	4,650.			80 14 MAY 72
14 MAY 72 1400	4,750.			4,750.	2,215.00	10,659,900.	4,710.			140 14 MAY 72
14 MAY 72 2000	4,800.			4,800.	2,215.00	10,659,900.	4,770.			200 14 MAY 72
15 MAY 72 200	4,860.			4,860.	2,215.00	10,659,900.	4,830.			20 15 MAY 72
15 MAY 72 800	4,920.			4,920.	2,215.00	10,659,900.	4,880.			80 15 MAY 72
15 MAY 72 1400	4,980.			4,980.	2,215.00	10,659,900.	4,940.			140 15 MAY 72
15 MAY 72 2000	5,040.			5,040.	2,215.00	10,659,900.	5,000.			200 15 MAY 72
16 MAY 72 200	5,100.			5,100.	2,215.00	10,659,900.	5,060.			20 16 MAY 72
16 MAY 72 800	5,160.			5,160.	2,215.00	10,659,900.	5,120.			80 16 MAY 72
16 MAY 72 1400	5,220.			5,220.	2,215.00	10,659,900.	5,180.			140 16 MAY 72
16 MAY 72 2000	5,280.			5,280.	2,215.00	10,659,900.	5,240.			200 16 MAY 72
17 MAY 72 200	5,340.			5,340.	2,215.00	10,659,900.	5,310.			20 17 MAY 72
17 MAY 72 800	5,400.			5,400.	2,215.00	10,659,900.	5,370.			80 17 MAY 72
17 MAY 72 1400	5,470.			5,470.	2,215.00	10,659,900.	5,430.			140 17 MAY 72
17 MAY 72 2000	5,530.			5,530.	2,215.00	10,659,900.	5,490.			200 17 MAY 72
18 MAY 72 200	5,590.			5,590.	2,215.00	10,659,900.	5,550.			20 18 MAY 72
18 MAY 72 800	5,650.			5,650.	2,215.00	10,659,900.	5,610.			80 18 MAY 72
18 MAY 72 1400	5,700.			5,700.	2,215.00	10,659,900.	5,670.			140 18 MAY 72
18 MAY 72 2000	5,760.			5,760.	2,215.00	10,659,900.	5,730.			200 18 MAY 72
19 MAY 72 200	5,820.			5,820.	2,215.00	10,659,900.	5,780.			20 19 MAY 72
19 MAY 72 800	5,870.			5,870.	2,215.00	10,659,900.	5,840.			80 19 MAY 72
19 MAY 72 1400	5,930.			5,930.	2,215.00	10,659,900.	5,900.			140 19 MAY 72
19 MAY 72 2000	5,980.			5,980.	2,215.00	10,659,900.	5,950.			200 19 MAY 72
20 MAY 72 200	6,040.			6,040.	2,215.00	10,659,900.	6,000.			20 20 MAY 72
20 MAY 72 800	6,090.			6,090.	2,215.00	10,659,900.	6,050.			80 20 MAY 72
20 MAY 72 1400	6,140.			6,140.	2,215.00	10,659,900.	6,110.			140 20 MAY 72
20 MAY 72 2000	6,180.			6,180.	2,215.00	10,659,900.	6,150.			200 20 MAY 72
21 MAY 72 200	6,230.			6,230.	2,215.00	10,659,900.	6,200.			20 21 MAY 72
21 MAY 72 800	6,270.			6,270.	2,215.00	10,659,900.	6,250.			80 21 MAY 72
21 MAY 72 1400	6,320.			6,320.	2,215.00	10,659,900.	6,290.			140 21 MAY 72
21 MAY 72 2000	6,360.			6,360.	2,215.00	10,659,900.	6,330.			200 21 MAY 72
22 MAY 72 200	6,400.			6,400.	2,215.00	10,659,900.	6,380.			20 22 MAY 72
22 MAY 72 800	6,440.			6,440.	2,215.00	10,659,900.	6,420.			80 22 MAY 72
22 MAY 72 1400	6,480.			6,480.	2,215.00	10,659,900.	6,450.			140 22 MAY 72

FORM 1611-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 50.0 WATANA INFLOW			STATION 50.1 WATANA OUTFLOW			STATION 52.5 500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
22 MAY 72 2000	6,510.			6,510.	2,215.00	10,659,900.	6,490.			200 22 MAY 72
23 MAY 72 200	6,550.			6,550.	2,215.00	10,659,900.	6,530.			20 23 MAY 72
23 MAY 72 800	6,580.			6,580.	2,215.00	10,659,900.	6,560.			80 23 MAY 72
23 MAY 72 1400	6,610.			6,610.	2,215.00	10,659,900.	6,590.			140 23 MAY 72
23 MAY 72 2000	6,650.			6,650.	2,215.00	10,659,900.	6,630.			200 23 MAY 72
24 MAY 72 200	6,680.			6,680.	2,215.00	10,659,900.	6,660.			20 24 MAY 72
24 MAY 72 800	6,710.			6,710.	2,215.00	10,659,900.	6,690.			80 24 MAY 72
24 MAY 72 1400	6,730.			6,730.	2,215.00	10,659,900.	6,720.			140 24 MAY 72
24 MAY 72 2000	6,760.			6,760.	2,215.00	10,659,900.	6,750.			200 24 MAY 72
25 MAY 72 200	6,790.			6,790.	2,215.00	10,659,900.	6,770.			20 25 MAY 72
25 MAY 72 800	6,820.			6,820.	2,215.00	10,659,900.	6,800.			80 25 MAY 72
25 MAY 72 1400	6,850.			6,850.	2,215.00	10,659,900.	6,830.			140 25 MAY 72
25 MAY 72 2000	6,870.			6,870.	2,215.00	10,659,900.	6,860.			200 25 MAY 72
26 MAY 72 200	6,900.			6,900.	2,215.00	10,659,900.	6,880.			20 26 MAY 72
26 MAY 72 800	6,930.			6,930.	2,215.00	10,659,900.	6,910.			80 26 MAY 72
26 MAY 72 1400	6,950.			6,950.	2,215.00	10,659,900.	6,940.			140 26 MAY 72
26 MAY 72 2000	6,980.			6,980.	2,215.00	10,659,900.	6,960.			200 26 MAY 72
27 MAY 72 200	7,000.			7,000.	2,215.00	10,659,900.	6,990.			20 27 MAY 72
27 MAY 72 800	7,030.			7,030.	2,215.00	10,659,900.	7,010.			80 27 MAY 72
27 MAY 72 1400	7,050.			7,050.	2,215.00	10,659,900.	7,040.			140 27 MAY 72
27 MAY 72 2000	7,080.			7,080.	2,215.00	10,659,900.	7,060.			200 27 MAY 72
28 MAY 72 200	7,100.			7,100.	2,215.00	10,659,900.	7,080.			20 28 MAY 72
28 MAY 72 800	7,120.			7,120.	2,215.00	10,659,900.	7,110.			80 28 MAY 72
28 MAY 72 1400	7,140.			7,140.	2,215.00	10,659,900.	7,130.			140 28 MAY 72
28 MAY 72 2000	7,160.			7,160.	2,215.00	10,659,900.	7,150.			200 28 MAY 72
29 MAY 72 200	7,180.			7,180.	2,215.00	10,659,900.	7,170.			20 29 MAY 72
29 MAY 72 800	7,200.			7,200.	2,215.00	10,659,900.	7,190.			80 29 MAY 72
29 MAY 72 1400	7,220.			7,220.	2,215.00	10,659,900.	7,210.			140 29 MAY 72
29 MAY 72 2000	7,240.			7,240.	2,215.00	10,659,900.	7,230.			200 29 MAY 72
30 MAY 72 200	7,260.			7,260.	2,215.00	10,659,900.	7,250.			20 30 MAY 72
30 MAY 72 800	7,280.			7,280.	2,215.00	10,659,900.	7,270.			80 30 MAY 72
30 MAY 72 1400	7,300.			7,300.	2,215.00	10,659,900.	7,290.			140 30 MAY 72
30 MAY 72 2000	7,320.			7,320.	2,215.00	10,659,900.	7,310.			200 30 MAY 72
31 MAY 72 200	7,330.			7,330.	2,215.00	10,659,900.	7,320.			20 31 MAY 72
31 MAY 72 800	7,350.			7,350.	2,215.00	10,659,900.	7,340.			80 31 MAY 72
31 MAY 72 1400	7,370.			7,370.	2,215.00	10,659,900.	7,360.			140 31 MAY 72
31 MAY 72 2000	7,380.			7,380.	2,215.00	10,659,900.	7,370.			200 31 MAY 72

FORM 1111-2
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 50.0 WATANA INFLOW			STATION 50.1 WATANA OUTFLOW			STATION 52.5 500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200	7,400.			7,400.	2,215.00	10,659,900.	7,390.			20 1 JUN 72
1 JUN 72 800	7,410.			7,410.	2,215.00	10,659,900.	7,400.			80 1 JUN 72
1 JUN 72 1400	7,430.			7,430.	2,215.00	10,659,900.	7,420.			140 1 JUN 72
1 JUN 72 2000	7,440.			7,440.	2,215.00	10,659,900.	7,430.			200 1 JUN 72
2 JUN 72 200	7,460.			7,460.	2,215.00	10,659,900.	7,450.			20 2 JUN 72
2 JUN 72 800	7,470.			7,470.	2,215.00	10,659,900.	7,460.			80 2 JUN 72
2 JUN 72 1400	7,480.			7,480.	2,215.00	10,659,900.	7,470.			140 2 JUN 72
2 JUN 72 2000	7,490.			7,490.	2,215.00	10,659,900.	7,490.			200 2 JUN 72
3 JUN 72 200	7,510.			7,510.	2,215.00	10,659,900.	7,500.			20 3 JUN 72
3 JUN 72 800	7,520.			7,520.	2,215.00	10,659,900.	7,510.			80 3 JUN 72
3 JUN 72 1400	7,530.			7,530.	2,215.00	10,659,900.	7,520.			140 3 JUN 72
3 JUN 72 2000	7,540.			7,540.	2,215.00	10,659,900.	7,530.			200 3 JUN 72
4 JUN 72 200	7,550.			7,550.	2,215.00	10,659,900.	7,550.			20 4 JUN 72
4 JUN 72 800	7,580.			7,580.	2,215.00	10,659,900.	7,560.			80 4 JUN 72
4 JUN 72 1400	7,630.			7,630.	2,215.00	10,659,900.	7,600.			140 4 JUN 72
4 JUN 72 2000	7,720.			7,720.	2,215.00	10,659,900.	7,670.			200 4 JUN 72
5 JUN 72 200	7,900.			7,900.	2,215.00	10,659,900.	7,800.			20 5 JUN 72
5 JUN 72 800	8,190.			8,190.	2,215.00	10,659,900.	8,020.			80 5 JUN 72
5 JUN 72 1400	8,530.			8,670.	2,215.00	10,659,900.	8,390.			140 5 JUN 72
5 JUN 72 2000	9,400.			9,400.	2,215.00	10,659,900.	8,980.			200 5 JUN 72
6 JUN 72 200	10,500.			10,500.	2,215.00	10,659,900.	9,860.			20 6 JUN 72
6 JUN 72 800	12,000.			12,000.	2,215.00	10,659,900.	11,100.			80 6 JUN 72
6 JUN 72 1400	14,000.			14,000.	2,215.00	10,659,900.	12,800.			140 6 JUN 72
6 JUN 72 2000	16,600.			16,600.	2,215.00	10,659,900.	15,100.			200 6 JUN 72
7 JUN 72 200	20,000.			20,000.	2,215.00	10,659,900.	18,100.			20 7 JUN 72
7 JUN 72 800	24,600.			24,600.	2,215.00	10,659,900.	22,100.			80 7 JUN 72
7 JUN 72 1400	30,700.			30,700.	2,215.00	10,659,900.	27,400.			140 7 JUN 72
7 JUN 72 2000	38,700.			38,700.	2,215.00	10,659,900.	34,500.			200 7 JUN 72
8 JUN 72 200	48,700.			48,700.	2,215.00	10,659,900.	43,500.			20 8 JUN 72
8 JUN 72 800	60,800.			60,800.	2,215.00	10,659,900.	54,600.			80 8 JUN 72
8 JUN 72 1400	75,100.			75,100.	2,215.00	10,659,900.	67,900.			140 8 JUN 72
8 JUN 72 2000	90,800.			90,800.	2,215.00	10,659,900.	82,400.			200 8 JUN 72
9 JUN 72 200	107,000.			107,000.	2,215.00	10,659,900.	98,500.			20 9 JUN 72
9 JUN 72 800	124,000.			110,000.	2,215.07	10,663,319.	108,000.			80 9 JUN 72
9 JUN 72 1400	140,000.			110,000.	2,215.29	10,673,999.	110,000.			140 9 JUN 72
9 JUN 72 2000	155,000.			111,000.	2,215.67	10,692,116.	111,000.			200 9 JUN 72
10 JUN 72 200	169,000.			112,000.	2,216.20	10,717,151.	112,000.			20 10 JUN 72
10 JUN 72 800	183,000.			113,000.	2,216.85	10,748,644.	113,000.			80 10 JUN 72
10 JUN 72 1400	197,000.			116,000.	2,217.63	10,786,040.	114,000.			140 10 JUN 72
10 JUN 72 2000	209,000.			118,000.	2,218.53	10,828,673.	117,000.			200 10 JUN 72
11 JUN 72 200	221,000.			122,000.	2,219.31	10,875,744.	120,000.			20 11 JUN 72
11 JUN 72 800	230,000.			126,000.	2,219.96	10,926,119.	124,000.			80 11 JUN 72
11 JUN 72 1400	238,000.			131,000.	2,221.90	10,978,644.	128,000.			140 11 JUN 72

FORM 1613-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 50.0 WATANA INFLOW FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 50.1 WATANA OUTFLOW FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	STATION 52.5 500-600 ROUT WATANA DAM-DEVILS CANYON DAMSI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	246,000.			135,000.	2,223.66	11,032,722.	133,000.			200 11 JUN 72
12 JUN 72 200	253,000.			140,000.	2,225.07	11,088,137.	137,000.			20 12 JUN 72
12 JUN 72 800	257,000.			144,000.	2,226.37	11,144,149.	142,000.			80 12 JUN 72
12 JUN 72 1400	258,000.			257,000.	2,227.03	11,172,587.	199,000.			140 12 JUN 72
12 JUN 72 2000	259,000.			257,000.	2,227.05	11,173,522.	256,000.			200 12 JUN 72
13 JUN 72 200	259,000.			257,000.	2,227.08	11,174,603.	257,000.			20 13 JUN 72
13 JUN 72 800	258,000.			257,000.	2,227.10	11,175,558.	257,000.			80 13 JUN 72
13 JUN 72 1400	256,000.			257,000.	2,227.10	11,175,830.	257,000.			140 13 JUN 72
13 JUN 72 2000	256,000.			257,000.	2,227.10	11,175,512.	257,000.			200 13 JUN 72
14 JUN 72 200	258,000.			257,000.	2,227.10	11,175,631.	257,000.			20 14 JUN 72
14 JUN 72 800	260,000.			257,000.	2,227.12	11,176,679.	257,000.			80 14 JUN 72
14 JUN 72 1400	260,000.			257,000.	2,227.16	11,178,085.	257,000.			140 14 JUN 72
14 JUN 72 2000	261,000.			257,000.	2,227.20	11,179,789.	257,000.			200 14 JUN 72
15 JUN 72 200	266,000.			257,000.	2,227.27	11,182,993.	257,000.			20 15 JUN 72
15 JUN 72 800	273,000.			258,000.	2,227.41	11,188,929.	258,000.			80 15 JUN 72
15 JUN 72 1400	280,000.			259,000.	2,227.61	11,197,850.	258,000.			140 15 JUN 72
15 JUN 72 2000	289,000.			260,000.	2,227.90	11,210,365.	259,000.			200 15 JUN 72
16 JUN 72 200	305,000.			261,000.	2,228.32	11,228,657.	260,000.			20 16 JUN 72
16 JUN 72 800	321,000.			263,000.	2,228.90	11,253,814.	262,000.			80 16 JUN 72
16 JUN 72 1400	326,000.			266,000.	2,229.57	11,282,983.	264,000.			140 16 JUN 72
16 JUN 72 2000	320,000.			268,000.	2,230.18	11,310,975.	267,000.			200 16 JUN 72
17 JUN 72 200	308,000.			269,000.	2,230.64	11,333,674.	269,000.			20 17 JUN 72
17 JUN 72 800	297,000.			271,000.	2,230.96	11,348,858.	270,000.			80 17 JUN 72
17 JUN 72 1400	286,000.			271,000.	2,231.16	11,360,070.	271,000.			140 17 JUN 72
17 JUN 72 2000	275,000.			272,000.	2,231.25	11,364,642.	271,000.			200 17 JUN 72
18 JUN 72 200	263,000.			272,000.	2,231.23	11,363,413.	272,000.			20 18 JUN 72
18 JUN 72 800	250,000.			271,000.	2,231.08	11,356,097.	272,000.			80 18 JUN 72
18 JUN 72 1400	238,000.			270,000.	2,230.82	11,342,773.	271,000.			140 18 JUN 72
18 JUN 72 2000	226,000.			269,000.	2,230.44	11,323,869.	270,000.			200 18 JUN 72
19 JUN 72 200	215,000.			267,000.	2,229.96	11,300,062.	268,000.			20 19 JUN 72
19 JUN 72 800	207,000.			265,000.	2,229.33	11,272,670.	266,000.			80 19 JUN 72
19 JUN 72 1400	203,000.			263,000.	2,228.66	11,243,428.	264,000.			140 19 JUN 72
19 JUN 72 2000	202,000.			260,000.	2,227.98	11,213,993.	261,000.			200 19 JUN 72
20 JUN 72 200	203,000.			258,000.	2,227.33	11,185,845.	259,000.			20 20 JUN 72
20 JUN 72 800	206,000.			231,000.	2,226.88	11,166,277.	244,000.			80 20 JUN 72
20 JUN 72 1400	210,000.			205,000.	2,226.77	11,161,413.	218,000.			140 20 JUN 72
20 JUN 72 2000	213,000.			212,000.	2,226.80	11,162,672.	209,000.			200 20 JUN 72
21 JUN 72 200	216,000.			214,000.	2,226.81	11,163,127.	213,000.			20 21 JUN 72
21 JUN 72 800	219,000.			218,000.	2,226.83	11,163,825.	216,000.			80 21 JUN 72
21 JUN 72 1400	224,000.			222,000.	2,226.85	11,164,636.	220,000.			140 21 JUN 72
21 JUN 72 2000	227,000.			226,000.	2,226.86	11,165,407.	224,000.			200 21 JUN 72
22 JUN 72 200	230,000.			229,000.	2,226.88	11,166,040.	228,000.			20 22 JUN 72
22 JUN 72 800	233,000.			232,000.	2,226.89	11,166,614.	231,000.			80 22 JUN 72

FORM 1413
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 50.0 MATANA INFLOW		STATION 50.1 MATANA OUTFLOW			STATION 52.5 500-600 ROUT MATANA DAM-DEVILS CANYON DAMSI		
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400	236,000.			235,000.	2,226.90	11,167,128.	234,000.			140 22 JUN 72
22 JUN 72 2000	238,000.			237,000.	2,226.91	11,167,503.	236,000.			200 22 JUN 72
23 JUN 72 200	238,000.			238,000.	2,226.92	11,167,675.	237,000.			20 23 JUN 72
23 JUN 72 800	237,000.			237,000.	2,226.91	11,167,602.	238,000.			80 23 JUN 72
23 JUN 72 1400	235,000.			236,000.	2,226.91	11,167,259.	237,000.			140 23 JUN 72
23 JUN 72 2000	232,000.			233,000.	2,226.89	11,166,719.	234,000.			200 23 JUN 72
24 JUN 72 200	227,000.			229,000.	2,226.88	11,165,954.	231,000.			20 24 JUN 72
24 JUN 72 800	220,000.			223,000.	2,226.85	11,164,742.	226,000.			80 24 JUN 72
24 JUN 72 1400	211,000.			214,000.	2,226.81	11,163,133.	219,000.			140 24 JUN 72
24 JUN 72 2000	202,000.			205,000.	2,226.77	11,161,419.	210,000.			200 24 JUN 72
25 JUN 72 200	193,000.			197,000.	2,226.73	11,159,745.	201,000.			20 25 JUN 72
25 JUN 72 800	185,000.			188,000.	2,226.69	11,158,038.	193,000.			80 25 JUN 72
25 JUN 72 1400	176,000.			179,000.	2,226.65	11,156,338.	184,000.			140 25 JUN 72
25 JUN 72 2000	168,000.			171,000.	2,226.62	11,154,769.	175,000.			200 25 JUN 72
26 JUN 72 200	161,000.			164,000.	2,226.58	11,153,365.	168,000.			20 26 JUN 72
26 JUN 72 800	155,000.			157,000.	2,226.56	11,152,099.	161,000.			80 26 JUN 72
26 JUN 72 1400	149,000.			151,000.	2,226.53	11,150,939.	154,000.			140 26 JUN 72
26 JUN 72 2000	144,000.			146,000.	2,226.51	11,149,944.	149,000.			200 26 JUN 72
27 JUN 72 200	140,000.			145,000.	2,226.47	11,148,256.	146,000.			20 27 JUN 72
27 JUN 72 800	136,000.			145,000.	2,226.39	11,144,782.	145,000.			80 27 JUN 72
27 JUN 72 1400	132,000.			144,000.	2,226.26	11,139,463.	144,000.			140 27 JUN 72
27 JUN 72 2000	128,000.			144,000.	2,226.10	11,132,554.	144,000.			200 27 JUN 72
28 JUN 72 200	125,000.			143,000.	2,225.91	11,124,347.	143,000.			20 28 JUN 72
28 JUN 72 800	123,000.			142,000.	2,225.70	11,115,046.	143,000.			80 28 JUN 72
28 JUN 72 1400	120,000.			141,000.	2,225.46	11,104,867.	142,000.			140 28 JUN 72
28 JUN 72 2000	118,000.			141,000.	2,225.21	11,093,971.	141,000.			200 28 JUN 72
29 JUN 72 200	116,000.			140,000.	2,224.94	11,082,454.	140,000.			20 29 JUN 72
29 JUN 72 800	114,000.			139,000.	2,224.63	11,070,364.	139,000.			80 29 JUN 72
29 JUN 72 1400	111,000.			137,000.	2,224.30	11,057,680.	138,000.			140 29 JUN 72
29 JUN 72 2000	109,000.			136,000.	2,223.96	11,044,456.	137,000.			200 29 JUN 72
30 JUN 72 200	107,000.			135,000.	2,223.61	11,030,739.	136,000.			20 30 JUN 72
30 JUN 72 800	105,000.			134,000.	2,223.24	11,016,511.	135,000.			80 30 JUN 72
30 JUN 72 1400	102,000.			133,000.	2,222.80	11,001,769.	133,000.			140 30 JUN 72

FORM 1413
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 60.0 DEVIL CANYON INFLOW FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 60.1 DEVIL CANYON OUTFLOW FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	280.			1,780.			1,500.	1,455.00	1,091,800.	140 1 MAY 72
							1,780.S	1,455.00	1,091,800.	
1 MAY 72 2000	281.			1,750.			1,750.	1,455.00	1,091,800.	200 1 MAY 72
2 MAY 72 200	288.			1,720.			1,720.	1,455.00	1,091,800.	20 2 MAY 72
2 MAY 72 800	305.			1,760.			1,760.	1,455.00	1,091,800.	80 2 MAY 72
2 MAY 72 1400	335.			1,870.			1,870.	1,455.00	1,091,800.	140 2 MAY 72
2 MAY 72 2000	376.			2,050.			2,050.	1,455.00	1,091,800.	200 2 MAY 72
3 MAY 72 200	426.			2,300.			2,300.	1,455.00	1,091,800.	20 3 MAY 72
3 MAY 72 800	481.			2,620.			2,620.	1,455.00	1,091,800.	80 3 MAY 72
3 MAY 72 1400	537.			2,950.			2,950.	1,455.00	1,091,800.	140 3 MAY 72
3 MAY 72 2000	591.			3,270.			3,270.	1,455.00	1,091,800.	200 3 MAY 72
4 MAY 72 200	641.			3,540.			3,540.	1,455.00	1,091,800.	20 4 MAY 72
4 MAY 72 800	687.			3,760.			3,760.	1,455.00	1,091,800.	80 4 MAY 72
4 MAY 72 1400	727.			3,910.			3,910.	1,455.00	1,091,800.	140 4 MAY 72
4 MAY 72 2000	762.			4,030.			4,030.	1,455.00	1,091,800.	200 4 MAY 72
5 MAY 72 200	792.			4,120.			4,120.	1,455.00	1,091,800.	20 5 MAY 72
5 MAY 72 800	817.			4,190.			4,190.	1,455.00	1,091,800.	80 5 MAY 72
5 MAY 72 1400	837.			4,240.			4,240.	1,455.00	1,091,800.	140 5 MAY 72
5 MAY 72 2000	854.			4,290.			4,290.	1,455.00	1,091,800.	200 5 MAY 72
6 MAY 72 200	867.			4,330.			4,330.	1,455.00	1,091,800.	20 6 MAY 72
6 MAY 72 800	878.			4,360.			4,360.	1,455.00	1,091,800.	80 6 MAY 72
6 MAY 72 1400	887.			4,390.			4,390.	1,455.00	1,091,800.	140 6 MAY 72
6 MAY 72 2000	893.			4,420.			4,420.	1,455.00	1,091,800.	200 6 MAY 72
7 MAY 72 200	899.			4,450.			4,450.	1,455.00	1,091,800.	20 7 MAY 72
7 MAY 72 800	903.			4,470.			4,470.	1,455.00	1,091,800.	80 7 MAY 72
7 MAY 72 1400	906.			4,500.			4,500.	1,455.00	1,091,800.	140 7 MAY 72
7 MAY 72 2000	908.			4,520.			4,520.	1,455.00	1,091,800.	200 7 MAY 72
8 MAY 72 200	910.			4,550.			4,550.	1,455.00	1,091,800.	20 8 MAY 72
8 MAY 72 800	912.			4,570.			4,570.	1,455.00	1,091,800.	80 8 MAY 72
8 MAY 72 1400	913.			4,600.			4,600.	1,455.00	1,091,800.	140 8 MAY 72
8 MAY 72 2000	913.			4,620.			4,620.	1,455.00	1,091,800.	200 8 MAY 72
9 MAY 72 200	914.			4,650.			4,650.	1,455.00	1,091,800.	20 9 MAY 72
9 MAY 72 800	914.			4,670.			4,670.	1,455.00	1,091,800.	80 9 MAY 72
9 MAY 72 1400	915.			4,700.			4,700.	1,455.00	1,091,800.	140 9 MAY 72
9 MAY 72 2000	915.			4,730.			4,730.	1,455.00	1,091,800.	200 9 MAY 72
10 MAY 72 200	915.			4,760.			4,760.	1,455.00	1,091,800.	20 10 MAY 72
10 MAY 72 800	915.			4,800.			4,800.	1,455.00	1,091,800.	80 10 MAY 72
10 MAY 72 1400	915.			4,830.			4,830.	1,455.00	1,091,800.	140 10 MAY 72
10 MAY 72 2000	915.			4,870.			4,870.	1,455.00	1,091,800.	200 10 MAY 72
11 MAY 72 200	914.			4,920.			4,920.	1,455.00	1,091,800.	20 11 MAY 72
11 MAY 72 800	914.			4,960.			4,960.	1,455.00	1,091,800.	80 11 MAY 72
11 MAY 72 1400	914.			5,000.			5,000.	1,455.00	1,091,800.	140 11 MAY 72
11 MAY 72 2000	914.			5,050.			5,050.	1,455.00	1,091,800.	200 11 MAY 72

FORM 1411-2
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 58.0			STATION 60.0			STATION 60.1			
	TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI			DEVIL CANYON INFLOW			DEVIL CANYON OUTFLOW			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 200		914.		5,100.			5,100.	1,455.00	1,091,800.	20 12 MAY 72
12 MAY 72 800		914.		5,150.			5,150.	1,455.00	1,091,800.	80 12 MAY 72
12 MAY 72 1400		913.		5,190.			5,190.	1,455.00	1,091,800.	140 12 MAY 72
12 MAY 72 2000		913.		5,240.			5,240.	1,455.00	1,091,800.	200 12 MAY 72
13 MAY 72 200		913.		5,300.			5,300.	1,455.00	1,091,800.	20 13 MAY 72
13 MAY 72 800		913.		5,350.			5,350.	1,455.00	1,091,800.	80 13 MAY 72
13 MAY 72 1400		913.		5,400.			5,400.	1,455.00	1,091,800.	140 13 MAY 72
13 MAY 72 2000		913.		5,460.			5,460.	1,455.00	1,091,800.	200 13 MAY 72
14 MAY 72 200		913.		5,510.			5,510.	1,455.00	1,091,800.	20 14 MAY 72
14 MAY 72 800		913.		5,570.			5,570.	1,455.00	1,091,800.	80 14 MAY 72
14 MAY 72 1400		913.		5,620.			5,620.	1,455.00	1,091,800.	140 14 MAY 72
14 MAY 72 2000		914.		5,680.			5,680.	1,455.00	1,091,800.	200 14 MAY 72
15 MAY 72 200		914.		5,740.			5,740.	1,455.00	1,091,800.	20 15 MAY 72
15 MAY 72 800		914.		5,800.			5,800.	1,455.00	1,091,800.	80 15 MAY 72
15 MAY 72 1400		914.		5,860.			5,860.	1,455.00	1,091,800.	140 15 MAY 72
15 MAY 72 2000		915.		5,920.			5,920.	1,455.00	1,091,800.	200 15 MAY 72
16 MAY 72 200		915.		5,980.			5,980.	1,455.00	1,091,800.	20 16 MAY 72
16 MAY 72 800		915.		6,040.			6,040.	1,455.00	1,091,800.	80 16 MAY 72
16 MAY 72 1400		916.		6,100.			6,100.	1,455.00	1,091,800.	140 16 MAY 72
16 MAY 72 2000		916.		6,160.			6,160.	1,455.00	1,091,800.	200 16 MAY 72
17 MAY 72 200		917.		6,220.			6,220.	1,455.00	1,091,800.	20 17 MAY 72
17 MAY 72 800		917.		6,280.			6,280.	1,455.00	1,091,800.	80 17 MAY 72
17 MAY 72 1400		918.		6,350.			6,350.	1,455.00	1,091,800.	140 17 MAY 72
17 MAY 72 2000		919.		6,410.			6,410.	1,455.00	1,091,800.	200 17 MAY 72
18 MAY 72 200		919.		6,470.			6,470.	1,455.00	1,091,800.	20 18 MAY 72
18 MAY 72 800		920.		6,530.			6,530.	1,455.00	1,091,800.	80 18 MAY 72
18 MAY 72 1400		921.		6,590.			6,590.	1,455.00	1,091,800.	140 18 MAY 72
18 MAY 72 2000		922.		6,650.			6,650.	1,455.00	1,091,800.	200 18 MAY 72
19 MAY 72 200		922.		6,710.			6,710.	1,455.00	1,091,800.	20 19 MAY 72
19 MAY 72 800		923.		6,760.			6,760.	1,455.00	1,091,800.	80 19 MAY 72
19 MAY 72 1400		924.		6,820.			6,820.	1,455.00	1,091,800.	140 19 MAY 72
19 MAY 72 2000		925.		6,880.			6,880.	1,455.00	1,091,800.	200 19 MAY 72
20 MAY 72 200		926.		6,930.			6,930.	1,455.00	1,091,800.	20 20 MAY 72
20 MAY 72 800		927.		6,980.			6,980.	1,455.00	1,091,800.	80 20 MAY 72
20 MAY 72 1400		928.		7,030.			7,030.	1,455.00	1,091,800.	140 20 MAY 72
20 MAY 72 2000		929.		7,080.			7,080.	1,455.00	1,091,800.	200 20 MAY 72
21 MAY 72 200		931.		7,130.			7,130.	1,455.00	1,091,800.	20 21 MAY 72
21 MAY 72 800		932.		7,180.			7,180.	1,455.00	1,091,800.	80 21 MAY 72
21 MAY 72 1400		933.		7,220.			7,220.	1,455.00	1,091,800.	140 21 MAY 72
21 MAY 72 2000		934.		7,270.			7,270.	1,455.00	1,091,800.	200 21 MAY 72
22 MAY 72 200		935.		7,310.			7,310.	1,455.00	1,091,800.	20 22 MAY 72
22 MAY 72 800		936.		7,350.			7,350.	1,455.00	1,091,800.	80 22 MAY 72
22 MAY 72 1400		938.		7,390.			7,390.	1,455.00	1,091,800.	140 22 MAY 72

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 58.0			STATION 60.0			STATION 60.1			
	TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI			DEVIL CANYON INFLOW			DEVIL CANYON OUTFLOW			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	HOUR-DATE
22 MAY 72 2000	939.			7,430.			7,430.	1,455.00	1,091,800.	200 22 MAY 72
23 MAY 72 200	940.			7,470.			7,470.	1,455.00	1,091,800.	20 23 MAY 72
23 MAY 72 800	942.			7,500.			7,500.	1,455.00	1,091,800.	80 23 MAY 72
23 MAY 72 1400	943.			7,540.			7,540.	1,455.00	1,091,800.	140 23 MAY 72
23 MAY 72 2000	944.			7,570.			7,570.	1,455.00	1,091,800.	200 23 MAY 72
24 MAY 72 200	945.			7,600.			7,600.	1,455.00	1,091,800.	20 24 MAY 72
24 MAY 72 800	947.			7,630.			7,630.	1,455.00	1,091,800.	80 24 MAY 72
24 MAY 72 1400	948.			7,670.			7,670.	1,455.00	1,091,800.	140 24 MAY 72
24 MAY 72 2000	949.			7,700.			7,700.	1,455.00	1,091,800.	200 24 MAY 72
25 MAY 72 200	951.			7,720.			7,720.	1,455.00	1,091,800.	20 25 MAY 72
25 MAY 72 800	952.			7,750.			7,750.	1,455.00	1,091,800.	80 25 MAY 72
25 MAY 72 1400	953.			7,780.			7,780.	1,455.00	1,091,800.	140 25 MAY 72
25 MAY 72 2000	955.			7,810.			7,810.	1,455.00	1,091,800.	200 25 MAY 72
26 MAY 72 200	956.			7,840.			7,840.	1,455.00	1,091,800.	20 26 MAY 72
26 MAY 72 800	957.			7,870.			7,870.	1,455.00	1,091,800.	80 26 MAY 72
26 MAY 72 1400	959.			7,900.			7,900.	1,455.00	1,091,800.	140 26 MAY 72
26 MAY 72 2000	960.			7,920.			7,920.	1,455.00	1,091,800.	200 26 MAY 72
27 MAY 72 200	961.			7,950.			7,950.	1,455.00	1,091,800.	20 27 MAY 72
27 MAY 72 800	963.			7,980.			7,980.	1,455.00	1,091,800.	80 27 MAY 72
27 MAY 72 1400	964.			8,000.			8,000.	1,455.00	1,091,800.	140 27 MAY 72
27 MAY 72 2000	965.			8,030.			8,030.	1,455.00	1,091,800.	200 27 MAY 72
28 MAY 72 200	966.			8,050.			8,050.	1,455.00	1,091,800.	20 28 MAY 72
28 MAY 72 800	968.			8,070.			8,070.	1,455.00	1,091,800.	80 28 MAY 72
28 MAY 72 1400	969.			8,100.			8,100.	1,455.00	1,091,800.	140 28 MAY 72
28 MAY 72 2000	970.			8,120.			8,120.	1,455.00	1,091,800.	200 28 MAY 72
29 MAY 72 200	971.			8,140.			8,140.	1,455.00	1,091,800.	20 29 MAY 72
29 MAY 72 800	972.			8,160.			8,160.	1,455.00	1,091,800.	80 29 MAY 72
29 MAY 72 1400	974.			8,190.			8,190.	1,455.00	1,091,800.	140 29 MAY 72
29 MAY 72 2000	975.			8,210.			8,210.	1,455.00	1,091,800.	200 29 MAY 72
30 MAY 72 200	976.			8,230.			8,230.	1,455.00	1,091,800.	20 30 MAY 72
30 MAY 72 800	977.			8,250.			8,250.	1,455.00	1,091,800.	80 30 MAY 72
30 MAY 72 1400	978.			8,270.			8,270.	1,455.00	1,091,800.	140 30 MAY 72
30 MAY 72 2000	979.			8,280.			8,280.	1,455.00	1,091,800.	200 30 MAY 72
31 MAY 72 200	980.			8,300.			8,300.	1,455.00	1,091,800.	20 31 MAY 72
31 MAY 72 800	981.			8,320.			8,320.	1,455.00	1,091,800.	80 31 MAY 72
31 MAY 72 1400	982.			8,340.			8,340.	1,455.00	1,091,800.	140 31 MAY 72
31 MAY 72 2000	983.			8,360.			8,360.	1,455.00	1,091,800.	200 31 MAY 72

PRINTED IN U.S.A.

RUN DATE PUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 58.0		STATION 60.0		STATION 60.1			
	TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI		DEVIL CANYON INFLOW		DEVIL CANYON OUTFLOW			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200	984.			8,370.			8,370.	1,455.00	1,091,800.	20 1 JUN 72
1 JUN 72 800	984.			8,390.			8,390.	1,455.00	1,091,800.	80 1 JUN 72
1 JUN 72 1400	985.			8,400.			8,400.	1,455.00	1,091,800.	140 1 JUN 72
1 JUN 72 2000	986.			8,420.			8,420.	1,455.00	1,091,800.	200 1 JUN 72
2 JUN 72 200	987.			8,430.			8,430.	1,455.00	1,091,800.	20 2 JUN 72
2 JUN 72 800	987.			8,450.			8,450.	1,455.00	1,091,800.	80 2 JUN 72
2 JUN 72 1400	988.			8,460.			8,460.	1,455.00	1,091,800.	140 2 JUN 72
2 JUN 72 2000	989.			8,480.			8,480.	1,455.00	1,091,800.	200 2 JUN 72
3 JUN 72 200	989.			8,490.			8,490.	1,455.00	1,091,800.	20 3 JUN 72
3 JUN 72 800	990.			8,500.			8,500.	1,455.00	1,091,800.	80 3 JUN 72
3 JUN 72 1400	990.			8,510.			8,510.	1,455.00	1,091,800.	140 3 JUN 72
3 JUN 72 2000	991.			8,520.			8,520.	1,455.00	1,091,800.	200 3 JUN 72
4 JUN 72 200	992.			8,540.			8,540.	1,455.00	1,091,800.	20 4 JUN 72
4 JUN 72 800	995.			8,560.			8,560.	1,455.00	1,091,800.	80 4 JUN 72
4 JUN 72 1400	1,000.			8,600.			8,600.	1,455.00	1,091,800.	140 4 JUN 72
4 JUN 72 2000	1,020.			8,690.			8,690.	1,455.00	1,091,800.	200 4 JUN 72
5 JUN 72 200	1,060.			8,860.			8,860.	1,455.00	1,091,800.	20 5 JUN 72
5 JUN 72 800	1,130.			9,150.			9,150.	1,455.00	1,091,800.	80 5 JUN 72
5 JUN 72 1400	1,240.			9,630.			9,630.	1,455.00	1,091,800.	140 5 JUN 72
5 JUN 72 2000	1,410.			10,400.			10,400.	1,455.00	1,091,800.	200 5 JUN 72
6 JUN 72 200	1,660.			11,500.			11,500.	1,455.00	1,091,800.	20 6 JUN 72
6 JUN 72 800	2,030.			13,100.			13,100.	1,455.00	1,091,800.	80 6 JUN 72
6 JUN 72 1400	2,520.			15,300.			15,300.	1,455.00	1,091,800.	140 6 JUN 72
6 JUN 72 2000	3,170.			18,300.			18,300.	1,455.00	1,091,800.	200 6 JUN 72
7 JUN 72 200	4,010.			22,100.			22,100.	1,455.00	1,091,800.	20 7 JUN 72
7 JUN 72 800	5,090.			27,200.			27,200.	1,455.00	1,091,800.	80 7 JUN 72
7 JUN 72 1400	6,470.			33,900.			33,900.	1,455.00	1,091,800.	140 7 JUN 72
7 JUN 72 2000	8,160.			42,600.			42,600.	1,455.00	1,091,800.	200 7 JUN 72
8 JUN 72 200	10,100.			53,600.			53,600.	1,455.00	1,091,800.	20 8 JUN 72
8 JUN 72 800	12,300.			66,900.			66,900.	1,455.00	1,091,800.	80 8 JUN 72
8 JUN 72 1400	14,500.			82,400.			82,400.	1,455.00	1,091,800.	140 8 JUN 72
8 JUN 72 2000	16,700.			99,100.			99,100.	1,455.00	1,091,800.	200 8 JUN 72
9 JUN 72 200	18,800.			117,000.			117,000.	1,455.00	1,091,800.	20 9 JUN 72
9 JUN 72 800	20,900.			129,000.			129,000.	1,455.00	1,091,800.	80 9 JUN 72
9 JUN 72 1400	22,900.			133,000.			133,000.	1,455.00	1,091,800.	140 9 JUN 72
9 JUN 72 2000	24,700.			135,000.			135,000.	1,455.00	1,091,800.	200 9 JUN 72
10 JUN 72 200	26,400.			138,000.			138,000.	1,455.00	1,091,800.	20 10 JUN 72
10 JUN 72 800	28,100.			141,000.			140,000.	1,455.02	1,092,003.	80 10 JUN 72
10 JUN 72 1400	29,900.			144,000.			141,000.	1,455.16	1,093,166.	140 10 JUN 72
10 JUN 72 2000	31,800.			149,000.			142,000.	1,455.47	1,095,860.	200 10 JUN 72
11 JUN 72 200	33,600.			154,000.			144,000.	1,455.95	1,100,048.	20 11 JUN 72
11 JUN 72 800	35,100.			159,000.			146,000.	1,456.59	1,105,653.	80 11 JUN 72
11 JUN 72 1400	36,300.			165,000.			150,000.	1,457.38	1,112,524.	140 11 JUN 72

FORM 1211-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 58.0			STATION 60.0			STATION 60.1			
	TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI			DEVIL CANYON INFLOW			DEVIL CANYON OUTFLOW			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	37,300.			170,000.			153,000.	1,458.29	1,120,423.	200 11 JUN 72
12 JUN 72 200	38,600.			176,000.			153,000.	1,459.30	1,129,231.	20 12 JUN 72
12 JUN 72 800	39,800.			182,000.			162,000.	1,460.40	1,138,811.	80 12 JUN 72
12 JUN 72 1400	40,500.			240,000.			173,000.	1,462.88	1,160,454.	140 12 JUN 72
12 JUN 72 2000	40,500.			297,000.			226,000.	1,466.81	1,194,728.	200 12 JUN 72
13 JUN 72 200	40,400.			297,000.			321,000.	1,468.15	1,206,396.	20 13 JUN 72
13 JUN 72 800	40,300.			297,000.			314,000.	1,466.99	1,196,340.	80 13 JUN 72
13 JUN 72 1400	40,000.			297,000.			291,000.	1,466.69	1,193,770.	140 13 JUN 72
13 JUN 72 2000	39,800.			297,000.			298,000.	1,466.82	1,194,830.	200 13 JUN 72
14 JUN 72 200	40,000.			297,000.			294,000.	1,466.87	1,195,286.	20 14 JUN 72
14 JUN 72 800	40,800.			298,000.			288,000.	1,467.22	1,198,329.	80 14 JUN 72
14 JUN 72 1400	41,200.			298,000.			315,000.	1,467.00	1,196,373.	140 14 JUN 72
14 JUN 72 2000	41,300.			298,000.			290,000.	1,466.76	1,194,317.	200 14 JUN 72
15 JUN 72 200	42,000.			299,000.			306,000.	1,466.82	1,194,822.	20 15 JUN 72
15 JUN 72 800	43,300.			301,000.			270,000.	1,467.51	1,200,850.	80 15 JUN 72
15 JUN 72 1400	44,800.			303,000.			320,000.	1,467.92	1,204,376.	140 15 JUN 72
15 JUN 72 2000	46,500.			306,000.			317,000.	1,467.12	1,197,461.	200 15 JUN 72
16 JUN 72 200	49,400.			310,000.			295,000.	1,467.22	1,198,292.	20 16 JUN 72
16 JUN 72 800	53,100.			315,000.			318,000.	1,467.55	1,201,159.	80 16 JUN 72
16 JUN 72 1400	55,500.			320,000.			318,000.	1,467.52	1,200,882.	140 16 JUN 72
16 JUN 72 2000	55,000.			322,000.			319,000.	1,467.65	1,202,090.	200 16 JUN 72
17 JUN 72 200	52,100.			321,000.			319,000.	1,467.78	1,203,221.	20 17 JUN 72
17 JUN 72 800	48,600.			319,000.			319,000.	1,467.81	1,203,407.	80 17 JUN 72
17 JUN 72 1400	45,400.			316,000.			319,000.	1,467.70	1,202,514.	140 17 JUN 72
17 JUN 72 2000	42,500.			314,000.			318,000.	1,467.50	1,200,712.	200 17 JUN 72
18 JUN 72 200	39,700.			311,000.			317,000.	1,467.21	1,198,252.	20 18 JUN 72
18 JUN 72 800	36,800.			308,000.			307,000.	1,467.09	1,197,224.	80 18 JUN 72
18 JUN 72 1400	34,000.			305,000.			307,000.	1,467.07	1,197,000.	140 18 JUN 72
18 JUN 72 2000	31,400.			301,000.			306,000.	1,466.87	1,195,270.	200 18 JUN 72
19 JUN 72 200	29,200.			297,000.			299,000.	1,466.68	1,193,616.	20 19 JUN 72
19 JUN 72 800	27,500.			294,000.			247,000.	1,467.96	1,204,773.	80 19 JUN 72
19 JUN 72 1400	26,500.			290,000.			322,000.	1,468.40	1,208,564.	140 19 JUN 72
19 JUN 72 2000	26,400.			288,000.			307,000.	1,466.96	1,196,035.	200 19 JUN 72
20 JUN 72 200	26,900.			286,000.			278,000.	1,466.65	1,193,322.	20 20 JUN 72
20 JUN 72 800	27,700.			272,000.			279,000.	1,466.68	1,193,634.	80 20 JUN 72
20 JUN 72 1400	28,700.			247,000.			272,000.	1,465.78	1,185,689.	140 20 JUN 72
20 JUN 72 2000	29,600.			238,000.			189,000.	1,466.47	1,191,740.	200 20 JUN 72
21 JUN 72 200	30,200.			243,000.			284,000.	1,466.73	1,194,005.	20 21 JUN 72
21 JUN 72 800	30,500.			247,000.			212,000.	1,466.55	1,192,434.	80 21 JUN 72
21 JUN 72 1400	30,900.			251,000.			279,000.	1,466.71	1,193,900.	140 21 JUN 72
21 JUN 72 2000	31,200.			255,000.			214,000.	1,467.07	1,196,985.	200 21 JUN 72
22 JUN 72 200	31,300.			259,000.			307,000.	1,466.86	1,195,161.	20 22 JUN 72
22 JUN 72 800	31,400.			262,000.			219,000.	1,466.70	1,193,780.	80 22 JUN 72

FORM 1113

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 58.0 TSUSENA AND DEVIL CREEK LOCAL 628 SQ MI		STATION 60.0 DEVIL CANYON INFLOW		STATION 60.1 DEVIL CANYON OUTFLOW			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	ELEVATION FEET-MSL	STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400	31,400.			265,000.			299,000.	1,466.95	1,195,925.	140 22 JUN 72
22 JUN 72 2000	31,400.			267,000.			273,000.	1,465.83	1,186,172.	200 22 JUN 72
23 JUN 72 200	31,300.			269,000.			268,000.	1,465.69	1,184,936.	20 23 JUN 72
23 JUN 72 800	31,100.			269,000.			269,000.	1,465.70	1,184,998.	80 23 JUN 72
23 JUN 72 1400	30,700.			267,000.			268,000.	1,465.68	1,184,847.	140 23 JUN 72
23 JUN 72 2000	30,200.			265,000.			266,000.	1,465.64	1,184,462.	200 23 JUN 72
24 JUN 72 200	29,600.			261,000.			213,000.	1,466.95	1,195,960.	20 24 JUN 72
24 JUN 72 800	28,700.			255,000.			308,000.	1,466.79	1,194,597.	80 24 JUN 72
24 JUN 72 1400	27,500.			246,000.			201,000.	1,466.58	1,192,699.	140 24 JUN 72
24 JUN 72 2000	26,100.			236,000.			278,000.	1,466.66	1,193,440.	200 24 JUN 72
25 JUN 72 200	24,700.			226,000.			190,000.	1,466.48	1,191,884.	20 25 JUN 72
25 JUN 72 800	23,400.			216,000.			229,000.	1,467.12	1,197,465.	80 25 JUN 72
25 JUN 72 1400	22,100.			206,000.			205,000.	1,466.77	1,194,390.	140 25 JUN 72
25 JUN 72 2000	20,900.			196,000.			204,000.	1,466.57	1,192,674.	200 25 JUN 72
26 JUN 72 200	19,900.			187,000.			188,000.	1,466.33	1,190,565.	20 26 JUN 72
26 JUN 72 800	19,000.			180,000.			187,000.	1,466.11	1,188,623.	80 26 JUN 72
26 JUN 72 1400	18,200.			173,000.			185,000.	1,465.57	1,183,866.	140 26 JUN 72
26 JUN 72 2000	17,500.			166,000.			181,000.	1,464.81	1,177,247.	200 26 JUN 72
27 JUN 72 200	17,000.			163,000.			178,000.	1,463.96	1,169,847.	20 27 JUN 72
27 JUN 72 800	16,500.			161,000.			174,000.	1,463.17	1,162,935.	80 27 JUN 72
27 JUN 72 1400	16,000.			160,000.			171,000.	1,462.50	1,157,089.	140 27 JUN 72
27 JUN 72 2000	15,600.			160,000.			169,000.	1,461.93	1,152,156.	200 27 JUN 72
28 JUN 72 200	15,200.			159,000.			167,000.	1,461.44	1,147,888.	20 28 JUN 72
28 JUN 72 800	14,900.			158,000.			165,000.	1,461.01	1,144,114.	80 28 JUN 72
28 JUN 72 1400	14,600.			157,000.			163,000.	1,460.62	1,140,714.	140 28 JUN 72
28 JUN 72 2000	14,400.			155,000.			162,000.	1,460.26	1,137,575.	200 28 JUN 72
29 JUN 72 200	14,200.			154,000.			160,000.	1,459.92	1,134,619.	20 29 JUN 72
29 JUN 72 800	14,000.			153,000.			159,000.	1,459.59	1,131,771.	80 29 JUN 72
29 JUN 72 1400	13,700.			152,000.			157,000.	1,459.27	1,128,945.	140 29 JUN 72
29 JUN 72 2000	13,400.			150,000.			156,000.	1,458.94	1,126,098.	200 29 JUN 72
30 JUN 72 200	13,200.			149,000.			155,000.	1,458.61	1,123,216.	20 30 JUN 72
30 JUN 72 800	12,900.			147,000.			153,000.	1,458.27	1,120,283.	80 30 JUN 72
30 JUN 72 1400	12,600.			146,000.			152,000.	1,457.93	1,117,290.	140 30 JUN 72

FORM 1611-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 68.0			STATION 62.5			STATION 70.0			
	PORTAGE AND GOLD CREEK LOCAL 345 SQ MI			600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD			SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 MAY 72 1400	154.			1,500.			1,650.			140 1 MAY 72
1 MAY 72 2000	155.			1,620.			1,780.			200 1 MAY 72
2 MAY 72 200	160.			1,730.			1,890.			20 2 MAY 72
2 MAY 72 800	175.			1,740.			1,910.			80 2 MAY 72
2 MAY 72 1400	200.			1,810.			2,010.			140 2 MAY 72
2 MAY 72 2000	235.			1,960.			2,190.			200 2 MAY 72
3 MAY 72 200	277.			2,170.			2,450.			20 3 MAY 72
3 MAY 72 800	323.			2,460.			2,780.			80 3 MAY 72
3 MAY 72 1400	371.			2,780.			3,160.			140 3 MAY 72
3 MAY 72 2000	418.			3,110.			3,530.			200 3 MAY 72
4 MAY 72 200	461.			3,410.			3,870.			20 4 MAY 72
4 MAY 72 800	501.			3,650.			4,150.			80 4 MAY 72
4 MAY 72 1400	537.			3,830.			4,370.			140 4 MAY 72
4 MAY 72 2000	568.			3,970.			4,540.			200 4 MAY 72
5 MAY 72 200	595.			4,080.			4,670.			20 5 MAY 72
5 MAY 72 800	618.			4,150.			4,770.			80 5 MAY 72
5 MAY 72 1400	637.			4,210.			4,850.			140 5 MAY 72
5 MAY 72 2000	654.			4,260.			4,920.			200 5 MAY 72
6 MAY 72 200	667.			4,310.			4,970.			20 6 MAY 72
6 MAY 72 800	678.			4,340.			5,020.			80 6 MAY 72
6 MAY 72 1400	688.			4,380.			5,060.			140 6 MAY 72
6 MAY 72 2000	695.			4,410.			5,100.			200 6 MAY 72
7 MAY 72 200	702.			4,430.			5,140.			20 7 MAY 72
7 MAY 72 800	707.			4,460.			5,170.			80 7 MAY 72
7 MAY 72 1400	711.			4,490.			5,200.			140 7 MAY 72
7 MAY 72 2000	715.			4,510.			5,230.			200 7 MAY 72
8 MAY 72 200	718.			4,540.			5,250.			20 8 MAY 72
8 MAY 72 800	720.			4,560.			5,280.			80 8 MAY 72
8 MAY 72 1400	722.			4,580.			5,310.			140 8 MAY 72
8 MAY 72 2000	724.			4,610.			5,330.			200 8 MAY 72
9 MAY 72 200	725.			4,630.			5,360.			20 9 MAY 72
9 MAY 72 800	726.			4,660.			5,390.			80 9 MAY 72
9 MAY 72 1400	727.			4,690.			5,410.			140 9 MAY 72
9 MAY 72 2000	728.			4,710.			5,440.			200 9 MAY 72
10 MAY 72 200	728.			4,750.			5,470.			20 10 MAY 72
10 MAY 72 800	729.			4,780.			5,510.			80 10 MAY 72
10 MAY 72 1400	729.			4,820.			5,540.			140 10 MAY 72
10 MAY 72 2000	729.			4,850.			5,580.			200 10 MAY 72
11 MAY 72 200	729.			4,890.			5,620.			20 11 MAY 72
11 MAY 72 800	729.			4,940.			5,670.			80 11 MAY 72
11 MAY 72 1400	729.			4,980.			5,710.			140 11 MAY 72
11 MAY 72 2000	729.			5,030.			5,760.			200 11 MAY 72
12 MAY 72 200	729.			5,070.			5,800.			20 12 MAY 72

FORM 1411-3

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 68.0			STATION 62.5			STATION 70.0			
	PORTAGE AND GOLD CREEK LOCAL 345 SQ MI			600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD			SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
12 MAY 72 800		729.		5,120.			5,850.			80 12 MAY 72
12 MAY 72 1400		729.		5,170.			5,900.			140 12 MAY 72
12 MAY 72 2000		729.		5,220.			5,950.			200 12 MAY 72
13 MAY 72 200		729.		5,270.			6,000.			20 13 MAY 72
13 MAY 72 800		729.		5,320.			6,050.			80 13 MAY 72
13 MAY 72 1400		730.		5,380.			6,100.			140 13 MAY 72
13 MAY 72 2000		730.		5,430.			6,160.			200 13 MAY 72
14 MAY 72 200		730.		5,480.			6,210.			20 14 MAY 72
14 MAY 72 800		730.		5,540.			6,270.			80 14 MAY 72
14 MAY 72 1400		730.		5,600.			6,330.			140 14 MAY 72
14 MAY 72 2000		730.		5,650.			6,380.			200 14 MAY 72
15 MAY 72 200		730.		5,710.			6,440.			20 15 MAY 72
15 MAY 72 800		731.		5,770.			6,500.			80 15 MAY 72
15 MAY 72 1400		731.		5,830.			6,560.			140 15 MAY 72
15 MAY 72 2000		731.		5,890.			6,620.			200 15 MAY 72
16 MAY 72 200		732.		5,950.			6,680.			20 16 MAY 72
16 MAY 72 800		732.		6,010.			6,740.			80 16 MAY 72
16 MAY 72 1400		732.		6,070.			6,800.			140 16 MAY 72
16 MAY 72 2000		733.		6,130.			6,860.			200 16 MAY 72
17 MAY 72 200		733.		6,190.			6,920.			20 17 MAY 72
17 MAY 72 800		734.		6,250.			6,990.			80 17 MAY 72
17 MAY 72 1400		734.		6,320.			7,050.			140 17 MAY 72
17 MAY 72 2000		735.		6,380.			7,110.			200 17 MAY 72
18 MAY 72 200		736.		6,440.			7,170.			20 18 MAY 72
18 MAY 72 800		736.		6,500.			7,240.			80 18 MAY 72
18 MAY 72 1400		737.		6,560.			7,300.			140 18 MAY 72
18 MAY 72 2000		738.		6,620.			7,360.			200 18 MAY 72
19 MAY 72 200		738.		6,680.			7,420.			20 19 MAY 72
19 MAY 72 800		739.		6,740.			7,470.			80 19 MAY 72
19 MAY 72 1400		740.		6,790.			7,530.			140 19 MAY 72
19 MAY 72 2000		741.		6,850.			7,590.			200 19 MAY 72
20 MAY 72 200		741.		6,900.			7,640.			20 20 MAY 72
20 MAY 72 800		742.		6,960.			7,700.			80 20 MAY 72
20 MAY 72 1400		743.		7,010.			7,750.			140 20 MAY 72
20 MAY 72 2000		744.		7,060.			7,800.			200 20 MAY 72
21 MAY 72 200		745.		7,110.			7,850.			20 21 MAY 72
21 MAY 72 800		746.		7,160.			7,900.			80 21 MAY 72
21 MAY 72 1400		747.		7,200.			7,950.			140 21 MAY 72
21 MAY 72 2000		748.		7,250.			7,990.			200 21 MAY 72
22 MAY 72 200		749.		7,290.			8,040.			20 22 MAY 72
22 MAY 72 800		750.		7,330.			8,080.			80 22 MAY 72
22 MAY 72 1400		751.		7,370.			8,120.			140 22 MAY 72
22 MAY 72 2000		752.		7,410.			8,160.			200 22 MAY 72

FORM 1111-2

PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 70.0 SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
23 MAY 72 200	753.			7,450.			8,200.			20 23 MAY 72
23 MAY 72 800	754.			7,490.			8,240.			80 23 MAY 72
23 MAY 72 1400	755.			7,520.			8,280.			140 23 MAY 72
23 MAY 72 2000	756.			7,550.			8,310.			200 23 MAY 72
24 MAY 72 200	757.			7,590.			8,340.			20 24 MAY 72
24 MAY 72 800	758.			7,620.			8,380.			80 24 MAY 72
24 MAY 72 1400	759.			7,650.			8,410.			140 24 MAY 72
24 MAY 72 2000	760.			7,680.			8,440.			200 24 MAY 72
25 MAY 72 200	761.			7,710.			8,470.			20 25 MAY 72
25 MAY 72 800	762.			7,740.			8,500.			80 25 MAY 72
25 MAY 72 1400	763.			7,770.			8,530.			140 25 MAY 72
25 MAY 72 2000	765.			7,800.			8,560.			200 25 MAY 72
26 MAY 72 200	766.			7,830.			8,590.			20 26 MAY 72
26 MAY 72 800	767.			7,850.			8,620.			80 26 MAY 72
26 MAY 72 1400	768.			7,880.			8,650.			140 26 MAY 72
26 MAY 72 2000	769.			7,910.			8,680.			200 26 MAY 72
27 MAY 72 200	770.			7,940.			8,710.			20 27 MAY 72
27 MAY 72 800	771.			7,960.			8,730.			80 27 MAY 72
27 MAY 72 1400	772.			7,990.			8,760.			140 27 MAY 72
27 MAY 72 2000	773.			8,010.			8,790.			200 27 MAY 72
28 MAY 72 200	774.			8,040.			8,810.			20 28 MAY 72
28 MAY 72 800	774.			8,060.			8,840.			80 28 MAY 72
28 MAY 72 1400	775.			8,090.			8,860.			140 28 MAY 72
28 MAY 72 2000	776.			8,110.			8,890.			200 28 MAY 72
29 MAY 72 200	777.			8,130.			8,910.			20 29 MAY 72
29 MAY 72 800	778.			8,150.			8,930.			80 29 MAY 72
29 MAY 72 1400	779.			8,180.			8,950.			140 29 MAY 72
29 MAY 72 2000	780.			8,200.			8,980.			200 29 MAY 72
30 MAY 72 200	780.			8,220.			9,000.			20 30 MAY 72
30 MAY 72 800	781.			8,240.			9,020.			80 30 MAY 72
30 MAY 72 1400	782.			8,260.			9,040.			140 30 MAY 72
30 MAY 72 2000	783.			8,280.			9,060.			200 30 MAY 72
31 MAY 72 200	783.			8,290.			9,080.			20 31 MAY 72
31 MAY 72 800	784.			8,310.			9,100.			80 31 MAY 72
31 MAY 72 1400	785.			8,330.			9,110.			140 31 MAY 72
31 MAY 72 2000	785.			8,350.			9,130.			200 31 MAY 72

FORM 1611-3
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 68.0			STATION 62.5			STATION 70.0			
	PORTAGE AND GOLD CREEK LOCAL 345 SQ MI			600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD			SUSITNA R AT GOLD CREEK CALCULATED 6160 SUM			
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
1 JUN 72 200	786.			8,360.			9,150.			20 1 JUN 72
1 JUN 72 800	786.			8,380.			9,170.			80 1 JUN 72
1 JUN 72 1400	787.			8,400.			9,180.			140 1 JUN 72
1 JUN 72 2000	787.			8,410.			9,200.			200 1 JUN 72
2 JUN 72 200	788.			8,430.			9,210.			20 2 JUN 72
2 JUN 72 800	788.			8,440.			9,230.			80 2 JUN 72
2 JUN 72 1400	789.			8,460.			9,240.			140 2 JUN 72
2 JUN 72 2000	789.			8,470.			9,260.			200 2 JUN 72
3 JUN 72 200	789.			8,480.			9,270.			20 3 JUN 72
3 JUN 72 800	790.			8,490.			9,280.			80 3 JUN 72
3 JUN 72 1400	790.			8,510.			9,300.			140 3 JUN 72
3 JUN 72 2000	790.			8,520.			9,310.			200 3 JUN 72
4 JUN 72 200	791.			8,530.			9,320.			20 4 JUN 72
4 JUN 72 800	793.			8,550.			9,340.			80 4 JUN 72
4 JUN 72 1400	798.			8,560.			9,380.			140 4 JUN 72
4 JUN 72 2000	810.			8,650.			9,460.			200 4 JUN 72
5 JUN 72 200	834.			8,770.			9,610.			20 5 JUN 72
5 JUN 72 800	876.			9,000.			9,880.			80 5 JUN 72
5 JUN 72 1400	947.			9,390.			10,300.			140 5 JUN 72
5 JUN 72 2000	1,060.			10,000.			11,100.			200 5 JUN 72
6 JUN 72 200	1,230.			11,000.			12,200.			20 6 JUN 72
6 JUN 72 800	1,470.			12,300.			13,800.			80 6 JUN 72
6 JUN 72 1400	1,810.			14,200.			16,100.			140 6 JUN 72
6 JUN 72 2000	2,260.			16,800.			19,100.			200 6 JUN 72
7 JUN 72 200	2,840.			20,200.			23,000.			20 7 JUN 72
7 JUN 72 800	3,580.			24,700.			28,300.			80 7 JUN 72
7 JUN 72 1400	4,510.			30,500.			35,100.			140 7 JUN 72
7 JUN 72 2000	5,640.			38,300.			43,900.			200 7 JUN 72
8 JUN 72 200	6,930.			48,100.			55,100.			20 8 JUN 72
8 JUN 72 800	8,300.			60,300.			68,600.			80 8 JUN 72
8 JUN 72 1400	9,660.			74,700.			84,300.			140 8 JUN 72
8 JUN 72 2000	11,000.			90,800.			102,000.			200 8 JUN 72
9 JUN 72 200	12,200.			108,000.			120,000.			20 9 JUN 72
9 JUN 72 800	13,300.			123,000.			137,000.			80 9 JUN 72
9 JUN 72 1400	14,300.			131,000.			145,000.			140 9 JUN 72
9 JUN 72 2000	15,200.			134,000.			149,000.			200 9 JUN 72
10 JUN 72 200	16,100.			137,000.			153,000.			20 10 JUN 72
10 JUN 72 800	17,000.			139,000.			156,000.			80 10 JUN 72
10 JUN 72 1400	17,900.			140,000.			158,000.			140 10 JUN 72
10 JUN 72 2000	18,800.			141,000.			160,000.			200 10 JUN 72
11 JUN 72 200	19,700.			143,000.			162,000.			20 11 JUN 72
11 JUN 72 800	20,300.			145,000.			165,000.			80 11 JUN 72
11 JUN 72 1400	20,800.			148,000.			169,000.			140 11 JUN 72

FORM 1413-2
PRINTED IN U.S.A.

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

	STATION 68.0		STATION 62.5		STATION 70.0		
	PORTAGE AND GOLD CREEK LOCAL 345 SQ MI				SUSITNA R AT GOLD CREEK CALCULATED 6160 SUM		
			600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD				
DATE-HOUR	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
11 JUN 72 2000	21,200.			151,000.			173,000.			200 11 JUN 72
12 JUN 72 200	21,600.			155,000.			177,000.			20 12 JUN 72
12 JUN 72 800	22,100.			160,000.			182,000.			80 12 JUN 72
12 JUN 72 1400	22,200.			167,000.			190,000.			140 12 JUN 72
12 JUN 72 2000	22,000.			199,000.			221,000.			200 12 JUN 72
13 JUN 72 200	21,800.			273,000.			295,000.			20 13 JUN 72
13 JUN 72 800	21,600.			317,000.			339,000.			80 13 JUN 72
13 JUN 72 1400	21,300.			302,000.			324,000.			140 13 JUN 72
13 JUN 72 2000	21,000.			294,000.			315,000.			200 13 JUN 72
14 JUN 72 200	21,000.			296,000.			317,000.			20 14 JUN 72
14 JUN 72 800	21,300.			291,000.			312,000.			80 14 JUN 72
14 JUN 72 1400	21,400.			302,000.			323,000.			140 14 JUN 72
14 JUN 72 2000	21,400.			302,000.			324,000.			200 14 JUN 72
15 JUN 72 200	21,700.			298,000.			320,000.			20 15 JUN 72
15 JUN 72 800	22,400.			288,000.			310,000.			80 15 JUN 72
15 JUN 72 1400	23,100.			295,000.			318,000.			140 15 JUN 72
15 JUN 72 2000	23,900.			318,000.			342,000.			200 15 JUN 72
16 JUN 72 200	25,300.			306,000.			331,000.			20 16 JUN 72
16 JUN 72 800	27,100.			307,000.			334,000.			80 16 JUN 72
16 JUN 72 1400	28,300.			318,000.			346,000.			140 16 JUN 72
16 JUN 72 2000	28,000.			318,000.			346,000.			200 16 JUN 72
17 JUN 72 200	26,600.			319,000.			345,000.			20 17 JUN 72
17 JUN 72 800	24,800.			319,000.			344,000.			80 17 JUN 72
17 JUN 72 1400	23,200.			319,000.			342,000.			140 17 JUN 72
17 JUN 72 2000	21,800.			319,000.			341,000.			200 17 JUN 72
18 JUN 72 200	20,400.			318,000.			338,000.			20 18 JUN 72
18 JUN 72 800	19,000.			312,000.			331,000.			80 18 JUN 72
18 JUN 72 1400	17,700.			307,000.			325,000.			140 18 JUN 72
18 JUN 72 2000	16,400.			307,000.			323,000.			200 18 JUN 72
19 JUN 72 200	15,200.			303,000.			318,000.			20 19 JUN 72
19 JUN 72 800	14,300.			273,000.			287,000.			80 19 JUN 72
19 JUN 72 1400	13,800.			284,000.			298,000.			140 19 JUN 72
19 JUN 72 2000	13,700.			314,000.			328,000.			200 19 JUN 72
20 JUN 72 200	13,900.			292,000.			306,000.			20 20 JUN 72
20 JUN 72 800	14,300.			278,000.			293,000.			80 20 JUN 72
20 JUN 72 1400	14,800.			276,000.			290,000.			140 20 JUN 72
20 JUN 72 2000	15,200.			230,000.			246,000.			200 20 JUN 72
21 JUN 72 200	15,400.			236,000.			252,000.			20 21 JUN 72
21 JUN 72 800	15,600.			248,000.			264,000.			80 21 JUN 72
21 JUN 72 1400	15,800.			246,000.			261,000.			140 21 JUN 72
21 JUN 72 2000	15,900.			247,000.			263,000.			200 21 JUN 72
22 JUN 72 200	16,100.			261,000.			277,000.			20 22 JUN 72
22 JUN 72 800	16,200.			263,000.			280,000.			80 22 JUN 72

FORM 1413

PRINTED IN U.S.A.

SUSITNA HEP SPRING PMF

RUN DATE RUN NO. INITIAL DATE, HOUR
0 1 MAY 72 1400

NORTH PACIFIC DIVISION, CORPS OF ENGR.

DATE-HOUR	STATION 68.0 PORTAGE AND GOLD CREEK LOCAL 345 SQ MI FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 62.5 600-700 ROUT DEVILS CANYON DAM-SUS AT GOLD FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	STATION 70.0 SUSITNA R AT GOLD CREEK CALCULATED 6160 SQM FLOW CFS	GAGE HEIGHT FEET	STORAGE ACRE-FEET	HOUR-DATE
22 JUN 72 1400	16,300.			259,000.			276,000.			140 22 JUN 72
22 JUN 72 2000	16,400.			286,000.			302,000.			200 22 JUN 72
23 JUN 72 200	16,400.			271,000.			287,000.			20 23 JUN 72
23 JUN 72 800	16,300.			269,000.			285,000.			80 23 JUN 72
23 JUN 72 1400	16,100.			268,000.			284,000.			140 23 JUN 72
23 JUN 72 2000	15,900.			267,000.			283,000.			200 23 JUN 72
24 JUN 72 200	15,600.			240,000.			255,000.			20 24 JUN 72
24 JUN 72 800	15,100.			260,000.			276,000.			80 24 JUN 72
24 JUN 72 1400	14,500.			254,000.			269,000.			140 24 JUN 72
24 JUN 72 2000	13,800.			240,000.			253,000.			200 24 JUN 72
25 JUN 72 200	13,000.			234,000.			247,000.			20 25 JUN 72
25 JUN 72 800	12,500.			210,000.			222,000.			80 25 JUN 72
25 JUN 72 1400	11,600.			217,000.			229,000.			140 25 JUN 72
25 JUN 72 2000	11,000.			204,000.			215,000.			200 25 JUN 72
26 JUN 72 200	10,500.			196,000.			207,000.			20 26 JUN 72
26 JUN 72 800	9,980.			187,000.			197,000.			80 26 JUN 72
26 JUN 72 1400	9,580.			186,000.			195,000.			140 26 JUN 72
26 JUN 72 2000	9,230.			183,000.			192,000.			200 26 JUN 72
27 JUN 72 200	8,940.			179,000.			188,000.			20 27 JUN 72
27 JUN 72 800	8,680.			176,000.			185,000.			80 27 JUN 72
27 JUN 72 1400	8,440.			173,000.			181,000.			140 27 JUN 72
27 JUN 72 2000	8,210.			170,000.			178,000.			200 27 JUN 72
28 JUN 72 200	8,010.			168,000.			176,000.			20 28 JUN 72
28 JUN 72 800	7,840.			166,000.			174,000.			80 28 JUN 72
28 JUN 72 1400	7,690.			164,000.			172,000.			140 28 JUN 72
28 JUN 72 2000	7,560.			162,000.			170,000.			200 28 JUN 72
29 JUN 72 200	7,440.			161,000.			168,000.			20 29 JUN 72
29 JUN 72 800	7,320.			159,000.			167,000.			80 29 JUN 72
29 JUN 72 1400	7,190.			158,000.			165,000.			140 29 JUN 72
29 JUN 72 2000	7,050.			157,000.			164,000.			200 29 JUN 72
30 JUN 72 200	6,900.			155,000.			162,000.			20 30 JUN 72
30 JUN 72 800	6,760.			154,000.			161,000.			80 30 JUN 72
30 JUN 72 1400	6,610.			153,000.			159,000.			140 30 JUN 72

EOF..

FORM 1417-3
PRINTED IN U.S.A.