

**SUSITNA
HYDROELECTRIC PROJECT**

FEDERAL ENERGY REGULATORY COMMISSION
PROJECT No. 7114

**PROCESSED CLIMATIC DATA
OCTOBER 1983 - DECEMBER 1984**

**VOLUME 3
KOSINA CREEK STATION
(No. 0640)**

PREPARED BY



UNDER CONTRACT TO

**HARZA-EBASCO
SUSITNA JOINT VENTURE**

FINAL REPORT

**JUNE 1986
DOCUMENT No. 2769**

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

**PROCESSED CLIMATIC DATA
OCTOBER 1983 - DECEMBER 1984**

VOLUME 3

KOSINA CREEK STATION (No.0640)

Report by
R&M CONSULTANTS, INC.

Under Contract to
Harza-Ebasco Susitna Joint Venture

Prepared for
Alaska Power Authority

Final Report
June 1985

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

TASK 4 - HYDROLOGY

PROCESSED CLIMATIC DATA
OCTOBER 1983 - DECEMBER 1984

VOLUME INDEX

VOLUME 1: 0610 - SUSITNA GLACIER STATION
VOLUME 2: 0620 - DENALI STATION
VOLUME 3: 0640 - KOSINA CREEK STATION
VOLUME 4: 0650 - WATANA STATION
VOLUME 5: 0660 - DEVIL CANYON STATION
VOLUME 6: 0665 - SHERMAN STATION
VOLUME 7: 0686.5 - EKLUTNA LAKE STATION

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT

PROCESSED CLIMATIC DATA - KOSINA STATION
OCTOBER 1983 - DECEMBER 1984

TABLE OF CONTENTS	PAGE
Volume Index	ii
List of Tables	v
List of Figures	vi
Acknowledgments	vii
1.0 BACKGROUND	1-1
1.1 Purpose	1-1
1.2 Station Description	1-1
1.3 Methods of Data Collection	1-1
1.4 Station History	1-3
2.0 ANNUAL DATA SUMMARY	2-1
3.0 REPORT PREPARATION	3-1
3.1 Description of Symbols Used in Annual and Monthly Summaries	3-1
3.2 Data Computation Standards (Climate)	3-2
4.0 INTERPRETATION OF DATA, 1983-84	4-1
4.1 General Comments	4-1
4.2 Comments on Specific Parameters	4-3

TABLE OF CONTENTS (Continued)

	PAGE
5.0 MONTHLY CLIMATIC DATA SUMMARIES Kosina Station, 1983-84	5-1
6.0 REFERENCES	6-1
APPENDIX - Conversion Factors	

LIST OF TABLES

Table	Description	Page
1.1	Angular Elevations of Terrain Obstructions Around Kosina Weather Station	1-5
1.2	Description of Meteorologic Sensors	1-6
1.3	Inspection Dates and Maintenance, Kosina Climate Station, October 1983 to December 1984	1-7
1.4	Explanation of Data Gaps, Kosina Climate Station, October 1983 to December 1984	1-8
1.5	Adjustments Made to Raw Data, Kosina Climate Station, October 1983 to December 1984	1-9
1.6	Estimated Missing Data, Kosina Climate Station, October 1983 to December 1984	1-10
2.1	Summary of Climate Data Recorded at Kosina Station (No. 0640), October 1983 to December 1984	2-2
2.2	Percent of Total Possible Observations Recorded at Kosina Climate Station, October 1983 to December 1984	2-3
A.1	Conversion Factors	

LIST OF FIGURES

Figure	Description	Page
1.1	Location Map: Susitna Project Meteorologic Stations	1-12
1.2	Location Map, Kosina Climate Station	1-13
2.1	Sequential Plot of Climatic Data, Kosina October 1983-December 1984	2-4

ACKNOWLEDGMENTS

These climatic data were collected under contract to Harza-Ebasco Susitna Joint Venture for the Alaska Power Authority on the Susitna Hydroelectric Project. Field maintenance and data collection were performed by the hydrology staff of R&M Consultants, Incorporated. Data reduction and processing were performed by Debbie Stephens, Len Story, Blair Parker, Jim Nelson, and Jeff Coffin, using computer programs developed by Mark Holmstrand and revised by Bill Ashton.

1.0 BACKGROUND

1.1 Purpose

The Kosina climate station was installed to aid the Alaska Department of Fish and Game (ADF&G) with their caribou studies in the area, and to satisfy hydrology data requirements for the area south of the Susitna River in the Talkeetna Mountain drainages.

1.2 Station Description

The Kosina weather station is situated on a bluff at elevation 2,700 feet, about 6 miles south of the Susitna River, and approximately $\frac{1}{2}$ mile south of the Kosina Creek and Gilbert Creek confluence at latitude 62°41'40"N and longitude 147°58'20"W (refer to Figures 1.1 and 1.2 for location). The terrain to the south of this site rises gradually and is characteristically rolling tundra with patches of dense willow and a few isolated spruce trees. The elevation increases to 3,500 feet within 10 miles of the station, and the Talkeetna mountains rise to over 6,000 feet about 8 miles south of the site. These shade the instrument at sun angles less than 3-4° above horizontal (see Table 1.1 for angular elevations of terrain obstructions). Mt. Watana to the west rises to 6,255 feet less than 6 miles from the station. This feature is significant in that it shades the instrument from a western sun throughout the year, particularly in the summer.

Winds in this area are variable depending upon the movement of storm systems. Southwest winds are typical during the summer when storms blow in from the Gulf of Alaska, and north or east winds occur frequently during the winter.

1.3 Methods of Data Collection

The climatic data at Kosina are collected using a Model 5100 Weather Wizard Digital Weather Station, manufactured by Meteorology Research, Inc., now

part of Belfort Instrument Company. The Weather Wizard measures, processes, and records several weather parameters, which are described below. A 12-volt power supply powers the station and is kept charged by a solar panel. Data are recorded on a low-temperature cassette tape at 30-minute intervals. The station is visited approximately once per month for maintenance and repairs, and to retrieve the data tapes.

Recorded data include instantaneous values of temperature, relative humidity, solar radiation intensity, and battery voltage; the cumulative amount of precipitation measured since the last reset; and several wind parameters. Wind direction is sampled every 15 seconds and averaged over the recording interval. Wind speed is measured by counting each revolution of the cup anemometer and averaging the speed over the recording interval (15 or 30 minutes). The fastest 15-second average speed for the interval is reported as the peak gust.

The anemometer and wind vane are part of a sensor array mounted atop a 3.5-meter tripod adjacent to the recorder shelter. The sensor array also contains a short boom with a radiation shield for the temperature and relative humidity sensors. A rain gage and solar radiation sensor are located on a separate platform 10 meters to the southeast from the main platform. The tipping-bucket rain gage is mounted on a 0.6-meter post and plumbed vertically. The solar sensor is installed facing vertically upward atop a 1.5-meter tripod.

Table 1.2 describes sensor types and performance characteristics for each parameter. The performance characteristics were provided by MRI. Conversion factors for the units are provided in the appendix.

1.4 Station History

The Kosina Station was installed on August 25, 1980. This report covers the period from October 1983 to December 1984 only. There are three previous data reports for this station:

Report	Period Covered
1. Processed Climatic Data Volume 4 Kosina Creek Station (No. 0640) March 1982 (R&M Consultants)	August 1980 - September 1981
2. Processed Climatic Data Volume 4 Kosina Creek Station (No. 0640) December 1982 (R&M Consultants)	October 1981 - September 1982
3. Processed Climatic Data Volume 3 Kosina Creek Station (No. 0640) June 1984 (R&M Consultants)	October 1982 - September 1983

Tables 1.3 through 1.6 list the inspection dates and maintenance performed for the station, significant data gaps, adjustments to raw data, and values that have been estimated where data are missing. Periods with more than one hour of missing data are shown on Table 1.4. Intermittent gaps in the wind data occur frequently in the winter and are not identified individually. The number of missing days for these cases is approximated by the total number of missing hours during the period. The beginning and ending dates for the data gaps and for the adjustments to raw data correlate with the inspection and maintenance dates. Relative humidity data for measurements with wind speeds less than 1.0 m/sec are not valid and thus not used in calculating the percentage of total observations for

each month, which are tabulated in Table 2.2. However, these missing RH values do not constitute data gaps in Table 1.4.

TABLE 1.1. ANGULAR ELEVATIONS OF TERRAIN OBSTRUCTIONS
AROUND KOSINA WEATHER STATION

Azimuth (1) (true)	Elevation (2) (ft, MSL)	Vertical Angle (3)
24°	3204	1.4°
48°	3704	3.2°
61°	3609	3.8°
98°	3570	6.1°
158°	3432	3.4°
265°	2940	1.3°
295°	6255	7.7°
332°	2895	1.6°

NOTES:

- (1) Azimuth angles are in degrees from true North.
- (2) Elevations were obtained from U.S.G.S. 1:63,630 scale maps. Points used were selected mountain peaks and other features surrounding the weather station. Elevation differences from the weather station at 2700 ft, MSL and horizontal distances were used to triangulate the vertical angles.
- (3) Vertical angles are measured above the horizontal.

TABLE 1.2 DESCRIPTION OF METEOROLOGIC SENSORS

<u>Sensor</u>	<u>Model #</u>	<u>Manufacturer</u>	<u>Description</u>	<u>Operable Range</u>	<u>Accuracy</u>
Temperature	T5100	MRI	Linearized Thermistor	-30°C - +50°C	±1°C
Relative Humidity	PCRC-11 Electro-Humidity Sensor	Phys-Chemical Research Corp.	Exposed circuit element Senses changes in RH by changes in impedance	10% to 95%	±6%
Solar Radiation	RS 1008 Photo Voltaic Pyranometer	RHO Sigma Corp.	Temperature-Compensated Silicon Photovoltaic Cell	0 to 140 Milliwatts/cm ²	±5mw/cm ²
Precipitation	P5100	MRI	Tipping Bucket Rain Gage	0 to 99.8 mm	±1% up to 76.2 mm/hr ±5% from 76.2 mm/hr to 254 mm/hr
Wind Speed	5100	MRI	Cup Anemometer (vertical axis)	0 to 50 m/sec	±0.5 m/sec
Wind Direction	5100	MRI	Sensitive Vane driving a 360° Plastic Film Potentiometer	0 to 359°	±3.6°

TABLE 1.3. INSPECTION DATES AND MAINTENANCE
 KOSINA CLIMATE STATION
 OCTOBER 1983 TO DECEMBER 1984

Inspection Date	Maintenance
11/17/83	Weather Wizard reinstalled RH sensor calibrated
01/06/84	Reset date to 006
02/22/84	RH sensor calibrated
04/09/84	None
05/22/84	None
05/24/84	Weather Wizard removed for maintenance
06/15/84	Weather Wizard reinstalled Anemometer cups and wind vane exchanged with damaged ones from Eklutna station RH sensor calibrated
07/13/84	Replaced anemometer cups and wind vane
08/22/84	Sensor array disconnected for annual maintenance
08/23/84	Sensor array reconnected RH sensor calibrated
10/05/84	RH oscillator replaced
11/02/84	None
11/28/84	RH sensor calibrated

NOTE: Inspections noted where no maintenance was performed are dates when cassette tapes were replaced.

TABLE 1.4. EXPLANATION OF DATA GAPS AT
KOSINA CLIMATE STATION
OCTOBER 1983 TO DECEMBER 1984

<u>Period</u>	<u>Temp</u>	<u>RH</u>	<u>WS</u>	<u>WD</u>	<u>Precip</u>	<u>Solar</u>	<u>Gust</u>	<u>Explanation</u>
10/1 - 11/17/83	47.5	47.5	47.5	47.5		47.5	47.5	Station not installed.
11/19/83				0.2				Wind vane stuck.
1/4 - 1/6/84	2.5	2.5	2.5	2.5		2.5	2.5	Weather Wizard not operating.
1/13 - 2/2/84				1				Frozen wind vane (intermittent).
2/27 - 3/3/84			0.2	0.3			0.2	Intermittent garbled data. Malfunction in Weather Wizard
3/4 - 3/5/84				0.3				Wind vane stuck.
4/9 - 4/19/84	0.7	0.7	1	1		0.2	1	Intermittent garbled data. Malfunction in Weather Wizard
4/11 - 4/14/84				1				Frozen wind vane. Intermittent.
5/19 - 5/24/84	4	4	4	4	4	4	4	Weather Wizard not operating.
5/24 - 6/15/84	22	22	22	22	22	22	22	Weather Wizard removed for maintenance.
6/15 - 10/5/84		112						Bad RH oscillator.
6/20 - 7/13/84	23		23	23	23	23	23	Weather Wizard not operating. Power failure.
8/22 - 8/23/84	1		1	1			1	Sensor array disconnected for annual maintenance.
10/9 - 10/10/84			0.7					Frozen wind vane (intermittent).
Total	100.7	188.7	101.9	103.8	49	99.2	101.2	

NOTE: Precipitation data collected from April through September only. Collector is not designed for winter temperatures.

TABLE 1.5. ADJUSTMENTS MADE TO RAW DATA
 KOSINA CLIMATE STATION
 OCTOBER 1983 TO DECEMBER 1984

Period	Solar Radiation Adjustment	RH Adjustment
11/17/83 - 5/24/84	-1 mW/cm ²	+5 RH points
6/15 - 10/5/84	-1	
10/5 - 11/2/84	-1	-20
11/2 - 11/28/84	-1	-16
11/28 - 12/31/84	-1	-11

NOTE: No RH data from 6/15 to 10/5 due to a bad RH sensor oscillator.
 The oscillator was replaced on 10/5/84.

TABLE 1.6. ESTIMATES FOR MISSING DATA
KOSINA CLIMATE STATION
OCTOBER 1983 TO DECEMBER 1984

Date	Time (AST)	Temp (°C)	Wind Speed (m/s)	Wind Dir (Deg)	Gust (m/s)	RH (%)	Precip (mm)	Solar Radiation (mw/cm ²)
02/26/84	0030					82		
02/27/84	0100	-12.1				82		0
	0130	-12.4				83		0
	0600	-15.5						10
	1630							
02/28/84	0300	-11.6				89		0
	0100	-11.5				88		0
	0430					83		0
	0930							
	1300	-11.7						
	1600	-11.7						
	1630					83		4
	1700	-11.8				82		3
02/29/84	0030							0
	1230	-13.7						
	1300	-13.3						
	2000					81		0
	2030	-16.3						0
03/01/84	0330							0
	0400	-15.8				82		0
	0430	-15.5						
	1130					68		
	1200	-13.4				72		
	1600	-11.0						
03/02/84	0730	-15.2				89		1
	2300					86		
03/03/84	0600	-13.3				87		0
	0630	-13.8				87		0
04/09/84	1600					49		38
	1630	-01.3				51		34
	2230	-9.0						
	2300	-9.4						
	2330					58		

NOTES:


1. These data have been estimated where gaps exist in the record. Estimates were made by interpolating between valid data points preceding and following the missing data.
2. Precipitation values are the amounts estimated to have fallen in the preceding half-hour.

TABLE 1.6. ESTIMATES FOR MISSING DATA
 KOSINA CLIMATE STATION
 OCTOBER 1983 TO DECEMBER 1984
 (Continued)

<u>Date</u>	<u>Time (AST)</u>	<u>Temp (°C)</u>	<u>Wind Speed (m/s)</u>	<u>Wind Dir (Deg)</u>	<u>Gust (m/s)</u>	<u>RH (%)</u>	<u>Precip (mm)</u>	<u>Solar Radiation (mw/cm²)</u>
04/10/84	0600					66	0	
	0630					0	0	
	0700					0	0	
	0730	-10.0				58	0	11
	0800	-9.3				59	0	17
	1600						0	46
	0000						0	0
04/11/84	0030-0600						0	0
	0630-0830						0	
	2300-0000						0	
04/12/84	0030-0300						0	0
	0400					92	0	0
	0630-0830						0	
	2030					80		
	2100					80		
04/16/84	0730						70	
	0830							24
	1230							57
04/19/84	0200	-11.5						
06/15/84	0800	+3.8					0	10
08/23/84	1300-1400						0	
	1430						0.2	43
10/05/84	1530	+3.8						
	1600	+3.7						11
								9

NOTES:

1. These data have been estimated where gaps exist in the record. Estimates were made by interpolating between valid data points preceding and following the missing data.
2. Precipitation values are the amounts estimated to have fallen in the preceding half-hour.



LOCATION MAP: SUSITNA PROJECT METEOROLOGIC STATIONS

PREPARED BY:



R&M CONSULTANTS, INC.


ENGINEERS GEOLOGISTS HYDROLOGISTS SURVEYORS

FIGURE I-1

PREPARED FOR:

HARZA-EBASCO

SUSITNA JOINT VENTURE



USGS TALKEETNA MOUNTAINS (1964) SCALE 1:260,000

Figure 1.2

PREPARED BY:

BISM
REM CONSULTANTS, INC.
GEOLOGISTS HYDRAULICS SURVEYORS

PREPARED FOR:

HARZA-EBASCO
SUSITNA JOINT VENTURE

KOSINA CLIMATE STATION

2.0 ANNUAL DATA SUMMARY

Table 2.1 presents a summary of the monthly averages or totals for each parameter for the full period covered by this report, October 1983 to December 1984. The symbols used in the table are explained in Section 3, Report Preparation. Conversion factors are provided in the appendix. The data reported herein are also summarized in Figure 2.1, a sequential plot of all the measured parameters. Annual summaries for prior years are provided in the previous data report (R&M Consultants, 1984).

With this report, a shift has been made from presenting the climatic data on a water year basis to presenting it for the calendar year. The calendar year format matches that used by the National Oceanic and Atmospheric Administration (NOAA) in reporting climatic data, and simplifies comparisons. Future reports will also be for calendar years.

A summary of the percentage of usable data recovered for each climatic parameter by month during this reporting period is presented in Table 2.2. The cumulative percentage in this case applies for the whole 15-month period.

TABLE 2.1. SUMMARY OF CLIMATE DATA RECORDED AT
KOSINA STATION (NO. 0640)
OCTOBER 1983 TO DECEMBER 1984

Month	Temperature			Wind							Mean RH (%)	Mean DP (°C)	Precip (mm)	Total Solar Energy (WH/m²)
	Max (°C)	Min (°C)	Mean (°C)	Res Dir (°True)	Res Speed (m/sec)	Ave Speed (m/sec)	Max Gust Dir (°True)	Max Gust Speed (m/sec)	P' Val Dir (True)					
October 1983	M	M	M	M	M	M	M	M	M	M	M	M	M	M
November	M	M	M	M	M	M	M	M	M	M	M	M	M	M
December	-1.4	-28.2	-14.6	183	2.8	3.1	116	11.4	S	85	-16.4	M	M	5,740
January 1984	2.2M	-33.8M	-14.4M	182M	2.4M	3.0M	116M	15.9M	SSW(M)	87M	-16.1M	M	M	6,708M
February	-4.7	-29.5	-15.0	188	2.1	2.8	091	12.1	SSW	85	-16.7M	M	M	25,420
March	6.0	-17.7	-6.6	196M	2.2M	2.6M	143M	10.8	SSW(M)	82	-9.4M	M	M	90,155
April	7.5M	-14.6M	-4.1M	190M	1.6M	2.3M	190M	32.0M	SSW(M)	73M	M	3.4	148,042M	
May	M	M	M	M	M	M	M	M	M	M	M	M	M	M
June	M	M	M	M	M	M	M	M	M	M	M	M	M	M
July	M	M	M	M	M	M	M	M	M	M	M	M	M	M
August	21.6M	-6.6M	8.7M	025M	1.1M	2.8M	328M	14.0M	NNE(M)	M	M	31.2	120,127M	
September	13.5	-4.1	5.0	153	1.0	2.2	124	14.0	SSW	M	M	18.4	76,600	
October	9.2	-21.7	-3.9	161M	1.4M	2.4M	096M	10.2	S(M)	59M	M	M	44,400	
November	0.9	-25.6	-13.1	170	2.3	2.7	154	19.0	S	68	-18.1M	M	M	12,285
December	-1.6	-30.1	-14.0	181	2.0	2.8	252	12.1	SSW	72	-18.1M	M	M	4,530
Annual-WY (10/83 - 9/84)	M	M	M	M	M	M	M	M	M	M	M	M	M	M
Annual-CY (1/84-12/84)	M	M	M	M	M	M	M	M	M	M	M	M	M	M

NOTE: See section on interpretation of data for explanation of symbols used. Annual values are for water year (WY) and for calendar year (CY).

TABLE 2.2. PERCENT OF TOTAL POSSIBLE OBSERVATIONS RECORDED AT
KOSINA CLIMATE STATION
OCTOBER 1983 TO DECEMBER 1984

<u>Month</u>	<u>Temp</u>	<u>Wind Speed</u>	<u>Wind Direction</u>	<u>Peak Gust</u>	<u>RH</u>	<u>Precip</u>	<u>Solar Radiation</u>	<u>Dew Point</u>
October 1983	0	0	0	0	0	0	0	0
November	45	45	44	45	44	0	45	44
December	100	100	100	100	100	0	100	100
January 1984	92	92	89	92	90	0	92	90
February	100	99	99	99	96	0	100	96
March	100	99	99	100	98	0	100	98
April	98	96	94	96	94	99	99	94
May	63	63	63	63	60	63	63	60
June	17	17	17	17	0	17	17	0
July	60	60	60	60	0	60	60	0
August	96	96	96	96	0	100	100	0
September	100	100	100	100	0	100	100	0
October	100	100	98	100	79	0	100	79
November	100	100	100	100	92	0	100	92
December	100	100	100	100	98	0	100	98
Total	78	78	77	78	57	29	78	57

NOTES:

1. RH and dewpoint data are not valid and have been discarded for sample when the wind speed is less than 1.0 m/s.
2. Precipitation data are recorded from April through September only. Collector is not designed for winter temperatures.
3. The percentage reported as TOTAL is for the full 15-month period (10/83-12/84).


NO DATA FOR OCTOBER 1983

STATION NOT INSTALLED

November, 1983

December, 1983

January, 1984




March, 1984

April, 1984

May, 1984

June, 1984




August, 1984


September, 1984

October, 1984

November, 1984



Continued



NOTE: A larger copy of each plot is presented in Section 5, Climatic Data Summaries.

**FIGURE 2.1
SEQUENTIAL PLOT
CF CLIMATIC DATA,
KOSINA STATION,
OCTOBER 1983-
DECEMBER 1984**

3.0 REPORT PREPARATION

3.1 Description of Symbols Used in Annual and Monthly Summaries

3.1.1 Annual Summary

Blank entries for monthly values indicate the station had not yet been installed at the site or that it had been removed prior to that month. Installation and removal dates are noted on the table as well.

M Insufficient or partial data. M follows average and/or total values if 1-9 daily values were missing data for all or part of the day. M appears alone for the month if 10 or more daily values were missing or contained missing data. Parentheses surround the M where other letters may cause confusion (i.e. in prevailing direction). M follows average and/or total values for the year if any month was missing data. M appears alone for the year if any month was missing enough data to require it to have an M alone or if three or more months were missing any data.

3.1.2 Monthly Summaries

**** Erroneous or missing data (may be from 2 to 6 asterisks, depending on number of digits possible in the value). Asterisks appear in place of the value if all readings required for determination of the table value were missing.

- A dash in the hourly precipitation table indicates the volume for that hour is not known, but the cumulative total of precipitation over the interval of consecutive dashed hours is included in the next hour where a value is

reported. Similarly, a dash for precipitation in the monthly summary table indicates the volume for that day is not known, but the cumulative total over the interval of consecutive dashed days is included in the next day where a value is reported.

3.2 Data Computation Standards (Climate)

Conversion factors for units are presented in the appendix. Specific segments of the monthly reports are described below.

3.2.1 Graphical Data Plot

The data plot is a graphical representation of valid recorded and/or computed data.

3.2.2 Hourly Precipitation Summary Table

Hourly precipitation values are calculated as the difference between valid (current and preceding) consecutive hourly readings. When either of these hourly precipitation readings are invalid, no value is reported for the current hour. No table is published for the winter months (October through March) unless a heater is part of the tipping bucket installation.

3.2.3 Monthly Summary Table

1. Maximum daily and monthly temperatures are determined from all valid recorded temperatures.
2. Minimum daily and monthly temperatures are determined from all valid recorded temperatures.

3. Mean daily and monthly temperatures are determined from all valid recorded temperatures. The mean daily temperature is determined from the mean of the maximum and minimum temperatures. The mean monthly temperature is determined from the mean of all reported daily mean temperatures.
4. Resultant daily and monthly wind directions and speeds are summed vectorially from all valid readings.
5. Average daily and monthly wind speeds are determined from all valid readings (arithmetic mean).
6. Maximum daily and monthly gust speeds are determined from all valid readings. Associated directions are the resultant directions from the recording interval in which the peak interval gust was observed.
7. Prevailing daily and monthly directions are determined from all valid readings. The reported value is the most frequent direction observed.
8. Mean daily and monthly relative humidities are determined from all valid readings (arithmetic mean). When the wind speed is less than 1 m/sec, the RH value is omitted from the averaging (but is displayed in the graphical data plot and in the three-hour table).
9. Mean daily and monthly dewpoint temperatures are determined from all valid readings (arithmetic mean). Dewpoints are omitted when the wind speed is less than 1 m/s, when the dewpoint calculates to a value greater than the recorded temperature, or when the dewpoint calculates

to less than minus 47 degrees or more than 27 degrees Centigrade.

10. Daily and monthly precipitation values are determined from all valid readings.
11. Daily and monthly solar energy values are determined from all valid readings. Daily solar energy (in watt-hours per square meter) is determined by averaging the recorded solar intensity (which is in milliwatts per square centimeter) and converting the units. The monthly value is the sum of the daily values.

3.2.4 Three-Hour Summary Tables

1. The temperature reported is the temperature recorded at the specified time.
2. The dewpoint temperature reported is the dewpoint calculated at the specified time. Dewpoints are omitted when the wind speed is less than 1 m/s, when the dewpoint is calculated to a value greater than the recorded temperature, or when the dewpoint calculates to less than minus 47 degrees or more than 27 degrees centigrade, or when either the temperature or R.H. reading is invalid.
3. The relative humidity reported is the humidity recorded at the specified time.
4. The wind direction reported is the three-hour vectorial resultant sum of data recorded up to the specified time.
5. The wind speed reported is the three-hour vectorial resultant of data recorded up to the specified time.

6. The gust direction reported is the direction of the maximum gust recorded during the preceding three-hour period.
7. The gust reported is the maximum recorded during the three-hour period.
8. The radiation reported is the solar radiation intensity recorded at the specified time.

3.2.5 Wind Frequency Summary Table

Reported data are determined from all valid pairs of readings. Valid pairs of wind data are composed of valid wind speed and wind direction data for the same interval.

3.2.6 Hourly Solar Radiation Table

An addition to this year's report series, hourly solar radiation values are averages of all valid readings recorded during the preceding hour. If any data are missing or invalid, the remaining values are arithmetically averaged for the hour. The daily average values are determined by summing the hourly averages for the day and dividing by 24. If all data are missing for the hour, no value is printed; asterisks (*** appear instead, and no value is used for the hour in computing the daily average.

3.2.7 Wind Rose Graphical Plot

The plot is a graphical representation of the wind frequency summary table.

3.2.8 Observation Summary Table

Another addition to this year's report series is an observation summary. The number of usable observations for each parameter is determined by counting the number of valid readings for the entire month. The percentage of total observations is determined by dividing the number of usable observations by the number possible for the month. Data adjustments and additional comments applicable to the month are manually entered below the summary table.

3.2.9 General Notes

1. The following are the data ranges assumed valid, based on reasonable expectations for the parameters in south-central Alaska; data outside these ranges are not used:

Time: 0000 through 2400 hours - at specified time intervals.

Temperature: -50 through +35 °C

Wind Speed: 0 through 99.9 meters per second and less than or equal to GUST

Direction: 0 through 360 degrees

Relative Humidity: 0 through 99 percent

Precipitation: 0 through 99.8 mm. Precipitation during recording interval (15 or 30 minutes) should not exceed 30 mm.

Solar: 0 through 150 milliwatts/cm²

Gust: 0 through 99.9 m/sec

Battery: 9 through 14.5 volts

2. Accuracy of the MRI (Meteorology Research, Inc.) sensors and processor are as follows:

Temperature: $\pm 1^{\circ}\text{C}$

Wind Speed: ± 0.5 meters per second

Wind Direction: $\pm 1\%$ of full scale (i.e., ± 3.6 degrees)

Relative Humidity: $\pm 6\%$

Precipitation: $\pm 1\%$ up to 76.2 mm/hr, $\pm 5\%$ from 76.2 mm/hr to 254 mm/hr

Solar Radiation: $\pm 5\text{mw cm}^{-2}$

Tape Recorder Error Rate: 1 bit in 10^7

3. The following are the direction ranges used in the prevailing direction, wind frequency and wind rose summaries:

DIRECTION	COMPASS HEADING
North	350 through 11
North-Northeast	12 through 34
Northeast	35 through 56
East-Northeast	57 through 79
East	80 through 101
East-Southeast	102 through 124
Southeast	125 through 146
South-Southeast	147 through 169
South	170 through 191
South-Southwest	192 through 214
Southwest	215 through 236
West-Southwest	237 through 259
West	260 through 281
West-Northwest	282 through 304
Northwest	305 through 326
North-Northwest	327 through 349

4.0 INTERPRETATION OF DATA, 1983-84

4.1 General Comments

- 4.1.1 Many of the sensors or the methods of measuring various parameters have peculiarities that affect how the data should be interpreted. The user is encouraged to become familiar with the methods of summation for each parameter and each table. These are described in Section 3.2 "Data Computation Standards."
- 4.1.2 As described in Section 2.0, a shift is being made from presenting the climatic data on a water year basis to presenting it for the calendar year. Thus, this report includes fifteen months of data. All future reports will be for the calendar year.
- 4.1.3 Changes made to the format of this year's report series include addition of an hourly solar radiation table and tabulation of the actual number of usable observations on a monthly basis for each parameter. Also, the data-processing program was modified slightly to permit output of daily prevailing direction when the wind speed sensor was not operational, and output of speed-only parameters (peak gust and daily average speed) when the wind direction sensor was not operational.
- 4.1.4 The U.S. Department of Transportation ordered a shift in the time zones of central and Southeast Alaska in October 1983. The official time in central Alaska was advanced one hour, and the official Southeast Alaska time was retarded one hour, making the two areas on the same time. This transition occurred when daylight savings time ended, on Sunday, October 30, 1983. The effect on the reporting of

the data is that one hour was "lost" between midnight and 0100 on October 30. There are thus no data at all for 0030 and 0100 on that date.

- 4.1.5 Missing data values have been estimated where possible. Estimation, which was accomplished by manually editing the raw computer data files, was generally limited to data gaps of an hour or less, where interpolation between the preceding and following valid data points could be used to estimate the missing points. Interpolation was performed in this manner for temperature, relative humidity, and solar radiation data.

Solar data have been estimated only for clear or uniformly cloudy days and then only if not near the peak value of the day. Solar data are also estimated at night where zero minimum values should occur. Precipitation is estimated only if none at all occurred during the interval or if the tips of the tipping bucket were manually counted during a rainfall event. Wind speed and direction data have been estimated by interpolation only if the preceding and following winds were very uniform. Peak gust speeds have not been estimated at all.

- 4.1.6 The recording interval was changed prior to the winter of 1983-84 to permit recording of data for longer periods of time in the event monthly maintenance trips to the station were delayed. The interval was changed from 15 minutes to 30 minutes, which increased the maximum record length per data tape from approximately six weeks to approximately three months. The switch was made in November 1983 at all Susitna Basin stations and in December 1983 at the Eklutna Lake Station.

the data is that one hour was "lost" between midnight and 0100 on October 30. There are thus no data at all for 0030 and 0100 on that date.

- 4.1.5 Missing data values have been estimated where possible. Estimation, which was accomplished by manually editing the raw computer data files, was generally limited to data gaps of an hour or less, where interpolation between the preceding and following valid data points could be used to estimate the missing points. Interpolation was performed in this manner for temperature, relative humidity, and solar radiation data.

Solar data have been estimated only for clear or uniformly cloudy days and then only if not near the peak value of the day. Solar data are also estimated at night where zero minimum values should occur. Precipitation is estimated only if none at all occurred during the interval or if the tips of the tipping bucket were manually counted during a rainfall event. Wind speed and direction data have been estimated by interpolation only if the preceding and following winds were very uniform. Peak gust speeds have not been estimated at all.

- 4.1.6 The recording interval was changed prior to the winter of 1983-84 to permit recording of data for longer periods of time in the event monthly maintenance trips to the station were delayed. The interval was changed from 15 minutes to 30 minutes, which increased the maximum record length per data tape from approximately six weeks to approximately three months. The switch was made in November 1983 at all Susitna Basin stations and in December 1983 at the Eklutna Lake Station.

- 4.1.7 The Kosina Weather Wizard was removed from the site on June 14, 1983 to use as a replacement for other stations. It was not reinstalled until November 17, 1983. Thus, there are no data for October and the first half of November 1983 in this report.
- 4.1.8 The station was removed for maintenance on May 24, 1984 because of an increasing amount of garbled data. It stopped functioning completely on May 19. The Weather Wizard was reinstalled at the site on June 14. However, following reinstallation, all data were lost from June 20 to July 13 due to a power failure. A total of 49 days of data are missing during May, June, and July (see Table 1.4).

4.2 Comments on Specific Parameters

4.2.1 Precipitation

Precipitation data are generally reported for April through September only. The stations do not have heaters in their precipitation sensors (tipping buckets), so they are unable to record precipitation when the temperature is below freezing. The sensors are calibrated to tip for 0.2 mm of rainfall and not for snowfall. The sub-freezing temperatures may cause a loss or a delay of the recorded precipitation. Winds frequently blow snow away from or out of (or occasionally into) the collector, and snow collected in the bucket may not be melted and recorded until the next occurrence of warm weather, possibly days or weeks later. The months of October through March very often have sub-freezing temperatures on nearly every day of the month, so their precipitation records have been omitted. It should be noted that even in the months where precipitation data are reported (i.e. April through September), the

occurrence of sub-freezing temperatures could affect the timing and the recorded amount of precipitation. The timing within the day may not be accurate, but the daily total should be reasonable. The user should exercise caution and make note of the concurrent temperatures in interpreting the precipitation records.

4.2.2 Relative Humidity and Dewpoint

The relative humidity (R.H.) sensors used are printed circuit elements which sense changes in R.H. by changes in impedance. The sensors, manufactured by Phys-Chem Research Corporation, have chemically-treated surfaces which degrade with time, and are thus very difficult to keep in calibration. Many of the months throughout the year (and at all stations) therefore display significant variations in R.H. patterns. Theoretically, the maximum value an RH reading can attain is 99%. However, when the sensor is not calibrated correctly, readings may exceed 100%, or they may be noticeably too low. Adjustments are therefore made accordingly, as indicated in Table 1.5.

An additional consideration with respect to dewpoint is the fact that it is not computed when the reported wind speed falls below 1 m/sec, due to inadequate aspiration of the R.H. sensor. This typically causes elimination of at least one dewpoint value on nearly every day of data-collection.

The oscillator for the Kosina Creek relative humidity sensor was bad for several months, which caused erratic reporting of the data. Data were recorded from mid-June through September, 1984, but have all been deleted due to the unreliable oscillator. The oscillator was replaced October 5, 1984, after which the data are reliable.

4.2.3 Solar Radiation

Daily and monthly solar radiation values are the cumulative total energy, computed from all valid readings for the period. Either the daily or monthly value can be significantly above or below the true energy value if there are large segments of missing readings (i.e. from the period of very low intensity at night or the period of very high intensity at mid-day). A check should be made, therefore, of the hourly solar radiation summary table to get a feel for the frequency and timing of lost solar radiation data. Caution should be used when a significant amount of data are missing.

Another frequent concern in the processing of solar data is the presence of non-zero minimum values. Since the sensors have a stated accuracy of $\pm 5 \text{ mW/cm}^2$, they often record a reading of 0 (during night) as 1 or even 2 mW/cm^2 . This also can bias the daily or monthly totals, making the computed energy much higher than the true solar energy. An error of $+1 \text{ mW/cm}^2$ on every reading will cause the computed daily total energy to be high by 240 watt-hr/cm². Readings during periods when this sensor offset was demonstrated have been adjusted downward, as noted in Table 1.5.

4.2.4 Wind Speed and Direction

Occasional measurements of wind speed, wind direction, and peak wind gusts were lost between October 1983 and April 1984 due to intermittent freezing of the wind vane or anemometer. One or both of the sensors typically freezes and seizes up when the temperature drops after a rainstorm or freezing rain event and then stays stuck until the

temperature rises above 0°C or until a wind event occurs that is sufficiently strong to free it.

5.0 MONTHLY CLIMATIC DATA SUMMARIES
KOSINA CREEK STATION
OCTOBER 1983 - DECEMBER 1984

Note:

Each month's climatic data summary report consists of the following 11 pages:

- (1) Hourly Precipitation Summary Table (or note page)
- (2) Three-Hour Summary Table (Days 1-9)
- (3) Three-Hour Summary Table (Days 10-18)
- (4) Three-Hour Summary Table (Days 19-27)
- (5) Three-Hour Summary Table (Days 28-31)
- (6) Monthly Summary Table
- (7) Monthly Graphical Plot
- (8) Wind Frequency Summary Table
- (9) Wind Rose Plot
- (10) Hourly Solar Radiation Summary Table
- (11) Observation Summary and Note Page

No data for October 1983
(see INTERPRETATION OF DATA)

No precipitation data for November

(See INTERPRETATION OF DATA).

R & M CONSULTANTS, INC.

SUSITTNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1983

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW		DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW

0300	*****	*****	**	***	*****	***	0300	*****	*****	**	***	*****	***
0600	*****	*****	*	***	*****	*	0600	*****	*****	*	***	*****	*
0900	*****	*****	*	***	*****	*	0900	*****	*****	*	***	*****	*
1200	*****	*****	*	***	*****	*	1200	*****	*****	*	***	*****	*
1500	*****	*****	*	***	*****	*	1500	*****	*****	*	***	*****	*
1800	*****	*****	*	***	*****	*	1800	*****	*****	*	***	*****	*
2100	*****	*****	*	***	*****	*	2100	*****	*****	*	***	*****	*
2400	*****	*****	*	***	*****	*	2400	*****	*****	*	***	*****	*

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW		DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW

0300	*****	*****	*	***	*****	*	0300	*****	*****	*	***	*****	*
0600	*****	*****	*	***	*****	*	0600	*****	*****	*	***	*****	*
0900	*****	*****	*	***	*****	*	0900	*****	*****	*	***	*****	*
1200	*****	*****	*	***	*****	*	1200	*****	*****	*	***	*****	*
1500	*****	*****	*	***	*****	*	1500	*****	*****	*	***	*****	*
1800	*****	*****	*	***	*****	*	1800	*****	*****	*	***	*****	*
2100	*****	*****	*	***	*****	*	2100	*****	*****	*	***	*****	*
2400	*****	*****	*	***	*****	*	2400	*****	*****	*	***	*****	*

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW		DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW

0300	*****	*****	*	***	*****	*	0300	*****	*****	*	***	*****	*
0600	*****	*****	*	***	*****	*	0600	*****	*****	*	***	*****	*
0900	*****	*****	*	***	*****	*	0900	*****	*****	*	***	*****	*
1200	*****	*****	*	***	*****	*	1200	*****	*****	*	***	*****	*
1500	*****	*****	*	***	*****	*	1500	*****	*****	*	***	*****	*
1800	*****	*****	*	***	*****	*	1800	*****	*****	*	***	*****	*
2100	*****	*****	*	***	*****	*	2100	*****	*****	*	***	*****	*
2400	*****	*****	*	***	*****	*	2400	*****	*****	*	***	*****	*

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1983

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S
0300	***	***	***	0300	***	***	***	0300	***	***	***
0600	***	***	***	0600	***	***	***	0600	***	***	***
0900	***	***	***	0900	***	***	***	0900	***	***	***
1200	***	***	***	1200	***	***	***	1200	***	***	***
1500	***	***	***	1500	***	***	***	1500	***	***	***
1800	***	***	***	1800	***	***	***	1800	***	***	***
2100	***	***	***	2100	***	***	***	2100	***	***	***
2400	***	***	***	2400	***	***	***	2400	***	***	***

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S
0300	***	***	***	0300	***	***	***	0300	***	***	***
0600	***	***	***	0600	***	***	***	0600	***	***	***
0900	***	***	***	0900	***	***	***	0900	***	***	***
1200	***	***	***	1200	***	***	***	1200	***	***	***
1500	***	***	***	1500	***	***	***	1500	***	***	***
1800	***	***	***	1800	***	***	***	1800	***	***	***
2100	***	***	***	2100	***	***	***	2100	***	***	***
2400	***	***	***	2400	***	***	***	2400	***	***	***

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S
0300	***	***	***	0300	***	***	***	0300	-16.2	-17.5	90
0600	***	***	***	0600	***	***	***	0600	-16.0	-17.4	89
0900	***	***	***	0900	***	***	***	0900	-15.5	-16.8	90
1200	***	***	***	1200	***	***	***	1200	-14.8	-16.9	84
1500	***	***	***	1500	-12.1	-13.2	92	146	2.7	151	5.7
1800	***	***	***	1800	-13.7	-14.9	91	148	3.9	161	6.3
2100	***	***	***	2100	-16.7	-17.8	91	218	2.7	198	4.4
2400	***	***	***	2400	-15.0	-16.9	92	199	2.3	191	3.8

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDRO ELECTRIC PROJECT

THREE HOUR SUMMARY FOR KUSINA WEATHER STATION
DATA TAKEN DURING November, 1983

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.					
NDNG	TEMP.	POINT	RH DIR.	SPD.	DIR.	GUST	RAD	NDNG	TEMP.	POINT	RH DIR.	SPD.	DIR.	GUST	RAD	
DEG C	DEG C	%	DEG.	M/S	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	DEG.	M/S	MW	
0300	-13.8	-15.7	86	182	2.7	166	5.1	0	0300	-17.4	-18.8	89	185	3.4	178	6.3
0600	-11.2	-12.0	94	201	1.7	196	3.2	0	0600	-18.5	-19.8	90	168	2.7	175	6.3
0900	-10.6	-11.3	95	190	1.7	204	2.5	0	0900	-16.2	-17.5	90	243	3.6	238	6.3
1200	-12.3	-13.6	90	190	2.0	176	3.2	6	1200	-12.7	-13.8	92	219	3.1	233	7.0
1500	-10.4	****	77	***	***	1.9	5	1500	-13.4	-14.6	91	145	3.6	129	8.3	
1800	-14.5	-15.8	90	224	1.8	222	3.2	0	1800	-13.0	-14.3	90	155	3.3	141	7.5
2100	-17.2	-19.0	86	212	1.8	187	3.2	0	2100	-12.2	-13.4	91	211	2.2	177	5.7
2400	-18.1	-19.9	86	180	3.0	166	6.3	0	2400	-10.2	-12.0	87	178	2.1	215	7.6

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.					
NDNG	TEMP.	POINT	RH DIR.	SPD.	DIR.	GUST	RAD	NDNG	TEMP.	POINT	RH DIR.	SPD.	DIR.	GUST	RAD	
DEG C	DEG C	%	DEG.	M/S	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	DEG.	M/S	MW	
0300	-4.3	-5.9	89	200	1.5	131	5.7	0	0300	-9.2	-10.3	92	195	2.5	183	4.4
0600	-6.6	-7.6	93	195	2.6	198	5.1	0	0600	-7.6	-8.7	92	182	2.5	184	4.4
0900	-7.4	-7.7	98	202	2.1	204	4.4	0	0900	-9.0	-10.2	91	194	2.3	186	3.8
1200	-10.3	-10.7	97	209	2.1	166	4.4	5	1200	-7.9	-9.7	87	172	2.6	169	4.4
1500	-8.4	-8.9	96	212	2.3	208	3.8	2	1500	-8.7	-9.9	91	172	1.6	183	3.2
1800	-8.3	-9.7	90	200	2.9	203	4.4	0	1800	-10.5	-11.3	94	187	2.0	165	3.8
2100	-9.2	-10.2	93	184	2.5	186	3.8	0	2100	-10.1	****	97	200	1.6	177	3.8
2400	-8.9	-10.1	91	208	2.4	192	4.4	0	2400	-12.5	-13.3	94	187	2.0	170	3.8

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.					
NDNG	TEMP.	POINT	RH DIR.	SPD.	DIR.	GUST	RAD	NDNG	TEMP.	POINT	RH DIR.	SPD.	DIR.	GUST	RAD	
DEG C	DEG C	%	DEG.	M/S	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	DEG.	M/S	MW	
0300	-12.4	-13.5	92	120	3.1	116	5.7	0	0300	-15.2	-16.2	92	190	2.5	200	5.7
0600	-14.0	-14.9	93	186	1.7	208	3.8	0	0600	-13.5	-14.8	90	189	2.8	186	6.3
0900	-15.5	-16.4	93	208	3.2	205	5.1	0	0900	-11.0	-13.3	89	205	2.3	197	5.1
1200	-14.3	-15.2	93	203	3.3	204	5.1	5	1200	-11.0	-12.6	88	183	2.7	192	4.4
1500	-15.0	-16.0	92	207	3.2	214	5.1	1	1500	-11.4	-13.2	87	185	2.3	187	3.8
1800	-17.5	-18.5	92	216	3.1	214	5.1	0	1800	-13.1	-14.6	89	183	3.1	163	5.1
2100	-16.0	-17.0	92	190	3.2	216	5.7	0	2100	-12.5	-14.2	87	188	2.5	199	4.4
2400	-16.6	-17.6	92	182	3.5	160	7.0	0	2400	-10.7	-12.3	88	206	2.6	205	3.8

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUNGITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1983

DAY 28

DAY 29

DAY 30

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	DEG C	DEG C	% DEG. M/S	DEG C	DEG C	% DEG. M/S	DEG C	DEG C	% DEG. M/S	DEG C	DEG C	% DEG. M/S			
NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD
0300	-9.2	-10.3	92	133	4.4	123	9.5	0	0300	-2.6	-6.1	77	227	2.2	219	4.4	0	0300	-10.0	-12.9	79	229	2.8	227	5.1	0
0600	-9.5	-10.6	92	158	4.2	156	8.3	0	0600	-2.8	-6.1	78	220	2.4	227	5.7	0	0600	-10.2	-13.5	77	227	3.0	231	4.4	0
0900	-9.1	-10.1	53	194	2.5	153	6.3	0	0900	-6.6	-8.4	87	224	2.6	233	8.3	0	0900	-7.3	-10.8	76	225	3.4	240	5.7	0
1200	-6.4	-7.7	91	222	2.9	210	5.7	5	1200	-5.1	-7.4	84	233	2.4	224	4.4	3	1200	-5.8	-9.0	78	231	2.8	231	5.7	5
1500	-7.5	-8.9	90	220	3.2	221	7.0	2	1500	-5.5	-8.2	81	234	2.5	220	7.6	2	1500	-5.2	-9.1	74	219	2.8	211	4.4	2
1800	-4.2	-5.9	88	200	2.6	190	5.1	0	1800	-5.2	-8.3	79	224	2.7	245	5.7	0	1800	-7.4	-10.3	80	218	2.7	219	4.4	0
2100	-6.3	-7.8	89	193	2.8	144	5.1	0	2100	-7.8	-10.6	80	229	3.2	229	5.1	0	2100	-9.0	-11.5	82	228	2.6	229	5.1	0
2400	-5.9	-7.3	90	219	2.8	212	5.1	0	2400	-7.7	-10.7	79	230	2.9	218	5.7	0	2400	-7.2	-9.8	82	223	2.5	245	4.4	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSSEX N.H. HYDROELECTRIC PROJECT

MONTHLY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1983


DAY	MAX. TEMP.			RES. WIND			AVG. WIND			MAX. GUST			P'VAL MEAN RH DP			DAY'S SOLAR ENERGY		
	TEMP. DEG C	TEMP. DEG C	MEAN TEMP. DEG C	DIR. DEG	SPD. M/S	DIR. DEG	SPD. M/S	DIR. DEG	SPD. M/S	DIR. %	MEAN DEG C	RH NM	DP MM	PRECIP WH/SDM	DAY WH/SDM			
1	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	1	
2	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2	
3	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	3	
4	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	4	
5	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	5	
6	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	6	
7	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	7	
8	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	8	
9	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	9	
10	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	10	
11	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	11	
12	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	12	
13	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	13	
14	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	14	
15	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	15	
16	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	16	
17	-11.8	-17.9	-14.9	184	2.6	3.1	161	6.3	SSE	92	-15.8	***	218	17				
18	-12.6	-20.2	-16.	202	2.4	2.5	204	5.1	SSW	86	-17.3	***	625	18				
19	-9.5	-16.6	-14.1	193	2.0	2.0	166	6.3	S	89	-15.0	***	400	19				
20	-8.9	-19.4	-14.2	187	2.5	3.3	129	8.3	SSE	90	-16.0	***	145	20				
21	-8	-8.4	-4.6	149	1.7	2.3	130	8.3	SSE	88	-5.5	***	145	21				
22	-2.7	-10.9	-6.8	201	2.3	2.4	131	5.7	SSW	94	-8.3	***	205	22				
23	-7.2	-12.5	-9.9	186	2.1	2.2	183	4.4	S	93	-10.4	***	260	23				
24	-10.6	-15.6	-13.1	223	1.9	2.0	229	4.4	SU	91	-14.4	***	545	24				
25	-11.8	-18.3	-15.1	192	2.8	3.2	160	7.0	SSW	92	-15.9	***	185	25				
26	-10.2	-16.5	-13.4	191	2.6	2.7	186	6.3	SSW	89	-14.1	***	275	26				
27	-7.2	-13.9	-10.6	190	2.7	2.9	157	8.3	S	90	-12.2	***	305	27				
28	-4.2	-9.5	-6.9	188	2.7	3.4	123	9.5	SU	91	-8.8	***	180	28				
29	-1.6	-9.7	-5.7	228	2.6	2.7	233	8.3	SW	81	-8.2	***	150	29				
30	-3.7	-11.1	-7.4	225	2.8	2.9	240	5.7	SU	78	-10.9	***	240	30				
MONTH	-8	-20.2	-10.9	197	2.3	2.7	123	9.5	SSW	89	-12.3	***	3878					

GUST VEL. AT MAX / GUST MINUS 2 INTERVALS 8.3
 GUST VEL. AT MAX / GUST MINUS 1 INTERVAL 6.3
 GUST VEL. AT MAX / GUST PLUS 1 INTERVAL 7.6
 GUST VEL. AT MAX / GUST PLUS 2 INTERVALS 6.3

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
November, 1983



R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1983

DIRECTION	VELOCITY (M/S)								TOTAL
	0.2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0 OR GREATER	20.0 OR GREATER		
	1.0	3.0	6.0	10.0	15.0	20.0			
N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NNE	.16	.16	0.00	0.00	0.00	0.00	0.00	0.00	.31
NE	0.00	.16	.16	0.00	0.00	0.00	0.00	0.00	.31
ENE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
E	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ESE	0.00	.63	1.42	.16	0.00	0.00	0.00	0.00	2.20
SE	.16	.94	2.04	.16	0.00	0.00	0.00	0.00	3.30
SSE	.16	3.30	6.76	.16	0.00	0.00	0.00	0.00	10.38
S	.16	15.88	4.09	0.00	0.00	0.00	0.00	0.00	20.13
SSW	0.00	21.86	8.81	0.00	0.00	0.00	0.00	0.00	30.66
SW	.31	16.67	8.02	0.00	0.00	0.00	0.00	0.00	25.00
WSW	0.00	4.72	1.89	0.00	0.00	0.00	0.00	0.00	6.60
W	0.00	.79	0.00	0.00	0.00	0.00	0.00	0.00	.79
WNW	.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	.16
NW	0.00	.16	0.00	0.00	0.00	0.00	0.00	0.00	.16
NNW	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CALM									0.00
TOTAL	1.10	65.25	33.18	.47	0.00	0.00	0.00	0.00	100.00


NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT

636 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY

1440 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
November, 1983



R & M CONSULTANTS, INC.
SUSKITA HYDROELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1983

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
2	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
3	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
4	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
5	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
6	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
7	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
8	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
9	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
10	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
11	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
12	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
13	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
14	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
15	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
16	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
17	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	6	4	1	0	0	0	3	0	0	0
18	0	0	0	0	0	0	0	0	2	9	15	12	15	9	2	0	0	0	0	0	0	0	0	0	3
19	0	0	0	0	0	0	0	0	2	5	6	7	13	7	2	0	0	0	0	0	0	0	0	0	2
20	0	0	0	0	0	0	0	0	1	3	4	4	2	2	1	0	0	0	0	0	0	0	0	0	1
21	0	0	0	0	0	0	0	0	0	2	3	3	5	3	1	0	0	0	0	0	0	0	0	0	1
22	0	0	0	0	0	0	0	0	0	2	2	4	6	4	3	1	0	0	0	0	0	0	0	0	1
23	0	0	0	0	0	0	0	0	0	1	3	6	7	6	3	1	0	0	0	0	0	0	0	0	1
24	0	0	0	0	0	0	0	0	0	2	4	13	15	13	9	1	0	0	0	0	0	0	0	0	2
25	0	0	0	0	0	0	0	0	0	1	4	5	4	4	2	1	0	0	0	0	0	0	0	0	1
26	0	0	0	0	0	0	0	0	0	1	2	3	8	10	5	1	0	0	0	0	0	0	0	0	1
27	0	0	0	0	0	0	0	0	0	1	5	9	5	5	6	1	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	1	2	4	5	5	2	1	0	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	1	3	3	3	3	3	1	0	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	0	2	0	2	3	8	9	3	1	0	0	0	0	0	0	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
 DATA TAKEN DURING November, 1983

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	646	45
WIND SPEED	646	45
WIND DIRECTION	636	44
PEAK GUST	646	45
RELATIVE HUMIDITY	634	44
PRECIPITATION	0	0
SOLAR RADIATION	646	45
DEW POINT	634	44

THERE ARE 1440 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
 THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. RH +5 RH Points
2. Solar -1 mW/CM²

Additional comments on this month's data:

1. Weather wizard reinstalled on 11/17/83.
2. A few hours of wind direction data lost on 11/19 due to frozen wind vane.

No precipitation data for December

(See INTERPRETATION OF DATA).

R & M CONSULTANTS, INC.

SUSSEX TNA HYDROCELL RECORDER INC PROJECOT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING December, 1983

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST												
DEC C	DEG C	%	DEG	M/S	MW		DEC C	DEG C	%	DEG	M/S	MW												
0300	-8.0	-10.7	81	224	2.1	245	3.8	0 0300	-7.1	-8.8	88	217	3.6	214	5.7	0 0300	-6.6	-9.2	82	183	2.3	186	5.1	0
0600	-8.6	-10.7	85	218	2.2	216	3.8	0 0600	-6.7	-8.2	89	207	2.8	200	5.7	0 0600	-10.8	-12.6	87	196	2.1	193	3.6	0
0900	-7.5	-9.9	83	220	2.8	244	4.4	0 0900	-8.0	-9.4	90	211	3.4	209	5.1	0 0900	-11.2	-13.1	86	200	2.1	199	3.8	0
1200	-3.5	-6.6	79	167	1.4	229	5.1	3 1200	-8.4	-11.2	80	203	2.2	210	3.9	10 1200	-11.9	-14.5	81	205	2.1	219	3.8	7
1500	-2.5	-6.1	76	253	1.0	289	3.8	1 1500	-6.3	-9.0	81	202	1.6	196	3.8	2 1500	-10.4	-12.7	83	199	2.2	185	3.8	2
1800	-2.9	-5.7	81	210	2.5	213	5.7	9 1800	-7.0	-9.0	86	199	1.7	181	3.0	0 1800	-10.3	-12.2	86	212	2.4	226	4.4	0
2100	-5.2	-7.8	87	226	2.2	194	5.7	0 2100	-6.3	-8.6	84	190	2.1	165	5.1	0 2100	-9.7	-12.1	83	202	3.2	212	5.1	0
2400	-7.0	-8.2	91	234	2.4	248	4.4	0 2400	-6.0	-6.4	83	195	2.3	190	3.0	0 2400	-10.3	-12.4	85	205	3.0	197	5.7	0

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST												
DEC C	DEG C	%	DEG	M/S	MW		DEC C	DEG C	%	DEG	M/S	MW												
0300	-12.9	-14.4	89	222	3.1	226	5.1	0 0300	-9.2	-10.6	90	177	2.5	167	4.4	0 0300	-6.6	-7.3	95	181	2.6	181	4.4	0
0600	-12.2	-14.1	86	227	2.5	220	4.4	0 0600	-8.6	-9.8	91	187	2.0	185	3.2	0 0600	-6.2	-7.0	94	186	2.0	192	3.8	0
0900	-11.1	-11.9	74	225	2.1	222	3.2	0 0900	-7.2	-8.4	96	219	1.6	184	2.5	0 0900	-7.3	-7.8	96	202	1.4	204	3.2	0
1200	-11.6	-13.1	89	201	2.2	197	4.4	4 1200	-6.3	-7.0	95	193	1.5	207	2.5	3 1200	-7.5	-9.2	88	190	1.3	160	3.2	0
1500	-9.0	-10.2	91	160	2.4	133	5.1	1 1500	-5.8	-6.6	94	186	1.9	185	3.0	1 1500	-8.7	-9.4	95	181	2.7	166	5.1	2
1800	-9.2	-9.6	97	153	1.9	161	5.1	0 1800	-6.1	-6.9	94	207	1.8	172	3.2	0 1800	-10.1	-10.5	97	179	3.3	169	6.3	0
2100	-10.7	-11.6	93	203	2.7	200	1.4	0 2100	-5.4	-6.2	94	179	2.2	175	3.0	0 2100	-12.0	-13.3	96	201	2.8	167	5.7	0
2400	-11.9	-12.9	92	184	2.2	171	3.8	0 2400	-6.4	-7.2	94	187	1.8	178	3.2	0 2400	-12.7	-13.2	96	227	2.4	214	3.8	0

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST												
DEC C	DEG C	%	DEG	M/S	MW		DEC C	DEG C	%	DEG	M/S	MW												
0300	-12.4	-13.1	95	225	3.0	217	4.4	6 0300	-16.4	-17.3	93	217	3.0	211	5.1	0 0300	-20.9	-22.1	90	217	1.4	219	3.2	0
0600	-13.4	-14.1	95	232	3.1	227	5.1	0 0600	-13.8	-14.5	95	208	2.8	202	5.1	0 0600	-22.6	-24.1	88	207	1.4	185	3.2	0
0900	-11.1	-11.8	95	231	2.8	226	5.1	0 0900	-16.3	-17.1	94	210	2.4	217	4.4	0 0900	-23.4	-25.0	67	221	1.2	235	4.4	0
1200	-9.5	-10.3	94	222	2.6	251	4.4	2 1200	-13.3	-14.0	95	182	3.4	200	6.3	9 1200	-22.7	-24.7	84	243	1.5	242	3.0	0
1500	-9.2	-10.6	94	204	2.8	192	4.4	1 1500	-14.8	-15.7	93	167	2.0	142	4.4	1 1500	-23.1	-25.1	81	227	1.6	232	2.5	0
1800	-10.3	-10.6	96	213	3.5	211	5.1	0 1800	-15.2	-16.1	93	163	2.4	193	4.4	0 1800	-28.2	-30.3	82	214	1.9	162	3.2	0
2100	-12.3	-13.0	95	207	3.4	218	5.7	0 2100	-19.8	-21.0	90	200	1.8	171	4.4	0 2100	-26.2	-28.4	82	238	2.2	238	3.2	0
2400	-14.9	-15.7	94	213	3.4	210	5.1	0 2400	-21.1	-22.3	96	226	2.0	218	3.2	0 2400	-26.2	-29.4	82	221	2.1	224	3.8	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSSEKTNÖ HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING December, 1983

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	
DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	MW

0300	-18.8	-21.1	82	228	2.1	217	4.4	0	0300	-16.8	-19.7	78	159	4.2	150	8.3	0	0300	-14.4	-16.0	88	157	5.9	157	7.6	0
0600	-19.4	-22.3	78	127	4.9	114	8.9	0	0600	-19.6	-21.6	84	175	2.9	168	5.7	0	0600	-15.7	-17.3	88	159	5.7	159	8.9	0
0900	-20.3	-22.7	81	140	3.7	116	11.4	0	0900	-17.1	-19.2	84	192	3.4	190	5.7	0	0900	-14.2	-16.7	85	169	4.7	161	8.3	0
1200	-19.3	-21.2	85	844	1.9	222	3.2	3	1200	-15.9	-18.9	84	160	4.4	166	7.0	7	1200	-16.1	-18.1	85	185	3.7	176	6.3	5
1500	-18.6	-21.5	78	155	2.4	140	7.0	1	1500	-15.2	-17.0	86	161	4.4	184	6.3	1	1500	-17.7	-19.4	87	220	3.5	223	5.1	1
1800	-17.2	-19.5	86	185	2.1	179	5.1	0	1800	-15.5	-17.1	88	159	4.3	158	7.0	0	1800	-17.2	-18.9	87	204	3.7	201	6.3	0
2100	-18.5	-21.1	80	71	2.4	161	5.7	0	2100	-15.5	-17.1	88	157	5.5	158	7.6	0	2100	-18.0	-19.8	86	174	3.8	162	6.3	0
2400	-18.2	-20.7	81	159	4.3	152	6.3	0	2400	-14.3	-16.0	87	156	5.7	156	7.0	0	2400	-17.1	-18.8	87	158	4.2	158	7.0	0

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	
DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	MW

0300	-17.7	-19.5	86	196	2.9	189	5.7	0	0300	-20.4	-21.9	88	181	2.8	171	5.1	0	0300	-22.4	-24.0	87	184	2.6	173	6.3	0
0600	-16.0	-17.7	87	212	2.3	234	4.4	0	0600	-20.0	-21.5	88	204	2.2	178	5.1	0	0600	-22.1	-23.7	87	182	3.0	177	5.7	0
0900	-14.9	-16.6	87	199	2.2	144	6.3	0	0900	-16.8	-18.2	89	225	1.5	224	3.2	0	0900	-22.5	-24.1	87	168	3.8	182	5.7	0
1200	-14.0	-16.8	85	143	3.0	113	7.0	3	1200	-17.7	-20.0	82	171	1.6	167	3.8	7	1200	-22.5	-24.1	87	209	2.8	206	4.4	3
1500	-14.9	-16.7	86	128	3.0	114	7.6	1	1500	-20.7	-22.3	87	167	3.1	153	5.7	1	1500	-20.9	-22.4	88	217	2.9	220	3.8	1
1800	-15.7	-17.3	88	146	3.6	114	7.0	0	1800	-21.6	-23.1	88	172	2.8	178	5.1	0	1800	-23.0	-24.7	86	201	2.5	210	3.8	0
2100	-15.5	-16.9	89	182	2.0	174	3.8	0	2100	-22.1	-23.7	87	207	1.8	208	5.1	0	2100	-22.7	-24.3	87	211	2.8	216	4.4	0
2400	-17.5	-19.0	88	187	2.1	167	3.2	0	2400	-21.2	-23.5	87	205	1.8	177	4.4	0	2400	-22.6	-24.3	86	205	2.2	216	3.8	0

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	
DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	MW

0300	-23.5	-25.3	85	209	2.1	202	3.2	0	0300	-22.2	-23.8	87	161	4.6	158	6.3	0	0300	-17.5	-19.2	87	159	4.9	156	7.6	0
0600	-24.1	-25.6	86	209	1.9	220	3.2	0	0600	-20.5	-22.1	87	160	4.7	156	7.0	0	0600	-15.3	-16.5	91	167	4.2	161	7.0	0
0900	-24.4	-26.1	86	189	2.2	178	4.4	0	0900	-18.9	-20.3	89	159	4.7	151	7.0	0	0900	-15.7	-16.6	93	167	2.9	170	5.7	0
1200	-24.1	-25.8	86	188	1.8	159	3.8	6	1200	-19.6	-21.1	88	162	4.3	160	7.0	3	1200	-17.6	-18.7	91	160	4.5	158	7.6	5
1500	-23.6	-25.4	85	191	2.4	193	3.9	1	1500	-17.5	-19.2	87	166	3.9	158	6.3	1	1500	-16.6	-17.7	91	151	4.7	141	6.3	1
1800	-24.2	-25.9	86	184	2.5	186	4.4	0	1800	-17.5	-19.2	87	155	5.0	151	7.6	0	1800	-16.8	-17.9	91	172	3.9	174	7.0	0
2100	-24.2	-25.9	86	167	3.5	171	5.1	0	2100	-18.0	-19.8	86	156	6.1	163	8.3	0	2100	-16.2	-17.4	91	164	4.4	151	8.3	0
2400	-23.2	-24.9	86	169	4.1	175	6.3	0	2400	-16.0	-17.7	87	156	5.7	155	8.3	0	2400	-17.1	-18.2	91	190	3.1	189	7.0	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSSEX TOWNSHIP HYDROCELL ELECTRIC PROJECT PRECIPITATION

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING December, 1977

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD					
	DEG C	DEG C	% DEG.	M/S	DEG	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG	M/S	MW			
0300	-16.4	-17.4	92	180	3.5	164	6.3	0	0300	-11.8	-13.5	87	178	3.8	169	6.3	0	0300	-9.5	-10.0	96	160	3.8	164	7.0	0
0600	-16.8	-17.9	91	166	4.3	156	7.6	0	0600	-10.6	-12.6	85	171	3.8	162	6.3	0	0600	-8.7	-9.5	94	178	2.9	156	6.3	0
0900	-13.1	-14.3	91	186	4.2	181	6.3	0	0900	-10.7	-12.6	86	168	3.8	164	6.3	0	0900	-8.9	-9.7	94	186	2.2	210	3.8	0
1200	-17.3	-18.6	90	169	4.6	155	8.9	2	1200	-9.2	-12.0	80	165	4.1	181	6.3	3	1200	-7.9	-8.9	93	193	2.4	173	4.4	2
1500	-16.9	-18.3	89	166	5.1	176	7.6	1	1500	-9.6	-11.7	85	180	3.5	178	5.7	1	1500	-8.9	-10.1	91	199	1.9	192	3.2	1
1800	-14.6	-15.9	90	181	4.5	163	7.0	0	1800	-11.4	-13.3	86	153	4.8	152	7.0	0	1800	-12.5	-13.3	94	211	2.3	175	3.8	0
2100	-13.7	-15.1	89	185	4.0	195	6.3	0	2100	-9.7	-10.8	92	159	5.2	153	7.0	0	2100	-12.6	-13.3	95	199	1.8	208	5.2	0
2400	-12.4	-14.3	86	178	3.8	165	6.3	0	2400	-9.8	-10.6	94	150	5.2	136	8.3	0	2400	-12.2	-13.1	93	205	2.3	173	3.8	0

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD					
	DEG C	DEG C	% DEG.	M/S	DEG	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG	M/S	MW			
0300	-12.5	-13.3	94	211	2.1	206	3.2	0	0300	-13.3	-14.0	95	176	3.8	186	6.3	0	0300	-9.8	-12.8	79	177	4.1	183	7.6	0
0600	-11.4	-12.2	94	214	2.1	182	4.4	0	0600	-13.8	-15.0	91	181	3.1	167	6.3	0	0600	-8.9	-12.7	74	179	3.5	166	7.0	0
0900	-13.7	-14.5	94	209	2.3	185	4.4	0	0900	-12.1	-13.2	92	170	4.0	171	7.0	0	0900	-7.6	-11.8	72	207	2.4	186	4.4	0
1200	-11.3	-13.3	85	198	2.0	183	3.8	9	1200	-12.3	-15.0	80	164	4.9	172	7.0	10	1200	-4.5	-11.5	58	196	2.7	187	5.1	2
1500	-12.1	-13.2	92	209	1.8	182	3.2	1	1500	-13.8	-14.7	93	181	4.8	164	7.6	1	1500	-5.1	-11.0	63	190	2.4	186	5.1	1
1800	-11.6	-12.5	93	203	2.3	197	5.1	0	1800	-12.6	-13.7	92	173	4.3	173	7.0	0	1800	-6.3	-12.2	63	200	2.6	187	5.1	0
2100	-12.6	-13.4	94	176	4.1	169	7.6	0	2100	-10.2	-12.7	82	181	3.7	176	6.3	0	2100	-8.1	-12.8	69	211	2.5	195	5.1	0
2400	-11.7	-12.6	93	178	4.5	172	7.0	0	2400	-10.1	-12.2	85	176	4.3	166	7.6	0	2400	-10.7	-14.7	72	202	2.5	189	3.8	0

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD					
	DEG C	DEG C	% DEG.	M/S	DEG	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG	M/S	MW			
0300	-8.5	-12.5	73	197	2.7	186	5.7	0	0300	-8.4	-13.8	65	189	3.3	168	5.1	0	0300	-11.9	-16.9	66	190	3.5	187	6.3	0
0600	-8.0	-11.6	75	205	2.6	218	4.4	0	0600	-7.9	-13.5	64	196	3.3	209	5.7	0	0600	-12.9	-16.9	72	177	4.7	172	7.0	0
0900	-7.7	-11.8	72	205	2.0	202	3.9	0	0900	-7.3	-13.3	62	203	2.9	214	5.1	0	0900	-14.1	-17.4	76	179	4.7	178	7.0	0
1200	-9.5	-14.8	65	195	2.1	191	5.1	5	1200	-6.0	-13.4	56	192	3.1	190	5.7	5	1200	-14.4	-19.2	67	194	3.1	185	6.3	5
1500	-6.7	-12.7	62	201	2.4	181	6.3	1	1500	-7.1	-13.7	59	207	2.4	188	5.7	1	1500	-13.4	-17.2	73	211	2.6	210	5.1	1
1800	-7.8	-13.6	63	187	2.9	176	5.1	0	1800	-9.6	-15.5	62	197	2.8	172	6.3	0	1800	-16.0	-19.4	75	191	2.9	187	5.1	0
2100	-4.7	-11.2	58	187	3.0	173	5.1	0	2100	-11.2	-16.5	65	183	4.2	175	8.3	0	2100	-15.2	-18.6	75	198	2.7	189	5.1	0
2400	-8.4	-14.2	63	179	3.7	171	6.3	0	2400	-11.2	-16.3	66	186	3.8	192	6.3	0	2400	-15.6	-18.7	77	199	2.2	204	4.4	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUBSTITUTION HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING December, 1983

DAY 28

DAY 29

DAY 30

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.						
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD				
DEG C	DEG C	%	DEG.	M/S	DEG.	M/S	DEG C	DEG C	%	DEG.	M/S	DEG.	M/S				
0300 -16.0 -19.2 76	194	2.2	180	5.1	0	0300 -19.7 -22.3 80	170	4.0	164	7.0	0	0300 -19.7 -21.6 85	184	3.1	173	6.3	0
0600 -19.2 -22.3 76	184	2.6	174	6.3	0	0600 -19.7 -22.4 79	176	3.2	182	6.3	0	0600 -19.3 -21.7 81	197	2.3	203	4.4	0
0900 -17.7 -20.7 77	192	2.6	182	5.7	0	0900 -19.4 -22.0 80	175	2.9	161	6.3	0	0900 -21.3 -23.7 81	188	2.9	171	5.7	0
1200 -16.0 -20.0 71	182	3.5	176	7.0	5	1200 -18.5 -21.5 77	166	5.0	160	7.0	6	1200 -21.1 -23.9 78	179	3.2	174	7.0	8
1500 -15.3 -18.9 74	181	3.5	177	7.0	1	1500 -19.4 -21.3 85	167	4.8	158	7.6	2	1500 -21.9 -24.3 81	170	3.9	164	7.6	2
1800 -17.6 -20.8 76	179	3.3	172	5.7	0	1800 -20.4 -22.5 83	176	3.0	164	6.3	0	1800 -23.2 -25.7 80	170	3.4	171	5.7	0
2100 -18.8 -22.0 76	193	2.7	188	5.1	0	2100 -19.5 -21.4 85	179	3.5	182	5.7	0	2100 -20.8 -23.6 78	200	2.0	191	5.7	0
2400 -18.6 -21.5 78	172	4.0	172	7.6	0	2400 -21.2 -23.5 82	194	1.9	190	4.4	0	2400 -18.5 -20.7 83	170	1.5	177	3.8	0

DAY 31

HOUR DEW WIND WIND GUST MAX.
NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD
DEG C DEG C % DEG. M/S DEG. M/S MW

0300 -16.6 -18.7 84	177	1.9	149	5.1	0
0600 -16.5 -18.2 83	150	4.0	158	5.2	0
0900 -17.8 -20.0 83	154	4.4	161	6.3	0
1200 -16.4 -18.6 83	158	5.4	161	7.6	3
1500 -16.3 -18.7 82	167	4.8	161	7.0	1
1800 -17.1 -19.3 83	168	4.4	163	7.0	0
2100 -16.1 -18.5 82	179	4.7	175	7.0	0
2400 -13.8 -16.4 81	189	3.2	185	5.7	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUBSIDIARY HYDRO ELECTRIC PROJECT PROGRESS

MONTHLY SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING December, 1983

DAY	TEMP.			RES.		AVG.		MAX.			MEAN			DAY'S	
	MAX. DEG C	MIN. DEG C	MEAN DEG C	WIND DIR. DEG	WIND SPD. M/S	WIND DIR. M/S	GUST DIR. DEG	GUST SPD. M/S	P/VAL %	RH DEG C	DP MM	SOLAR ENERGY WH/SQM	PRECIP MM	DAY	
1	-1.4	-10.5	-6.0	221	2.0	2.3	213	5.7	SW	83	-8.3	****	140	1	
2	-5.7	-9.3	-7.5	205	2.4	2.5	214	5.7	SSW	87	-8.8	****	305	2	
3	-6.3	-13.4	-9.9	201	2.5	2.6	197	5.7	SSW	85	-12.1	****	270	3	
4	-8.8	-13.3	-11.1	199	2.1	2.4	228	5.1	SW	91	-12.3	****	120	4	
5	-5.4	-11.4	-8.4	190	1.9	2.0	167	4.4	S	93	-8.2	****	100	5	
6	-6.1	-13.9	-10.0	192	2.2	2.4	169	6.3	SSW	94	-9.5	****	280	6	
7	-9.2	-14.9	-12.1	218	3.0	3.1	218	5.7	SW	95	-12.2	****	80	7	
8	-13.2	-21.6	-17.4	199	2.3	2.6	200	6.3	SSW	93	-16.8	****	310	8	
9	-20.2	-28.2	-24.2	224	1.7	1.8	235	4.4	SW	85	-25.6	****	285	9	
10	-17.7	-24.2	-21.0	163	2.4	3.2	116	11.7	SSE	81	-21.8	****	90	10	
11	-14.3	-19.6	-17.0	163	4.3	4.4	150	8.3	SSE	84	-18.4	****	125	11	
12	-14.2	-18.1	-16.2	175	4.1	4.5	159	8.9	SSE	87	-17.9	****	140	12	
13	-14.2	-19.4	-16.8	170	2.3	2.8	114	7.6	S	87	-17.6	****	75	13	
14	-15.9	-23.6	-19.8	189	2.1	2.3	153	5.7	S	88	-21.1	****	255	14	
15	-20.9	-24.0	-22.5	196	2.7	2.9	173	6.3	SSW	87	-23.9	****	105	15	
16	-22.1	-25.4	-23.8	187	2.5	2.6	175	6.3	SSW	86	-25.3	****	205	16	
17	-16.0	-24.0	-20.0	159	4.9	4.9	163	8.3	SSE	87	-20.8	****	140	17	
18	-14.5	-20.1	-17.3	165	4.0	4.2	151	8.3	SSE	90	-17.7	****	190	18	
19	-12.4	-18.1	-15.3	176	4.2	4.3	155	8.9	S	90	-16.8	****	90	19	
20	-9.0	-12.2	-10.6	164	4.2	4.3	136	8.3	SSE	86	-12.3	****	90	20	
21	-7.6	-14.8	-11.2	188	2.4	2.6	164	7.0	SSW	94	-11.1	****	115	21	
22	-10.1	-15.0	-12.6	195	2.6	2.7	169	7.6	SSW	93	-13.4	****	285	22	
23	-10.1	-14.0	-12.1	173	4.1	4.1	164	7.6	S	90	-13.8	****	335	23	
24	-2.5	-12.2	-7.4	193	2.8	2.9	183	7.6	SSW	70	-12.4	****	225	24	
25	-4.7	-11.8	-8.3	193	2.6	2.8	181	6.3	S	67	-13.3	****	175	25	
26	-4.9	-11.8	-8.4	193	3.2	3.3	175	8.3	SSW	62	-14.4	****	185	26	
27	-10.8	-18.0	-14.4	190	3.2	3.3	172	7.0	S	73	-18.4	****	185	27	
28	-14.6	-19.2	-16.9	183	3.0	3.1	172	7.6	S	76	-20.1	****	190	28	
29	-17.6	-21.2	-19.4	173	3.5	3.6	158	7.6	S	81	-21.6	****	220	29	
30	-17.9	-23.2	-20.6	181	2.7	2.9	164	7.6	S	81	-23.0	****	300	30	
31	-13.8	-17.8	-15.8	166	4.0	4.1	161	7.6	SSE	82	-10.8	****	130	31	
MONTH	-1.4	-28.2	-14.6	183	2.8	3.1	116	11.4	S	85	-16.4	****	5740		

GUST VEL. AT MAX. GUST MTNUIS 2 INTERVALS 6.3

GUST VEL. AT MAX. GUST MTNUIS 1 INTERVAL 8.3


GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 7.0

GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 7.0

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
December, 1983



R & M CONSULTANTS, INC.

SUSITNA HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING December, 1983

DIRECTION	VELOCITY (M/S)								TOTAL
	0.2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
	1.0	3.0	6.0	10.0	15.0	20.0			
N	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NNE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ENE	0.00	.07	0.00	0.00	0.00	0.00	0.00	0.00	.07
E	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ESE	0.00	.07	.27	.20	0.00	0.00	0.00	0.00	.54
SE	0.00	.47	1.61	.13	0.00	0.00	0.00	0.00	2.22
SSE	.13	2.08	18.28	1.21	0.00	0.00	0.00	0.00	21.71
S	0.00	12.77	16.94	.07	0.00	0.00	0.00	0.00	29.77
SSW	.13	21.37	6.05	0.00	0.00	0.00	0.00	0.00	27.55
SW	.13	11.42	3.09	0.00	0.00	0.00	0.00	0.00	14.65
WSW	0.00	2.82	.20	0.00	0.00	0.00	0.00	0.00	3.02
W	0.00	.27	0.00	0.00	0.00	0.00	0.00	0.00	.27
WNW	0.00	.13	0.00	0.00	0.00	0.00	0.00	0.00	.13
NW	.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	.07
NNW	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CALM									0.00
TOTAL	.47	51.48	46.49	1.61	0.00	0.00	0.00	0.00	100.00


NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT

1488 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY

1488 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
December, 1983



R & M CONSULTANTS, INC.
SUBSTITUTION HYDRO ELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING December, 1983

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	0	0	0	0	0	0	0	0	1	2	3	3	4	2	0	0	0	0	0	0	0	0	0	0	1
2	0	0	0	0	0	0	0	0	1	4	10	8	6	3	1	0	0	0	0	0	0	0	0	0	2
3	0	0	0	0	0	0	0	0	1	3	7	8	7	3	1	0	0	0	0	0	0	0	0	0	1
4	0	0	0	0	0	0	0	0	1	2	4	3	2	2	0	0	0	0	0	0	0	0	0	0	1
5	0	0	0	0	0	0	0	0	0	2	3	3	2	1	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	1	3	7	7	8	4	1	0	0	0	0	0	0	0	0	1
7	0	0	0	0	0	0	0	0	0	0	1	2	2	2	1	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	1	2	8	10	8	3	1	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	1	2	8	9	7	3	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	1	3	3	2	1	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	2	5	3	2	1	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	2	4	4	3	2	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	1	2	2	2	1	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	2	6	9	7	3	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	2	3	3	3	1	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	2	6	7	5	2	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	1	3	6	4	2	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	2	5	5	6	2	1	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	1	2	4	2	1	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	1	3	3	2	1	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	2	2	3	3	2	2	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	2	6	10	8	3	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	2	7	11	10	4	1	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	2	5	10	4	2	1	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	2	4	6	5	2	1	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	2	4	6	5	2	1	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	2	4	6	5	2	1	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	2	4	6	6	2	1	0	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	2	5	7	6	3	1	0	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	0	2	6	10	9	4	1	0	0	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0	0	0	0	1	5	4	2	1	0	0	0	0	0	0	0	0	0	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSSETTNA HYDROELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
 DATA TAKEN DURING December, 1983

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	1488	100
WIND SPEED	1488	100
WIND DIRECTION	1488	100
PEAK GUST	1488	100
RELATIVE HUMIDITY	1481	100
PRECIPITATION	0	0
SOLAR RADIATION	1488	100
DEW POINT	1481	100

THERE ARE 1488 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
 THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. RH +5 RH Points
2. Solar -1 mW/CM²

No precipitation data for January

(See INTERPRETATION OF DATA).

R & M CONSULTANTS, INC.

SUSSEX TOWER HYDROCELL RECHARGE PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING January, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	% DEG.	M/S	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	% DEG.	M/S											
0300	-13.4	-15.7	83	217	3.1	219	6.3	0 0300	-9.2	-10.6	90	155	4.8	159	10.2	0 0300	-8.4	-8.8	97	212	2.9	222	4.4	0
0600	-11.0	-13.8	80	194	2.4	200	3.8	0 0600	-9.0	-10.5	89	179	3.0	197	5.1	0 0600	-9.1	-9.8	95	218	3.1	230	5.1	0
0900	-10.3	-11.8	89	189	2.8	197	5.1	0 0900	-9.8	-10.9	92	158	4.3	152	7.0	0 0900	-7.8	-8.5	95	245	2.6	234	4.4	0
1200	-8.0	-9.0	93	183	2.9	199	5.1	2 1200	-9.5	-10.2	95	177	3.7	185	5.7	3 1200	-5.7	-6.5	94	225	3.2	267	7.0	6
1500	-8.0	-9.0	93	159	3.0	160	5.1	1 1500	-10.0	-10.8	94	209	2.5	178	5.1	1 1500	-6.0	-7.0	93	228	3.1	223	5.1	2
1800	-6.8	-8.1	91	149	2.4	139	5.1	0 1800	-11.3	-11.7	97	219	3.0	211	4.4	0 1800	-6.2	-7.0	94	210	3.0	209	5.7	0
2100	-7.7	-8.9	91	130	3.3	132	6.3	0 2100	-9.8	-10.5	95	208	2.7	204	5.1	0 2100	-5.5	-6.3	94	208	2.0	223	4.4	0
2400	-8.9	-10.7	87	152	5.9	153	9.5	0 2400	-8.1	-9.1	95	216	3.3	226	6.3	0 2400	-6.8	-7.4	96	202	1.8	211	3.8	0

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	% DEG.	M/S	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	% DEG.	M/S											
0300	*****	*****	*	*	*	*	0300	*****	*****	*	*	*****	***	0300	*****	*****	*	*	*	*****	*****	*	*	*
0600	*****	*****	*	*	*	*	0600	*****	*****	*	*	*****	***	0600	*****	*****	*	*	*	*****	*****	*	*	*
0900	*****	*****	*	*	*	*	0900	*****	*****	*	*	*****	***	0900	*****	*****	*	*	*	*****	*****	*	*	*
1200	*****	*****	*	*	*	*	1200	*****	*****	*	*	*****	***	1200	*****	*****	*	*	*	*****	*****	*	*	*
1500	*****	*****	*	*	*	*	1500	*****	*****	*	*	*****	***	1500	-18.3	-19.9	87	179	1.9	173	4.4	1		
1800	*****	*****	*	*	*	*	1800	*****	*****	*	*	*****	***	1800	-16.8	-18.7	85	176	3.0	180	5.1	0		
2100	*****	*****	*	*	*	*	2100	*****	*****	*	*	*****	***	2100	-17.1	-19.2	84	186	3.6	193	5.7	0		
2400	*****	*****	*	*	*	*	2400	*****	*****	*	*	*****	***	2400	-14.8	-17.1	83	195	2.6	173	5.7	0		

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	% DEG.	M/S	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	% DEG.	M/S											
0300	-15.1	-17.3	83	202	2.1	199	4.4	0 0300	-14.6	-16.6	85	229	3.4	215	5.7	0 0300	-17.9	-19.3	89	205	2.2	217	4.4	0
0600	-15.2	-17.4	83	179	3.1	168	5.7	0 0600	-15.4	-17.2	86	203	3.0	175	6.3	0 0600	-16.0	-17.3	90	199	2.4	190	4.4	0
0900	-16.0	-17.8	86	198	2.4	201	3.8	0 0900	-17.6	-19.0	89	172	4.0	161	8.3	0 0900	-15.9	-17.6	87	206	2.2	202	3.8	0
1200	-15.9	-18.3	76	195	2.1	189	4.4	2 1200	-17.5	-19.4	85	158	6.9	153	9.5	10 1200	-14.1	-16.2	84	176	3.8	170	7.6	3
1500	-14.1	-17.1	78	195	2.0	185	3.8	3 1500	-17.1	-18.9	86	171	5.2	168	8.3	5 1500	-13.1	-15.5	82	191	3.2	170	7.6	2
1800	-15.0	-17.0	95	171	3.5	170	5.7	0 1800	-16.5	-17.7	91	173	4.8	163	7.6	0 1800	-10.8	-14.0	77	167	2.7	124	10.8	0
2100	-16.8	-18.5	87	200	3.0	171	6.3	0 2100	-18.5	-19.8	90	190	3.0	198	6.3	0 2100	-11.1	-14.3	77	107	7.5	114	14.0	0
2400	-16.2	-17.9	87	209	2.8	182	6.3	0 2400	-20.1	-21.5	89	199	3.1	178	5.7	0 2400	-13.8	-16.4	81	144	4.0	063	12.1	0

** RFF INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANT'S INC.

SUSTAINABLE HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING January, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	M/W											
0300	-16.0	-18.4	82	179	3.6	169	6.3	0 0300	-7.6	-8.7	92	035	.3	012	5.1	0 0300	-3.3	-4.9	89	043	1.2	006	5.7	0
0600	-17.2	-19.0	86	203	2.5	169	5.7	0 0600	-9.0	-10.1	92	215	3.0	240	4.4	0 0600	-2.3	-3.2	94	114	5.2	112	12.1	0
0900	-17.0	-18.8	86	234	3.1	232	5.7	0 0900	-6.0	-7.4	90	233	1.7	257	5.7	0 0900	-.5	-2.3	88	113	8.6	107	14.0	0
1200	-12.6	-14.6	85	188	3.1	170	7.0	3 1200	-5.1	-6.4	91	172	2.2	148	5.1	4 1200	.8	-1.3	86	131	5.8	132	10.2	5
1500	-12.6	-14.3	87	160	6.0	165	8.9	2 1500	-10.1	-11.0	93	166	2.5	159	6.3	2 1500	1.2	-.4	89	125	6.7	143	10.8	1
1800	-13.3	-14.8	89	194	3.0	162	8.3	0 1800	-5.8	-7.3	89	187	2.1	137	7.0	0 1800	1.3	-.2	90	120	7.9	122	12.7	0
2100	-9.0	-9.7	95	199	3.2	202	5.7	0 2100	-6.2	-7.6	90	204	1.7	181	5.1	0 2100	1.8	-1.1	81	150	3.8	193	8.9	0
2400	-7.0	-8.4	90	117	.3	024	4.4	0 2400	-4.2	****	91	137	2.5	118	7.6	0 2400	.4	-2.0	84	145	3.3	133	8.9	0

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	M/W											
0300	.3	-.7	93	132	6.0	116	15.9	0 0300	-5.6	-4.6	93	***	***	***	3.2	0 0300	-5.4	-6.0	96	170	1.2	151	3.8	0
0600	2.2	-.1	85	123	6.4	099	13.3	0 0600	-3.1	-3.2	99	***	***	***	1.9	0 0600	-6.9	-7.5	96	180	2.3	184	4.4	0
0900	.1	-1.2	91	157	2.6	155	8.3	0 0900	-3.0	-3.1	99	185	2.3	180	3.2	0 0900	-8.4	-9.6	91	200	2.7	195	4.4	0
1200	-1.2	-2.4	92	265	1.0	247	3.8	3 1200	-2.6	-2.9	98	205	1.9	201	3.2	3 1200	-10.7	-13.0	83	201	2.3	202	3.8	6
1500	-2.2	-3.1	94	204	1.3	226	3.2	2 1500	-1.9	-2.2	98	209	1.4	212	2.5	1 1500	-7.8	-11.1	77	200	1.8	206	3.2	2
1800	-2.6	-3.6	93	202	1.7	167	3.2	0 1800	-2.2	-2.5	96	208	2.2	204	4.4	0 1800	-10.8	-11.7	93	205	2.1	188	4.4	0
2100	-2.9	****	95	158	1.2	134	3.2	0 2100	-1.3	-1.6	98	204	2.1	200	4.4	0 2100	-10.9	-11.4	96	199	2.3	181	4.4	0
2400	-3.6	****	94	172	.9	172	3.8	0 2400	-2.3	-2.9	96	241	1.6	241	4.4	0 2400	-13.7	-15.0	90	219	1.6	235	3.9	0

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	M/W											
0300	-13.4	-14.7	90	219	3.0	214	5.1	0 0300	-11.5	-12.0	96	179	2.6	167	5.1	0 0300	-12.6	-13.4	94	146	4.0	138	5.7	0
0600	-11.8	-12.3	96	208	2.5	202	5.1	0 0600	-10.4	-10.9	96	178	2.6	162	5.1	0 0600	-13.4	-14.2	94	161	3.5	153	5.1	0
0900	-11.3	-11.8	96	170	3.4	169	5.7	0 0900	-11.8	-12.5	95	166	3.4	155	6.3	0 0900	-13.0	-13.8	94	169	3.2	171	5.7	0
1200	-11.8	-12.3	96	188	2.7	184	4.4	5 1200	-12.6	-13.3	95	169	2.7	169	5.7	5 1200	-12.6	-13.5	93	175	2.6	177	4.4	3
1500	-12.2	-12.9	95	212	2.0	211	3.2	2 1500	-9.6	-10.3	95	155	3.2	153	5.7	1 1500	-12.0	-13.1	92	193	1.5	184	3.8	2
1800	-11.7	-12.2	96	204	2.3	195	4.4	0 1800	-10.6	-11.1	96	214	1.3	262	4.4	0 1800	-14.3	-15.1	94	185	1.6	188	2.5	0
2100	-11.4	-12.1	95	179	3.3	166	5.7	0 2100	-11.0	-11.5	96	148	4.1	147	5.7	0 2100	-14.9	-15.8	93	190	2.0	175	3.8	0
2400	-10.5	-11.0	96	179	2.9	181	4.4	0 2400	-11.7	-12.4	95	148	3.6	157	5.1	0 2400	-12.8	****	94	129	1.8	169	3.8	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSTAINABLE HYDROPOWER PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING January, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD			
	DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW
0300	-16.0	-18.4	82	179	3.6	169	6.3	0	0300	-7.6	-8.7	92	035	.3	012	5.1	0	0300	-3.3	-4.9	89	043	1.2	006	5.7	0			
0600	-17.2	-19.0	86	203	2.5	169	5.7	0	0600	-9.0	-10.1	92	215	3.0	240	4.4	0	0600	-2.3	-3.2	94	114	5.2	112	12.1	0			
0900	-17.0	-18.8	86	234	3.1	232	5.7	0	0900	-6.6	-7.4	90	233	1.7	257	5.7	0	0900	-.5	-2.3	68	113	8.6	107	14.0	0			
1200	-12.6	-14.6	85	188	3.1	170	7.0	3	1200	-5.1	-6.4	91	172	2.2	148	5.1	4	1200	.8	-1.3	86	131	5.8	132	10.2	5			
1500	-12.6	-14.3	87	160	6.0	165	8.9	2	1500	-10.1	-11.0	93	166	2.5	159	6.3	2	1500	1.2	-4	89	125	6.7	143	10.8	1			
1800	-13.3	-14.8	89	194	3.0	162	8.3	0	1800	-5.8	-7.3	89	187	2.1	137	7.0	0	1800	1.3	-2	90	120	7.9	122	12.7	0			
2100	-9.0	-9.7	95	199	3.2	202	5.7	0	2100	-6.2	-7.6	90	204	1.7	181	5.1	0	2100	1.8	-1.1	81	150	3.8	193	8.9	0			
2400	-7.0	-8.4	90	117	.3	024	4.4	0	2400	-4.2	****	91	137	2.5	118	7.6	0	2400	.4	-2.0	84	145	3.3	133	8.9	0			

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD			
	DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW
0300	.3	-7	93	132	6.0	116	15.9	0	0300	-3.6	-4.6	93	***	***	***	3.2	0	0300	-5.4	-6.0	96	170	1.2	151	3.8	0			
0600	2.2	-1.1	55	123	6.4	099	13.3	0	0600	-3.1	-3.2	99	***	***	***	1.9	0	0600	-6.9	-7.5	96	180	2.3	184	4.4	0			
0900	.1	-1.2	51	157	2.6	155	8.3	0	0900	-3.0	-3.1	99	185	2.5	180	3.2	0	0900	-8.4	-9.6	91	200	2.7	195	4.4	0			
1200	-1.2	-2.4	92	265	1.0	247	3.8	3	1200	-2.6	-2.9	98	205	1.9	201	3.2	3	1200	-10.7	-13.0	83	201	2.3	202	3.8	6			
1500	-2.2	-3.1	94	204	1.3	226	3.2	2	1500	-1.9	-2.2	98	209	1.4	212	2.5	1	1500	-7.8	-11.1	77	200	1.8	206	3.2	2			
1800	-2.6	-3.6	93	202	1.7	167	3.2	0	1800	-2.2	-2.5	98	208	2.2	204	4.4	0	1800	-10.8	-11.7	93	205	2.1	188	4.4	0			
2100	-2.9	****	95	158	1.2	134	3.2	0	2100	-1.3	-1.6	98	204	2.1	200	4.4	0	2100	-10.9	-11.4	96	199	2.3	181	4.4	0			
2400	-3.6	****	94	172	.9	172	3.8	0	2400	-2.3	-2.9	96	241	1.6	241	4.4	0	2400	-13.7	-15.0	90	219	1.6	235	3.8	0			

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD			
	DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW
0300	-13.4	-14.7	90	219	3.0	214	5.1	0	0300	-11.5	-12.0	96	179	2.6	167	5.1	0	0300	-12.6	-13.4	94	146	4.0	138	5.7	0			
0600	-11.8	-12.3	96	208	2.5	202	5.1	0	0600	-10.4	-10.9	96	178	2.6	162	5.1	0	0600	-13.4	-14.2	94	161	3.5	153	5.1	0			
0900	-11.3	-11.8	96	170	3.4	169	5.7	0	0900	-11.8	-12.5	95	166	3.4	155	6.3	0	0900	-13.0	-13.8	94	169	3.2	171	5.7	0			
1200	-11.8	-12.3	96	188	2.7	184	4.4	5	1200	-12.6	-13.3	95	169	2.7	169	5.7	5	1200	-12.6	-13.5	93	175	2.6	177	4.4	3			
1500	-12.2	-12.9	95	212	2.0	211	3.2	2	1500	-9.6	-10.3	95	155	3.2	153	5.7	1	1500	-12.0	-13.1	92	193	1.5	184	3.8	2			
1800	-11.7	-12.2	96	204	2.3	195	4.4	0	1800	-10.6	-11.1	96	214	1.3	262	4.4	0	1800	-14.3	-15.1	94	185	1.6	188	2.5	0			
2100	-11.4	-12.1	95	179	3.3	166	5.7	0	2100	-11.0	-11.5	96	148	4.1	147	5.7	0	2100	-14.9	-15.8	93	190	2.0	175	3.8	0			
2400	-10.5	-11.0	96	179	2.9	181	4.4	0	2400	-11.7	-12.4	95	148	3.6	157	5.1	0	2400	-12.8	****	94	179	1.8	169	3.8	0			

** SEE INTERPRETATION NOTES AT END OF MINUTE REPORT **

R & M CONSULTANTSS, INC.

SALISBURY HYDROCELL ELECTRIC PROJECT

THREE HOUR SUMMERY FROM THE WEATHER STATION
DATA TAKEN DURING SEPTEMBER, 1969

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.			
NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD
DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	MW
0300	-12.6	****	94	140	1.3	140	1.9	0	0300	-13.5	-14.7	91	208	1.9
0600	-12.4	****	93	***	***	***	1.3	0	0600	-13.6	-14.9	90	205	2.3
0900	-12.1	****	92	219	.9	221	3.2	0	0900	-19.3	-20.4	91	204	2.3
1200	-11.8	-13.4	68	131	2.1	122	8.3	4	1200	-18.9	-21.3	81	223	2.1
1500	-10.9	-13.2	83	086	1.5	092	7.0	2	1500	-19.6	-22.4	78	227	1.9
1800	-11.9	-13.6	87	257	1.1	264	4.4	0	1800	-21.0	-22.2	90	192	2.7
2100	-15.2	-16.8	88	208	1.8	209	3.8	0	2100	-23.1	-24.6	88	171	3.7
2400	-13.9	-15.3	89	208	2.8	213	5.1	0	2400	-23.4	-24.8	88	169	3.9

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.			
NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD
DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	MW
0300	-17.8	-19.7	85	342	5.0	329	10.8	0	0300	-25.8	-30.2	66	203	2.3
0600	-18.8	-21.2	81	318	6.7	324	10.8	0	0600	-26.9	-31.3	66	205	2.6
0900	-22.6	-25.0	81	302	4.8	309	9.5	0	0900	-29.8	-33.8	68	211	2.0
1200	-23.0	-26.8	71	186	2.0	178	5.1	5	1200	-27.7	-32.9	61	204	2.0
1500	-24.9	-30.4	60	221	2.1	213	5.7	3	1500	-27.9	-34.1	55	200	1.9
1800	-25.0	-28.7	71	248	2.3	226	5.1	0	1800	-31.1	-35.2	67	207	2.3
2100	-25.1	-29.4	67	192	2.3	179	5.1	0	2100	-32.1	-36.0	68	216	2.2
2400	-27.4	-31.6	67	214	2.5	213	5.1	0	2400	-29.5	-33.0	71	214	2.6

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.			
NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD
DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	MW
0300	-32.9	-35.9	74	166	5.8	158	8.9	0	0300	-21.6	-23.6	84	190	4.2
0600	-33.6	-36.7	73	170	4.5	172	7.6	0	0600	-17.9	-19.8	85	201	4.9
0900	-33.2	-36.3	73	189	3.0	169	5.7	0	0900	-16.0	-17.6	88	171	3.1
1200	-31.0	-34.1	74	198	3.4	209	6.3	6	1200	-20.8	-22.7	85	162	5.0
1500	-31.3	-34.5	73	205	3.9	197	6.3	3	1500	-22.8	-25.6	78	152	7.7
1800	-33.6	-36.7	73	199	3.1	213	5.7	0	1800	-24.1	-26.0	84	155	6.8
2100	-28.8	-32.1	73	215	3.3	216	5.1	0	2100	-25.4	-27.4	83	165	5.5
2400	-24.8	-28.5	71	201	2.9	198	5.7	0	2400	-25.9	-27.8	83	160	5.2

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING January, 1984

DAY 28

DAY 29

DAY 30

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NONG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NONG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD
	DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW			
0300	-11.5	-21.1	87	022	1.6	354	3.8	0	1300	-17.2	-18.9	87	207	3.1	204	5.1	0	0300	-8.3	-9.1	94	206	1.5	206	3.2	0
0600	-21.2	-23.7	88	254	1.1	215	2.5	0	1400	-15.4	-16.7	90	204	3.4	208	5.1	0	0600	-8.2	-9.2	93	183	2.4	168	4.4	0
0900	-21.0	-25.7	86	225	1.3	227	3.8	0	1500	-13.8	-15.5	87	202	2.8	203	5.1	0	0900	-9.1	-10.3	91	192	2.7	163	5.7	0
1200	-21.8	-25.5	72	205	2.0	296	3.2	0	1200	-11.2	-14.0	80	232	2.4	213	5.1	14	1200	-5.1	-6.7	89	195	2.1	223	3.2	6
1500	-21.7	-25.2	73	189	2.3	170	5.1	4	1500	-13.5	-15.2	87	209	3.0	206	7.0	5	1500	-5.6	-7.3	88	190	1.9	223	3.8	5
1800	-11.6	-22.3	79	173	3.2	158	6.3	0	1800	-9.7	-11.5	87	206	2.8	226	4.4	0	1800	-7.3	-8.3	93	187	2.0	189	3.2	0
2100	-11.4	-19.2	66	187	3.6	150	6.3	0	2100	-9.3	-10.9	88	217	3.2	208	5.1	0	2100	-7.1	-8.5	90	186	2.2	184	3.8	0
2400	-11.6	-18.5	85	172	1.6	131	5.7	0	2400	-8.4	-9.8	90	219	3.1	226	5.1	0	2400	-7.8	-8.8	93	189	1.5	161	3.8	0

DAY 31

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD					
	DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW
0300	-11.7	-10.1	90	195	2.1	189	3.0	0							
0600	-7.5	RRRRRR	93	164	.8	166	3.2	0							
0900	-11.7	-8.1	97	029	2.2	034	4.4	0							
1200	-7.6	-8.1	96	029	2.2	018	3.0	10							
1500	-11.2	-11.0	94	342	.6	037	3.2	8							
1800	-11.3	-15.1	95	203	2.0	224	5.1	0							
2100	-11.8	-15.0	91	195	2.0	171	4.4	0							
2400	-11.3	-16.0	87	204	1.8	201	3.0	0							

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSSETTNA HYDROELECTRIC PROJECT

MONTHLY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING January, 1984

DAY	TEMP.			RES.			WIND			MAX.			MAX.			DAY'S		
	MAX. DEG C	MIN. DEG C	MEAN DEG C	DIR. DEG	WIND N/S	WIND M/S	DIR. DEG	GUST SPD. M/S	DIR. DEG	SPD. M/S	DIR. RH	P'VAL %	MEAN DEG C	MEAN DP MM	SOLAR ENERGY WH/80M			
1	-6.4	-14.7	-10.6	169	2.9	3.3	153	9.5	SSE	88	-11.0	****	75	1				
2	-8.2	-11.3	-9.8	186	3.1	3.5	159	10.2	SSW	93	-10.6	****	145	2				
3	-3.9	-10.0	-7.0	219	2.6	2.8	267	7.0	SW	95	-7.5	****	125	3				
4	***	***	***	***	***	***	***	***	***	***	***	***	***	***	4			
5	***	***	***	***	***	***	***	***	***	***	***	***	***	***	5			
6	-14.2	-18.6	-16.4	184	2.8	2.9	193	5.7	S	85	-18.4	****	188	6				
7	-13.0	-16.8	-14.9	192	2.6	2.7	171	6.3	S	84	-17.1	****	260	7				
8	-13.8	-20.1	-17.0	181	3.9	4.3	153	9.5	S	88	-18.6	****	395	8				
9	-9.3	-18.6	-14.0	162	2.8	3.8	114	14.0	SSW	83	-16.4	***	130	9				
10	-6.9	-18.2	-12.6	188	2.8	3.4	165	8.9	SSW	86	-15.2	***	135	10				
11	-3.9	-10.1	-7.0	186	1.7	2.5	118	7.6	SSW	91	-8.4	***	230	11				
12	2.0	-4.4	-1.2	123	5.1	5.5	107	14.0	ESE	88	-2.1	***	140	12				
13	2.2	-5.0	-1.4	147	2.3	3.1	116	15.9	SSE	91	-2.2	***	175	13				
14	-1.2	-4.3	-2.8	206	1.9	1.7	204	4.4	SSW	97	-2.9	***	100	14				
15	-2.5	-14.0	-8.3	198	2.0	2.2	184	4.4	SSW	91	-9.8	***	215	15				
16	-9.8	-15.0	-12.4	193	2.6	2.8	169	5.7	SSW	95	-12.7	***	175	16				
17	-9.1	-12.7	-10.9	164	2.8	3.1	155	6.3	SSE	95	-11.8	***	155	17				
18	-11.6	-15.2	-13.4	170	2.4	2.6	138	5.7	S	93	-13.9	***	165	18				
19	-10.9	-15.2	-13.1	184	1.1	1.7	122	8.3	SSW	89	-14.2	***	175	19				
20	-13.1	-23.4	-18.3	195	2.4	2.6	166	6.3	SSW	89	-19.8	***	265	20				
21	-18.0	-26.1	-22.1	168	2.7	3.0	155	7.6	SSE	89	-23.1	***	175	21				
22	-17.6	-27.4	-22.5	202	2.0	3.6	329	10.8	SSW	74	-25.7	***	235	22				
23	-25.7	-32.9	-29.3	208	2.2	2.3	184	5.1	SSW	66	-33.0	***	270	23				
24	-27.2	-33.2	-30.2	192	3.0	3.2	159	8.9	SSW	68	-34.2	***	290	24				
25	-24.8	-33.8	-29.3	190	3.6	3.8	158	8.9	SSW	73	-34.6	***	255	25				
26	-15.5	-26.1	-20.8	167	5.1	5.3	156	9.5	SSE	84	-23.8	***	315	26				
27	-14.8	-26.0	-20.4	186	3.4	3.3	158	7.0	SSW	84	-22.4	***	260	27				
28	-16.3	-24.0	-20.2	186	1.7	2.3	158	6.3	S	82	-22.3	***	350	28				
29	-8.4	-17.7	-13.1	212	2.9	3.0	206	7.0	SSW	87	-14.4	***	480	29				
30	-5.1	-11.4	-8.3	190	2.0	2.1	163	5.7	S	91	-8.8	***	330	30				
31	-7.1	-16.0	-11.6	182	.5	1.9	224	5.1	SSW	93	-11.3	***	450	31				
MONTH	2.2	-33.8	-14.4	162	2.4	3.0	116	15.9	SSW	87	-16.1	***	6708					

GUST VEL. AT MAX. GUST MINUS 2 INTERVALS 10.2

GUST VEL. AT MAX. GUST MINUS 1 INTERVAL 14.6


GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 14.6

GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 11.9

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&N CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
January, 1984



R & M CONSULTANTS, INC.

SUBSTITUTION HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING January, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0-2	1-6	3-6	6-10	10-15	15-20	20+ OR GREATER		
	%	%	%	%	%	%	%		
N	0.00	.30	.08	0.00	1.00	0.00	0.00	.38	
NNE	0.00	.91	.23	0.00	0.00	0.00	0.00	1.13	
NE	.15	.53	0.00	0.00	0.00	0.00	0.00	.68	
ENE	.15	.38	.08	0.00	0.00	0.00	0.00	.61	
E	.08	.38	.08	.15	0.00	0.00	0.00	.68	
ESE	0.00	.08	1.06	1.66	.36	0.00	0.00	3.10	
SE	0.00	.68	2.57	.45	0.00	0.00	0.00	3.21	
SSE	.15	2.57	10.74	2.57	0.00	0.00	0.00	16.04	
S	.08	12.86	8.85	.08	0.00	0.00	0.00	21.86	
SSW	.23	21.79	9.30	0.00	0.00	0.00	0.00	31.32	
SW	.08	9.68	4.16	0.00	0.00	0.00	0.00	13.92	
WSW	.08	2.95	.45	0.00	0.00	0.00	0.00	3.48	
W	.08	.76	.23	0.00	0.00	0.00	0.00	1.06	
WNW	0.00	.45	.15	0.00	0.00	0.00	0.00	.61	
NW	.08	.23	.08	.53	0.00	0.00	0.00	.91	
NNW	.08	.15	.15	.15	0.00	0.00	0.00	.53	
CALM									0.00
TOTAL	1.21	54.69	38.20	5.60	.30	0.00	0.00	100.00	


NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT

1322 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY

1488 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
January, 1984



R & M CONSULTANTS, INC.
SUSSEX TNA HYDRO ELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING January, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	0	0	0	0	0	0	0	0	1	2	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	2	3	5	5	2	0	0	0	0	0	0	0	0	0	0	1
3	0	0	0	0	0	0	0	0	0	2	5	6	3	3	1	0	0	0	0	0	0	0	0	0	1
4	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
5	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
6	***	***	***	***	***	***	***	***	***	***	***	5	4	2	1	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	2	6	8	7	4	1	0	0	0	0	0	0	0	0	0	1.2
8	0	0	0	0	0	0	0	0	0	3	9	11	11	6	1	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	1	3	4	4	2	1	0	0	0	0	0	0	0	0	0	1.1
10	0	0	0	0	0	0	0	0	0	0	2	3	4	3	3	1	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	2	4	11	4	2	1	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	2	4	4	3	2	1	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	1	3	3	5	3	1	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	1	3	3	2	2	1	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	1	3	6	6	5	3	1	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	2	4	6	4	2	1	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	2	4	3	5	4	2	1	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	2	3	5	4	2	1	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	1	2	4	5	3	2	1	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	1	4	6	6	4	2	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	1	3	5	4	3	1	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	1	3	5	6	5	4	2	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	1	4	6	6	6	5	4	2	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	1	4	6	6	6	5	4	2	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	1	3	6	7	5	4	2	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	1	3	5	8	7	6	4	2	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	1	3	6	6	6	5	4	2	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	1	5	10	9	5	4	2	0	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	2	9	13	10	9	5	4	2	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	1	4	5	7	7	6	4	2	0	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0	0	0	1	4	9	9	12	7	4	1	0	0	0	0	0	0	0	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDRO ELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSTINA WEATHER STATION
DATA TAKEN DURING January, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	1367	92
WIND SPEED	1367	92
WIND DIRECTION	1322	89
PEAK GUST	1367	92
RELATIVE HUMIDITY	1335	90
PRECIPITATION	0	0
SOLAR RADIATION	1367	92
DEW POINT	1333	90

THERE ARE 1488 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. RH +5 Points
2. Solar -1 mW/cm²

Additional comments on this month's data:

1. Lost data from 1/4 to 1/6 for all parameters. Weather wizard not functioning properly.
2. Intermittent wind direction data lost due to frozen wind vane.

No precipitation data for February

(See INTERPRETATION OF DATA).

B & M CONSULTANTS, INC.

SUSSEX ISLAND HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING February, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	%	DEG	DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG C	DEG C	%	DEG C											
0300	-16.2	-17.7	88	196	2.2	173	3.8	0 0300	-12.3	-13.2	93	290	.6	203	3.2	0 0300	-17.5	-20.3	79	165	2.4	133	7.0	0
0600	-16.8	-18.3	88	206	2.1	170	5.1	0 0600	-12.6	-13.1	96	020	1.1	020	1.9	0 0600	-19.6	-21.4	86	183	2.9	161	5.7	0
0900	-15.7	-17.5	86	214	1.7	213	3.2	0 0900	-13.1	-13.8	95	028	1.0	042	3.8	0 0900	-18.5	-20.1	87	220	2.7	209	5.1	0
1200	-12.9	-13.8	93	221	2.2	208	3.8	5 1200	-13.4	-14.9	89	015	1.5	029	3.8	5 1200	-16.7	-19.1	82	246	2.5	256	5.1	10
1500	-12.0	-13.5	89	211	2.7	209	3.8	5 1500	-12.8	-15.1	83	333	1.3	008	5.7	5 1500	-16.6	-18.4	86	212	2.6	207	4.4	5
1800	-13.6	-14.6	92	183	2.3	164	4.4	0 1800	-16.8	-22.9	59	032	.9	027	3.2	0 1800	-15.2	-16.2	92	190	3.1	208	5.1	0
2100	-13.4	-15.0	88	176	3.5	168	5.1	0 2100	-18.9	-22.1	76	043	.9	181	3.2	0 2100	-14.0	-15.3	90	169	3.4	160	5.7	1
2400	-12.5	-14.1	88	201	2.3	185	5.1	0 2400	-17.3	-21.3	71	161	1.5	175	5.1	0 2400	-15.4	-17.0	88	097	4.9	091	12.1	0

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	%	DEG	DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG C	DEG C	%	DEG C											
0300	-15.4	-16.7	90	140	2.8	112	8.9	0 0300	-13.3	-14.9	95	192	.8	161	4.4	0 0300	-13.4	*****	95	031	.7	171	3.2	0
0600	-14.3	-15.7	89	206	4.5	208	7.0	0 0600	-14.3	-14.9	95	165	3.2	158	4.4	0 0600	-16.3	-17.2	93	219	.6	076	3.2	0
0900	-12.1	-13.0	93	173	4.9	170	10.2	0 0900	-13.3	-14.0	95	198	2.5	214	4.4	0 0900	-16.5	-17.4	93	218	1.5	207	3.2	0
1200	-11.9	-13.4	89	226	1.5	211	6.3	7 1200	-14.8	-15.6	94	209	3.8	206	5.1	1 1200	-16.8	-19.4	80	212	1.1	200	3.2	11
1500	-11.5	-13.0	89	247	2.0	240	5.7	5 1500	-12.3	-13.4	92	195	2.6	205	4.4	5 1500	-14.1	-18.5	69	204	1.8	202	3.8	1
1800	-11.4	-12.6	91	245	1.7	225	4.4	0 1800	-12.6	-13.4	94	166	2.3	163	4.4	0 1800	-19.5	-21.8	82	203	2.2	192	4.4	0
2100	-10.3	-11.0	95	164	.4	206	5.1	0 2100	-11.8	-12.5	95	203	1.2	224	2.5	0 2100	-18.0	-20.1	84	198	2.2	196	3.8	0
2400	-11.5	*****	95	017	1.5	021	3.2	0 2400	-11.1	-12.0	93	202	2.3	203	4.4	0 2400	-13.3	-14.1	94	229	1.0	237	3.2	0

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	%	DEG	DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG C	DEG C	%	DEG C											
0300	-15.3	-16.1	94	179	2.1	193	3.8	0 0300	-18.1	-19.2	91	193	3.0	199	4.4	0 0300	-24.0	-27.0	76	200	2.0	178	4.4	0
0600	-12.6	*****	95	201	1.5	199	4.4	0 0600	-22.3	-23.9	87	201	2.2	173	4.4	0 0600	-19.8	-23.7	71	200	2.3	193	3.8	0
0900	-10.9	-12.8	86	128	1.3	109	5.1	0 0900	-21.8	-23.0	90	212	1.6	228	5.2	0 0900	-20.2	-23.9	72	196	3.5	199	5.7	0
1200	-12.7	-14.7	85	816	2.0	359	7.0	5 1200	-21.9	-24.6	79	212	1.4	236	2.5	5 1200	-19.5	-23.9	68	202	4.0	211	6.3	12
1500	-12.8	-14.3	89	356	.2	167	5.1	3 1500	-19.8	-23.4	73	197	1.7	198	4.4	7 1500	-17.8	-23.9	59	206	4.8	215	6.3	14
1800	-16.2	-17.2	92	353	.7	208	4.4	0 1800	-23.1	-25.2	83	198	2.7	196	5.7	0 1800	-23.3	-26.5	75	201	2.5	194	3.8	0
2100	-19.9	-21.1	90	180	2.7	161	5.7	0 2100	-22.6	-24.6	84	197	2.1	182	5.1	0 2100	-23.6	-26.2	79	206	2.1	187	4.4	0
2400	-18.3	-19.4	91	199	1.7	189	4.4	0 2400	-21.9	-23.9	84	187	2.4	172	3.8	0 2400	-25.5	-27.5	83	207	2.5	184	6.3	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUBSIDIARY HYDROGEOLOGIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING February, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.					
NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD
DEC	deg	C	%	deg	M/S	MW	DEC	deg	C	%	deg	M/S	MW	DEC	deg	C	%	deg	M/S	MW	DEC	MW
0300	-27.2	-29.3	82	226	2.2	206	4.4	0	0300	-18.0	-20	5	81	194	3.2	202	6.3	0	0300	-10.5	-20.3	86
0600	-26.6	-28.6	83	220	4.1	215	5.7	0	0600	-18.3	-26.2	4	80	195	3.1	197	5.1	0	0600	-15.2	-17.2	85
0900	-27.0	-29.0	83	215	2.9	221	4.4	0	0900	-17.6	-20.4	79	79	186	3.4	190	5.7	1	0900	-13.4	-15.3	86
1200	-23.0	-25.2	82	211	2.5	223	4.4	7	1200	-14.5	-18.9	69	69	187	3.7	187	6.3	33	1200	-11.3	-13.2	86
1500	-22.0	-24.6	79	200	2.4	187	4.4	5	1500	-16.1	-20.0	72	72	174	3.0	162	5.1	13	1500	-12.6	-14.2	88
1800	-22.4	-24.9	80	210	2.8	216	4.4	0	1800	-18.4	-20.6	83	83	161	5.2	157	7.6	0	1800	-14.8	-16.1	90
2100	-22.2	-24.6	81	199	1.9	195	3.2	0	2100	-17.6	-19.7	84	84	184	3.8	160	8.3	0	2100	-15.7	-17.0	90
2400	-19.2	-21.4	83	202	3.0	203	4.4	0	2400	-19.0	-20.8	86	86	222	3.7	222	5.7	0	2400	-15.5	-16.8	90

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.					
NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD
DEC	deg	C	%	deg	M/S	MW	DEC	deg	C	%	deg	M/S	MW	DEC	deg	C	%	deg	M/S	MW	DEC	MW
0300	-18.0	-19.3	90	199	3.2	215	5.7	0	0300	-15.1	-17.1	85	85	228	3.3	214	5.1	0	0300	-10.8	-12.8	85
0600	-17.8	-19.2	89	182	3.2	166	5.7	0	0600	-12.9	-14.9	85	85	195	2.7	155	7.6	0	0600	-12.6	-14.5	86
0900	-18.5	-19.8	90	200	2.4	210	4.4	1	0900	-12.2	-14.4	84	84	187	3.2	145	5.7	1	0900	-15.3	-16.9	88
1200	-14.4	-17.1	80	203	2.8	196	5.7	26	1200	-13.6	-15.7	84	84	134	5.2	115	9.5	15	1200	-13.2	-16.2	78
1500	-14.3	-16.8	81	205	2.8	203	5.7	11	1500	-13.6	-15.7	84	84	179	3.7	154	7.0	1	1500	-13.7	-16.3	81
1800	-16.2	-18.0	86	185	3.8	184	5.7	0	1800	-14.1	-16.2	84	84	203	3.3	200	5.1	0	1800	-12.7	-14.3	88
2100	-15.6	-17.3	87	204	3.0	193	5.7	0	2100	-11.8	-14.0	84	84	191	3.2	189	5.1	0	2100	-11.0	-12.9	86
2400	-16.3	-18.2	85	198	4.1	166	8.3	0	2400	-10.1	-12.3	84	84	190	2.6	193	4.4	0	2400	-9.6	-11.5	86

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.					
NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD
DEC	deg	C	%	deg	M/S	MW	DEC	deg	C	%	deg	M/S	MW	DEC	deg	C	%	deg	M/S	MW	DEC	MW
0300	-11.0	-12.5	89	127	2.4	099	6.3	0	0300	-6.1	-8.2	85	85	154	1.3	102	7.0	0	0300	-6.6	*****	97
0600	-13.0	-14.5	89	161	1.1	116	8.3	0	0600	-8.0	-8.7	95	95	109	2.0	125	6.3	0	0600	-9.5	-10.0	96
0900	-18.2	-19.5	90	190	2.4	173	5.1	1	0900	-8.6	-9.1	96	96	224	1.5	218	3.8	1	0900	-12.3	-12.8	96
1200	-14.3	-15.9	88	206	4.0	214	5.7	14	1200	-5.3	-6.9	89	89	260	1.5	246	3.8	11	1200	-11.5	-12.2	95
1500	-12.1	-14.0	86	202	2.7	192	4.4	7	1500	-6.1	-7.4	91	91	240	2.5	232	6.3	10	1500	-9.9	-11.7	87
1800	-11.1	-12.2	92	210	2.1	227	3.8	0	1800	-6.5	-7.3	94	94	203	2.4	224	5.1	0	1800	-5.7	-8.3	82
2100	-9.7	-10.4	95	212	1.8	202	4.4	0	2100	-6.7	*****	95	95	186	1.5	180	3.2	0	2100	-8.4	-10.1	88
2400	-6.7	-7.7	93	228	1.2	249	5.1	0	2400	-6.5	-6.9	97	97	177	1.7	162	3.2	0	2400	-8.0	-9.7	88

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUBSIDIARY HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING February, 1984

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD													
DEG C	DEG C	%	DEG.	DEG. M/S	MW		DEG C	DEG C	%	DEG. M/S	MW		DEG C	DEG C	%	DEG. M/S	MW									
0300	-9.6	-11.1	89	203	1.8	210	4.4	0	0300	-17.0	-18.9	85	038	2.2	041	3.8	0	0300	-23.1	-24.8	86	192	3.2	180	6.3	0
0600	-9.6	-11.1	89	206	2.6	206	4.4	0	0600	-17.7	-18.8	91	029	2.1	022	3.8	0	0600	-19.6	-21.5	85	190	3.3	172	6.3	0
0900	-12.1	-13.7	88	196	3.0	188	5.1	2	0900	-17.9	-19.0	91	028	1.6	030	3.2	3	0900	-17.2	-19.1	85	208	3.0	212	5.1	2
1200	-9.2	-12.5	77	196	2.3	170	4.4	18	1200	-16.6	-19.4	79	150	1.3	139	6.3	21	1200	-14.7	-17.4	80	193	2.2	213	3.8	22
1500	-8.8	-10.5	88	228	.6	009	3.8	12	1500	-18.3	-22.4	70	218	.8	158	4.4	23	1500	-13.4	-15.5	84	192	2.2	187	3.2	12
1800	-13.4	-14.3	93	044	4.5	049	7.0	0	1800	-19.7	-21.9	83	201	2.6	199	5.1	0	1800	-15.1	-16.7	88	187	3.1	164	5.7	0
2100	-16.0	-17.8	86	048	5.1	047	7.6	0	2100	-23.6	-25.5	84	178	3.8	171	6.3	0	2100	-17.7	-19.1	89	226	2.4	231	4.4	0
2400	-16.8	-18.7	85	033	2.5	037	5.7	0	2400	-23.7	-25.4	86	186	4.0	181	6.3	0	2400	-18.0	-19.5	88	213	3.5	209	5.1	0

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD													
DEG C	DEG C	%	DEG.	DEG. M/S	MW		DEG C	DEG C	%	DEG. M/S	MW		DEG C	DEG C	%	DEG. M/S	MW									
0300	-16.4	-18.2	86	198	3.8	207	5.7	0	0300	-14.3	-16.0	87	190	2.8	207	5.7	0	0300	-19.0	-20.1	91	207	2.4	222	3.8	0
0600	-17.0	-18.5	88	190	3.0	197	5.7	0	0600	-14.2	-15.9	87	190	2.4	173	5.1	0	0600	-19.4	-20.5	91	202	2.5	178	5.1	0
0900	-14.8	-16.6	86	199	3.0	212	5.1	3	0900	-13.7	-15.3	88	192	2.9	182	5.1	5	0900	-18.1	-19.1	92	218	2.2	215	3.8	2
1200	-13.1	-15.4	83	187	3.1	201	5.1	14	1200	-12.0	-15.5	75	182	2.4	169	4.4	19	1200	-15.3	-16.5	91	224	2.4	225	4.4	20
1500	-11.9	-14.7	89	199	2.0	238	4.4	15	1500	-9.5	-13.9	70	199	2.4	195	5.1	29	1500	-14.4	-16.0	88	216	3.2	215	4.4	21
1800	-12.4	-14.0	88	173	3.1	171	4.4	0	1800	-14.3	-16.1	86	185	2.8	173	5.1	0	1800	-16.4	-17.8	89	207	3.0	228	4.4	0
2100	-14.3	-16.0	87	173	3.2	167	5.7	0	2100	-17.4	-18.2	94	202	3.6	180	5.1	0	2100	-16.6	-18.4	86	182	2.7	173	4.4	0
2400	-15.3	-16.7	89	199	2.2	213	3.8	0	2400	-17.3	-18.3	92	240	2.0	224	3.8	0	2400	-14.1	-16.0	86	190	2.4	212	5.1	0

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD													
DEG C	DEG C	%	DEG.	DEG. M/S	MW		DEG C	DEG C	%	DEG. M/S	MW		DEG C	DEG C	%	DEG. M/S	MW									
0300	-14.3	-16.3	85	216	3.4	219	5.1	0	0300	-10.9	-12.9	85	198	1.8	213	4.4	0	0300	-12.1	-14.4	83	147	2.5	155	7.0	0
0600	-12.9	-14.9	85	208	2.9	210	4.4	0	0600	-10.1	-11.0	93	160	1.8	104	4.4	0	0600	-15.5	-17.5	85	169	2.1	149	5.7	0
0900	-12.8	-14.7	86	204	2.8	214	4.4	6	0900	-11.3	-12.5	91	202	2.2	205	5.7	4	0900	-15.3	-17.1	86	197	1.7	217	3.8	4
1200	-11.4	-15.1	74	172	3.0	174	4.4	19	1200	-11.0	-13.5	82	172	2.7	171	5.1	24	1200	-13.4	-16.0	81	177	3.0	157	6.3	25
1500	-10.7	-13.9	77	174	2.7	164	3.8	17	1500	-11.2	-13.2	85	171	2.7	165	5.1	17	1500	-12.4	-15.0	81	180	3.4	243	5.7	21
1800	-11.1	-13.3	84	165	2.4	167	3.8	1	1800	-11.5	-12.8	90	172	2.7	175	5.1	1	1800	-14.5	-16.2	87	160	2.2	185	5.7	1
2100	-11.7	-13.9	84	173	2.4	164	3.8	0	2100	-10.7	-12.5	87	187	2.6	155	5.3	0	2100	-14.5	-16.2	87	187	2.7	211	5.1	0
2400	-10.3	-12.5	84	216	2.0	201	4.4	0	2400	-11.1	-13.6	82	139	1.7	155	5.3	0	2400	-13.2	-15.1	86	210	3.6	209	5.1	0

*** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT ***

R & M CONSULTANTS, INC.
SUSSEX TNA HYDRO ELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING February, 1984

DAY 28

DAY 29

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NONG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S	NONG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C	DEG C	% DEG. M/S

0300	-13.1	-14.6	89	202	2.5	201	5.1	0	0300	-13.1	-15.4	83	138	3.9	153	7.6	0
0600	-15.4	-16.7	90	185	3.0	177	5.1	0	0600	-14.9	-17.0	84	147	4.6	155	7.0	0
0900	-14.5	-16.5	85	170	3.4	172	7.0	11	0900	-14.5	-17.3	79	119	1.7	052	5.1	10
1200	-12.4	-15.9	75	174	3.7	189	6.3	34	1200	-14.1	-20.4	59	203	2.5	205	5.1	33
1500	-10.3	-13.1	80	167	4.8	152	8.9	9	1500	-12.9	-17.2	70	205	2.3	218	5.1	27
1800	-12.7	-14.9	84	167	2.9	144	5.7	1	1800	-15.9	-18.3	82	177	2.0	211	5.7	1
2100	-14.4	-16.4	85	193	2.4	192	5.7	0	2100	-17.3	-19.9	80	207	2.8	207	6.4	0
2400	-13.4	-16.3	79	145	3.8	142	6.3	0	2400	-14.5	-16.9	82	185	2.6	186	4.4	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUBSIDIARY HYDRO ELECTRIC PROJECT

MONTHLY SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING February, 1984


DAY				RES.	RES.	AVG.	MAX.	MAX.	GUST P'VAL	MEAN	MEAN	PRECIP	SOLAR ENERGY	DAY'S WH/SQM
	MAX.	MIN.	MEAN	WIND DIR.	WIND SPD.	M/S	DIR.	SPD.	M/S	DIR.	RH %			
	TEMP. DEG C	TEMP. DEG C	TEMP. DEG C	DEG	M/S	DEG	DEG	M/S	DEG	MM				
1	-11.8	-18.3	-15.1	199	3.3	2.4	170	5.1	SSW	89	-15.8	***	320	1
2	-11.4	-19.3	-15.4	020	.6	1.3	008	5.7	NNE	80	-17.4	***	290	2
3	-12.2	-20.2	-16.2	180	2.2	3.2	091	12.1	SSE	86	-18.8	***	375	3
4	-10.0	-15.9	-13.0	195	1.6	2.8	170	10.2	SSW	90	-13.7	***	310	4
5	-10.9	-15.0	-13.0	191	2.2	2.5	206	5.1	SSW	94	-13.7	***	375	5
6	-10.7	-19.5	-15.1	208	1.2	1.6	192	4.4	SSW	67	-18.0	***	545	6
7	-10.5	-21.1	-15.8	176	.7	1.9	359	7.0	S	90	-16.0	***	335	7
8	-16.8	-24.1	-20.5	198	2.2	2.3	196	5.7	SSW	83	-23.2	***	355	8
9	-12.7	-25.9	-21.8	202	2.9	2.9	211	6.3	SSW	73	-25.1	***	695	9
10	-19.2	-29.5	-24.4	211	2.7	2.8	215	5.7	SSW	82	-26.3	***	360	10
11	-14.3	-19.9	-17.1	182	3.5	3.7	160	8.3	S	78	-20.4	***	1245	11
12	-11.3	-19.0	-15.2	175	4.2	4.5	159	1.9	SSE	88	-16.2	***	1040	12
13	-13.1	-20.6	-16.9	196	3.1	3.2	166	8.3	SSW	86	-18.3	***	1080	13
14	-10.1	-16.8	-13.5	185	3.0	3.6	115	9.5	SSW	85	-15.7	***	695	14
15	-9.2	-15.3	-12.3	183	2.5	2.7	160	5.7	S	84	-14.2	***	1005	15
16	-6.7	-18.2	-12.5	195	2.0	2.6	116	8.3	SSW	96	-13.4	***	615	16
17	-4.7	-6.6	-6.7	194	1.3	2.2	102	7.0	SW	92	-7.8	***	610	17
18	-5.4	-12.6	-9.0	173	1.7	2.4	132	10.2	SSE	91	-10.1	***	600	18
19	-7.0	-16.8	-11.9	099	.6	3.0	047	7.6	NE	86	-13.2	***	860	19
20	-16.3	-24.0	-20.2	164	.9	2.5	139	6.3	NNE	83	-21.3	***	1200	20
21	-13.4	-25.8	-19.6	200	2.8	3.0	189	6.3	SSW	86	-19.7	***	790	21
22	-10.8	-17.7	-14.3	189	2.9	3.0	207	5.7	S	86	-16.1	***	1040	22
23	-9.3	-19.1	-14.2	196	2.5	2.6	207	5.7	S	85	-15.9	***	1505	23
24	-14.1	-19.4	-16.8	206	2.5	2.7	178	5.1	SSW	90	-17.9	***	1120	24
25	-10.0	-16.0	-13.0	193	2.5	2.7	218	5.1	S	82	-14.4	***	1485	25
26	-9.6	-12.7	-11.2	176	2.2	2.6	205	5.7	S	86	-13.0	***	1140	26
27	-11.5	-16.8	-14.2	180	2.5	3.2	155	7.0	SSW	84	-16.2	***	1360	27
28	-10.3	-16.5	-13.4	173	3.2	3.8	152	8.9	S	84	-15.2	***	2035	28
29	-11.5	-17.4	-14.5	166	2.4	3.2	153	7.6	SE	77	-17.6	***	2035	29
MONT	-4.7	-29.5	-15.0	188	2.1	2.8	091	12.1	SSW	85	-16.7	***	25420	

GUST VEL. AT MAX. GUST MINUS 2 INTERVALS 8.9
 GUST VEL. AT MAX. GUST MINUS 1 INTERVAL 11.4
 GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 8.9
 GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 6.5

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DATA.
 OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
February, 1984




R & M CONSULTANTS, INC.
SUBSETNA HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KGRINA WEATHER STATION
DATA TAKEN DURING February, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0.2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
N	0.00	.88	0.00	0.00	0.00	0.00	0.00	0.00	.88
NNE	.15	2.63	.15	0.00	0.00	0.00	0.00	0.00	2.92
NE	.51	1.02	1.09	0.00	0.00	0.00	0.00	0.00	2.63
ENE	0.00	.44	.07	0.00	0.00	0.00	0.00	0.00	.51
E	0.00	.36	.44	.22	0.00	0.00	0.00	0.00	1.02
ESE	.07	1.02	1.09	.07	0.00	0.00	0.00	0.00	2.26
SE	.22	1.09	1.75	0.00	0.00	0.00	0.00	0.00	3.07
SSE	.22	2.48	6.93	1.09	0.00	0.00	0.00	0.00	10.73
S	.36	12.99	10.23	.15	0.00	0.00	0.00	0.00	23.72
SSW	.44	17.66	12.41	0.00	0.00	0.00	0.00	0.00	30.51
SW	.15	9.93	4.09	0.00	0.00	0.00	0.00	0.00	14.16
WSW	.44	3.28	1.09	0.00	0.00	0.00	0.00	0.00	4.82
W	.15	1.09	0.00	0.00	0.00	0.00	0.00	0.00	1.20
NNW	0.00	.51	0.00	0.00	0.00	0.00	0.00	0.00	.51
NW	.29	.97	0.00	0.00	0.00	0.00	0.00	0.00	.36
NNW	.07	.51	0.00	0.00	0.00	0.00	0.00	0.00	.58
CALM									.0%
TOTAL	3.07	55.99	39.34	1.53	0.00	0.00	0.00	0.00	100.00

NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT
 1370 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY
 1309 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.
 ** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
February, 1984



R & M CONSULTANTS, INC.
SUSIETNA HYDROELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING February, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	0	0	0	0	0	0	0	0	2	3	5	6	7	6	3	1	0	0	0	0	0	0	0	0	1
2	0	0	0	0	0	0	0	0	1	3	5	6	6	6	3	1	0	0	0	0	0	0	0	0	1
3	0	0	0	0	0	0	0	0	2	5	8	9	7	5	3	1	0	0	0	0	0	0	0	0	2
4	0	0	0	0	0	0	0	0	2	4	7	7	5	6	5	1	0	0	0	0	0	0	0	0	2
5	0	0	0	0	0	0	0	0	2	5	5	10	4	6	5	1	0	0	0	0	0	0	0	0	2
6	0	0	0	0	0	0	0	0	3	9	11	11	11	6	5	1	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	5	8	5	5	5	4	2	1	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	3	4	8	6	6	4	5	1	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	2	5	10	14	15	15	7	3	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	2	4	7	7	7	5	4	2	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	1	3	10	18	37	28	14	9	6	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	1	4	15	20	29	9	16	9	3	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	1	9	23	15	28	12	12	7	4	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	1	4	9	14	16	13	6	6	3	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	1	10	10	21	21	13	15	9	3	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	1	4	6	15	15	11	1	6	2	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	1	5	6	6	12	12	11	7	3	1	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	1	5	7	9	6	14	12	5	3	1	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	2	3	15	16	10	17	13	8	3	1	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	2	5	13	19	25	27	24	2	5	1	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	2	3	12	19	15	8	13	4	4	1	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	2	9	13	11	15	17	18	14	6	1	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	3	8	14	18	28	25	27	20	9	1	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	2	6	16	17	18	17	18	13	6	1	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	4	14	23	22	27	22	19	13	6	2	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	2	8	14	23	13	20	16	13	4	2	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	3	11	16	24	17	18	21	18	8	2	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	2	19	32	35	48	35	10	14	4	2	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	6	18	27	32	29	34	29	16	12	3	0	0	0	0	0	0	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSSETNA HYDROELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING February, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	1392	100
WIND SPEED	1383	99
WIND DIRECTION	1375	99
PEAK GUST	1381	99
RELATIVE HUMIDITY	1343	96
PRECIPITATION	0	0
SOLAR RADIATION	1392	100
DEW POINT	1343	96

THERE ARE 1392 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. RH +5 RH Points
2. Solar -1 mW/cm²

Additional comments on this month's data:

1. Malfunction in weather wizard caused data to be lost intermittently from 2/26 to 2/29 for all parameters. Missing temperature, RH, and solar radiation values estimated where possible.

No precipitation data for March

(See INTERPRETATION OF DATA).

R & M CONSULTANTES, INC.

SUSSETTNA HYDROCELL PROJECT PROGRESS

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING March, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.							
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD		
DEG C	DEG C	%	DEG	DEG C	%	DEG	DEG C	DEG C	%	DEG	DEG C	%	DEG	DEG C	DEG C	%	DEG	DEG C	%	DEG	DEG C	
0300	-14.7	-17.1	82	161	4.6	160	7.0	0	0300	-15.5	-17.5	85	215	2.2	207	3.0	0	0300	-11.5	-13.3	87	185
0600	-13.6	-15.9	83	160	4.9	054	8.9	0	0600	-13.9	-15.8	86	168	2.0	103	5.1	0	0600	-13.3	-15.0	87	198
0900	-14.5	-17.0	81	162	3.0	157	7.0	6	0900	-14.5	-17.9	75	190	2.3	220	5.1	11	0900	-12.4	-15.6	77	220
1200	-13.4	-19.5	60	224	2.7	241	6.4	14	1200	-11.1	-17.3	60	169	3.9	154	7.5	33	1200	-9.6	-12.6	79	187
1500	-12.3	-16.1	73	182	2.5	164	7.0	17	1500	-8.7	-13.5	68	200	2.3	200	4.4	34	1500	-7.6	-10.0	83	202
1800	-12.8	-15.2	82	197	2.6	189	5.7	1	1800	-13.1	-15.4	83	205	2.8	197	6.3	2	1800	-7.3	-7.7	97	199
2100	-13.6	-15.7	84	187	1.8	200	4.4	0	2100	-14.3	-16.0	87	185	2.1	197	4.4	0	2100	-4.1	-5.4	91	212
2400	-13.4	-16.1	80	190	2.1	151	5.1	0	2400	-13.4	-15.1	87	158	1.1	100	3.4	0	2400	-2.8	-3.8	93	215

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.							
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD		
DEG C	DEG C	%	DEG	DEG C	%	DEG	DEG C	DEG C	%	DEG	DEG C	%	DEG	DEG C	DEG C	%	DEG	DEG C	%	DEG	DEG C	
0300	-2.5	-3.5	93	158	3.9	136	7.0	0	0300	-4.3	-5.1	94	194	2.9	201	4.4	0	0300	-1.7	****	98	160
0600	-1.0	-2.6	89	157	2.9	160	7.6	0	0600	-4.4	-5.5	92	201	2.5	201	4.4	0	0600	-2.4	-3.0	96	168
0900	-1.8	-2.7	94	048	2.6	048	9.5	6	0900	-3.4	-4.8	90	191	2.5	192	5.1	6	0900	-4	-2.8	84	225
1200	-1.1	-3.9	81	211	2.9	235	5.1	24	1200	0.0	-2.4	84	151	3.5	133	8.3	20	1200	-1.1	-3.9	81	169
1500	.1	-3.1	79	226	2.0	220	3.8	30	1500	1.4	-2.3	76	188	1.3	152	3.8	29	1500	-1	-3.5	78	191
1800	-2.4	-4.0	89	208	2.2	221	3.8	2	1800	0.0	-2.4	84	215	2.2	218	3.8	1	1800	-1.6	-2.5	94	222
2100	-1.8	-3.0	92	196	1.9	197	3.2	0	2100	-.8	-2.9	86	204	1.9	218	3.2	0	2100	-3.3	-4.0	95	213
2400	-2.5	-3.8	91	***	***	***	3.8	0	2400	-2.2	-3.8	89	189	2.3	195	3.8	0	2400	-1.1	-2.3	92	233

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.							
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD		
DEG C	DEG C	%	DEG	DEG C	%	DEG	DEG C	DEG C	%	DEG	DEG C	%	DEG	DEG C	DEG C	%	DEG	DEG C	%	DEG	DEG C	
0300	-.3	-1.5	92	229	1.7	258	5.1	0	0300	-.8	-1.8	93	193	3.4	193	5.1	0	0300	2.1	.6	90	133
0600	-1.9	-2.3	97	163	2.1	125	7.0	0	0600	-3.3	-4.0	95	185	3.2	193	6.3	0	0600	0.0	-1.2	92	021
0900	-2.0	-2.9	94	223	2.7	224	5.1	7	0900	-.4	-1.9	90	187	4.1	201	6.3	11	0900	-.1	-1.7	89	246
1200	-.1	-1.6	90	216	2.5	207	3.8	20	1200	1.3	-1.3	83	183	2.3	167	5.1	34	1200	-.2	-1.5	91	165
1500	1.3	-1.5	88	225	1.8	219	3.2	23	1500	2.5	-.6	86	216	1.1	170	3.0	21	1500	1.5	-1.4	81	113
1800	.1	-1.1	92	203	2.3	211	4.4	3	1800	2.4	1.1	91	201	.7	191	3.2	2	1800	-2.5	-3.5	93	217
2100	-1.1	-1.8	95	201	3.0	205	5.7	0	2100	2.0	1.5	90	139	2.0	137	5.7	0	2100	-2.2	-3.2	93	198
2400	-1.1	-2.1	93	201	4.4	201	6.3	0	2400	-.9	1.0	94	121	6.4	108	10.2	0	2400	-2.2	-3.2	93	205

*** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT ***

R & M CONSULTANTS, INC.

SUBSTITUTION HYDRO ELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING March, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.									
NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD				
	DEG	DEG	C	%	DEG	M/S	DEG	DEG	C	%	DEG	M/S	DEG	DEG	C	%	DEG	DEG	M/S	M/S	MW					
0300	-1.9	-2.9	93	216	2.7	223	5.7	0	0300	-4.4	-5.2	94	216	2.0	221	4.4	0	0300	-5.5	-6.9	90	204	2.3	190	3.8	0
0600	-7	-2.0	91	206	1.8	212	3.8	0	0600	-6.1	-6.8	95	218	2.7	205	4.4	0	0600	-5.2	-6.9	88	199	2.8	198	4.4	0
0900	-8	-2.1	91	202	2.6	177	5.1	8	0900	-6.0	-8.4	83	195	2.3	191	3.8	21	0900	-4.2	-7.3	79	202	2.7	205	4.4	16
1200	1.2	-6	88	197	2.4	156	7.0	34	1200	-1.2	-5.8	71	183	2.9	161	5.1	40	1200	-7	-6.2	66	194	2.4	187	5.7	40
1500	2.6	***	80	096	2.6	090	7.6	22	1500	1.4	-3.3	71	199	1.4	164	2.5	34	1500	1.6	-4.7	63	205	1.5	183	3.2	35
1800	2.2	-1	85	100	5.4	099	8.3	5	1800	-1.2	-3.9	82	188	2.6	199	3.8	5	1800	-1.3	-5.0	76	195	2.3	190	3.8	5
2100	-2.3	-3.6	91	124	3.0	102	7.6	0	2100	-3.6	-4.9	91	197	2.3	190	3.8	0	2100	-4.8	-6.5	88	195	2.5	201	4.4	0
2400	-9	-2.2	91	181	1.0	171	4.4	0	2400	-5.0	-6.3	91	193	2.2	184	4.4	0	2400	-4.3	-6.0	88	198	2.4	185	5.1	0

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.									
NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD				
	DEG	DEG	C	%	DEG	M/S	DEG	DEG	C	%	DEG	M/S	DEG	DEG	C	%	DEG	DEG	M/S	M/S	MW					
0300	-6.8	-8.3	89	202	2.6	193	4.4	0	0300	-5.4	-6.2	94	201	3.6	198	5.7	0	0300	-10.1	-11.9	87	197	2.6	179	4.4	0
0600	-7.3	-8.3	93	202	2.8	181	6.3	0	0600	-6.2	-6.9	95	204	3.6	207	5.1	0	0600	-10.7	-12.0	90	196	2.2	193	5.1	0
0900	-8.0	-9.0	93	221	2.6	215	4.4	8	0900	-6.0	-9.0	79	184	1.7	190	3.8	29	0900	-7.8	-10.0	84	202	2.8	199	5.7	9
1200	-4.7	-6.7	86	216	2.8	222	3.8	28	1200	-4.7	-7.6	80	177	1.8	158	4.4	42	1200	-4.6	-9.2	70	197	3.8	200	5.7	38
1500	-2	-4.1	75	130	2.0	098	8.3	34	1500	-2.5	-7.2	70	232	1.3	187	4.4	38	1500	-3.7	-8.7	68	219	1.9	201	3.2	38
1800	-4.0	-5.4	90	178	2.1	207	5.7	3	1800	-4.5	-7.1	82	200	2.7	194	5.1	4	1800	-7.8	-10.2	83	214	2.3	225	3.8	4
2100	-5.5	-6.2	95	202	4.3	196	5.7	0	2100	-7.2	-9.3	85	188	3.8	188	5.7	9	2100	-8.4	-10.6	84	203	3.4	198	5.7	0
2400	-5.9	-6.7	94	201	4.8	206	7.0	0	2400	-8.2	-10.4	84	185	3.6	184	5.7	0	2400	-9.9	-11.7	87	182	3.2	188	5.1	0

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.									
NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD				
	DEG	DEG	C	%	DEG	M/S	DEG	DEG	C	%	DEG	M/S	DEG	DEG	C	%	DEG	DEG	M/S	M/S	MW					
0300	-12.7	-13.4	95	194	2.4	192	3.8	0	0300	-13.0	-14.5	89	203	2.8	199	5.1	0	0300	-14.7	-16.4	87	185	2.4	179	4.4	0
0600	-13.3	-14.2	93	192	2.6	166	4.4	0	0600	-12.0	-14.0	85	199	2.5	202	4.4	0	0600	-14.8	-16.0	85	185	2.6	167	5.7	0
0900	-10.5	-13.3	80	181	2.8	178	5.1	25	0900	-11.3	-16.4	66	196	2.5	179	4.4	21	0900	-12.5	-16.8	70	209	1.9	207	5.1	24
1200	-7.3	-13.5	61	188	2.4	201	5.1	46	1200	-8.9	-14.4	64	199	2.4	181	4.4	44	1200	-8.2	-15.0	58	203	2.2	210	4.4	46
1500	-4.5	-9.7	67	212	2.2	221	3.2	38	1500	-5.8	-12.1	61	208	2.4	212	3.8	39	1500	-5.9	-12.0	62	180	2.9	184	5.1	40
1800	-7.9	-11.9	73	217	2.0	208	3.8	7	1800	-8.4	-12.4	73	191	1.8	209	2.5	7	1800	-9.0	-13.4	70	213	1.9	206	3.2	0
2100	-12.0	-13.9	66	210	2.0	212	3.8	0	2100	-13.4	-15.0	88	192	2.0	186	4.4	0	2100	-12.7	-15.3	81	188	2.0	172	3.8	0
2400	-14.8	-16.6	86	215	2.5	216	4.4	0	2400	-14.6	-16.7	88	198	1.9	188	3.2	0	2400	-14.4	-16.9	81	202	2.4	197	4.4	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUBSTITUTIVE HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING March, 1984

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD					
	DEG C	DEG C	%	DEG	M/S	MW		DEG C	DEG C	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD					
0300	-16.0	-18.1	84	212	2.3	205	4.4	0	0300	-14.8	-17.3	81	217	1.8	207	3.8	0	0300	-10.6	-12.9	83	186	2.0	169	4.4	0
0600	-16.9	-19.3	82	222	2.3	235	4.4	0	0600	-14.6	-16.9	83	195	2.3	213	4.4	0	0600	-12.4	-14.3	86	217	1.5	203	3.2	0
0900	-14.1	-19.4	64	219	2.4	211	4.4	21	0900	-12.4	-18.2	62	203	2.2	202	4.4	23	0900	-10.9	-15.4	69	202	1.9	213	3.2	24
1200	-10.4	-16.5	61	215	2.2	212	3.2	46	1200	-7.4	-14.0	59	203	2.2	183	5.1	41	1200	-7.5	-14.1	59	201	1.9	177	4.4	47
1500	-8.1	-13.9	63	219	2.9	223	3.8	40	1500	-4.6	-11.4	59	176	2.3	202	3.8	32	1500	-5.3	-11.4	62	222	1.8	185	3.2	42
1800	-9.9	-13.3	76	195	2.3	215	3.8	9	1800	-7.2	-10.5	77	179	1.5	178	3.2	6	1800	-8.1	-11.6	76	230	1.9	214	3.2	9
2100	-13.6	-16.0	82	204	2.0	208	3.8	0	2100	-7.9	-10.4	82	186	1.7	165	3.2	0	2100	-13.1	-15.0	86	205	2.4	217	4.4	0
2400	-13.4	-16.0	81	203	2.3	210	4.4	0	2400	-8.6	-11.5	81	185	2.0	170	3.8	0	2400	-13.1	-14.0	87	197	2.4	198	3.8	0

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD					
	DEG C	DEG C	%	DEG	M/S	MW		DEG C	DEG C	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD					
0300	-14.1	-15.7	88	184	2.4	173	5.1	0	0300	-13.4	-16.0	81	209	2.3	221	4.4	0	0300	-13.3	-15.3	85	200	2.0	224	3.8	0
0600	-14.7	-16.5	86	193	2.5	197	4.4	0	0600	-15.4	-17.6	83	186	2.8	166	5.7	0	0600	-14.5	-16.5	85	210	2.2	216	4.4	0
0900	-11.3	-16.4	66	179	2.9	165	5.7	29	0900	-10.1	-15.8	63	193	2.5	195	5.1	25	0900	-13.8	-20.3	58	190	2.2	189	3.8	26
1200	-6.1	-13.7	55	185	2.2	214	4.4	50	1200	-7.8	-14.8	57	197	1.8	175	3.8	48	1200	-9.0	-15.1	61	213	2.5	212	4.4	49
1500	-5.7	-11.4	64	211	2.0	185	3.8	42	1500	-5.8	-13.9	53	208	1.5	202	2.5	44	1500	-6.6	-12.8	62	209	3.0	208	4.4	44
1800	-8.2	-12.7	70	205	3.0	201	5.7	10	1800	-8.1	-12.8	69	221	1.9	200	3.2	9	1800	-8.3	-13.1	68	201	3.5	204	5.1	9
2100	-13.2	-15.5	83	193	3.7	204	5.7	0	2100	-12.7	-15.1	82	185	2.8	184	5.1	0	2100	-11.0	-13.3	83	187	3.0	190	5.1	0
2400	-13.4	-15.7	83	190	2.7	185	5.1	0	2400	-14.4	-16.7	83	184	2.2	170	4.4	0	2400	-10.1	-12.4	83	187	3.4	191	5.7	0

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD					
	DEG C	DEG C	%	DEG	M/S	MW		DEG C	DEG C	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD					
0300	-9.5	-11.0	89	192	2.7	186	5.1	0	0300	-6.7	-8.2	89	201	1.9	172	3.8	0	0300	-6.8	-8.5	88	207	2.6	202	5.1	0
0600	-10.1	-11.0	93	193	2.6	184	4.4	0	0600	-6.5	-7.8	91	179	2.0	157	5.1	0	0600	-8.7	-10.2	89	218	2.6	215	5.1	0
0900	-10.1	-15.6	64	182	1.9	174	3.8	28	0900	-8.7	-10.5	87	203	2.7	175	4.4	15	0900	-6.7	-10.1	77	222	2.8	222	4.4	17
1200	-4.2	-8.0	75	180	2.3	170	5.7	46	1200	-4.5	-8.6	73	216	2.8	228	4.4	59	1200	-4.0	-7.8	75	230	2.5	208	5.7	38
1500	-2.9	-7.9	68	214	2.6	187	3.8	44	1500	-2.8	-6.9	73	188	2.2	155	5.1	52	1500	-3.3	-6.9	76	225	2.3	226	3.8	39
1800	-4.5	-7.4	80	207	2.0	229	3.2	10	1800	-3.8	-6.9	79	218	2.8	201	4.4	19	1800	-4.7	-7.0	84	199	3.1	198	4.4	5
2100	-9.4	-10.8	90	209	1.8	178	3.8	0	2100	-7.4	-8.6	91	208	3.2	208	4.4	0	2100	-8.4	-10.5	85	193	3.2	201	5.1	0
2400	-8.4	-9.9	89	207	1.9	209	3.8	0	2400	-7.7	-8.9	91	207	2.7	207	4.4	0	2400	-8.9	-11.9	79	190	2.8	184	4.4	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSSEX TNA HYDRO ELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING March, 1984

DAY 28

DAY 29

DAY 30

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD											
DEG C	DEG C	%	DEG.	M/S	DEG C	DEG C	%	DEG.	M/S	DEG C	DEG C	%	DEG.	M/S	MW											
0300	-9.6	-12.6	79	189	2.6	171	4.4	0	0300	-6.5	-8.9	83	228	2.3	226	4.4	0	0300	-9.2	-10.4	91	204	2.6	200	4.4	0
0600	-12.6	-14.9	83	191	2.8	190	4.4	0	0600	-9.0	-10.9	86	214	1.9	209	4.4	0	0600	-5.9	-7.9	86	195	2.2	207	3.8	0
0900	-7.5	-13.5	62	186	2.7	175	5.1	27	0900	-5.8	-8.9	79	210	2.8	210	5.7	21	0900	-2.9	-6.4	77	195	2.2	191	3.8	27
1200	-4.2	-10.8	60	206	1.9	199	3.8	51	1200	-2.7	-6.3	76	236	2.9	256	6.3	35	1200	1.7	-6.4	55	203	2.5	207	4.4	57
1500	-1.0	-9.6	52	238	1.3	230	2.5	46	1500	-1.2	-5.4	73	194	2.3	196	3.8	23	1500	1.2	-6.6	56	177	2.1	157	3.8	58
1800	-2.3	-8.6	62	210	1.6	196	3.2	11	1800	-3.3	-4.0	95	226	.8	172	1.9	6	1800	-2.7	-5.0	84	233	2.8	218	4.4	10
2100	-7.6	*****	85	220	1.6	185	4.4	0	2100	-3.3	-4.6	91	160	2.1	154	4.4	0	2100	-4.5	-6.5	86	198	2.7	208	5.1	0
2400	-9.4	-11.5	85	213	2.5	219	3.8	0	2400	-7.5	-8.3	94	226	1.7	206	4.4	0	2400	-6.7	-8.8	91	191	1.8	203	4.4	0

DAY 31

HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG.	M/S	MW

0300	-5.9	-7.3	90	195	1.6	187	3.2	0
0600	-8.0	-9.1	92	187	2.2	188	3.8	0
0900	-3.2	-7.2	74	214	1.7	187	3.2	34
1200	-1.9	-5.4	77	162	2.4	163	5.1	40
1500	-.9	-5.7	70	219	1.5	131	6.3	28
1800	-2.4	-5.4	80	245	1.9	244	3.8	9
2100	-7.2	-8.6	90	215	2.4	223	3.8	0
2400	-4.9	-6.3	90	233	2.3	232	3.8	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSSETINA HYDROELECTRIC PROJECT

MONTHLY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING March, 1984


DAY	MAX. TEMP. DEG C			RES. WIND DIR. DEG			RES. WIND SPD. M/S			AVG. WIND SPD. M/S			MAX. GUST DIR. DEG			MAX. P'VAL RH %			DAY'S SOLAR ENERGY WH/SQM		
	MIN. TEMP. DEG C	MEAN TEMP. DEG C	DEG C	WIND DIR. DEG	WIND SPD. M/S	WIND DIR. DEG	GUST DIR. DEG	GUST SPD. M/S	P'VAL RH %	MEAN DEG C	MEAN MM	DP DEG C	PRECIP MM	DEG C	MM	DEG C	MM	DEG C	MM	DEG C	MM
1	-10.3	-16.7	-13.5	181	2.7	3.3	054	8.9	SSE	78	-16.8	****	1460	1	****	1460	1	****	1460	1	
2	-8.7	-17.7	-13.2	187	2.3	2.7	154	7.5	SSW	81	-16.3	****	2130	2	****	2130	2	****	2130	2	
3	-2.4	-16.3	-9.4	200	2.5	3.2	243	8.3	SSW	86	-11.5	****	1785	3	****	1785	3	****	1785	3	
4	.1	-3.9	-1.9	178	1.7	2.7	048	9.5	SSW	90	-3.6	****	1670	4	****	1670	4	****	1670	4	
5	1.6	-6.2	-2.3	189	2.2	2.5	133	8.3	SSW	87	-3.7	****	1495	5	****	1495	5	****	1495	5	
6	.3	-6.2	-3.0	197	1.8	2.1	159	5.1	SW	89	-3.5	****	3005	6	****	3005	6	****	3005	6	
7	1.4	-2.6	-.6	207	2.6	2.8	125	7.0	SSW	93	-1.7	****	1750	7	****	1750	7	****	1750	7	
8	6.0	-3.3	1.4	167	2.5	3.1	108	10.2	S	91	-1.1	****	1845	8	****	1845	8	****	1845	8	
9	3.1	-5.2	-1.1	161	2.0	3.3	143	10.8	SSW	90	-1.9	****	2385	9	****	2385	9	****	2385	9	
10	3.0	-3.9	-.5	153	1.7	2.9	099	8.3	SW	88	-1.8	****	1985	10	****	1985	10	****	1985	10	
11	1.7	-6.8	-2.6	198	2.2	2.4	161	5.1	SSW	86	-5.0	****	2960	11	****	2960	11	****	2960	11	
12	1.6	-7.9	-3.2	199	2.4	2.4	187	5.7	SSW	81	-6.6	****	2880	12	****	2880	12	****	2880	12	
13	-.2	-9.1	-4.7	199	2.8	3.3	098	8.3	SSW	90	-6.8	****	1960	13	****	1960	13	****	1960	13	
14	-1.6	-8.3	-5.0	195	2.7	2.8	198	5.7	S	83	-7.5	****	3285	14	****	3285	14	****	3285	14	
15	-2.9	-12.1	-7.5	200	2.7	2.8	199	5.7	SSW	81	-10.6	****	2870	15	****	2870	15	****	2870	15	
16	-4.2	-14.8	-9.5	200	2.3	2.4	178	5.1	SSW	80	-12.9	****	3420	16	****	3420	16	****	3420	16	
17	-5.5	-14.7	-10.1	199	2.3	2.3	199	5.1	SSW	78	-14.1	****	3305	17	****	3305	17	****	3305	17	
18	-5.9	-16.2	-11.1	194	2.3	2.4	167	5.7	SSW	76	-15.1	****	3470	18	****	3470	18	****	3470	18	
19	-7.5	-17.5	-12.5	212	2.3	2.4	205	4.4	SW	73	-16.8	****	3430	19	****	3430	19	****	3430	19	
20	-4.6	-16.9	-10.8	193	2.0	2.1	183	5.1	SSW	73	-14.3	****	3015	20	****	3015	20	****	3015	20	
21	-5.0	-15.5	-10.3	207	1.9	2.0	169	4.4	SSW	76	-13.3	****	3600	21	****	3600	21	****	3600	21	
22	-5.0	-16.0	-10.5	192	2.6	2.7	165	5.7	S	76	-14.7	****	3855	22	****	3855	22	****	3855	22	
23	-5.8	-15.9	-10.9	196	2.2	2.3	166	5.7	SSW	72	-15.5	****	3670	23	****	3670	23	****	3670	23	
24	-6.5	-17.0	-12.0	199	2.7	2.8	191	5.7	SSW	73	-15.0	****	3830	24	****	3830	24	****	3830	24	
25	-2.8	-10.8	-6.8	198	2.2	2.3	170	5.7	S	81	-9.9	****	3730	25	****	3730	25	****	3730	25	
26	-2.5	-9.9	-6.2	204	2.5	2.7	157	5.1	SSW	85	-8.5	****	3540	26	****	3540	26	****	3540	26	
27	-3.0	-9.9	-6.5	209	2.7	2.8	208	5.7	SSW	82	-9.1	****	2790	27	****	2790	27	****	2790	27	
28	-.9	-12.6	-6.8	203	2.1	2.2	175	5.1	S	72	-11.4	****	4085	28	****	4085	28	****	4085	28	
29	-.7	-13.0	-6.9	212	1.9	2.2	256	6.3	SSW	84	-7.6	****	2520	29	****	2520	29	****	2520	29	
30	2.0	-9.2	-3.6	201	2.3	2.4	208	5.1	SSW	79	-7.1	****	4390	30	****	4390	30	****	4390	30	
31	.6	-8.9	-4.2	208	1.8	2.2	131	6.3	SW	84	-7.1	****	4040	31	****	4040	31	****	4040	31	
MONTH	6.0	-17.7	-6.6	196	2.2	2.6	143	10.8	SSW	82	-9.4	****	90155		****	90155		****	90155		

GUST VEL. AT MAX. GUST MINUS 2 INTERVALS 10.2
 GUST VEL. AT MAX. GUST MINUS 1 INTERVAL 9.5
 GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 10.2
 GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 3.8

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
March, 1984



R & M CONSULTANTS, INC.
KOSINA HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING March, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0.2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
N	0.00	.07	0.00	0.00	0.00	0.00	0.00	0.00	.07
NNE	0.00	.27	0.00	0.00	0.00	0.00	0.00	0.00	.27
NE	0.00	.34	.07	0.00	0.00	0.00	0.00	0.00	.41
ENE	0.00	.14	.21	0.00	0.00	0.00	0.00	0.00	.34
E	0.00	.34	.48	.21	0.00	0.00	0.00	0.00	1.03
ESE	.07	.48	.82	.21	0.00	0.00	0.00	0.00	1.57
SE	.14	.55	.68	.55	0.00	0.00	0.00	0.00	1.92
SSE	.14	3.28	3.28	.21	0.00	0.00	0.00	0.00	6.91
S	.21	15.80	5.95	0.00	0.00	0.00	0.00	0.00	21.96
SSW	.07	27.43	11.70	0.00	0.00	0.00	0.00	0.00	39.19
SW	.14	17.03	3.28	0.00	0.00	0.00	0.00	0.00	20.45
WSW	.68	4.17	.21	0.00	0.00	0.00	0.00	0.00	5.06
W	.07	.34	.07	0.00	0.00	0.00	0.00	0.00	.48
WNW	.07	.07	0.00	0.00	0.00	0.00	0.00	0.00	.14
NW	0.00	.07	0.00	0.00	0.00	0.00	0.00	0.00	.07
NNW	.07	.07	0.00	0.00	0.00	0.00	0.00	0.00	.14
CALM	—	—	—	—	—	—	—	—	0.00
TOTAL	1.64	20.45	26.24	1.16	0.00	0.00	0.00	0.00	100.00


NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT

1462 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY

1488 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
March, 1984



R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING March, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	0	0	0	0	0	0	1	4	11	22	18	18	27	20	15	10	2	0	0	0	0	0	0	0	6
2	0	0	0	0	0	0	1	1	8	16	19	32	36	34	30	24	13	3	0	0	0	0	0	0	9
3	0	0	0	0	0	0	0	1	10	17	36	35	27	19	16	13	7	2	0	0	0	0	0	0	7
4	0	0	0	0	0	0	0	1	5	11	18	25	30	21	26	20	10	3	0	0	0	0	0	0	7
5	0	0	0	0	0	0	0	1	5	8	15	19	23	27	32	13	7	2	0	0	0	0	0	0	6
6	0	0	0	0	0	0	0	1	11	27	39	45	49	46	40	28	13	4	1	0	0	0	0	0	13
7	0	0	0	0	0	0	0	1	6	11	21	20	30	35	23	13	11	5	1	0	0	0	0	0	7
8	0	0	0	0	0	0	0	1	6	11	21	20	30	35	23	13	11	5	1	0	0	0	0	0	7
9	0	0	0	0	0	0	0	2	8	14	21	30	26	37	20	16	9	4	1	0	0	0	0	0	2
10	0	0	0	0	0	0	0	2	7	16	25	34	27	24	22	19	18	7	1	0	0	0	0	0	8
11	0	0	0	0	0	0	0	2	18	28	36	40	42	42	37	28	19	8	1	0	0	0	0	0	12
12	0	0	0	0	0	0	0	4	14	24	33	39	42	42	37	29	19	8	1	0	0	0	0	0	12
13	0	0	0	0	0	0	0	3	7	15	20	26	27	27	34	22	12	5	1	0	0	0	0	0	8
14	0	0	0	0	0	0	0	5	23	32	39	41	44	45	40	34	21	6	1	0	0	0	0	0	14
15	0	0	0	0	0	0	0	2	8	16	27	45	46	46	41	31	20	8	1	0	0	0	0	0	12
16	0	0	0	0	0	0	1	7	22	34	41	45	46	45	40	32	21	10	2	0	0	0	0	0	14
17	0	0	0	0	0	0	1	6	18	30	39	43	46	45	41	32	22	10	2	0	0	0	0	0	14
18	0	0	0	0	0	0	1	7	21	32	41	45	47	46	42	33	22	11	2	0	0	0	0	0	14
19	0	0	0	0	0	0	1	7	19	30	38	45	47	47	42	34	23	12	3	0	0	0	0	0	14
20	0	0	0	0	0	0	1	5	19	31	39	43	41	42	33	25	15	8	2	0	0	0	0	0	13
21	0	0	0	0	0	0	1	8	22	32	40	46	49	48	44	35	24	12	3	0	0	0	0	0	15
22	0	0	0	0	0	0	1	10	26	37	45	49	51	49	44	36	25	13	3	0	0	0	0	0	16
23	0	0	0	0	0	0	1	6	18	32	41	47	51	49	45	37	26	13	3	0	0	0	0	0	16
24	0	0	0	0	0	0	1	12	23	33	41	48	51	50	46	37	26	13	3	0	0	0	0	0	15
25	0	0	0	0	0	0	2	13	25	33	43	46	49	50	42	37	22	10	4	0	0	0	0	0	16
26	0	0	0	0	0	0	1	6	14	22	45	53	49	49	38	29	25	20	5	0	0	0	0	0	15
27	0	0	0	0	0	0	4	11	19	29	29	35	38	38	31	25	14	7	3	1	0	0	0	6	12
28	0	0	0	0	0	0	2	12	24	36	44	50	53	53	48	40	28	15	5	1	0	0	0	6	12
29	0	0	0	0	0	0	2	8	18	26	28	32	33	31	26	24	16	8	3	1	0	0	0	0	12
30	0	0	0	0	0	0	2	15	25	32	48	52	55	56	51	32	13	4	1	0	0	0	0	0	11
31	0	0	0	0	0	0	3	9	28	36	34	50	56	65	41	38	23	19	6	1	0	0	0	0	18

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSTINA HYDROELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING March, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	1488	100
WIND SPEED	1478	99
WIND DIRECTION	1468	99
PEAK GUST	1481	100
RELATIVE HUMIDITY	1463	98
PRECIPITATION	0	0
SOLAR RADIATION	1488	100
DEW POINT	1463	98

THERE ARE 1488 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA.

1. RH +5 RH Points
2. Solar -1 mW/cm²

Additional comments on this month's data:

1. Wind direction data lost on 3/4 and 3/5 due to frozen wind vane.
2. Malfunction in weather wizard caused data to be lost intermittently from 3/1 to 3/4 for all parameters. Missing temperature, RH, and solar radiation values estimated where possible.

R & M CONSULTANTS, INC.
SLEEKETNA HYDROELECTRIC PROJECT

HOURLY PRECIPITATION SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING April, 1984

PRECIPITATION VALUES ARE IN MILLIMETERS

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	DATE	
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	
2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30

* SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSSETNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING April, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.												
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD									
DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW									
0300	-3.3	-5.6	84	172	1.0	156	4.4	0	0300	-4.7	-4.8	99	206	1.4	205	2.5	0	0300	-7.1	-8.8	88	200	2.4	219	4.4	0
0600	-4.3	-6.8	83	181	2.3	174	7.6	0	0600	-3.1	-3.4	98	167	1.8	113	7.0	0	0600	-8.0	-9.8	87	209	2.2	207	3.2	0
0900	-3.3	-7.8	71	148	4.2	129	8.3	21	0900	-3.8	-5.1	91	144	1.8	118	6.3	10	0900	-6.3	-9.8	76	200	1.4	225	2.5	25
1200	-2.2	488888	54	166	1.8	136	5.7	38	1200	-1.3	-5.7	72	136	2.0	124	5.1	37	1200	-2.4	-8.3	64	222	1.1	225	1.9	40
1500	.4	-6.4	60	160	2.0	135	5.7	53	1500	-1.4	-5.6	73	188	1.6	143	3.8	49	1500	-.6	-6.7	63	214	1.9	216	3.2	38
1800	-2.0	-6.7	70	240	2.3	245	4.4	15	1800	-3.8	-6.3	83	212	2.1	191	3.8	15	1800	-1.8	-4.5	82	211	2.8	208	4.4	11
2100	-4.0	-6.2	85	207	2.3	208	3.8	0	2100	-8.7	-10.2	89	195	2.6	214	4.4	0	2100	-2.4	-4.3	87	203	2.4	208	4.4	0
2400	-5.0	-5.1	99	222	1.1	230	2.5	0	2400	-7.7	-9.5	87	194	3.3	201	5.7	0	2400	-3.5	-4.8	91	185	1.2	203	2.5	0

DAY 04

DAY 05

DAY 06

HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.												
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD									
DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW									
0300	-4.9	-6.3	90	182	2.4	158	5.1	0	0300	-6.1	-7.2	92	192	2.5	210	4.4	0	0300	-4.8	-4.9	99	147	1.1	130	6.3	0
0600	-9.4	-10.6	91	260	4.0	205	6.3	0	0600	7.6	-8.1	96	193	2.5	176	4.4	1	0600	-5.0	-6.0	93	319	.9	021	8.9	1
0900	-7.1	-10.9	74	222	2.9	225	5.1	31	0900	-5.2	-7.5	84	213	2.2	215	3.8	23	0900	-3.4	-7.3	74	069	2.2	079	5.1	40
1200	-1.5	-7.2	65	227	2.6	233	4.4	57	1200	-.7	-5.5	70	195	2.1	171	3.8	58	1200	-3.2	-9.0	64	153	3.1	162	5.7	53
1500	.9	-5.8	69	224	2.9	223	4.4	58	1500	1.5	-6.8	54	211	1.9	195	4.4	48	1500	-2.1	-10.7	52	177	2.1	154	3.8	53
1800	-3.2	-5.8	82	208	3.5	203	5.1	11	1800	-2.2	-4.7	83	230	1.7	225	3.2	15	1800	-4.6	-11.0	61	205	2.6	202	4.4	17
2100	-3.7	-5.9	85	197	2.7	201	4.4	0	2100	-5.6	-7.0	90	199	2.7	201	5.1	0	2100	-11.7	-14.9	77	204	1.9	182	3.8	0
2400	-7.5	-8.5	93	195	2.8	192	5.1	0	2400	-6.2	-6.8	96	199	1.4	202	3.2	0	2400	-11.5	-14.6	78	196	2.2	192	4.4	0

DAY 07

DAY 08

DAY 09

HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.												
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD									
DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW									
0300	-10.2	-12.8	81	189	2.3	167	5.1	0	0300	-12.0	-14.3	83	206	2.6	212	4.4	0	0300	-7.2	-9.9	81	190	2.5	171	3.8	0
0600	-12.8	-15.1	83	183	2.5	182	4.4	1	0600	-14.4	-16.5	84	207	2.2	225	4.4	1	0600	-8.3	-11.0	81	178	2.7	173	4.4	1
0900	-8.6	-14.0	65	187	2.6	199	5.1	26	0900	-11.8	-15.8	66	214	1.9	250	3.8	35	0900	-5.1	-9.5	71	193	2.9	167	5.1	22
1200	-6.2	-12.9	59	206	2.1	189	3.8	58	1200	-7.0	-12.8	63	227	2.6	218	5.1	61	1200	-.8	-9.5	52	181	2.4	170	4.4	46
1500	-4.6	-11.8	57	223	1.8	227	3.2	52	1500	-5.6	-12.3	59	228	2.2	242	3.8	45	1500	1.2	-12.0	37	184	1.3	213	3.2	54
1800	-6.6	-10.8	72	213	2.3	202	4.4	18	1800	-6.9	-10.6	75	267	3.6	266	5.7	13	1800	-2.3	-10.1	55	135	2.3	115	5.1	16
2100	-11.3	-13.3	85	199	2.4	197	3.8	0	2100	-9.2	-11.7	82	205	3.1	208	5.1	0	2100	-7.0	-13.4	60	166	1.8	189	4.4	0
2400	-12.9	-14.8	86	193	2.7	184	5.1	0	2400	-9.2	-11.6	83	191	2.2	188	3.8	0	2400	-5.4	-12.1	59	207	1.4	245	2.5	0

*** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT ***

P & M CONSULTANTS, INC.

SUSSEKHTNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING April, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD											
DEG C	DEG C	%	DEC.	M/S	MW	DEG C	DEG C	%	DEC.	M/S	MW	DEG C	DEG C	%	DEC.	M/S	MW									
0300	-3.3	-5.6	84	172	1.0	156	4.4	0	0300	-4.7	-4.8	99	206	1.4	205	2.5	0	0300	-7.1	-8.8	88	200	2.4	219	4.4	0
0600	-4.3	-6.8	83	181	2.3	174	7.6	0	0600	-3.1	-3.4	98	167	1.8	113	7.0	0	0600	-8.0	-9.8	87	209	2.2	207	3.2	0
0900	-3.3	-7.8	71	148	4.2	129	9.3	21	0900	-3.8	-5.1	91	144	1.8	118	6.3	10	0900	-6.3	-9.8	76	200	1.4	225	2.5	25
1200	-2	****	54	166	1.8	136	5.7	38	1200	-1.3	-5.7	72	136	2.0	124	5.1	37	1200	-2.4	-8.3	64	222	1.1	225	1.9	40
1500	.4	-6.4	60	160	2.0	135	5.7	53	1500	-1.4	-5.6	73	188	1.6	143	3.8	49	1500	-.6	-6.7	63	214	1.9	216	3.2	38
1800	-2.0	-6.7	70	240	2.3	245	4.4	15	1800	-3.8	-6.3	83	212	2.1	191	3.8	15	1800	-1.8	-4.5	82	211	2.8	208	4.4	11
2100	-4.0	-6.2	85	207	2.3	208	3.8	0	2100	-8.7	-10.2	89	195	2.6	214	4.4	0	2100	-2.4	-4.3	87	203	2.4	208	4.4	0
2400	-5.0	-5.1	99	222	1.1	230	2.5	0	2400	-7.7	-9.5	87	194	3.3	201	5.7	0	2400	-3.5	-4.8	91	185	1.2	203	2.5	0

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD											
DEG C	DEG C	%	DEC.	M/S	MW	DEG C	DEG C	%	DEC.	M/S	MW	DEG C	DEG C	%	DEC.	M/S	MW									
0300	-4.9	-6.3	90	182	2.4	158	5.1	0	0300	-6.1	-7.2	92	192	2.5	210	4.4	0	0300	-4.8	-4.9	99	147	1.1	130	6.3	0
0600	-9.4	-10.6	91	200	4.0	206	6.3	0	0600	-7.6	-8.1	96	193	2.5	176	4.4	1	0600	-5.0	-6.0	93	319	.9	021	8.9	1
0900	-7.1	-10.9	74	222	2.9	225	5.1	31	0900	-5.2	-7.5	84	213	2.2	215	3.8	23	0900	-3.4	-7.3	74	069	2.2	079	5.1	40
1200	-1.5	-7.2	65	227	2.6	233	4.4	57	1200	-.7	-5.5	70	195	2.1	171	3.8	58	1200	-3.2	-9.0	64	153	3.1	162	5.7	53
1500	-.9	-5.8	69	224	2.9	223	4.4	50	1500	1.5	-6.8	54	211	1.9	195	4.4	49	1500	-2.1	-10.7	52	177	2.1	154	3.8	53
1800	-3.2	-5.8	82	208	3.5	203	5.1	11	1800	-2.2	-4.7	83	230	1.7	225	3.2	15	1800	-4.6	-11.0	61	205	2.6	202	4.4	17
2100	-3.7	-5.9	85	197	2.7	201	4.4	0	2100	-5.6	-7.0	90	199	2.7	201	5.1	0	2100	-11.7	-14.9	77	204	1.9	182	3.8	0
2400	-7.5	-8.5	93	195	2.8	192	5.1	0	2400	-6.2	-6.8	96	199	1.4	202	3.2	0	2400	-11.5	-14.0	78	196	2.2	192	4.4	0

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD											
DEG C	DEG C	%	DEC.	M/S	MW	DEG C	DEG C	%	DEC.	M/S	MW	DEG C	DEG C	%	DEC.	M/S	MW									
0300	-10.2	-12.8	81	188	2.3	167	5.1	0	0300	-12.0	-14.3	83	206	2.6	212	4.4	0	0300	-7.2	-9.9	81	190	2.5	171	3.8	0
0600	-12.8	-15.1	83	183	2.5	182	4.4	1	0600	-14.4	-16.5	84	207	2.2	225	4.4	1	0600	-8.3	-11.0	81	178	2.7	173	4.4	1
0900	-8.6	-14.0	65	187	2.6	199	5.1	26	0900	-11.8	-16.0	66	214	1.9	250	3.8	35	0900	-5.1	-9.5	71	193	2.9	167	5.1	22
1200	-6.2	-12.9	59	206	2.1	189	3.8	58	1200	-7.0	-12.8	63	227	2.6	218	5.1	61	1200	-.8	-9.5	52	181	2.4	170	4.4	46
1500	-4.6	-11.8	57	223	1.8	227	3.2	52	1500	-5.6	-12.3	59	228	2.2	242	3.8	45	1500	1.2	-12.0	37	184	1.3	213	3.2	54
1800	-6.6	-10.0	72	213	2.3	202	4.4	18	1800	-6.9	-10.6	75	207	3.6	206	5.7	13	1800	-2.3	-10.1	55	135	2.3	115	5.1	16
2100	-11.3	-13.3	85	199	2.4	197	3.8	0	2100	-9.2	-11.7	82	205	3.1	208	5.1	0	2100	-7.0	-13.4	60	166	1.8	189	4.4	0
2400	-12.9	-14.8	86	193	2.7	184	5.1	0	2400	-9.2	-11.6	83	191	2.2	188	3.8	0	2400	-5.4	-12.1	59	207	1.4	245	2.5	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUNGITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING April, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.				
NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	
DEG C	DEG C	%	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	MW	
0300	-10.5	****	59	139	.9	103	3.1	0	0300	****	****	**	***	****	0
0600	-10.3	-15.4	66	151	1.2	147	2.5	0	0600	****	****	**	***	****	0
0900	-7.5	-13.9	60	258	2.5	107	2.5	34	0900	-5.2	-12.0	59	200	1.7	39
1200	-5.0	-13.4	52	135	1.1	154	3.1	40	1200	-3.1	-9.7	62	139	1.5	154
1500	-1.7	-11.1	49	151	1.6	164	3.2	50	1500	-1.3	-8.0	60	154	1.3	38
1800	-4.4	-11.0	60	190	1.2	151	3.2	19	1800	-2.4	-9.3	59	201	2.2	201
2100	-9.3	-11.4	85	175	.8	207	2.5	0	2100	-5.4	-7.5	85	141	2.4	154
2400	-10.5	****	**	150	1.3	157	6.1	0	2400	****	****	**	161	2.6	144

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.				
NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	
DEG C	DEG C	%	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	MW	
0300	-9.9	-11.5	88	141	1.7	144	4.4	0	0300	-5.0	-6.1	92	168	1.3	188
0600	-9.7	-10.6	93	139	1.9	174	4.4	3	0600	-5.7	-8.8	79	165	1.9	181
0900	-3.5	-10.3	59	131	1.1	151	3.4	39	0900	-3.4	-10.5	58	104	1.5	105
1200	.6	-5.6	63	146	2.0	156	5.1	64	1200	-1.5	-7.0	62	***	***	1.9
1500	-.3	-5.5	68	139	3.3	141	7.0	32	1500	-.6	****	62	***	***	3.2
1800	.3	-5.1	67	141	4.1	146	7.0	15	1800	-1.2	-3.3	86	***	***	1.9
2100	-4.9	-6.8	87	195	2.0	201	4.4	0	2100	-3.2	****	99	***	***	1.9
2400	-6.1	-7.5	90	180	2.3	199	4.4	0	2400	-5.1	-5.8	95	152	1.5	154

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.				
NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	
DEG C	DEG C	%	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	MW	
0300	-8.3	-8.7	97	175	1.0	238	3.4	0	0300	-9.0	-9.5	96	167	1.1	194
0600	-9.2	-9.7	96	142	1.5	155	5.7	3	0600	-8.6	-9.0	97	206	1.4	219
0900	-5.0	-9.2	72	183	1.6	168	3.8	34	0900	-5.8	-9.0	78	174	1.2	168
1200	-4.9	-10.1	57	223	2.0	221	3.8	54	1200	-.8	****	44	186	.8	156
1500	-2.7	-10.0	57	215	2.1	205	3.8	52	1500	-2.6	-8.6	63	242	1.5	238
1800	-4.7	-6.3	89	265	1.4	357	5.7	12	1800	-4.0	-5.7	88	263	1.5	266
2100	-6.5	-7.1	96	034	4.5	040	8.3	0	2100	-5.5	-5.8	98	022	1.7	035
2400	-7.7	****	98	357	1.0	010	4.4	0	2400	-7.8	-8.2	97	340	4	211

** GEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSSETNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING April, 1984

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW											
0300	-12.6	-14.5	86	148	1.4	177	4.4	0 0300	-5.8	-7.9	85	208	1.5	179	3.2	0 0300	-1.3	-4.5	79	160	1.2	207	4.4	0
0600	-13.7	-16.0	83	206	1.8	216	3.8	3 0600	-5.4	-6.7	91	232	2.2	232	4.4	3 0600	-1.5	-5.2	76	201	1.5	221	3.2	7
0900	-6.4	-11.1	69	215	2.2	202	3.8	29 0900	.1	-4.3	72	183	1.5	119	5.1	56 0900	4.3	-7.0	44	194	2.1	216	4.4	54
1200	-1.1	-10.8	48	210	2.2	204	3.8	65 1200	.9	-4.3	68	201	1.9	200	5.1	34 1200	3.1	-5.6	53	105	4.9	110	11.4	67
1500	-.8	-8.7	55	223	1.8	222	3.2	46 1500	7.2	*****	37	228	1.8	209	4.4	61 1500	5.2	-6.5	43	140	1.6	111	7.6	61
1800	-3.2	-7.0	75	208	3.1	214	4.4	18 1800	4.2	*****	51	237	1.3	272	3.2	30 1800	3.4	-4.8	55	181	1.9	158	6.3	11
2100	-4.3	-7.1	81	204	3.2	210	4.4	0 2100	2.1	-4.4	62	169	2.8	140	8.3	0 2100	.3	-3.6	75	161	2.0	188	4.4	0
2400	-4.2	-6.7	83	164	1.8	183	3.8	0 2400	.1	-4.3	72	127	1.3	162	4.4	0 2400	.1	-2.8	81	153	1.5	110	6.3	0

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW											
0300	-4.9	-6.2	91	682	5.9	118	12.7	0 0300	-11.2	-17.0	62	198	3.2	213	5.1	0 0300	-9.9	-14.1	71	180	3.1	180	4.4	0
0600	-6.2	-9.1	80	298	3.9	278	13.3	5 0600	-10.6	-17.7	56	188	3.3	194	6.3	7 0600	-9.0	-14.7	63	181	2.9	176	4.4	9
0900	-5.6	-11.7	62	299	3.2	277	10.8	43 0900	-7.6	-17.3	46	201	2.0	212	.4	43 0900	-4.9	-13.3	52	174	2.5	187	4.4	44
1200	-3.9	-13.6	47	810	2.6	339	6.3	66 1200	-2.6	-16.4	34	192	1.4	179	2.5	67 1200	.1	*****	34	188	1.9	202	2.5	68
1500	-4.2	-14.2	46	289	4.4	281	8.3	49 1500	-1.2	-14.2	37	163	2.2	149	3.8	60 1500	1.0	-12.2	37	194	1.7	168	3.2	60
1800	-4.1	-14.6	44	262	2.8	276	7.6	25 1800	-2.8	-11.8	50	146	2.9	143	5.1	26 1800	-1.4	-10.8	49	198	1.4	158	3.2	12
2100	-8.9	-15.7	58	141	.4	259	5.1	0 2100	-6.7	-10.5	74	194	1.9	147	3.8	0 2100	-5.0	-7.3	84	231	2.0	244	5.1	0
2400	-10.2	-15.9	63	195	2.9	212	5.7	0 2400	-9.1	-13.2	72	200	2.4	195	4.4	0 2400	-5.8	-8.4	82	179	2.3	193	4.4	0

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	DEG.	M/S	MW											
0300	-9.1	-11.2	85	176	3.0	181	6.3	0 0300	-10.1	-14.3	71	178	3.1	184	5.1	0 0300	-7.4	-9.5	85	172	3.0	163	5.1	0
0600	-8.6	-11.0	83	199	2.2	184	4.4	8 0600	-10.1	-15.2	66	187	2.7	167	5.1	7 0600	-5.0	-7.9	80	210	1.8	160	4.4	7
0900	-7.1	-13.3	61	202	1.9	216	3.2	43 0900	-5.2	-12.6	56	188	2.4	205	4.4	31 0900	-2.4	-5.2	81	116	4.2	105	9.5	37
1200	-2.4	-10.9	52	236	2.0	229	3.2	68 1200	4.5	-13.0	27	159	1.8	162	3.8	71 1200	-.4	-5.2	70	098	6.4	100	10.2	70
1500	-.4	-9.9	49	242	2.2	245	3.8	70 1500	.6	-11.9	39	186	1.3	165	3.2	54 1500	3.5	-5.7	51	110	4.0	106	8.9	53
1800	-1.7	-8.4	60	252	2.1	258	3.6	23 1800	-.1	-9.6	49	221	2.1	222	3.8	22 1800	3.1	*****	55	270	1.1	232	4.4	19
2100	-4.8	-8.5	75	217	1.9	196	3.8	0 2100	-3.2	-6.5	78	221	1.5	227	2.5	0 2100	-.1	-2.0	87	218	1.4	225	2.5	0
2400	-7.5	-12.0	70	199	2.4	217	4.4	0 2400	-5.4	-7.7	84	174	2.3	167	4.4	0 2400	-.8	-1.5	95	214	2.0	202	3.8	0

* * SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT * *

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING April, 1984

	DAY 28						DAY 29						DAY 30																		
HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD			
	DEG C	DEG C	%	DEG.	M/S	M/S	MW		DEG C	DEG C	%	DEG.	M/S	DEG C	DEG C	%	DEG.	M/S	MW		DEG C	DEG C	%	DEG.	M/S	DEG C	DEG C	%	DEG.	M/S	MW
0300	-1.1	-2.0	94	201	1.5	207	3.2	0	0300	-2.7	-4.0	91	173	2.3	167	4.4	0	0300	.8	-1.3	86	206	2.2	199	5.1	0					
0600	-1.0	-2.5	90	186	1.8	175	3.2	3	0600	-2.8	-5.3	83	198	1.7	210	3.8	13	0600	-.1	-2.6	63	181	2.0	146	5.1	9					
0900	2.0	-3.1	69	187	1.5	191	3.8	39	0900	.5	-5.9	62	220	2.0	217	4.4	52	0900	2.8	-1.3	74	169	2.6	172	6.3	45					
1200	4.2	-3.5	57	180	.8	161	2.5	63	1200	1.8	-4.5	63	181	2.0	147	5.7	49	1200	5.4	-2.9	55	166	1.9	142	4.4	71					
1500	5.1	-3.7	53	252	1.7	250	3.2	61	1500	3.8	-3.7	58	227	2.4	246	5.1	59	1500	4.5	-2.3	61	231	2.6	227	4.4	49					
1800	2.8	-.5	79	320	1.6	328	4.4	21	1800	2.0	-3.2	68	228	2.3	232	3.8	19	1800	4.8	-2.7	58	244	1.6	238	3.8	31					
2100	.9	-.1	93	004	.7	015	2.5	0	2100	1.0	-1.9	81	206	2.1	212	3.2	1	2100	.9	-1.7	83	23	1.1	249	2.5	1					
2400	-.9	-2.4	90	189	1.5	172	3.8	0	2400	-.5	-3.0	83	179	2.3	187	3.0	0	2400	-2.1	-3.5	90	255	1.0	259	2.5	0					

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING April, 1984

	DAY 28						DAY 29						DAY 30													
HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.	HOUR	DEW	WIND	WIND	GUST	MAX.									
NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	NDNG	TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD				
	DEG C	DEG C	%	DEG C	M/S	MW		DEG C	DEG C	%	DEG C	M/S	MW		DEG C	DEG C	%	DEG C	M/S	MW						
0300	-1.1	-2.0	94	201	1.5	207	3.2	0	0300	-2.7	-4.0	91	173	2.3	167	4.4	0	0300	.8	-1.3	86	206	2.2	199	5.1	0
0600	-1.0	-2.5	90	186	1.8	175	3.2	3	0600	-2.8	-5.3	83	198	1.7	210	3.8	13	0600	-.1	-2.6	83	181	2.0	146	5.1	9
0900	2.0	-3.1	69	187	1.5	191	3.8	39	0900	.5	-5.9	62	220	2.0	217	4.4	52	0900	2.8	-1.3	74	169	2.6	172	6.3	45
1200	4.2	-3.5	57	180	.8	161	2.5	63	1200	1.8	-4.5	63	181	2.0	147	5.7	49	1200	5.4	-2.9	55	166	1.9	142	4.4	71
1500	5.1	-3.7	53	252	1.7	250	3.2	61	1500	3.0	-3.7	58	227	2.4	246	5.1	59	1500	4.5	-2.3	61	231	2.6	227	4.4	49
1800	2.8	-.5	79	320	1.6	328	4.4	21	1800	2.0	-3.2	68	220	2.3	232	3.8	19	1800	4.0	-2.7	56	244	1.6	238	3.8	31
2100	.9	-.1	93	004	.7	015	2.5	0	2100	1.0	-1.9	81	206	2.1	212	3.2	1	2100	.9	-1.7	83	233	1.1	249	2.5	1
2400	-.9	-2.4	90	189	1.5	172	3.8	0	2400	-.5	-3.0	83	179	2.3	187	3.8	0	2400	-2.1	-3.5	90	255	1.0	259	2.5	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSSETNA HYDROELECTRIC PROJECT


MONTHLY SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING April, 1984

DAY	RES.			RES.			AVG.	MAX.	MAX.	P'VAL			MEAN		MEAN		PRECIP	DAY'S SOLAR ENERGY	WH/SDM
	MAX. DEG C	MIN. DEG C	MEAN DEG C	WIND DIR. DEG	WIND SPD. M/S	WIND SPD. M/S	DIR. DEG	GUST SPD. M/S	DTR. %	RH DEG C	DP MM	P'VAL	MEAN DEG C	MEAN MM					
1	1.4	-5.7	-2.2	181	1.8	2.4	129	8.3	SW	76	-6.5	.2	3845	1					
2	-9	-9.0	-5.0	182	1.9	2.4	113	7.0	SSW	87	-6.2	.8	3180	2					
3	-6	-8.7	-4.7	206	1.9	2.0	219	4.4	SSW	80	-7.2	.4	3345	3					
4	-8	-9.6	-5.2	207	2.9	3.0	206	6.3	SSW	81	-7.3	0.0	4435	4					
5	1.5	-9.1	-3.8	203	2.1	2.2	201	5.1	SSW	84	-6.9	0.0	4125	5					
6	-1.2	-12.8	-7.0	175	1.3	2.4	021	8.9	SSW	76	-9.3	.2	4905	6					
7	-4.2	-12.9	-8.6	197	2.3	2.4	167	5.1	S	73	-13.1	0.0	4635	7					
8	-4.7	-14.6	-9.7	210	2.5	2.6	206	5.7	SSW	75	-13.3	0.0	4440	8					
9	1.8	-9.9	-4.1	180	2.1	2.4	167	5.1	SSW	64	-1.2	0.0	4280	9					
10	-1.4	-11.5	-6.5	158	1.0	1.4	157	6.1	SSE	61	-13.4	0.0	4555	10					
11	-1.1	-7.4	-4.3	164	1.8	2.2	154	5.1	SSW	68	-8.7	0.0	4833	11					
12	3.4	-10.7	-3.7	151	2.1	2.7	124	6.3	SE	74	-8.2	0.0	4629	12					
13	7.1	-11.0	-2.0	151	2.2	2.5	141	7.0	SSE	75	-8.4	0.0	4505	13					
14	1.7	-7.7	-3.0	157	1.5	1.3	181	4.4	S	84	-6.4	0.0	3685	14					
15	-1	-10.5	-5.2	181	1.6	2.1	190	32.0	SSE	81	-7.6	.4	5130	15					
16	-2.1	-10.0	-6.1	195	.3	2.2	040	8.3	SW	80	-9.4	0.0	5155	16					
17	-8	-10.0	-5.4	220	.5	1.5	035	4.4	WSW	86	-8.1	.8	4575	17					
18	-1.9	-11.3	-6.6	208	1.9	2.3	193	32.0	SSW	78	-10.2	.6	5880	18					
19	-2.2	-13.7	-7.0	201	2.1	2.3	177	4.4	SSW	74	-10.2	0.0	4825	19					
20	7.2	-6.7	.3	200	1.5	2.1	140	8.3	WSW	71	-5.4	0.0	5880	20					
21	5.8	-3.1	1.4	152	1.7	2.6	110	11.4	SSE	63	-5.1	0.0	5570	21					
22	.3	-11.9	-5.8	302	1.1	4.1	278	13.3	WNW	61	-11.9	0.0	5790	22					
23	-1.2	-12.4	-6.8	184	2.3	2.6	194	6.3	SSW	54	-15.1	0.0	6110	23					
24	1.0	-11.7	-5.4	188	2.0	2.3	244	5.1	S	59	-12.4	0.0	6050	24					
25	-4	-11.3	-5.9	213	2.0	2.3	181	6.3	WSW	67	-10.7	0.0	6100	25					
26	4.5	-11.8	-3.7	187	2.0	2.2	184	5.1	S	59	-11.6	0.0	5525	26					
27	4.1	-7.7	-1.8	138	1.9	3.3	100	10.2	SW	75	-5.6	0.0	5290	27					
28	5.3	-1.4	2.0	213	.8	1.6	328	4.4	SSW	80	-2.1	0.0	5275	28					
29	4.3	-4.3	0.0	202	2.0	2.3	147	5.7	S	75	-3.9	0.0	5460	29					
30	7.5	-2.1	2.7	205	1.6	2.0	172	6.3	WSW	72	-2.3	0.0	6050	30					
MONTH	7.5	-14.6	-4.1	190	1.6	2.3	190	32.0	SSW	73	-8.6	3.4	148042						

GUST VEL. AT MAX. GUST MTNUS 2 INTERVALS 3.8
 GUST VEL. AT MAX. GUST MTNUS 1 INTERVAL 3.8
 GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 2.5
 GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 3.2

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.
 ** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
April, 1984




R & M CONSULTANTS, INC.
SUBSTITUTIVE HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING April, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0.2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
N	.07	.45	.15	0.00	0.00	0.00	0.00		.67
NNE	.15	.75	.37	0.00	0.00	0.00	0.00		1.27
NE	.07	.30	.30	.22	0.00	0.00	0.00		.90
ENE	0.00	.45	.22	0.00	0.00	0.00	0.00		.67
E	0.00	.97	.52	.30	0.00	0.00	0.00		1.80
ESE	.15	2.69	1.42	.97	0.00	0.00	0.00		5.24
SE	.22	3.22	1.95	0.00	0.00	0.00	0.00		5.39
SSE	.22	8.83	3.29	0.00	0.00	0.00	0.00		12.35
S	.07	12.65	3.07	0.00	0.00	0.00	0.00		15.79
SSW	.45	21.48	4.94	0.00	0.00	0.00	0.00		26.87
SW	.60	14.00	4.35	0.00	0.00	0.00	0.00		15.94
WSW	.45	7.49	.67	0.00	0.00	0.00	0.00		8.61
W	.22	1.50	.37	.22	0.00	0.00	0.00		2.32
WNW	.37	.37	.45	.07	0.00	0.00	0.00		1.27
NW	.15	.22	0.00	0.00	0.00	0.00	0.00		.57
NNW	.07	.30	.15	0.00	0.00	0.00	0.00		.52
CALM									0.00
TOTAL	3.29	25.62	19.28	1.80	0.00	0.00	0.00		100.00

NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT
1336 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY
1440 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.
** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
April, 1984



R & M CONSULTANTS, INC.
SUSSEX HYDRO ELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING April, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	0	0	0	0	0	0	3	9	28	30	37	37	46	51	50	39	29	18	10	1	0	0	0	0	16
2	0	0	0	0	0	0	2	5	10	20	23	35	45	43	51	43	24	13	7	1	0	0	0	0	13
3	0	0	0	0	0	0	5	11	21	26	37	41	40	43	41	32	22	12	6	1	0	0	0	0	14
4	0	0	0	0	0	0	5	17	29	30	42	60	58	57	52	44	33	14	5	1	0	0	0	0	18
5	0	0	0	0	0	1	4	11	20	37	44	53	48	51	49	40	33	18	7	1	0	0	0	0	17
6	0	0	0	0	0	1	4	11	30	45	52	57	63	63	58	45	34	21	9	1	0	0	0	0	20
7	0	0	0	0	0	1	5	15	18	38	51	57	60	58	54	44	34	22	9	2	0	0	0	0	19
8	0	0	0	0	0	1	5	16	32	32	45	52	52	55	51	52	28	17	7	2	0	0	0	0	19
9	0	0	0	0	0	1	5	12	21	32	48	47	50	59	57	41	32	16	9	2	0	0	0	0	18
10	0	0	0	0	0	1	3	14	33	44	52	45	52	51	50	49	32	22	9	2	0	0	0	0	19
11	0	0	0	0	0	0	***	***	39	43	54	52	51	51	54	47	36	14	12	2	0	0	0	0	19
12	0	0	0	0	0	2	***	***	***	42	54	55	63	51	49	49	24	8	8	2	0	0	0	0	17
13	0	0	0	0	0	2	10	15	37	42	49	55	67	41	49	32	30	15	8	2	0	0	0	0	19
14	0	0	0	0	0	1	8	13	26	33	34	34	42	51	44	29	27	19	10	2	0	0	0	0	15
15	0	0	0	0	0	1	7	16	19	31	58	52	57	67	61	57	43	29	15	3	0	0	0	0	21
16	0	0	0	0	0	2	12	29	37	43	52	56	62	55	58	53	33	16	8	2	0	0	0	0	21
17	0	0	0	0	0	2	8	19	26	36	40	70	69	53	44	37	30	16	8	2	0	0	0	0	19
18	0	0	0	0	0	2	11	17	44	56	64	67	67	66	61	51	40	27	14	3	1	0	0	0	25
19	0	0	0	0	0	2	8	14	28	42	53	69	60	60	45	37	31	21	12	4	1	0	0	0	20
20	0	0	0	0	0	2	12	33	50	50	56	50	79	69	64	45	30	33	14	5	1	0	0	0	25
21	0	0	0	0	0	5	15	35	54	55	61	68	49	57	57	46	32	14	9	4	1	0	0	0	23
22	0	0	0	0	0	3	11	21	36	51	60	66	68	67	56	48	44	29	17	4	1	0	0	0	24
23	0	0	0	0	1	5	16	28	40	52	60	66	68	67	62	54	42	30	18	5	1	0	0	0	25
24	0	0	0	0	1	6	19	30	41	52	60	67	69	68	62	54	43	21	11	5	1	0	0	0	25
25	0	0	0	0	1	6	17	29	41	52	61	67	67	64	66	55	39	26	17	5	1	0	0	0	25
26	0	0	0	0	1	5	13	26	30	43	54	66	60	64	58	44	46	27	15	6	1	0	0	0	23
27	0	0	0	0	1	5	18	25	37	39	57	50	72	52	56	44	36	22	13	5	1	0	0	0	22
28	0	0	0	0	1	3	9	16	37	49	45	61	61	69	58	42	44	22	15	5	1	0	0	0	22
29	0	0	0	0	2	9	22	31	50	54	50	57	65	43	58	40	29	20	13	6	2	0	0	0	23
30	0	0	0	0	1	7	16	24	39	59	62	69	80	45	50	66	38	29	15	6	2	0	0	0	25

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & CONSULTANTS, INC.
SUSTAINA HYDRO ELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING April, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	1406	98
WIND SPEED	1386	96
WIND DIRECTION	1351	94
PEAK GUST	1387	96
RELATIVE HUMIDITY	1357	94
PRECIPITATION	1429	99
SOLAR RADIATION	1429	99
DEW POINT	1352	94

THERE ARE 1440 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. RH +5 RH Points
2. Solar -1 mW/cm²

Additional comments on this month's data:

1. Malfunction in weather wizard caused data to be lost intermittently from 4/9 to 4/19 for all parameters. Missing temperature, RH, precipitation, and solar radiation values estimated where possible.
2. Intermittent wind direction data lost due to frozen wind vane.
3. Timing and quantity of precipitation are suspect since freezing temperatures occurred almost every day.

R & M CONSULTANTS, INC.
SUSSETT ISLAND HYDRO ELECTRIC PROJECT

HOURLY PRECIPITATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING May, 1984

PRECIPITATION VALUES ARE IN MILLIMETERS

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	DATE	
1	0.0	0.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.8	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9
10	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10
11	0.0	0.0	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11
12	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12
13	0.0	0.0	0.11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13
14	0.0	0.0	0.11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16
17	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22
23	0.0	0.0	0.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31

** OFF INTERPRETATION AND APPROVAL OF PRELIMINARY REPORT - X

R & M CONSULTANTS, INC.
SUSSETNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING May, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	%	DEG C	DEG C	%	DEG C	DEG C	DIR.	SPD.	DIR.	GUST	RAD												
0300	-2.5	-4.5	86	199	1.8	182	3.8	0 0300	-1.7	-4.1	84	040	1.4	031	5.1	0 0300	-6.1	-7.4	91	168	2.2	163	3.8	0
0600	-3.5	-5.0	84	207	1.9	181	3.8	9 0600	-2.1	-2.7	94	193	1.7	206	5.1	3 0600	-4.5	-7.6	79	182	1.9	179	3.8	14
0900	-1.1	-5.3	73	226	2.0	242	3.8	28 0900	-1.2	-3.7	83	149	1.1	152	3.2	15 0900	-8.8	-5.9	68	182	1.7	165	4.4	27
1200	3.1	-4.3	58	232	2.3	231	3.8	51 1200	1.6	*****	58	134	.8	148	2.5	49 1200	1.9	-6.4	54	127	2.8	138	6.3	72
1500	5.0	-4.1	52	233	2.3	252	4.4	44 1500	.7	-2.5	79	265	1.4	241	3.2	46 1500	3.8	-6.5	47	155	3.2	151	6.3	57
1800	5.7	-3.9	50	259	.9	324	3.2	34 1800	1.2	-5.0	63	328	1.2	017	3.2	39 1800	4.0	*****	46	216	1.1	160	2.5	23
2100	1.8	-1.1	81	006	1.7	025	4.4	1 2100	-2.1	-4.1	86	251	2.4	258	3.8	1 2100	-4.4	-3.4	80	146	2.1	115	7.0	1
2400	-.4	-4.3	75	035	2.8	046	3.7	0 2400	-3.5	-4.9	90	178	1.3	186	2.5	0 2400	-4.4	-3.4	80	212	1.6	201	3.2	0

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	%	DEG C	DEG C	%	DEG C	DEG C	DIR.	SPD.	DIR.	GUST	RAD												
0300	-4.3	-7.6	78	210	2.0	214	3.8	0 0300	-5.9	-6.9	93	194	1.0	167	3.2	0 0300	-4.9	-7.0	85	196	1.8	200	2.5	0
0600	-4.1	-8.7	70	215	2.1	219	3.8	16 0600	-3.5	-7.3	75	197	2.4	193	3.8	18 0600	-5.1	-8.3	78	209	1.8	206	3.2	6
0900	1.1	-7.2	54	177	1.8	139	5.1	48 0900	1.3	-7.0	54	206	2.4	189	3.8	55 0900	-.4	-6.6	63	227	1.4	217	2.5	30
1200	2.3	-6.6	51	137	4.6	131	7.6	60 1200	2.9	-7.4	47	242	1.1	240	3.2	69 1200	2.9	-7.7	46	263	1.1	281	3.2	76
1500	3.3	-6.7	48	159	2.9	135	5.1	63 1500	3.5	-7.4	45	247	2.0	253	4.4	65 1500	5.1	-7.5	40	249	2.0	270	4.4	65
1800	1.9	-5.7	57	255	4.7	259	8.3	27 1800	2.6	-5.8	54	385	1.6	311	4.4	31 1800	3.3	-8.6	41	259	2.4	265	3.8	20
2100	-.8	-3.3	83	354	1.3	047	7.0	1 2100	-.3	-3.2	81	264	2.0	264	5.1	1 2100	-.7	-6.4	65	247	2.4	257	3.8	1
2400	-.6	*****	94	002	1.3	030	6.3	0 2400	-3.3	-5.2	87	168	1.2	186	3.2	0 2400	-3.6	-7.0	77	200	2.3	190	3.8	0

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	%	DEG C	DEG C	%	DEG C	DEG C	DIR.	SPD.	DIR.	GUST	RAD												
0300	-4.5	-8.1	76	196	2.3	189	3.8	0 0300	-4.0	-9.2	67	200	2.8	204	4.4	0 0300	-.7	-8.2	66	199	2.3	202	3.8	0
0600	-4.0	-9.2	67	210	1.9	207	3.2	13 0600	-2.0	-9.4	57	201	2.9	197	4.4	14 0600	-.5	-6.9	62	187	2.3	186	3.8	14
0900	1.0	-8.3	50	202	1.5	215	3.2	46 0900	4.3	-9.3	37	196	1.7	171	3.8	49 0900	6.3	*****	42	170	1.5	184	3.2	49
1200	4.3	-9.6	36	231	1.7	231	3.8	72 1200	7.7	-9.3	30	235	1.1	267	3.8	72 1200	8.2	-7.3	33	291	.8	316	3.2	72
1500	5.7	-9.1	34	256	2.7	256	4.4	65 1500	7.0	-8.7	32	248	2.0	240	5.1	65 1500	8.3	-8.8	34	255	2.6	258	5.1	64
1800	4.9	-8.0	39	259	3.4	262	5.1	31 1800	7.4	-8.0	33	236	1.9	246	4.4	31 1800	8.5	-6.2	35	261	3.2	258	5.1	34
2100	-.4	-6.0	62	247	2.4	255	4.4	1 2100	2.4	-4.3	61	227	2.1	204	3.8	2 2100	4.1	-4.4	54	260	1.8	273	3.8	2
2400	-2.4	-7.5	68	206	2.1	209	3.8	0 2400	1	-5.5	66	201	2.5	203	3.8	0 2400	-.9	-4.1	69	199	2.6	210	4.4	0

* A SITE INTERPRETATION WITHIN AT END OF MINUTELY REPORT **

R & M CONSULTANTS, INC.

SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING May, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	MW
0300	-8	-5.2	72	198	2.1	184	3.8	0	0300	-1.0	-5.2	73	002	2.4	330	7.6	0	0300	-7.6	-14.0	60	197	2.2	219	3.8	0		
0600	-3	-6.1	62	209	1.3	225	2.5	4	0600	-9	-7.5	61	326	4.4	329	8.3	13	0600	-4.9	-13.0	53	189	1.9	178	3.2	15		
0900	6.7	***	43	139	.3	357	2.5	49	0900	.3	-8.7	51	338	4.8	340	8.3	48	0900	.9	-13.7	33	178	1.3	170	3.2	49		
1200	8.3	-5.3	38	353	1.4	334	3.8	72	1200	1.4	-10.2	42	324	6.0	320	9.5	68	1200	3.7	-14.6	25	125	2.1	102	5.7	72		
1500	8.5	-5.5	37	317	2.1	317	6.3	67	1500	1.2	-10.7	41	338	6.0	341	8.9	65	1500	5.7	-12.4	26	148	2.4	150	5.1	65		
1800	7.5	-6.4	37	275	4.7	270	7.0	33	1800	.7	-12.1	38	339	6.0	339	8.3	25	1800	6.1	-12.1	26	207	2.0	153	5.7	33		
2100	4.1	-3.9	56	274	2.5	273	5.1	2	2100	-1.5	-14.4	37	328	5.2	335	8.3	2	2100	2.5	-7.7	47	266	2.1	260	3.8	2		
2400	.1	-4.0	74	048	2.3	024	4.4	0	2400	-3.7	-15.8	39	311	2.1	320	7.0	0	2400	-1.6	-7.3	65	204	1.8	210	3.8	0		

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	MW
0300	-2.2	-6.9	70	191	2.1	202	4.4	0	0300	-1.4	-5.9	71	188	2.4	186	4.4	0	0300	.3	-3.9	73	205	2.8	196	3.2	0		
0600	-.9	-7.0	63	189	2.4	189	5.1	9	0600	-.2	-5.4	68	190	2.0	173	4.4	14	0600	-.2	-3.2	80	207	1.7	223	3.2	9		
0900	4.7	-7.2	42	154	.8	196	4.4	49	0900	6.3	-4.5	46	211	.3	332	2.5	48	0900	5.1	-5.9	43	164	1.5	131	5.7	38		
1200	6.4	-7.7	36	333	1.7	286	6.3	72	1200	7.7	-5.5	39	150	3.4	158	7.0	72	1200	8.0	-7.1	34	136	3.2	133	5.7	74		
1500	7.7	-7.7	33	262	2.6	274	6.3	67	1500	9.7	-6.3	32	157	3.7	162	8.9	66	1500	10.3	-11.1	21	170	3.4	147	6.3	70		
1800	7.1	-8.2	33	275	2.9	262	5.7	33	1800	9.6	-8.6	27	152	2.6	167	7.0	32	1800	10.7	-10.2	22	253	3.7	259	7.0	36		
2100	3.4	-5.0	54	271	2.6	288	5.7	2	2100	1.8	-5.1	49	106	2.9	097	6.3	3	2100	6.7	-8.2	34	252	2.7	254	5.7	3		
2400	.1	-5.3	67	196	2.1	241	3.2	0	2400	.3	-3.4	76	213	1.5	165	3.2	0	2400	-.8	-6.5	65	213	2.0	204	3.8	0		

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	MW
0300	-1.5	-6.4	69	205	1.6	203	3.2	0	0300	-1.2	-5.9	70	191	2.7	191	4.4	0	0300	3.2	.6	83	092	4.4	099	9.5	0		
0600	-1.0	-5.7	70	192	1.7	169	3.2	11	0600	3.0	-5.7	53	183	2.4	189	5.1	17	0600	2.4	1.1	91	110	1.6	116	5.7	3		
0900	6.5	-7.6	36	225	1.2	205	3.2	51	0900	10.1	-6.0	32	182	1.1	195	3.8	51	0900	3.8	2.1	89	011	1.7	009	3.8	23		
1200	9.8	-7.1	30	109	1.4	130	5.1	70	1200	13.0	-9.5	20	032	1.6	351	5.1	74	1200	6.8	1.4	68	004	1.9	000	3.8	49		
1500	11.1	-11.1	20	162	3.9	159	7.0	66	1500	16.1	-8.3	10	077	2.4	045	5.7	81	1500	10.4	-1.4	44	298	1.1	247	7.0	72		
1800	9.6	-9.6	25	228	2.3	254	5.7	16	1800	12.8	-5.4	26	083	4.2	082	8.3	14	1800	11.0	-3.6	36	343	2.0	359	6.3	44		
2100	5.7	***	34	243	1.7	250	5.1	3	2100	10.7	-5.1	33	196	2.4	084	7.0	3	2100	7.5	-2.3	50	314	2.3	343	5.1	3		
2400	2.0	-6.1	55	212	1.7	210	3.8	0	2400	6.6	-3.4	49	106	2.6	119	7.0	0	2400	3.8	-2.3	64	203	1.6	207	3.2	0		

** OFF INTERPRETATION ALIVE AT END OF MONTHLY RELATION **

R & M CONSULTANTS, INC.

SUSITA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING MAY, 1984

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.							
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD			
DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW	
0300	1.0	-2.1	80	200	1.1	193	3.2	0	0300	***	***	***	***	***	0300	***	***	***
0600	2.6	-1.5	74	196	1.6	195	3.8	16	0600	***	***	***	***	***	0600	***	***	***
0900	7.7	-8.55	354	1.0	018	3.8	54	0900	***	***	***	***	***	0900	***	***	***	
1200	9.8	-2.3	43	032	2.1	028	5.1	25	1200	***	***	***	***	***	1200	***	***	***
1500	7.3	1.6	67	202	2.2	098	9.5	12	1500	***	***	***	***	***	1500	***	***	***
1800	9.1	1.3	58	226	3.7	234	6.3	31	1800	***	***	***	***	***	1800	***	***	***
2100	5.2	1.5	77	229	.7	262	3.2	3	2100	***	***	***	***	***	2100	***	***	***
2400	5.9	1.8	81	202	1.2	204	3.2	0	2400	***	***	***	***	***	2400	***	***	***

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.						
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD		
DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW
0300	***	***	***	***	0300	-1.4	-3.5	86	242	.9	211	3.2	0	0300	***	***	***
0600	***	***	***	***	0600	.3	-3.4	76	142	1.3	104	2.5	17	0600	***	***	***
0900	***	***	***	***	0900	7.0	-9	57	050	1.0	048	3.2	51	0900	***	***	***
1200	***	***	***	***	1200	12.2	-1.5	39	095	.9	055	3.8	84	1200	***	***	***
1500	***	***	***	***	1500	***	***	***	***	161	3.8	***	1500	***	***	***	
1800	7.0	.0	61	025	2.4	027	4.4	10	1800	***	***	***	***	1800	***	***	***
2100	5.2	1.5	77	229	.7	262	3.2	3	2100	***	***	***	***	2100	***	***	***
2400	.9	1.8	81	202	1.2	204	3.2	0	2400	***	***	***	***	2400	***	***	***

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.							
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD			
DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW	
0300	***	***	***	***	0300	***	***	***	***	0300	***	***	***	***	0300	***	***	***
0600	***	***	***	***	0600	***	***	***	***	0600	***	***	***	***	0600	***	***	***
0900	***	***	***	***	0900	***	***	***	***	0900	***	***	***	***	0900	***	***	***
1200	***	***	***	***	1200	***	***	***	***	1200	***	***	***	***	1200	***	***	***
1500	***	***	***	***	1500	***	***	***	***	1500	***	***	***	***	1500	***	***	***
1800	***	***	***	***	1800	***	***	***	***	1800	***	***	***	***	1800	***	***	***
2100	***	***	***	***	2100	***	***	***	***	2100	***	***	***	***	2100	***	***	***
2400	***	***	***	***	2400	***	***	***	***	2400	***	***	***	***	2400	***	***	***

* * * * * END OF REPORT FOR THE MONTH OF MAY 1984 * * * * *

R & M CONSULTANTS, INC.
SUSSETNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING May, 1984

DAY 28

DAY 29

DAY 30

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD
DEG C	DEG C	%	M/S	DEG.	DEG C	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW
0300	***	***	***	***	***	***	0300	***	***	***	***	***	***
0600	***	***	***	***	***	***	0600	***	***	***	***	***	***
0900	***	***	***	***	***	***	0900	***	***	***	***	***	***
1200	***	***	***	***	***	***	1200	***	***	***	***	***	***
1500	***	***	***	***	***	***	1500	***	***	***	***	***	***
1800	***	***	***	***	***	***	1800	***	***	***	***	***	***
2100	***	***	***	***	***	***	2100	***	***	***	***	***	***
2400	***	***	***	***	***	***	2400	***	***	***	***	***	***

DAY 31

HOUR	WIND GUST MAX.					
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD
DEG C	DEG C	%	M/S	DEG.	M/S	MW
0300	***	***	***	***	***	***
0600	***	***	***	***	***	***
0900	***	***	***	***	***	***
1200	***	***	***	***	***	***
1500	***	***	***	***	***	***
1800	***	***	***	***	***	***
2100	***	***	***	***	***	***
2400	***	***	***	***	***	***

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSSETNA HYDROELECTRIC PROJECT

MONTHLY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING May, 1984

DAY	MAX.			RES.			AVG.			MAX.			MAX. P'VAL			MEAN			DAY'S	
	TEMP.	MIN.	MEAN	WIND DIR.	WIND SPD.	WIND M/S	DIR.	SPD.	M/S	DIR.	SPD.	DIR.	RH %	DEG C	MM	PRECIP	SOLAR ENERGY	WH/SQN		
	DEG C	DEG C	DEG C	DEG	N/S	DEG														
1	6.8	-4.3	1.3	235	.8	2.1	046	5.7	SW	71	-4.0	0.0	5260	1						
2	4.3	-3.5	.4	218	.5	1.6	031	5.1	WSW	79	-4.1	5.2	4600	2						
3	5.0	-7.1	-1.1	166	1.9	2.2	115	7.0	S	69	-6.1	0.0	6120	3						
4	3.9	-4.9	-.5	194	1.3	3.1	259	8.3	SW	63	-6.3	0.0	6375	4						
5	4.3	-6.2	-1.0	227	1.3	2.0	264	5.1	SSW	66	-6.3	0.0	7050	5						
6	5.1	-6.1	-.5	231	1.7	1.9	270	4.4	WSW	63	-7.3	0.0	6955	6						
7	5.7	-5.8	-.1	229	2.1	2.4	262	5.1	SSW	54	-8.3	0.0	6895	7						
8	9.4	-4.2	2.6	215	2.0	2.2	240	5.1	SSW	48	-8.0	0.0	6965	8						
9	9.0	-2.5	3.3	226	1.7	2.2	258	5.1	SSW	51	-6.0	0.0	7005	9						
10	8.8	-2.5	3.2	281	1.0	2.3	270	7.0	W	52	-5.2	0.0	7060	10						
11	1.8	-4.2	-1.2	333	4.5	4.7	320	9.5	NNW	50	-9.9	0.0	6830	11						
12	6.8	-7.7	-.5	187	1.5	2.2	102	5.7	SSW	41	-12.4	0.0	7095	12						
13	8.4	-2.9	2.8	240	1.4	2.4	286	6.3	SSW	49	-7.0	0.0	7065	13						
14	10.3	-3.4	3.5	160	2.0	2.6	162	8.9	SSE	50	-6.0	0.0	7100	14						
15	11.6	-1.3	5.3	202	1.9	2.7	259	7.0	SSW	47	-6.7	0.0	6830	15						
16	12.4	-3.3	4.6	196	1.6	2.2	159	7.0	SSW	43	-8.0	0.0	6800	16						
17	16.1	-1.2	7.5	114	1.6	2.6	082	8.3	E	39	-6.1	0.0	6665	17						
18	12.3	2.4	7.4	027	.7	2.4	099	9.5	NNE	64	-.7	.2	5400	18						
19	10.3	.3	5.3	217	.9	2.6	098	9.5	SW	64	-.6	0.0	6033	19						
20	14.8	1.8	3.8	166	1.8	2.0	046	5.7	WSW	50	-.8	0.0	5980	20						
21	14.8	1.8	3.8	166	1.8	2.0	046	5.7	WSW	50	-.8	0.0	5980	21						
22	8.5	.9	4.7	360	.2	1.6	027	4.4	SW	65	.2	.4	2920	22						
23	12.2	-1.4	5.4	132	.4	1.4	055	3.8	NE	63	-2.1	0.0	6120	23						
24	14.8	1.8	3.8	166	1.8	2.0	046	5.7	WSW	50	-.8	0.0	5980	24						
25	14.8	1.8	3.8	166	1.8	2.0	046	5.7	WSW	50	-.8	0.0	5980	25						
26	14.8	1.8	3.8	166	1.8	2.0	046	5.7	WSW	50	-.8	0.0	5980	26						
27	14.8	1.8	3.8	166	1.8	2.0	046	5.7	WSW	50	-.8	0.0	5980	27						
28	14.8	1.8	3.8	166	1.8	2.0	046	5.7	WSW	50	-.8	0.0	5980	28						
29	14.8	1.8	3.8	166	1.8	2.0	046	5.7	WSW	50	-.8	0.0	5980	29						
30	14.8	1.8	3.8	166	1.8	2.0	046	5.7	WSW	50	-.8	0.0	5980	30						
31	14.8	1.8	3.8	166	1.8	2.0	046	5.7	WSW	50	-.8	0.0	5980	31						
MONTH	16.1	-7.7	2.5	217	.9	2.4	320	9.5	SSW	56	-5.8	5.8	133172							

GUST VEL. AT MAX. GUST MINUS 2 INTERVALS 8.3

GUST VEL. AT MAX. GUST MINUS 1 INTERVAL 8.3


GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 7.6

GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 7.6

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.

* SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT *

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
May, 1984



R & M CONSULTANTS, INC.
SUSSEX HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING May, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0.0 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
N	.21	2.02	.11	0.00	0.00	0.00	0.00	2.34	
NNE	.21	3.62	.74	0.00	0.00	0.00	0.00	4.57	
NE	0.00	1.81	.64	0.00	0.00	0.00	0.00	2.45	
ENE	.21	.85	.43	0.00	0.00	0.00	0.00	1.49	
E	.21	1.17	.96	.21	0.00	0.00	0.00	2.55	
ESE	.43	1.38	1.17	.11	0.00	0.00	0.00	3.09	
SE	.53	1.91	1.60	.11	0.00	0.00	0.00	4.15	
SSE	.32	4.47	3.19	0.00	0.00	0.00	0.00	7.98	
S	.21	10.32	.64	0.00	0.00	0.00	0.00	11.17	
SSW	.53	17.98	1.17	0.00	0.00	0.00	0.00	19.68	
SW	.64	8.72	.53	0.00	0.00	0.00	0.00	9.89	
WSW	.64	8.72	3.72	0.00	0.00	0.00	0.00	13.09	
W	.64	4.57	1.91	0.00	0.00	0.00	0.00	7.15	
WNW	0.00	1.49	.96	0.00	0.00	0.00	0.00	2.45	
NW	.32	1.70	.74	.32	0.00	0.00	0.00	3.09	
NNW	.11	1.38	2.34	1.06	0.00	0.00	0.00	4.89	
CALM									0.00
TOTAL	5.71	72.13	20.85	1.81	0.00	0.00	0.00	100.00	


NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT

940 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY

1488 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
May, 1984



R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING May, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	0	0	0	0	2	7	17	14	26	47	51	56	50	53	49	59	46	28	17	6	2	0	0	0	22
2	0	0	0	0	1	3	5	7	13	26	45	44	50	55	46	55	49	34	20	9	2	0	0	0	19
3	0	0	0	0	2	11	19	27	38	53	59	70	70	69	57	53	39	24	16	6	2	0	0	0	26
4	0	0	0	0	2	12	25	39	49	47	50	59	70	72	59	53	41	28	24	12	2	0	0	0	27
5	0	0	0	0	2	15	28	42	47	48	67	67	60	74	67	63	62	35	22	9	2	0	0	0	29
6	0	0	0	0	2	8	24	34	28	59	66	76	91	73	67	60	50	26	23	10	2	0	0	0	29
7	0	0	0	0	2	10	21	34	46	57	65	71	74	72	67	58	47	35	22	11	2	0	0	0	29
8	0	0	0	0	2	12	22	35	47	57	66	71	74	72	67	58	47	35	22	11	3	1	0	0	29
9	0	0	0	0	2	11	21	35	47	57	66	71	74	73	66	59	48	37	23	12	3	1	0	0	29
10	0	0	0	1	3	12	23	35	47	57	65	71	77	72	70	62	45	36	23	9	3	1	0	0	29
11	0	0	0	0	3	12	22	34	45	54	66	69	76	74	67	54	37	33	25	12	3	1	1	0	28
12	0	0	0	1	4	12	23	35	47	58	67	72	74	73	67	59	49	36	23	12	3	1	0	0	30
13	0	0	0	1	4	8	18	35	47	58	68	72	74	73	69	59	49	36	24	13	3	1	0	0	29
14	0	0	0	1	3	12	24	34	46	55	66	72	76	73	68	58	49	36	23	13	4	1	0	0	30
15	0	0	0	1	3	8	16	26	38	54	62	73	76	71	67	62	49	38	26	13	4	1	0	0	28
16	0	0	0	1	5	9	18	34	49	55	68	65	77	75	69	62	51	24	12	7	4	1	0	0	28
17	0	0	0	1	5	14	25	37	49	59	68	78	71	66	77	60	19	15	11	12	4	1	0	0	28
18	0	0	0	1	1	3	5	8	19	28	25	44	37	72	75	68	66	48	26	13	5	2	0	0	23
19	0	0	0	1	4	11	26	17	39	60	75	34	22	43	25	20	38	43	**	**	**	**	**	**	19
20	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
21	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
22	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
23	0	0	0	1	3	13	18	37	49	60	73	51	30	**	**	**	**	**	**	**	**	**	**	**	**
24	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
25	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
26	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
27	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
28	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
29	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
30	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**
31	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**	**

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING May, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	943	63
WIND SPEED	941	63
WIND DIRECTION	943	63
PEAK GUST	942	63
RELATIVE HUMIDITY	895	60
PRECIPITATION	944	63
SOLAR RADIATION	944	63
DEW POINT	894	60

THERE ARE 1488 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. RH +5 RH Points
2. Solar -1 mW/cm²

Additional comments on this month's data:

1. Data lost for all parameters from 5/19 to 5/22 and again from 5/23 to 5/24, when the weather wizard was removed from the site for maintenance. No data after 5/24.

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

HOURLY PRECIPITATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING June, 1984

PRECIPITATION VALUES ARE IN MILLIMETERS

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	DATE		
1																										1	
2																										2	
3																										3	
4																										4	
5																										5	
6																										6	
7																										7	
8																										8	
9																										9	
10																										10	
11																										11	
12																										12	
13																										13	
14																										14	
15																										15	
16	0.0	.2	0.0	0.0	0.0	.2	.2	.2	1.0	1.4	1.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
21																											21
22																											22
23																											23
24																											24
25																											25
26																											26
27																											27
28																											28
29																											29
30																											30

*** READING INTERPRETATION NOTES AT END OF MONTHLY REPORT ***

R & M CONSULTANTS, INC.
SUSSETNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING June, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW
0300	***	***	***	0300	***	***	***	0300	***	***	***
0600	***	***	***	0600	***	***	***	0600	***	***	***
0900	***	***	***	0900	***	***	***	0900	***	***	***
1200	***	***	***	1200	***	***	***	1200	***	***	***
1500	***	***	***	1500	***	***	***	1500	***	***	***
1800	***	***	***	1800	***	***	***	1800	***	***	***
2100	***	***	***	2100	***	***	***	2100	***	***	***
2400	***	***	***	2400	***	***	***	2400	***	***	***

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW
0300	***	***	***	0300	***	***	***	0300	***	***	***
0600	***	***	***	0600	***	***	***	0600	***	***	***
0900	***	***	***	0900	***	***	***	0900	***	***	***
1200	***	***	***	1200	***	***	***	1200	***	***	***
1500	***	***	***	1500	***	***	***	1500	***	***	***
1800	***	***	***	1800	***	***	***	1800	***	***	***
2100	***	***	***	2100	***	***	***	2100	***	***	***
2400	***	***	***	2400	***	***	***	2400	***	***	***

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW
0300	***	***	***	0300	***	***	***	0300	***	***	***
0600	***	***	***	0600	***	***	***	0600	***	***	***
0900	***	***	***	0900	***	***	***	0900	***	***	***
1200	***	***	***	1200	***	***	***	1200	***	***	***
1500	***	***	***	1500	***	***	***	1500	***	***	***
1800	***	***	***	1800	***	***	***	1800	***	***	***
2100	***	***	***	2100	***	***	***	2100	***	***	***
2400	***	***	***	2400	***	***	***	2400	***	***	***

** SEE INTERMISSION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING June, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEC C	DEG C	%	DEG	M/S	MW	DEC C	DEG C	%	DEG	M/S	MW
0300						0300					
0600						0600					
0900						0900					
1200						1200					
1500						1500					
1800						1800					
2100						2100					
2400						2400					

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEC C	DEG C	%	DEG	M/S	MW	DEC C	DEG C	%	DEG	M/S	MW
0300						0300					
0600						0600					
0900						0900					
1200						1200					
1500						1500					
1800						1800					
2100						2100					
2400						2400					

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEC C	DEG C	%	DEG	M/S	MW	DEC C	DEG C	%	DEG	M/S	MW
0300	4.5	*				046	2.8	855	4.4	0	300
0600	4.4	*				044	2.6	844	5.1	2	0600
0900	5.7	*				036	1.6	844	3.8	7	0900
1200	5.9	*				019	1.5	111	4.4	14	1200
1500	6.8	*				056	1.2	116	3.8	17	1500
1800	7.1	*				018	3.2	816	5.1	15	1800
2100	6.5	*				029	2.7	823	4.4	3	2100
2400	5.3	*				017	1.4	811	4.2	0	2400

** SEE INTERRUPTION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUBSTITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING June, 1981

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD							
	DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW			
0300	9.9	NNE	40	162	2.0	180	3.2	1	0100	7.6	NE	44	173	1.4	161	3.2	1	0300	SSE	40	160	2.0	180	3.2	1	0300	SW	40	160	2.0	180	3.2	1	0300
0600	10.6	NE	40	156	1.2	161	3.2	21	0400	11.5	NE	44	179	1.3	159	3.2	16	0600	SSE	40	160	2.0	180	3.2	1	0600	SW	40	160	2.0	180	3.2	1	0600
0900	13.6	NE	40	004	3.0	013	5.1	51	0500	8.8	NE	44	004	4.4	000	4.4	000	0900	SSE	40	160	2.0	180	3.2	1	0900	SW	40	160	2.0	180	3.2	1	0900
1200	19.8	NE	40	022	4.2	023	7.8	77	1200	12.0	NE	44	022	4.2	023	7.8	77	1200	SSE	40	160	2.0	180	3.2	1	1200	SW	40	160	2.0	180	3.2	1	1200
1500	20.3	NE	40	012	4.1	024	7.6	62	1500	12.0	NE	44	012	4.1	024	7.6	62	1500	SSE	40	160	2.0	180	3.2	1	1500	SW	40	160	2.0	180	3.2	1	1500
1800	19.1	NE	40	313	4.4	380	7.6	22	1800	12.0	NE	44	313	4.4	380	7.6	22	1800	SSE	40	160	2.0	180	3.2	1	1800	SW	40	160	2.0	180	3.2	1	1800
2100	15.6	NE	40	232	4.7	217	8.9	9	2110	12.0	NE	44	232	4.7	217	8.9	9	2110	SSE	40	160	2.0	180	3.2	1	2110	SW	40	160	2.0	180	3.2	1	2110
2400	11.4	NE	40	189	3.1	282	7.6	0	2410	12.0	NE	44	189	3.1	282	7.6	0	2410	SSE	40	160	2.0	180	3.2	1	2410	SW	40	160	2.0	180	3.2	1	2410

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD							
	DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW			
0300	8.9	NE	40	000	0.0	000	0.0	0	0300	8.9	NE	40	000	0.0	000	0.0	0300	8.9	NE	40	000	0.0	000	0.0	0300	8.9	NE	40	000	0.0	000	0.0	0300	
0600	10.6	NE	40	156	1.2	161	3.2	21	0400	11.5	NE	44	179	1.3	159	3.2	16	0600	8.9	NE	40	000	0.0	000	0.0	0600	8.9	NE	40	000	0.0	000	0.0	0600
0900	13.6	NE	40	004	3.0	013	5.1	51	0500	8.8	NE	44	004	4.4	000	4.4	000	0900	8.9	NE	40	000	0.0	000	0.0	0900	8.9	NE	40	000	0.0	000	0.0	0900
1200	19.8	NE	40	022	4.2	023	7.8	77	1200	12.0	NE	44	022	4.2	023	7.8	77	1200	8.9	NE	40	000	0.0	000	0.0	1200	8.9	NE	40	000	0.0	000	0.0	1200
1500	20.3	NE	40	012	4.1	024	7.6	62	1500	12.0	NE	44	012	4.1	024	7.6	62	1500	8.9	NE	40	000	0.0	000	0.0	1500	8.9	NE	40	000	0.0	000	0.0	1500
1800	19.1	NE	40	313	4.4	380	7.6	22	1800	12.0	NE	44	313	4.4	380	7.6	22	1800	8.9	NE	40	000	0.0	000	0.0	1800	8.9	NE	40	000	0.0	000	0.0	1800
2100	15.6	NE	40	232	4.7	217	8.9	9	2110	12.0	NE	44	232	4.7	217	8.9	9	2110	8.9	NE	40	000	0.0	000	0.0	2110	8.9	NE	40	000	0.0	000	0.0	2110
2400	11.4	NE	40	189	3.1	282	7.6	0	2410	12.0	NE	44	189	3.1	282	7.6	0	2410	8.9	NE	40	000	0.0	000	0.0	2410	8.9	NE	40	000	0.0	000	0.0	2410

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD							
	DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEC.	M/S	MW			
0300	8.9	NE	40	000	0.0	000	0.0	0	0300	8.9	NE	40	000	0.0	000	0.0	0300	8.9	NE	40	000	0.0	000	0.0	0300	8.9	NE	40	000	0.0	000	0.0	0300	
0600	10.6	NE	40	156	1.2	161	3.2	21	0400	11.5	NE	44	179	1.3	159	3.2	16	0600	8.9	NE	40	000	0.0	000	0.0	0600	8.9	NE	40	000	0.0	000	0.0	0600
0900	13.6	NE	40	004	3.0	013	5.1	51	0500	8.8	NE	44	004	4.4	000	4.4	000	0900	8.9	NE	40	000	0.0	000	0.0	0900	8.9	NE	40	000	0.0	000	0.0	0900
1200	19.8	NE	40	022	4.2	023	7.8	77	1200	12.0	NE	44	022	4.2	023	7.8	77	1200	8.9	NE	40	000	0.0	000	0.0	1200	8.9	NE	40	000	0.0	000	0.0	1200
1500	20.3	NE	40	012	4.1	024	7.6	62	1500	12.0	NE	44	012	4.1	024	7.6	62	1500	8.9	NE	40	000	0.0	000	0.0	1500	8.9	NE	40	000	0.0	000	0.0	1500
1800	19.1	NE	40	313	4.4	380	7.6	22	1800	12.0	NE	44	313	4.4	380	7.6	22	1800	8.9	NE	40	000	0.0	000	0.0	1800	8.9	NE	40	000	0.0	000	0.0	1800
2100	15.6	NE	40	232	4.7	217	8.9	9	2110	12.0	NE	44	232	4.7	217	8.9	9	2110	8.9	NE	40	000	0.0	000	0.0	2110	8.9	NE	40	000	0.0	000	0.0	2110
2400	11.4	NE	40	189	3.1	282	7.6	0	2410	12.0	NE	44	189	3.1	282	7.6	0	2410	8.9	NE	40	000	0.0	000	0.0	2410	8.9	NE	40	000	0.0	000	0.0	2410

* * * SHE INTERPRETATION OF THE 1200 MHZ RPTD BY RAYMOND

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING June, 1984

DAY 28

DAY 29

DAY 30

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.						
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD		
DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW	DEG C	DEG C	%	DEG.	M/S	MW
0300	***	***	***	***	***	0300	***	***	***	***	***	0300	***	***	***	***	***
0600	***	***	***	***	***	0600	***	***	***	***	***	0600	***	***	***	***	***
0900	***	***	***	***	***	0900	***	***	***	***	***	0900	***	***	***	***	***
1200	***	***	***	***	***	1200	***	***	***	***	***	1200	***	***	***	***	***
1500	***	***	***	***	***	1500	***	***	***	***	***	1500	***	***	***	***	***
1800	***	***	***	***	***	1800	***	***	***	***	***	1800	***	***	***	***	***
2100	***	***	***	***	***	2100	***	***	***	***	***	2100	***	***	***	***	***
2400	***	***	***	***	***	2400	***	***	***	***	***	2400	***	***	***	***	***

** S T INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUBSETNA HYDROELECTRIC PROJECT

MONTHLY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING JUNE, 1984

DAY	RES.			RES.			AVG.	MAX.	MAX.	DAY'S			
	MAX. TEMP. DEG C	MIN. TEMP. DEG C	MEAN TEMP. DEG C	WIND DIR. DEG	WIND SPD. M/S	WIND DIR. DEG	GUST SPD. M/S	GUST DIR. DEG	P'VAL %	MEAN RH	MEAN DEG C	SOLAR PRECIP MM	ENERGY WH/SDM
1	20.0	13.0	16.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
2	21.0	14.0	17.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
3	22.0	15.0	18.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
4	23.0	16.0	19.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
5	24.0	17.0	20.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
6	25.0	18.0	21.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
7	26.0	19.0	21.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
8	27.0	20.0	22.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
9	28.0	21.0	22.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
10	29.0	22.0	23.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
11	30.0	23.0	23.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
12	31.0	24.0	24.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
13	32.0	25.0	24.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
14	33.0	26.0	25.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
15	34.0	27.0	25.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
16	35.0	28.0	26.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
17	36.0	29.0	26.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
18	37.0	30.0	27.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
19	38.0	31.0	27.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
20	39.0	32.0	28.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
21	40.0	33.0	28.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
22	41.0	34.0	29.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
23	42.0	35.0	29.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
24	43.0	36.0	30.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
25	44.0	37.0	30.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
26	45.0	38.0	31.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
27	46.0	39.0	31.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
28	47.0	40.0	32.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
29	48.0	41.0	32.5	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
30	49.0	42.0	33.0	W 180	1.0	W 180	2.1	W 180	5.1	W 180	50	1200	1000
MONTH	21.4	2.2	9.3	010	1.0	2.5	259	8.9	NNE	50	1200	1000	28836

GUST VEL. AT MAX. GUST MINUS 2 INTERVALS 5.7

GUST VEL. AT MAX. GUST MINUS 1 INTERVAL 5.0


GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 8.9

GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 8.9

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.

xx SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT xx

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
June, 1984



R & M CONSULTANTS, INC.
SUSSEX TNA HYDRO ELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING JUNE, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0.2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
N	.41	14.52	3.73	0.00	0.00	0.00	0.00	0.00	18.62
NNE	.83	18.26	8.71	0.00	0.00	0.00	0.00	0.00	27.80
NE	.83	8.30	2.49	0.00	0.00	0.00	0.00	0.00	11.62
ENE	0.00	.83	0.00	0.00	0.00	0.00	0.00	0.00	.83
E	0.00	.83	0.00	0.00	0.00	0.00	0.00	0.00	.83
ESE	.41	.83	.83	0.00	0.00	0.00	0.00	0.00	2.07
SE	.41	2.49	0.00	0.00	0.00	0.00	0.00	0.00	2.90
SSE	.41	6.64	0.00	0.00	0.00	0.00	0.00	0.00	7.05
S	.41	4.56	.83	0.00	0.00	0.00	0.00	0.00	5.81
SSW	.41	3.32	2.49	.41	0.00	0.00	0.00	0.00	6.64
SW	.41	.41	.41	0.00	0.00	0.00	0.00	0.00	1.24
WSW	0.00	.41	.83	.41	0.00	0.00	0.00	0.00	1.66
W	0.00	.83	2.66	0.00	0.00	0.00	0.00	0.00	2.49
WNW	0.00	.41	.83	0.00	0.00	0.00	0.00	0.00	1.24
NW	0.00	1.66	2.49	0.00	0.00	0.00	0.00	0.00	4.15
NNW	.41	1.66	2.90	0.00	0.60	0.00	0.00	0.00	4.98
CALM									0.00
TOTAL	4.98	65.98	28.27	.83	0.00	0.00	0.00	0.00	100.00


NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT

241 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY

1440 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
June, 1984



R & M CONSULTANTS, INC.
SUSSETNA HYDROELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING June, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----

1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
2	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
3	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
4	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
5	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
6	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
7	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
8	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
9	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
10	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
11	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
12	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
13	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
14	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
15	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
16	0	0	0	1	1	2	6	9	9	9	11	11	22	21	18	26	23	18	12	5	3	2	1	0	0	9
17	0	0	0	1	2	6	11	20	44	73	91	59	41	59	94	77	48	14	35	22	11	4	1	0	0	30
18	0	0	1	3	10	20	30	41	52	63	71	76	80	79	76	55	13	50	33	21	11	4	1	0	0	33
19	0	0	1	3	8	19	29	41	49	60	70	76	56	85	45	46	66	23	32	22	12	3	1	0	0	31
20	0	0	1	2	13	20	18	11	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	3
21	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
22	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
23	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
24	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
25	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
26	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
27	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
28	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
29	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
30	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	

*** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT ***

R & M CONSULTANTS, INC.
BUSTINA HYDROELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING June, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	242	17
WIND SPEED	241	17
WIND DIRECTION	241	17
PEAK GUST	241	17
RELATIVE HUMIDITY	0	0
PRECIPITATION	242	17
SOLAR RADIATION	242	17
DEW POINT	0	0

THERE ARE 1440 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. Solar -1 mW/cm²

Additional comments on this month's data:

1. Weather wizard reinstalled on 6/15. No data prior to this date.
2. Recorded RH data invalid after 6/15 due to bad oscillator.
3. No data after 6/20 due to power failure.

R & M CONSULTANTS, INC.
SUSSEX TOWNSHIP HYDROGEOLOGIC PROJECT

HOURLY PRECIPITATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING July, 1984

PRECIPITATION VALUES ARE IN MILLIMETERS

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	DATE	
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	
15	0.0	0.2	0.4	0.6	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1.2	4.2	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.0	16
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.0	0.2	0.2	0.0	0.2	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	17
18	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29
30	0.4	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

E & M CONSULTANTES, INC.
SUSSETTA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING July, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C % DEG. M/S MW	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C % DEG. M/S MW	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C % DEG. M/S MW						

0300	***	***	***	0300	***	***	***	0300	***	***	***
0600	***	***	***	0600	***	***	***	0600	***	***	***
0900	***	***	***	0900	***	***	***	0900	***	***	***
1200	***	***	***	1200	***	***	***	1200	***	***	***
1500	***	***	***	1500	***	***	***	1500	***	***	***
1800	***	***	***	1800	***	***	***	1800	***	***	***
2100	***	***	***	2100	***	***	***	2100	***	***	***
2400	***	***	***	2400	***	***	***	2400	***	***	***

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C % DEG. M/S MW	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C % DEG. M/S MW	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C % DEG. M/S MW						

0300	***	***	***	0300	***	***	***	0300	***	***	***
0600	***	***	***	0600	***	***	***	0600	***	***	***
0900	***	***	***	0900	***	***	***	0900	***	***	***
1200	***	***	***	1200	***	***	***	1200	***	***	***
1500	***	***	***	1500	***	***	***	1500	***	***	***
1800	***	***	***	1800	***	***	***	1800	***	***	***
2100	***	***	***	2100	***	***	***	2100	***	***	***
2400	***	***	***	2400	***	***	***	2400	***	***	***

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C % DEG. M/S MW	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C % DEG. M/S MW	NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C % DEG. M/S MW						

0300	***	***	***	0300	***	***	***	0300	***	***	***
0600	***	***	***	0600	***	***	***	0600	***	***	***
0900	***	***	***	0900	***	***	***	0900	***	***	***
1200	***	***	***	1200	***	***	***	1200	***	***	***
1500	***	***	***	1500	***	***	***	1500	***	***	***
1800	***	***	***	1800	***	***	***	1800	***	***	***
2100	***	***	***	2100	***	***	***	2100	***	***	***
2400	***	***	***	2400	***	***	***	2400	***	***	***

* * * EPI INTERPRETATION NOTES ARE END OF MINUTELY REPORT * * *

R & M CONSULTANTS, INC.
SUBSTITUTION HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTINA WEATHER STATION
DATA TAKEN DURING July, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	DEG C	DEG C	% DEC.	M/S	MW	HOUR	DEW	WIND	WIND GUST MAX.	DEG C	DEG C	% DEC.	M/S	MW	HOUR	DEW	WIND	WIND GUST MAX.	DEG C	DEG C	% DEC.	M/S	MW
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD						

0300	***	***	***	***	***	***	0300	***	***	***	***	***	***	0300	***	***	***	***	***	***	***	***	***	***	***	***	***
0600	***	***	***	***	***	***	0600	***	***	***	***	***	***	0600	***	***	***	***	***	***	***	***	***	***	***	***	***
0900	***	***	***	***	***	***	0900	***	***	***	***	***	***	0900	***	***	***	***	***	***	***	***	***	***	***	***	***
1200	***	***	***	***	***	***	1200	***	***	***	***	***	***	1200	***	***	***	***	***	***	***	***	***	***	***	***	***
1500	***	***	***	***	***	***	1500	***	***	***	***	***	***	1500	***	***	***	***	***	***	***	***	***	***	***	***	***
1800	***	***	***	***	***	***	1800	***	***	***	***	***	***	1800	***	***	***	***	***	***	***	***	***	***	***	***	***
2100	***	***	***	***	***	***	2100	***	***	***	***	***	***	2100	***	***	***	***	***	***	***	***	***	***	***	***	***
2400	***	***	***	***	***	***	2400	***	***	***	***	***	***	2400	***	***	***	***	***	***	***	***	***	***	***	***	***

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	DEG C	DEG C	% DEC.	M/S	MW	HOUR	DEW	WIND	WIND GUST MAX.	DEG C	DEG C	% DEC.	M/S	MW	HOUR	DEW	WIND	WIND GUST MAX.	DEG C	DEG C	% DEC.	M/S	MW
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD						

0300	***	***	***	***	***	***	0300	6.7	***	***	122	1.5	126	3.2	0	0300	6.6	***	***	043	2.6	032	4.4	0		
0600	***	***	***	***	***	***	0600	7.3	***	***	068	1.3	047	3.2	6	0600	6.4	***	***	041	2.6	041	4.4	6		
0900	***	***	***	***	***	***	0900	10.6	***	***	056	1.5	044	5.7	29	0900	8.3	***	***	029	3.2	027	4.4	20		
1200	10.0	086	3.9	8.3	30	1200	11.7	***	***	025	2.6	357	7.6	33	1200	10.2	***	***	020	3.1	015	4.4	39			
1500	13.8	108	3.2	103	6.3	81	1500	12.3	***	***	020	4.1	026	6.3	21	1500	13.2	***	***	024	2.2	005	5.7	46		
1800	13.8	121	1.9	106	4.4	16	1800	11.3	***	***	046	1.5	016	5.1	13	1800	14.0	***	***	338	.8	358	4.4	16		
2100	10.5	340	.2	351	6.3	3	2100	9.3	***	***	168	2.2	192	4.4	2	2100	12.4	***	***	196	1.7	205	3.2	2		
2400	6.5	***	***	118	1.7	116	4.4	0	2400	8.1	***	***	077	1.5	051	4.4	0	2400	10.6	***	***	182	2.0	181	3.8	0

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	DEG C	DEG C	% DEC.	M/S	MW	HOUR	DEW	WIND	WIND GUST MAX.	DEG C	DEG C	% DEC.	M/S	MW	HOUR	DEW	WIND	WIND GUST MAX.	DEG C	DEG C	% DEC.	M/S	MW
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD						

0300	9.6	***	***	186	2.0	173	5.1	0	0300	9.0	***	***	250	5.0	251	11.4	0	0300	5.7	***	***	039	2.4	037	3.8	0
0600	10.4	***	***	179	1.8	185	3.8	2	0600	7.7	***	***	276	2.7	242	10.2	1	0600	5.8	***	***	026	2.5	024	3.8	4
0900	10.8	***	***	149	1.6	136	3.8	12	0900	7.7	***	***	038	2.5	043	4.4	3	0900	6.7	***	***	017	2.6	015	4.4	11
1200	12.8	***	***	131	2.7	137	5.1	28	1200	6.9	***	***	089	2.4	081	5.1	4	1200	9.5	***	***	352	2.5	293	6.3	20
1500	11.1	***	***	081	1.9	065	7.6	4	1500	7.6	***	***	067	.5	089	3.2	6	1500	10.2	***	***	290	3.6	281	7.0	17
1800	11.1	***	***	239	2.7	248	12.1	11	1800	7.4	***	***	106	.5	119	2.5	3	1800	8.4	***	***	332	2.5	279	6.3	10
2100	9.9	***	***	252	6.6	241	12.1	4	2100	8.8	***	***	005	.8	359	1.9	1	2100	6.9	***	***	036	3.3	022	6.3	1
2400	9.2	***	***	236	7.8	227	12.7	6	2400	8.1	***	***	037	2.0	036	3.8	0	2400	6.0	***	***	038	2.3	054	3.8	0

* * * * * INTERPRETATION NOTES AT END OF MONTHLY REPORT * * *

R & M CONSULTANTS, INC.
KOSINA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING July, 1984

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD			
	DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG C		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW
0300	5.6 ***** **	010	1.0	026	3.2	0	0300	8.5 ***** **	001	1.4	344	2.5	0	0300	1.9 ***** **	018	.9	021	2.5	0									
0600	6.2 ***** **	195	.5	201	1.9	4	0600	6.2 ***** **	013	1.4	010	2.5	2	0600	7.1 ***** **	001	.4	350	1.3	2									
0900	8.3 ***** **	037	.4	359	3.8	26	0900	6.8 ***** **	007	1.6	018	2.5	10	0900	7.8 ***** **	356	.9	355	2.5	12									
1200	10.2 ***** **	015	3.1	016	5.7	44	1200	8.6 ***** **	006	2.4	010	3.8	28	1200	9.8 ***** **	001	1.4	011	3.8	27									
1500	9.1 ***** **	053	1.8	039	5.1	15	1500	8.5 ***** **	014	3.5	004	5.1	10	1500	10.3 ***** **	359	3.1	001	5.1	20									
1800	8.8 ***** **	033	3.3	037	5.7	7	1800	7.7 ***** **	026	3.3	022	5.1	5	1800	10.8 ***** **	016	2.6	603	5.1	11									
2100	7.2 ***** **	032	2.9	031	5.7	1	2100	7.3 ***** **	024	3.0	029	5.1	1	2100	9.7 ***** **	021	2.8	021	5.1	1									
2400	6.8 ***** **	002	1.4	027	3.2	0	2400	6.9 ***** **	030	2.4	026	4.4	0	2400	8.2 ***** **	084	.7	033	2.5	0									

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD			
	DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG C		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW
0300	7.5 ***** **	184	1.0	211	2.5	0	0300	9.4 ***** **	178	.9	159	1.9	0	0300	6.9 ***** **	207	1.3	209	2.5	0									
0600	7.9 ***** **	190	1.1	164	2.5	2	0600	10.0 ***** **	176	.5	210	1.3	8	0600	9.4 ***** **	194	.8	244	1.9	9									
0900	10.4 ***** **	018	.5	353	3.8	29	0900	13.6 ***** **	028	.8	026	3.2	48	0900	12.1 ***** **	013	1.2	024	3.8	22									
1200	11.6 ***** **	008	3.3	024	6.3	33	1200	17.8 ***** **	019	1.7	038	3.8	77	1200	12.3 ***** **	032	1.9	065	5.7	6									
1500	12.2 ***** **	021	4.1	026	6.3	18	1500	18.4 ***** **	051	1.7	346	4.4	30	1500	12.9 ***** **	198	1.8	194	6.3	34									
1800	12.5 ***** **	014	2.2	027	5.7	7	1800	18.3 ***** **	100	2.3	091	5.1	21	1800	14.1 ***** **	346	1.2	009	5.7	16									
2100	11.9 ***** **	046	1.1	042	3.2	1	2100	14.4 ***** **	109	1.5	084	3.2	3	2100	12.1 ***** **	015	1.1	236	4.4	4									
2400	10.2 ***** **	120	.6	116	1.9	0	2400	9.5 ***** **	197	1.2	151	3.2	0	2400	10.9 ***** **	085	1.6	094	3.8	0									

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD			
	DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG C		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	MW
0300	10.2 ***** **	065	1.4	053	3.8	0	0300	7.7 ***** **	051	2.0	039	3.8	0	0300	9.6 ***** **	310	1.7	324	5.7	0									
0600	9.6 ***** **	073	1.9	086	3.8	6	0600	7.1 ***** **	097	1.5	122	4.4	6	0600	10.6 ***** **	310	1.3	261	7.0	5									
0900	10.1 ***** **	031	2.0	029	4.4	13	0900	8.3 ***** **	037	2.4	042	5.1	17	0900	12.2 ***** **	349	1.1	250	7.0	25									
1200	11.1 ***** **	071	2.4	269	7.6	28	1200	7.5 ***** **	036	2.7	049	5.1	16	1200	15.3 ***** **	321	1.7	293	7.0	98									
1500	11.7 ***** **	239	1.3	230	9.5	28	1500	8.3 ***** **	018	1.3	015	2.5	16	1500	14.9 ***** **	341	2.4	023	7.6	44									
1800	11.0 ***** **	225	1.5	250	7.6	18	1800	9.3 ***** **	215	2.1	204	5.1	17	1800	16.1 ***** **	298	2.3	011	6.3	45									
2100	8.2 ***** **	038	3.6	043	6.3	1	2100	9.4 ***** **	219	.3	195	4.4	1	2100	12.6 ***** **	342	.6	260	7.0	1									
2400	7.2 ***** **	037	2.0	038	3.8	0	2400	9.7 ***** **	305	1.0	317	3.8	0	2400	10.0 ***** **	088	1.9	090	5.7	0									

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT

R & M CONSULTANTS, INC.
SUSSETTA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING July, 1984

DAY 28

DAY 29

DAY 30

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	
DEG C	DEG C	%	DEG	DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG	DEG C	%	
0300	9.3 **** **	151	1.3	154	3.2	0	0300	8.0 **** **	218	.5	192	1.9	0
0600	9.3 **** **	046	.8	008	3.8	5	0600	7.4 **** **	007	1.1	038	3.2	3
0900	11.1 **** **	035	2.2	040	5.1	19	0900	8.7 **** **	020	2.6	027	5.1	15
1200	13.8 **** **	014	3.3	009	7.6	44	1200	9.1 **** **	028	4.8	026	7.0	16
1500	12.7 **** **	020	4.4	005	7.6	39	1500	9.7 **** **	030	4.2	038	7.6	19
1800	12.3 **** **	015	3.7	014	6.3	13	1800	8.5 **** **	029	4.5	023	7.0	12
2100	10.6 **** **	024	3.3	027	6.3	1	2100	6.9 **** **	020	3.8	024	7.0	1
2400	9.0 **** **	104	.8	026	4.4	0	2400	6.5 **** **	017	2.2	021	5.1	0

DAY 31

HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST
DEG C	DEG C	%	DEG	DEG C	M/S
0300	4.3 **** **	159	.5	156	3.2
0600	5.1 **** **	202	1.6	201	3.2
0900	10.2 **** **	339	.7	005	3.8
1200	11.4 **** **	018	3.7	029	5.7
1500	12.4 **** **	004	4.4	354	7.0
1800	9.4 **** **	014	4.4	023	7.6
2100	8.4 **** **	021	3.0	021	5.1
2400	7.6 **** **	015	2.5	021	5.1

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUBSTITUTION HYDRO ELECTRIC PROJECT

MONTHLY SUMMARY - TIBBINA WEATHER STATION
DATA TAKEN 1980 - 1981 1980


DAY	TIME	TEMP.	MEAN	RES.	RES.	AVG.	MAX.	MAX.	GUST P/VAL MEAN			PRECIP	DAY'S	
				DIR.	SPD.	DIR.	SPD.	DIR.	SPD.	DIR.	RH	DP	LEG C	SOLAR ENERGY DAY
		°C	DEG C	DEG	M/S	M/S	DEG	M/S	%	LEG C	MH	WH/SGH		
1														
2														
3														
4														
5														
6														
7														
8														
9														
10														
11														
12														
13	16.0	6.4	11.2	104	2.0	2.5	986	8.3	ESE	8.0	0.0	6323	13	
14	12.4	5.7	9.1	057	1.4	2.3	357	7.6	NNE	8.0	0.0	2965	14	
15	14.7	6.2	10.5	035	1.3	2.4	005	5.7	HNE	8.0	0.0	4050	15	
16	15.1	9.2	12.2	216	2.2	3.9	227	12.7	S	8.0	0.0	2455	16	
17	9.7	6.1	7.9	338	.4	2.4	251	11.4	NE	8.0	0.0	2.8	665	
18	10.4	5.7	8.1	006	2.1	2.9	281	7.6	NNE	8.0	0.0	1855	16	
19	10.2	5.2	7.7	027	1.6	2.0	016	5.7	NNE	8.0	0.0	2645	19	
20	9.2	6.2	7.7	017	2.3	2.4	004	5.1	HNE	8.0	0.0	1980	20	
21	11.1	6.8	9.0	012	1.5	1.6	001	5.1	HNE	8.0	0.0	2.2	2195	
22	12.8	7.0	9.9	025	1.1	1.9	024	6.3	NNE	8.0	0.0	2910	22	
23	20.3	9.2	14.8	090	.7	1.5	091	5.1	E	8.0	0.0	6055	23	
24	15.3	6.9	11.1	043	.3	1.6	194	6.3	NNE	8.0	0.0	3.6	3035	
25	12.1	7.2	9.7	356	.7	2.7	230	9.5	NE	8.0	0.0	2.0	2435	
26	10.0	6.4	8.2	040	.8	1.9	042	5.1	NE	8.0	0.0	2.2	2150	
27	16.9	8.5	12.8	331	1.2	2.7	011	8.3	NNE	8.0	0.0	5250	27	
28	17.8	7.7	10.8	027	2.1	2.8	009	7.6	HNE	8.0	0.0	3830	28	
29	9.7	6.5	8.1	024	2.8	3.0	038	7.6	HNE	8.0	0.0	2.2	2390	
30	14.3	6.0	10.2	029	1.2	1.8	345	6.3	NNE	8.0	0.0	1.8	4010	
31	13.1	3.2	8.2	013	2.1	2.8	023	7.6	HNE	8.0	0.0	1.6	3605	
MONTH	20.3	3.2	9.8	023	1.1	2.4	227	12.7	NNW	**	0.0	32.3	60803	

GUST VEL. AT MAX. GUST MINUS 2 INTERVALS 12.1
 GUST VEL. AT MAX. GUST MINUS 1 INTERVAL 12.1
 GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 12.2
 GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 10.13

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.

xx SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT xx

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
July, 1984




R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING July, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0.2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
N	1.12	8.17	3.58	0.00	0.00	0.00	0.00	0.00	12.82
NNE	1.34	13.77	13.66	0.00	0.00	0.00	0.00	0.00	28.78
E	.78	9.18	2.69	0.00	0.00	0.00	0.00	0.00	12.65
ENE	.78	3.36	.34	0.00	0.00	0.00	0.00	0.00	4.48
E	.22	3.02	.90	0.00	0.00	0.00	0.00	0.00	4.14
EEF	.56	3.36	.67	0.00	0.00	0.00	0.00	0.00	4.59
EF	.56	2.46	.56	0.00	0.00	0.00	0.00	0.00	3.58
SSE	.56	2.46	0.00	0.00	0.00	0.00	0.00	0.00	3.02
S	1.01	3.47	.22	0.00	0.00	0.00	0.00	0.00	4.70
SSW	1.79	2.58	.45	0.00	0.00	0.00	0.00	0.00	4.82
SW	.34	1.79	.34	.56	0.00	0.00	0.00	0.00	3.02
WSW	.22	.90	1.46	1.01	0.00	0.00	0.00	0.00	3.58
W	.34	.34	1.68	0.00	0.00	0.00	0.00	0.00	2.35
WNW	.34	1.23	1.01	0.00	0.00	0.00	0.00	0.00	2.58
NW	.45	.78	.22	0.00	0.00	0.00	0.00	0.00	1.46
NNW	.90	1.68	.45	0.00	0.00	0.00	0.00	0.00	3.02
CALM									.34
TOTAL	11.31	58.57	28.22	1.57	0.00	0.00	0.00	0.00	100.00

NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT
 893 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY
 1488 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.
 SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
July, 1984



R & M CONSULTANTS, INC.

SUSITA HYDROELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING July, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg		
1	12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60		
2	13	15	17	19	21	23	25	27	29	31	33	35	37	39	41	43	45	47	49	51	53	55	57	59	61		
3	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62		
4	15	17	19	21	23	25	27	29	31	33	35	37	39	41	43	45	47	49	51	53	55	57	59	61	63		
5	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64		
6	17	19	21	23	25	27	29	31	33	35	37	39	41	43	45	47	49	51	53	55	57	59	61	63	65		
7	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66		
8	19	21	23	25	27	29	31	33	35	37	39	41	43	45	47	49	51	53	55	57	59	61	63	65	67		
9	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68		
10	21	23	25	27	29	31	33	35	37	39	41	43	45	47	49	51	53	55	57	59	61	63	65	67	69		
11	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70		
12	23	25	27	29	31	33	35	37	39	41	43	45	47	49	51	53	55	57	59	61	63	65	67	69	71		
13	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72		
14	0	0	0	1	2	3	4	5	6	11	19	29	34	28	36	32	28	20	18	10	10	11	4	2	0	12	
15	0	0	0	1	2	3	4	5	14	17	22	23	29	40	38	57	36	38	20	19	28	15	4	1	0	0	17
16	0	0	0	1	1	2	3	6	12	9	15	17	31	59	18	8	12	24	15	6	7	5	2	0	0	0	10
17	0	0	0	0	1	1	3	3	3	4	7	5	6	8	8	8	6	5	4	3	2	1	0	0	0	3	
18	0	0	0	0	0	2	3	6	7	16	14	17	21	20	18	22	12	12	11	9	5	2	1	0	0	8	
19	0	0	0	0	1	3	4	10	16	25	22	31	50	26	16	16	13	18	8	6	3	2	1	0	0	11	
20	0	0	0	0	0	1	2	4	1	10	9	25	19	26	35	22	11	10	8	6	8	5	2	0	0	8	
21	0	0	0	0	0	1	2	4	8	9	6	21	32	32	33	26	17	11	11	7	5	2	1	0	0	9	
22	0	0	0	0	0	1	3	8	10	24	35	34	34	43	32	22	14	12	8	7	5	2	1	0	0	12	
23	0	0	0	0	1	2	6	14	36	42	46	69	72	86	95	33	29	27	23	17	8	4	2	0	0	25	
24	0	0	0	0	1	2	6	18	26	20	42	34	16	18	8	28	25	24	20	7	7	5	1	0	0	13	
25	0	6	0	0	0	1	6	6	8	11	12	18	27	27	19	24	31	19	18	13	7	2	0	0	0	10	
26	0	0	0	1	2	5	11	14	19	13	14	17	31	17	16	18	16	15	14	5	2	0	0	0	9		
27	0	0	0	0	0	1	4	9	15	28	34	59	73	48	56	42	48	37	43	24	6	2	1	0	0	22	
28	0	0	0	0	0	1	5	14	18	28	35	32	51	36	38	37	45	17	15	15	7	2	1	0	0	16	
29	0	0	0	0	0	2	4	9	19	16	19	32	15	19	18	22	22	17	19	6	2	1	1	0	0	10	
30	0	0	0	0	0	3	6	9	10	26	42	34	48	43	21	58	31	28	15	9	19	3	1	0	0	17	
31	0	0	0	0	0	2	8	11	21	36	36	32	37	58	48	29	14	14	8	6	2	1	0	0	0	15	

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSSETNA HYDRO ELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING July, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	893	60
WIND SPEED	893	60
WIND DIRECTION	893	60
PEAK GUST	893	60
RELATIVE HUMIDITY	0	0
PRECIPITATION	893	60
SOLAR RADIATION	893	60
DEW POINT	0	0

THERE ARE 1488 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. Solar -1 mW/cm²

Additional comments on this month's data:

1. Weather wizard not functioning prior to 7/13 due to power failure.
2. Recorded RH data invalid due to bad oscillator.

R & M CONSULTANTS, INC.

SUBSTITUTION HYDROELECTRIC PROJECT

HOURLY PRECIPITATION SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING AUGUST, 1984

PRECIPITATION VALUES ARE IN MILLIMETERS

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	DATE	
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	
9	.4	.2	2.2	1.2	1.0	.4	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.2	0.0	0.0	0.0	0.0	0.0	0.0	9
10	3.3	0.0	0.0	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	
11	0.0	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	
18	.2	0.0	0.2	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.6	.6	.4	.2	0.0	0.0	0.0	18
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	
20	0.0	0.0	0.0	0.0	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.6	.4	.2	0.0	0.0	0.0	0.0	22
23	0.0	0.0	.4	.6	0.0	0.0	.2	0.0	.2	0.0	.2	0.0	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.8	0.0	0.0	23
24	0.0	0.0	0.0	0.0	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.2	.2	0.0	0.0	0.0	0.0	0.0	24
25	0.0	.4	.2	0.0	0.0	.2	0.0	0.0	.2	.2	.8	2.4	3.2	.6	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25
26	0.0	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING August, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	
	DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	M/S	MW	DEG C	DEG C	DEG C	DEG C	M/S	MW	DEG C	DEG C	DEG C	M/S	MW	DEG C	DEG C	% DEG. M/S MW
0300	7.3 **** **	006	.7	359	2.5	0	0300	8.9 **** **	006	1.6	014	3.2	0	0300	10.0 **** **	354	1.2	354	1.9	0		
0600	7.4 **** **	214	.3	011	1.3	5	0600	9.1 **** **	312	.3	358	1.9	2	0600	9.7 **** **	014	1.2	027	2.5	2		
0900	9.9 **** **	295	.3	222	1.9	18	0900	11.4 **** **	340	.4	009	2.5	18	0900	12.1 **** **	020	1.6	024	3.8	16		
1200	12.1 **** **	358	2.0	359	3.8	33	1200	13.9 **** **	357	2.6	357	4.4	56	1200	15.3 **** **	014	2.2	018	5.1	42		
1500	12.6 **** **	009	3.3	013	5.7	31	1500	13.6 **** **	358	3.4	006	5.7	22	1500	17.2 **** **	001	2.7	010	5.7	63		
1800	10.2 **** **	024	4.1	030	6.3	6	1800	13.5 **** **	020	3.3	002	5.1	9	1800	15.6 **** **	004	4.9	355	7.6	23		
2100	9.8 **** **	026	3.4	025	5.1	1	2100	11.4 **** **	028	3.0	030	5.7	1	2100	12.7 **** **	018	3.6	014	7.8	2		
2400	9.0 **** **	026	2.3	027	3.8	0	2400	10.4 **** **	013	2.0	024	4.4	0	2400	9.9 **** **	030	1.3	030	3.8	0		

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	
	DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	M/S	MW	DEG C	DEG C	DEG C	DEG C	M/S	MW	DEG C	DEG C	DEG C	M/S	MW	DEG C	DEG C	% DEG. M/S MW
0300	8.9 **** **	533	.5	328	2.5	0	0300	10.4 **** **	077	.8	019	2.5	0	0300	11.7 **** **	138	.1	084	1.9	0		
0600	8.1 **** **	208	1.3	231	1.4	3	0600	10.8 **** **	176	1.5	162	3.2	9	0600	10.5 **** **	199	.8	184	1.9	7		
0900	11.6 **** **	097	.3	006	3.2	17	0900	13.2 **** **	356	.7	024	4.4	27	0900	11.4 **** **	359	.9	027	3.2	12		
1200	19.1 **** **	051	1.4	024	5.1	68	1200	14.1 **** **	421	3.9	031	6.3	41	1200	17.2 **** **	021	2.9	025	5.7	80		
1500	21.6 **** **	010	3.2	008	6.3	61	1500	15.3 **** **	622	5.4	024	8.9	39	1500	20.1 **** **	007	3.3	354	6.3	64		
1800	19.5 **** **	330	2.7	325	6.3	12	1800	13.7 **** **	033	8.0	038	9.5	8	1800	15.1 **** **	332	3.2	347	8.3	5		
2100	15.8 **** **	354	3.2	321	5.7	1	2100	11.9 **** **	026	3.3	028	7.0	1	2100	13.8 **** **	180	1.4	202	4.4	1		
2400	13.8 **** **	024	.9	347	3.8	0	2400	11.1 **** **	348	.8	359	2.5	0	2400	10.3 **** **	174	1.6	164	3.8	0		

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	
	DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	M/S	MW	DEG C	DEG C	DEG C	DEG C	M/S	MW	DEG C	DEG C	DEG C	M/S	MW	DEG C	DEG C	% DEG. M/S MW
0300	8.0 **** **	192	1.6	179	3.2	0	0300	8.2 **** **	157	2.0	143	4.4	0	0300	9.4 **** **	332	2.3	315	3.5	0		
0600	6.7 **** **	196	1.9	189	3.2	10	0600	7.8 **** **	181	1.7	174	3.8	7	0600	8.3 **** **	318	4.8	314	8.3	3		
0900	15.3 **** **	219	.4	194	2.5	43	0900	13.9 **** **	060	4	004	4.4	47	0900	10.5 **** **	321	3.9	335	6.3	19		
1200	17.7 **** **	011	2.1	013	5.1	58	1200	16.1 **** **	015	4.2	007	7.6	20	1200	12.4 **** **	312	4.4	318	7.0	33		
1500	18.7 **** **	000	3.2	356	6.3	21	1500	17.8 **** **	353	2.9	016	8.3	35	1500	12.9 **** **	341	4.5	349	7.0	23		
1800	15.6 **** **	192	4.7	189	8.9	9	1800	16.1 **** **	310	2.1	266	7.0	29	1800	9.6 **** **	329	1.9	355	5.1	7		
2100	12.5 **** **	203	2.3	219	6.3	7	2100	12.3 **** **	045	1.1	116	4.4	1	2100	9.3 **** **	091	1.2	029	4.4	1		
2400	9.8 **** **	165	2.1	165	5.7	0	2400	9.9 **** **	026	2.1	044	5.1	0	2400	8.3 **** **	252	1.3	242	5.7	0		

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSSETTNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING AUGUST, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.									
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST								
DEG C	DEG C	%	DEG	DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG	DEG C	%								
0300	3.7	164	.4	276	3.8	0	0300	7.2	167	1.1	180	c.5	0	0300	1.7	154	.8	199	4.4	0
0600	2.6	186	1.9	164	3.2	6	0600	6.0	142	.6	111	2.5	4	0600	3.6	199	2.7	211	5.1	10
0900	9.7	185	1.3	164	3.2	30	0900	11.1	062	.6	028	4.4	44	0900	10.0	040	.8	001	5.7	43
1200	11.5	007	1.9	007	5.1	25	1200	13.3	334	4.7	336	7.6	67	1200	13.6	355	2.7	313	7.0	66
1500	13.6	349	1.8	265	5.7	35	1500	13.6	326	4.9	322	8.4	61	1500	14.6	353	3.2	321	8.3	66
1800	12.4	262	3.2	265	6.3	16	1800	13.1	320	5.1	309	8.3	23	1800	14.4	337	3.4	342	7.0	29
2100	9.4	238	1.2	273	5.1	1	2100	9.2	312	5.0	314	8.3	1	2100	8.8	328	2.8	319	7.0	1
2400	8.0	125	2.0	115	3.8	0	2400	7.0	342	2.2	316	6.3	0	2400	3.7	176	2.0	152	5.1	8

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.									
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST								
DEG C	DEG C	%	DEG	DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG	DEG C	%								
0300	1.3	205	2.0	217	3.2	0	0300	4.4	183	2.5	180	3.8	0	0300	7.1	180	1.2	140	3.2	0
0600	1.6	190	2.0	182	3.2	6	0600	5.8	187	2.1	177	3.2	9	0600	5.2	182	1.8	190	3.2	8
0900	10.8	190	.8	214	2.5	43	0900	11.4	113	.5	180	3.2	40	0900	12.5	668	.6	021	5.1	41
1200	14.4	045	2.0	039	5.1	66	1200	15.6	602	3.0	800	5.1	33	1200	15.6	021	4.1	617	7.0	65
1500	16.0	069	2.7	057	6.3	80	1500	17.2	623	2.7	046	5.7	28	1500	18.3	026	3.7	026	7.6	58
1800	17.5	086	1.9	069	5.1	79	1800	18.4	048	1.2	008	5.1	15	1800	18.0	354	4.5	027	8.3	26
2100	11.3	177	1.4	125	5.1	1	2100	14.2	334	7	145	5.7	1	2100	13.9	321	1.1	336	5.7	1
2400	3.7	191	2.5	183	4.4	0	2400	9.5	100	1.5	091	3.2	0	2400	10.2	147	1.6	128	3.8	0

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.									
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST								
DEG C	DEG C	%	DEG	DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG	DEG C	%								
0300	6.0	163	1.8	139	3.8	0	0300	6.3	193	1.4	199	3.2	0	0300	7.6	351	.7	301	1.9	0
0600	7.2	201	1.4	221	3.8	9	0600	7.6	200	1.1	194	2.5	3	0600	7.7	009	.2	036	1.9	1
0900	13.6	238	.4	167	3.2	35	0900	11.1	195	.6	224	2.5	21	0900	9.1	034	.8	102	3.8	19
1200	16.1	080	3.1	007	5.1	53	1200	14.3	008	3.0	012	6.3	50	1200	10.3	082	2.6	085	6.3	24
1500	17.8	017	3.9	011	6.3	62	1500	13.6	017	4.4	025	7.6	20	1500	11.8	093	4.1	090	8.3	20
1800	15.3	013	4.2	020	7.0	10	1800	10.7	026	5.7	030	8.3	11	1800	9.4	089	7.0	040	10.8	5
2100	12.5	025	2.8	016	5.7	1	2100	8.9	033	3.8	028	7.6	0	2100	9.3	083	5.3	089	7.6	1
2400	7.8	077	.4	017	3.2	6	2400	8.1	016	2.3	032	4.4	0	2400	8.4	109	2.4	106	7.0	0

** SEE INTERPRETATION NOTES AT END OF THIS REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDRO ELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING August, 1984

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD											
DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	M/S	M/S	MW	M/S	MW	M/S	MW					
0300	7.8	*****	**	101	4.4	104	9.5	0	0300	7.0	*****	**	337	.6	356	2.5	0	0300	6.0	*****	**	022	2.7	026	5.1	0
0600	7.7	*****	**	077	3.9	089	8.9	1	0600	6.8	*****	**	155	1.2	153	2.5	1	0600	5.5	*****	**	348	1.0	095	3.8	2
0900	10.4	*****	**	086	3.4	090	7.0	21	0900	11.6	*****	**	134	.8	184	2.5	52	0900	7.9	*****	**	292	.4	351	3.2	21
1200	13.9	*****	**	100	4.2	100	7.0	25	1200	11.8	*****	**	360	3.3	349	7.0	26	1200	10.2	*****	**	359	2.5	352	4.4	33
1500	14.4	*****	**	106	5.3	089	10.2	12	1500	11.4	*****	**	014	5.1	028	7.6	28	1500	11.2	*****	**	082	3.5	087	5.7	14
1800	14.0	*****	**	098	7.8	100	12.1	11	1800	9.1	*****	**	021	5.7	021	8.3	7	1800	11.3	*****	**	034	2.5	074	6.3	13
2100	10.0	*****	**	085	4.9	096	8.9	0	2100	7.5	*****	**	026	4.4	039	8.3	0	2100	8.0	*****	**	084	3.0	359	5.1	0
2400	8.3	*****	**	003	2.5	004	4.4	0	2400	6.8	*****	**	015	2.3	024	5.1	0	2400	6.6	*****	**	350	1.9	012	3.8	0

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.																	
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD													
DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	M/S	M/S	MW	M/S	MW	M/S	MW							
0300	4.9	*****	**	238	.6	326	1.9	0	0300	长	短	长	长	短	长	长	0	0300	4.3	*****	**	024	1.7	003	4.4	0		
0600	4.3	*****	**	205	1.4	220	2.5	2	0600	长	短	长	长	短	长	长	1	0600	3.5	*****	**	016	1.5	017	3.2	1		
0900	279	*****	**	279	.9	223	2.5	20	0900	长	短	长	长	短	长	长	18	0900	6.1	*****	**	099	1.2	110	5.7	34		
1200	279	*****	**	279	1.4	220	2.5	20	1200	长	短	长	长	短	长	长	30	1200	7.7	*****	**	110	4.5	100	7.6	17		
1500	20	*****	**	20	1.5	1500	长	短	长	长	短	长	长	短	267	2.5	267	3.8	46	1500	8.5	*****	**	116	5.4	119	8.3	14
1800	20	*****	**	20	1.5	1500	长	短	长	长	短	长	长	短	267	3.0	030	5.7	9	1800	8.0	*****	**	115	5.5	119	7.6	9
2100	0	*****	**	0	2100	8.0	*****	**	0	2100	1.4	12	4.4	0	2100	7.6	*****	**	109	4.3	114	7.6	0					
2400	0	*****	**	0	2400	4.9	*****	**	0	2400	0.33	2.4	030	5.7	0	2400	7.0	*****	**	174	.9	167	3.2	0				

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD											
DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	DEG C	M/S	M/S	MW	M/S	MW	M/S	MW					
0300	5.9	*****	**	195	.7	119	2.5	0	0300	4.3	*****	**	306	6.3	301	12.7	0	0300	.1	*****	**	322	5.9	327	8.9	0
0600	6.0	*****	**	193	1.6	218	2.5	1	0600	3.5	*****	**	300	7.3	295	12.7	1	0600	-.1	*****	**	291	2.8	318	7.6	2
0900	7.7	*****	**	211	.5	187	1.9	9	0900	3.8	*****	**	320	5.0	330	9.5	30	0900	3.1	*****	**	227	.9	282	5.7	35
1200	7.9	*****	**	017	1.6	021	3.2	8	1200	3.6	*****	**	343	7.1	353	10.8	26	1200	4.3	*****	**	019	1.8	029	4.4	22
1500	3.2	*****	**	339	8.2	338	14.0	9	1500	4.3	*****	**	353	7.8	349	13.3	56	1500	5.5	*****	**	044	1.5	077	5.1	33
1800	4.7	*****	**	318	4.2	334	7.5	5	1800	1.6	长	长	354	7.7	001	12.1	5	1800	6.0	*****	**	347	2.3	354	6.3	25
2100	3.1	*****	**	005	2.5	340	5.7	0	2100	7	*****	**	341	7.4	341	12.1	0	2100	2.8	*****	**	001	2.4	003	7.6	0
2400	1.8	*****	**	318	5.2	303	10.8	0	2400	.7	长	长	328	7.4	331	10.2	0	2400	-.5	*****	**	139	2.4	125	6.3	0

* SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT *

R & M CONSULTANTS, INC.
SUSSETNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING AUGUST, 1984

DAY 28

DAY 29

DAY 30

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.				
NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD. DIR.	GUST RAD	
DEG C	DEG C	%	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	MW	
0300	-4.3 **** **	179	1.2	159	3.2	0	6300	-4.4 **** **	348	.8	049	4.4	0	0300	.2 **** **
0600	-6.6 **** **	223	1.6	224	3.2	2	0600	-6.2 **** **	239	1.9	213	3.8	2	0600	-5.5 **** **
0900	2.7 **** **	187	1.2	136	7.0	35	0900	1.4 **** **	237	1.5	226	3.2	33	0900	2.3 **** **
1200	4.7 **** **	116	4.7	114	7.6	60	1200	5.4 **** **	069	1.6	100	7.0	56	1200	3.9 **** **
1500	6.1 **** **	117	3.9	112	7.6	56	1500	7.0 **** **	091	3.9	092	7.0	53	1500	6.0 **** **
1800	6.2 **** **	111	4.7	112	7.6	19	1800	6.0 **** **	109	3.4	114	7.0	9	1800	5.2 **** **
2100	1.5 **** **	127	3.2	112	5.7	0	2100	1.8 **** **	114	4.0	109	10.8	0	2100	2.8 **** **
2400	-6.6 **** **	136	2.1	130	7.6	0	2400	-1.1 **** **	115	6.5	113	11.4	0	2400	2.3 **** **

DAY 31

HOUR DEW WIND WIND GUST MAX.
NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD
DEG C DEG C % DEG. M/S DIR. M/S MW

0300	0.0 **** **	192	.9	146	2.5	0
0600	-1.4 **** **	200	1.0	156	2.5	1
0900	2.6 **** **	202	.9	221	2.5	11
1200	4.2 **** **	190	1.3	218	3.2	17
1500	7.3 **** **	217	1.2	233	3.2	43
1800	7.3 **** **	345	1.0	050	6.3	8
2100	5.3 **** **	024	1.5	003	3.2	0
2400	2.4 **** **	181	.8	190	3.2	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.

SUSSEKINA HYDROELECTRIC PROJECT

MONTHLY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING AUGUST, 1984

DAY	MAX. TEMP. DEG C	MIN. TEMP. DEG C	MEAN TEMP. DEG C	RES. WIND DIR. DEG	RES. WIND SPD. M/S	AVG. WIND M/S	MAX. GUST DIR. DEG	MAX. GUST P'VAL M/S	MAX. RH %	MEAN RH %	MEAN DP DEG C	PRECIP ¹ MM	DAY'S SOLAR ENERGY WH/SDM	
1	12.6	7.0	9.8	016	1.9	2.2	030	6.3	NNE	88	88	0.0	2580	1
2	14.4	8.8	11.6	009	2.0	2.2	006	5.7	N	88	88	0.0	2755	2
3	17.2	9.7	13.5	011	2.3	2.4	355	7.6	NNE	88	88	0.0	4540	3
4	21.6	7.2	14.4	359	1.2	2.0	008	6.3	NNW	88	88	9.0	4785	4
5	17.0	9.4	13.2	028	2.4	3.0	038	9.5	NNE	88	88	0.0	4110	5
6	20.5	10.2	15.4	359	.7	2.0	347	8.3	NNF	88	88	0.0	5370	6
7	20.4	5.7	13.1	196	.9	2.5	189	8.9	S	88	88	0.0	5185	7
8	19.7	7.0	13.4	015	1.0	2.6	016	8.3	NNE	88	88	1.4	4545	8
9	14.0	7.8	10.9	324	2.6	3.3	315	9.5	NW	88	88	6.4	3385	9
10	14.1	2.5	8.3	234	.4	2.1	265	6.3	N	88	88	.4	3655	10
11	14.7	6.0	10.4	325	2.5	3.2	322	8.9	NW	88	88	.2	6190	11
12	15.0	1.1	8.1	334	1.0	2.8	321	6.3	SSW	88	88	0.0	6200	12
13	17.6	.3	9.0	145	.9	2.0	057	6.3	SSW	88	88	0.0	6040	13
14	19.6	2.4	11.0	060	.5	2.4	040	5.7	N	88	88	0.0	5055	14
15	19.2	4.6	11.9	022	1.1	2.8	027	8.3	NNE	88	88	0.0	5850	15
16	18.2	5.4	11.8	017	1.3	2.5	020	7.0	NNF	88	88	0.0	4815	16
17	14.4	6.3	10.4	022	2.0	2.8	030	8.3	NNE	88	88	0.0	3010	17
18	11.9	7.6	9.8	085	2.7	3.1	090	10.8	E	88	88	2.8	1973	18
19	15.0	7.5	11.3	090	4.2	4.7	100	12.1	E	88	88	0.0	2635	19
20	13.2	6.5	9.9	020	2.5	3.1	021	8.3	NNE	88	88	.2	4240	20
21	11.5	5.4	9.5	020	1.8	2.4	074	6.3	N	88	88	0.0	2270	21
22	6.4	3.9	5.2	223	.9	1.3	220	2.5	SW	88	88	1.6	2985	22
23	10.5	4.6	7.6	044	1.7	2.5	030	5.7	NNE	88	88	5.0	2437	23
24	8.6	3.2	5.9	106	2.7	3.2	119	8.3	FSE	88	88	4.4	1495	24
25	8.2	2.3	5.3	329	2.3	3.2	338	14.0	NNW	88	88	8.6	1065	25
26	4.5	.2	2.4	332	6.8	7.1	349	13.3	NNW	88	88	.2	3895	26
27	6.9	-2.5	2.2	339	1.4	2.8	327	8.9	NW	88	88	0.0	4155	27
28	6.8	-6.6	.1	130	2.4	3.1	114	7.6	FSE	88	88	0.0	5010	28
29	7.1	-6.2	.5	112	2.1	3.2	113	11.4	ESE	88	88	0.0	4985	29
30	6.0	-8	2.6	104	2.5	3.1	098	8.9	FSE	88	88	0.0	2840	30
31	7.8	-4	3.7	206	.5	1.3	050	6.3	SW	88	88	0.0	2070	31
MONTH	21.6	-6.6	8.7	025	1.1	2.8	338	14.0	NNE	88	88	31.2	120127	

GUST VEL. AT MAX. GUST MINUS 2 INTERVALS 12.7

GUST VEL. AT MAX. GUST MINUS 1 INTERVAL 12.0


GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 13.3

GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 12.1

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.

* * SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT * *

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
August, 1984




R & M CONSULTANTS, INC.
SUBSTITINA HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING AUGUST, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0.2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
N	.77	8.35	4.56	.63	0.00	0.00	0.00	14.32	
NNE	.63	7.93	8.63	.49	0.00	0.00	0.00	17.68	
NE	.56	8.39	.70	.14	0.00	0.00	0.00	3.79	
ENE	.42	1.75	.63	0.00	0.00	0.00	0.00	2.81	
E	.21	1.40	3.65	1.19	0.00	0.00	0.00	6.46	
EEF	.63	1.96	4.84	.70	0.00	0.00	0.00	8.14	
EF	.56	1.89	1.26	0.00	0.00	0.00	0.00	3.72	
SSE	.70	3.16	.14	0.00	0.00	0.00	0.00	4.00	
S	.91	6.11	.28	.14	0.00	0.00	0.00	7.44	
SSW	1.33	5.82	.07	0.00	0.00	0.00	0.00	7.23	
SW	.91	3.09	.21	0.00	0.00	0.00	0.00	4.21	
WSW	.91	1.40	.07	0.00	0.00	0.00	0.00	2.39	
W	.70	.77	.49	0.00	0.00	0.00	0.00	1.96	
WNW	.56	.49	.35	.84	0.00	0.00	0.00	2.25	
NW	.28	.98	3.86	.70	0.00	0.00	0.00	5.82	
NNW	.42	2.53	3.16	1.61	.07	0.00	0.00	7.79	
CALM									0.00
TOTAL	10.53	50.04	32.91	6.46	.07	0.00	0.00	100.00	

NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT
 1425 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY
 1488 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.
 ** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
August, 1984



R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING August, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0000	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	AVG
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	22
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	22
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	19
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14
10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15
11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26
12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26
13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25
14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	21
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	24
16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20
17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13
18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13
19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11
20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18
21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12
22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9
23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6
24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16
26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17
27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	21
28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	21
29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12
30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING August, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PFRCENT OF TOTAL OBSERVATIONS
TEMPERATURE	1425	96
WIND SPEED	1425	96
WIND DIRECTION	1425	96
PEAK GUST	1425	96
RELATIVE HUMIDITY	0	0
PRECIPITATION	1485	100
SOLAR RADIATION	1485	100
DEW POINT	0	0

THERE ARE 1488 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. Solar -1 mW/cm²

Additional comments on this month's data:

1. Recorded RH data invalid due to bad oscillator.
2. Sensor array disconnected on 8/22 and 8/23 for annual maintenance: No temperature, RH, or wind data recorded.

R & M CONSULTANTS, INC.

SUSITNA HYDRO ELECTRIC PROJECT

HOURLY PRECIPITATION SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING September, 1984

PRECIPITATION VALUES ARE IN MILLIMETERS

DATE	HOUR ENDING																								DATE	
	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400		
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
6	.2	.2	.2	.2	.4	0.0	.2	.4	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
19	.2	.8	.4	.2	0.0	1.6	.2	.2	0.0	.2	.4	.8	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	.2	.4	.4	.2	0.0	.2	0.0	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
29	0.0	.2	0.0	.4	0.0	.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT 5X

R & M CONSULTANTS, INC.
SUSSETTINA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING September, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW

0300	2.2	****	**	167	1.5	138	4.4	0	0300	.1	****	**	194	2.2	168	5.1	0	0300	-.4	****	**	205	1.8	203	3.2	0
0600	-1.2	****	**	168	2.5	157	4.4	1	0600	-.6	****	**	187	1.9	180	3.2	1	0600	-1.1	****	**	218	1.9	223	3.2	1
0900	6.2	****	**	201	1.4	182	3.8	33	0900	3.8	****	**	222	1.5	218	2.5	19	0900	3.4	****	**	203	1.9	209	3.2	19
1200	9.8	****	**	128	2.0	115	5.1	57	1200	10.5	****	**	353	1.0	022	4.4	57	1200	9.6	****	**	308	.3	349	2.5	34
1500	12.0	****	**	101	2.0	089	5.1	54	1500	10.4	****	**	307	.5	183	7.6	61	1500	9.9	****	**	387	1.6	307	5.7	20
1800	12.7	****	**	341	1.5	350	4.4	22	1800	9.7	****	**	108	1.8	032	7.6	19	1800	9.6	****	**	387	4.6	084	7.6	7
2100	6.0	****	**	274	1.1	227	5.1	0	2100	3.4	****	**	218	1.9	236	3.8	0	2100	6.2	****	**	092	3.4	088	5.7	0
2400	1.6	****	**	185	2.3	205	3.8	0	2400	1.7	****	**	199	2.0	187	3.2	0	2400	6.0	****	**	178	1.5	151	4.4	0

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW

0300	5.1	****	**	195	1.3	212	3.2	0	0300	4.9	****	**	185	1.3	187	2.5	0	0300	4.7	****	**	210	2.1	213	3.8	0
0600	4.6	****	**	199	1.4	226	2.5	1	0600	6.0	****	**	191	1.6	164	3.2	1	0600	4.2	****	**	193	1.3	229	3.2	0
0900	7.9	****	**	193	1.1	197	2.5	36	0900	8.2	****	**	175	1.4	192	3.2	15	0900	5.1	****	**	200	1.3	175	3.2	5
1200	10.2	****	**	146	1.4	114	5.7	31	1200	11.3	****	**	130	2.2	106	6.3	26	1200	8.5	****	**	072	.6	025	3.8	35
1500	10.6	****	**	137	2.3	130	5.1	19	1500	11.9	****	**	118	2.6	090	7.0	19	1500	8.7	****	**	114	2.8	135	6.3	29
1800	8.0	****	**	179	1.9	155	5.1	3	1800	8.9	****	**	116	3.6	102	9.5	5	1800	9.2	****	**	054	.5	139	5.1	12
2100	6.7	****	**	198	1.5	222	3.2	0	2100	7.7	****	**	206	.4	183	3.2	0	2100	5.6	****	**	042	.3	002	3.5	0
2400	3.7	****	**	178	1.7	169	3.2	0	2400	5.5	****	**	200	1.0	257	3.2	0	2400	5.3	****	**	214	1.0	234	2.5	0

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW	DEG C	DEG C	%	DEG. M/S	DEG. M/S	MW

0300	1.8	****	**	209	1.7	215	1.4	0	0300	-1.0	****	**	197	2.0	196	3.8	0	0300	2.2	****	**	196	1.4	187	2.5	0
0600	2.7	****	**	190	1.4	185	3.2	0	0600	-1.2	****	**	224	2.5	218	3.2	1	0600	1.2	****	**	202	1.7	206	3.2	1
0900	5.2	****	**	164	1.4	158	3.2	10	0900	3.2	****	**	220	2.6	220	3.8	29	0900	6.8	****	**	194	1.9	200	3.2	29
1200	9.3	****	**	341	1.0	010	3.2	38	1200	8.5	****	**	141	1.0	106	5.1	50	1200	12.6	****	**	038	.7	197	3.2	54
1500	9.8	****	**	040	1.5	038	5.1	27	1500	11.2	****	**	119	3.1	112	6.3	50	1500	12.0	****	**	043	1.1	092	6.3	18
1800	6.4	****	**	286	2.1	255	7.0	5	1800	12.4	****	**	132	1.2	087	5.7	16	1800	13.1	****	**	149	1.0	119	4.4	16
2100	3.4	****	**	189	1.5	173	3.8	0	2100	7.6	****	**	147	2.1	143	4.4	0	2100	6.7	****	**	282	.3	313	3.2	6
2400	1.4	****	**	179	2.3	175	3.9	0	2400	4.3	****	**	207	1.4	225	2.5	0	2400	3.8	****	**	210	1.8	197	3.8	0

** GEF INTERPRETATION - FS AT END (IF MONTHLY REPORT) **

R & M CONSULTANTS, INC.

三、本办法所称的“无照经营”，是指未依法取得营业执照，擅自从事经营活动，违反了《无证无照经营查处办法》第二条第一款规定。

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING September, 1984

DAY 10

DAY 11

DAY 12

HOUR DEW WIND WIND GUST MAX. HOUR DEW WIND WIND GUST MAX. HOUR DEW WIND WIND GUST MAX.
 NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD
 DEG C DEG C % DEG. M/S DEG. M/S MW DEG C DEG C % DEG. M/S DEG. M/S MW DEG C DEG C % DEG. M/S DEG. M/S MW

0300	.9	新嘉坡新嘉坡	新嘉坡	217	1.8	218	3.2	0	0300	- .8	***新嘉坡	新嘉坡	210	2.1	181	4.4	0	0300	1.0	新嘉坡新嘉坡	新嘉坡	199	1.8	229	3.2	0
0600	-1.1	新嘉坡新嘉坡	新嘉坡	206	2.0	229	3.2	1	0600	-1.2	***新嘉坡	新嘉坡	199	2.4	210	4.4	0	0600	.1	新嘉坡新嘉坡	新嘉坡	186	2.2	168	4.4	0
0900	8.8	新嘉坡新嘉坡	新嘉坡	210	1.4	196	2.5	28	0900	6.6	新嘉坡新嘉坡	新嘉坡	189	2.0	206	3.2	28	0900	6.2	新嘉坡新嘉坡	新嘉坡	189	2.0	184	4.4	28
1200	12.0	新嘉坡新嘉坡	新嘉坡	035	.9	019	3.2	52	1200	11.0	***新嘉坡	新嘉坡	134	1.9	121	7.0	51	1200	10.8	新嘉坡新嘉坡	新嘉坡	069	1.2	037	3.8	49
1500	12.0	新嘉坡新嘉坡	新嘉坡	039	2.5	051	7.6	28	1500	12.0	***新嘉坡	新嘉坡	129	2.8	130	6.3	46	1500	8.9	新嘉坡新嘉坡	新嘉坡	090	3.3	129	7.6	33
1800	9.0	新嘉坡新嘉坡	新嘉坡	065	3.8	093	8.9	5	1800	9.4	***新嘉坡	新嘉坡	119	2.6	111	8.9	5	1800	7.3	新嘉坡新嘉坡	新嘉坡	064	2.6	059	6.3	7
2100	5.4	新嘉坡新嘉坡	新嘉坡	255	.4	004	5.7	0	2100	5.7	新嘉坡新嘉坡	新嘉坡	203	2.7	215	8.3	0	2100	5.0	新嘉坡新嘉坡	新嘉坡	023	2.0	023	4.4	0
2400	1.0	新嘉坡新嘉坡	新嘉坡	189	2.3	174	4.4	0	2400	3.6	新嘉坡新嘉坡	新嘉坡	178	1.6	175	3.2	0	2400	2.5	新嘉坡新嘉坡	新嘉坡	303	.8	341	2.5	0

DAY 3

DAY 14

DAY 15

HOUR DEW WIND WIND GUST MAX. HOUR DEW WIND WIND GUST MAX. HOUR DEW WIND WIND GUST MAX.
 NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD
 DEG C DEG C % DEG. M/S DEG. M/S MW DEG C DEG C % DEG. M/S DEG. M/S MW DEG C DEG C % DEG. M/S DEG. M/S MW

DAY 16

DAY 17

PAY 18

HOUR DEW WIND WIND GUST MAX. HOUR DEW WIND WIND GUST MAX. HOUR DEW WIND WIND GUST MAX.
 NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD NDNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD
 DEG C DEG C % DEG. M/S DEG. M/S MU DEG C DEG C % DEG. M/S DFG. M/S NW DFG C DEG C % DFG. M/S DEG. M/S MU

0300	.5	数据数据数据	数据	199	1.8	180	3.8	0	0300	3.0	数据数据数据	数据	175	.9	216	1.9	0	0300	0.0	数据数据数据	数据	204	1.5	214	3.2	0
0600	.8	数据数据数据	数据	202	2.1	216	3.2	0	0600	2.8	数据数据数据	数据	212	.7	177	2.5	0	0600	2.2	数据数据数据	数据	202	1.4	201	2.5	0
0900	5.0	数据数据数据	数据	199	1.6	186	3.2	14	0900	4.2	数据数据数据	数据	233	.7	191	1.9	14	0900	4.2	数据数据数据	数据	192	1.4	190	2.5	9
1200	10.1	数据数据数据	数据	027	.9	016	3.8	28	1200	7.8	数据数据数据	数据	028	1.1	011	3.2	24	1200	6.2	数据数据数据	数据	166	.8	155	3.2	21
1500	11.2	数据数据数据	数据	352	2.7	332	5.7	20	1500	9.3	数据数据数据	数据	053	1.1	007	3.8	14	1500	6.8	数据数据数据	数据	091	1.6	032	5.7	19
1800	9.4	数据数据数据	数据	050	1.5	110	4.1	4	1800	7.6	数据数据数据	数据	062	2.1	080	5.1	1	1800	5.8	数据数据数据	数据	014	3.2	016	5.1	2
2100	6.7	数据数据数据	数据	220	2.6	228	7.6	0	2100	3.3	数据数据数据	数据	217	1.9	255	0.3	0	2100	2.9	数据数据数据	数据	033	4.0	035	7.6	0
2400	4.2	数据数据数据	数据	185	1.7	199	3.8	0	2400	1.9	数据数据数据	数据	199	1.6	160	3.2	1	2400	3.0	数据数据数据	数据	031	.7	037	3.2	0

X X GENEVA TERRIFICATION NOTES APR 22 ID 01 MINUTE REPORT X X

R & M CONSULTANTS, INC.
SUSIBUTNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING September, 1984

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.									
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST								
DEG C	DEG C	%	DEG C	DEG C	%	DEG C	DEG C	DIR.	SPD.	DIR.	DIR.	GUST RAD								
0300	1.8 **** **	266	.6	195	1.9	0	0300	.3 **** **	020	2.3	029	5.1	0	0300	-3.9 **** **	0	1.7	186	3.2	0
0600	.2 **** **	263	.9	265	2.5	0	0600	1.7 **** **	068	2.3	093	7.6	0	0600	-4.1 **** **	204	1.9	212	3.2	0
0900	.2 **** **	230	.9	252	1.9	2	0900	2.5 **** **	023	2.3	024	4.4	6	0900	3.4 **** **	205	1.4	225	3.2	31
1200	2.0 **** **	226	.2	257	1.9	12	1200	6.0 **** **	017	3.7	029	6.3	32	1200	8.1 **** **	145	.4	219	2.5	46
1500	5.3 **** **	047	.7	080	2.5	23	1500	6.2 **** **	330	5.7	331	8.9	38	1500	10.6 **** **	099	1.1	076	3.8	38
1800	4.7 **** **	245	.4	227	2.5	3	1800	6.1 **** **	343	4.8	346	8.3	7	1800	8.6 **** **	015	1.7	082	3.8	7
2100	2.8 **** **	056	1.0	098	3.8	0	2100	.7 **** **	173	1.3	174	3.2	0	2100	2.6 **** **	217	2.3	208	3.8	0
2400	1.3 **** **	007	1.7	020	4.4	0	2400	-2.2 **** **	182	2.1	178	3.2	0	2400	1.0 **** **	196	2.1	195	3.8	0

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.									
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST								
DEG C	DEG C	%	DEG C	DEG C	%	DEG C	DEG C	DIR.	SPD.	DIR.	DIR.	GUST RAD								
0300	-1.8 **** **	199	2.1	198	3.8	0	0300	.1 **** **	210	1.8	222	3.2	0	0300	3.4 **** **	208	1.2	175	3.2	0
0600	-1.7 **** **	209	2.3	208	3.8	0	0600	-1.6 **** **	197	1.7	202	3.2	0	0600	.1 **** **	211	1.6	224	4.4	0
0900	2.8 **** **	219	2.2	220	3.8	29	0900	3.1 **** **	217	2.1	221	3.8	13	0900	1.0 **** **	234	2.0	222	4.4	14
1200	8.4 **** **	120	2.4	102	7.6	46	1200	8.3 **** **	114	3.1	108	6.3	47	1200	6.6 **** **	169	1.5	136	4.4	40
1500	10.6 **** **	105	6.3	102	9.5	35	1500	8.1 **** **	098	4.4	096	7.6	26	1500	7.2 **** **	123	3.3	115	6.3	16
1800	7.9 **** **	100	5.3	105	8.3	4	1800	5.8 **** **	122	2.1	105	4.4	2	1800	6.8 **** **	155	.9	132	5.1	2
2100	1.9 **** **	186	1.7	133	5.7	0	2100	3.6 **** **	176	1.7	187	3.2	0	2100	4.2 **** **	182	1.4	210	3.2	0
2400	.9 **** **	215	2.1	238	3.2	0	2400	3.1 **** **	210	1.3	181	3.2	0	2400	2.6 **** **	227	1.8	213	3.8	0

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.									
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST								
DEG C	DEG C	%	DEG C	DEG C	%	DEG C	DEG C	DIR.	SPD.	DIR.	DIR.	GUST RAD								
0300	3.5 **** **	220	1.2	237	3.2	0	0300	2.3 **** **	228	1.8	236	3.2	0	0300	-1.9 **** **	180	2.5	171	4.4	0
0600	1.8 **** **	116	1.2	119	.3	0	0600	2.6 **** **	213	1.8	225	3.2	0	0600	-1.5 **** **	194	2.1	175	3.8	0
0900	2.3 **** **	180	1.1	163	1.9	9	0900	4.3 **** **	221	1.2	248	2.5	9	0900	1.9 **** **	205	1.9	212	3.2	9
1200	6.2 **** **	188	1.5	177	3.8	22	1200	8.2 **** **	153	2.0	134	5.1	43	1200	8.5 **** **	184	1.9	180	3.8	42
1500	7.7 **** **	133	2.5	123	5.7	14	1500	9.2 **** **	073	.8	107	3.8	16	1500	9.3 **** **	113	3.7	100	8.3	25
1800	6.8 **** **	126	3.2	117	5.1	4	1800	7.7 **** **	012	1.8	007	3.8	2	1800	6.8 **** **	199	4.4	125	7.0	4
2100	2.8 **** **	165	1.9	134	3.2	0	2100	2.8 **** **	287	.6	263	3.2	0	2100	.9 **** **	191	2.3	144	4.4	0
2400	2.6 **** **	191	1.5	162	2.5	0	2400	.9 **** **	197	2.4	194	3.8	0	2400	-.8 **** **	210	2.1	199	3.8	0

** SEE INTERPRETATION NOTES AT END OF MINUTE 7 REPORT **

R & M CONSULTANTS, INC.

SUSTINA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR SUSTINA WEATHER STATION
DATA TAKEN DURING September, 1984

DAY 28


DAY 29

DAY 30

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD
DEG C	DEG C	%	DEG C	DEG C	%	DEG C	DEG C	DEG C	DEG C	DEG C	%	DEG C	DEG C
0300	-1.6 **** **	221	2.2	217	3.8	0 0300	2.3 ***** **	077	1.2	101	3.8	0 0300	4.3 ***** **
0600	-4 ***** **	204	2.1	210	3.8	0 0600	2.3 ***** **	004	1.3	357	3.8	0 0600	3.4 ***** **
0900	.7 ***** **	220	2.5	226	3.8	14 0900	2.6 ***** **	125	2.1	102	8.3	3 0900	4.9 ***** **
1200	8.5 ***** **	204	1.4	200	5.7	29 1200	5.0 ***** **	169	1.9	134	6.3	6 1200	6.5 ***** **
1500	8.5 ***** **	135	2.2	109	5.1	11 1500	6.9 ***** **	238	1.1	263	3.2	9 1500	8.7 ***** **
1800	6.5 ***** **	127	2.2	117	8.9	1 1800	7.3 ***** **	203	1.0	246	4.4	1 1800	7.0 ***** **
2100	2.0 ***** **	102	3.1	109	7.0	0 2100	6.7 ***** **	175	1.3	141	5.1	0 2100	4.6 ***** **
2400	2.0 ***** **	065	.8	127	3.8	0 2400	5.3 ***** **	159	1.5	138	6.3	0 2400	3.7 ***** **

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
September, 1984



R & M CONSULTANTS, INC.
SUBSTITNA HYDRO ELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING September, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0-2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
N	.28	2.52	.49	0.00	0.00	0.00	0.00	3.33	
NNE	.21	4.22	1.11	0.00	0.00	0.00	0.00	6.04	
NE	0.00	1.39	.49	0.00	0.00	0.00	0.00	1.88	
ENE	.21	1.60	.21	0.00	0.00	0.00	0.00	2.01	
E	.21	1.74	3.61	.14	0.00	0.00	0.00	5.69	
ESE	.21	4.58	4.72	1.11	0.00	0.00	0.00	10.63	
SE	.35	4.44	3.06	.14	0.00	0.00	0.00	7.94	
SSE	.69	6.11	.63	0.00	0.00	0.00	0.00	7.43	
S	.42	13.26	.42	0.00	0.00	0.00	0.00	14.10	
SSW	1.04	15.28	.49	0.00	0.00	0.00	0.00	16.81	
SW	1.04	12.22	.35	0.00	0.00	0.00	0.00	13.61	
WSW	.83	3.32	.21	0.00	0.00	0.00	0.00	4.86	
W	.49	.97	0.00	0.00	0.00	0.00	0.00	1.46	
WNW	.28	.42	.07	0.00	0.00	0.00	0.00	.76	
NW	.28	.76	0.00	.34	0.00	0.00	0.00	1.10	
NNW	.28	1.11	.78	.07	0.00	0.00	0.00	2.22	
CALM								0.00	
TOTAL	6.81	75.00	16.80	1.60	0.00	0.00	0.00	100.00	


NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT

1440 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY

1440 WIND OBSERVATIONS WHICH HAD BEEN CORRECTED FOR 30 MINUTE DATA.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
September, 1984



R & M CONSULTANTS, INC.

SUSSETNA HYDROELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING September, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	0	0	0	0	0	1	6	19	30	41	50	57	53	59	56	47	38	25	7	2	0	0	0	0	20
2	0	0	0	0	0	1	3	8	16	40	49	55	65	47	41	13	14	15	9	1	0	0	0	0	16
3	0	0	0	0	0	1	5	16	15	24	33	39	26	23	21	20	16	9	4	1	0	0	0	0	10
4	0	0	0	0	0	1	6	18	30	23	26	34	23	22	24	11	9	5	2	0	0	0	0	0	10
5	0	0	0	0	0	1	6	10	21	34	17	21	37	21	18	30	13	6	3	1	0	0	0	0	10
6	0	0	0	0	0	0	2	5	5	7	36	45	12	35	26	20	19	13	3	1	0	0	0	0	9
7	0	0	0	0	0	0	6	2	4	8	14	22	36	51	52	21	6	5	10	3	1	0	0	0	10
8	0	0	0	0	0	1	6	13	26	37	41	48	33	23	49	45	39	18	5	1	0	0	0	0	15
9	0	0	0	0	0	1	5	15	27	36	45	51	14	50	17	30	21	14	6	1	0	0	0	0	14
10	0	0	0	0	0	1	4	14	24	36	43	51	55	58	40	34	12	7	6	1	0	0	0	0	16
11	0	0	0	0	0	0	3	15	26	36	44	50	53	53	47	41	17	6	2	1	0	0	0	0	16
12	0	0	0	0	0	0	2	14	25	32	42	49	33	18	44	12	10	8	2	0	0	0	0	0	12
13	0	0	0	0	0	0	2	4	7	10	16	18	19	26	16	16	20	13	3	1	0	0	0	0	7
14	0	0	0	0	0	0	1	6	22	31	36	19	29	27	16	8	9	6	2	0	0	0	0	0	9
15	0	0	0	0	0	0	2	5	10	19	23	40	45	46	39	18	18	5	2	0	0	0	0	0	11
16	0	0	0	0	0	0	2	11	14	27	42	28	24	29	17	17	11	7	1	0	0	0	0	0	9
17	0	0	0	0	0	0	1	4	12	23	22	26	43	26	21	8	12	2	0	0	0	0	0	0	8
18	0	0	0	0	0	0	1	8	8	10	12	17	23	35	26	18	9	3	1	0	0	0	0	0	7
19	0	0	0	0	0	0	1	4	2	5	11	10	13	29	19	18	12	4	1	0	0	0	0	0	5
20	0	0	0	0	0	0	1	4	5	15	21	32	49	47	40	32	22	10	2	0	0	0	0	0	11
21	0	0	0	0	0	0	2	15	28	36	35	45	47	45	48	32	21	10	2	0	0	0	0	0	15
22	0	0	0	0	0	0	2	14	27	27	33	44	48	47	39	31	15	6	1	0	0	0	0	0	14
23	0	0	0	0	0	0	2	10	15	31	38	45	28	30	23	28	9	1	0	0	0	0	0	0	11
24	0	0	0	0	0	0	1	4	15	19	29	42	26	23	15	15	8	3	1	0	0	0	0	0	8
25	0	0	0	0	0	0	1	2	7	13	28	22	37	24	16	18	11	7	1	0	0	0	0	0	8
26	0	0	0	0	0	0	1	5	9	35	35	42	47	32	32	19	9	3	1	0	0	0	0	0	11
27	0	0	0	0	0	0	1	3	8	11	31	41	43	27	18	25	17	4	1	0	0	0	0	0	9
28	0	0	0	0	0	0	1	4	11	30	35	34	23	15	12	7	4	1	0	0	0	0	0	0	7
29	0	0	0	0	0	0	1	3	4	11	7	6	11	9	5	3	2	0	0	0	0	0	0	0	2
30	0	0	0	0	0	0	1	7	21	30	28	17	41	24	13	13	5	2	0	0	0	0	0	0	8

* SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSSETNA HYDROELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING September, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	1440	100
WIND SPEED	1440	100
WIND DIRECTION	1440	100
PEAK GUST	1440	100
RELATIVE HUMIDITY	0	0
PRECIPITATION	1440	100
SOLAR RADIATION	1440	100
DEW POINT	0	0

THERE ARE 1440 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. Solar -1 mW/cm²

Additional comments on this month's data:

1. Recorded RH data invalid due to bad oscillator.
2. Timing and quantity of precipitation are suspect since freezing temperatures occurred frequently. However, thawing temperatures also occurred, so daily totals should be accurate.

No precipitation data for October

(See INTERPRETATION OF DATA).

R & M CONSULTANTS, INC.

SUSSETTNA HYDRO ELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING October, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DTR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DTR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	DEG C	% DEG.	M/S

0300	3.1 **** **	163	1.8	145	7.0	0	0300	.9 **** **	253	1.4	248	2.5	0	0300	-1.6 **** **	181	1.8	171	3.8	0
0600	1.0 **** **	134	2.5	138	5.1	0	0600	-1.3 **** **	207	1.5	244	2.5	0	0600	-1.7 **** **	208	1.5	204	3.5	0
0900	3.3 **** **	166	1.6	182	4.4	7	0900	.4 **** **	199	1.8	223	3.2	13	0900	-4.4 **** **	201	1.7	229	3.2	9
1200	5.6 **** **	108	6.4	096	10.2	21	1200	4.6 **** **	219	1.5	214	3.2	28	1200	3.5 **** **	151	2.5	144	5.1	26
1500	8.5 **** **	104	4.4	102	9.5	14	1500	7.1 **** **	130	2.2	106	5.1	34	1500	6.9 **** **	134	2.1	157	4.4	29
1800	6.9 **** **	130	3.7	123	7.6	1	1800	4.5 **** **	109	2.0	091	5.1	1	1800	3.2 **** **	133	2.7	137	3.1	1
2100	2.6 **** **	105	8.9	098	10.2	0	2100	.9 **** **	160	.3	140	2.5	0	2100	-7.8 **** **	187	2.1	146	3.8	0
2400	1.8 **** **	169	1.6	147	5.1	0	2400	0.0 **** **	177	1.6	156	3.8	0	2400	-2.7 **** **	183	2.4	182	3.8	0

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DTR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DTR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	DEG C	% DEG.	M/S

0300	-4.0 **** **	182	2.3	188	3.8	0	0300	-2.5 **** **	194	1.4	232	2.5	0	0300	-.7	-4.7	74	166	2.3	145	4.4	0
0600	-5.0 **** **	184	2.2	180	3.8	0	0600	-3.7 **** **	213	1.7	206	3.2	0	0600	-2.3	-6.1	75	195	1.7	153	3.2	0
0900	-1.1 **** **	197	1.9	182	3.8	23	0900	-2.2 **** **	224	1.7	227	3.2	5	0900	.2	-8.6	60	244	2.3	278	5.7	9
1200	5.6 **** **	160	1.5	119	5.7	38	1200	2.4 **** **	092	2.2	086	8.3	20	1200	3.4	-5.3	53	117	1.5	093	7.0	19
1500	6.0 **** **	118	5.1	119	7.6	29	1500	4.1 **** **	106	3.7	096	7.0	15	1500	5.6	-3.8	51	128	3.6	126	7.0	17
1800	3.2 **** **	109	6.2	104	8.9	1	1800	3.3 -2.2 67	140	1.7	133	5.1	0	1800	4.5	-4.3	53	116	2.7	111	6.3	1
2100	-7.2 **** **	147	3.9	125	7.6	0	2100	1.7 -9 83	192	2.3	166	5.7	0	2100	1.4	-3.3	71	164	1.4	175	3.9	0
2400	-1.9 **** **	201	1.9	191	4.4	9	2400	-1.1 -1.4 98	179	2.2	201	5.1	0	2400	-1.9	-4.4	83	194	2.1	189	3.8	0

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
NDNG TEMP.	POINT RH	DTR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DTR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	% DEG.	M/S	MW	DEG C	DEG C	% DEG.	M/S	DEG C	% DEG.	M/S

0300	-.8 -3.8 80	189	2.4	195	3.8	0	0300	1.7 -2.2 75	165	1.6	139	3.2	0	0300	-.5	-1.4	94	352	1.7	354	3.2	0	
0600	1.3 -2.8 74	181	2.5	.85	4.4	0	0600	1.2 -3 90	187	1.5	186	5.1	0	0600	-.6 **** 99	*** ***	***	***	3.2	0			
0900	-.8 -4.0 70	143	2.1	120	7.0	4	0900	.9 -.5 84	140	2.6	122	7.0	8	0900	-3 **** 99	*** ***	***	***	1.3	3			
1200	4.7 -4.3 52	141	1.0	107	8.3	39	1200	3.0 -.6 84	124	2.8	116	7.0	10	1200	1.8 **** 79	135	.4	064	2.5	16			
1500	4.9 -3.9 53	106	4.0	105	8.3	8	1500	5.6 -.0 67	124	3.4	123	6.3	7	1500	1.6	-1.0	83	036	1.1	012	3.2	17	
1800	4.4 -3.1 58	174	1.7	146	4.4	0	1800	4.5 -.1 72	111	1.7	142	3.8	0	1800	.1 **** 88	215	.5	199	2.5	1			
2100	-.9 -3.2 74	161	2.3	152	4.4	9	2100	1.1 -.7 88	061	.8	025	5.7	0	2100	-2.5	-6	0 77	163	2.2	164	3.8	0	
2400	1.5 -2.3 76	185	1.8	152	4.4	0	2400	1	-.3 97	018	2.8	031	6.3	0	2400	-4.6	-7.8	78	192	2.2	204	3.8	0

** SEE INTERPRETATION NOTES AT END OF MINUTE 1 REPORT **

R & M CONSULTANTS, INC.

SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING October, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	HR	DEW	WIND	WIND GUST MAX.	HR	DEW	WIND	WIND GUST MAX.													
HDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	HDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD													
DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW													
0300	-5.4	-9.0	76	***	3000	***	4.4	0 0300	-6.9	-10.2	77	198	2.3	180	3.6	0 0300	-1.6	***	97	143	.5	120	1.9	0
0600	-4.9	-9.1	72	***	3000	***	3.8	0 0600	-6.7	-10.2	76	202	2.4	206	4.4	0 0600	-1.9	***	97	160	.4	101	1.9	0
0900	-4.4	-9.0	66	***	3000	***	3.8	16 0900	-3.4	-7.7	72	208	2.5	191	4.4	5 0900	-4.2	-6.4	85	191	1.1	209	2.5	3
1200	-2	-5.9	61	240	1.5	257	3.2	12 1210	4.6	-5.2	49	174	1.4	202	3.2	42 1200	.8	-4.8	66	162	.8	163	3.2	58
1500	3.9	-4.6	54	136	1.6	109	5.1	36 1510	3.0	-6.2	51	129	3.1	125	7.0	10 1500	2.2	-7.5	49	270	2.0	257	8.3	27
1800	.9	-5.4	58	159	2.1	149	3.8	0 1810	-.2	-8.9	96	134	1.2	103	5.1	0 1800	.4	-5.4	65	261	2.5	256	6.3	0
2100	-3.0	-7.1	73	198	2.0	195	3.2	0 2110	-.5	-1.8	91	141	1.7	123	5.7	0 2100	-.7	-3.9	79	016	1.1	033	3.2	0
2400	-5.1	-8.5	77	198	2.1	208	3.2	0 2410	-1.2	***	97	229	.7	278	2.5	0 2400	-1.0	-4.2	79	275	.8	325	5.7	0

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	HR	DEW	WIND	WIND GUST MAX.	HR	DEW	WIND	WIND GUST MAX.													
HDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	HDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD													
DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW													
0300	-1.2	-5.8	71	189	1.2	227	4.4	0 0300	-9.3	-13.1	74	205	1.7	190	3.2	0 0300	-8.2	-12.7	70	196	1.9	198	3.2	0
0600	-1.0	-7.1	67	248	1.6	244	3.5	0 0600	-9.3	-13.1	74	207	1.6	207	3.2	0 0600	-8.1	-11.4	77	208	1.4	186	2.5	0
0900	-2.3	-8.6	62	234	1.2	203	3.8	5 0900	-6.2	-12.7	60	176	1.6	153	3.2	24 0900	-7.9	-14.5	59	242	1.6	206	3.2	11
1200	2.0	-10.0	41	186	.9	030	3.8	32 1200	-1.2	-10.6	49	150	1.0	157	2.5	38 1200	-4.2	-5.6	66	250	.9	228	2.5	19
1500	1.0	-9.4	40	345	2.2	331	4.4	25 1500	.9	-10.7	42	03.	.8	352	3.2	23 1500	-2.2	-9.1	59	023	2.6	028	5.1	23
1800	-1.1	-8.8	52	318	3.2	318	6.3	0 1800	-3.0	-10.3	57	130	1.4	136	3.2	0 1800	-2.5	-10.1	56	038	2.7	036	5.1	0
2100	-6.4	-10.0	73	185	1.8	169	3.2	0 2100	-2.6	-12.1	70	186	1.8	173	7.8	0 2100	-4.3	***	65	005	.2	022	2.5	0
2400	-7.5	-11.2	75	209	1.6	213	2.5	0 2400	-8.3	-12.4	72	184	2.1	181	4.4	0 2400	-4.4	-8.5	73	298	.6	342	3.8	0

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	HR	DEW	WIND	WIND GUST MAX.	HR	DEW	WIND	WIND GUST MAX.													
HDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	HDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD													
DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW													
0300	-6.7	-8.4	81	280	1.1	186	3.2	0 0300	-8.5	-15.7	56	178	2.1	167	4.4	0 0300	-8.2	-17.9	41	178	2.0	150	4.4	0
0600	-4.2	-7.0	76	186	1.9	192	3.8	0 0600	-11.5	-18.7	55	185	1.9	159	3.8	0 0600	-9.9	-19.2	47	175	3.1	158	5.1	0
0900	-2.3	-10.1	55	197	1.7	193	3.8	12 0910	-6.9	-19.9	35	181	2.9	200	4.4	18 0900	-9.6	-18.6	48	180	2.6	183	5.1	2
1200	.2	-11.3	42	131	1.8	129	5.1	38 1210	1.1	-19.4	20	180	2.0	174	3.8	29 1200	-2.2	-18.4	28	185	2.4	183	4.4	17
1500	-1.3	-12.1	41	125	2.5	135	5.7	22 1510	2.5	-21.6	15	188	2.2	158	5.1	18 1500	2.8	-22.1	14	157	2.0	151	3.8	20
1800	-1.0	-12.9	58	130	3.0	114	5.7	0 1800	-3.0	-19.4	29	189	2.7	211	4.4	0 1800	-2.5	-17.5	31	147	3.4	144	6.3	0
2100	-0.5	-15.1	59	185	2.6	145	5.1	0 2100	-5.4	-17.3	42	183	3.0	187	5.7	0 2100	-5.2	-16.8	40	171	2.3	142	5.7	0
2400	-9.2	-15.5	60	121	2.3	153	4.4	0 2400	-6.8	-16.0	45	176	3.0	161	5.1	0 2400	-5.1	-4.3	49	170	2.9	148	6.3	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING October, 1984

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD
	DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG C		DEG C	DEG C	% DEG.	M/S	MW		DEG C		DEG C	DEG C	% DEG.	M/S	MW	
0300	-4.9	-14.3	48	148	3.9	146	6.3	0	0300	-7.1	-12.4	66	208	.9	155	3.2	0	0300	-4.2	-7.5	78	346	.8	844	5.1	0
0600	-4.8	-12.7	54	164	2.2	153	4.4	0	0600	-7.2	-10.7	76	230	.8	142	3.8	0	0600	-3.5	-9.5	63	881	2.3	110	7.0	0
0900	-4.8	-11.4	60	179	.9	175	3.2	2	0900	-7.0	-10.7	75	224	.4	116	4.4	1	0900	-1.2	-8.9	56	170	1.2	107	6.3	11
1200	-2.5	-11.8	49	070	.3	202	2.5	17	1200	-6.1	-9.1	79	099	3.3	090	5.7	5	1200	0.0	-9.2	50	293	.2	256	7.0	11
1500	-1.6	-11.6	44	013	1.9	016	3.8	15	1500	-5.8	-8.4	82	104	4.5	109	7.0	4	1500	.7	-8.3	51	104	3.8	096	7.0	7
1800	-4.4	-12.6	53	016	1.7	019	4.4	0	1800	-5.3	-8.2	80	139	1.9	130	5.7	0	1800	-2.2	-9.2	51	101	3.5	104	7.0	0
2100	-8.3	-11.9	75	169	1.5	140	4.4	0	2100	-4.3	****	76	233	.9	249	3.2	0	2100	-2.2	-8.2	55	139	1.6	112	7.6	0
2400	-8.8	-12.4	75	204	1.0	163	2.5	0	2400	-4.2	-8.3	73	075	.5	143	3.2	0	2400	-1.1	-7.9	60	111	2.9	114	6.3	0

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD
	DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG C		DEG C	DEG C	% DEG.	M/S	MW		DEG C		DEG C	DEG C	% DEG.	M/S	MW	
0300	-1.5	-8.5	59	123	5.1	121	9.5	0	0300	.1	-1.4	98	188	1.8	217	3.8	0	0300	-9.9	-14.0	72	182	2.6	181	4.4	0
0600	-1.4	-6.1	70	113	1.9	125	5.7	0	0600	-.6	-1.2	96	109	.4	177	2.5	0	0600	-12.1	-16.4	70	178	2.4	172	3.8	0
0900	-1.6	-5.6	71	093	1.9	096	5.7	2	0900	-1.8	-2.1	98	023	2.7	026	5.1	2	0900	-9.5	-18.0	50	196	2.4	207	4.4	10
1200	.7	-4.5	68	124	3.6	119	7.0	7	1200	-1.6	-4.3	82	043	3.4	032	5.7	12	1200	-5.1	-14.2	49	162	1.4	174	3.8	32
1500	2.6	-2.9	67	133	1.8	129	4.4	9	1500	-2.0	-5.5	77	046	3.4	050	6.3	7	1500	-2.6	-13.0	45	008	2.2	324	7.0	17
1800	1.2	-2.9	74	283	.6	216	3.8	0	1800	-4.2	-7.3	79	038	4.3	036	7.6	0	1800	-4.3	-14.3	46	314	5.5	318	8.3	0
2100	.1	-3.4	77	171	1.3	123	4.4	0	2100	-5.6	-9.5	74	043	2.5	038	6.3	0	2100	-9.7	-15.7	57	302	4.0	311	7.6	0
2400	.1	-2.6	82	185	1.2	143	3.2	0	2400	-9.7	-13.1	76	122	1.3	184	3.8	0	2400	-9.2	-15.5	60	217	2.1	198	6.3	0

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD
	DEG C	DEG C	% DEG.	M/S	MW		DEG C	DEG C	% DEG.	M/S	DEG C		DEG C	DEG C	% DEG.	M/S	MW		DEG C		DEG C	DEG C	% DEG.	M/S	MW	
0300	-9.4	-16.1	58	217	2.0	223	7.0	0	0300	-16.0	-22.6	57	199	2.2	187	3.8	0	0300	-13.0	-21.0	51	185	2.2	192	3.8	0
0600	-6.8	-15.3	51	238	2.2	263	8.9	0	0600	-15.4	-22.4	55	187	2.6	193	5.1	0	0600	-11.6	-19.5	52	187	2.4	204	3.8	0
0900	-10.5	-20.0	46	214	1.7	275	4.4	6	0900	-13.1	-20.7	53	166	2.2	157	5.1	3	0900	-9.5	-20.7	40	167	2.7	164	4.4	5
1200	-3.9	-17.6	34	195	1.5	285	3.2	25	1200	-7.3	-19.3	38	081	.9	125	4.4	24	1200	-5.8	-18.0	38	099	.7	165	3.8	24
1500	-2.5	-17.8	30	191	2.0	207	3.8	16	1500	-3.5	****	27	015	1.0	001	2.5	15	1500	-3.8	-18.2	32	004	1.5	358	3.2	15
1800	-8.6	-18.5	45	194	2.9	193	5.1	0	1800	-8.8	-20.4	39	147	2.5	155	4.4	0	1800	-8.6	-19.0	43	088	.6	134	5.1	0
2100	-12.6	-19.0	55	183	2.6	179	5.1	0	2100	-11.0	-20.7	45	176	2.1	196	5.1	0	2100	-11.7	-19.4	53	186	1.8	161	4.4	0
2400	-13.8	-21.1	54	191	2.1	183	5.1	0	2400	-12.4	-21.7	46	183	1.2	218	3.2	0	2400	-10.0	-17.6	54	191	2.1	205	3.8	0

* SEE INTERPRETATION NOTES AT END OF MINUTELY REPORT *

R & M CONSULTANTS, INC.

SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING October 1984

DAY 28

DAY 29

DAY 30

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.
HRNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C DEG C % DEG. M/S DEG. NW	HRNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C DEG C % DEG. M/S DEG. NW	HRNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C DEG C % DEG. M/S DEG. NW	HRNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C DEG C % DEG. M/S DEG. NW				
0300 -11.4 -18.7 55 163 2.9 155 6.3 0	0300 -15.2 -25.1 43 177 2.4 164 5.7 0	0300 -18.6 -26.3 51 192 2.5 197 4.4 0									
0600 -13.5 -19.4 61 164 2.1 166 4.4 0	0600 -16.6 -26.1 44 212 2.3 217 4.4 0	0600 -18.5 -25.9 52 185 2.8 180 5.7 0									
0900 -12.8 -21.3 49 200 1.8 203 3.8 6	0900 -17.4 -28.7 37 216 2.7 215 4.4 5	0900 -17.5 -25.5 50 166 3.6 145 7.0 1									
1200 -5.6 -17.8 38 212 1.3 159 3.8 24	1200 -12.1 -26.3 30 174 2.6 156 5.1 23	1200 -14.4 -23.8 45 145 4.4 145 7.0 11									
1500 -6.5 -21.0 31 129 5.0 127 8.9 14	1500 -10.9 -25.9 28 141 3.0 140 5.7 14	1500 -12.8 -24.0 39 139 5.0 137 7.6 5									
1800 -11.0 -21.8 41 159 2.1 134 7.0 0	1800 -15.5 -24.8 45 145 3.3 145 4.4 0	1800 -13.4 -23.7 42 154 3.2 152 5.7 0									
2100 -13.7 -21.9 50 148 3.2 138 5.7 0	2100 -20.9 -27.6 55 210 2.3 190 3.8 0	2100 -14.9 -23.8 47 167 2.8 172 5.1 0									
2400 -15.2 -22.9 52 151 3.2 144 5.1 0	2400 -19.4 -26.8 52 214 2.4 204 3.8 0	2400 -15.0 -24.4 45 184 2.7 182 3.8 0									

DAY 31

HOUR	DEW	WIND	WIND GUST MAX.
HRNG TEMP. POINT RH DIR. SPD. DIR. GUST RAD	DEG C DEG C % DEG. M/S DEG. NW		

0300 -17.6 -24.5 55 192 3.1 192 4.4 0
0600 -17.6 -24.1 57 207 2.7 194 4.4 0
0900 -15.4 -25.0 44 208 2.7 221 4.4 4
1200 -9.9 -20.5 42 203 1.8 208 3.0 21
1500 -6.6 -16.9 44 156 2.2 106 6.3 12
1800 -10.4 -17.3 57 128 4.3 117 8.9 0
2100 -12.7 -18.6 61 197 2.8 201 5.7 0
2400 -14.7 -20.0 64 213 2.9 203 5.1 0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

MONTHLY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING October, 1984

DAY	RES.			RES.			AVG.	MAX.	MAX.	P'VAL MEAN			MEAN			DAY'S	
	MAX. TEMP. DEG C	MIN. TEMP. DEG C	MEAN TEMP. DEG C	WIND DIR. DEG	WIND SPD. M/S	WIND SPD. M/S	GUST DIR. DEG	SPD. M/S	DIR. Z	RH	DP DEG C	PRECIP MM	SOLAR ENERGY WH/SQM	DAY			
1	9.2	-1.0	5.1	119	3.3	3.8	096	10.2	ESE	**	***	***	1865	1			
2	7.6	-1.0	3.3	179	1.1	1.8	106	5.1	S	**	***	***	1940	2			
3	6.9	-3.5	1.7	169	1.9	2.2	144	5.1	S	**	***	***	2390	3			
4	6.0	-5.8	.1	146	2.4	3.2	104	8.9	S	**	***	***	2710	4			
5	4.4	-5.0	-1.3	161	1.1	2.4	086	8.3	SW	81	-1.3	***	1395	5			
6	6.8	-3.6	1.6	160	1.6	2.5	093	7.0	S	65	-5.1	***	1595	6			
7	6.0	-3.6	1.2	157	1.9	2.4	107	8.3	S	67	-3.6	***	1185	7			
8	5.9	.1	3.0	120	1.5	2.5	122	7.0	ESE	82	-4.4	***	955	8			
9	2.3	-4.7	-1.2	165	.5	1.4	164	3.8	SSE	85	-3.2	***	995	9			
10	3.9	-6.9	-1.5	183	1.6	2.2	109	5.1	SSW	68	-7.6	***	2255	10			
11	4.7	-7.5	-1.4	173	1.6	2.1	125	7.0	SSW	73	-6.4	***	1585	11			
12	2.2	-4.2	-1.0	248	.6	1.6	257	8.3	S	69	-5.4	***	1685	12			
13	3.0	-8.7	-2.9	255	.7	1.9	318	6.3	SW	59	-8.8	***	1890	13			
14	1.5	-9.7	-4.1	178	1.2	1.6	181	4.4	S	65	-11.7	***	2080	14			
15	-1.4	-11.2	-6.3	194	.1	1.6	028	5.1	SSW	66	-11.1	***	1265	15			
16	.4	-9.2	-4.4	155	2.1	2.4	135	5.7	SE	58	-11.3	***	1870	16			
17	2.5	-11.5	-4.5	182	2.5	2.6	187	5.7	S	38	-18.5	***	1730	17			
18	2.8	-10.5	-3.9	170	2.7	2.9	144	6.3	SSE	37	-17.7	***	1390	18			
19	-.1	-9.4	-4.8	144	.8	1.9	146	6.3	SSE	55	-12.7	***	1105	19			
20	-4.1	-8.7	-6.4	124	1.1	2.0	109	7.0	ESE	77	-9.5	***	400	20			
21	1.3	-4.3	-1.5	107	1.7	2.8	112	7.6	ESE	58	-8.6	***	1180	21			
22	2.8	-2.4	.2	128	1.9	2.4	121	9.5	SE	69	-4.9	***	490	22			
23	.6	-9.7	-4.6	049	1.9	2.7	036	7.6	NE	84	-5.0	***	610	23			
24	-2.6	-12.6	-7.6	256	1.1	3.0	318	8.3	S	58	-14.8	***	1765	24			
25	-2.5	-13.8	-8.3	202	2.0	2.2	263	8.9	SSW	48	-17.8	***	1350	25			
26	-3.3	-16.0	-9.7	170	1.5	2.1	193	5.1	S	45	-20.7	***	1245	26			
27	-3.5	-14.0	-8.8	175	1.2	2.0	134	5.1	S	45	-19.1	***	1230	27			
28	-5.6	-15.2	-10.4	158	2.5	2.8	127	8.9	SSE	47	-20.2	***	1310	28			
29	-10.5	-21.7	-16.1	184	2.3	2.7	164	5.7	SSW	43	-26.2	***	1215	29			
30	-12.5	-20.2	-16.4	163	3.2	3.5	137	7.6	S	47	-24.7	***	615	30			
31	-6.6	-18.1	-12.4	185	2.4	3.0	117	8.9	SSW	52	-21.1	***	1105	31			
MONTH	9.2	-21.7	-3.9	161	1.4	2.4	096	10.2	S	59	-11.8	***	44400				

GUST VEL. AT MAX. GUST MINUS 2 INTERVALS 7.6

GUST VEL. AT MAX. GUST MINUS 1 INTERVAL 8.9


GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 10.2

GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 9.5

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METER PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN FOR RELATIVE HUMIDITY AND DEW POINT.

xx SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT xx

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
October, 1984



R & M CONSULTANTS, INC.
SUSSETTA HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING October, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0.2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
N	.14	2.13	0.00	0.00	0.00	0.00	0.00	0.00	2.27
NNE	.07	2.89	.90	0.00	0.00	0.00	0.00	0.00	3.86
NE	.21	1.65	1.03	0.00	0.00	0.00	0.00	0.00	2.89
ENE	.28	.76	0.00	0.00	0.00	0.00	0.00	0.00	1.03
E	.14	1.24	1.52	.41	0.00	0.00	0.00	0.00	3.31
ESE	.28	2.89	4.41	.96	0.00	0.00	0.00	0.00	8.54
SE	.14	4.96	5.72	.14	0.00	0.00	0.00	0.00	10.95
SSE	.90	9.02	3.37	0.00	0.00	0.00	0.00	0.00	13.29
S	.90	15.63	2.41	0.00	0.00	0.00	0.00	0.00	18.94
SSW	1.03	15.50	1.38	0.00	0.00	0.00	0.00	0.00	17.91
SW	.76	8.20	.48	0.00	0.00	0.00	0.00	0.00	9.44
WSW	.28	2.69	.48	0.00	0.00	0.00	0.00	0.00	3.44
W	.14	.90	.14	0.00	0.00	0.00	0.00	0.00	1.17
WNW	.21	.28	0.00	0.00	0.00	0.00	0.00	0.00	.48
NW	0.00	.28	1.17	.0%	0.00	0.00	0.00	0.00	1.52
NNW	.14	.69	.07	0.00	0.00	0.00	0.00	0.00	.90
CALM	—	—	—	—	—	—	—	—	.0%
TOTAL	5.58	69.70	23.07	1.58	0.00	0.00	0.00	0.00	100.00


NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT

1452 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY

1488 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
October, 1984



R & M CONSULTANTS, INC.
SUSITA HYDRO ELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING October, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	0	0	0	0	0	0	0	4	7	13	30	33	24	24	22	17	13	2	0	0	0	0	0	0	8
2	0	0	0	0	0	0	0	2	8	10	27	22	34	27	37	18	9	2	0	0	0	0	0	0	8
3	0	0	0	0	0	0	1	3	7	35	23	32	33	38	32	22	13	3	0	0	0	0	0	0	10
4	0	0	0	0	0	0	1	6	20	30	33	38	39	37	31	23	12	3	0	0	0	0	0	0	11
5	0	0	0	3	0	0	0	1	4	21	24	18	14	28	16	10	6	1	0	0	0	0	0	0	6
6	0	0	0	0	0	0	0	1	6	24	21	22	11	26	16	17	15	2	0	0	0	0	0	0	7
7	0	0	0	0	0	0	0	2	5	8	8	29	30	11	11	8	7	1	0	0	0	0	0	0	5
8	0	0	0	0	0	0	0	1	6	6	23	10	10	19	14	6	3	1	0	0	0	0	0	0	4
9	0	0	0	0	0	0	0	1	3	7	18	17	17	12	11	8	7	2	0	0	0	0	0	0	4
10	0	0	0	0	0	0	0	2	12	23	41	32	23	34	28	21	11	1	0	0	0	0	0	0	9
11	0	0	0	0	0	0	0	2	8	19	22	41	37	15	11	4	2	0	0	0	0	0	0	0	7
12	0	0	0	0	0	0	0	1	2	5	12	43	28	34	27	15	3	1	0	0	0	0	0	0	7
13	0	0	0	0	0	0	0	1	4	19	20	30	33	31	27	18	8	1	0	0	0	0	0	0	8
14	0	0	0	0	0	0	0	1	15	11	27	39	37	32	25	16	5	1	0	0	0	0	0	0	9
15	0	0	0	0	0	0	0	1	12	10	14	17	18	16	19	13	8	1	0	0	0	0	0	0	5
16	0	0	0	0	0	0	0	1	10	18	25	30	31	29	24	15	6	1	0	0	0	0	0	0	8
17	0	0	0	0	0	0	0	1	8	16	22	30	29	27	22	15	5	1	0	0	0	0	0	0	7
18	0	0	0	0	0	0	0	1	2	9	16	22	26	26	22	14	4	1	0	0	0	0	0	0	6
19	0	0	0	0	0	0	0	0	2	8	11	16	18	19	23	13	3	1	0	0	0	0	0	0	5
20	0	0	0	0	0	0	0	0	1	3	6	7	7	10	5	2	1	0	0	0	0	0	0	0	
21	0	0	0	0	0	0	0	1	8	13	29	23	15	18	8	5	1	0	0	0	0	0	0	0	
22	0	0	0	0	0	0	0	0	2	5	9	6	9	7	7	7	1	0	0	0	0	0	0	0	
23	0	0	0	0	0	0	0	0	2	5	9	11	14	7	8	6	2	0	0	0	0	0	0	0	
24	0	0	0	0	0	0	0	1	6	19	28	32	32	29	20	11	3	0	0	0	0	0	0	0	
25	0	0	0	0	0	0	0	0	4	12	19	24	25	23	18	9	2	0	0	0	0	0	0	6	
26	0	0	0	0	0	0	0	0	2	10	17	23	24	22	17	9	2	0	0	0	0	0	0	5	
27	0	0	0	0	0	0	0	0	3	10	18	23	24	22	15	9	2	0	0	0	0	0	0	5	
28	0	0	0	0	0	0	0	0	4	13	20	24	24	22	16	8	1	0	0	0	0	0	0	5	
29	0	0	0	0	0	0	0	0	3	10	18	22	24	22	16	8	1	0	0	0	0	0	0	5	
30	0	0	0	0	0	0	0	0	1	4	7	9	15	18	5	4	1	0	0	0	0	0	0	3	
31	0	0	0	0	0	0	0	0	3	9	16	21	21	20	14	7	1	0	0	0	0	0	0	0	

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSTINA WEATHER STATION
DATA TAKEN DURING October, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	1488	100
WIND SPEED	1486	100
WIND DIRECTION	1452	98
PEAK GUST	1486	100
RELATIVE HUMIDITY	1178	79
PRECIPITATION	0	0
SOLAR RADIATION	1488	100
DEW POINT	1178	79

THERE ARE 1488 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. RH -20 RH Points 10/5 - 10/31
2. Solar -1 mW/cm²

Additional comments on this month's data:

1. RH oscillator replaced on 10/5. RH data poor prior to 10/5.
2. Intermittent wind data lost on 10/9 and 10/10 due to frozen wind vane.

No precipitation data for November

(See INTERPRETATION OF DATA).

R & M CONSULTANTS, INC.
SUSSEX TOWN HYDRO ELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1984

DAY 01

DAY 02

DAY 03

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	%	DEG	DEG C	DEG C	%	DEG C	DEG C	DIR.	SPD.	DIR.	GUST	RAD											
0300	-15.1	-20.0	66	207	2.9	211	4.4	0 0300	-12.9	-28.1	27	201	2.5	202	4.4	0 0300	-9.0	-19.7	42	194	1.9	183	5.1	0
0600	-16.1	-20.8	67	184	2.6	203	4.4	0 0600	-16.5	-29.1	33	198	2.5	188	4.4	0 0600	-8.2	-19.8	39	186	2.3	208	5.1	0
0900	-13.0	-20.6	53	191	2.8	179	4.4	6 0900	-12.4	-30.2	21	190	3.0	162	6.3	3 0900	-8.5	-22.0	33	160	2.5	147	5.1	2
1200	-6.1	-15.1	49	169	2.7	159	4.4	27 1200	-10.1	-26.0	26	152	3.8	154	8.3	20 1200	-3.9	-20.7	26	150	2.5	151	5.1	19
1500	-2.3	-26.2	14	177	1.9	160	3.2	12 1500	-8.9	-24.2	28	140	5.9	145	8.3	11 1500	-3.6	-20.0	27	097	1.5	098	3.8	10
1800	-11.0	-26.4	27	180	2.3	173	3.8	0 1800	-10.9	-24.2	33	133	5.4	143	7.6	0 1800	-8.4	-20.6	37	137	2.9	141	5.1	0
2100	-12.5	-27.0	29	187	2.3	187	4.4	0 2100	-11.8	-24.0	36	146	4.9	149	6.3	0 2100	-10.5	-21.0	42	153	3.6	148	6.3	0
2400	-13.9	-27.5	31	196	2.5	191	3.8	0 2400	-12.1	-22.2	43	156	3.7	153	7.0	0 2400	-10.9	-20.3	46	160	3.5	170	5.7	0

DAY 04

DAY 05

DAY 06

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	%	DEG	DEG C	DEG C	%	DEG C	DEG C	DIR.	SPD.	DIR.	GUST	RAD											
0300	-12.8	-19.5	57	148	3.3	140	6.3	0 0300	-11.8	-18.6	57	179	2.2	163	3.8	0 0300	-8.4	-11.9	76	197	3.5	194	5.1	0
0600	-13.2	-18.9	62	188	1.9	179	3.8	0 0600	-9.6	-15.7	61	180	1.9	179	3.2	0 0600	-6.4	-10.1	75	185	2.9	186	4.4	0
0900	-13.4	-20.1	57	177	2.4	164	5.1	2 0900	-9.2	-15.1	62	195	1.9	185	3.2	1 0900	-6.0	-10.0	73	184	2.3	183	4.4	1
1200	-9.4	-18.7	47	149	3.9	150	5.7	10 1200	-8.3	-14.1	63	151	3.4	132	7.0	6 1200	-4.4	-9.0	70	189	2.0	195	3.2	5
1500	-9.6	-19.4	45	135	4.2	130	6.3	6 1500	-7.7	-11.0	77	153	2.4	132	6.3	3 1500	-4.1	****	85	176	1.0	169	2.5	2
1800	-12.3	-20.9	49	141	3.1	140	5.1	0 1800	-7.8	-11.1	77	215	1.2	238	2.5	0 1800	-4.5	****	97	170	.9	156	1.9	0
2100	-12.3	-18.7	59	188	2.3	176	5.1	0 2100	-8.0	-11.6	75	196	2.2	192	3.8	0 2100	-4.6	****	98	172	1.0	159	1.9	0
2400	-11.6	-18.4	57	178	2.1	168	3.2	0 2400	-7.9	-11.4	76	197	3.2	195	4.4	0 2400	-4.9	****	98	225	.3	181	1.3	0

DAY 07

DAY 08

DAY 09

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.													
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD											
DEG C	DEG C	%	DEG	DEG C	DEG C	%	DEG C	DEG C	DIR.	SPD.	DIR.	GUST	RAD											
0300	-5.0	****	97	309	.2	316	1.3	0 0300	-8.4	-12.4	73	190	2.1	195	3.8	0 0300	-9.4	-12.1	81	132	1.8	166	3.8	0
0600	-5.9	****	95	233	.4	222	1.9	0 0600	-8.1	-10.3	84	210	1.6	172	3.8	0 0600	-9.2	-12.0	80	167	1.9	159	3.2	0
0900	-6.5	-7.2	95	198	.9	205	1.9	0 0900	-7.8	-11.3	76	200	2.1	196	3.8	0 0900	-9.6	-12.4	80	164	2.1	164	3.8	0
1200	-4.5	****	87	212	.7	203	1.9	3 1200	-7.0	-11.3	71	196	2.2	195	3.8	3 1200	-9.2	-13.3	72	173	2.6	175	4.4	3
1500	-4.6	****	84	351	.5	034	2.5	2 1500	-5.4	-8.5	79	189	1.7	218	3.8	1 1500	-9.6	-13.9	71	150	2.7	121	5.1	1
1800	-10.5	-12.4	86	185	1.5	184	2.5	0 1800	-6.7	-9.3	82	083	.7	094	3.2	0 1800	-10.9	-15.1	71	129	2.7	113	5.1	0
2100	-15.2	-18.0	79	204	1.7	177	3.8	0 2100	-8.1	-10.2	85	146	1.6	125	3.2	0 2100	-12.0	-15.8	73	123	1.5	093	4.4	0
2400	-9.9	-12.1	84	209	2.1	202	3.8	0 2400	-9.6	-13.4	74	165	2.4	153	3.8	0 2400	-13.5	-16.7	77	208	2.0	215	4.4	0

** SELF INTERPRETATION NEEDED IF END (IF MONTHLY REPORT) **

R & M CONSULTANTS, INC.

SUSSETNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.			
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW
0300	-15.0	-18.0	78	204	3.0	206	5.1	0	0300	-21.1	-25.1	70	185	1.7	163	4.4	0
0600	-16.4	-19.5	77	192	3.3	196	5.1	0	0600	-20.7	-24.9	69	217	1.4	201	2.5	0
0900	-18.5	-21.8	75	195	3.2	191	5.1	0	0900	-21.6	-25.7	69	195	1.6	171	3.8	1
1200	-15.9	-19.1	76	214	2.0	203	3.8	14	1200	-16.0	-20.5	68	197	1.3	218	2.5	13
1500	-15.2	-19.1	72	179	2.0	159	4.4	9	1500	-14.3	-20.4	60	183	.9	216	2.5	9
1800	-18.9	-22.5	73	149	3.5	144	5.7	0	1800	-19.9	-24.6	66	172	2.0	161	3.8	0
2100	-20.2	-24.2	70	161	3.1	156	5.1	0	2100	-22.7	-27.8	63	213	1.6	212	3.2	0
2400	-21.8	-25.8	70	175	1.9	187	4.4	0	2400	-22.4	-27.7	62	177	2.5	163	5.1	0

DAY 13

DAY 14

DAY 15

HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.			
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW
0300	-21.9	-28.1	57	184	2.8	162	5.1	0	0300	-23.7	-28.9	62	218	2.7	227	4.4	0
0600	-21.9	-28.1	57	179	2.6	192	5.1	0	0600	-24.6	-29.8	62	171	3.3	149	6.3	0
0900	-20.0	-26.3	57	188	3.1	166	5.7	0	0900	-24.9	-30.2	61	186	2.9	174	5.1	1
1200	-15.6	-23.9	49	200	2.5	191	4.4	18	1200	-21.9	-27.7	59	193	2.8	187	5.1	5
1500	-16.3	-24.1	51	179	2.9	178	4.4	8	1500	-19.0	-24.4	62	169	2.8	152	5.1	1
1800	-20.1	-26.4	57	166	3.7	162	5.7	0	1800	-18.0	-24.0	59	195	2.3	195	4.4	0
2100	-21.6	-27.1	61	186	3.1	166	5.7	0	2100	-17.2	-23.1	60	185	2.5	201	5.1	0
2400	-22.3	-27.7	61	160	2.8	146	5.7	0	2400	-15.6	-21.4	61	186	2.2	195	3.8	0

DAY 16

DAY 17

DAY 18

HOUR	DFW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.	HOUR	DEW	WTND	WIND	WIND GUST MAX.			
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW	DEG C	DEG C	%	DEG	M/S	MW
0300	-11.5	-15.2	74	157	4.2	167	7.0	0	0300	-16.3	-19.5	76	166	2.9	142	7.0	0
0600	-11.8	-15.3	75	156	4.7	155	6.3	0	0600	-16.5	-19.9	75	148	5.0	143	7.6	0
0900	-13.7	-16.9	77	160	4.0	152	7.0	0	0900	-16.8	-20.2	75	182	2.5	139	6.3	0
1200	-11.8	-16.7	67	172	3.5	173	5.7	14	1200	-14.0	-17.0	78	190	2.0	162	3.8	6
1500	-13.3	-16.6	76	181	2.9	162	6.3	3	1500	-13.4	-16..	76	196	2.1	195	3.8	11
1800	-14.9	-17.7	79	178	2.7	187	5.1	0	1800	-15.8	-19.0	76	165	2.5	156	4.4	0
2100	-15.3	-18.6	76	173	2.9	164	5.1	0	2100	-17.6	-21.1	74	192	2.2	165	3.8	0
2400	-15.7	-19.0	76	192	2.1	180	3.9	0	2400	-14.7	-18.0	76	211	2.0	207	3.2	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUBSTITUTION HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1984

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD
DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	DIR.	SPD.	DIR.	GUST	RAD
0300	-15.8	-19.2	75	188	2.2	194	3.8	0 0300	-14.6	-17.9	76	162	2.2
0600	-14.4	-18.0	74	187	2.3	184	3.8	0 0600	-15.1	-18.8	73	117	5.4
0900	-15.5	-19.2	73	195	2.2	192	3.8	0 0900	-15.5	-18.9	75	197	2.9
1200	-12.2	-17.2	66	199	1.7	167	5.1	19 1200	-12.9	-16.1	77	225	2.4
1500	-14.1	-17.7	74	152	4.6	154	7.6	11 1500	-12.0	-15.1	78	206	2.1
1800	-16.8	-20.2	75	150	5.4	146	8.9	0 1800	-6.2	-8.8	82	215	1.8
2100	-16.8	-20.2	75	152	4.8	146	8.3	0 2100	-1.6	-2.9	91	166	1.8
2400	-15.5	-18.8	76	174	3.2	146	7.6	0 2400	-6.6	-3.3	82	100	11.2

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD
DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	DIR.	SPD.	DIR.	GUST	RAD
0300	-5.3	****	92	247	.6	304	2.5	0 0300	-8.9	****	86	166	.4
0600	-7.7	-9.4	88	179	1.3	169	3.2	0 0600	-8.9	****	86	323	.3
0900	-5.7	-8.0	84	173	2.0	223	5.1	0 0900	-10.1	-12.2	85	205	1.1
1200	-8.6	-11.9	77	206	2.1	231	5.1	6 1200	-9.0	-12.4	76	209	1.4
1500	-8.4	****	73	203	1.5	205	3.8	1 1500	-8.2	-11.0	80	173	1.6
1800	-8.9	-11.1	84	027	1.2	006	3.2	0 1800	-9.9	-12.0	85	202	1.0
2100	-9.6	****	84	233	.5	003	1.9	0 2100	-10.0	-12.9	79	182	1.7
2400	-9.0	-10.9	86	226	.6	231	1.9	0 2400	-9.9	-12.3	83	187	1.5

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.		
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD
DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	DEG C	DIR.	SPD.	DIR.	GUST	RAD
0300	-13.3	****	80	189	1.0	190	1.0	0 0300	-19.3	-24.9	61	168	2.7
0600	-12.9	****	81	180	.9	196	1.9	0 0600	-21.5	-26.8	62	196	2.2
0900	-13.5	-16.2	80	173	.8	160	1.9	0 0900	-22.6	-27.3	65	203	2.0
1200	-16.1	-20.8	67	211	1.2	199	2.5	2 1200	-20.1	-27.2	53	205	2.0
1500	-14.5	-19.1	68	189	1.3	164	2.5	1 1500	-17.6	-23.9	58	190	1.7
1800	-15.2	-19.9	67	178	2.2	166	3.8	0 1800	-22.5	-28.3	59	183	2.2
2100	-18.1	-22.7	67	163	2.8	168	5.1	0 2100	-21.9	-27.5	60	189	2.2
2400	-18.4	-23.2	66	176	2.2	156	4.4	0 2400	-21.8	-27.1	62	202	2.1

* SEE INTERPOLATION NOTES AT END OF MONTHLY REPORT

R & M CONSULTANTS, INC.
SUSSETNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1984

	DAY 28					DAY 29					DAY 30															
HOUR	DEW	WIND	WIND GUST MAX.	DIR.	HOUR	DEW	WIND	WIND GUST MAX.	DIR.	HOUR	DEW	WIND	WIND GUST MAX.	DIR.	SPD.											
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.											
DEG C	%	DEG C	M/S	MW	DEG C	DEG C	%	DEG C	M/S	DEG C	DEG C	%	DEG C	M/S	MW											
0300	-20.0	-23.9	71	151	5.5	148	7.6	0	0300	-19.5	-22.9	74	175	3.5	174	5.7	0	0300	-14.6	-18.4	73	159	5.4	167	8.3	0
0600	-19.9	-23.8	71	154	5.3	148	7.6	0	0600	-17.2	-20.4	76	174	3.2	160	5.7	0	0600	-14.6	-18.4	73	159	5.2	153	7.6	0
0900	-17.8	-21.4	73	153	4.2	156	7.0	0	0900	-15.7	-18.8	77	206	2.5	213	4.4	0	0900	-14.9	-18.6	73	155	4.9	163	7.0	0
1200	-16.9	-21.2	69	168	3.6	154	5.1	2	1200	-14.4	-18.6	70	183	3.0	169	5.7	6	1200	-14.1	-18.0	72	163	3.6	156	6.3	4
1500	-16.0	-19.4	75	172	2.6	172	5.7	2	1500	-13.6	-17.4	73	175	2.9	172	5.7	2	1500	-13.2	-16.8	74	170	3.7	181	6.3	1
1800	-17.7	-21.0	75	164	2.6	179	4.4	0	1800	-15.1	-18.7	74	157	4.0	151	7.6	0	1800	-14.3	-17.9	74	167	4.1	171	6.3	0
2100	-16.0	-19.2	76	163	3.2	154	5.7	0	2100	-15.1	-18.5	75	154	5.0	158	7.0	0	2100	-13.7	-17.2	75	177	4.0	153	6.3	0
2400	-16.4	-19.6	76	173	3.5	170	5.7	0	2400	-15.2	-18.8	74	149	5.5	150	7.6	0	2400	-13.8	-17.0	77	186	3.4	178	6.3	0

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

MONTHLY SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING November 1984

DAY	MAX. TEMP. DEG C	MIN. TEMP. DEG C	MEAN TEMP. DEG C	RES. WIND DIR. DEG	RES. WIND SPD. M/S	AVG. WIND DIR. DEG	MAX. WIND DIR. DEG	MAX. GUST SPD. M/S	MAX. PVAL DIR.	MEAN RH %	MEAN DP DEG C	DAY'S PRECIP MM		SOLAR ENERGY WH/SQM
												MAX. TEMP. DEG C	MIN. TEMP. DEG C	
1	-2.8	-16.1	-9.1	187	2.5	2.6	211	4.4	S	45	-21.8	0.0000	1340	1
2	-8.4	-16.7	-12.6	156	3.9	4.3	154	8.3	SSE	30	-26.1	0.0000	1030	2
3	-3.3	-11.9	-7.6	156	2.4	2.7	140	6.3	SSE	36	-20.7	0.0000	925	3
4	-8.8	-14.5	-11.7	158	2.7	3.0	140	6.3	SE	53	-19.6	0.0000	700	4
5	-6.8	-11.9	-9.4	189	2.1	2.4	132	7.0	SSW	67	-14.0	0.0000	225	5
6	-4.0	-8.4	-6.2	187	1.7	1.8	194	5.1	S	78	-9.3	0.0000	255	6
7	-3.8	-15.2	-9.5	268	1.8	1.1	177	7.9	SSW	86	-11.7	0.0000	170	7
8	-5.2	-9.7	-7.5	182	1.6	1.9	195	3.8	SSW	79	-10.9	0.0000	170	8
9	-4.2	-13.5	-11.1	161	2.8	2.5	121	5.1	S	76	-13.7	0.0000	145	9
10	-11.8	-21.8	-17.8	182	2.6	2.8	144	5.7	SSW	74	-21.0	0.0000	540	10
11	-11.0	-23.5	-19.8	198	1.6	1.7	163	5.1	SSW	65	-24.8	0.0000	660	11
12	-15.4	-25.1	-20.3	187	2.1	2.2	224	5.1	S	56	-27.5	0.0000	700	12
13	-15.2	-23.6	-19.4	177	2.9	3.0	166	5.7	S	58	-26.6	0.0000	885	13
14	-15.6	-25.6	-20.6	187	2.6	2.8	149	6.3	S	61	-26.6	0.0000	430	14
15	-4.1	-15.7	-12.4	167	2.8	3.0	146	7.0	S	62	-18.3	0.0000	265	15
16	-9.9	-16.0	-13.0	189	3.3	3.5	167	7.0	SSE	75	-16.6	0.0000	425	16
17	-13.4	-17.7	-15.6	176	2.5	2.8	143	7.6	SSW	76	-18.9	0.0000	375	17
18	-10.3	-17.1	-13.7	185	2.3	2.4	159	5.7	S	77	-16.7	0.0000	545	18
19	-11.5	-16.9	-14.2	162	3.1	3.4	146	8.9	SSE	73	-18.3	0.0000	790	19
20	-5	-15.5	-8.1	142	2.5	4.1	183	16.5	SSW	79	-13.7	0.0000	105	20
21	-9	-5.4	-2.3	899	2.9	3.6	154	19.0	SSE	86	-4.1	0.0000	175	21
22	-3.1	-9.7	-7.4	198	1.8	1.4	223	5.1	SSW	84	-9.8	0.0000	205	22
23	-8.2	-11.5	-9.9	192	1.6	1.2	188	3.2	S	82	-12.0	0.0000	90	23
24	-9.4	-13.5	-11.5	203	1.7	1.0	213	3.2	SSW	82	-13.8	0.0000	80	24
25	-12.7	-19.8	-16.3	179	1.5	1.6	168	5.1	SSE	73	-19.3	0.0000	125	25
26	-17.6	-23.4	-20.5	191	2.1	2.2	161	5.1	SSW	61	-26.3	0.0000	160	26
27	-11.9	-23.9	-17.4	162	3.6	3.3	140	7.0	SSE	71	-22.8	0.0000	115	27
28	-15.1	-20.8	-18.0	181	3.8	3.9	148	7.6	SSE	73	-21.3	0.0000	95	28
29	-16.6	-19.5	-16.1	167	3.6	3.7	151	7.6	SSE	74	-19.2	0.0000	265	29
30	-11.8	-15.7	-13.9	165	4.2	4.4	167	8.3	SSE	74	-17.5	0.0000	275	30
MONTH	-0.9	-25.6	-13.1	170	2.3	2.7	154	19.0	S	68	-18.1	0.0000	12285	

GUST VEL. AT MAX. GUST MINUS 2 INTERVALS 12.7


GUST VEL. AT MAX. GUST MINUS 1 INTERVAL 14.0

GUST VEL. AT MAX. GUST PLUS 1 INTERVAL 7.7

GUST VEL. AT MAX. GUST PLUS 2 INTERVALS 7.6

NOTE: RELATIVE HUMIDITY READINGS ARE UNRELIABLE WHEN WIND SPEEDS ARE LESS THAN ONE METRE PER SECOND. SUCH READINGS HAVE NOT BEEN INCLUDED IN THE DAILY OR MONTHLY MEAN AND RELATIVE HUMIDITY AND DEW POINT
** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT.

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
November, 1984



R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0.2 TO 1.0	1.0 TO 3.0	3.0 TO 6.0	6.0 TO 10.0	10.0 TO 15.0	15.0 TO 20.0	20.0 OR GREATER		
	1.0	3.0	6.0	10.0	15.0	20.0			
N	.21	.19	0.00	0.00	0.00	0.00	0.00	0.00	.90
NNE	.14	.56	0.00	0.00	0.00	0.00	0.00	0.00	.69
NE	.14	.35	0.00	0.00	0.00	0.00	0.00	0.00	.49
ENE	0.00	.56	0.00	0.00	0.00	0.00	0.00	0.00	.56
E	.14	.56	.07	.14	.21	0.00	0.00	0.00	1.11
EEF	0.00	.56	.97	.49	.35	0.00	0.00	0.00	2.36
EF	.28	1.60	5.60	.56	0.00	0.00	0.00	0.00	7.43
SSE	.63	9.72	14.72	.28	0.00	0.00	0.00	0.00	25.35
S	1.32	19.17	5.69	0.00	0.00	0.00	0.00	0.00	26.18
SSW	1.53	19.79	2.92	0.00	0.00	0.00	0.00	0.00	24.24
SW	1.04	5.69	.69	0.00	0.00	0.00	0.00	0.00	7.43
WSW	.42	.42	0.00	0.00	0.00	0.00	0.00	0.00	.83
W	.49	.07	0.00	0.00	0.00	0.00	0.00	0.00	.56
WNW	.21	.21	0.00	0.06	0.00	0.00	0.00	0.00	.42
NW	.42	.07	0.00	0.90	0.00	0.00	0.00	0.00	.49
NNW	.42	.14	0.00	0.00	0.00	0.00	0.00	0.00	.56
CALM	—	—	—	—	—	—	—	—	.42
TOTAL	7.36	60.14	30.02	1.41	.56	0.06	0.00	0.00	100.00


NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT

1440 VALID WIND OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARY


1440 WIND OBSERVATIONS WOULD HAVE BEEN CORRECT FOR 30 MINUTE DATA.

xx SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT xx

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
November, 1984



R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
November, 1984



R & M CONSULTANTS, INC.
SUSTAINA HYDRO ELECTRIC PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	0	0	0	0	0	0	0	0	0	4	14	23	27	25	21	14	7	1	0	0	0	0	0	0	6
2	0	0	0	0	0	0	0	0	0	2	8	15	20	21	19	13	7	1	0	0	0	0	0	0	4
3	0	0	0	0	0	0	0	0	0	2	8	14	19	20	14	14	4	1	0	0	0	0	0	0	4
4	0	0	0	0	0	0	0	0	0	2	7	14	15	11	11	7	5	1	0	0	0	0	0	0	4
5	0	0	0	0	0	0	0	0	0	2	5	5	5	5	4	3	2	1	0	0	0	0	0	0	4
6	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	4
7	0	0	0	0	0	0	0	0	0	1	3	18	14	13	13	13	10	10	4	0	0	0	0	0	4
8	0	0	0	0	0	0	0	0	0	1	4	10	13	14	15	13	13	13	13	4	0	0	0	4	
9	0	0	0	0	0	0	0	0	0	4	4	11	14	15	15	14	14	14	14	4	0	0	0	4	
10	0	0	0	0	0	0	0	0	0	5	5	14	17	19	19	19	12	12	12	12	4	0	0	4	
11	0	0	0	0	0	0	0	0	0	4	4	10	13	14	15	13	13	13	13	4	0	0	0	4	
12	0	0	0	0	0	0	0	0	0	4	4	11	14	15	15	14	14	14	14	4	0	0	0	4	
13	0	0	0	0	0	0	0	0	0	5	5	14	17	19	19	19	12	12	12	12	4	0	0	4	
14	0	0	0	0	0	0	0	0	0	4	4	10	13	14	15	13	13	13	13	4	0	0	0	4	
15	0	0	0	0	0	0	0	0	0	5	5	14	17	19	19	19	12	12	12	12	4	0	0	4	
16	0	0	0	0	0	0	0	0	0	4	4	11	14	15	15	14	14	14	14	4	0	0	0	4	
17	0	0	0	0	0	0	0	0	0	5	5	14	17	19	19	19	12	12	12	12	4	0	0	4	
18	0	0	0	0	0	0	0	0	0	4	4	10	13	14	15	13	13	13	13	4	0	0	0	4	
19	0	0	0	0	0	0	0	0	0	5	5	14	17	19	19	19	12	12	12	12	4	0	0	4	
20	0	0	0	0	0	0	0	0	0	4	4	11	14	15	15	14	14	14	14	4	0	0	0	4	
21	0	0	0	0	0	0	0	0	0	5	5	14	17	19	19	19	12	12	12	12	4	0	0	4	
22	0	0	0	0	0	0	0	0	0	4	4	11	14	15	15	14	14	14	14	4	0	0	0	4	
23	0	0	0	0	0	0	0	0	0	5	5	14	17	19	19	19	12	12	12	12	4	0	0	4	
24	0	0	0	0	0	0	0	0	0	4	4	11	14	15	15	14	14	14	14	4	0	0	0	4	
25	0	0	0	0	0	0	0	0	0	5	5	14	17	19	19	19	12	12	12	12	4	0	0	4	
26	0	0	0	0	0	0	0	0	0	4	4	11	14	15	15	14	14	14	14	4	0	0	0	4	
27	0	0	0	0	0	0	0	0	0	5	5	14	17	19	19	19	12	12	12	12	4	0	0	4	
28	0	0	0	0	0	0	0	0	0	4	4	11	14	15	15	14	14	14	14	4	0	0	0	4	
29	0	0	0	0	0	0	0	0	0	5	5	14	17	19	19	19	12	12	12	12	4	0	0	4	
30	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* * SFP INTERPRETATION NOTES AT END OF MONTHLY REPORT *

R & M CONSULTANTS, INC.
SUSTINA HYDROELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING November, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	1440	100
WIND SPEED	1440	100
WIND DIRECTION	1440	100
PEAK GUST	1440	100
RELATIVE HUMIDITY	1328	92
PRECIPITATION	0	0
SOLAR RADIATION	1440	100
DEW POINT	1328	92

THERE ARE 1440 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. RH -20 RH Points 11/1 - 11/2
 -16 11/2 - 11/28
 -11 11/28 - 11/30
2. Solar -1 mW/cm²

No precipitation data for December

(See INTERPRETATION OF DATA) .

R & M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING December 1984

DAY 01

DAY 02

DAY 03

Hour	DEW	Wind	Wind Gust Max.	Hour	DEW	Wind	Wind Gust Max.	Hour	DEW	Wind	Wind Gust Max.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	% DEG.	M/S	M/S	M/S	DEG C	DEG C	% DEG.	M/S	M/S	M/S

0300	-13.8	-16.8	78	184	2.8	181	3.8	0 0300	-13.6	-16.5	79	184	3.0	189	5.1	0 0300	-7.5	-10.5	79	156	1.6	189	3.8	0
0600	-11.8	-13.9	79	181	3.4	181	5.7	0 0600	-12.1	-15.3	77	226	2.6	243	3.8	0 0600	-6.4	-10.4	73	184	2.0	207	3.8	0
0900	-10.8	-11.9	78	192	2.6	198	4.4	0 0900	-13.3	-16.2	79	200	2.5	200	4.4	0 0900	-7.0	-10.7	75	143	2.6	132	5.1	0
1200	-10.6	-14.6	72	182	2.4	164	4.4	0 1200	-10.4	-13.5	78	292	2.3	196	3.8	0 1200	-7.8	-11.8	78	191	2.3	171	4.4	4
1500	-10.2	-13.3	78	172	3.2	162	6.3	0 1500	-9.3	-12.6	77	215	1.7	197	3.8	0 1500	-6.6	-10.1	76	188	2.3	195	3.8	1
1800	-13.3	-16.2	79	192	2.8	179	5.1	0 1800	-8.8	-11.9	78	191	2.2	180	3.8	0 1800	-7.3	-10.3	79	149	3.0	147	5.1	0
2100	-13.4	-16.3	79	204	2.4	188	3.8	0 2100	-7.9	-12.0	72	182	2.1	185	3.8	0 2100	-7.1	-9.0	81	162	1.6	151	3.8	0
2400	-13.8	-15.7	89	182	2.8	166	5.1	0 2400	-7.0	-10.7	75	170	2.2	153	4.4	0 2400	-6.9	-9.3	83	181	2.0	171	3.8	0

DAY 04

DAY 05

DAY 06

Hour	DEW	Wind	Wind Gust Max.	Hour	DEW	Wind	Wind Gust Max.	Hour	DEW	Wind	Wind Gust Max.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	% DEG.	M/S	M/S	M/S	DEG C	DEG C	% DEG.	M/S	M/S	M/S

0300	-5.3	-8.4	79	188	2.8	175	6.3	0 0300	-5.5	-6.2	95	209	1.4	188	3.8	0 0300	-7.4	-10.3	89	188	3.1	183	5.1	0
0600	-4.0	-8.1	73	178	.9	148	4.4	0 0600	-6.7	-7.6	98	212	3.0	222	5.1	0 0600	-7.0	-10.3	77	190	3.3	188	5.7	0
0900	-2.6	-7.7	88	099	3.3	095	7.0	0 0900	-7.0	-8.6	93	207	3.1	205	5.7	0 0900	-8.7	-11.5	80	207	2.2	189	3.8	0
1200	-2.4	-7.3	69	071	3.0	088	6.5	0 1200	-5.8	-7.8	86	203	3.4	203	5.1	0 1200	-8.4	-12.0	75	207	1.9	189	3.8	4
1500	-3.4	-7.2	75	099	1.6	117	4.4	0 1500	-5.0	-7.5	83	202	3.1	204	5.1	0 1500	-7.5	-11.5	73	210	1.6	198	3.2	1
1800	-3.5	-6.5	80	174	1.2	188	5.7	0 1800	-5.8	-7.6	87	206	2.8	211	3.8	0 1800	-7.5	****	76	191	1.2	183	3.8	0
2100	-3.3	-4.9	89	134	1.3	135	4.4	0 2100	-7.3	-9.0	88	190	3.8	189	5.7	0 2100	-5.9	****	74	196	1.0	167	2.5	0
2400	-5.5	-5.6	99	191	.9	189	3.8	0 2400	-8.6	-10.1	89	195	2.7	198	4.4	0 2400	-7.1	-7.8	95	215	.8	228	1.9	0

DAY 07

DAY 08

DAY 09

Hour	DEW	Wind	Wind Gust Max.	Hour	DEW	Wind	Wind Gust Max.	Hour	DEW	Wind	Wind Gust Max.
NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD	NDNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST RAD
DEG C	DEG C	% DEG.	M/S	M/S	M/S	DEG C	DEG C	% DEG.	M/S	M/S	M/S

0300	-7.9	-9.4	89	208	1.4	202	2.5	0 0300	-11.0	-13.3	83	211	2.0	208	3.8	0 0300	-10.6	-11.8	91	029	1.6	045	3.2	0
0600	-9.1	-10.7	88	191	1.3	191	3.2	0 0600	-10.1	-11.6	89	204	2.3	200	4.4	0 0600	-12.5	-14.5	85	046	.7	053	3.2	0
0900	-9.2	-10.6	90	206	1.1	218	3.2	0 0900	-9.4	****	89	202	2.4	209	4.4	0 0900	-10.5	-16.6	81	223	1.1	257	3.2	0
1200	-8.4	-10.9	82	211	1.8	206	3.2	0 1200	-8.9	****	91	008	0	008	3.2	0 1200	-11.2	-18.3	56	203	1.5	357	5.1	7
1500	-8.9	-10.8	86	193	2.3	201	3.8	0 1500	-7.1	-9.8	81	050	1.3	054	4.4	0 1500	-13.0	-19.7	57	315	3.1	330	7.0	1
1800	-9.1	****	92	218	1.9	198	4.4	0 1800	-6.7	-11.8	67	228	2.1	240	9.5	0 1800	-15.2	-21.6	58	250	1.5	244	4.4	0
2100	-9.8	-10.6	94	195	.9	143	4.4	0 2100	-8.7	-11.4	81	170	.5	265	7.0	0 2100	-16.6	-22.7	59	100	2.5	207	6.3	0
2400	-10.7	-12.2	89	212	2.0	208	3.8	0 2400	-10.5	-11.3	90	022	1.2	061	3.2	0 2400	-16.7	-22.6	66	187	2.9	183	5.7	0

** 100% INTEGRATION WITH THE 100% PRECIPITATION

R & M CONSULTANTS, INC.
SUSITNA HYDRO ELECTRIC PROJECT

THREE HOUR SUMMARY FOR KORINA WEATHER STATION
DATA TAKEN DURING December, 1984

DAY 10

DAY 11

DAY 12

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	
	DEG C	DEG C	% DEG.	M/S	M/S	M/H		DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	M/H		DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	M/H
0300	-20.7	-25.5	65	191	2.8	163	5.7	0	0300	-19.9	-24.1	69	167	2.7	171	4.4	0	0300	-19.2	-24.6	62	179	2.4	151	5.1	0
0600	-23.9	-25.4	67	219	2.1	256	5.1	0	0600	-19.8	-24.2	68	174	2.7	182	3.8	0	0600	-21.4	-27.1	60	163	2.8	151	5.7	0
0900	-20.2	-24.5	68	204	1.9	155	5.1	0	0900	-18.1	-22.2	70	192	2.2	188	3.8	0	0900	-21.8	-27.1	62	181	2.3	158	5.1	0
1200	-20.1	-24.8	66	221	2.5	212	5.7	3	1200	-17.8	-22.1	68	165	3.1	160	4.4	3	1200	-22.1	-28.3	57	206	1.7	186	3.2	6
1500	-22.2	-26.5	68	167	2.5	167	6.3	1	1500	-17.3	-21.6	69	193	1.9	179	4.4	1	1500	-23.5	-29.4	58	201	2.0	159	4.4	1
1800	-21.1	-25.1	70	199	2.6	211	4.4	0	1800	-17.7	-22.1	68	184	2.4	205	3.8	0	1800	-22.8	-27.2	67	197	2.5	166	5.7	0
2100	-21.8	-25.9	69	186	2.3	174	3.8	0	2100	-18.9	-23.3	68	192	2.2	211	5.1	0	2100	-25.7	-30.0	67	195	2.8	175	5.1	0
2400	-21.8	-25.9	69	200	2.6	212	4.4	0	2400	-17.7	-22.8	64	197	1.7	203	3.8	0	2400	-26.9	-31.1	67	210	2.8	213	3.8	0

DAY 13

DAY 14

DAY 15

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	
	DEG C	DEG C	% DEG.	M/S	M/S	M/H		DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	M/H		DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	M/H
0300	-25.0	-27.0	69	210	2.5	208	4.4	0	0300	-21.9	-26.2	68	206	1.7	190	3.8	0	0300	-15.5	-24.6	46	216	2.2	180	6.3	0
0600	-23.6	-27.7	69	192	3.2	205	5.1	0	0600	-21.7	-26.5	65	204	2.3	220	4.4	0	0600	-16.1	-25.4	45	160	2.5	184	7.0	0
0900	-22.6	-26.9	68	170	3.1	182	5.7	0	0900	-21.9	-26.7	65	218	1.9	205	3.8	0	0900	-17.2	-22.2	65	159	3.9	150	5.7	0
1200	-21.0	-25.5	67	177	3.0	188	5.1	5	1200	-21.3	-27.7	56	189	2.6	181	5.1	8	1200	-18.6	-23.2	67	151	4.5	153	7.6	6
1500	-19.0	-23.6	67	191	2.4	198	3.8	1	1500	-19.4	-27.9	47	179	3.1	174	5.1	1	1500	-19.5	-23.9	68	153	4.8	151	7.6	1
1800	-19.1	-23.7	67	183	2.9	187	5.7	0	1800	-20.1	-29.3	44	188	2.8	186	5.1	0	1800	-19.9	-24.1	69	148	4.7	144	8.3	0
2100	-19.8	-24.7	65	194	2.2	177	3.8	0	2100	-18.6	-27.9	44	186	3.1	197	7.0	0	2100	-18.4	-22.7	69	161	3.9	164	7.0	0
2400	-19.4	-23.1	72	143	2.7	194	3.8	0	2400	-17.1	-27.3	41	166	3.7	161	7.6	0	2400	-17.6	-21.9	69	172	3.1	182	5.1	0

DAY 16

DAY 17

DAY 18

HOUR	DEW	WIND	WIND GUST MAX.	DIR.	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	POINT	RH	DIR.	SPD.	DIR.	GUST	RAD	
	DEG C	DEG C	% DEG.	M/S	M/S	M/H		DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	M/H		DEG C	DEG C	% DEG.	M/S	DEG C	DEG C	% DEG.	M/S	M/H
0300	-16.4	-19.9	74	171	2.9	154	5.7	0	0300	-14.8	-17.9	78	145	4.3	133	7.0	0	0300	-5.2	-6.5	91	201	1.9	200	3.8	0
0600	-15.5	-19.2	73	161	2.6	182	4.4	0	0600	-12.6	-15.3	80	151	4.7	151	7.0	0	0600	-5.0	-6.0	93	189	2.4	183	4.4	0
0900	-14.2	-17.6	75	166	2.5	161	3.8	0	0900	-12.8	-15.4	81	154	4.6	157	6.3	0	0900	-5.5	-7.1	89	167	1.9	181	3.6	0
1200	-16.0	-19.2	76	167	3.2	156	6.3	4	1200	-11.8	-14.6	80	168	3.9	159	6.3	2	1200	-4.5	-5.6	92	172	2.1	156	3.8	2
1500	-13.3	-17.3	72	177	2.4	195	4.4	1	1500	-9.2	-10.6	83	169	3.1	156	3.8	1	1500	-5.8	-6.0	93	150	1.8	145	3.8	1
1800	-14.3	-17.9	74	139	2.1	141	5.7	0	1800	-6.5	-7.6	92	184	1.5	211	3.2	0	1800	-5.7	-6.8	92	152	3.2	149	5.1	0
2100	-13.4	-16.3	79	158	2.4	148	5.1	0	2100	-6.3	-7.8	95	195	7	214	1.9	0	2100	-5.9	-6.9	93	151	3.2	152	4.4	0
2400	-13.4	-16.3	79	151	3.4	154	6.7	0	2400	-5.6	-6.7	92	207	1.6	220	3.2	0	2400	-5.6	-6.8	97	111	2.2	148	3.8	0

* 4SF INSTRUMENT FAILURE WITHIN A 4 DAY PERIOD FROM 12/10 TO 12/13, 1984

R & M CONSULTANTS, INC.
SUSTINA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR SUSTINA WEATHER STATION
DATA TAKEN DURING December, 1984

DAY 19

DAY 20

DAY 21

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
HRNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	HRNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD													
DEG C	DEG C	%	DEG C	DEG C	%	DEG C	HRNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD													
0300	-2.6	-4.2	89	321	1.2	352	9.3	0	0300	-21.9	-33.0	36	198	2.3	204	4.4	0	0300	-19.2	-27.0	50	154	4.9	175	8.3	0
0600	-6.7	-13.0	61	327	6.9	326	10.8	0	0600	-21.1	-31.5	39	202	2.1	207	4.4	0	0600	-17.8	-25.1	53	171	2.8	152	6.3	0
0900	-10.8	-18.5	59	332	3.1	345	6.3	0	0900	-18.5	-29.4	38	205	2.6	183	5.1	0	0900	-18.0	-25.3	53	144	4.1	146	6.3	0
1200	-10.1	-23.8	32	393	5.4	323	9.5	6	1200	-17.0	-28.6	36	192	2.5	194	5.1	6	1200	-17.7	-21.5	72	148	4.6	134	6.3	1
1500	-15.0	-28.1	32	288	3.4	298	8.3	1	1500	-17.1	-28.4	37	193	2.1	191	3.8	1	1500	-17.2	-21.0	72	145	5.1	148	7.6	1
1800	-10.3	-34.3	12	387	4.8	295	9.5	0	1800	-19.1	-29.1	41	156	4.2	151	7.0	0	1800	-16.8	-20.5	73	134	3.5	154	6.3	0
2100	-15.9	-32.3	23	276	1.5	315	9.5	0	2100	-19.5	-29.2	42	162	4.2	157	7.0	0	2100	-16.7	-20.2	74	135	3.3	149	5.7	0
2400	-26.8	-33.6	31	176	2.2	184	5.7	0	2400	-19.2	-28.2	45	163	4.1	158	7.6	0	2400	-17.0	-20.4	75	141	2.3	143	5.1	0

DAY 22

DAY 23

DAY 24

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
HRNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	HRNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD													
DEG C	DEG C	%	DEG C	DEG C	%	DEG C	HRNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD													
0300	-16.5	-20.2	73	138	3.9	137	7.0	0	0300	-12.6	-15.9	76	149	4.5	144	7.6	0	0300	-10.8	-13.0	84	037	2.2	266	8.9	0
0600	-16.8	-20.8	71	147	4.8	144	7.9	0	0600	-12.2	-14.8	81	191	2.6	180	5.1	0	0600	-12.0	-14.9	79	024	1.9	045	3.8	0
0900	-15.8	-19.7	72	151	4.7	151	7.0	0	0900	-11.7	-13.9	84	172	2.4	180	3.8	0	0900	-16.3	-18.9	86	247	1.3	342	4.4	0
1200	-15.5	-19.4	72	145	4.2	137	6.3	2	1200	-10.7	-12.5	87	200	1.9	206	3.8	1	1200	-15.9	-20.6	67	200	1.8	192	4.4	0
1500	-14.7	-18.8	71	150	4.5	150	6.3	1	1500	-9.8	-11.4	88	176	1.8	195	3.2	1	1500	-14.5	-19.4	66	213	2.0	212	3.2	1
1800	-14.3	-17.7	75	147	5.1	154	7.6	0	1800	-9.2	-10.6	90	177	1.7	176	2.5	0	1800	-18.1	-23.4	83	209	1.8	202	4.4	0
2100	-13.3	-16.5	77	150	4.7	137	7.0	0	2100	-5.5	-9.0	76	294	2.8	281	11.4	0	2100	-17.6	-23.1	62	206	1.9	178	3.8	0
2400	-13.1	-16.1	78	167	4.4	158	8.3	0	2400	-7.8	-11.4	74	277	7.1	252	12.1	0	2400	-17.3	-22.0	62	193	1.9	185	4.4	0

DAY 25

DAY 26

DAY 27

HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.	HOUR	DEW	WIND	WIND GUST MAX.															
HRNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD	HRNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD													
DEG C	DEG C	%	DEG C	DEG C	%	DEG C	HRNG TEMP.	POINT RH	DIR.	SPD.	DIR.	GUST	RAD													
0300	-16.8	-21.3	68	140	3.5	134	5.7	0	0300	-13.9	-16.5	81	143	1.7	136	3.2	0	0300	-19.7	-24.1	68	203	2.0	208	3.8	0
0600	-16.0	-19.9	72	155	3.6	144	6.3	0	0600	-16.2	-16.6	82	067	3	157	3.2	0	0600	-21.6	-25.9	68	216	1.7	221	3.2	0
0900	-14.7	-18.4	73	154	2.7	154	5.7	0	0900	-16.8	-19.4	60	211	1.4	236	3.5	0	0900	-21.9	-26.0	69	211	1.8	217	3.2	0
1200	-15.5	-18.6	77	188	2.7	170	6.3	2	1200	-19.0	-21.7	79	200	1.5	218	3.2	3	1200	-19.3	-24.0	66	204	2.0	211	3.8	7
1500	-15.0	-18.1	77	204	1.9	212	5.3	1	1500	-17.1	-19.7	89	213	2.3	222	5.1	1	1500	-21.6	-25.6	70	218	1.8	216	3.2	1
1800	-15.2	-18.9	73	166	3.1	159	5.1	0	1800	-17.9	-20.8	78	208	2.1	173	4.4	0	1800	-22.9	-26.4	73	217	2.1	210	4.4	0
2100	-14.8	-17.8	78	191	2.4	191	5.1	0	2100	-15.6	-20.0	76	206	2.6	204	5.1	0	2100	-23.0	-27.5	71	217	2.6	210	5.1	0
2400	-15.9	-16.9	78	184	1.6	184	5.8	0	2400	-19.1	-23.5	68	199	2.6	201	5.1	0	2400	-24.0	-29.0	69	228	2.4	239	4.4	0

R & M CONSULTANTS, INC.
SUBSTITNA HYDROELECTRIC PROJECT

THREE HOUR SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING December, 1984


	DAY 28						DAY 29						DAY 30													
HOUR	DEW	WIND	WIND GUST MAX.	DIR.	SPD.	DIR.	GUST RAD	DEW	WIND	WIND GUST MAX.	DIR.	SPD.	DIR.	GUST RAD	DEW	WIND	WIND GUST MAX.	DIR.	SPD.	DIR.	GUST RAD					
	DEG C	DEG C	% DEG.	M/S	M/S	MW		DEG C	DEG C	% DEG.	M/S	M/S	MW		DEG C	DEG C	% DEG.	M/S	M/S	MW						
0300	-23.0	-27.2	58	232	2.9	218	4.4	0	0300	-21.3	-25.6	68	188	2.3	210	3.8	0	0300	-17.5	-21.3	72	192	2.6	212	3.8	0
0600	-21.5	-26.3	65	222	3.1	218	5.1	0	0600	-20.0	-25.6	65	170	3.1	154	5.7	0	0600	-15.7	-19.7	71	189	2.6	193	3.8	0
0900	-23.0	-28.5	64	210	2.8	210	4.4	0	0900	-20.2	-23.9	72	171	3.5	177	5.7	0	0900	-14.7	-18.9	70	209	3.0	209	5.1	0
1200	-21.7	-27.7	58	197	1.4	168	4.4	8	1200	-19.4	-23.1	72	160	2.7	151	4.4	8	1200	-9.8	-12.6	80	155	2.4	115	10.8	2
1500	-26.1	-30.7	65	193	2.2	192	5.1	1	1500	-18.9	-21.8	72	163	2.9	164	4.4	1	1500	-8.4	-11.2	80	113	5.5	115	10.8	1
1800	-29.8	-34.4	14	224	2.8	209	5.1	8	1800	-17.3	-20.7	75	169	2.7	175	4.4	8	1800	-7.6	-10.6	79	120	6.9	115	10.8	9
2100	-26.9	-31.3	65	203	3.0	219	4.4	0	2100	-17.1	-20.6	74	178	2.1	186	3.2	0	2100	-6.5	-9.7	78	127	4.7	121	11.4	0
2400	-22.9	-27.5	66	186	2.9	173	5.7	0	2400	15.7	-19.9	70	181	2.7	151	4.4	0	2400	-7.9	-10.6	81	137	2.1	100	10.2	0
	DAY 31																									
HOUR	DEW	WIND	WIND GUST MAX.	DIR.	SPD.	DIR.	GUST RAD	DEG C	DEG C	% DEG.	M/S	M/S	MW		DEG C	DEG C	% DEG.	M/S	M/S	MW						
0300	-10.0	-12.4	83	201	1.5	237	3.2	6																		
0600	-8.0	-9.0	93	227	2.4	229	3.8	6																		
0900	-6.7	-8.4	81	204	3.9	203	6.3	6																		
1200	-4.1	-6.0	97	151	2.0	125	7.6	3																		
1500	-5.7	-7.7	86	167	1.2	119	7.8	2																		
1800	-3.4	-4.5	92	201	2.7	161	6.3	6																		
2100	-4.1	-6.0	87	172	3.4	125	9.5	6																		
2400	-4.2	-6.2	86	151	3.6	138	7.6	6																		

** SEE INTERPRETATION NOTES AT END OF MONTHLY REPORT **

DATE TAKEN DURING DECEMBER - 1984
MOUNTAIN BUMPER KIDS NINETY EIGHTH EDITION

R & M CONSULTANTS, INC.

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
December, 1984




A & M CONSULTANTS, INC.
SUSTAIN HYDROELECTRIC PROJECT

WIND FREQUENCY SUMMARY FOR KOBINA WEATHER STATION
DATA TAKEN DURING December, 1984

DIRECTION	VELOCITY (M/S)								TOTAL
	0-2	2-4	4-6	6-8	8-10	10-12	12-15	15-20	
	<0	TO	TO	TO	TO	TO	TO	OR	
1.0	3.0	6.0	10.0	15.0	20.0	25.0	30.0	35.0	GR.
N	.07	.54	.07	0.00	0.00	0.00	0.00	0.00	.67
NNE	0.00	.88	.07	0.00	0.00	0.00	0.00	0.00	.94
NE	.07	.94	.28	0.00	0.00	0.00	0.00	0.00	1.21
ENE	.07	.81	.13	0.00	0.00	0.06	0.00	0.00	1.04
E	0.00	.34	.40	.02	0.00	0.00	0.00	0.00	.81
ESE	0.00	1.15	.61	.74	0.00	0.00	0.00	0.00	2.49
SE	.07	2.82	4.59	.02	0.00	0.00	0.00	0.00	6.74
SSE	.34	7.03	11.94	.02	0.00	0.00	0.00	0.00	19.35
S	.20	16.53	5.66	0.00	0.00	0.00	0.00	0.00	22.32
SSEW	.42	20.84	4.52	0.00	0.00	0.00	0.00	0.00	25.93
SW	.54	9.37	1.35	0.00	0.00	0.00	0.00	0.00	11.26
WSW	.07	1.96	.00	.02	0.00	0.00	0.00	0.00	2.49
W	.13	.27	.40	.13	0.00	0.00	0.00	0.00	1.55
WNW	.07	.50	.54	.27	0.00	0.00	0.00	0.00	1.42
NW	.07	.20	.61	.34	0.00	0.00	0.00	0.00	1.21
NNW	.07	.50	.00	.02	0.00	0.00	0.00	0.00	.88
CALM	-----	-----	-----	-----	-----	-----	-----	-----	0.00
TOTAL	2.23	64.13	31.83	1.82	0.00	0.00	0.00	0.00	100.00

NOTE: ALL FREQUENCIES ARE EXPRESSED IN PERCENT
 EACH VALUE WITH OBSERVATIONS USED TO DEVELOP FREQUENCY SUMMARIES
 10-MIN WIND OBSERVATIONS WILL BE MADE AT 1000 FT ELEVATION
 SEE APPENDIX FOR DETAILS AT END OF MONTHLY REPORT.

R&M CONSULTANTS, INC.
SUSITNA HYDROELECTRIC PROJECT
KOSINA WEATHER STATION
December, 1984



R & M CONSULTANTS, INC.

SLOVAKIA HYDROCELL PROJECT PROJECT

HOURLY SOLAR RADIATION SUMMARY FOR KOSTNA WEATHER STATION
DATA TAKEN DURING December, 1984

SOLAR RADIATION VALUES MEASURED IN MILLIWATTS PER SQUARE CENTIMETER

HOUR ENDING

DATE	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Avg
1	0	0	0	0	0	0	0	0	1	4	7	5	5	2	1	0	0	0	0	0	0	0	0	0	1
2	0	0	0	0	0	0	0	0	0	2	2	3	3	1	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	1	4	4	3	1	0	0	0	0	0	0	0	0	0	0	1
4	0	0	0	0	0	0	0	0	1	2	3	3	3	2	0	0	0	0	0	0	0	0	0	0	1
5	0	0	0	0	0	0	0	0	0	2	3	4	3	3	0	0	0	0	0	0	0	0	0	0	1
6	0	0	0	0	0	0	0	0	0	1	2	4	6	5	2	0	0	0	0	0	0	0	0	0	1
7	0	0	0	0	0	0	0	0	0	1	2	2	2	2	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	1	2	3	2	1	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	2	6	7	5	2	0	0	0	0	0	0	0	0	0	0	1
10	0	0	0	0	0	0	0	0	0	1	3	3	2	1	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	2	4	4	5	2	0	0	0	0	0	0	0	0	0	0	1
12	0	0	0	0	0	0	0	0	0	1	2	6	5	3	2	0	0	0	0	0	0	0	0	0	1
13	0	0	0	0	0	0	0	0	0	2	4	4	3	2	0	0	0	0	0	0	0	0	0	0	1
14	0	0	0	0	0	0	0	0	0	2	7	9	7	3	1	0	0	0	0	0	0	0	0	0	1
15	0	0	0	0	0	0	0	0	0	2	5	7	3	2	0	0	0	0	0	0	0	0	0	0	1
16	0	0	0	0	0	0	0	0	0	1	4	7	5	2	0	0	0	0	0	0	0	0	0	0	1
17	0	0	0	0	0	0	0	0	0	1	2	3	3	1	0	0	0	0	0	0	0	0	0	0	0
18	0	0	2	0	0	0	0	0	0	2	2	4	2	1	0	0	0	0	0	0	0	0	0	0	0
19	0	0	2	0	0	0	0	0	0	2	4	7	6	2	1	0	0	0	0	0	0	0	0	0	1
20	0	0	0	0	0	0	0	0	0	2	6	8	5	2	1	0	0	0	0	0	0	0	0	0	1
21	0	0	0	0	0	0	0	0	0	1	1	2	2	2	1	0	0	0	0	0	0	0	0	0	0
22	0	0	0	4	0	0	0	0	0	1	2	3	3	2	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	2	9	0	0	0	0	1	1	2	2	1	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	2	0	0	0	0	0	2	6	12	6	2	1	0	0	0	0	0	0	0	0	0	1
25	0	0	0	0	0	0	0	0	0	1	2	3	3	2	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	1	3	4	3	2	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	1	5	9	9	4	1	0	0	0	0	0	0	0	0	0	1
28	0	0	0	0	0	0	0	0	0	1	5	9	8	3	1	0	0	0	0	0	0	0	0	0	1
29	0	0	0	0	0	0	0	0	0	1	2	2	2	1	0	0	0	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	1	2	3	3	2	0	0	0	0	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0	0	0	1	3	4	6	3	1	0	0	0	0	0	0	0	0	0	1

NOTE: INTERPRETATION MILES AT ELEVATION APPROPRIATE REPORT

R & M CONSULTANTS, INC.
SUSSETTNA HYDROELECTRIC PROJECT

OBSERVATION SUMMARY FOR KOSINA WEATHER STATION
DATA TAKEN DURING December, 1984

PARAMETER	NUMBER OF USABLE OBSERVATIONS	PERCENT OF TOTAL OBSERVATIONS
TEMPERATURE	1488	100
WIND SPEED	1488	100
WIND DIRECTION	1483	100
PEAK GUST	1488	100
RELATIVE HUMIDITY	1455	98
PRECIPITATION	0	0
SOLAR RADIATION	1488	100
DEW POINT	1455	98

THERE ARE 1488 POSSIBLE OBSERVATIONS THIS MONTH FOR EACH PARAMETER.
THE DATA RECORDING INTERVAL IS 30 MINUTES.

THE FOLLOWING ADJUSTMENTS HAVE BEEN MADE TO THIS MONTH'S DATA:

1. RH -11 RH Points
2. Solar -1 mW/cm²

6.0 REFERENCES

- Coffin, J. H. 1984. Solar and longwave radiation data for south-central Alaska. In: Proceedings, Alaska Section AWRA Annual Conference, Alyeska Resort, Alaska, November 1984. Published by Institute of Water Resources, University of Alaska, Fairbanks, Alaska, as Report IWR-106.
- R&M Consultants, Inc. 1984. Processed climatic data, October 1982 - September 1983, Volume III, Kosina Creek Station (No. 0640). Prepared under contract to Harza-Ebasco Susitna Joint Venture for Alaska Power Authority. Document No. 1090. June.

APPENDIX

TABLE A.1 CONVERSION FACTORS

Multiply	by	To Obtain
millimeter (mm)	0.03937	inch (in)
centimeter (cm)	0.3937	inch (in)
square centimeter (cm^2)	0.1550	square inch (in^2)
meter (m)	3.281	foot (ft)
square meter (m^2)	10.76	square foot (ft^2)
meter per second (m/s)	3.821	foot per second (ft/s)
meter per second (m/s)	2.237	mile per hour (mph)
meter per second (m/s)	1.944	knot (kt)
degree Celsius ($^\circ\text{C}$)	$^\circ\text{F} = 9/5(\text{C}) + 32$	degree Fahrenheit ($^\circ\text{F}$)
watt-hour (WH)	3.413	British Thermal Unit (BTU)
watt-hour (WH)	3600	joule (J)
milliwatt (mw)	0.003413	BTU per hour (BTU/hr)
milliwatt per square centimeter (mw/ cm^2)	0.1040	BTU per hour per square foot (BTU/hr-ft ²)
watt-hour per square meter (WH/m ²)	0.3171	BTU per square foot (BTU/ft ²)
watt-hour per square meter (WH/m ²)	0.0860	langley (ly)