ARZA-EBASCO SUSITNA JOINT VENTURE

711 H STREET ANCHORAGE, ALASKA 99501

TEL. (907) 272 5585

May 15, 1985 1.8.2/6.2.19

Mr. James B. Dischinger Project Manager Alaska Power Authority 334 West 5th Avenue Anchorage, Alaska 99501 CONFIDENTIAL: PRIVILEGED WORK
PRODUCT PREPARED IN ANTICIPATION
OF LITIGATION; RESTRICTED
DISTRIBUTION

Subject: Susitna Hydroelectric Project

FERC License Amendment Outline

Dear Mr. Dischinger:

We are transmitting herewith for your information and reference a draft of the outline of the FERC License Amendment. This outline has been assembled from our review of the original application and it lists those paragraphs of the application which we believe must be touched upon in the amendment.

This outline is substantially a table of contents of the original application. It is our intention to make an entry under each heading, most of which will state something to the effect that,

"This section of the License Application dated February 15, 1983 and accepted by FERC on July 29, 1983 is unchanged by staging the construction of Watana Dam as covered by this Amendment."

Where a section is changed by staging, it is our plan to insert the change or provide reference to other sections in the amendment where the change can be found.

The above approach will be discussed in our meetings in Washington, D. C. next week.

Very truly yours,

W. E. Larson
Project Director

pd Enclosure

cc w/enclosure: See page 2.

5-13-85

Mr. J. B. Dischinger May 15, 1985 Page 2.

- cc w/enclosure: T. J. Arminski, Power Authority
 - R. S. Fleming, Power Authority
 - C. B. Curtis, VNFSC, Washington
 - W. J. Van Ness, VNFSC, Washington
 - P. A. Bergmann, HE
 - B. J. Casey, HE
 - C. D. Craddock, HE
 - W. M. Dyok, HE
 - R. L. Fairbanks, HE
 - E. G. Gemperline, HE
 - L. G. Gilbertson, HE
 - N. M. Hernandez, Chicago
 - G. N. Hizey, HE
 - P. T. Lambert, HE
 - W. H. Pettigrew, HE
 - J. P. Robinson, HE
 - J. H. Thrall, HE
 - G. V. Volland, Chicago

SUSITNA HYDROELECTRIC PROJECT STAGED CONSTRUCTION L/CENSE AMENDMENT

TRANSMITTAL LETTER

REVISIONS TO EXHIBIT A

PROJECT DESCRIPTION

TABLE OF CONTENTS

- 1 PROJECT STRUCTURES WATANA DEVELOPMENT
 - 1.1 General Arrangement
 - 1.2 Main Dam
 - 1.3 Diversion
 - 1.4 Emergency Release Facilities
 - 1.5 Outlet Facilities
 - 1.6 Main Spillway
 - 1.7 Emergency Spillway
 - 1.8 Power Intake
 - 1.9 Penstocks
 - 1.10 Powerhouse
 - 1.11 Tailrace
 - 1.12 Access Plan
 - 1.13 Site Facilities
 - 1.14 Relict Channel
- 2 RESERVOIR DATA WATANA
- 3 TURBINES AND GENERATORS WATANA
 - 3.1 Unit Capacity
 - 3.2 Turbines
 - 3.3 Generators
 - 3.4 Governor System
- 4 TRANSMISSION FACILITIES FOR WATANA DEVELOPMENT
 - 4.1 Transmission Requirements
 - 4.2 Description of Facilities
 - 4.3 Construction Staging
- 5 APPURTENANT MECHANICAL AND ELECTRICAL EQUIPMENT WATANA
 - 5.1 Miscellaneous Mechanical Equipment
 - 5.2 Accessory Electrical Equipment
 - 5.3 Switchyard Structures and Equipment

30492 850513

- 6 LANDS OF THE UNITED STATES
- 7 PROJECT STRUCTURES DEVIL CANYON DEVELOPMENT
 - 7.1 General Arrangement
 - 7.2 Arch Dam
 - 7.3 Saddle Dam
 - 7.4 Diversion
 - 7.5 Outlet Facilities
 - 7.6 Main Spillway
 - 7.7 Emergency Spillway
 - 7.8 Devil Canyon Power Facilities
 - 7.9 Penstocks
 - 7.10 Powerhouse and Related Structures
 - 7.11 Tailrace Tunnel
 - 7.12 Access Roads
 - 7.13 Site Facilities
- 8 DEVIL CANYON RESERVOIR
- 9 TURBINES AND GENERATORS DEVIL CANYON
 - 9.1 Unit Capacity
 - 9.2 Turbines
 - 9.3 Generators
 - 9.4 Governor System
- 10 TRANSMISSION LINES DEVIL CANYON
- 11 APPURTENANT EQUIPMENT VIL CANYON
 - 11.1 Miscellaneous Bechmaical Equipment
 - 11.2 Accessory Electrical Equipment
 - 11.3 Switchyard structures and Equipment

REFERENCES

LIST OF TABLES

REVISIONS TO EXHIBIT B

STATEMENT OF PROJECT OPERATION AND RESOURCE UTILIZATION

TABLE OF CONTENTS

- 1 DAMSITE SELECTION
 - 1.1 Previous Studies
 - 1.2 Plan Formulation and Selection Methodology
 - 1.3 Damsite Selection
 - 1.4 Formulation of Susitna Basin Development Plans
 - 1.5 Evaluation of Basin Development Plans
 - 1.6 Preferred Susitna Basin Development Plan

- 2 ALTERNATIVE FACILITY DESIGN, PROCESSES AND OPERATIONS
 - 2.1 Susitna Hydroelectric Development
 - 2.2 Watana Project Formulation
 - 2.3 Selection of Watania General Arrangment
 - 2.4 Devil Canyon Project Formulation
 - 2.5 Selection of Devil Canyon General Arrangement
 - 2.6 Selection of Access Road Corridor
 - 2.7 Selection of Transmission Facilities
 - 2.8 Selection of Project Operation
- 3 DESCRIPTION OF PROJECT OPERATION
 - 3.1 Operation within Railbelt Power System
 - 3.2 Plant and System Operation Requirements
 - 3.3 General Power Plant and System Railbelt Criteria
 - 3.4 Economic Dispatch of Units
 - 3.5 Unit Operation Reliability Criteria
 - 3.6 Dispatch Control Centers
 - 3.7 Susitna Project Operation
- 4 DEPENDABLE CAPACITY AND ENERGY PRODUCTION
 - 4.1 Hydrology
 - 4.2 Reservoir Data
 - 4.3 Operating Capabilities of Susitna Units
 - 4.4 Tailwater Rating Curve
- 5 STATEMENT OF POWER NEEDS AND UTILIZATION
 - 5.1 Introduction
 - 5.2 Description of the Railbelt Electric Systems
 - a. The Interconnected Railbelt Market
 - i. The Electric Utilities and Other Suppliers
 - ii. The Existing Electric Supply Situation
 - b. Railbelt Electric Utilities
 - i. Utility Load Characteristics
 - ii. Electricity Rates
 - iii. Conservation and Rate Structure Program
 - c. Historical Data for the Market Area
 - 5.3 Forecasting Methodology
 - a. The Effect of World Oil Prices on the Need for Power
 - b. Forecasting Models
 - i. Model Overview
 - ii. Petrolem Revenue Forecasting (PETREV) Model
 - iii. Man-in-the-Arctic Program (MAP) Economic Model
 - iv. Railbelt Electric Demand (RED) Model
 - v. Optimized Generation Planning (OGP) Model
 - c. Model Validation
 - i. MAP Model Validation
 - ii. RED Model Validation

5.4 Forecast of Electric Power Demand

- a. Oil Price Forecasts
 - i. Alaska Department of Revenue (DOR)
 - ii. Data Resources Incorporated (DRI)
 - iii. Sherman Clark Associates (SHCA)
 - iv. Other Projections
- b. Selection of Reference and Other Cases
- c. Variables and Assumptions Other than Oil Prices
 - i. PETREV Model
 - ii. MAP Model
 - iii. RED Model
 - iv. OGP Model
- d. Reference Case Forecast
 - i. State Petroleum Revenues
 - ii. Fiscal and Economic Conditions
 - iii. Electric Energy Demand
- e. Other Forecasts
- f. Sensitivity Analysis
 - i. MAP Model Sensitivity Tests
 - ii. RED Model Sensitivity Tests
 - iii. OGP Model Sensitivity Tests
- g. Reasonableness of the RED Forecasts
- h. Comparison with Previous Forecasts
- i. Impact of Oil Prices on Forecasts
- 5.5 Project Utilization

6 - FUTURE SUSITNA BASIN DEVELOPMENT

REFERENCES

LIST OF TABLES

LIST OF FIGURES

REVISIONS TO EXHIBIT C

PROPOSED CONSTRUCTION SCHEDULE

TABLE OF CONTENTS

- 1 WATANA SCHEDULE
 - 1.1 Access
 - 1.2 Site Facilities
 - 1.3 Diversion
 - 1.4 Main Dam
 - 1.5 Spillways and Intakes
 - 1.6 Powerhouse and Other Underground Works
 - 1.7 Transmission Lines/Switchyards
 - 1.8 General

2 - DEVIL CANYON SCHEDULE

- 2.1 Access
- 2.2 Site Facilities
- 2.3 Diversion
- 2.4 Arch Dam
- 2.5 Spillways and Intake
- 2.6 Powerhouse and Other Underground Works
- 2.7 Transmission Lines/Switchyards
- 2.8 General

3 - HISTORY OF EXISTING PROJECT

LIST OF FIGURES

REVISIONS TO EXHIBIT D

PROJECT COSTS AND FINANCING

TABLE OF CONTENTS

1 - ESTIMATES OF COST

- 1.1 Construction Costs
- 1.2 Mitigation Costs
- 1.3 Engineering and Administration Costs
- 1.4 Operation, Maintenance and Replacement Costs
- 1.5 Allowance for Funds Used During Construction
- 1.5 Escalation
- 1.7 Cash Flow and Manpower Loading Requirements
- 1.8 Contingency
- 1.9 Previously Constructed Project Facilities
- 1.10 EBASCO Check Estimate

2 - ESTIMATED ANNUAL PROJECT COSTS

3 - MARKET VALUE OF PROJECT POWER

- 3.1 The Railbelt Power System
- 3.2 Regional Electric Power Demand and Supply
- 3.3 Market and Price for Watana Output in 1994
- 3.4 Market and Price for Watana Output in 1995-2001
- 3.5 Market and Price for Watana and Devil Canyon Output in 2003
- 3.6 Potential Impact of State Appropriations

4 - EVALUATION OF ALTERNATIVE ENERGY PLANS

- 4.1 General
- 4.2 Existing System Characteristics
- 4.3 Fairbanks Anchorage Intertie
- 4.4 Hydroelectric Alternatives
- 4.5 Thermal Options Development Section
- 4.6 Without Susitna Plan
- 4.7 Economic Evaluation
- 4.8 Sensitivity to World Oil Price Forecasts
- 4.9 Other Sensitivity Assessments

4.10 Battelle Railbelt Alternatives Study

- 5 CONSEQUENCES OF LICENSE DENIAL
 - 5.1 Cost of License Denial
 - 5.2 Future Use of Damsites if License is Denied
- 6 FINANCING
 - 6.1 Forecast Financial Parameters
 - 6.2 Inflationary Financing Deficit
 - 6.3 Legislative Status of Alaska Power Authority and Susitna Project
 - 6.4 Financing Plan

LIST OF TABLES

LIST OF FIGURES

REFERENCES

APPENDIX D-1 FUELS PRICING STUDIES

FUELS PRICING STUDIES

TABLE OF CONTENTS

- 1 NATURAL GAS
 - 1.1 Resources and Reserves
 - 1.2 Production and Use
 - 1.3 Current Prices
 - 1.4 Projected Gas Prices
 - 1.5 Effect of Gas Price Deregulation
 - 1.6 References and Notes
- 2 COAL
 - 2.1 Resources and Reserves
 - 2.2 Present and Potential Alaskan Coal Production
 - 2.3 Current Alaskan Coal Prices
 - 2.4 Coal Price Escalation
 - 2.5 References and Bibliography
- 3 DISTILLATE OIL
 - 3.1 Availability
 - 3.2 Price

LIST OF TABLES

LIST OF FIGURES

REVISIONS TO EXHIBIT E

GENERAL DESCRIPTION OF THE LOCALE

TABLE OF CONTENTS

30492 850513

1 - GENERAL DESCRIPTION OF THE LOCALE

- 1.1 General Setting
- 1.2 Susitna Basin
 - 1.2.1 Physiography and Topography
 - 1.2.2 Geology and Soils
 - 1.2.3 Hydrology
 - 1.2.4 Climate
 - 1.2.5 Vegetation
 - 1.2.6 Wildlife
 - 1.2.7 Fish
 - 1.2.8 Land Use
 - 1.2.9 Recreation

GLOSSARY

LIST OF FIGURES

WATER USE AND QUALITY

- 1 INTRODUCTION
- 2 BASELINE DESCRIPTION
 - 2.1 Susitna River Morphology
 - 2.1.1 Mainstem
 - 2.1.2 Sloughs
 - 2.2 Susitna River Water Quantity
 - 2.2.1 Mean Monthly and Annual Flows
 - 2.2.2 Floods
 - 2.2.3 Flow Variability
 - 2.2.4 Water Levels
 - 2.3 Susitna River Water Quality
 - 2.3.1 Water Temperature
 - 2.3.2 Ice
 - 2.3.3 Bedload and Suspended Sediments
 - 2.3.4 Turbidity
 - 2.3.5 Vertical Illumination
 - 2.3.6 Dissolved Gases
 - 2.3.7 Nutrients
 - 2.3.8 Other Parameters
 - 2.3.9 Water Quality Summary
 - 2.4 Baseline Ground Water Conditions
 - 2.4.1 Description of Water Table and Artesian Conditions
 - 2.4.2 Hydraulic Connection of Ground Water and Surface Water
 - 2.4.3 Locations of Springs, Wells, and Artesian Flows
 - 2.4.4 Hydraulic Connection of Mainstem and Sloughs
 - 2.5 Existing Lakes, Reservoirs, and Streams
 - 2.5.1 Lakes and Reservoirs
 - 2.5.2 Streams
 - 2.6 Existing Instream Flow Uses
 - 2.6.1 Downstream Water Rights
 - 2.6.2 Fishery Resources
 - 2.6.3 Navigation and Transportation

```
Riperian Vegetation and Wildlife Habitat
                 2.6.5
                 2.6.6 Waste Assimilative Capacity
                        Freshwater Recruitment to Cook Inlet Estuary
                 2.6.7
          2.7
                 Access Plan
                 2.7.1
                        Flows
                 2.7.2
                         Water Quality
          2.8
                 Transmission Corridor
                 2.8.1
                        Flows
                 2.8.2
                         Water Quality
     3 - PROJECT OPERATION AND FLOW SELECTION
          3.1
                 Project Reservoirs
                 3.1.1
                         Watana Reservoir Characteristics
                 3.1.2
                         Devil Canyon Reservoir Characteristics
          3.2
                 Simulation Model and Selection Process
          3.3
                 Pre-project Flows
          3.4
                 Project Flows
                 3.4.1
                         Range of Flows
                 3.4.2
                         Timing of Flow Releases
          3.5
                 Energy Production and Net Benefits
          3.6
                 Fishery and Instream Flow Impacts on Flow Selection
                 3.6.1
                         Susitna River Fishery Impacts
                 3.6.2
                         Tributary Fishery Impacts
                         Other Instream Flow Considerations
                 3.6.3
          3.7
                 Operational Flow Scenario Selection
                 Maximum Drawdown Selection
          3.8
          PROJECT IMPACT ON WATER QUALITY AND QUANTITY
          4.1
                 Watana Development
                 4.1.1
                         Watana Construction
                 4.1.2 Impoundment of Watana Reservoir
                 4.1.3 Watana Operation
          4.2
                 Devil Canyon Development
                 4.2.1
                         Watana Operation/Devil Ganyon Construction
                 4.2.2
                         Watena Operation/Devil Canyon Impoundment
                 4.2.3
                         Watana/Devil Canyon Operation
          4.3
                 Access Plan
                 4.3.1
                         Flows
                 4.3.2
                         Water Quality
          4.4
                 Transmission Corridor
         AGENCY CONCERNS AND RECOMMENDATIONS
     6 - MITIGATION, ENHANCEMENT, AND PROTECTIVE MEASURES
          6.1
                 Introduction
         6.2
                Mitigation - Construction
                 6.2.1
                         Borrow Areas
                 6.2.2
                         Contamination by Petroleum Products
                 6.2.3
                         Concrete Contamination
                 6.2.4
                         Support Facilities
                 6.2.5
                         Others
                Mitigation - Watana Impoundment
         6.3
         6.4
                Mitigation - Watana Operation
30492
850513
```

Recreation

2.6.4

- 6.4.1 Flows
- 6.4.2 River Morphology
- 6.4.3 Temperature
- 6.4.4 Total Dissolved Gas Concentration
- 6.5 Mitigation Devil Canyon Construction
- 6.6 Mitigation Devil Canyon Impoundment
- 6.7 Mitigation Devil Canyon/Watana Operation
 - 6.7.1 Flows
 - 6.7.2 Temperature
 - 6.7.3 Total Dissolved Gas Concentration
- 6.8 Mitigation Access Road and Transmission Lines

REFERENCES

GLOSSARY

LIST OF TABLES

LIST OF FIGURES

LIST OF PHOTOGRAPHS

APPENDIX E.2.A - Relationship Between Main Channel Flow and Slough Physical Habitat Variables

FISH WILDLIFE AND BOTANICAL RESOURCES

- 1 INTRODUCTION
 - 1.1 Baseline Description
 - 1.2 Impact Assessments
 - 1.3 Mitigation Plans

FISH

- 2 FISH RESOURCES OF THE SUSITNA RIVER DRAINAGE
 - 2.1 Overview of the Resources
 - 2.1.1 Description of the Study Area for Fish Resources
 - 2.1.2 Data Collection and Analysis Methods
 - 2.1.3 Threatened and Endangered Species
 - 2.1.4 Overview of Important Species
 - 2.1.5 Contribution of Commercial and Non-Commercial Fishery
 - 2.2 Species Biology and Habitat Utilization in the Susitna Drainage
 - 2.2.1 Species Biology
 - 2.2.2 Habitat Utilization
 - 2.2.3 Streams of Access Road Corridor
 - 2.2.4 Streams of the Transmission
 - 2.3 Anticipated Impacts to Aquatic Habitat
 - 2.3.1 Anticipated Impacts to Aquatic Habitat Associated with Watana Dam
 - 2.3.2 Anticipated Impacts to Aquatic Habitat Associated with Devil Canyon

- 2.3.3 Impacts Associated with Access Roads, Site Roads and Railroads
- 2.3.4 Impacts Associated with Access Roads, Site Roads and Railroads
- 2.4 Mitigation Issues and Mitigation Measures
 - 2.4.1 Approach to Mitigation
 - 2.4.2 Selection of Project Evaluation Species
 - 2.4.3 Mitigation of Construction Impacts Upon Fish and Aquatic Habitats
 - 2.4.4 Mitigation of Filling and Operation Impacts
 - 2.4.5 Cumulative Effectiveness of Mitigation
- 2.5 Aquatic Studies Program
 - 2.5.1 Preconstruction Phase
 - 2.5.2 Construction Phase
 - 2.5.3 Filling and Operation Phase
- 2.6 Monitoring Studies
 - 2.6.1 Construction Monitoring
 - 2.6.2 Operational Monitoring
- 2.7 Cost of Mitigation
- 2.8 Agency Consultation on Fisheries Mitigation Measures
 - 2.8.1 U.S. Fish and Wildlife Service
 - 2.8.2 Alaska Department of Fish and Game

WILDLIFE AND BOTANICAL RESOURCES

3 - BOTANICAL RESOURCES

- .3.1 Introduction
 - 3.1.1 Regional Botanical Setting
 - 3.1.2 Floristics
 - 3.1.3 Contribution to Wildlife, Recreation, Subsistence, and Commerce
- 3.2 Baseline Description
 - 3.2.1 Threatened or Endangered Plants
 - 3.2.2 Plant Communities
 - 3.2.3 Wetlands
- 3.3 Impacts
 - 3.3.1 Watana Development
 - 3.3.2 Devil Canyon Development
 - 3.3.3 Access
 - 3.3.4 Transmission Corridors
 - 3.3.5 Impacts to Wetlands
 - 3.3.6 Prioritization of Impact Issues
- 3.4 Mitigation Plan
 - 3.4.1 Introduction
 - 3.4.2 Option Analysis
 - 3.4.3 Mitigation Summary

4 - WILDLIFE

- 4.1 Introduction
 - 4.1.1 The Vertebrate Fauna
 - 4.1.2 Threatened or Endangered Species
 - 4.1.3 Species Contributing to Recreation, Subsistence, and Commerce

4.2 Baseline Description

0 .

- 4.2.1 Big Game
- 4.2.2 Furbearers
- 4.2.3 Birds
- 4.2.4 Non-Game (Small) Mammals
- 4.3 Impacts
 - 4.3.1 Watana Development
 - 4.3.2 Devil Canyon Development
 - 4.3.3 Access Roads and Railway
 - 4.3.4 Transmission Lines
 - 4.3.5 Impact Summary
- 4.4 Mitigation Plan
 - 4.4.1 Impact Issues and Option Analysis
 - 4.4.2 Mitigation Plans and Monitoring Investigations
 - 4.4.3 Cost Analysis and Schedules
 - 4.4.4 Documentation of Agency Recommendations

REFERENCES

Introduction

Fisheries

Wildlife and Botanical Resources

LIST OF TABLES

LIST OF FIGURES

- Appendix E3A Fish and Wildlife Mitigation Policy
- Appendix E3B Environmental Guidelines Memorandum
- Appendix E3C Preliminary List of Plant Species Upper and Middle
 - Susitna River
- Appendix E3D Preliminary List of Plant Species Intertie Area
- Appendix E3E Status, Habitat Use and Relative Abundance of Bird
 - Species in the Midlle Susitna Basin
- Appendix E3F Status of Relative Abundance of Bird Species in the
 - Lower Susitne Basin
- Appendix E3G Scientific Names of Mammal Species
- Appendix E3H Methods Used to Determine Moose Browse Utilization and
 - Carrying Capacity within the Middle Susitna Basin
- Appendix E31 Explanation and Justification of Artificial Nest
 - Mitigation
- Appendix E3J Personal Communications

GLOSSARY

HISTORIC AND ARCHEOLOGICAL RESOURCES

TABLE OF CONTENTS

- 1 INTRODUCTION AND SUMMARY
 - 1.1 Program Objectives
 - 1.2 Program Specifics
 - 1.2.1 Archeology

1.2.2 Geoarcheology

2 - BASELINE DESCRIPTION 2.1 The Study Area Archeology 2.1.1 Geoercheology 2.1.2 Methods - Archeology and History 2.2 2.2.1 Application of Data Base 2.2.2 Permits 2.2.3 Literature Review 2.2.4 Cultural Chronology Research Design and Strategy 2.2.5 Data Collection and Field Procedures 2.2.6 Methods - Geoarcheology 1980 2.3 2.3.1 Literature Review 2.3.2 Geoarcheologic Terrain Unit Mapping 2.3.3 Field Study 2.3.4 Investigation and Dating of Samples 2.3.5 Methods - Geoarcheology 1981 Known Archeological and Historic Sites in the Project Area 2.4 Introduction 2.4.1 Watana Dam and Impoundment 2.4.2 2.4.3 Devil Canyon Dam and Impoundment 2.4.4 Proposed Borrow Sites, Associated Facilities, and Areas Disturbed by Geotechnical Testing 2.4.5 Proposed Access Routes and Associated Borrow Sites 2.4.6 Transmission Corridors 2.4.7 Other Areas 2.5 Geoarcheology 2.5.1 Introduction 2.5.2 Geoarcheologic Terrain Unit Mapping 2.5.3 Stratigraphic Framework 2.5.4 Preliminary Glacial-Geomorphologic Mapping General Comments 2.5.5 The last Glaciation 2.5.6 Archeological Stratigraphy 2.5.7 Cultural Horizons 2.5.8 Chronology and History

- 3 EVALUATION OF AND IMPACT ON HISTORIC AND ARCHEOLOGICAL SITES
 - 3.1 Evaluation of Selected Sites Found: Prehistory and History of the Middle Susitna River Region

Mammoth/Mastodon Fossil Discovery

3.1.1 Introduction

2.5.9

- 3.1.2 Contemporary Sites: 1945 to Present
- 3.1.3 Trapping Period: 1920-1945

2.5.10 Summary of Geologic History

- 3.1.4 Exploration/Gold Rush: 1897-1920
- 3.1.5 Athapaskan Tradition: A.D. 1900 A.D. 500
- 3.1.6 Choris/Norton Tradition: ca. A.D. 500 ca. 1500 B.C.
- 3.1.7 Northern Archaic Tradition: ca. 1500 B.C. 3000 B.C.

3.1.8 American Paleoarctic Tradition: ca. 3(00 B.C. - ca. 9000 B.C. - 3.1.9 Early Period: ca. 30,000 B.C. - ca. 20,000 B.C.

3.1.10 Summary

3.2 Impact on Historic and Archeological Sites

3.2.1 Introduction

3.2.2 Significance

3.2.3 Watana Dam and Impoundment

3.2.4 Devil Canyon Dam and Impoundment

3.2.5 Proposed Borrow Sites, Associated Facilities, and Sites Disturbed by Geotechnical Testing

3,2.6 Proposed Access Routes

3.2.7 Proposed Transmission Corridors

3.2.8 Other Portions of the Study Area

4 - MITIGATION OF IMPACT ON HISTORIC AND ARCHEOLOGICAL SITES

4.1 Mitigation Policy and Approach

4.1.1 Avoidance

4.1.2 Preservation

4.1.3 Investigation (Data Recovery)

4.2 Mitigation Plan

4.2.1 Details of Plan

4.2.2 Schedule

4.2.3 Cost

4.2.4 Statement of Sources and Extent of Financing

5 - AGENCY CONSULTATION

5.1 Consultation Methods

5.2 Summary of Contents

5.2.1 Research Design

5.2.2 Mitigation Plan

REFERENCES

LIST OF TABLES

LIST OF FIGURES

APPENDIX E4A - Antiquities Permits Stipulations

GLOSSARY

SOCIOECONOMIC IMPACTS

TABLE OF CONTENTS

- 1 INTRODUCTION
- 2 BASELINE DESCRIPTION

2.1 Identification of Socioeconomic Impact Areas

2.1.1 Local Impact Area

2.1.2 Regional Impact Area

	40 A	Deachtputon of Smbroament's Loboration's Lersonar Income an
		Other Trends in the Impact Areas
	***	2.2.1 Local miles and a second se
		2.2.2 Regional
		2.2.3 States of the control of the c
3 -	A CONTRACTOR OF THE CONTRACTOR	ATION OF THE IMPACT OF PROJECT
	3.1	Impact of In-migration of People on Governmental Facilitie
		sud Service
		3.1.1 Introduction
		3.1.2 Methodology
		3.1.3 Watana Construction Phase
		3.1.4 Watana Operation Phase and Devil Canyo
		Construction Phase
		3.1.5 Watana and Devil Canyon - Operation Phase
	3.2	Onsite Manpower Requirements and Payroll, by Year
		3.2.1 Manpower Requirements
		3.2.2 Seasonality of Manpower Requirements
		3.2.3 Payroll
	3.3	Residency and Movement of Project Construction Personnel
		3.3.1 Region
		3.3.2 Cantwell
	3.4	Adequacy of Available Housing in Impact Areas
		3.4.1 Watana - Construction Phase
		3.4.2 Watana Operation Phase and Devil Canyon
		Construction Phase
		3.4.3 Watana and Devil Canyon Operation Phases
	3.5	Displacement and Influences on Residences and Business
		3.5.1 Residences
		3.5.2 Businesses
	3.6	Fiscal Impact Analysis: Evaluation of Incremental Loca
		Government Expenditures and Revenues
		3.6.1 Watana - Construction Phase
		3.6.2 Watans - Operation Phase and Devil Canyon
		Construction Phase
		3.6.3 Watana and Devil Canyon-Operation Phases
	3.7	Local and Regional Impacts on Fish and Wildlife User Group
		3.7.1 Fish
		3.7.2 Game
		3.7.3 Furbearers
<i>.</i> _	MITTOL	TTON
4 -	MITIGA	
	4-1	Introduction Registrated and Approach
		Background and Approach
	4.3	Attitudes Toward Change
	4.4	Mitigation Objectives and Measures
		4.4.1 Mitigation Measures that will help Avoi
		Significant Adverse Project-Induced Impacts

30492 850513 4.5

4.4.2 Mitigation of Significant Adverse Impacts that
Remain in Communities
Impact Management Program
4.5.1 Developing Impact Information

- 4.5.2 Providing IMpact and Other Information 4.5.3 Refining and Implementing Mitigation Measures
- 5 MITIGATION MEASURES RECOMMENDED BY AGENCIES
 - 5.1 Alaska Department of Natural Resources
 - 5.2 Alaska Department of Fish and Game
 - 5.3 U.S. Fish and Wildlife Service
 - 5.4 Summary of Aencies' Suggestions for Further Studies that Relate to Mitigation

REFERENCES

LIST OF TABLES

LIST OF FIGURES

Appendix E5A Elaboration on Approach, Assumptions, and Methods
Appendix E5B Public Facilities and Services
Appendix E5C Assumptions, Methodology, and Rationale for Fiscal
Projections
Appendix E5D Traffic Volume Assumptions

GEOLOGICAL AND AND SOIL RESOURCES

TABLE OF CONTENTS

- 1 INTRODUCTION
- 2 BASELINE DESCRIPTION
 - 2.1 Regional Geology
 - 2.1.1 Stratigraphy
 - 2.1.2 Tectonic History
 - 2.2 Quatenary Geology
 - 2.3 Mineral Resources
 - 2.4 Seismic Geology
 - 2.4.1 Introduction
 - 2.4.2 Conceptual Approach
 - 2.4.3 Tectonic Model
 - 2.4.4 1980 Approach
 - 2.4.5 1981 Approach
 - 2.4.6 Results of Study
 - 2.4.7 Design Level Earthquake
 - 2.5 Watena Dameite
 - 2.5.1 Introduction
 - 2.5.2 Geologic Conditions
 - 2.5.3 Structural Features
 - 2.5.4 Ground Water Conditions
 - 2.5.5 Permafrost Conditions
 - 2.5.6 Permeability
 - 2.5.7 Relict Channels
 - 2.5.8 Borrow Sites
 - 2.6 Devil Canyon Damsite
 - 2.6.1 Introduction

2.6.2 Geologic Conditions Structural Features 2.6.3 2.6.4 Ground Water Conditions 2.6.5 Permafrost 2.6.6 Permeability 2.6.7 Geology Along Proposed Long Tailrace Tunnel 2.6.8 Borrow Sites 2.7 Reservoir Geology 2.7.1 Watana 2.7.2 Devil Canyon 3 - IMPACTS Reservoir-Induced Seismicity (RIS) 3.1 3.1.1 Introduction 3.1.2 Evaluation of Potential Occurrence 3.2 Seepage 3.3 Reservoir Slope Failures 3.3.1 General 3.3.2 Slope Stability Models for Watana and Devil Canyon Reservoirs 3.3.3 Devil Canyon Slope Stability and Erosion 3.3.4 Watana Slope Stability and Erosion 3.4 Permafrost Thaw 3.5 Seismically Induced Failure 3.6 Reservoir Freeboard for Wind Wave 3.7 Development of Borrow Sites and Quarries 4 - MITIGATION 4.1 Impacts and Hazards 4.2 Reservoir-Induced Seismicity 4.3 Seepage 4.4 Reservoir Slope Failures 4.5 Permafrost Thaw 4.6 Seismically Induced Failure Geologic Hazards 4.7 4.8 Borrow and Quarry Sites

GLOSSARY

REFERENCES

LIST OF TABLES

LIST OF FIGURES

RECREATIONAL RESOURCES

- 1 INTRODUCTION
 - 1.1 Purpose
 - 1.2 Relationships to Other Reports
 - 1.3 Study Approach and Methodology

1.3.1 - Approach 1.3.2 - Methodology

- 1.4 Project Description and Interpretation
 - 1.4.1 Construction
 - 1.4.2 Operational Characteristics of the Project
- 1.5 Implications of Project Design and Operation on Recreational Planning
- 2 DESCRIPTION OF EXISTING AND FUTURE RECREATION WITHOUT THE SUSITNA PROJECT
 - 2.1 Statewide Setting
 - 2.1.1 Background
 - 2.1.2 Regional Setting
 - 2.1.3 Existing Facilities
 - 2.1.4 Existing Regional Recreational Use
 - 2.1.5 Recreational Trends
 - 2.1.6 Future Facilities
 - 2.2 Susitna River Basin
 - 2.2.1 Background
 - 2.2.2 Existing Facilities and Activities
 - 2.2.3 Future Activities and Facilities
- 3 PROJECT IMPACTS ON EXISTING RECREATION
 - 3.1 Direct Impacts of Project Features
 - 3.1.1 Watana Development
 - 3.1.2 Devil Canyon Development
 - 3.1.3 Watana Access Road
 - 3.1.4 Devil Canyon Access Road
 - 3.1.5 Gold Creek-Devil Canyon Railroad
 - 3.1.6 Project Area Transmission Line Corridors
 - 3.1.7 Intertie and Stub Transmission Line Corridors
 - 3.2 Indirect Impacts Project-Induced Recreational Demand
 - 3.2.1 Background
 - 3.2.2 Assumptions
 - 3.2.3 Estimated Recreational Demand
- 4 FACTORS INFLUENCING THE RECREATION PLAN
 - 4.1 Management Objectives
 - 4.1.1 Alaska Power Authority
 - 4.1.2 Alaska Division of Parks
 - 4.1.3 · Alaska Department of Fish and Game
 - 4.1.4 U.S. Bureau of Land Mangement
 - 4.1.5 Cook Inlet Region, Inc. (CIRI) and Village Corporations
 - 4.1.6 Matanuska-Susitna Borough
 - 4.1.7 Alaska Department of Transportation
 - 4.2 Facilities Design Standards
 - 4.3 Financial Obligation and Responsibility of the Alaska Power Authority
- 5 RECREATION PLAN
 - 5.1 Recreation Concept
 - 5.1.1 The Concept
 - 5.1.2 Public Input

5.2 - Recreation Opportunity-Inventory

5.2.1 - Methodology

5.2.2 - Inventory

5.3 - Recreation Opportunity Evaluation

5.3.1 - Natural Value

5.3.2 - Inherent Durability

5.3.3 - Visual Quality

5.3.4 - Carrying Capacity

5.4 - The Recreation Plan

5.4.1 - Phase One: Watana Construction Phase

5.4.2 - Phase Two: Watana Implementation

5.4.3 - Phase Three: Devil Canyon Construction

5.4.4 - Phase Four: Devil Canyon Operation

5.4.5 - Phase Five: To Be Developed Only
If Demand Requires

5.4.6 - Recreation Plan for Construction Camps and Permanent Townsite

5.4.7 - Site-Specific Design

5.4.8 - Design Standards

5.4.9 - Recreation Plan Mitigation Measures

5.5 - Alternative Recreation Plans

5.5.1 - Additional Facilities and Development

5.5.2 - No Recreation Facility Demand

5.5.3 - Other Access Route Alternative

5.5.4 - Future Additions

6 - PLAN IMPLEMENTION

6.1 - Phasing

6.1.1 - Phase One: Watana Construction Phase

6.1.2 - Phase Two: Watana Implementation Phase

6.1.3 - Phase Three: Devil Canyon

6.1.4 - Phase Four: Devil Canyon Implement Phase

6.1.5 - Phase Five: Postconstruction Monitoring Phase

6.1.6 - Elements of the Recreation Plan According to Their Phase of Development

6.2 - Monitoring and Future Additions

6.2.1 - Proposed Monitoring Phase

7 - COSTS FOR CONSTRUCTION AND OPERATION OF

THE PROPOSED FACILITIES

7.1 - General

7.2 - Construction

7.3 - Operations and Maintenance

8 - AGENCY COORDINATION

8.1 - Agencies and Persons Consulted

8.2 - Agency Comments

REFERENCES

LIST OF TABLES

LIST OF FIGURES

LIST OF PHOTOGRAPHS

Appendix E7A - Further Data on Regional Recreational Facilities

Appendix E7B - Attractive Features - Inventory Data Forms

Appendix E7C - Supporting Data for Susitua Drainage Fishing Activity

GLOSSARY

AESTHETIC RESOURCES

- 1 INTRODUCTION
 - 1.1 Purpose
 - 1.2 Relationship to Other Reports
 - 1.3 Environmental Setting
 - 1.3.1 Regional Setting
 - 1.3.2 Susitna River Basin
 - 1.3.3 Summary
- 2 METHODOLOGY
 - 2.1 Procedure
 - 2.1.1 Step 1 Study Objectives
 - 2.1.2 Step 2 Project Facilities and Features
 - 2.1.3 Step 3 Landscape Character Types
 - 2.1.4 Step 4 Views
 - 2.1 5 Step 5 Aesthetic Value Rating
 - 2.1.6 Step 6 Absorption Capability
 - 2.1.7 Step 7 Composite Rating
 - 2.1.8 Step 8 Facilities' Rating
 - 2.1.9 Step 9 Mitigation Measures
- 3 STUDY OBJECTIVES (STEP 1)
- 4 PROJECT FACILITIES AND FEATURES (STEP 2)
 - 4.1 Watana Project Ares
 - 4.2 Devil Canyon Project Area
 - 4.3 Watana Access Road
 - 4.4 Devil Canyon Access Road
 - 4.5 Transmission Line Stubs
 - 4.6 Intertie
 - 4.7 Recreation Facilities and Features
- 5 EXISTING LANDSCAPE
 - 5.1 Landscape Character Types (Step 3)
 - 5.2 Eceptional Natural Features
 - 5.2.1 Devil Canyon Rapids
 - 5.2.2 Devil Creek Falls
 - 5.2.3 Stephan Lake

5.2.4 - Tsusena Creek Falls

5.2.5 - Tsusena Butte Lake

5.2.6 - Deadman Creek Falls

5.2.7 - Fog Lakes

5.2.8 - Big and Deadman Lakes

5.2.9 - Caribou Pass

5.2.10- Vee Canyon

6 - VIEWS (STEP 4)

7 - AESTHETIC VALUE RATING AND ABSORPTION CAPABILITY RATING

7.1 = Aesthetic Value Rating (Step 5)

7.1.1 - Distinctiveness

7.1.2 - Uniqueness

7.1.3 - Harmony and Balance

7.2 - Absorption Capability (Step 6)

7.3 - Composite Ratings (Step 7)

8 - AESTHETIC IMPACT RATING (STEP 8)

8.1 - Mitigation Planning for Incompatible Aesthetic Impacts

9 - MITIGATION (STEP 9)

9.1 - Proposed Mitigation Measures

9.1.1 - Additional Study

9.1.2 - Best Development Practices

9.1.3 - Creative Engineering Design

9.1.4 - Use of Form, Line, Color, or Textures

9.1.5 - Mitigation Costs

10 - AESTHETIC IMPACT EVALUATION OF THE INTERTIE

10.1 - Background

10.2 - Project Description

10.3 - Landscape Character Types

10.3.1 - Susitna River Lowlands

10.3.2 - Talkeetna Mountains

10.3.3 - Lowlands Portion

10.3.4 - Uplands Portion

10.3.5 - Chulitna River

10.3.6 - Broad Pass

10.3.7 - Alaska Range

10.3.8 - Nenana Uplands

10.3.9 - Yanert River Valley

10.4 - Description of the Preferred Route

10.5 - Alternativēs

10.6 - Impacts

10.6.1 - Susitna River Lowlands

10.6.2 - Talkeetna Mountains

10.6.3 - Alaska Range

10.6.4 - Chulitna River

10.6.5 - Broad Pass

10.6.6 - Yanert River Valley

10.6.7 - Nenana Uplands

11 - AGENCY COORDINATION

11.1 - Agencies and Persons Consulted

11.2 - Agency Comments

REFERENCES

LIST OF FIGURES

LIST OF PHOTOGRAPHS

Appendix ESA - Proposed Facilities Design Analysis

Appendix ESB - Site Photos with Simulations of Project Facilities

Appendix E8C - Photos of Proposed Project Facilities Sites

Appendix ECD - Examples of Existing Aesthetic Impacts

Appendix ESE - Examples of Reservoir Edge Conditions Similar to Those Anticipated at Watana & Devil Canyon Dam

Appendix ESF - Project Features Impacts and Charts

Appendix E8G - Illustrations of Possible Mitigation Measures

LAND USE

1 - INTRODUCTION

1.1 - Purpose and Approach

1.1.1 - Objectives

1.1.2 - General Discussion of Land Use Evaluation Procedures

1.2 - Summary of Current Land Status Issues in the Project Area

1.3 - Summary of Land Use in the Project Area

1.3.1 - Historical Land Use
1.3.2 - Existing Land Use

1.4 - Summary of Land use Management Planning

in the Project Area

1.5 - Summary of Major Anticipated Land Use Changes

1.5.1 - Land Status

1.5.2 - Land Use Activity

1.5.3 - Land Use Development

2 - DESCRIPTION ON EXISTING LAND USE

2.1 - Description of Existing Land Status in the Project Area

In the Hoject Area

2.2 - Description of Existing Land Use

in the Project Area

2.2.1 - Description of Land Use Evaluation Procedures

2.2.2 - Existing Land Use Activity

2.2.3 - Existing Land Use Development

2.2.4 - Special Lands

- 2.3 Description of Existing Land Use Management
 Plans for the Project Area
- 3 DESCRIPTION OF LAND USE CHANGES
 - 3.1 Dams and Impoundment Areas
 - 3.1.1 Proposed Facilities
 - 3.1.2 Induced Land Use Changes
 - 3.1.3 Mitigation
 - 3.2 Construction Camps and Villages
 - 3.2.1 Proposed Facilities
 - 3.2.2 Induced Land Use Changes
 - 3.2.3 Mitigation
 - 3.3 Recreation
 - 3.3.1 Proposed Facilities
 - 3.3.2 Induced Land Use Changes
 - 3.3.3 Mitigation
 - 3.4 Access
 - 3.4.1 Proposed Facilities
 - 3.4.2 Induced Land Use Changes
 - 3.4.3 Mitigation
 - 3.5 Transmission
 - 3.5.1 Proposed Facilities
 - 3.5.2 Induced Land Use Changes
 - 3.5.3 Mitigation
 - 3.6 Changes in Land Use Without the Project
- 4 DESCRIPTION OF CHANGES IN LAND STATUS AND MANAGEMENT
 - 4.1 Land Status Changes Resulting from the Project
 - 4.2 Land Status Changes Without the Project
 - 4.3 Land Management Changes Resulting from the Project
 - 4.4 Land Management Changes Without the Project
- 5 AGENCY CONSULTATION AND MITIGATION PLANS
- 6 AUTHORITIES CONTACTED

REFERENCES

LIST OF TABLES

LIST OF FIGURES

ALTERNATIVES

- 1 ALTERNATIVE HYDROELECTRIC SITES
 - 1.1 Non-Susitna Hydroelectric Alternatives
 - 1.1.1 Screening of Candidate Sites
 - 1.1.2 Basis of Evaluation
 - 1.1.3 Rank Weighting and Scoring
 - 1.1.4 Evaluation Results
 - 1.1.5 Plan Formulation and Evaluation
 - 1.2 Environmental Assessment of Selected Alternative Sites
 - 1.2.1 Description of Chakachamna Site
 - 1.2.2 Description of Snow Site
 - 1.2.3 Description of Keetna Site
 - 1.2.4 Environmental Impacts of Selected Alternatives
 - 1.3 Middle Susitus Basin Hydroelectric Alternatives
 - 1.3.1 Damaite Selection
 - 1.3.2 Site Screening
 - 1.3.3 Formulation of Susitna Basin
 Development Plans
 - 1.3.4 Plan Evaluation Process
 - 1.3.5 Comparison of Plans
 - 1.3.6 Results of Evaluation Process
 - 1.3.7 Devil Canyon Dam Versus Tunnel
 - 1.3.8 Watana-Devil Canyon Versus High Devil Canyon-Vee
 - 1.3.9 Preferred Susitna Basin Development Plan
- 2 ALTERNATIVE FACILITY DESIGNS
 - 2.1 Watana Facility Design Alternatives
 - 2.1.1 Diversion/Emergency Release Facilities
 - 2.1.2 Main Spillway
 - 2.1.3 Power Intake and Water Passages
 - 2.1.4 Outlet Facilities
 - 2.2 Devil Canyon Facility Design Alternatives
 - 2.2.1 Installed Capacity
 - 2.2.2 Spillway Capacity
 - 2.2.3 Power Intake and Water Passages
 - 2.3 Access Alternatives
 - 2.3.1 Objectives
 - 2.3.2 Corridor Identification and Selection
 - 2.3.3 Development of Plans
 - 2.3.4 Evaluation of Plans
 - 2.3.5 Description of Most Responsive Access Plans
 - 2.3.6 Comparison of Selected Alternative Plans
 - 2.3.7 Summary of Final Selection of Plans
 - 2.3.8 Modifications to Recommended Access Plan
 - 2.4 Transmission Alternatives
 - 2.4.1 Corridor Selection Methodology
 - 2.4.2 Environmental Selection Criteria
 - 2.4.3 Identification of Corridors

ALTERNATIVES

- 1 ALTERNATIVE HYDROELECTRIC SITES
 - 1.1 Non-Susitna Hydroelectric Alternatives
 - 1.1.1 Screening of Candidate Sites
 - 1.1.2 Basis of Evaluation
 - 1.1.3 Rank Weighting and Scoring
 - 1.1.4 Evaluation Results
 - 1.1.5 Plan Formulation and Evaluation
 - 1.2 Environmental Assessment of Selected
 - Alternative Sites
 1.2.1 Description of Chakachamna Site
 - 1.2.2 Description of Snow Site
 - 1.2.3 Description of Keetna Site
 - 1.2.4 Environmental Impacts of Selected Alternatives
 - 1.3 Middle Susitna Basin Hydroelectric Alternatives
 - 1.3.1 Damsite Selection
 - 1.3.2 Site Screen ig
 - 1.3.3 Formulation of Susitna Basin
 Development Plans
 - 1.3.4 Plan Evaluation Process
 - 1.3.5 Comparison of Plans
 - 1.3.6 Results of Evaluation Process
 - 1.3.7 Devil Canyon Dam Versus Tunnel
 - 1.3.8 Watana-Devil Canyon Versus High Devil Canyon-Vee
 - 1.3.9 Preferred Susitua Basin Development Plan

73

2 - ALTERNATIVE FACILITY DESIGNS

- 2.1 Watana Facility Design Alternatives
 - 2.1.1 Diversion/Emergency Release Facilities
 - 2.1.2 Main Spillway
 - 2.1.3 Power Intake and Water Passages
 - 2.1.4 Outlet Facilities
- 2.2 Devil Canyon Facility Design Alternatives
 - 2.2.1 Installed Capacity
 - 2.2.2 Spillway Capacity
 - 2.2.3 Power Intake and Water Passages
- 2.3 Access Alternatives
 - 2.3.1 Objectives
 - 2.3.2 Corridor Identification and Selection
 - 2.3.3 Development of Plans
 - 2.3.4 Evaluation of Plans
 - 2.3.5 Description of Most Responsive Access Plans
 - 2.3.6 Comparison of Selected Alternative Plans
 - 2.3.7 Summary of Final Selection of Plans
 - 2.3.8 Modifications to Recommended Access Plan
- 2.4 Transmission Alternatives
 - 2.4.1 Corridor Selection Methodology
 - 2.4.2 Environmental Selection Criteria
 - 2.4.3 Identification of Corridors

```
2.4.4 - Environmental Screening Criteria
                     Environmental Screening Methodology
             2.4.5
                     Screening Results
             2.4.6
             2.4.7 Proposed Corridor
             2.4.8 Route Selection Methodology
                     Environmental Route Selection Criteria
             2.4.9
             2.4.10 Evaluation Following Access Road Decision
             2.4.11 Conclusions
             Borrow Site Alternatives
       2.5
                     Watana Borrow Sites
             2.5.1
                     Devil Canyon Borrow Sites
             2.5.2
    3 - ALTERNATIVE OPERATING SCENARIOS
             Project Operation and Flow Selection
                     Simulation Model and Selection Process
              3.1.1
                     Pre-project Flows
              3.1.2
              3.1.3
                     Project Flows
                     Energy Production and Net Benefits
              3.1.4
             Instream Flow and Fishery Impacts on Flow Selection
        3.2
                     Susitna River Fishery Impacts
              3.2.1
              3.2.2
                     Tributary Fishery Impacts
             Other Instream Flow Considerations
        3.3
              3.3.1
                     Downstream Water Rights
              3.3.2 Navigation and Transportation
              3.3.3 Recreation
                     Riparian Vegetation and Wildlife Habitat
              3.3.4
                     Water Quality
              3.3.5
                     Freshwater Recruitment at Cook Inlet
              3.3.6
             Operational Flow Scenario Selection
        3.4
             Maximum Drawdown Selection
        3.5
    4 - ALTERNATIVE ELECTRICAL ENERGY SOURCES
              Coal-Fired Generation Alternatives
                     Existing Environmental Condition
              4.1.1
              4.1.2
                     Environmental Impacts
              Tidal Power Alternatives
        4.2
                     Preferred Tidal Schemes
              4.2.1
              4.2.2 Environmental Considerations
              4.2.3 Effects on Biological Resources
              4.2.4 Other Effects
              4.2.5
                     Socioeconomic Assessment
              4.2.6
                     Impact on Adjacent Land Uses
              4.2.7 Materials Origin Supply Study
              4.2.8 Labor Supply and Limitations
              4.2.9
                      Community Impact
              4.2.10 Impacts of a Causeway
              Thermal Alternatives Other than Coal
              4.3.1
                      Natural Gas
              4.3.2
                      Oil
              4.3.3 Diesel
              4.3.4
                      Environmental Considerations of Non-coal Thermal
              Sources
        4.4
              Nuclear Steam Electric Generation
                      Siting and Fuel Requirements
              4.4.2
                      Environmental Considerations
30492
                                    24
850513
```

 ∞

```
Potential Application in the Railbelt Region
    4.4.3
4.5 Biomass
            Siting and Fuel Requirements
    4.5.1
            Environmental Considerations
    4.5.2
            Potential Application in the Railbelt Region
    4.5.3
4.6 Geothermal
     4.6.1
            Siting Requirements
     4.6.2
            Environmental Impacts
     4.6.3
            Potential Application in the the Railbelt Region
4.7 Wind
    4.7.1
            Large Wind Systems
            Small Wind Systems
    4.7.2
4.8 Solar
            Siting Requirements
    4.8.1
            Environmental Considerations
    4.8.2
```

Potential Application to the Railbelt Region

5 - ENVIRONMENTAL CONSEQUENCES OF LICENSE DENIAL

REFERENCES

LIST OF TABLES

LIST OF FIGURES

GLOSSARY

RECORD OF CONSULTATION PROCESS

4.8.3

AGENCY CONSULTATION

TABLE OF CONTENTS

- 1 ORGANIZATION OF CONSULTATION PROGRAM
 - 1.1 Formal Consultation
 - 1.1.1 Regulatory Requirements
 - 1.1.2 Organization
 - 1.1.3 Fish and Wildlife Mitigation Review Group
 - 1.2 Informal Consultation
 - 1.2.1 Susitua Hydro Steering Committee
 - 1.2.2 Environmental Workshop
- 2 PHASES OF REVIEW
 - 2.1 Consultation Prior to Preparation of Draft FERC Application
 - 2.1.1 Plan of Study
 - 2.1.2 Data Collection and Project Assessment
 - 2.1.3 Development Selection
 - 2.1.4 Mitigation Planning
 - 2.1.5 Feasibility Assessment
 - 2.1.6 Additional Studies
 - 2.2 Draft License Review

LIST OF TABLES

LIST OF FIGURES

Appendix	EllA	Correspondence Relating to Organization of Consultation Program
Appendix	EllB	Correspondence Relating to Plan of Study
Appendix		Correspondence Relating to Data Collection and Project Assessment
Appendix	EllD	Correspondence Relating to Development Selection
Appendix		Correspondence Relating to Mitigation Planning
Appendix		Correspondence Relating to Feasibility Assessment
Appendix		Correspondence Relating to Additional Studies and Project Refinement
Appendix	EllH	Comments During November 1982 Workshop
Appendix		Correspondence Relating to Draft Review
Appendix		Comments Received from Agencies Concerning the Draft License and the Power Authority's Response to These
		Comments

REVISIONS TO EXHIBIT F

Plate No.	Watana Title
F1	Railbelt Area
F2	Reservoir Plan
F3	Site Layout
F4	General Arrangement
F5	Main Dam - Plan
F6	Main Dam - Section
F7	Main Dam - Profile and Detail
F8	Main Dam - Grouting and Drainage
. F9	Diversion - General Arrangement
F10	Diversion - Sections
F11	Diversion - Intake Structures
F12	Main Spillway - General Arrangement
F13	Main Spillway - Control Structure
F14	Main Spillway - Chute Sections
F15	Main Spillway - Flip Bucket
F16	Outlet Facilities - General Arrangement
F17	Outlet Facilities - Gate Structure
F18	Emergency Spillway
F19	Emergency Release - Sections
F20	Downstream Portals - Plan and Sections
F21	Power Facilities - General Arrangement
F22	Power Facilities - Access
F23	Power Facilities - Plan and Sections
F24	Power Intake - Sections
F25	Powerhouse - Plans
F26	Powerhouse - Sections
F27	Transformer Gallery - Plan and Sections
F28	Surge Chamber and Tailrace - Sections
F29	Electrical Legend
F30	Powerhouse - Single Line Diagram
F31	Switchyard - Single Line Diagram and Plan
F32	Access Plan - Proposed Route
30492	26
850513	

F33	Access Plan - Proposed Route Typical Details
F34	General Layout - Site Facilities
F35	General Layout - Construction and Haul Roads
F36	Main Construction Camp Site
F37	Village and Town Site
F38	Watana and Devil Canyon - Construction Camp Details
F39	Reservoir Plan
F40	
F41	Site Layout General Arrangement
F42	Dams - Plan and Profile
F43	Main Dam - Geometry
F44	Main Dam - Crown Section
F45	Main Dam - Sections
F46	Main Dam - Thrust Blocks
F47	Main Dam - Grouting and Drainage
F48	Main Dam - Outlet Facilities
F49	Saddle Dam - Section
F50	Saddle Dam - Profile and Detail
F51	Diversion - General Arrangement
F52	Diversion - Cofferdam Sections
F53	Diversion - Sections
F54	Main Spillway - General Arrangement
F55	Main Spillway - Control Structure
F56	Main Spillway - Chute Sections
F57	Emergency Spillway - General Arrangement
F58	Emergency Spillway - Sections
F59	Power Facilities - General Arrangement
F60	Power Facilities - Access
F61	Power Facilities - Plan and Sections
F62	Power Intake - Sections
F63	Powerhouse - Plans
F64	Powerhouse - Sections
F65	Transformer Gallery - Plan and Sections
F66	Surge Chamber and Tailrace - Sections
F67	Tailrace Portal - Plan and Sections
F68	Powerhouse - Single Line Diagram
F69	Switchyard - Single Line Diagram and Plan
F70	General Layout - Site Facilities
F71	General Layout - Construction and Haul Roads
F72	Main Construction Camp Site
F73	Temporary Village
F74	Railbelt 345kV Single Line Diagram
F75	Ester Substation - Single Line Diagram and Plan
F76	Gold Creek - Single Line Diagram and Plan
F77	Willow Substation - Single Line Diagram and Plan
F78	Knik Arm Substation - Single Line Diagram and Plan
F79	University Substation - Single Line Diagram and Plan
F80	Typical Transmission Line Structures
F81	345kV System Single Diagram and Transmission Corridor
	AANA DIOCEM DINRIE DISRESSE SEG TESTESSED COLLISO.

REVISIONS TO EXHIBIT (

	Plate No.	
	G1	Railbelt Map Index
7.	G2	Devil Canyon Map Index
	G3	Watana Map Index
	G4	Transmission Line Map Index
	G5	Access Road Map Index
	G6-G12	Devil Canyon Project Boundary Maps
	G13-G29	Watana Project Boundary Maps
	G30-G52	Transmission Line Boundary Maps
	G53-G59	Access Road Boundary Maps

REV

TABLE OF CONTENTS

GENERAL

.0

15

- 1 PROJECT PARAMETERS
- 2 PROJECT DESIGN DATA.
 - 2.1 Topographical Data
 - 2.2 Hydrological Data
 - 2.3 Meteorological Data
 - 2.4 Reservoir Data
 - Tailwater Elevations 2.5
 - 2.6 Design Floods
- 3 CIVIL DESIGN CRITERIA
 - 3.1 Governing Codes and Standards
 - 3.2 Design Loads
 - 3.3 Stability
 - Material Properties 3.4
- GEOTECHNICAL DESIGN CRITERIA
 - 4.1 Watana
 - 4.2 Devil Canyon
- HYDRAULIC DESIGN CRITERIA
 - 5.1 River Flows
 - 5.2 Design Flows
 - 5.3 Reservoir Levels
 - 5.4 Reservoir Operating Rule
 - 5.5 Reservoir Parameters
 - 5.6 Freeboard
 - Criteria 5.7
- 6 EQUIPMENT DESIGN CODES AND STANDARDS
 - Design Codes and Standards 6.1
 - 6.2 General Criteria
 - Diversion Structures and Emergency Release Facilities 6.3
 - Main Spillway 6.4
 - 6.5 Outlet Facilities
 - 6.6 Power Intake

30492

28

6.7 Powerhouse

6.8 Tailrace Tunnels

APPENDIX FA Watana Emergency Spillway

APPENDIX FB Watana and Devil Canyon Embankment Stability Analyses

APPENDIX FC Summary of PMF and Spillway Design Flood Analyses

LIST OF TABLES

LIST OF FIGURES

8.5

SUSITNA HYDROELECTRIC PROJECT STAGED CONSTRUCTION LICENSE AMENDMENT

REVISIONS TO EXHIBIT G

PLATE NO.	TITLE
<u> </u>	RAILBELT MAP INDEX
G2	DEVIL CANYON MAP INDEX
	WATANA MAP INDEX
G4	TRANSMISSION LINE MAP INDEX
G5	ACCESS ROAD MAP INDEX .
G6 - G12	DEVIL CANYON PROJECT BOUNDARY MAPS
G13 - G29	WATANA PROJECT BOUNDARY MAPS
G30 - G52	TRANSMISSION LINE BOUNDARY MAPS
G53 - G59	ACCESS ROAD BOUNDARY MAPS

REVISIONS TO SUPPORTING DESIGN REPORT (SDR)

GENERAL

- 1 PROJECT PARAMETERS
- 2 PROJECT DESIGN DATA
 - 2.1 Topographical Data
 - 2.2 Hydrological Data
 - 2.3 Meteorological Data
 - 2.4 Reservoir Data

 - 2.5 Tailwater Elevations
 - 2.6 Design Floods
- 3 CIVIL DESIGN CRITERIA
 - 3.1 Governing Codes and Standards
 - 3.2 Design Loads
 - 3.3 Stability
 - 3.4 Material Properties
- GEOTECHNICAL DESIGN CRITERIA
 - 4.1 Watana
 - 4.2 Devil Canyon
- 5 HYDRAULIC DESIGN CRITERIA
 - 5.1 River Flows
 - 5.2 Design Flows
 - 5.3 Reservoir Levels
 - 5.4 Reservoir Operating Rule
 - 5.5 Reservoir Parameters
 - 5.6 Freeboard
 - 5.7 Criteria
- 6 EQUIPMENT DESIGN CODES AND STANDARDS
 - 6.1 Design Codes and Standards
 - 6.2 General Criteria

30492 850513

0

- 6.3 Diversion Structures and Emergency Release Facilities
- 6.4 Main Spillway
- 6.5 Outlet Facilities
- 6.6 Power Intake
- 6.7 Powerhouse
- 6.8 Tailrace Tunnels

APPENDIX FA - Watana Emergency Spillway

APPENDIX FB - Watana and Devil Canyon Embankment Stability Analyses.

APPENDIS FC - Summary of PMF and Spillway Design Flood Analyses

List of Tables

List of Figures

30492 850513