

TK
1425
.S8
A68
no. 3412d2

ALASKA DEPARTMENT OF FISH AND GAME
SUSITNA RIVER AQUATIC STUDIES PROGRAM

Report No. 13

Adult Salmon Investigations:
May - October 1985

DRAFT

Authors: Frederick M. Thompson
Susan N. Wick
Barry L. Stratton

Prepared for:

Alaska Power Authority
701 East Tudor Road
Anchorage, Alaska 99519

April 1986

ARLIS
Alaska Resources
Library & Information Services
Anchorage, Alaska

TITLES IN THIS SERIES

<u>Report Number</u>	<u>Title</u>	<u>Publication Date</u>
1	Adult Anadromous Fish Investigations: May - October 1983	April 1984
2	Resident and Juvenile Anadromous Fish Investigations: May - October 1983	July 1984
3	Aquatic Habitat and Instream Flow Investigations: May - October 1983	September 1984
4	Access and Transmission Corridor Aquatic Investigations: May - October 1983	September 1984
5	Winter Aquatic Investigations: September 1983 to May 1984	March 1985
6	Adult Anadromous Fish Investigations: May - October 1984	June 1985
7	Resident and Juvenile Anadromous Fish Investigations: May - October 1984	July 1985
8	Availability of Invertebrate Food Sources for Rearing Juvenile Chinook Salmon in Turbid Susitna River Habitats	July 1985
9	Summary of Salmon Fishery Data for Selected Middle Susitna River Sites	August 1985
10	Preliminary Evaluations of Potential Fish Mitigation Sites in the Middle Susitna River	November 1985
11	Winter Studies of Resident and Juvenile Anadromous Fish: October 1984 - May 1985	December 1985
12	Summary of Water Temperature and Substrate Data from Selected Salmon Spawning and Groundwater Upwelling Sites in the Middle Susitna River	December 1985
13	Adult Salmon Investigations: May - October 1985	April 1986

NOTICE

**ANY QUESTIONS OR COMMENTS CONCERNING
THIS REPORT SHOULD BE DIRECTED TO
THE ALASKA POWER AUTHORITY
SUSITNA PROJECT OFFICE**

ADULT SALMON INVESTIGATIONS:

MAY - OCTOBER 1985

Technical Data Report No. 13

by:

Frederick M. Thompson
Susan N. Wick
Barry L. Stratton

Alaska Department of Fish and Game
Susitna River Aquatic Studies Program
620 East 10th Avenue, Suite 302
Anchorage, Alaska 99501

April 1986

TABLE OF CONTENTS

	<u>Page</u>
TABLE OF CONTENTS.....	iv
LIST OF FIGURES.....	vi
LIST OF TABLES.....	x
LIST OF APPENDIX FIGURES.....	xiii
LIST OF APPENDIX TABLES.....	xiv
1.0 INTRODUCTION AND OBJECTIVES.....	1
2.0 METHODS.....	2
2.1 Main Channel Escapement Monitoring.....	2
2.2 Spawning Ground Surveys.....	4
2.3 Data Analysis.....	5
2.3.1 Escapement Estimates.....	5
2.3.2 Escapement Timing.....	7
2.3.3 Slough Escapements.....	7
3.0 RESULTS AND DISCUSSION.....	8
3.1 Chinook Salmon.....	8
3.1.1 Main Channel Escapements.....	8
3.1.2 Fecundity.....	14
3.1.3 Spawning Areas.....	17
3.2 Sockeye Salmon.....	17
3.2.1 First-Run.....	17
3.2.1.1 Main Channel Escapements.....	17
3.2.1.2 Spawning Areas.....	22
3.2.2 Second-Run.....	22
3.2.2.1 Main Channel Escapements.....	22
3.2.2.2 Spawning Areas.....	32

<u>TABLE OF CONTENTS (Continued)</u>	<u>Page</u>
3.3 Pink Salmon.....	33
3.3.1 Main Channel Escapements.....	33
3.3.2 Spawning Areas.....	43
3.4 Chum Salmon.....	47
3.4.1 Main Channel Escapements.....	47
3.4.2 Spawning Areas.....	51
3.5 Coho Salmon.....	59
3.5.1 Main Channel Escapements.....	59
3.5.2 Fecundity.....	66
3.5.3 Spawning Areas.....	66
4.0 ACKNOWLEDGEMENTS.....	71
5.0 LITERATURE CITED.....	72
6.0 APPENDICES.....	74
Appendix 1. Susitna River Drainage Salmon Escapement Data Summary, 1951-1984 (Volume II).....	A-1
Appendix 2. Fishwheel Daily and Cumulative Catches, by Station.....	A-173
Appendix 3. Escapement and Tag Recovery Surveys.....	A-194
Appendix 4. Station Locations and Middle River Survey Areas.....	A-245
Appendix 5. Migrational Timing Based on Cumulative Fishwheel Catch Weighted by CPUE.....	A-253

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>	<u>Page</u>
1.	Susitna River basin map showing field stations and major glacial streams, 1985.....	3
2.	Chinook salmon escapements by sampling stations, 1985.....	9
3.	Mean hourly and cumulative percent fishwheel catch of chinook salmon by two day periods at Flathorn Station , 1985.....	11
4.	Mean hourly and cumulative percent fishwheel catch of chinook salmon by two day periods at Sunshine Station, 1985.....	12
5.	Mean hourly and cumulative percent fishwheel catch of chinook salmon by two day periods at Curry Station, 1985.....	12
6.	Migration rates of chinook salmon between Susitna River sampling stations based on tag recoveries and expressed in median days and miles per day (mpd), 1985.....	13
7.	Number of eggs for chinook salmon sampled at Sunshine Station as a function of length and weight, 1985.....	18
8.	The three major chinook salmon streams in the middle reach and the respective percent escapement based on peak survey counts, 1985.....	20
9.	Destination of first-run sockeye salmon tagged at Flathorn and Sunshine stations, 1985.....	21
10.	Mean hourly and cumulative percent fishwheel catch of first-run sockeye salmon by two day periods at Flathorn Station, 1985.....	23
11.	Mean hourly and cumulative percent fishwheel catch of first-run sockeye salmon by two day periods at Sunshine Station, 1985.....	23
12.	Second-run sockeye salmon escapements by sampling stations, 1985.....	26
13.	Mean hourly and cumulative percent fishwheel catch of sockeye salmon by two day periods at Flathorn Station, 1985.....	28

LIST OF FIGURES (Continued)

<u>Figure</u>	<u>Title</u>	<u>Page</u>
14.	Mean hourly and cumulative percent fishwheel catch of sockeye salmon by two day periods at Sunshine Station, 1985.....	28
15.	Mean hourly and cumulative percent fishwheel catch of sockeye salmon by two day periods at Curry Station, 1985.....	29
16.	Migration rates of sockeye salmon between Susitna River sampling stations based on tag recoveries and expressed in median days and miles per day (mpd), 1985.....	29
17.	Sockeye salmon spawning areas in the mainstem middle reach, 1985.....	32
18.	The three major sockeye salmon sloughs in the middle reach and the respective percent escapement based on peak survey counts, 1985.....	34
19.	Sockeye salmon live counts by date in sloughs 8A, 11 and 21, 1985.....	36
20.	Percent frequency of the numbers of eggs retained by sockeye salmon at sloughs 8A, 11 and 21 combined, 1985.....	36
21.	Pink salmon escapements by sampling stations, 1985.....	38
22.	Mean hourly and cumulative percent fishwheel catch of pink salmon by two day periods at Flathorn Station, 1985.....	39
23.	Mean hourly and cumulative percent fishwheel catch of pink salmon by two day periods at Sunshine Station, 1985.....	40
24.	Mean hourly and cumulative percent fishwheel catch of pink salmon by two day periods at Curry Station, 1985.....	40
25.	Migration rates of pink salmon between Susitna River sampling stations based on tag recoveries and expressed in median days and miles per day (mpd), 1985.....	41
26.	The three major pink salmon streams in the middle reach and the respective percent escapement based on peak survey counts, 1985.....	45

LIST OF FIGURES (Continued)

<u>Figure</u>	<u>Title</u>	<u>Page</u>
27.	Chum salmon escapements by sampling station, 1985.....	47
28.	Mean hourly and cumulative percent fishwheel catch of chum salmon by two day periods at Flathorn Station, 1985.....	48
29.	Mean hourly and cumulative percent fishwheel catch of chum salmon by two day periods at Sunshine Station, 1985.....	49
30.	Mean hourly and cumulative percent fishwheel catch of chum salmon by two day periods at Curry Station, 1985.....	49
31.	Migration rates of chum salmon between Susitna River sampling stations based on tag recoveries and expressed in median days and miles per day (mpd), 1985.....	50
32.	Chum salmon middle river main channel spawning areas, 1985.....	54
33.	The three major chum salmon streams and sloughs in the middle reach and the respective percent escapement based on peak survey counts, 1985.....	56
34.	Chum salmon live counts by date in sloughs 8A, 11 and 21, 1985.....	56
35.	Percent frequency of the numbers of eggs retained by chum salmon at eleven middle reach sloughs, 1985.....	59
36.	The three major chum salmon streams in the middle reach and the respective percent escapement based on peak survey counts, 1985.....	60
37.	Coho salmon escapements by sampling station, 1985.....	60
38.	Mean hourly and cumulative percent fishwheel catch of coho salmon by two day periods at Flathorn Station, 1985.....	62
39.	Mean hourly and cumulative percent fishwheel catch of coho salmon by two day periods at Sunshine Station, 1985.....	62

LIST OF FIGURES (Continued)

<u>Figure</u>	<u>Title</u>	<u>Page</u>
40.	Mean hourly and cumulative percent fishwheel catch of coho salmon by two day periods at Curry Station, 1985.....	63
41.	Migration rates of coho salmon between Susitna River sampling stations based on tag recoveries and expressed in median days and miles per day (mpd), 1985.....	63
42.	Number of eggs for coho salmon sampled at Sunshine Station as a function of length and weight, 1985.....	67
43.	The three major coho salmon streams in the middle reach and the respective percent escapement based on peak survey counts, 1985.....	70

LIST OF TABLES

<u>Table</u>	<u>Title</u>	<u>Page</u>
1.	Operation schedules for Flathorn, Sunshine and Curry stations, 1985.....	2
2.	Total fishwheel catch by species and station, 1985.....	11
3.	Chinook salmon lengths, in millimeters, by sex and age class from fishwheel CPUE weighted escapement samples collected at Flathorn, Sunshine, and Curry Stations, 1985.....	15
4.	Age composition by percent of the chinook salmon escapements to Flathorn, Sunshine and Curry stations based on catch samples weighted by fishwheel CPUE, 1985.....	16
5.	Sex ratios of chinook salmon by age from fishwheel escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.....	16
6.	Number of eggs, length, weight and associated statistics for coho salmon sampled for fecundity at Sunshine Station, 1985.....	14
7.	Peak chinook salmon survey counts for middle river streams in order of contribution, 1985.....	19
8.	Petersen population estimate for first-run sockeye salmon to Flathorn and Sunshine stations, 1985.....	22
9.	Analysis of first-run sockeye salmon lengths, in millimeters, by sex and age class from fishwheel CPUE weighted escapement samples collected at Flathorn, Sunshine, and Curry stations, 1985.....	24
10.	Age composition by percent of first-run sockeye salmon escapements to Flathorn and Sunshine stations based on catch samples weighted by fishwheel CPUE, 1985.....	25
11.	Sex ratios of first-run sockeye salmon by age from escapement samples collected at Flathorn and Sunshine stations, 1985.....	25
12.	Analysis of second-run sockeye salmon lengths, in millimeters, by sex and age class from CPUE weighted escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.....	30

LIST OF TABLES (Continued)

<u>Table</u>	<u>Title</u>	<u>Page</u>
13.	Age composition by percent of second-run sockeye salmon escapements to Flathorn, Sunshine, and Curry stations based on catch samples weighted by fishwheel CPUE, 1985.....	31
14.	Sex ratios of second-run sockeye salmon by age from fishwheel escapement samples collected at Flathorn, Sunshine, and Curry stations, 1985.....	31
15.	Peak sockeye salmon survey counts for sloughs in the middle Susitna River reach, 1985.....	35
16.	Estimated sockeye salmon escapements to three middle Susitna River sloughs, 1985.....	37
17.	Analysis of pink salmon lengths, in millimeters, by sex from fishwheel CPUE weighted escapement samples collected at Flathorn, Sunshine, and Curry stations, 1985.....	42
18.	Sex ratios of pink salmon from fishwheel escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.....	43
19.	Pink salmon peak survey counts for streams in the middle Susitna River reach in order of contribution, 1985.....	44
20.	Peak pink salmon survey counts for sloughs in the middle Susitna River reach, 1985.....	46
21.	Analysis of chum salmon lengths, in millimeters, by sex and age class from fishwheel CPUE weighted escapement samples collected at Flathorn, Sunshine, and Curry stations, 1985.....	52
22.	Age composition by percent of the chum salmon escapements to Flathorn, Sunshine, and Curry stations based on catch samples weighted by fishwheel CPUE, 1985.....	53
23.	Sex ratios of chum salmon by age from fishwheel escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.....	53
24.	Peak chum salmon survey counts for sloughs in the middle reach, 1985.....	55

LIST OF TABLES (Continued)

<u>Table</u>	<u>Title</u>	<u>Page</u>
25.	Peak chum salmon survey counts for streams in the middle reach in order of contribution, 1985.....	57
26.	Estimated chum salmon escapements to twelve middle Susitna River sloughs, 1985.....	58
27.	Age composition by percent of coho salmon escapements to Flathorn, Sunshine, and Curry stations based on catch samples weighted by fishwheel CPUE 1985.....	64
28.	Analysis of coho salmon lengths, in millimeters, by sex and age class from fishwheel CPUE weighted escapement samples collected at Flathorn, Sunshine, and Curry stations, 1985.....	65
29.	Sex ratios of coho salmon by age from fishwheel escapement samples collected at Flathorn, Sunshine, and Curry stations, 1985.....	65
30.	Number of eggs, length, weight and associated statistics for coho salmon sampled for fecundity at Sunshine Station, 1985.....	66
31.	Peak coho salmon survey counts for middle river streams in order of contribution, 1985.....	69

LIST OF APPENDIX FIGURES

<u>Appendix Figure</u>	<u>Title</u>	<u>Page</u>
4-1.	Flathorn Station with fishwheel sites defined, 1985.....	A-246
4-2.	Sunshine Station with fishwheel sites defined, 1985.....	A-247
4-3.	Curry Station with fishwheel sites defined, 1985.....	A-248
4-4.	Susitna River slough, stream and mainstem spawning locations from the confluence of the Talkeetna and Chulitna rivers to RM 150.0, 1985.....	A-249

LIST OF APPENDIX TABLES

<u>Appendix Table</u>	<u>Title</u>	<u>Page</u>
2-1.	Flathorn Station east channel daily and cumulative fishwheel catch by species, 1985.....	A-174
2-2.	Flathorn Station west channel daily and cumulative fishwheel catch by species, 1985.....	A-178
2-3.	Flathorn Station daily and cumulative fishwheel catch by species, 1985.....	A-182
2-4.	Sunshine Station daily and cumulative fishwheel catch by species, 1985.....	A-186
2-5.	Curry Station daily and cumulative fishwheel catch by species, 1985.....	A-190
3-1.	Escapement survey counts of Susitna River streams between RM 10.0 and 195.0, 1985.....	A-195
3-2.	Escapement survey counts of Susitna River sloughs between RM 98.6 and 161.0, 1985.....	A-210
3-3.	Chinook salmon spawning ground surveys of selected streams and resultant tagged to untagged ratios, 1985.....	A-220
3-4.	Chinook salmon spawning ground surveys of selected sloughs and resultant tagged to untagged ratios, 1985.....	A-223
3-5.	Sockeye salmon spawning ground surveys of selected streams and resultant tagged to untagged ratios, 1985.....	A-224
3-6.	Sockeye salmon spawning ground surveys of selected sloughs and resultant tagged to untagged ratios, 1985.....	A-226
3-7.	Pink salmon spawning ground surveys of selected streams and resultant tagged to untagged ratios, 1985.....	A-228
3-8.	Pink salmon spawning ground surveys of selected sloughs and resultant tagged to untagged ratios, 1985.....	A-232
3-9.	Chum salmon spawning ground surveys of selected streams and resultant tagged to untagged ratios, 1985.....	A-233

LIST OF APPENDIX TABLES (Continued)

<u>Appendix</u>	<u>Table</u>	<u>Title</u>	<u>Page</u>
3-10.	Chum salmon spawning ground surveys of selected sloughs and resultant tagged to untagged ratios, 1985.....		A-236
3-11.	Coho salmon spawning ground surveys of selected streams and resultant tagged to untagged ratios, 1985.....		A-240
3-12.	Coho salmon spawning ground surveys of selected sloughs and resultant tagged to untagged ratios, 1985.....		A-244
5-1.	Migrational timing of salmon, by species at main channel sampling locations of Flathorn, Sunshine and Curry stations based on cumulative percent of fishwheel catch, 1985.....		A-254

1.0 INTRODUCTION AND OBJECTIVES

This report concludes five years of data collection on adult salmon in the Susitna River, Southcentral Alaska, by the Susitna Aquatic Studies Team of the Alaska Department of Fish and Game. These data were collected to provide baseline information in preparation for proposed hydroelectric development on the Susitna River at Watana and Devil Canyons. This years report is similar to the previous years reports in format and content. Population estimates, escapement timing, length, age and sex ratio, and spawning distribution information is reported for all five species of Pacific salmon utilizing the river. The fecundity of chinook and coho salmon and egg retention of sockeye and chum salmon is also reported to aid associated studies on juvenile salmon.

A different population estimate methodology was affected this season. In previous years a Petersen model for closed systems was utilized. This year, a stratified, open model was used where the design allowed.

As might have been expected, the specific goals of the program have changed from year to year depending on the amount of funding available and the data needed to meet within year objectives. To meet 1985 objectives, Flathorn, Sunshine and Curry stations were operated by Susitna Aquatic Studies staff. Yentna Station, a Susitna Aquatic Studies camp from 1981 until 1984, was operated by the Alaska Department of Fish and Game, Commercial Fisheries Division, Soldotna staff in 1985. Readers interested in the data collected from Yentna Station should contact the Soldotna office of the Alaska Department of Fish and Game.

The primary objectives of the 1985 Adult Salmon Studies were:

1. Estimate the escapements of chinook (Oncorhynchus tshawytscha), sockeye (O. nerka), pink (O. gorbuscha), chum (O. keta) and coho (O. kisutch) salmon at Flathorn, Sunshine and Curry stations.
2. Evaluate the adult salmon migrational timing and travel rates between sampling stations.
3. Using fishwheel catches, monitor the age, length and sex composition of the adult salmon escapements at Flathorn, Sunshine and Curry stations.
4. Determine the relative importance of middle-river (River Mile (RM) 98.6-161.0) main channel, slough and tributary habitats as salmon spawning areas.

Secondary objectives included:

1. Determine the fecundity of chinook and coho salmon at Sunshine Station. Fecundities of sockeye, pink and chum salmon were evaluated in previous years studies.
2. Provide estimates of egg retention for sockeye and chum salmon which spawn in middle river slough habitats.

2.0 METHODS

2.1 Main Channel Escapement Monitoring

Adult salmon escapements into the Susitna River were monitored at three tag-and-recapture locations in 1985: Flathorn, Sunshine and Curry stations (Figure 1). Flathorn Station is located approximately six miles below the Susitna-Yentna rivers confluence or 22 miles upstream from the Susitna River mouth. Sunshine Station is located about three miles below the Parks Highway bridge at river mile (RM) 80. Curry Station, the most northern tag and recapture site, is located in the middle river reach at RM 120.

Fishwheels were used to monitor the escapements at all three locations in accordance to the schedule in Table 1. Individual fishwheel sites at each station are shown in Appendix Figures 4-1, 4-2 and 4-3. At Flathorn Station four fishwheels were operated for the entire season. Two additional wheels were operated during the chinook migration to increase the number of tag releases. There were four fishwheels operated at Sunshine Station and two at Curry Station.

Table 1. Operation schedules for Flathorn, Sunshine and Curry stations, 1985.

Station	River Mile	Date	
		Begin	End
Flathorn	22	5/26	9/3
Sunshine	80	6/3	9/10
Curry	120	6/10	9/12

Fishwheels at all sites were operated 24 hours a day unless mechanical problems, personnel constraints, or safety hazards dictated otherwise. Fishwheel design and construction details can be found in previous Su Hydro reports (ADF&G 1981, 1982 and 1983; Barrett et al. 1984 and 1985). All salmon except those visibly stressed, post-spawners, and chinook less than 400 millimeters (mm) in length were tagged. Recaptures were identified to species, and had the tag type and number recorded before release.

Two tag types were used at the three sampling locations in 1985. At Flathorn and Sunshine stations, Floy FT-4 spaghetti tags were used. Chinook were tagged with 15 inch tags while all other fish were tagged with 13.5 inch tags. Petersen discs were used at Curry Station. Numbered tags were placed on salmon to provide information on migrational timing between sampling locations. Specific tagging techniques were previously reported (ADF&G 1981 and 1982).




Figure 1. Susitna River basin map showing field stations and major glacial streams, 1985.

The escapement to each station was subsampled to provide age, sex, and length composition information. At the direction of Su Hydro biometrics staff, fifty samples of each species were collected daily from Flathorn Station east channel fishwheels, west channel fishwheels, and collectively from Sunshine and Curry fishwheels. Ages were described using Gilbert-Rich notation (Barrett et al. 1984).

Fecundity studies were conducted for chinook and coho salmon. A total of 25 females of each species were collected at Sunshine Station. Sampling was stratified by length with the number of samples in each strata determined from respective proportions of each length strata in the fishwheel catch sample. Collection and sampling procedures were described in Barrett et al. (1984).

2.2 Spawning Ground Surveys

Surveys were conducted for two reasons: 1) to identify the timing and distribution of salmon spawning in the middle Susitna River reach and 2) to provide the tagged to untagged salmon ratios needed to generate population estimates at Flathorn, Sunshine, and Curry stations.

Each Tower-river (RM 28.0 - 98.6) tributary stream index area, usually one-third mile from the Susitna River confluence, was surveyed weekly from July 10 until October 7. These surveys were conducted for the sole purpose of providing tagged to untagged ratios for the Flathorn and Sunshine station population estimates. Additional surveys were conducted within select tributaries of the Susitna and Yentna rivers, primarily to increase the tag recovery effort for chinook and coho salmon.

All lower-river stream surveys were conducted on foot or by raft. Surveyors wore polarized sunglasses to reduce glare and were instructed to record tagged to untagged information only from fish that were clearly visible. Therefore, it is possible for the combined tagged to untagged numbers reported to differ from escapement survey data; which includes abundance estimates of schooling fish.

Middle-river (RM 98.6-161.0) tributary stream index reaches, usually three-quarters of a mile in length, were surveyed from July 15 to October 7. As with lower-river streams, tag recovery surveys included only those fish that were entirely visible to the surveyor. Additionally, weekly aerial escapement surveys from July 15 to October 7 were conducted for middle-river streams with major spawning grounds above the index areas. Three Devil Canyon streams (Cheechako, Chinook, and Devil creeks) were also surveyed by helicopter.

All middle-river sloughs were surveyed in their entirety from July 15 through October 7. Surveys were conducted on foot and each slough was surveyed at a minimum seven day interval based on observation life data reported by Barrett et al. (1984 and 1985).

The main channel, including side channel habitats, was surveyed by helicopter for salmon spawning activity from September 1 until October 7. Salmon spawning sites had to meet one or more of the following criteria for inclusion:

1. Visual identification of one or more actively mating pairs of fish.
2. Presence of one or more distinct redds.
3. Confirmed presence of live eggs by intragravel sampling.

2.3 Data Analysis

2.3.1 Escapement estimates

Salmon escapements passing Flathorn, Sunshine and Curry stations were estimated using the mark-recapture methodology. The programs were designed to use the closed Petersen model, however, post-season analysis indicated that a stratified, open model would be more appropriate. The recapture of numbered tags at Sunshine and Yentna stations enabled stratification of Flathorn escapement estimates. Similar tag recovery data was not available to stratify Sunshine and Curry estimates, and the Petersen method as described by Barrett et al. (1984 and 1985) from Ricker (1975) was used. The estimator used for population size at Flathorn Station was a stratified, open model estimator as originally defined by Darroch (1961) and further explained by Seber (1982).

The stratified approach used at Flathorn was necessitated by non-random (i.e. non-representative) "recovery" of salmon in the lower reach of the Susitna drainage (i.e. below the Chulitna, Susitna, and Talkeetna confluences). This non-randomness presented a problem in that marked to unmarked ratios varied widely at recovery locations, whereas the samples at recovery locations with large sample sizes were not necessarily representative of the entire population. For example, the recovery site of Sunshine Station with its comparatively large sample sizes would "control" a pooled Petersen estimate even though the marked to unmarked ratio at Sunshine Station may not be reflective of the true overall ratio of marked to unmarked fish in the population. The stratified approach to population estimation represents a remedial solution to this sampling problem. Stratification allows for segregation of variable marked to unmarked ratios to the corresponding segments of the escapement run. Accordingly, each ratio is "weighted" by its own proper sample size. Additional reasons for stratification include the non-random nature of tagging effort. In particular the efficiency of different fishwheels at Flathorn Station are most likely different in comparison to each other; and this efficiency most likely varies with time (due to seasonal influences such as changing discharge levels). Accordingly, different segments of the run migrating past Flathorn Station would have different probabilities of capture. Again stratification "matches" up these probabilities with the corresponding section of the run.

The strata were defined for each individual species according to river channel where fish were tagged at Flathorn Station, location of recovery (i.e. Sunshine or Yentna stations), time period of tagging and recovery, or combinations of these factors. The particular stratification scheme used for each particular species was dependent upon both the necessity of adequate recovery sample sizes and upon observed patterns of the marked to unmarked ratios. That is, groups of fish tagged at Flathorn Station with similar recovery rates could be pooled. Whereas groups with dissimilar recovery rates could not be pooled (and hence were separated into different strata). A chi-square test for consistency was applied as outlined in Seber (1982) to determine both the need for stratification and for selection of stratum definitions. The individual stratification scheme used for each species is more fully presented in the results sections of this report.

Stratification by size groups of salmon was not feasible as length data was collected for a subsample of each days fishwheel catch, rather than for each individual. The need for stratification by size groups of fish (especially in the case of chinook) is founded upon the assumption that larger fish are less susceptible to fishwheel capture, and that different fishwheels are more or less efficient at capture of different size classes of fish.

The stratified population estimator (for the entire population) is:

$$W = u' r$$

where: W is the estimate of the total unmarked population size at the Flathorn Station:

u is a vector of the number of unmarked fish in each recovery stratum (i.e. at Sunshine or Yentna stations); and

r is a vector whose elements are comprised of the element inverses of p ; p is a vector of the capture probabilities (p_j) of a fish being captured in the j th tagging stratum.

The elements of r are estimated with one of two formulas, depending upon whether the number of release and recovery strata are equivalent or not. If the number of release and recovery strata are the same then:

$$r = M^{-1} a$$

where: M is the matrix of recapture (i.e. marked) numbers, classified according to strata of release and recovery (rows and columns respectively); and

a is the vector of the number of marked fish released in each release stratum

If the number of release strata is greater than the number of recovery strata (note: estimators are not defined for the case of fewer release strata) then;

$$r = [XD_a^{-1}M]^{-1}v$$

where: X is an i by j constraint matrix which selects for a method for pooling (i.e. collapsing) the release strata; where i = number of recovery strata and j = number of release strata

D_a is a diagonal matrix of the number of marked fish released in each release stratum;

M is as stated above; and

v is an i element vector $(0, 0, \dots, 0, 1)$

The variance of the estimate of W is calculated with equations 11.20 to 11.23 on page 441 of Seber (1982) [Note standard deviations reported in the results section are merely the square root of the variance estimates]. Calculations were carried out either on the microcomputer based software MINITAB (Ryan et al. 1981) or on the mainframe based software SAS (Statistical Analysis System, SAS 1982) package using PROCEDURE MATRIX. [Results from both software compared favorably.]

Ninety-five percent confidence intervals were calculated for the Petersen population estimates assuming a normal distribution. The assumption of normality was not made for the stratified model and the intervals graphically displayed in this report represent the population estimate plus and minus two standard deviations.

2.3.2 Escapement Timing

Salmon escapement timing was based on fishwheel catch per unit effort (CPUE) at each station. Species migration was defined as starting, reaching a mid-point, and ending on the dates 5, 50 and 95 percent of the cumulative station fishwheel CPUE was attained. Escapement timing is also presented graphically with CPUE, smoothed by the von Hann linear filter method, as a function of time (BMPD 1981).

2.3.3 Slough Escapements

The escapements of sockeye and chum salmon to middle-river sloughs were determined using spawner abundance curves (Cousens et al. 1982). Observation life data from 1983 and 1984 (Barrett et al. 1984 and 1985) are the basis for calculating the number of fish from the area under the curve (fish/days).

3.0 RESULTS AND DISCUSSION

3.1 Chinook Salmon

3.1.1 Main Channel Escapements

The 1985 chinook salmon escapement at Flathorn Station was estimated to be 113,860 fish greater than 400 mm in length, with a standard deviation of 77,931 fish (Figure 2). The tag/recapture program was originally designed in the spring of 1985 to use the Petersen estimator for closed populations, which pools all recovery data. Post-season analysis indicated, however, that assumptions inherent in the model were being violated. Specifically those violations were: 1) fish were not being randomly marked because fishwheels selected for smaller sized chinook, 2) fishwheel efficiency varied with time which affected both capture and recapture probabilities and 3) it appeared that the distribution of tags into different reaches of the drainage were not equal. Therefore, it was determined that a stratified model, which assumes an open population, would improve the accuracy of the estimate.

The tag recovery data obtained from stream surveys was not usable because individual tag numbers were not identified and fish could not be placed into the appropriate temporal release strata. Only tagged fish recovered in Sunshine Station fishwheels could be placed into a release strata. This decreased the number of tag recoveries which subsequently decreased the precision of the estimate. Although this was considered the best model to estimate populations at Flathorn it should be noted that there are still deficiencies with the estimate primarily in the inability to stratify by size. The rationale discussed here applies to the population estimates for all species at Flathorn Station and will not be repeated in the following sections.

Based on the Petersen method, the estimated escapement to Sunshine Station was 185,700 fish greater than 400 mm, with a 95 percent confidence interval of 167,700 to 208,100 fish (Figure 2). The Sunshine Station Petersen estimate assumes normality and therefore calculation of a 95 percent confidence interval is possible. The stratified model used at Flathorn Station does not assume a normal distribution and the range presented represents plus or minus two standard deviations and not a 95 percent confidence interval. Not included in the Sunshine Station estimate was the number of chinook salmon less than 400 mm in length. This segment of the population was not estimated for two reasons: 1) chinook salmon less than 400 mm long were less visible during surveys and therefore they were not tagged because of the positive bias introduced into the estimate and 2) the method used in 1984 was considered inappropriate because of the size selectivity of fishwheels. For these reasons, no estimates were made for chinook salmon less than 400 mm in 1985.

The estimates for Flathorn and Sunshine stations were not directly comparable because of the different methods used. The Petersen estimate at Sunshine Station was subject to the biases associated with size




Figure 2. Chinook salmon escapements by sampling stations, 1985.

selectivity of capture and, based on 1984 studies, geographic tag loss. The net result would be an overestimate of the population. The Flathorn Station estimate does not account for size selectivity of capture and the impact to the estimate is unknown.

The 1985 Curry Station escapement was estimated at 9,400 fish with a 95 percent confidence interval of 7,850 to 11,770 (Figure 2). The estimate does not include chinook salmon less than 400 mm long for the same reasons previously discussed.

Fishwheels at Flathorn Station intercepted 11,035 chinook salmon (Table 2), 7,736 in the east channel and 3,299 in the west channel (Appendix Tables 2-1, 2-2 and 2-3). Based on these catches, the migration began on June 6, was 50 percent complete on June 15 and ended on June 27 (Figure 3 and Appendix Table 5-1). Differences in timing between east and west channel fishwheels never exceeded 24 hours. The peak daily catch occurred on June 11 when 768 chinook salmon were caught (Appendix Table 3).

At Sunshine Station, a total of 6,837 chinook salmon were intercepted (Table 2 and Appendix Table 2-4). These catches indicated the migration started on June 15, was 50 percent complete on June 27 and ended July 12 (Figure 4 and Appendix Table 5-1). The largest daily catch was 512 chinook salmon on June 28 (Appendix Table 4).

Curry Station fishwheels intercepted 1,098 chinook salmon in 1985 (Table 2). These interceptions show that the migration which began on June 28, was 50 percent complete on July 9 and finished on July 25 (Figure 5 and Appendix Table 5-1). The peak daily catch was recorded on July 8 when 98 chinook salmon were intercepted (Appendix Table 2-5).

Chinook salmon migration rates between sampling stations were estimated using tag recovery data and peak to peak fishwheel catches. The 58 mile distance between Flathorn and Sunshine stations was traveled in 22 days (median of sample) for a rate of 2.6 miles per day (mpd) based on recovery of tagged fish (Figure 6). The travel rate based on peak fishwheel catches was 3.6 mpd, one mpd faster than indicated by tagged fish recoveries (Appendix Tables 2-3 and 2-4). This trend was also exhibited for the travel rates between the other sampling stations. While no definitive analysis was performed, the difference between the estimated travel rates may be related to tagging stress. Bevan (1962) noted that, while there was no apparent increase in mortality, tagged sockeye salmon behavior was altered as evidenced by a delay in their migration.

A portion of the fishwheel catch at each monitoring station was subsampled to evaluate the age, sex and length composition of the escapement. Each fishwheel may be selective for different size groups (age) or sex therefore, there were sampling biases associated both within and between monitoring stations that may not have been defined.

Table 2. Total fishwheel catch by station and species, 1985.

Station	Catch					Total
	Chinook	Sockeye	Pink	Chum	Coho	
Flathorn	11,035	8,970	6,905	5,168	2,563	34,641
Sunshine	6,837	19,505	6,960	25,790	6,178	65,270
Curry	1,098	324	1,172	1,305	203	4,102




Figure 3. Mean hourly and cumulative percent fishwheel catch of chinook salmon by two day periods at Flathorn Station, 1985.




Figure 4. Mean hourly and cumulative percent fishwheel catch of chinook salmon by two day periods at Sunshine Station, 1985.




Figure 5. Mean hourly and cumulative percent fishwheel catch of chinook salmon by two day periods at Curry Station, 1985.




Figure 6. Migration rates of chinook salmon between Susitna River sampling stations based on tag recoveries and expressed in median days and miles per day (mpd), 1985.

The most prevalent age classes in the fishwheel catches at Flathorn, Sunshine and Curry stations were 3₂, 4₂, 5₂ and 6₂ chinook salmon (Table 3 and 4). Age 3₂ fish were most abundant in the sample at Flathorn Station where low water velocities probably make fishwheels selective for smaller fish. At Sunshine Station, where the water velocities were much faster, age 3₂ fish comprised only 10 percent of the fish sampled. Age 6₂ fish comprised 45 percent of the sample at Sunshine Station compared to only 9 percent at Flathorn Station. Age 5₂ and 6₂ fish were also most abundant at Curry Station comprising 60 percent of the sample.

The sex ratios of chinook salmon may be influenced by the selectivity of fishwheels in that the smaller males (jacks) were more readily intercepted increasing the total proportion of males in the sample. The ratio for age 4₂ fish at all sampling sites indicated more females than males, however, males were more prevalent among age 5₂ fish caught at all sites (Table 5).

3.1.2 Fecundity

Chinook salmon fecundities were determined from 25 females collected at Sunshine Station on June 22 and 23. The mean fecundity of the samples was 8,282 eggs, with a 95 percent confidence interval of 7,738-8,826 eggs (Table 6).

Table 6. Number of eggs, length, weight and associated statistics for chinook salmon sampled for fecundity at Sunshine Station, 1985.

Variables	Statistics			
	Sample Size	Mean	Standard Deviation	95 Percent ¹ C.I. of the Mean
Number of eggs	25	8,282	1,590	7,738 - 8,826
Length (mm)	25	874	51	854 - 894
Weight (g)	25	10,488	1,973	9,715 - 11,261

¹ 95 percent confidence interval of the mean.

Table 3. Chinook salmon lengths, in millimeters, by sex and age class from CPUE weighted escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.

Location	Age Class	Male			Female			Combined		
		Mean Length	Std. Error	Sample Size	Mean Length	Std. Error	Sample Size	Mean Length	Std. Error	Sample Size
Flathorn Station	2 ₁	333	6.7	56	-	-	-	333	6.7	56
	3 ₁	518	19.7	16	562	25.6	5	524	16.8	21
	3 ₂	340	1.3	645	500	-	1	340	1.4	646
	4 ₂	707	29.8	3	776	33.1	7	768	26.9	10
	4 ₁	553	5.7	169	569	4.8	122	559	4.0	291
	4 ₂	357	15.0	7	518	62.5	2	360	15.1	9
	5 ₃	903	27.7	8	889	34.6	4	898	20.8	12
	5 ₁	739	16.4	50	758	8.1	97	752	7.6	147
	5 ₂	591	30.8	4	-	-	-	591	30.8	4
	6 ₂	926	9.9	50	880	6.9	95	896	5.9	145
	A11 ¹	435	4.7	1,465	716	6.6	511	508	4.8	1,976
Sunshine Station	2 ₁	337	15.1	4	-	-	-	337	15.1	4
	3 ₁	593	33.5	5	584	17.2	6	589	18.0	11
	3 ₂	362	4.5	90	480	-	1	365	4.9	91
	4 ₂	662	48.9	4	-	-	-	662	48.9	4
	4 ₁	617	5.7	134	586	6.8	50	610	4.7	184
	4 ₂	370	-	1	-	-	-	370	-	1
	5 ₃	937	38.0	2	868	35.0	5	893	28.0	7
	5 ₁	845	8.0	101	829	5.2	107	837	4.8	208
	5 ₂	685	-	1	490	-	1	670	51.4	2
	6 ₂	974	5.9	160	920	3.8	251	942	3.5	411
	A11 ¹	724	8.5	791	842	5.1	667	778	5.4	1,458
Curry Station	2 ₁	351	16.1	3	-	-	-	351	16.1	3
	3 ₁	355	2.0	141	-	-	-	355	2.0	141
	4 ₂	622	4.8	81	660	-	1	622	4.8	82
	5 ₂	839	9.5	58	840	4.4	83	840	4.6	141
	6 ₂	1,005	7.0	61	941	4.0	141	961	4.0	202
	7 ₂	1,100	-	1	-	-	-	1,100	-	1
	A11 ¹	620	10.9	545	906	3.6	343	730	8.3	888

¹ Includes all aged and non-aged samples.

Table 4. Age composition by percent of chinook salmon escapements past Flathorn, Sunshine and Curry stations, based on catch samples weighted by fishwheel CPUE, 1985.

Collection Site	n	Age Class ¹														
		1.1	1.2	1.3	1.4	2 ₁	3 ₁	3 ₂	4 ₁	4 ₂	4 ₃	5 ₁	5 ₂	5 ₃	6 ₂	7 ₂
Flathorn Station	1,341	4	2	48	*	23	*	*	*	*	*	12	*	11	-	-
Sunshine Station	923	*	2	10	*	20	*	*	*	*	*	23	*	45	-	-
Curry Station	570	*	-	25	-	15	-	-	-	-	-	25	*	35	-	-

¹ Gilbert-Rich notation

* Frequency of occurrence is less than 1%.

Table 5. Sex ratios of chinook salmon by age from fishwheel escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.

Collection Site	Age	Combined Sample Size	Number		Sex Ratio (M:F)
			Males	Females	
Flathorn Station	2 ₁	56	56	-	-
	3 ₁	21	16	5	3.2:1
	3 ₂	646	645	1	645:1
	4 ₂	10	3	7	0.4:1
	4 ₁	291	169	122	1.4:1
	4 ₂	9	2	2	3.5:1
	5 ₃	12	8	4	2:1
	5 ₁	147	50	97	0.5:1
	5 ₂	4	4	-	-
	6 ₂	145	50	95	0.6:1
A11 ¹		1,976	1,465	511	28.6:1
Sunshine Station	2 ₁	4	4	-	-
	3 ₁	11	5	6	0.8:1
	3 ₂	91	90	1	90:1
	4 ₂	4	4	-	-
	4 ₁	184	134	50	2.7:1
	4 ₂	1	1	-	-
	5 ₃	7	2	5	0.4:1
	5 ₁	208	101	107	0.9:1
	5 ₂	2	1	1	1:1
	6 ₂	411	160	251	0.6:1
A11 ¹		1,458	791	667	1.2:1
Curry Station	2 ₁	3	3	-	-
	3 ₁	141	141	-	-
	4 ₂	82	81	1	81:1
	5 ₂	141	58	83	0.7:1
	6 ₂	202	61	141	0.4:1
	7 ₂	1	1	-	-
	A11 ¹	888	545	343	1.6:1

¹ Includes all aged and non-aged samples.

The mean length of females measured throughout the season at Curry Station was 906 mm. A female of this length would be expected to contain 8,935 eggs (Figure 7). This is within the range of 4,242 to 13,619 eggs per female reported by Morrow (1980). Future users of the reported fecundity information should be aware of some of the limitations associated with these data. These are: 1) the samples were collected at Sunshine Station and the chinook salmon passing this site comprise many discrete spawning populations, 2) the samples were collected over a two day period and may not be representative of the entire escapement, and 3) the proportion of samples in each length strata was based on length composition of the fishwheel catch and may be biased to smaller size fish because of fishwheel selectivity.

3.1.3 Spawning Areas

Spawning surveys of the middle-river main channel and sloughs revealed no chinook salmon spawning areas in these habitats in 1985.

Twelve of the 25 middle-river tributary streams surveyed were occupied by chinook salmon (Table 7 and Appendix Table 3-1). Based on peak survey counts in these 12 middle-river streams, approximately 90 percent spawned in Indian River and Portage Creek (Figure 8).

Chinook salmon were observed spawning in middle-river streams from the third week of July until the second week of August. Peak spawning occurred during the last week in July and the first week of August.

3.2 Sockeye Salmon

3.2.1 First-run

3.2.1.1 Main Channel Escapements

First-run sockeye salmon were observed spawning in two locations within the Susitna River drainage: 1) Fish Lake system, a tributary to the Yentna River and 2) the Fish Creek system, a tributary to Clear Creek in the Talkeetna River system (Figure 9). Because both sites were surveyed the first-run sockeye salmon escapement at Flathorn Station was estimated using the Petersen method.

The 1985 escapement of first-run sockeye to Flathorn Station was 11,750 fish with a 95 percent confidence interval of 9,700 to 14,900 fish (Table 8). The first-run sockeye salmon escapement past Sunshine Station was 3,900 fish with an associated confidence interval of 3,300 to 5,000. First-run sockeye salmon were not present in the middle-river reach, as indicated by fishwheel catches at Curry Station.






Figure 7. Number of eggs for chinook salmon sampled at Sunshine Station as a function of length and weight, 1985.

Table 7. Peak chinook salmon survey counts for middle river streams in order of contribution, 1985.

Stream	River Mile	Date	Number Counted			Percent Contribution
			Live	Dead	Total	
Portage Creek	148.9	7/24	2,621	8	2,629	67.0
Indian River	138.6	7/24	970	7	977	24.9
Whiskers Creek	101.4	7/25	101	2	103	2.6
4th of July Creek	131.1	7/24	85	0	85	2.2
Gold Creek	136.7	7/24	35	1	36	0.9
Chase Creek	106.9	7/21	31	0	31	0.8
5th of July Creek	123.7	7/26	21	0	21	0.5
Cheechako Creek	152.5	7/24	18	0	18	0.5
Lane Creek	113.6	7/21	17	0	17	0.4
Jack Long Creek	144.5	8/1	7	0	7	0.2
Chinook Creek	156.8	8/23	1	0	1	*
Sherman Creek	130.8	8/2	0	1	1	*
		TOTALS	3,907	19	3,926	100.0

* Trace, 0.1



CHINOOK SALMON




Figure 8. The three major chinook salmon streams in the middle reach and the respective percent escapement based on peak survey counts, 1985.





Figure 9. Destination of first-run sockeye salmon tagged at Flathorn and Sunshine stations, 1985.

Table 8. First-run sockeye salmon population estimates at Flathorn and Sunshine stations, based on the Petersen model, 1985.

Location	River Mile	Marks Released	Number Examined for Marks	Marks Recovered	Population Estimate	95% Confidence Interval
Flathorn	22	393	2,512	84	11,753	9,711 - 14,881
Sunshine	80	276	1,215	85	3,945	3,274 - 4,963

Flathorn Station fishwheels intercepted a total of 393 first-run sockeye salmon (Appendix Table 2-3). Based on analysis of the catch, the migration started on May 30, was fifty percent complete by June 8 and completed on June 18 (Figure 10 and Appendix Table 5-1). The escapement passing Sunshine Station began their migration on June 9, reached a mid-point on June 13 and ended on June 23, based on a fishwheel catch of 280 fish (Appendix Tables 2-4 and 5-1 and Figure 11).

The combined first-run sockeye salmon male and female lengths of Flathorn and Sunshine stations samples averaged 528 mm and 515 mm, respectively (Table 9). The majority were age 5₂ fish at both Flathorn and Sunshine stations, comprising a respective 69 and 63 percent of the samples (Table 10). The ratio of males to females were nearly equal to both Flathorn and Sunshine stations at 0.9:1 and 1.0:1, respectively (Table 11).

3.2.1.2 Spawning Areas

Only the known first-run sockeye salmon spawning areas in the Susitna River drainage were surveyed in 1985 (Appendix Tables 3-1 and 3-5 and Figure 9). Two surveys of each spawning location were conducted in 1985. Based on these surveys, the peak of spawning probably occurred during the second and third weeks of July.

3.2.2 Second-Run

3.2.2.1 Main Channel Escapements

The second-run escapement of sockeye salmon reaching Flathorn Station was estimated to be 407,600 fish (Figure 12). The standard deviation of the estimate was 19,900 fish. Calculations were based on the deployment of 8,915 marks and subsequent recovery of 507 of those marks. Release strata at Flathorn Station were defined by channel and the recovery strata by location, specifically Yentna and Sunshine stations. At Sunshine Station, the sockeye salmon escapement was an estimated 120,800 fish with a 95 percent confidence interval of 118,200 to 123,600 fish (Figure 12). The escapement reaching Curry Station was 2,800 sockeye salmon (Figure 12) with a 95 percent confidence interval of 2,500 to 3,100 fish.




Figure 10. Mean hourly and cumulative percent fishwheel catch of first-run sockeye salmon by two day periods at Flathorn Station, 1985.




Figure 11. Mean hourly and cumulative percent fishwheel catch of first-run sockeye salmon by two day periods at Sunshine Station, 1985.

Table 9. Analysis of first-run sockeye salmon lengths, in millimeters, by sex and age class from fishwheel CPUE weighted escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.

Location	Age Class	Male			Female			Combined		
		Mean Length	Std. Error	Sample Size	Mean Length	Std. Error	Sample Size	Mean Length	Std. Error	Sample Size
Flathorn Station	4 ₁	550	15.3	3	514	9.4	5	529	10.2	8
	4 ₁	479	11.1	38	476	9.1	21	477	7.8	59
	5 ₂	565	5.1	89	529	2.4	109	545	3.0	198
	5 ₂	538	37.5	2	525	35.0	2	531	21.3	4
	6 ₂	584	6.7	4	563	10.4	10	571	7.7	14
	6 ₃	-	-	-	519	4.9	4	519	4.9	4
	A11 ¹	535	5.1	174	522	2.8	198	528	2.8	372
	A11 ¹	535	5.1	174	522	2.8	198	528	2.8	372
Sunshine Station	4 ₁	564	18.2	4	508	27.5	2	545	18.0	6
	4 ₁	453	6.6	36	460	5.1	26	455	4.5	62
	5 ₂	562	5.2	65	531	3.5	67	546	3.4	132
	5 ₂	-	-	-	435	-	1	435	-	1
	6 ₃	505	60.0	2	558	9.0	3	532	25.2	5
	6 ₃	-	-	-	557	27.3	3	557	27.3	3
	A11 ¹	521	6.3	124	509	4.2	122	515	3.8	246

¹ Includes all aged and non-aged samples.

Table 10. Age composition by percent of first-run sockeye salmon escapements past Flathorn and Sunshine stations, based on catch samples, 1985.

Collection Site	n	Age Class ¹										
		3 ₁	3 ₂	3 ₃	4 ₁	4 ₂	4 ₃	5 ₁	5 ₂	5 ₃	6 ₂	6 ₃
Flathorn Station	287	-	-	-	3	21	-	-	69	1	5	1
Sunshine Station	209	-	-	-	3	30	-	-	63	*	3	1

¹ Gilbert-Rich notation

* Frequency of occurrence is less than 1%.

Table 11. Sex ratios of first-run sockeye salmon by age from escapement samples collected at Flathorn and Sunshine stations, 1985.

Collection Site	Age	Combined Sample Size	Number		Sex Ratio (M:F)
			Males	Females	
Flathorn Station	4 ₁	8	3	5	0.6:1
	4 ₂	59	38	21	1.8:1
	5 ₂	198	89	109	0.8:1
	5 ₃	4	2	2	1:1
	6 ₃	14	4	10	0.4:1
	6 ₂	4	-	4	0:1
	All ¹	372	174	198	0.9:1
Sunshine Station	4 ₁	6	4	2	2:1
	4 ₂	62	36	26	1.4:1
	5 ₂	132	65	67	1.0:1
	5 ₃	1	-	1	0:1
	6 ₃	5	2	3	0.7:1
	6 ₂	3	-	3	0:1
	All ¹	246	124	122	1.0:1

¹ Includes all aged and non-aged samples.




Figure 12. Second-run sockeye salmon escapements by sampling stations, 1985.

Fishwheels at Flathorn Station intercepted 8,970 second-run sockeye salmon, 4,010 in the east channel and 4,960 in the west channel (Appendix Tables 2-1,2-2 and 2-3). These catches indicated the escapement at Flathorn Station started on July 18, reached a mid-point on July 28 and ended on August 13 (Figure 13 and Appendix Table 5-1). The fishwheels at Sunshine Station captured 19,505 second-run sockeye salmon in 1985 (Appendix Table 2-4). Based on these catches, the migration began on July 26, was 50 percent complete on July 30 and ended on August 14 (Appendix Table 5-1 and Figure 14). The Curry Station sockeye salmon migration, based on a fishwheel catch of 324 fish, started on July 30, was 50 percent complete on August 7 and ended on August 22 (Appendix Tables 2-5 and 5-1 and Figure 15).

Recaptures of sockeye salmon, with Flathorn Station tags, at Yentna Station were comprised of 80.4 percent Flathorn west channel tags and 19.6 percent Flathorn east channel tags. At Sunshine Station, the situation was reversed with 89.5 percent of the recaptures originating from Flathorn east channel fishwheels and 10.5 percent from Flathorn west channel fishwheels. These data suggest that the sockeye salmon migration in the east channel at Flathorn Station were primarily stocks which spawned in the Susitna River drainage above the Yentna-Susitna rivers confluence while the migration in the west channel were stocks that spawned primarily in the Yentna River drainage.

Based on recovery of tagged fish, second-run sockeye travel at a rate of 5.0 mpd between Flathorn and Yentna stations, 8.3 mpd between Flathorn and Sunshine stations, and 6.5 mpd between Flathorn and Curry stations (Figure 16). Between Sunshine and Curry stations, second-run sockeye salmon travel rate was 6.7 mpd.

Lengths of second-run sockeye salmon were similar at Flathorn, Sunshine, and Curry stations (Table 12). The combined average lengths of both males and females ranged from 494 mm to 500 mm at all three sampling stations. Female sockeye salmon in the fishwheel catch were larger than males at all sites averaging 510 mm, 507 mm and 525 mm at Flathorn, Sunshine and Curry stations compared to respective average male lengths of 483 mm, 475 mm and 483 mm.

At all three sampling stations, 4₂ and 5₂ second-run sockeye salmon were the most frequently sampled age classes in fishwheel catches (Table 13). At Flathorn Station, age class 4₂ fish were most abundant comprising 39 percent of the combined sample compared to 37 percent age class 5₂ fish. Second-run sockeye salmon at Sunshine Station were primarily age class 4₂ (45 percent) and 5₂ (41 percent) fish. At Curry Station age class 4₂ sockeye salmon were most abundant comprising 61 percent of the sample. The majority of the sockeye salmon returning to all sampling stations had one freshwater annulus indicating they outmigrated to sea in their second year of life.

Second-run sockeye males were more abundant than females in the fishwheel catch at Flathorn, Sunshine and Curry stations (Table 14). The respective ratios were 1.3:1, 1.1:1 and 1.5:1.




Figure 13. Mean hourly and cumulative percent fishwheel catch of sockeye salmon by two day periods at Flathorn Station, 1985.




Figure 14. Mean hourly and cumulative percent fishwheel catch of sockeye salmon by two day periods at Sunshine Station, 1985.




Figure 15. Mean hourly and cumulative percent fishwheel catch of sockeye salmon by two day periods at Curry Station, 1985.




Figure 16. Migration rates of sockeye salmon between Susitna River sampling stations based on tag recoveries and expressed in median days and miles per day (mpd), 1985

Table 12. Analysis of second-run sockeye salmon lengths, in millimeters, by sex and age class from CPUE weighted escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.

Location	Age Class	Male			Female			Combined		
		Mean Length	Std. Error	Sample Size	Mean Length	Std. Error	Sample Size	Mean Length	Std. Error	Sample Size
Flathorn Station	2 ₁	422	37.7	2	-	-	-	422	37.7	2
	3 ₁	454	5.3	61	504	14.2	12	461	5.4	73
	3 ₁	341	2.8	228	465	37.9	4	346	3.4	232
	4 ₂	553	8.7	45	544	4.6	32	550	5.6	77
	4 ₁	471	1.7	639	481	1.6	468	475	1.2	1,107
	4 ₂	358	4.4	18	392	7.5	2	362	4.8	20
	5 ₃	-	-	-	563	16.4	2	563	16.4	2
	5 ₁	564	1.7	506	541	1.2	553	552	1.1	1,059
	5 ₂	498	4.2	91	482	2.8	98	490	2.6	189
	5 ₃	-	-	-	442	-	1	442	-	1
	6 ₄	589	5.8	10	561	11.1	13	575	7.0	23
	6 ₂	565	4.3	37	534	3.8	45	551	3.3	82
	6 ₃	-	-	-	585	-	1	585	-	1
30	AII ¹	483	2.0	1,907	510	1.2	1,423	494	1.3	3,730
Sunshine Station	2 ₁	315	-	1	-	-	-	315	-	1
	3 ₁	438	6.3	12	469	4.9	6	447	5.7	18
	3 ₁	331	2.2	126	345	30.6	3	332	2.4	129
	4 ₂	585	26.1	9	520	11.3	8	576	18.3	17
	4 ₁	477	2.7	377	481	1.9	333	478	1.7	710
	4 ₂	352	10.5	8	-	-	-	352	10.5	8
	5 ₂	564	2.9	282	542	1.8	363	551	1.7	645
	5 ₂	500	11.4	21	501	3.5	32	500	5.9	53
	6 ₃	559	9.4	4	514	8.3	7	536	9.3	11
	AII ¹	475	2.9	1,014	507	1.6	900	490	1.7	1,914
Curry Station	3 ₁	501	36.5	2	550	-	1	540	18.6	3
	3 ₁	336	3.5	20	-	-	-	336	3.5	20
	4 ₂	580	7.7	3	570	-	1	577	6.0	4
	4 ₁	480	5.5	79	504	2.8	54	488	3.7	133
	4 ₂	345	-	1	-	-	-	345	-	1
	5 ₃	599	5.1	23	555	3.5	33	574	4.1	56
	5 ₂	486	26.5	3	-	-	-	486	26.5	3
	6 ₃	555	-	1	-	-	-	555	-	1
	AII ¹	483	7.1	150	525	3.1	103	500	4.6	253

¹ Includes all aged and non-aged samples.

Table 13. Age composition by percent of second-run sockeye salmon escapements past Flathorn, Sunshine and Curry stations based on catch samples weighted by fishwheel CPUE, 1985.

Collection Site	n	Age Class ¹												
		2 ₁	3 ₁	3 ₂	4 ₁	4 ₂	4 ₃	5 ₁	5 ₂	5 ₃	5 ₄	6 ₂	6 ₃	6 ₄
Flathorn Station	2,868	*	3	8	3	39	*	*	37	7	*	*	3	*
Sunshine Station	1,592	*	1	8	1	45	*	-	41	4	-	-	*	-
Curry Station	221	-	1	9	2	61	*	-	26	1	-	-	*	-

¹ Gilbert-Rich notation

* Frequency of occurrence is less than 1%.

Table 14. Sex ratios of second-run sockeye salmon by age from fishwheel escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.


Collection Site	Age	Combined Sample Size	Number		Sex Ratio (M:F)
			Males	Females	
Flathorn Station	2 ₁	2	2	-	-
	3 ₁	73	61	12	5.1:1
	3 ₂	232	228	4	5.7:1
	4 ₁	77	45	32	1.4:1
	4 ₂	1,107	639	468	1.4:1
	4 ₃	20	18	2	9:1
	5 ₁	2	-	2	0:1
	5 ₂	1,059	506	553	0.9:1
	5 ₃	189	91	98	0.9:1
	5 ₄	1	-	1	0:1
	6 ₂	23	10	13	0.8:1
	6 ₃	82	37	45	0.8:1
	6 ₄	1	-	1	0:1
	All ¹	3,330	1,907	1,403	1.3:1
Sunshine Station	0.1 2 ₁	1 0.1	1	-	-
	0.2 3 ₁	18 1.1	12	6	2:1
	1.1 3 ₂	129 8.1	126	3	42:1
	0.3 4 ₁	17 1.1	9	8	1.1:1
	1.2 4 ₂	710 44.6	377	333	1.1:1
	2.1 4 ₃	8 0.5	8	-	-
	1.3 5 ₂	645 40.5	282	363	0.8:1
	2.2 5 ₃	53 21 3.3	32	0.2:1	-
	2.3 6 ₃	11 0.7	4	7	0.6:1
	All ¹	1,914	1,014	900	1.1:1
Curry Station	0.2 3 ₁	3 1.4	2	1	2:1
	1.1 3 ₂	20 9.0	20	-	-
	0.3 4 ₁	4 1.8	3	1	3:1
	1.2 4 ₂	133 60.2	79	54	1.5:1
	2.1 4 ₃	1 0.4	1	-	-
	1.3 5 ₂	56 25.3	23	33	0.2:1
	2.2 5 ₃	3 1.4	3	-	-
	2.3 6 ₃	1 0.5	1	-	-
	All ¹	253	150	103	1.5:1

¹ Includes all aged and non-aged samples.

3.2.2.2 Spawning Areas

Based on helicopter survey observations, the main channel was largely unused as sockeye salmon spawning habitat in 1985. Only one sockeye salmon was observed holding over a redd at RM 139.0 on September 28 (Figure 17). Surveys were hampered by high rainfall which contributed to poor visibility conditions throughout the month of September.

Adult sockeye salmon were observed only in one tributary stream in 1985 (Appendix Table 3-1). Two fish were observed approximately three miles up the Indian River on August 23 and were not seen actively spawning.



Map ID Number	Location RM	Bank	Highest Fish Count	Spawning Observation Dates
1	139.0	L	1	9/28/85

Figure 17. Sockeye salmon spawning areas in the mainstem middle reach, 1985.

Nine sloughs were occupied by adult sockeye salmon in 1985 (Appendix Table 3-2). In order of abundance, sloughs 11, 8A and 21 were the major sockeye salmon spawning areas (Figure 18). Approximately 99 percent of the middle-river sockeye salmon escapement spawned in these three sloughs. Sockeye salmon observed in sloughs 6A, Bushrod and 19 were probably milling fish based on absence of redds and no visible spawning activity. The total peak survey count for all sloughs was 897 fish, (Table 15). Sockeye salmon spawned in sloughs 11, 8A and 21 from the first week in August until surveys ceased during the first week of October. Peak spawning occurred during the first three weeks of September (Appendix Table 3-2 and Figure 19).

Egg retention studies were conducted for sockeye salmon spawning in the middle-reach. The small escapement and difficulty in obtaining samples resulted in successful collection efforts in only sloughs 8A and 11. These studies indicated that 91 percent of the 66 sockeye salmon sampled had successfully spawned (Figure 20). The average egg retention was 41 eggs and the median of the sample was 0 eggs.

The total sockeye salmon escapement to sloughs 8A, 11 and 21 was an estimated 2,545 fish, based on the area under the curve method (Table 16). This represents 91 percent of the Curry Station escapement estimate, a valid comparison since virtually all sockeye salmon spawn in sloughs.

3.3 Pink Salmon

3.3.1 Main Channel Escapements

The Flathorn Station pink salmon escapement estimate was 479,500 fish, with a standard deviation of 83,700 (Figure 21). This estimate was calculated using the stratified estimator with the release and recovery strata being time periods at Flathorn and Sunshine stations, respectively. An estimated 42,600 pink salmon reached Sunshine Station in 1985 (Figure 21). The 95 percent confidence interval included from 40,600 to 44,900 fish. This estimate was based on the Petersen model and used the pooled recovery data from surveys and Curry Station fishwheels. The pink salmon escapement to Curry Station was 14,900 fish with a 95 percent confidence interval of 11,300 to 21,900 (Figure 21). The Petersen estimate was also used here with the tag recovery information coming solely from surveys.

The above escapement estimates include some unknown number of milling fish. The magnitude of this component is difficult to assess and probably varies between years and sites. Therefore, the population estimates presented represent the number of pink salmon reaching a specific location and do not necessarily reflect the number of fish spawning above the point where the estimate was made.

SECOND RUN SOCKEYE SALMON





Figure 18. The three major sockeye salmon sloughs in the middle reach and the respective percent escapement based on peak survey counts, 1985.

Table 15. Peak sockeye salmon survey counts for sloughs in the middle Susitna River reach, 1985.

Slough	River Mile	Date	Number Counted		Total	Percent Contribution
			Live	Dead		
6A	112.3	9/2	1	0	1	0.1
Bushrod	117.8	9/2	1	0	1	0.1
8C	121.9	9/23	1	0	1	0.1
8B	122.2	9/23	2	0	2	0.2
8A	125.4	9/5	161	4	165	17.9
B	126.3	9/5	5	0	5	0.5
11	135.3	9/19	672	22	694	75.2
19	139.7	8/16	1	0	1	0.1
21	141.1	9/20	53	0	53	5.7
TOTALS ¹			897	26	923	99.9

1 Percent contribution total may not equal 100 due to rounding errors.




Figure 19. Sockeye salmon live counts by date in sloughs 8A, 11 and 21, 1985.




Figure 20. Percent frequency of the numbers of eggs retained by sockeye salmon at sloughs 8A, 11 and 21 combined, 1985.

Table 16. Estimated sockeye salmon escapements to three middle Susitna River sloughs, 1985.

Slough	River Mile	Total Fish ¹ Days	Peak Live Survey Count	Mean ³ Observation Life Days	Slough Escapement	% of Curry ² Station Escapement
8A	125.4	5,467	161	10.4	526	6.0
11	135.3	19,336	672	10.4	1,859	24.0
21	141.1	<u>1,353</u>	<u>53</u>	<u>10.4</u>	<u>130</u>	<u>2.0</u>
TOTALS		26,156	886	-	2,515	32.0

1 Number of fish days were calculated for sloughs that had peak survey counts > 15 fish.

2 1985 Curry Station chum salmon escapement was approximately 2,800 fish.

3 Mean observation life in days was obtained by averaging observation days from 1983 and 1984 observation life data.




Figure 21. Pink salmon escapements by sampling stations, 1985.

Pink salmon were captured in fishwheels at Flathorn Station from June 22 through September 1 (Figure 22 and Appendix Table 2-3). The beginning of the pink salmon migration, characterized by capture of five percent of the season's total fishwheel catch, was July 14 (Appendix Table 5-1). The peak fishwheel catch was recorded August 12 and reached a mid-point on August 1. About ninety-five percent of the migration passed Flathorn Station by August 15.




Figure 22. Mean hourly and cumulative percent fishwheel catch of pink salmon by two day periods at Flathorn Station, 1985.

Though pink salmon were documented at Sunshine Station on June 26, the species was not present in fishwheel catches on a continuous basis until July 10 (Figure 23 and Appendix Table 2-4). Five percent of the total catch had occurred at Sunshine Station by July 23 (Appendix Table 5-1). Both the peak catch and mid-point of the escapement occurred on August 2. Ninety-five percent of the migration had passed Sunshine Station by August 8.

Pink salmon were present in fishwheel catches at Curry Station from July 15 through August 28 (Figure 24 and Appendix Table 2-5). Five percent of the catch had occurred at Curry Station by July 28. Timing of the peak fishwheel catch and fifty percent passage rate of the pink salmon escapement by Curry Station were similar occurring on August 6 and August 5, respectively. Ninety-five percent of the pink salmon catch at Curry Station was recorded by August 13.




Figure 23. Mean hourly and cumulative percent fishwheel catch of pink salmon by two day periods at Sunshine Station, 1985.




Figure 24. Mean hourly and cumulative percent fishwheel catch of pink salmon by two day periods at Curry Station, 1985.

Pink salmon, which were captured in both east and west channel fishwheels at Flathorn Station, were recaptured at Yentna and Sunshine stations. Approximately 57 percent of the 252 recaptures at Yentna Station originated from west channel fishwheels at Flathorn Station with the remaining 43 percent originating in east channel fishwheels. Tagged pink salmon recaptured at Sunshine Station displayed an east channel orientation at Flathorn Station as evidenced by approximately 89 percent of the 66 recaptures coming from east channel fishwheels and only 11 percent from west channel fishwheels.

Migration rates of pink salmon between sampling stations were determined from tag recoveries of marked pink salmon. Pink salmon tagged at Flathorn station reached Yentna Station, a distance of 10 miles, in one day for a travel rate of 10 mpd (Figure 25). Pink salmon moved between Flathorn and Sunshine stations in 7 days for a rate of 8.3 mpd. The migration rate from Sunshine Station to Curry Station was consistent with that between Flathorn and Sunshine stations (moving 8.0 mpd). Pink salmon tagged at Flathorn Station and recovered at Curry Station traveled at a rate of 8.9 mpd.

Lengths for male and female pink salmon caught in fishwheels at the three sampling stations were consistent considering a sampling bias of plus or minus five millimeters, with mean lengths ranging from 418 to 420 mm (Table 17). Male pink salmon had mean lengths from 422 to 424 mm. Female pink salmon were smaller than males at all sampling locations, with mean lengths of 413 to 419 mm.




Figure 25. Migration rates of pink salmon between Susitna River sampling stations based on tag recoveries and expressed in median days and miles per day (mpd), 1985.

Table 17. Analysis of pink salmon lengths, in millimeters, by sex and age class from fishwheel CPUE weighted escapement samples collected at Flathorn, Sunshine and Curry, 1985.

Location	Male			Female			Combined		
	Mean Length	Std Error	Sample Size	Mean Length	Std Error	Sample Size	Mean Length	Std Error	Sample Size
Flathorn Station	423	0.91	828	413	0.70	998	418	0.58	1,826
Sunshine Station	423	1.20	844	415	1.17	790	419	0.84	1,634
Curry Station	422	1.47	358	419	1.14	366	420	0.93	724

The incidence of male and female pink salmon in fishwheel catches were similar at Flathorn, Sunshine and Curry stations with ratios of 0.8:1, 1.0:1 and 0.9:1, respectively (Table 18).

Table 18. Sex ratios of pink salmon from fishwheel escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.

Location	Sample Size	Sex Ratio (M:F)
Flathorn Station	1,826	0.8:1
Sunshine Station	1,634	1.1:1
Curry Station	724	0.9:1

3.3.2 Spawning Areas

Spawning surveys of the middle-river main channel revealed no pink salmon spawning areas in 1985.

Pink salmon were found in 16 of the 25 middle-river tributary streams surveyed (Table 19 and Appendix Table 3-1). Spawning occurred in all of these streams with Indian River, Fourth of July, and Portage creeks supporting the majority of spawners based on a combined 82 percent of a total 1,176 fish peak survey count (Figure 26).

In Lane and Fourth of July creeks and Indian River, pink salmon spawned within the first stream mile. Pink salmon spawned in the remaining streams within the first one-half mile. Fourth of July, Skull and Portage creeks and Indian River had pink salmon spawning in the stream mouth and in the interface downstream of the mouth approximately one-eighth mile.

Pink salmon spawned in middle-reach streams from the last week in July until the third week in August. Spawning reached a peak in the first and second week of August.

Pink salmon were observed in the five middle-river sloughs: 8, 8B, 9, 16 and 20 (Table 20 and Appendix Table 3-2). With the exception of sloughs 9 and 20 almost all pink salmon observed were milling fish. Less than 10 pink salmon spawned at these two sites indicating that sloughs were of little importance as spawning habitat in 1985.

Table 19. Pink salmon peak survey counts for streams in the middle Susitna River reach in order of contribution, 1985.

Stream	River Mile	Date	Number Counted			Percent Contribution
			Live	Dead	Total	
Indian River	138.6	8/8	645	3	648	54.6
4th of July Creek	131.1	8/9	175	2	177	14.9
Portage Creek	148.9	8/8	148	1	149	12.6
Lane Creek	113.6	8/18	125	2	127	10.7
5th of July Creek	123.7	8/18	35	1	36	3.0
Sherman Creek	130.8	8/17	12	0	12	1.0
Clyde Creek	113.8	8/18	7	0	7	0.6
Little Portage Creek	117.7	8/18	6	1	7	0.6
Maggot Creek	115.6	8/18	4	0	4	0.3
Chase Creek	106.9	7/21	4	0	4	0.3
Fromunda Creek	119.3	8/25	3	1	4	0.3
Lower McKenzie Creek	116.2	8/18	3	0	3	0.3
Skull Creek	124.7	8/22	3	0	3	0.3
Upper McKenzie Creek	116.7	8/18	2	0	2	0.2
Gold Creek	136.7	8/19	2	0	2	0.2
Gash Creek	111.6	8/25	2	0	2	0.2
TOTALS			1,176	11	1,187	100.1 ¹

¹ Percent contribution total does not equal 100 due to rounding errors.





Figure 26. The three major pink salmon streams in the middle reach pink salmon and the respective percent escapement based on peak survey counts, 1985.

Table 20. Peak pink salmon survey counts for sloughs in the middle Susitna River reach, 1985.

Slough	River Mile	Date	Number Counted			Percent Contribution
			Live	Dead	Total	
6A	112.3	8/25	0	1	1	7.1
8	113.7	8/25	0	2	2	14.3
Bushrod	117.8	8/25	0	1	1	7.1
8B	122.2	8/25	0	2	2	14.3
9	128.3	8/29	1	0	1	7.1
16	137.3	8/24	0	5	5	35.7
20	140.0	8/30	2	0	2	14.3
TOTALS			3	11	14	99.9 ¹

¹ Percent contribution total does not equal 100 due to rounding errors.

3.4 Chum Salmon

3.4.1 Main Channel Escapements

An estimated escapement of 316,800 chum salmon reached Flathorn Station in 1985 (Figure 27). The standard deviation of the estimate was 77,100 fish. At Sunshine Station the escapement was estimated to be 373,600 chum salmon with a 95 percent confidence interval of 349,200 to 401,800 fish. The escapement to Curry Station was 24,400 chum salmon with an associated 95 percent confidence interval of 21,700 to 27,800 fish.




Figure 27. Chum salmon escapements by sampling station, 1985.

Flathorn Station fishwheels intercepted 5,168 chum salmon in 1985 (Table 2 and Appendix Table 2-3). These catches indicated that the migration began, reached a midpoint and ended on the following dates respectively: July 27, August 14 and August 20 (Figure 28 and Appendix Table 5-1). The right, east channel fishwheel was moved on July 29 and the new site increased the fishwheels efficiency for capturing chum salmon. This move artificially delayed reported timing information because 89 percent of the fishwheel catches were in the east channel, the majority occurring after the fishwheel was moved. The migration timing at Sunshine Station was more representative of the actual escapement timing, beginning, 50 percent complete and completed on July 29, August 4 and August 26, respectively (Figure 29 and Appendix Table 5-1). The largest daily catch at Sunshine Station occurred on August 2 when 3,348 chum salmon were intercepted. The migration at Curry Station started August 2, was .50 percent complete August 7 and finished on August 28 (Figure 30 and Appendix Table 5-1). A peak daily fishwheel catch of 166 chum salmon occurred on August 6.




Figure 28. Mean hourly and cumulative percent fishwheel catch of chum salmon by two day periods at Flathorn Station, 1985.




Figure 29. Mean hourly and cumulative percent fishwheel catch of chum salmon by two day periods at Sunshine Station, 1985.




Figure 30. Mean hourly and cumulative percent fishwheel catch of chum salmon by two day periods at Curry Station, 1985.

Fishwheel catches indicated that chum salmon migrated primarily in the east channel at Flathorn Station, (Appendix Table 3). A total of 4,614 (89 percent) chum salmon were intercepted in east channel fishwheels and only 546 (11 percent) in west channel fishwheels. Sunshine Station fishwheels recaptured 172 of the chum salmon tagged at Flathorn Station, 96 percent of which were tagged in the east channel. At Yentna Station, only eight chum salmon with Flathorn Station tags were recovered, five were tagged in the east channel and three in the west channel.

Based on tag recoveries, chum salmon traveled between Flathorn and Yentna stations in five days (median of sample) at a rate of two mpd (Figure 31). Chum salmon spent 12 days traveling days between Flathorn and Sunshine stations and 16 between Flathorn and Curry stations. The respective rates of travel were 4.8 and 6.1 mpd. The travel rate between Sunshine and Curry stations, based on peak to peak fishwheel catches, was 10.0 mpd, two mpd faster than the rate based on tag recoveries. The slower rate may have been due to tagging stress, as previously discussed for chinook salmon. Peak-to-peak treatment of Flathorn Station fishwheel catches was not done because the right east channel fishwheel was moved mid-season.




Figure 31. Migration rates of chum salmon between Susitna River sampling stations based on tag recoveries and expressed in median days and miles per day (mpd), 1985.

Analysis of chum salmon lengths, age class composition and male to female ratios were accomplished from a subsample of each stations fishwheel catch. At Flathorn Station the average lengths age class 4, male and female chum salmon were 588 and 577 mm, respectively (Table 21). The average length of age class 4, males at Sunshine Station was similar to that recorded at Flathorn, 599 mm while the female average length at Sunshine Station was 580 mm. The average lengths of both males and females at Curry Station were larger than those of Flathorn and Sunshine station. The age class composition for Flathorn and Sunshine stations were similar, however, the sample at Curry Station was comprised of a comparatively greater percentage of age 5, fish which would account for the larger average lengths (Table 22). Age 4, chum salmon were the dominant age class comprising over 70 percent of the age samples at all three sampling stations.

The ratio of male to female chum salmon varied between stations, with the frequency of males increasing as distance upstream increased (Table 23). This was probably because of the difficulty in differentiating between male and female chum salmon upon initial entry into freshwater. The ratio at Flathorn, Sunshine and Curry stations were 0.7:1, 1.1:1 and 1.4:1, respectively.

3.4.2 Spawning Areas

In 1985, three chum salmon spawning areas in the main river channel were located (Figure 32). The highest concentration was at RM 115.0R (right bank) where 17 spawning chum salmon were observed. All observations were made in September and the first part of October. Peak counts occurred in the third week of September. Due to continual rains during September, main channel flows were high, and visibility was poor for most of the month. Because of the poor survey conditions spawning areas and timing were difficult to assess.

Chum salmon occupied 20 middle river sloughs, 18 of which were spawning areas (Table 24 and Appendix Table 3-2). Chum salmon observed in sloughs 1 and A' were milling fish as no redds or spawning activity were observed. Peak survey counts totaled 1,964 fish with the majority (60.3%) located in sloughs 11, 21 and 8A (Figure 33 and Table 25 and 26). Spawning occurred from the first week of August until the first week of October (Appendix Table 3-2). The observed peak of spawning in sloughs 8A, 11 and 21 occurred between the last week of August and the first week of September (Figure 34).

There were however, some late spawning chum salmon that continued to move into the middle-river and spawned into the second week of October (Appendix Table 3-2). One such area was Slough 8B, in which initial spawning peaked on September 2 with a count of 151 fish. Subsequent to their spawning a second group appeared on September 23, based on a peak count of 111 fish. Other areas such as sloughs 8C, 9A, and to a lesser extent sloughs 8A, and 11 received late spawning chum salmon in smaller numbers. These fish were identified by their fresh appearance and pre-spawning condition.

Table 21. Analysis of chum salmon lengths, in millimeters, by sex and age class from fishwheel CPUE weighted escapement samples collected at Flathorn, Sunshine and Curry Stations, 1985.

Location	Age Class	Male			Female			Combined		
		Mean Length ¹	Std. Error	Sample Size	Mean Length ¹	Std. Error	Sample Size	Mean Length ¹	Std. Error	Sample Size
Flathorn Station	3 ₁	538	2.8	72	535	2.8	102	536	2.0	174
	4 ₁	588	1.9	342	577	1.2	610	581	1.0	952
	5 ₁	609	2.7	116	594	2.5	106	602	1.9	222
	A11 ¹	591	1.7	557	524	1.2	884	580	1.0	1,441
Sunshine Station	3 ₁	537	2.8	88	541	2.9	101	539	2.0	189
	4 ₁	599	1.4	668	580	1.3	631	590	1.0	1,299
	5 ₁	616	3.1	180	592	3.0	124	607	2.3	304
	6 ₁	600	-	1	-	-	-	600	-	1
	A11 ¹	594	1.3	1,017	576	1.2	932	586	0.91	1,950
Curry Station	3 ₁	534	6.4	22	551	7.8	15	540	5.0	37
	4 ₁	608	1.9	320	604	1.7	250	606	1.3	570
	5 ₁	621	2.9	119	614	3.1	65	618	2.2	184
	A11 ¹	607	1.7	479	600	1.6	346	604	1.2	825

¹ Includes all aged and non-aged samples.

Table 22. Age composition by percent of chum salmon escapements to Flathorn, Sunshine and Curry stations, based on catch samples weighted by fishwheel CPUE, 1985.

Collection Site	n	Age Class ¹			
		3 ₁	4 ₁	5 ₁	6 ₁
Flathorn Station	1,348	13	71	16	-
Sunshine Station	1,793	11	72	17	*
Curry Station	791	5	72	23	-


¹ Gilbert-Rich notation

* Frequency of occurrence is less than 1%.

Table 23. Sex ratios of chum salmon by age from fishwheel escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.

Collection Site	Age	Combined Sample Size	Number		Sex Ratio (M:F)
			Males	Females	
Flathorn Station	3 ₁	174	72	102	0.7:1
	4 ₁	952	342	610	0.6:1
	5 ₁	222	116	106	1.1:1
	A11 ¹	1,441	557	884	0.7:1
Sunshine Station	3 ₁	189	88	101	0.9:1
	4 ₁	1,299	668	631	1.1:1
	5 ₁	304	180	124	1.5:1
	A11 ¹	1,950	1,017	932	1.1:1
Curry Station	3 ₁	37	22	15	1.5:1
	4 ₁	570	320	250	1.3:1
	5 ₁	184	119	65	1.8:1
	A11 ¹	825	479	346	1.4:1

¹ Includes all aged and non-aged samples.



Map ID Number	RM	Location	Highest Fish Count	Spawning Observation Dates
		RM	Bank	
1	115.0		R	17 9/4, 9/11, 9/26, 10/2/85
2	128.6		R	16 9/26, 10/2/85
3	139.0		L	13 9/28/85

Figure 32. Chum salmon middle river mainstem spawning areas in the Susitna River mainstem middle reach, 1985.

Table 24. Peak chum salmon survey counts for streams in the middle reach in order of contribution, 1985.

Stream	River Mile	Date	Number Counted			Percent Contribution
			Live	Dead	Total	
Indian River	138.6	8/23	1,153	75	1,228	64.0
Portage Creek	148.9	8/28	524	15	539	28.1
4th of July Creek	131.1	8/17	140	0	140	7.3
Slash Creek	111.2	9/16	5	0	5	0.3
Little Portage Creek	117.7	8/25	4	0	4	0.2
Skull Creek	124.7	8/16	2	0	2	0.1
Lane Creek	113.6	8/11	1	0	1	0.1
Upper McKenzie Creek	116.7	9/9	0	1	1	0.1
		TOTALS	1,829	91	1,920	100.2 ¹

¹. Percent contribution total does not equal 100 due to rounding errors.




Figure 33. The three major chum salmon sloughs in the middle reach and the respective percent escapement based on peak survey counts, 1985.




Figure 34. Chum salmon live counts by date in Sloughs 8A, 11 and 21, 1985.

Table 25. Peak chum salmon survey counts for sloughs in the middle Susitna River reach, 1985.

Slough	River Mile	Date	Number Counted			Percent Contribution
			Live	Dead	Total	
1	99.6	9/17	2	0	2	0.1
2	100.2	10/1	15	6	21	1.1
3B	101.4	9/24	1	1	2	0.1
3A	101.9	9/24	2	0	2	0.1
8	113.7	9/2	47	29	76	3.9
8D	121.8	9/16	1	0	1	0.1
8C	121.9	9/23	47	18	65	3.3
8B	122.2	8/25	177	6	183	9.3
Moose	123.5	9/9	22	2	24	1.2
A'	124.6	8/16	1	0	1	0.1
8A	125.4	8/22	292	7	299	15.2
B	126.3	9/12	72	17	89	4.5
9	128.3	8/29	61	33	94	4.8
9A	133.8	9/26	118	13	131	6.7
11	135.3	9/19	115	491	606	30.9
16	137.3	8/24	8	2	10	0.5
20	140.0	8/24	54	0	54	2.7
21	141.1	9/6	260	19	279	14.2
22	144.5	8/24	20	4	24	1.2
21A	145.3	8/16	1	0	1	0.1
TOTALS			1,316	648	1,964	100.1 ¹

¹ Percent contribution total does not equal 100 due to rounding errors.

Table 26. Estimated chum salmon slough escapements to twelve middle Susitna River sloughs, 1985.

Slough	River Mile	Total Fish ¹ Days	Peak Live Survey Count	Mean ² Observation Life Days	Slough ² Escapement	% of Curry ³ Station Escapement
8	113.7	1,455	47	6.86	212	0.9
8C	121.9	672	47	6.86	98	0.4
8B	122.2	4,608	177	-	673	2.7
Moose	123.5	244	22	6.86	36	0.1
8A	125.4	6,582	292	6.86	1,110	4.6
B	126.3	1,442	72	6.86	210	0.9
9	128.3	807	61	6.86	118	0.5
9A	133.8	1,029	118	6.86	150	0.6
11	135.3	10,089	485	6.86	1,843	7.6
20	140.0	523	54	6.86	76	0.3
21	141.1	6,465	260	6.86	942	3.9
22	144.5	255	20	6.86	37	0.2
TOTALS		34,171	1,655	-	5,505	22.7

¹ Number of fish days were calculated for sloughs that had peak survey counts > 15 fish.

² Mean observation life in days was obtained by averaging observation days from 1983 and 1984 observation life data.

³ 1985 Curry Station chum salmon escapement was approximately 24,400 fish.

Egg retention studies indicated 94 percent of the 93 females sampled in sloughs 8A, 11, 20 and 21 deposited almost all of their eggs (Figure 35). Egg retention was highest in sloughs 11 and 21 with a median (of sample) retention of 79 and 92 eggs, respectively.




Figure 35. Percent frequency of the numbers of eggs retained by chum salmon at eleven middle reach sloughs. 1985.

Eight of 25 middle-river tributary streams surveyed were occupied by chum salmon (Appendix Table 3-1). Peak live counts totaled 1,829 fish (Table 25). Approximately 99 percent of these fish spawned in Indian River, Portage Creek and Fourth of July Creek (Figure 36). Spawning was noted in these streams from the first week of August until the end of September, and reached a peak during the last two weeks of August.

3.5 Coho Salmon

3.5.1 Main Channel Escapements

The 1985 escapement of coho salmon at Flathorn Station was an estimated 77,400 fish with a standard deviation of 63,500 (Figure 37). This estimate was derived by stratifying the Flathorn Station tag releases and Sunshine Station tag recoveries into three time strata. There were insufficient tag recoveries at Yentna Station to incorporate that geographic reach as a strata in the model. The estimated escapement to Sunshine Station was 36,800 coho salmon with an associated 95 percent confidence interval of 34,300 to 39,600 fish (Figure 37). These




Figure 36. The three major chum salmon streams in the middle reach and the respective percent escapement based on peak survey counts, 1985.




Figure 37. Coho salmon escapements by sampling station, 1985.

estimates were calculated using the Petersen model which pools all survey and fishwheel recovery data. The Curry Station coho salmon escapement was 1,600 fish (Figure 37). The 95 percent confidence interval extended from 1,200 to 2,300 fish. Curry Station estimates were also derived using the Petersen model.

All escapement estimates are for the location at which the tags were deployed. The estimates include some unknown number of milling fish which reached the tagging site but ultimately spawned in a downstream location. For example, coho salmon tagged at Curry Station have been seen in the Deshka River some 80 miles downriver. The incidence of downstream milling fish tagged at a site such as Curry Station were higher in streams near the tagging site and decreased with distance downstream.

Coho salmon passage at Flathorn Station, based on fishwheel catches, extended from July 23 until August 19. Fifty percent of the catch occurred by July 30 while the peak fishwheel catch of 184 fish occurred on July 27 (Figure 38 and Appendix Table 2-3). Coho salmon passage at Sunshine Station, based on fishwheel catches, occurred between August 1 and August 25. Fifty percent of the catch occurred by August 14 and peaked on August 19 when 512 fish were captured (Figure 39 and Appendix Tables 2-4 and 5-1). At Curry Station, the migration ranged from August 5 to September 4 and reached a median on August 18. A peak fishwheel catch of 18 fish occurred on August 20 (Figure 40 and Appendix Tables 2-5 and 5-1).

At Flathorn Station, the distribution of coho salmon fishwheel catches was 56 percent (1,423) east channel and 44 percent (1,098) west channel (Appendix Tables 2-1 and 2-2). Coho salmon recaptured at Yentna and Sunshine stations indicated that the majority (82.1 percent) of the tagged fish reaching Yentna Station traveled past Flathorn in the west channel while 84.8 percent of those reaching Sunshine Station traveled predominantly in the east channel.

Based on recovery of tagged fish, coho salmon traveled the ten mile distance between Flathorn and Yentna stations in five days (median) for a rate of two mpd (Figure 41). Between Flathorn and Sunshine stations, a distance of 58 miles, the median travel time was 21 days for a rate of 2.8 mpd. The rate of travel between Flathorn and Curry stations was not determined because of an inadequate sample size.

Coho salmon sampled at Flathorn Station were predominantly age 3₂ (50 percent) and 4₃ (44 percent) (Table 27), with a similar trend occurring at Sunshine and Curry stations. The combined mean lengths of age 3₂ coho salmon at Flathorn, Sunshine and Curry stations were 521 mm, 531 mm and 530 mm, respectively (Table 28). Age 4₃ fish at the above sites had mean lengths of 538 mm, 549 mm and 569 mm, respectively. The sex ratios were 1.3:1 at all three sampling sites (Table 29).




Figure 38. Mean hourly and cumulative percent fishwheel catch of coho salmon by two day periods at Flathorn Station, 1985.




Figure 39. Mean hourly and cumulative percent fishwheel catch of coho salmon by two day periods at Sunshine Station, 1985.




Figure 40. Mean hourly and cumulative percent fishwheel catch of coho salmon by two day periods at Curry Station, 1985.




Figure 41. Migration rates of coho salmon between Susitna River sampling stations based on tag recoveries and expressed in median days and miles per day (mpd), 1985.

Table 27. Analysis of coho salmon lengths, in millimeters, by sex and age class from fishwheel CPUE weighted escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.

Location	Age Class	Male			Female			Combined		
		Mean Length	Std. Error	Sample Size	Mean Length	Std. Error	Sample Size	Mean Length	Std. Error	Sample Size
Flathorn Station	2+1.0	310	12.0	7	-	-	-	310	12.0	7
	3+1.1	520	3.2	340	521	3.3	232	521	2.4	572
	3+2.0	289	6.9	21	-	-	-	289	6.9	21
	4+2.1	545	3.7	258	530	3.5	238	538	2.6	496
	4+3.0	301	9.5	10	-	-	-	301	9.5	10
	5+3.1	545	25.7	10	560	14.3	12	553	14.0	22
	5+4.0	362	19.6	3	-	-	-	362	19.6	3
	A11 ¹	511	2.85	912	524	2.1	680	417	1.9	1,592 1,131
Sunshine Station	3+1.1	526	3.0	358	539	2.7	280	531	2.1	638
	3+2.0	371	18.9	3	-	-	-	371	18.9	3
	4+2.1	542	4.2	201	558	3.1	177	549	2.7	378
	4+3.0	376	2.1	2	-	-	-	376	2.1	2
	5+3.1	576	22.3	3	583	17.4	2	578	14.6	5
	A11 ¹	531	2.1	904	544	1.8	706	537	1.4	1,610 1,026
	3+1.1	516	10.4	30	551	5.5	22	530	6.8	52
	4+2.1	562	9.2	38	586	6.9	18	569	6.8	56
Curry Station	5+3.1	-	-	-	600	-	1	600	-	1
	A11 ¹	538	6.0	102	567	3.9	76	550	3.9	178 109

¹ Includes all aged and non-aged samples.

Table 28. Age composition by percent of coho salmon escapements to Flathorn, Sunshine and Curry stations based on catch samples weighted by fishwheel CPUE, 1985.

Collection Site	n	Age Class ¹						
		2.0 2 ₂	2.1 3 ₂	2.0 3 ₃	2.1 4 ₃	3.0 4 ₄	3.1 5 ₄	4.0 5 ₅
Flathorn Station	1,131	*	50	2	44	*	2	*
Sunshine Station	1,026	-	62	*	37	*	*	-
Curry Station	109	-	48	-	52	-	*	-

¹ Gilbert-Rich notation

* Frequency of occurrence is less than 1%.

Table 29. Sex ratios of coho salmon by age from fishwheel escapement samples collected at Flathorn, Sunshine and Curry stations, 1985.

Collection Site	Age	Combined Sample Size	Number		Sex Ratio (M:F)
			Males	Females	
Flathorn Station	2 ₂	7	7	-	-
	3 ₂	572	340	232	1.5:1
	3 ₃	21	21	-	-
	4 ₃	496	258	238	1.1:1
	4 ₄	10	10	-	-
	5 ₄	22	10	12	0.8:1
	5 ₅	3	3	-	-
	All ¹	1,592	912	680	1.3:1
Sunshine Station	3 ₂	638	358	280	1.3:1
	3 ₃	3	3	-	-
	4 ₃	378	201	177	1.1:1
	4 ₄	2	2	-	-
	5 ₄	5	3	2	1.5:1
	All ¹	1,610	904	706	1.3:1
Curry Station	3 ₂	52	30	22	1.4:1
	4 ₂	56	38	18	2.1:1
	5 ₃	1	-	1	0:1
	All ¹	178	102	76	1.3:1

¹ Includes all aged and non-aged samples.

3.5.2 Fecundity

The average fecundity of females varies both between and within salmon species, with stocks in northern latitudes averaging more eggs per female than those in southern latitudes (McNeil and Bailey, 1975). Scott and Crossman (1973) reported that British Columbia stocks of coho salmon generally average between 2,190 to 2,789 eggs per female. This agrees with Hart's (1973) value of 2,500 eggs for a 550 mm female.

Susitna River coho salmon fecundity information is limited to samples collected at Sunshine Station. The 27 females sampled here on August 16 averaged 3,437 eggs, with a 95 percent confidence interval of 3,134 to 3,740 (Table 30).

Table 30. Number of eggs, length, weight and associated statistics for coho salmon sampled for fecundity at Sunshine Station, 1985.

Variables	Sample Size	Mean	Standard Deviation	95 Percent ¹ C.I. of the Mean
Number of eggs	27	3,437	805	3,134 - 3,740
Length (mm)	27	549	45	532 - 566
Weight (g)	27	2,637	742	2,357 - 2,917

¹ 95 percent confidence interval of the mean.

Susitna River coho salmon appear to be more fecund than British Columbia stocks. A 550 mm Susitna River coho would be expected to contain 3,400 eggs, 900 more than the 2,500 reported by Hart (Figure 42). This follows the general pattern of greater average fecundities in more northern latitudes.

3.5.3 Spawning Areas

The middle-river main channel was surveyed for salmon spawning activity from July 15 through October 7. No coho salmon were observed spawning in the main channel during this time period.

Coho salmon occupied five sloughs in 1985 (Appendix Table 3-2). However, except for nine coho salmon observed spawning in Slough 8A, they were all milling fish. Spawning here was attributed to high water flows and ice scouring which destroyed beaver dams that had previously impeded access to the sloughs upper reaches.





Figure 42. Number of eggs for coho salmon sampled at Sunshine Station as a function of length and weight, 1985.

Most coho salmon spawned in middle-river streams. Ten of the 25 streams surveyed had adult coho salmon present. Spawning was observed in all ten streams (Appendix Table 3-1). Based on a total peak count of 901 fish 89 percent of middle reach coho salmon spawned in Whiskers, Chase and Gold creeks and Indian River (Table 31 and Figure 43). Coho salmon spawned in middle-reach streams from the last week in August until the last week of September. Spawning activity reached a peak during the first two weeks of September.

Table 31. Peak coho survey counts for middle river streams in order of contribution, 1985.

Stream	River Mile	Date	Number Counted			Percent Contribution
			Live	Dead	Total	
Whiskers Creek	101.4	9/4	442	1	443	48.6
Chase Creek	106.9	9/10	218	0	218	23.9
Indian River	138.6	9/4	71	0	71	7.8
Gash Creek	111.6	9/16	70	1	71	7.8
Lower McKenzie Creek	116.2	9/30	41	9	50	5.5
Portage Creek	148.9	8/23	25	0	25	2.7
Lane Creek	113.6	9/26	13	0	13	1.4
Jack Long Creek	144.5	9/11	11	0	11	1.2
Slash Creek	111.2	9/23	8	0	8	0.9
Little Portage Creek	117.7	9/23	2	0	2	0.2
		TOTALS	901	11	912	100.0




Figure 43. The three major coho salmon streams in the middle reach and the respective percent escapement based on peak survey counts, 1985.

4.0 ACKNOWLEDGEMENTS

The authors especially wish to acknowledge Bruce Barrett for his guidance and patiently sharing his extensive knowledge of the Susitna River; the contributions of Mr. Allen Bingham for his biometric review of the Flathorn Station population estimates and his assistance with writing the methods section; Ms. Linda Brannian for her suggestions and assistance with the chinook salmon population estimates; Rick Gustin for his assistance in preparing the stream and slough survey data; the field crews for their many hours of work under sometimes trying conditions; the data processing staff for their untiring work; and to the many others who without their dedicated efforts, this work would not have been possible.

5.0 LITERATURE CITED

- Alaska Department of Fish and Game. 1981. Phase I final draft report. Subtask 7.10. Adult anadromous fisheries project (June - September 1981). Alaska Department of Fish and Game Susitna Hydro Aquatic Studies. Anchorage, Alaska.
- _____. 1982. Phase II final draft procedures manual. Subtask 7.10. Aquatic Studies procedures manual. Alaska Department of Fish and Game Susitna Hydro Aquatic Studies. Anchorage, Alaska.
- _____. 1983. Susitna Hydro aquatic studies phase II final report. Volume 2. Adult anadromous fish studies, 1982. Alaska Department of Fish and Game Susitna Hydro Aquatic Studies. Anchorage, Alaska.
- Barrett, B.M., F.M. Thompson, and S.N. Wick. 1984. Adult anadromous fish investigations: May-October 1983. Susitna Hydro Aquatic Studies. Report No. 1. Alaska Department of Fish and Game, Anchorage, Alaska.
- Barrett, B.M., F.M. Thompson, and S.N. Wick. 1985. Adult salmon investigations: May-October 1984. Susitna Hydro Aquatic Studies. Report No. 6. Alaska Department of Fish and Game, Anchorage, Alaska.
- Bevan, D.E. 1962. Estimation by tagging of the size of migrating salmon populations in coastal waters In Studies of Alaska Red Salmon. University of Washington Press, Seattle, Washington.
- BMDP. 1981. BMDP statistical software. University of California Press, Berkley, California, USA.
- Cousens, N.B.F., G.A. Thomas, C.G. Swann, and M.C. Healey. 1982. A review of salmon escapement estimation techniques. Canadian Technical Report of Fisheries and Aquatic Sciences, No. 1108, Nanaimo, British Columbia, Canada.
- Darroch, J.N. 1961. The two-sample capture-recapture census when tagging and sampling are stratified. *Biometrika* 48:241-260.
- Hart, J.L. 1973. Pacific fishes of Canada. Fisheries Research Board of Canada, Bulletin 180, Ottawa, Canada.
- McNeil, W.J. and J.E. Bailey. 1975. Salmon rancher's manual. Processed report, Auke Bay Fisheries Laboratory, Northwest and Alaska Fisheries Center, National Marine Fisheries Service, Seattle, Washington. 95 pp.
- McPhail, J.D. and C.C. Lindsey. 1970. Freshwater fishes of northwestern Canada and Alaska. Fisheries Research Board of Canada, Bulletin 173, Ottawa, Canada.

- Morrow, J.E. 1980. The freshwater fishes of Alaska. Alaska Northwest Publishing Company, Anchorage, Alaska, USA.
- Ricker, W.E. 1975. Computations and interpretations of biological statistics of fish populations. Bulletin 191. Information Canada, Ottawa, Canada.
- Ryan, T.A., Jr., B.L. Joiner, and B.F. Ryan. 1981. MINITAB reference manual. MINITAB Project, the Pennsylvania State University, University Park, Pennsylvania.
- SAS. 1982. SAS user's guide: statistics. Statistical Analysis System Institute Incorporated, Cary, North Carolina.
- Seber, G.A.F. 1982. The estimation of animal abundance, and related parameters. MacMillan Publishing Company Incorporated, New York.
- Scott, W.B. and E.J. Crossman. 1973. Freshwater Fishes of Canada. Fisheries Research Board of Canada, Bulletin 184, Ottawa, Canada.
- Thompson, F.M. and B.M. Barrett. 1983. Analysis of the species selectivity of fishwheels for the capture of adult salmon in the Susitna River In Synopsis of the 1982 aquatic studies and analysis of fish and habitat relationships. Alaska Department of Fish and Game, Su Hydro Aquatic Studies Program, Anchorage, Alaska, USA.

LITERATURE CITED

APPENDICES

6.0 APPENDICES

Appendix 1.	Susitna River Drainage Salmon Escapement Date Summary, 1951-1984 (Volume II).....	A-1
Appendix 2.	Fishwheel daily and cumulative catches, by station.....	A-162
Appendix 3.	Escapement and Tag Recovery Surveys.....	A-184
Appendix 4.	Maps depicting station locations and middle river survey areas.....	A-236
Appendix 5.	Migrational timing based on cumulative fishwheel catch weighted by CPUE.....	A-246

APPENDIX 1

Susitna River Drainage Salmon
Escapement Data Summary, 1951-84.

6.0 APPENDICES

Appendix 1.	Susitna River Drainage Salmon Escapement Date Summary, 1951-1984 (Volume II).....	A-1
Appendix 2.	Fishwheel daily and cumulative catches, by station.....	A-162
Appendix 3.	Escapement and Tag Recovery Surveys.....	A-184
Appendix 4.	Maps depicting station locations and middle river survey areas.....	A-236
Appendix 5.	Migrational timing based on cumulative fishwheel catch weighted by CPUE.....	A-246

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES.....	A7
LIST OF APPENDIX TABLES.....	A7
1.0 INTRODUCTION.....	A9
2.0 ORGANIZATION.....	A11
3.0 OVERVIEW AND LIMITATIONS OF ESCAPEMENT SURVEY TECHNIQUES.....	A13
3.1 Tower Counts.....	A14
3.2 Ground Surveys.....	A14
3.3 Aerial Surveys.....	A15
3.4 Fishwheels.....	A17
3.5 Side Scan Sonar Counts.....	A17
3.6 Weir Counts.....	A18
4.0 RECOMMENDATIONS.....	A21
5.0 BIBLIOGRAPHY.....	A23
6.0 APPENDIX.....	A41

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>	<u>Page</u>
1	Map of the Susitna River and its three major tributaries below Devil Canyon.....	A9

LIST OF APPENDIX TABLES

<u>Appendix Table</u>	<u>Title</u>	<u>Page</u>
1-1	Escapement survey counts of adult salmon in the Susitna River drainage between river mile (RM) 0.0 and RM 195.0, excluding the Yentna, Talkeetna, and Chulitna River drainages.....	A43
1-2	Escapement survey counts of adult salmon in the Yentna River drainage.....	A85
1-3	Escapement survey counts of adult salmon in the Talkeetna River drainage.....	A109
1-4	Escapement survey counts of adult salmon in the Chulitna River drainage.....	A115
1-5	Escapement survey counts of adult salmon in the Susitna River sloughs, side channels, and the mainstem between river mile (RM) 28.0 and RM 161.0.....	A123

1.0 INTRODUCTION

The purpose of this report is to provide a background document for salmon resource investigations relative to the proposed Susitna Hydroelectric project. Historically, the Susitna River has been a major producer of salmon for the Cook Inlet fishery. Escapement data has been collected from various areas within the Susitna River drainage (Figure 1) since the late 1940's and early 1950's by a variety of federal, state, and private agencies. This report summarizes all Susitna River drainage escapement data collected by the Alaska Department of Fish and Game, Divisions of Sport and Commercial Fisheries.




Figure 1. Map of the Susitna River and its three major tributaries below Devil Canyon.

2.0 ORGANIZATION

Escapement data published in 59 reports by the Alaska Department of Fish and Game, Divisions of Sport and Commercial Fisheries since statehood, have been summarized in the appendix of this report. Appendix Tables 1-1 through 1-4 present the salmon escapement data for the Susitna River and its three major tributaries below Devil Canyon (the Yentna River, the Talkeetna River, and the Chulitna River). Streams in these appendix tables are organized using the numbering system developed by the Habitat Division for use in the anadromous waters catalog (ADF&G 1985b). All streams, rivers, and lakes where anadromous fish have been documented are assigned a unique identifying number in the catalog which can be traced to a specific drainage or sub-drainage. The same numbering system is used in the anadromous stream atlas (ADF&G 1985a) so that the streams can be located easily on the atlas maps. All locations where the department has conducted salmon escapement surveys in the Susitna River drainage are identified in this report as well as all of the other streams in the Susitna drainage that are listed in the anadromous stream catalog (ADF&G 1985b).

These appendix tables were initially created by combining a computer file of the known anadromous streams listed in the anadromous stream catalog (ADF&G 1985b) with another computer file of escapement survey data containing information from ADF&G (1982) and ADF&G (1985c). After meshing these two data bases, attempts were made to verify each entry and identify it with the report where the data were originally published. In cases where escapement data could not be linked with the original data report, summary reports were cited. And finally, if a particular entry in the appendix tables could not be verified from the literature, the sources of our computer data files were cited.

Appendix Table 1-5 is a compilation of escapement counts in sloughs, side channels, and the mainstem of the Susitna River. This information is organized by Susitna river mile (RM) which was established by R&M Consultants (1981). The bulk of this information comes from the Susitna Aquatic Studies Program (ADF&G 1981, 1983b; Barrett et al. 1984, 1985).

Data for each location in all five appendix tables are arranged chronologically. All data have been stored on floppy diskettes using a Lotus spreadsheet format. This information is available for updating and use by other divisions.

Information on each salmon escapement survey location is presented as it was reported. Whenever possible, information on the year and dates that the surveys were conducted, which species and how many were found, and information on survey methods, survey conditions, distances surveyed and qualifying comments about the survey were included. Perhaps the most useful part of this summary report is the data source column and the accompanying list of references in the bibliography. Anyone requiring more information about a particular survey can track down the sources of information in these tables in the bibliography.

Because the data in this report were derived from a wide variety of sources whose procedures for reporting information varied from division to division, author to author, and sometimes year to year, it is sometimes difficult and often impossible to make comparisons between different entries regarding accuracy, precision, and techniques used. Considerably more information would be required in order to compare the accuracy and precision of many of these surveys.

3.0 OVERVIEW AND LIMITATIONS OF ESCAPEMENT SURVEY TECHNIQUES

A wide variety of techniques have been developed by biologists to estimate the number of fish using a particular location or river reach. These vary according to the environmental conditions, type of habitat, and budget and time constraints. Some of these methods are used to produce an index of fish abundance to compare run strength between and within years or systems. Other methods attempt to enumerate total fish populations.

There are multiple uses for escapement data and each have their own acceptable level of precision and/or accuracy. For example, if one is establishing escapement goals, intensively managing a fishery to maintain a sustained yield of numerous stocks of a number of species, or trying to access the impacts of a particular project, then an absolute estimate of escapement may be required. However, if a fishery is not intense or the goal is just to maintain the existing return of fish, then the accuracy of the escapement data may not need to be as great. Individuals compiling fish distribution data may even be content to know if fish do or do not exist in a given drainage.

The following section has been included largely to familiarize the non-fisheries biologist reader with the various techniques that have been used to index or estimate salmon escapements on the Susitna River and the strengths and limitations of each. Much of this background information has been extracted from Cousens et al. (1982).

Visual techniques involve the direct enumeration of the fish, either from ground level, from elevated platforms or from the air. Studies conducted by Kubik and Trent (1974) concluded that helicopter surveys were the preferred technique for enumerating chinook salmon. Ground and tower counts provided comparable numbers, however it is not always economically feasible to construct towers at a large number of locations and ground surveys are time consuming. Fixed-wing aircraft are less expensive to charter than helicopters, however they fly faster and are not as maneuverable as the helicopter and visibility is more limited from the fixed-wing aircraft.

The Susitna River and a number of its major tributaries are glacially turbid during much of the year and therefore not suitable for visual survey techniques. For this reason several alternative techniques have been developed. The primary turbid water numeration techniques used in the Susitna River are tag/recapture and sonar. Fishwheels are used in combination with ground surveys for use in the mark and recapture population estimates. Fishwheel catches are also used with sonar to apportion sonar counts by species.

In lake habitats, visual techniques can be used to enumerate fish in shallow clear water lakes, however weirs and gill nets are more effective in lakes which are deep or have a lot of aquatic vegetation.

Each of the techniques used to collect data are discussed below.

3.1 Tower Counts

Counting towers are permanent or semi-permanent structures, approximately 25 feet high, which are constructed at single-channel points on target streams where visibility across the adult salmon migration path is good. Counts of migrating salmon passing the tower are usually made for ten minutes per bank and extrapolated for each hour. Often contrasting color substrates are placed on the streambed to aid in seeing the fish and lights are used to enable fish counting at night.

Tower counts are a good way of estimating total adult salmon escapements of clear water tributaries when water conditions are good and the tower is well placed. This technique is primarily used to enumerate bank oriented salmon (i.e., sockeye and pink), however towers have also been used successfully on narrow, shallow rivers to count coho, chinook, and chum salmon which do not orient by bank when they migrate. This technique provides a continuous record of salmon passage and is valuable in determining migrational timing and peaks.

Tower count escapement estimates are most accurate when the observed migrations have an even temporal and spatial distribution (Cousens et al. 1982). Error is introduced when the salmon migration is irregular and/or composed of mixed species which complicate species identification. These errors can be compounded by poor visibility and variations between different observers.

In the Susitna River drainage, tower counts have been used on the Deshka River (Kubik and Trent 1974) and on the Talachulitna River (Barrett 1973a, 1975a).

3.2 Ground Surveys

Ground level surveys made on foot or in a boat provide an instantaneous count of the number of live and/or dead salmon within specific stream reaches, index areas, or entire stream lengths which can be used to produce an escapement estimate. Escapement estimates from ground survey counts of streams or index areas are more reliable if they are derived from several repeated surveys.

Foot surveys are best suited to small, shallow, clear water tributaries where the flow patterns are stable, the banks are relatively free of large carnivores and easy to walk along, and the fish and carcasses are highly visible. Counts obtained from surveying spawning grounds by foot have been used to estimate escapements of chinook, coho, sockeye, pink, and chum salmon. Foot surveys can be used to obtain counts in small tributaries where aerial surveys are not practical, to provide additional data to calibrate or adjust aerial survey counts, or to determine the spawning distribution of particular tributaries within a large drainage.

Factors which can limit the reliability of escapement estimates from foot surveys or introduce bias are: (1) experience or ability differences between fish counting personnel, and (2) spawning or migrating in

conditions which hinder visual sightings (i.e., deep water, high discharge, high turbidity, and snow and/or ice cover). In addition, observers are often limited to one bank which can limit the visual counts.

Foot surveys have been conducted on a number of clear water tributaries of the Susitna, Yentna, Talkeetna, and Chulitna rivers over the years. Two tributaries which have been surveyed regularly with this technique are Willow Creek (Redick 1970, 1971; Watsjold 1975-1980; ADF&G 1983a; Barrett et al. 1984, 1985) and Prairie Creek (Watsjold 1973-1979; Barrett 1973a, 1975a; Friese 1976a, 1976b; Waltemeyer et al. 1980; Barrett et al. 1984). Since 1981 the Susitna Aquatic Studies program has done extensive foot surveys of tributaries, sloughs, and side channels in the lower and middle reach of the Susitna River (ADF&G 1981, 1983b; Barrett et al. 1984, 1985).

An alternative to foot surveys in small, clear water streams that are accessible and do not have major rapids is a float survey in a boat or inflatable raft. Boat surveys can be an efficient method of obtaining instantaneous counts of fish in narrow streams where fish cannot be observed from one bank. However, stream gradient, flow, turbidity, glare on the water surface, and navigational obstacles are important considerations in gaging the usefulness of boat survey counts. For example, in fast, twisting streams, fish counts will be negatively effected if the fish counter has to be more concerned about getting downstream safely than he is about counting fish. Another disadvantage is that boat surveys only provide a one-way coverage (i.e., downstream) of the survey area.

Boat surveys have been used less frequently than ground surveys to count fish in the Susitna River drainage. Kubik (1965, 1966) conducted boat surveys of clear water tributaries in the lower Susitna River and Watsjold (1972-1974) did a series of boat surveys on Willow Creek. Barrett (1973a, 1975a) and Friese (1976a, 1976b) did boat surveys on tributaries and Lakes in the Yentna River drainage and on Stephan Lake in the Talkeetna River drainage. Additional boat surveys have been reported by the Susitna Aquatic Studies program (ADF&G 1983b; Barrett et al. 1984, 1985).

3.3 Aerial Surveys

Counts of salmon on the spawning grounds using low flying aircraft allow an observer to survey many more streams in a given time than ground surveys. Aerial surveys are conducted using fixed-wing aircraft or helicopters. Fixed-wing aircraft are used most commonly for aerial counts of salmon. Advantages afforded by fixed-wing aircraft are that they allow the observer to survey large drainages in a short period of time and at a lower cost than other aircraft. Aerial surveys by helicopter are more efficient than fixed-wing surveys because helicopters are more maneuverable over winding streams, slower flying, and offer better visibility. However, they have a shorter flying range and may be cost prohibitive for surveys of large drainages.

Aerial surveys are usually conducted by one trained observer and an experienced pilot. Weather and budgets permitting, spawning grounds are surveyed several times to obtain counts during the peak spawning period. Peak aerial counts are used as an indices of relative abundance for estimating total escapement and if the methods remain consistent from year-to-year these index counts can be compared between years. The rough estimates of escapements from aerial surveys may also be useful for in-season management of salmon stocks.

Aerial surveys have been used to enumerate chinook, sockeye, pink, chum, and coho salmon and this technique works best in spawning areas of broad, shallow, clear water tributaries with little or no overhanging vegetation and in shallow lakes.

The reliability of aerial survey counts are affected by the experience or inexperience of the observer and the pilot, fatigue, differences between observers, fish density, lighting conditions, poor weather, high discharges, and highly turbid conditions.

The majority of the salmon escapement data from the Susitna River drainage is composed of aerial survey data. Historically, the Division of Commercial Fisheries has conducted aerial surveys in the Susitna River drainage to monitor escapements of sockeye salmon because they are an important species for the Cook Inlet commercial salmon fishery, and the Division of Sport Fisheries has done aerial surveys to monitor escapements of chinook salmon which are a target species in the Susitna River sport fishery. Escapement information on other salmon species has largely been obtained incidentally during aerial surveys for sockeye or chinook or it has been collected using other escapement monitoring techniques.

Streams and lakes in the Susitna River drainage which have been aerial surveyed regularly for sockeye salmon are Red Shirt Lake, Role Jo Creek, Chelatna Lake, Shell Creek, the Talachulitna River, Talachulitna Creek, Judd Lake, Talachulitna Lake, Trinity Lake, Red Salmon Lake, and Larson Lake (Barrett 1973a, 1975a; Friese 1976a, 1976b; Namtvedt et al. 1979; Tarbox and Sanders 1980; Waltemeyer et al. 1980; ADF&G 1982; Tarbox et al. 1983; ADF&G 1985c-YENONE.TAB).

Aerial surveys for chinook salmon have been conducted on the following tributaries in the Susitna River drainage on a regular basis: Alexander Creek, the Deshka River, Willow Creek, Little Willow Creek, North Fork Kashwitna River, Sheep Creek, Goose Creek, Indian River, Portage Creek, Lake Creek, Camp Creek, Sunflower Creek, the Talachulitna River, Canyon Creek, Chunilna Creek, Troublesome Creek, Bunco Creek, Byers Creek, Honolulu Creek, East Fork Chulitna River, and Middle Fork Chulitna River (Stefanich 1962; Kubik 1963-1973; Watsjold 1972-1980; Kubik and Trent 1974; Kubik and Chlupach 1975; Kubik and Riis 1976; Kubik and Wadman 1977-1979; Kubik and Delaney 1980; Delaney et al. 1981; ADF&G 1981, 1983a; Bentz 1982; Delaney and Hepler 1983; Barrett et al. 1984, 1985).

3.4 Fishwheels

Fishwheels function like paddlewheels, using the current of the river to rotate sampling baskets which capture salmon as they migrate upstream through turbid rivers. In most instances, fishwheels are used in conjunction with weirs which divert fish toward the fishwheels. When properly placed in the migration corridor of major rivers, fishwheels can be used to obtain a relative abundance index of salmon escapements. Comparisons of the relative abundance index obtained from fishwheel catches from year-to-year can only be made if the fishwheels are operated at the same sites under similar conditions each year.

On the Susitna River, the efficiency of fishwheels has been found to vary from site-to-site and year-to-year due to changes in climatic conditions, mainstem discharge, on-site morphology, and debris loads in the water (ADF&G 1981, 1983b; Barrett et al. 1984, 1985). Fishwheels were also found to be species selective and size selective (Thompson and Barrett 1983).

Fishwheels have been used in the Susitna River drainage to capture fish for tagging at Flathorn, Susitna, Yentna, Sunshine, Talkeetna, and Curry stations. Recovery of fishwheel tagged fish from upstream fishwheels and stream surveys have been used to calculate escapements to the fishwheel tagging sites using mark/recapture techniques (ADF&G 1981, 1983; Barrett et al. 1984, 1985). Mark/recapture techniques have also provided information on salmon migrations (i.e., routes, timing, and variations), stock separation, and spawning distribution.

The time, effort, and expense required to conduct mark/recapture studies are great; however, this is an effective way of evaluating large systems with major runs that cannot be enumerated effectively by other means. The primary source of bias or error associated with estimations of salmon escapements by mark/recapture techniques is caused by the violation of one or more of the basic assumptions which must be maintained to ensure the reliability of population estimates by these methods (Cousens et al. 1982).

Another application for fishwheels is discussed in Section 3.5.

3.5 Side Scan Sonar Counts

Hydroacoustic techniques have been developed to enumerate upstream migrations of bank-oriented salmon in clear or turbid rivers using side scan sonar. Sonic signals reflected off migrating fish are electrically recorded. Before escapement estimates can be produced or compared, these electronic fish counts must be apportioned by species. Sonar fish counts have been apportioned by simultaneously sampling the escapements with fishwheels, set gill nets, drift gill nets, beach seines, or trip seines and apportioning the sonar counts based on the relative abundance of each species in the catch during specific periods.

The accuracy of properly adjusted side scan sonar counters have compared favorably with tower counts when both methods were used side-by-side to enumerate salmon in rivers with moderate fish abundance, stable flows, consistent fish swimming speeds, and good visibility (Cousens et al. 1982). Side scan sonar is considered to be particularly effective for enumerating sockeye and pink which migrate along stream banks, and less effective for counting chinook, coho, and chum which do not orient by bank and may pass outside the range of the sonar beam.

Most problems associated with the operation of side scan sonar involve improper site selection. Side scan sonar should be located at a point where the river flows through a single channel so that all fish may be counted. The site should also have a minimum of offshore migrants and low levels of debris, air entrainment, and milling of spawning fish.

The major problem encountered with side scan sonar in the Susitna River drainage has been the apportionment of sonar fish counts by species. Fishwheels have been used in conjunction with side scan sonar on the Susitna to apportion sonar counts. However, there are several inherent problems with using fishwheel catches to apportion sonar counts which cast doubt upon the reliability of these data. Not only are fishwheels selective by species and by size, but the species composition of a fishwheel catch in a 6 foot sampling area near the river bank may not be representative of fish counts from sonar which enumerate fish passing between the shore and the outer-most substrate which may be 65 to 70 feet out from the bank. Therefore, ADF&G biologists recommend that an alternate sampling scheme (perhaps gillnetting) be used to apportion sonar counts on the Susitna River.

In the Susitna River drainage, side scan sonar have been used to enumerate salmon on the Deshka River (Stewart and Flagg 1969), on the Yentna River (ADF&G 1981, 1983a; Barrett et al. 1984, 1985), and at Susitna, Sunshine, and Talkeetna stations on the Susitna River (Tarbox et al. 1980; Tarbox and Sanders 1980; ADF&G 1981, 1982, 1983a; and Barrett et al. 1984, 1985).

3.6 Weir Counts

Weirs are temporary or permanent fences which are erected on lake outlets, streams, or rivers. By blocking the passage of fish, weirs allow the total enumeration of salmon migrating upstream to spawn and for the collection of biological data. Weir counts are often used as a standard to compare the accuracy of other enumeration techniques.

Weirs are generally constructed on streams where an accurate count of adult salmon escapements are required and where variations in flow and water depth are slight so that the weir will not be washed out during high discharges.

Disadvantages of this technique are that construction and operation of weirs are labor intensive and the initial construction costs can be high. Therefore, weirs are not well suited for evaluating a large number of different sites.

Weir counts of salmon have only been conducted on two small tributaries in the Susitna River drainage, Fish Lake Creek/Quig Creek (Barrett 1975b) and Shell Creek (Barrett 1973a, 1975b; Friese 1976a). Both of these creeks are located in the Yentna River system.

4.0 RECOMMENDATIONS

One of the primary difficulties encountered during their review of the literature was the lack of maps to identify streams for which data were presented. This is especially important when several streams in the same drainages have the same name. It is recommended that all data reports include a detailed map of the area for which data are presented. It would also be helpful to have each stream identified in these data reports by the Habitat Division's anadromous stream catalog location number.

During the review of the literature, it was found that some data were reported in several reports in the same or subsequent years often without adequate reference to the original data source. This was particularly true of the aerial survey data shared by the Sport and Commercial Fisheries divisions. In addition, year-to-year presentation of the same data type (e.g., aerial surveys) was not consistent. One year counts for each tributary in a drainage (i.e., Deshka, Alexander, Lake creeks) were presented, the next year only the total count for the whole system was presented, another year only an estimate of the system escapement based on the surveys was presented. It is recommended that a consistent presentation be used each year for the same data type, preferably presenting as much detail as practical. Additional presentations can be used in addition to this standard format for the purposes of making a particular point.

Finally, it is recommend that this computerized file of salmon escapement data for the Susitna River drainage should be maintained and updated annually. Since the Susitna Aquatic Studies Program is being terminated, the department should consider assigning the responsibility of maintaining this data base to someone who can fulfill this long-term commitment.

5.0 BIBLIOGRAPHY

The following bibliography includes all data sources (D), summary reports (S), and references (R) used by the authors. These are indicated by the letter code appearing in the left margin of the list. Additional related reports, not directly used in the preparation of this report, are included without any letter code in the margin.

BIBLIOGRAPHY

- S Acres American. 1983b. FERC license application for major project: Susitna Hydroelectric Project, Exhibit E. Prepared for Alaska Power Authority, Anchorage, Alaska. Volume 6A: Chapter 3. 603 pp.
- D Alaska Department of Fish and Game. 1981. Adult anadromous fisheries project (June-September 1981). Susitna Hydro Aquatic Studies. Phase 1 final draft report. Subtask 7.10. Alaska Department of Fish and Game, Anchorage, Alaska.
- S Alaska Department of Fish and Game. 1982. Adult anadromous fisheries project. Stock Separation Feasibility Report. Susitna Hydro Aquatic Studies. Phase 1 final draft report. Subtask 7.10. Alaska Department of Fish and Game, Anchorage, Alaska.
- D Alaska Department of Fish and Game. 1983a. Adult anadromous fish studies, 1982. Susitna Hydro Aquatic Studies. Phase 2 final report. Volume 2 (1 of 2). Alaska Department of Fish and Game, Anchorage, Alaska.
- D Alaska Department of Fish and Game. 1983b. Susitna Hydro Aquatic Studies. Adult anadromous fish studies. Phase 2 final report. Volume 2 (2 of 2: Appendices A-H). Alaska Department of Fish and Game, Anchorage, Alaska.
- Alaska Department of Fish and Game. 1985a. Alaska habitat management guide, southcentral region, Volume II, Part 2; Distribution, abundance, and human use of fish and wildlife. Departmental Review Draft. Alaska Department of Fish and Game, Division of Habitat, Anchorage, Alaska. 995 pp.
- R Alaska Department of Fish and Game. 1985b. Catalog of waters important for spawning, rearing, or migration of anadromous fishes. Southcentral Region Resource Management, Region II. Alaska Department of Fish and Game, Division of Habitat, Anchorage, Alaska. 109 pp.
- D Alaska Department of Fish and Game. 1983c. Computer files of salmon escapement surveys in the Susitna River drainage. File Names: SUSONE.TAB, YENONE.TAB, TALK.TAB, CHUL.TAB. Alaska Department of Fish and Game, Division of Commercial Fisheries, Soldotna, Alaska.
- D Barrett, B.M. 1973a. Talachulitna River, Shell Creek, and Northern District stream surveys, 1973. Cook Inlet Data Report No. 73-3. Alaska Department of Fish and Game, Division of Commercial Fisheries. 48 pp.

D = Data Source,

S = Summary Report,

R = Reference

- Barrett, B.M. 1973b. Egg deposition studies in lake and Prairie Creeks. Cook Inlet data report No. 73-4. Alaska Department of Fish and Game, Division of Commercial Fisheries. 4 pp.
- D Barrett, B.M. 1974. An assessment study of the anadromous fish populations in the upper Susitna River watershed between Devil Canyon and the Chulitna River. Cook Inlet Data Report No. 74-2. Alaska Department of Fish and Game, Division of Commercial Fisheries. 56 pp.
- D Barrett, B.M. 1975a. 1974-Talachulitna River escapement investigations, 1974-Shell Creek escapement investigations, and 1974-Northern district escapement surveys. Cook Inlet Data Report No. 74-6. Alaska Department of Fish and Game, Division of Commercial Fisheries. 52 pp.
- D Barrett, B.M. 1975b. 1974-Yentna River escapement investigations and 1974-Quick Creek escapement investigations. Cook Inlet Data Report No. 74-8. Alaska Department of Fish and Game, Division of Commercial Fisheries. 22 pp.
- Barrett, B.M. 1975c. December investigations on the upper Susitna River watershed between Devil Canyon and Chulitna River. Alaska Department of Fish and Game, Division of Commercial Fisheries. Unpublished. 8 pp.
- Barrett, B.M. 1975d. January investigations in the upper Susitna River watershed between Devil Canyon and Chulitna River. Alaska Department of Fish and Game, Division of Commercial Fisheries. Unpublished. 10 pp.
- Barrett, B.M. 1975e. February investigations in the upper Susitna River watershed between Devil Canyon and Chulitna River. Alaska Department of Fish and Game, Division of Commercial Fisheries. Unpublished. 10 pp.
- D Barrett, B.M., F.M. Thompson, and S.N. Wick. 1984. Adult anadromous fish investigations: May-October 1983. Susitna Hydro Aquatic Studies. Report No. 1. Alaska Department of Fish and Game, Anchorage, Alaska.
- D Barrett, B.M., F.M. Thompson, and S.N. Wick. 1985. Adult salmon investigations: May-October 1984. Susitna Hydro Aquatic Studies. Report No. 6. Alaska Department of Fish and Game, Anchorage, Alaska.
- Barton, L.H. and B.M. Barrett. 1973. Cook Inlet inventory report 1973. Cook Inlet Data Report No. 73-6. Alaska Department of Fish and Game, Division of Commercial Fisheries. 76 pp.
- Barton, L.H. 1984. A catalog of Yukon River salmon spawning escapement surveys. Alaska Department of Fish and Game Data Report No. 121. Alaska Department of Fish and Game, Division of Commercial Fisheries. 472 pp.

- Baxter, R. and S. Baxter. 1961. Stream surveys west side Cook Inlet, 1961. Cook Inlet Data Report Series No. 61-1. Alaska Department of Fish and Game, Division of Commercial Fisheries. 43 pp.
- D Bentz, R.W. 1982. Inventory and cataloging of the sport fish and sport fish waters in upper Cook Inlet. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1981-1982. Volume 23, Project F-9-14, Job G-I-D: pp. 76-112.
- D Bentz, R.W. 1983. Inventory and cataloging of sport fish and sport fish waters in upper Cook Inlet. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1982-1983. Volume 24, Project F-9-15, Job G-I-D: pp. 59-104.
- Bernard, D.R., G. Oliver, W. Goshert, and B. Cross. 1983. Comparison of scale patterns from sockeye salmon from different stocks in the Susitna River in 1982. Appendix H in: Alaska Department of Fish and Game. Adult Anadromous Fish Studies, 1982. Susitna Hydro Aquatic Studies. Phase 2 final report. Volume 2 (2 of 2: Appendices A-H). Alaska Department of Fish and Game, Anchorage, Alaska.
- Bethe, M.L. and P.V. Krasnowski. 1979. Stock separation studies of Cook Inlet sockeye salmon based on scale pattern analysis, 1977. Informational Leaflet No. 180. Alaska Department of Fish and Game, Division of Commercial Fisheries. 31 pp.
- Bethe, M.L., P.V. Krasnowski, and S.L. Marshall. 1980. Origins of sockeye salmon in the upper Cook Inlet fishery of 1978 based on scale pattern analysis. Alaska Department of Fish and Game. Informational Leaflet No. 186: 45 pp.
- Buklis, L.S. and L.H. Barton. 1984. Yukon river fall chum salmon biology and stock status. Informational Leaflet No. 239. Alaska Department of Fish and Game, Division of Commercial Fisheries. 67 pp.
- Buklis, L.S. and J.A. Wilcock. 1985. Age, sex, and size of Yukon River salmon catch and escapement 1984. Alaska Department of Fish and Game Technical Data Report No. 148. Alaska Department of Fish and Game, Division of Commercial Fisheries. 92 pp.
- R Cousens, N.B.F., G.A. Thomas, C.G. Swann, and M.C. Healey. 1982. A review of salmon escapement estimation techniques. Department of Fisheries and Oceans, Fisheries Research Branch, Pacific Biological Station. Nanaimo, British Columbia. Canadian Technical Report of Fisheries and Aquatic Sciences No. 1108.

Cross, B.A., S.L. Marshall, T. Robertson, G. Oliver, and S. Sharr. 1981. Origins of sockeye salmon in the upper Cook Inlet fishery of 1979 based on scale pattern analysis. Alaska Department of Fish and Game. Technical Data Report No. 58: 76 pp.

Cross, B.A., D.R. Bernard, and S.L. Marshall. 1983. Returns-per spawner ratios for sockeye salmon of upper Cook Inlet, Alaska. Informational Leaflet No. 221. Alaska Department of Fish and Game, Division of Commercial Fisheries. 82 pp.

Cross, B.A., S.L. Marshall, G. Oliver, and S. Sharr. 1982. Origins of sockeye salmon in the upper Cook Inlet fishery of 1980 based on scale pattern analysis. Alaska Department of Fish and Game. Technical Data Report No. 68: 81 pp.

Cross, B.A., S.L. Marshall, G.T. Oliver, and D.L. Hicks. 1983. Origins of sockeye salmon in the upper Cook Inlet fishery of 1981 based on peak pattern analysis. Alaska Department of Fish and Game. Division of Commercial Fisheries, Anchorage. Technical Data Report No. 83: 98 pp.

Cross, B.A., D.L. Hicks, and W.E. Goshert. 1985. Origins of sockeye salmon in the fisheries of upper Cook Inlet in 1982. Alaska Department of Fish and Game, Division of Commercial Fisheries. Technical Data Report No. 139. 109 pp.

Cross, B.A. 1985. Abundance, age, sex, and size data for upper Cook Inlet sockeye, chinook, coho, chum, and pink salmon 1983. Draft Alaska Department of Fish and Game, Division of Commercial Fisheries.

Davis, A.S. 1966. Cook Inlet area pink salmon forecast studies, 1964-1966. Informational Leaflet No. 74. Alaska Department of Fish and Game, Division of Commercial Fisheries. Homer, Alaska. 39 pp.

Davis, A.S. 1967. Cook Inlet sockeye salmon investigations, the enumeration of adult and smolt sockeye salmon and analysis of age and sex composition of the run. 5-6-R.

Davis, A.S. 1968. Cook Inlet sockeye salmon investigations, the enumeration of adult and smolt sockeye salmon and analysis of age and sex composition of the run. October 1, 1967 to December 31, 1967. United States Department of Interior, Fish and Wildlife Service, Bureau of Commercial Fisheries. Quarterly Progress Report. Commercial Fisheries Research and Development Act.

Davis, A.S. and P.D. Kissner. 1969. Sockeye salmon investigations. annual technical report. Commercial Fisheries Research and Development Act. Project No. 5-18-R-1.

- Davis, A.S. 1970. Escapement enumeration investigations. Annual Technical Report Project No. AFC-16-2. Anadromous Fish Project. 1969 Field Season.
- Davis, A.S., T.B. Namtvedt, and B.M. Barrett. 1972. Cook Inlet sockeye salmon forecast and optimum escapement studies. Technical Report Project No. AFC-41-2. Anadromous Fish Act, PL 80-304 (as amended). 94 pp.
- Davis, A.S. and T.B. Namtvedt. 1972. Cook Inlet sockeye forecast and optimum escapement studies. Annual Technical Report, Anadromous Fish Project. Project No. AFC-41.
- Davis, A.S., B.M. Barrett, and L.H. Barton. 1974. Cook Inlet sockeye forecast and optimum escapement studies. Alaska Department of Fish and Game. Annual Technical Report, Anadromous Fish Project for 1973 Field Season, Project No. AFC-41-3. Anadromous Fish Act through National Marine Fisheries Service.
- Davis, R., K.E. Tarbox, and B. King. 1984. Age, length, and weight data on chinook salmon, coho salmon, pink salmon, and chum salmon collected in upper Cook Inlet (1964-1981). Upper Cook Inlet Dat Report No. 84-4. Alaska Department of Fish and Game, Division of Commercial Fisheries. 245 pp.
- D Davis, R.Z. (Pers. Comm.). Alaska Department of Fish and Game, Division of Commercial Fisheries, Soldotna. Data from interview conducted by Drew Crawford in 1985.
- Delaney, K. and K. Hepler. 1984. Report to the Alaska Board of Fisheries. Northern Cook Inlet King Salmon Fishery. Alaska Department of Fish and Game, Division of Sport Fish.
- D Delaney, K. and K. Hepler. 1983. Inventory and cataloging of the sport fish and sport fish waters in lower Susitna River and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1982-1983. Volume 24, Project F-9-15, Job G-I-H: pp. 55-78.
- D Delaney, K., K. Hepler, and K. Roth. 1981. Deshka River chinook and coho salmon study. Alaska Department of Fish and Game. Federal Aid in Fish Restoration. Volume 22, AFS 49 - 1 and 2.
- D Engel, L.J. (Pers. Comm.). Alaska Department of Fish and Game, Division of Sport Fish, Anchorage. Data from interview conducted by Kathy Rowell in 1981-82. As presented in: ADF&G (1982).
- Engel, L.J. 1984. Report to the Alaska Board of Fisheries, Northern Cook Inlet Coho Fishery. Alaska Department of Fish and Game, Division of Sport Fish.

- Flagg, L.B., C.L. Hurd, and D.A. Daisy. 1972. Annual management report, Cook Inlet management area. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- Friese, N.V. 1975. Preauthorization assessment of anadromous fish populations of the upper Susitna River watershed in the vicinity of the proposed Devil Canyon hydroelectric project. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- D Friese, N.V. 1976a. Susitna River escapement investigations, 1975. Cook Inlet Data Report No. 76-4. Alaska Department of Fish and Game, Division of Commercial Fisheries. 57 pp.
- D Friese, N.V. 1976b. Susitna River escapement studies. 1976. Cook Inlet Data Report No. 77-4. Alaska Department of Fish and Game, Division of Commercial Fisheries. 22 pp.
- D Hepler, K.R. and R.W. Bentz. 1984. Chinook salmon population and angler use studies of upper Cook Inlet waters. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1983-1984. Volume 25, Project F-9-16, Job G-II-M: pp. 40-58.
- D Hepler, K.R. and R.W. Bentz. 1985. Chinook salmon population and angler use studies of upper Cook Inlet waters. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1984-1985. Volume 26, Project F-9-17, Job G-II-M.
- Hepler, K.R. and S.W. Kubik. 1982. Inventory and cataloging of the sport fish and sport fish waters in lower Susitna River and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1981-1982. Volume 23, Project F-9-14, Job G-I-H: pp. 66-83.
- S Hoffmann, A.G. 1985. Summary of salmon fishery data for selected middle Susitna River sites (1981-1984). Susitna Hydro Aquatic Studies. Report No. 9. Alaska Department of Fish and Game, Anchorage, Alaska.
- King, B.E. and K.E. Tarbox. 1983. Upper Cook Inlet (*Oncorhynchus* spp.) escapement studies, 1982. Alaska Department of Fish and Game Technical Data Report No. 93. 139 pp.
- King, B.E. and K.E. Tarbox. 1984a. Upper Cook Inlet (*Oncorhynchus* spp.) escapement studies, 1983. Alaska Department of Fish and Game Technical Data Report No. 122. 152 pp.

- King, B.E. and K.E. Tarbox. 1984b. Potential salmon escapement enumeration techniques for selected stream on the western shore of upper Cook Inlet, Alaska. Upper Cook Inlet Data Report No. 84-2. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- D Kubik, S.W. (Pers. Comm.). Alaska Department of Fish and Game, Division of Sport Fish, Anchorage. Data from interview conducted by Kathy Rowell in 1981-82. As presented in: ADF&G (1982).
- D Kubik, S.W. 1963. Population studies of king salmon in the upper inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1962-1963. Volume 4, Project F-5-R-4, Job 8-B: pp. 205-233.
- D Kubik, S.W. 1964. Population studies of king salmon in the upper Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1963-1964. Volume 5, Project F-5-R-5, Job 8-B: pp. 165-187.
- D Kubik, S.W. 1965. Population studies of king salmon in the upper Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1964-1965. Volume 6, Project F-5-R-6, Job 9-B: pp. 165-184.
- D Kubik, S.W. 1966. Population studies of anadromous species with emphasis on king salmon, upper Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1965-1966. Volume 7, Project F-5-R-7, Job 9-B: pp. 117-130.
- D Kubik, S.W. 1967. Population studies of anadromous species with emphasis on upper Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1966-1967. Volume 8, Project F-5-R-8, Job 9-B: pp. 117-128.
- D Kubik, S.W. 1968. Population studies of anadromous fish in Cook Inlet. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1967-1968. Volume 9, Project F-5-R-9, Job 9-B: pp. 157-171.
- D Kubik, S.W. 1969. Anadromous fish population studies, upper Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1968-1969. Volume 10, Project F-9-1, Job 9-B: pp. 179-194.
- D Kubik, S.W. 1970. Population studies of anadromous species with emphasis on upper Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1969-1970. Volume 11, Project F-9-2, Job 9-B: pp. 135-145.

- D Kubik, S.W. 1971. Anadromous fish population studies, upper Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1970-1971. Volume 12, Project F-9-3, Job G-II-B: pp. 21-34.
- D Kubik, S.W. 1972. Anadromous fish population studies, upper Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1971-1972. Volume 13, Project F-9-4, Job G-II-B: pp. 1-11.
- Kubik, S.W. 1973. Anadromous fish population studies, Upper Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1972-1973. Volume 14, Project F-9-5, Job G-II-B: pp. 23-33.
- D Kubik, S.W. and T.W. Trent. 1974. Inventory and cataloging of sport fish and sport fish waters of the lower Susitna and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance. Volume 15, Project F-9-6, Job G-I-H: pp. 161-176.
- D Kubik, S.W. and R.S. Chlupach. 1975. Inventory and cataloging of sport fish and sport fish waters of the lower Susitna and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance. Volume 16, Project F-9-7, Job G-I-H: pp. 182-207.
- D Kubik, S.W. and J.C. Riis. 1976. Inventory and cataloging of sport fish and sport fish waters of the lower Susitna River and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance. Volume 17, Project F-9-8, Job G-I-H: pp. 131-149.
- D Kubik, S.W. and R. Wadman. 1977. Inventory and cataloging of sport fish and sport fish waters of the lower Susitna River and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance. Volume 18, Project F-9-9, Job G-I-H: pp. 26-53.
- D Kubik, S.W. and R. Wadman. 1978. Inventory and cataloging of sport fish and sport fish waters of the lower Susitna River and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance. Volume 19, Project F-9-10, Job G-I-H: pp. 47-72.
- D Kubik, S.W. and R. Wadman. 1979. Inventory and cataloging of sport fish and sport fish waters of the lower Susitna River and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1978-1979. Volume 20, Project F-9-11, Job G-I-H: pp. 25-55.

- D Kubik, S.W. and K. Delaney. 1980. Inventory and cataloging of sport fish and sport fish waters of the lower Susitna River and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance. Volume 21, Project, F-9-12, Job G-I-H.
- Kubik, S.W. 1981. Inventory and cataloging of sport fish waters of the lower Susitna River and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1980-1981. Volume 22, Project F-9-13, Job G-I-H: pp. 67-88.
- D Marcuson, P. (Pers. Comm.). Cook Inlet Aquaculture Association, Soldotna. Data given based on interview. As presented in the Alaska Department of Fish and Game, Division of Commercial Fisheries. Soldotna office escapement printout.
- McBride, D.N. and J. Wilcock. 1983. Alaska chinook salmon (Oncorhynchus tshawytscha Walbaum) catch and escapement, 1961-1980, with age, size, and sex composition estimates. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage. Informational Leaflet No. 212: 181 pp.
- McGinnis, D. 1963. Inventory, cataloging, and population sampling of the sport fish and sport fish waters of the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1962-1963. Volume 4, Project F-5-R-4, Job 10-A: pp. 391-411.
- McGinnis, D. 1964. Inventory, cataloging, and population sampling of the sport fish and sport fish waters of the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1963. Volume 5, Project F-5-R-5, Job 10-A: pp. 291-307.
- McGinnis, D. 1965. Inventory, cataloging, and population sampling of the sport fish and sport fish waters of the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1964-1965. Volume 6, Project F-5-R-6, Job 11-A: pp. 201-216.
- McGinnis, D. 1965. Inventory, cataloging, and population sampling of the sport fish and sport fish waters of the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress. Volume 7, Project F-5-R-8, Sport Fish Investigations of Alaska, Job 11-A: pp. 155-169.
- Mills, M.J. 1979. Alaska statewide sport fish harvest Studies. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1978-1979. Volume 20, Project F-9-11, Job SW-I-A: pp. 122.

Mills, M.J. 1980. Alaska statewide sport fish harvest studies. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1979-1980. Volume 21, Project F-9-12, Job SW-I-A: 65 pp.

Mills, M.J. 1981a. Alaska statewide sport fish harvest studies (1979). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1980-1981. Volume 22, Project F-9-13, Job SW-I-A: 77 pp.

Mills, M.J. 1981b. Alaska statewide sport fish harvest studies (1980). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1980-1981. Volume 22, Project F-9-13, Job SW-I-A: 107 pp.

Mills, M.J. 1982. Alaska statewide sport fish harvest studies (1981). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1981-1982. Volume 23, Project F-9-14, Job SW-I-A: 115 pp.

Mills, M.J. 1983. Alaska statewide sport fish harvest studies (1982). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1982-1983. Volume 24, Project F-9-15, Job SW-I-A: 118 pp.

Mills, M.J. 1984. Alaska statewide sport fish harvest studies. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1978-1979. Volume 25, Project F-9-16, Job SW-I-A: 122 pp.

Namtvedt, T.B. 1974a. Cook Inlet forecast and optimum escapement studies. July 1, 1971 to June 30, 1974. Prepared for National Oceanic Atmospheric Administration, National Marine Fisheries Service. Anadromous Fish Conservation Act. Project No. AFC-41.

Namtvedt, T.B. 1974b. Cook Inlet sockeye forecast and optimum escapement studies. Prepared for National Oceanic Atmospheric Administration, National Marine Fisheries Service. Project No. AFC-41. Anadromous Fish Conservation Act.

Namtvedt, T.B. and N.B. Friese. 1976. Investigations of Cook Inlet sockeye salmon. Alaska Department of Fish and Game. Technical Report for Period July 1, 1974 to June 30, 1975. Project AFC-53-1. Anadromous Fish Conservation Act. Prepared for National Oceanic and Atmospheric Administration.

Namtvedt, T.B., N.V. Friese, D.L. Waltmyer, M.L. Bethe, and D.C. Whitmore. 1977. Investigations of Cook Inlet sockeye salmon. Anadromous Fish Conservation Act. Project No. AFC-53-2.

- D Namtvedt, T.B., N.V. Friese, and D.L. Waltemyer. 1979. Cook Inlet sockeye salmon studies. Alaska Department of Fish and Game, Division of Commercial Fisheries. Technical Report for period July 1, 1977 to June 30, 1978. Project No. AFC-62-1: 94 pp.
- R R & M Consultants. 1981. Susitna River mile index: Mouth to Susitna Glacier. Prepared for the Alaska Power Authority. Anchorage, Alaska. 40 pp.
- Rearden, J.D. 1965. Annual report 1964, Cook Inlet area. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- Rearden, J.D., C. Yanagawa, J.L. Reynolds, A.S. Davis, and E.V. Nelson. 1967. Annual report, Cook Inlet area. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- Rearden, J.D., L.B. Flagg, D.M. Stewart, A.S. Davis, and K. Roberson. 1968. Annual report, Cook Inlet area. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- D Rearden, J.D. and D.M. Stewart. 1969. Northern district Cook Inlet annual management report. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- Redick, R.R. 1967a. Inventory and cataloging of the sport fish and sport fish waters in the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1966. Volume 8, Project F-5-R-8, Job 11-A: pp. 169-182.
- Redick, R.R. 1967b. Creek census of the sport fish waters of the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1966-1967. Volume 8, Project F-5-R-8, Job 11-D: pp. 183-187.
- D Redick, R.R. 1969a. Inventory and cataloging of the sport fish and sport fish waters in the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1968-1969. Volume 10, Project F-9-1, Job 11-A: pp. 213-232.
- Redick, R.R. 1969b. Creek census of the sport fish and sport fish waters of the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1968-1969. Volume 10, Project F-9-1, Job 11-D: pp. 233-245.
- D Redick, R.R. 1970. Inventory, cataloging, and population sampling of the sport fish and sport fish waters of the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1969-1970. Volume 11, Project F-9-2, Job 11-A: pp. 189-210.

- D Redick, R.R. 1971. Inventory, cataloging, and population sampling of the sport fish and sport fish waters of the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1970-1971. Volume 12, Project F-9-3, Job G-I-D: pp. 65-94.
- Redick, R.R. 1973. Inventory, cataloging, and population sampling of the sport fish and sport fish waters of the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1971-1972. Volume 13, Project F-9-4, Job G-I-D: pp. 57-66.
- Ruesch, P.H. 1983. Annual management report 1981, upper Cook Inlet, Region II. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- Ruesch, P.H. 1984. Annual management report 1982, upper Cook Inlet, Region II. Alaska Department of Fish and Game, Division of Commercial Fisheries. 83 pp.
- Sanders, G.H. 1978. Annual management report 1978, upper Cook Inlet area, Region II. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- Skerry, J.B., R.C. Naab, R.C. Wilson, and K. Faddon. 1959. Annual report, Cook Inlet district - 1959 Season. Alaska Department of Fish and Game.
- Stefanich, F.A. 1962. Population studies of king salmon in the upper Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1961-1962. Project F-5-R-3, 3:87-99.
- Stewart, D.M. 1968. Northern district annual management report, Cook Inlet area. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- D Stewart, D.M. and L.B. Flagg. 1969. Annual management report 1969 Cook Inlet-Resurrection Bay area. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- D Tarbox, K.E. and G.H. Sanders. 1980. Annual management report, upper Cook Inlet, Region II. Alaska Department of Fish and Game, Division of Commercial Fisheries. 59 pp.
- D Tarbox, K.E., B.E. King, and D.L. Waltemyer. 1981. Cook Inlet sockeye salmon studies. Prepared for National Oceanic Atmospheric Administration, National Marine Fisheries Service, Project No. AFC-62-2. Anadromous Fish Conservation Act. 101 pp.

- Tarbox, K.E. and D. House. 1982. Monitoring of the 1981 upper Cook Inlet non-commercial set gill net fishery. Upper Cook Inlet Data Report No. 81-2. Alaska Department of Fish and Game, Division of Commercial Fisheries. 28 pp.
- D Tarbox, K.E., B.E. King, and D.L. Waltemyer. 1983. Cook Inlet sockeye salmon studies. Alaska Department of Fish and Game, Division of Commercial Fisheries. Completion report for period July 1, 1977 to June 30, 1981. Project No. AFC-62.
- Tarbox, K.E., J. Browning, and R. Davis. 1984. Geographical distribution of sockeye and chinook salmon harvest by upper subdistrict set nets upper Cook Inlet, Alaska 1978-1982. Upper Cook Inlet Data Report No. 84-7. Alaska Department of Fish and Game, Division of Commercial Fisheries. 34 pp.
- R Thompson, F.M., and B.M. Barrett. 1983. Analysis of the species selectivity of fishwheels for the capture of adult salmon in the Susitna River. Appendix A In: ADF&G. Synopsis of the 1982 aquatic studies and analysis of fish and habitat relationships (2 of 2: Appendices). Susitna Hydro Aquatic Studies. Phase 2 report. Alaska Department of Fish and Game, Anchorage, Alaska.
- Trent, T.W. 1972. Inventory and cataloging of sport fish and sport fish waters of the lower Susitna and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1971-1972. Volume 13, Project F-9-4, Job G-I-H: pp. 129-137.
- D Trent, T.W. 1973. Inventory and cataloging of sport fish and sport fish waters of the lower Susitna and central Cook Inlet drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1972-1973. Volume 14, Project F-9-5, Job F-9-5: pp. 53-73.
- Van Wyhe, G. 1963. Inventory and cataloging of sport fish and sport fish waters of the Copper River and Prince William Sound drainages. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1962-1963. Volume 4, Project F-5-R-4, Job 11-A: pp. 439-450.
- Waltemyer, D.L. 1978. Offshore test fishing in Cook Inlet, 1977. Cook Inlet Data Report No. 77-3. Alaska Department of Fish and Game, Division of Commercial Fisheries. 23 pp.
- Waltemyer, D.L., T.B. Namtvedt, and B.E. King. 1980. Cook Inlet sockeye salmon studies. Alaska Department of Fish and Game. Technical Report for the period July 1, 1978 to June 30, 1979: 58 pp.

- Waltemyer, D.L. 1983. Migratory timing and abundance estimation of the 1982 sockeye salmon return to upper Cook Inlet based on a test fishing program. Cook Inlet Data Report No. 83-1. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- Waltemyer, D.L. 1984. Describing the migrations of salmon and estimating abundance of sockeye salmon returning in 1983 to upper Cook Inlet based on a test fishery. Upper Cook Inlet Data Report No. 84-1. Alaska Department of Fish and Game, Division of Commercial Fisheries.
- Watsjold, D.A. 1971. Creek census of the sport fish and sport fish waters of the Cook Inlet drainage. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1970-1971. Volume 12, Project F-9-3, Job G-IV-B: pp. 19-29.
- D Watsjold, D.A. 1972. Anadromous fish population studies, Matanuska Valley and east side tributaries of the Susitna River and tributaries of the Chulitna River. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1971-1972. Volume 13, Project F-9-4, Job G-II-H: pp. 81-89.
- D Watsjold, D.A. 1973. Anadromous fish population studies, Matanuska Valley and east side tributaries of the Susitna River and tributaries of the Chulitna River. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1972-1973. Volume 14, Project F-9-5, Job G-II-H: pp. 45-58.
- D Watsjold, D.A. 1974. Anadromous fish population studies, Matanuska-Susitna valleys. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1973-1974. Volume 15, Project F-9-6, Job G-II-H: pp. 49-57.
- D Watsjold, D.A. 1975. Inventory, cataloging, and population sampling of the sport fish and sport fish waters in upper Cook Inlet. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1974-1975. Volume 16, Project F-9-7, Job G-I-D: pp. 69-102.
- D Watsjold, D.A. 1976. Inventory, cataloging, and population sampling of the sport fish and sport fish waters in upper Cook Inlet. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Progress, 1977. Volume 17, Project F-9-8, Job G-I-D: pp. 63-86.

- D Watsjold, D.A. 1977. Inventory, cataloging, and population sampling of the sport fish and sport fish waters in upper Cook Inlet. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1976-1977. Volume 18, Project F-9-9, Job G-I-D: pp. 47-93.
- D Watsjold, D.A. 1978. Inventory, cataloging, and population sampling of the sport fish waters of upper Cook Inlet. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance. Volume 19, Project F-9-10, Job G-I-D: pp. 57-88.
- D Watsjold, D.A. 1979. Inventory and cataloging of the sport fish and sport fish waters in the upper Cook Inlet. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance. Volume 20, Project F-9-11, Job G-I-D: pp. 97-117.
- D Watsjold, D.A. 1980. Inventory and cataloging of the sport fish and sport fish waters in upper Cook Inlet. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1979-1980. Volume 21, Project F-9-12, Job G-I-D: pp. 91-120.
- D Watsjold, D.A. 1981. Inventory and cataloging of the sport fish and sport fish waters in upper Cook Inlet. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Report of Performance, 1980-1981. Volume 22, Project F-9-13, Job G-I-D: pp. 62-85.
- Woodward-Clyde Consultants. 1985. Fish resources and habitats in the middle Susitna River. Technical Report No. 1 of Instream Flow Relationship Report Series. Prepared for the Alaska Power Authority, Anchorage, Alaska. 163 pp.

6.0 APPENDIX

The following appendix is made up of five tables which summarize salmon escapement data that has been collected in the Susitna River drainage.

Appendix Table 1-1. Escapement survey counts of adult salmon in the Susitna River drainage exclusive of the Yentna, Talkeetna, and Chulitna River drainages.

Appendix Table 1-2. Escapement survey counts of adult salmon in the Yentna River drainage.

Appendix Table 1-3. Escapement survey counts of adult salmon in the Talkeetna River drainage.

Appendix Table 1-4. Escapement survey counts of adult salmon in the Chulitna River drainage.

Appendix Table 1-5. Escapement survey counts of adult salmon in Susitna River sloughs, side channels, and mainstem.

Appendix Table I-1. Escapement survey counts of adult salmon in the Susitna River drainage between river mile (RM) 0.0 and RM 195.0, excluding the Yentna, Talkeetna, and Chulitna River drainages.

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200										
Susitna River										
Susitna Station	1970			38000						ADF&G (1982)
(system-wide estimate)	1972			113000						ADF&G (1982)
	1973		15000	40000						ADF&G (1982)
	1974		15000	70000						ADF&G (1982)
	1975		11500	108000						ADF&G (1982)
	1976		71200	111000			933000			Escapement-population estimate; chinook estimate from aerial surveys includes sport fish harvest
	1977		118100	238000	50000	105000	1490000			ADF&G (1982)
	1978		81100	94000	100800	148000	2478100	Side-scan sonar		ADF&G (1982)
	1979		77200	157000	37000	49000	125000	Side-scan sonar		Tarbox et al. (1980)
	1980	7/01-8/29		191000	42895	7939	2047000	Side-scan sonar		
	1981	6/27-9/02		340232	33470	46461	113349	Side-scan sonar		Tarbox & Sanders (1980)
	1981		65000					Aerial count plus sport fish harvest		ADF&G (1981)
	1981								(60-70,000) estimate	ADF&G (1982)
	1982	7/01-9/05		215856						Escapement count (sonar-apportioned) from Yentna Sta. and Susitna Sta. east bank
	1983			112314				Side-scan sonar		ADF&G (1985c)-SUSONE.TAB
	1984		1457	45105	13413	26721	377425	Side-scan sonar		ADF&G (1985c)-SUSONE.TAB
										ADF&G (1985c)-SUSONE.TAB
Sunshine Station	1976	6/21-8/13	749	2296	1307	338	19230	Fishwheel catch		Friesen (1976b)
	1981	6/23-9/15		89908	22793	59630	72945	Side-scan sonar		ADF&G (1981)
	1981	6/23-9/15		133489	19841	262851	49501	Petersen population estimate		ADF&G (1981)
	1982	6/04-10/01	52900	151500	45700	430400	443200	Petersen population estimate		ADF&G (1983a)
	1983	6/03-9/11	90100	71500	15200	265800	40500	Petersen population estimate		Barrett et al. (1984)
	1984	6/04-9/10	121700	130071	94702	764958	1017022	Petersen population estimate		Barrett et al. (1985)
Talkeetna Station	1974	7/23-9/11		1008		24288	5252	Petersen population estimate		Barrett (1974)
	1981	6/22-9/15		3464	3522	10036	2529	Side-scan sonar		ADF&G (1981)
	1981	6/22-9/15		4809	3306	20835	2335	Petersen population estimate		ADF&G (1981)
	1982	6/05-9/14	10900	3100	5100	49100	73000	Petersen population estimate		ADF&G (1983a)
	1983	6/07-9/12	14400	4200	2400	50400	9500	Petersen population estimate		Barrett et al. (1984)

Appendix Table I-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	6/03-9/11	24800	13050	11847	98236	177881	Peterson population estimate	Mark/recapture	Barrett et al. (1985)
Curry Station	1981	6/15-9/21		2804	1146	13068	1041	Peterson population estimate	Mark/recapture	ADF&G (1981)
	1982	6/09-9/18	11300	1300	2400	29400	58800	Peterson population estimate	Mark/recapture	ADF&G (1983a)
	1983	6/09-9/14	9600	1900	800	21100	5500	Peterson population estimate	Mark/recapture	Barrett et al. (1984)
	1984	6/09-9/14	18000	3593	2162	49278	116858	Peterson population estimate	Mark/recapture	Barrett et al. (1985)
Flathorn Station	1984	6/29-9/03		60583	190061	812694	3629857	Peterson population estimate	Mark/recapture	Barrett et al. (1985)
247-41-10200-2015										
Alexander Creek	Hist								Max. count 1,868 chinook (1953), sockeye present (1964), 100,000 pinks (1964), 500 chum (1963)	
	1958	5/29	1						Suspect this was an aerial count	Kubik (1964)
	1961	7/11	0						Suspect this was an aerial count	Kubik (1964)
	1962	7/23	19							Kubik (1963)
	1963	8/16	750							Kubik (1964)
	1964	7/29	205							Kubik (1965)
	1965	7/30	400							Kubik (1966)
	1965	7/30	416							Kubik (1967)
	1966		197							Kubik (1968)
	1966		248							Kubik (1968)
	1966		300							Kubik (1968)
	1967		354							Kubik (1968)
	1967		388							Kubik (1969)
	1967		500							Kubik (1969)
	1968		563							Kubik (1969)
	1968		727							Kubik (1969)
	1969		588							Kubik (1970)
	1969		735							Kubik (1970)
	1969		30							Stewart & Flagg (1969)
	1970		420							Kubik (1971)
	1970		562							Kubik (1971)
	1970		491							
	1970	7/26	280						2,720 sockeye and coho	ADF&G (1982)
	1972		103							Kubik (1973)
	1972		202							Kubik & Trent (1974)
	1973		875							Kubik & Trent (1974)
	1974		2193							Kubik & Chupach (1975)
	1975		1078							Kubik & Riis (1976)
	1976		5412							Kubik & Madnan (1977)
	1977		13385							Kubik & Madnan (1978)
	1977	7/26	2504							ADF&G (1982)
	1978		5854							Kubik & Madnan (1979)

Appendix Table 1-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1979		6215					Aerial count		Kubik & Delaney (1980)
	1981	7/29	588					Aerial count, helicopter - Poor	Sucker Creek to Lake	ADF&G (1981)
	1982			5000			250000		Max. abundance estimate from several years observations	Kubik (pers. comm.)
	1982		2546					Aerial count		Delaney & Hagler (1983)
	1982		4798							ADF&G (1985c)-SUSOME.TAB
	1982	7/31	1687					Aerial count, helicopter - Good	Mouth to Lake	ADF&G (1983a)
	1983	7/19	3755					Aerial count, helicopter - Good	Mouth to Lake	Barrett et al. (1984)
	1984	7/20	4620					Aerial count, helicopter - Good		Barrett et al. (1985)
247-41-10200-2015-0010 Alexander Lake										
247-41-10200-2015-3010 Deep Creek										
247-41-10200-2015-3017 Granite Creek										
247-41-10200-2015-3020 Fox Creek										
A S C 247-41-10200-2015-3025 Trail Creek										
247-41-10200-2015-3025-4011										
247-41-10200-2015-3025-4015										
247-41-10200-2015-3025-4035										
247-41-10200-2015-3035 Lower Sucker Creek	Hist								Max. count 20 chinook (1964);	
	1963	8/14	15					Aerial count		Kubik (1964)
	1965	7/29	16					Ground survey		Kubik (1966)
	1966		51					Ground survey		Kubik (1967)
	1967		34					Aerial count		Kubik (1973)
	1969		75					Ground survey		Kubik (1973)
	1970		71					Ground survey		Kubik (1973)
	1972		39					Aerial count		Kubik (1973)
	1981	7/29	268					Aerial count, helicopter - Good		ADF&G (1981)
	1982	7/29	322					Aerial count, helicopter - Good		ADF&G (1983a)
	1983	7/19	597					Aerial count, helicopter - Good		Barrett et al. (1984)
247-41-10200-2015-3035-0030										

Appendix Table 1-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
Sucker Lake										
247-41-10200-2015-3035-4019 Wolverine Creek	Hist								1,000,000 pinks (1966) Max. count 14 chinook (1964)	
	1964	8/05	14					Aerial count		Kubik (1965)
	1981	7/24	243					Aerial count, helicopter - Good		ADF&G (1981)
	1982	7/28	537					Aerial count, helicopter - Good		ADF&G (1983a)
	1983	7/19	491					Aerial count, helicopter - Good		Barrett et al. (1984)
247-41-10200-2015-3035-4223 Upper Sucker Creek										
247-41-10200-2015-3035-4225										
247-41-10200-2015-3035-4225-0010										
247-41-10200-2015-3040 Clear Creek										
247-41-10200-2015-3117 Bear Creek										
247-41-10200-2015-3117-4208 Texas Creek										
247-41-10200-2020 Fish Creek (Flat Horn Lake)	1958	5/19	3						Suspect ground survey or aerial count	Kubik (1964)
	1961	6/03	0						Suspect ground survey or aerial count	Kubik (1964)
	1984	9/10	0	0	0	0	0	Aerial count, helicopter - Poor, TRM 0.0		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Aerial count, helicopter - Fair, TRM 0.0		Barrett et al. (1985)
	1984	9/27	0	0	0	0	0	Aerial count, helicopter - Fair, TRM 0.0		Barrett et al. (1985)
	1984	10/06	0	0	0	0	0	Aerial count, helicopter - Good, TRM 0.0		Barrett et al. (1985)
	1984	7/31	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/08	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/17	0	49	0	0	0	Ground survey - Fair/Good, TRM 0.0		Barrett et al. (1985)
	1984	8/25	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
247-41-10200-2020-0010 Flat Horn Lake										
247-41-10200-2020-0015 Red Shirt Lake	Hist								Max. counts, 2,600 sockeye (1952); 380 coho (1952)	
	1972	8/29		160	100			Aerial count, Super Cub		Barrett (1973a)

Appendix Table I-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1972		200						Includes Role Jo Creek	Tarbox & Sanders (1980)
	1973	8/17	35					Aerial count, Super Cub		Barrett (1973a)
	1973	9/14	47					Aerial count, Super Cub		Barrett (1973a)
	1974	8/26	0	0	0	0	0	Aerial count, Super Cub		Barrett (1975a)
	1974	9/09	0	0	0	0	0	Aerial count, Super Cub		Barrett (1975a)
	1974	10/03	1					Aerial count, Super Cub		Barrett (1975a)
	1974		160						Peak survey count	ADFG (1982)
	1975	8/29	135					Aerial count, Super Cub		Friese (1976a)
	1975		159						Includes Role Jo Creek	Tarbox & Sanders (1980)
	1976	8/17	66							ADFG (1985c)-SUSONE.TAB
	1976	8/26	92							ADFG (1985c)-SUSONE.TAB
	1976	9/14	117							ADFG (1985c)-SUSONE.TAB
	1976	9/16	130							ADFG (1985c)-SUSONE.TAB
	1976		180					Aerial count, Super Cub	Peak survey count	Friese (1976b)
	1976		215					Aerial count	Includes Role Jo Creek	Tarbox & Sanders (1980)
	1977	8/24	43					Aerial count	Includes Role Jo Creek	Tarbox & Sanders (1980)
	1977	9/01	4							ADFG (1982)
	1978	8/29	13					Aerial count		Walteyer et al. (1980)
	1979	9/07	645					Aerial count		Tarbox & Sanders (1980)
	1979	9/07		92						ADFG (1985c)-SUSONE.TAB
	1980	9/11	650					Aerial count		Tarbox & Sanders (1980)
	1981	8/25	600							ADFG (1982)
	1981		505					Aerial count		Tarbox et al. (1983)
	1981	8/23	5900							ADFG (1985c)-SUSONE.TAB
	1982		100			1000				ADFG (1985c)-SUSONE.TAB
	1984	8/26	776							ADFG (1985c)-SUSONE.TAB
	1984	8/30	1400							ADFG (1985c)-SUSONE.TAB

247-41-10200-2020-0020

247-41-10200-2020-0030

247-41-10200-2020-0040

247-41-10200-2020-3031

247-41-10200-2020-3031-4016

247-41-10200-2020-3041

247-41-10200-2020-3041-0020

247-41-10200-2020-3110

247-41-10200-2020-3110-0010

Appendix Table 1-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
Cow Lake										
247-41-10200-2020-3130									Note - TYDNEK C-1	
Role Jo Creek *	Mist								Sockeye and coho present	
	1972	8/16		40				Aerial count, Super Cub		Barrett (1973a)
	1972	8/29		160				Aerial count, Super Cub		Barrett (1973a)
	1973	8/17	0	0	0	0	0	Aerial count, Super Cub		Barrett (1973a)
	1973	9/04		47				Aerial count, Super Cub		Barrett (1973a)
	1974		0	0	0	0	0	Aerial count, Super Cub		Barrett (1975a)
	1975	8/29		24				Aerial count, Super Cub		Friese (1976a)
	1976	9/26		25				Aerial count, Super Cub		Friese (1976b)
	1976			35				Aerial count, Super Cub	Peak survey count	Friese (1976b)
	1977	8/24		43						ADF&G (1982)
	1977	9/01		4						ADF&G (1982)
	1977			28				Aerial count		Naantvedt et al. (1979)
	1978			0				Aerial count		Waltmeyer et al. (1980)
	1983	8/23		450						ADF&G (1985c)-SUSONE.TAB
	1984	8/26		450						ADF&G (1985c)-SUSONE.TAB
	1984	8/30		240						ADF&G (1985c)-SUSONE.TAB
247-41-10200-2020-3130-0020										
Lynx Lake										
247-41-10200-2020-3130-4020										
247-41-10200-2020-3150										
247-41-10200-2020-3150-0010										
247-41-10200-2020-3185										
247-41-10200-2020-3185-0010										
247-41-10200-2020-3195										
247-41-10200-2020-3195-0010										
247-41-10200-2030										
247-41-10200-2043										
Anderson Creek										
247-41-10200-2050										
247-41-10200-2060										

Appendix Table I-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2070										
247-41-10200-2075										
247-41-10200-2081 Deshka River / Kroto Creek	Hist									
	1958	5/29	3						Max. count chinook 3,000 (1954); 86 sockeye (1950); 300,000 pinks (1954)	
	1961	6/06	18					Ground survey	Suspected ground survey or aerial Peak count	Kubik (1964) Stefanich (1962)
	1962	8/08-8/11	998					Ground survey		Kubik (1963)
	1963	7/03	131					Aerial count		Kubik (1964)
	1964	8/17	311					Boat survey		Kubik (1965)
	1964		2422					Boat survey	Entire Deshka River System - Chujik, Trapper, West Fork, and Moose	Kubik (1965)
	1965	7/29	640					Aerial count	West Fork only	Kubik (1966)
	1965		2749					Aerial count	Entire Deshka River System	Kubik (1966)
	1965		5000						System-wide aerial estimate	Kubik (1966)
	1966		281					Aerial count	West Fork only	Kubik (1967)
	1966		933					Aerial count	Entire Deshka River System	Kubik (1967)
	1966		2000						System-wide aerial estimate	Kubik (1967)
	1967		764					Aerial count	West Fork only	Kubik (1968)
	1967		1535					Aerial count	Entire Deshka River System	Kubik (1968)
	1967		2500						System-wide aerial estimate	Kubik (1968)
	1968		1246					Aerial count	West Fork only	Kubik (1969)
	1968		4863					Aerial count	Entire Deshka River System	Kubik (1969)
	1969		2036					Aerial count	West Fork only	Kubik (1970)
	1969		5632					Aerial count	Entire Deshka River System	Kubik (1970)
	1969		2300					Sonar count		Stewart & Flagg (1969)
	1970		1417					Aerial count	West Fork only	Kubik (1971)
	1970		5286					Aerial count	Entire Deshka River System	Kubik (1971)
	1971		161					Aerial count	East Fork only	Kubik (1972)
	1972		877					Aerial count	West Fork only	Kubik (1973)
	1972		1780					Aerial count	Entire Deshka River System	Kubik (1973)
	1972		275						Sport fish harvest	ADF&G (1982)
	1972		1780					Ground survey		Kubik & Trent (1974)
	1973		2381					Observation tower count		Kubik & Trent (1974)
	1974		5279					Aerial count		Kubik & Chupach (1975)
	1975		4737					Aerial count		Kubik & Riis (1976)
	1976		21693					Aerial count		Kubik & Wadaan (1977)
	1977		39642					Aerial count		Kubik & Wadaan (1978)
	1978		24639					Aerial count		Kubik & Wadaan (1979)
	1979		5373					Aerial count	Study Area I	Delaney et al. (1981)
	1979		2830					Aerial count	Study Area II	Delaney et al. (1981)

Appendix Table I-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1979		1212					Aerial count	Study Area III, IV, V, & VI	Delaney et al. (1981)
	1979		27385					Aerial count	Entire Deshka River system	Kubik & Delaney (1980)
	1979		7908					Aerial count	Kroto Creek above confluence with Moose Creek	Delaney et al. (1981)
	1982			500	10000		500000		Entire Deshka River System	Kubik (pers.com.)
	1982		20000						ADF&G, Sport Fish	ADF&G (1985c)-SUSDRN.TAB
	1982		16000					Aerial count		Delaney & Hepler (1983)
	1982	8/05-8/09	10671					Aerial count, helicopter - Fair	Partial count - Mainstem Deshka from Trapper Creek to Forks; trapper Creek not surveyed	ADF&G (1983a)
	1983	7/26	19237					Aerial count, helicopter - Excellent		Barrett et al. (1984)
	1984	8/04	16892					Aerial count, helicopter - Good		Barrett et al. (1985)
247-41-10200-2081-0010 Kroto Lake										
247-41-10200-2081-3050 Trapper Creek	Hist								Max. count 234 chinook (1964)	
	1964	8/10	234					Boat survey		Kubik (1965)
	1967		121					Ground survey		Kubik (1973)
	1968		184					Ground survey		Kubik (1973)
	1972		0					Ground survey		Kubik (1973)
	1979		283					Aerial count		Delaney et al. (1981)
	1983	7/29		3000						Marcuson (pers. com.)
247-41-10200-2081-3065 Chijuk Creek *									Note - TYDNEK D-2	
	1964	8/09	238					Boat survey		Kubik (1965)
	1965	7/28	16					Aerial count		Kubik (1966)
	1966		27					Aerial count		Kubik (1973)
	1967		34					Ground survey		Kubik (1973)
	1968		242					Ground survey		Kubik (1973)
	1969		14					Ground survey		Kubik (1973)
	1970		195					Ground survey		Kubik (1973)
	1971		36					Ground survey		Kubik (1973)
	1979		1220					Aerial count		Delaney et al. (1981)
247-41-10200-2081-3065-4019										
247-41-10200-2081-3065-4027 Yenlo Creek										
247-41-10200-2081-3081 Twentymile Creek	Hist							Aerial count	Max. count 2,705 chinook (1965)	Kubik (1965)
	1964	8/07	11							

ASO

Alaska Table - Continue...

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2081-3094 Seventeenmile Creek										
247-41-10200-2081-3100									Note - Most escapements combined in Deshka River totals	
Moose Creek	1964	7/31	1590					Boat survey	Index area	Kubik (1965)
	1965	8/05	2065					Boat survey	Index area	Kubik (1966)
	1966		625					Ground survey	Index area	Kubik (1973)
	1967		596					Ground survey	Index area	Kubik (1973)
	1968		1646					Ground survey	Index area	Kubik (1973)
	1969		2786					Ground survey	Index area	Kubik (1973)
	1970		2824					Ground survey	Index area	Kubik (1973)
	1971		161					Ground survey	Index area	Kubik (1973)
	1972		867					Ground survey	Index area	Kubik (1973)
	1973		316					Aerial count		Kubik & Trent (1974)
	1979		8559					Aerial count		Delaney et al. (1981)
247-41-10200-2081-3100-4167 *									Listed in Kubik's reports as Unknown Creek (vic. Deshka)	
Gate Creek *	1962	6/21	0					Aerial count		Kubik (1964)
	1963	6/27	0					Aerial count		Kubik (1964)
	1964		49					Aerial count		Kubik (1973)
	1965		28					Aerial count		Kubik (1973)
	1970		5					Aerial count		Kubik (1973)
247-41-10200-2081-3121 *									Note - Trib. of Krato Creek, TALK A-1	
Parker Creek	Hist								Max. count 200 sockeye (1965)	
247-41-10200-2081-3100-4155										
247-41-10200-2081-3100-4167										
Gate Creek										
247-41-10200-2081-3124										
247-41-10200-2095										
247-41-10200-2120										
Willow Creek	Hist								Max. count 4,500 chinook (1947); 2,000 coho (1950); 20,000 chum (1950); 40,000 pinks (1950) 60 sockeye (1967)	
	1958	7/04	300						Suspect this was an aerial count	Kubik (1964)
	1961	7/06	170						Peak count	Stefanich (1962)
	1962	7/31	71							Kubik (1963)

A52

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	Sockeye	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1963	7/30	55					Aerial count		Kubik (1964)
	1964	8/02	51					Boat survey		Kubik (1965)
	1965	7/11	35					Aerial count		Kubik (1966)
	1966		103					Aerial count		Kubik (1967)
	1967		24					Aerial count		Kubik (1968)
	1968		125					Aerial count		Kubik (1969)
	1969		290					Ground survey		Rudick (1970)
	1969		100						Index area	
	1970		640						Excellent observation - all at mouth	
	1971		165					Ground survey		Rudick (1971)
	1972		370					Boat survey		Matsjold (1972)
	1972		11					Boat survey		Matsjold (1973)
	1973		1074						Sport fish harvest	
	1973	7/24	678					Boat survey		Matsjold (1974)
	1973	7/25	981							ADF&G (1982)
	1974	7/26	402					Ground survey		ADF&G (1982)
	1975	8/04	177					Ground survey		ADF&G (1982)
	1976	7/15	1660					Ground survey		Matsjold (1975)
	1977		1065					Ground survey		Matsjold (1976)
	1978		1166					Ground survey		Matsjold (1977)
	1979		848					Ground survey		Matsjold (1978)
	1980								No count - high, turbid water	Bentz (1982)
	1981		1357							ADF&G (1982)
	1981						7000	250000		Engel (pers.comm.)
	1981	7/29	991							
	1982		821					Aerial count, helicopter - Good		ADF&G (1981)
	1982	8/06	592							ADF&G (1985c)-SUSOME TAB
	1983	7/18	83					Ground survey - Fair		ADF&G (1983a)
	1983	7/19	494					Aerial count, helicopter - Good		Barrett et al. (1984)
	1983		777					Boat survey, raft - Excellent		Barrett et al. (1984)
									Canyon to Parks Hwy	Hepler & Bentz (1984)
	1984		2789							
	1984	10/06	0	0	0	0	0	Aerial count, helicopter - Good, TRM 0.0		Hopler & Bentz (1985)
	1984	7/27	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/06	0	77	90	157	2871	Ground survey - Excellent, TRM 0.0		Barrett et al. (1985)
	1984	8/12	0	212	347	16	926	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/22	0	0	1198	0	125	Ground survey - Excellent, TRM 0.0		Barrett et al. (1985)
	1984	8/30	0	0	92	1	10	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	9/09	0	0	7	0	7	Ground survey - Excellent, TRM 0.0		Barrett et al. (1985)
	1984	9/10	0	0	3	0	2	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/25	0	0	3	0	8	Ground survey - Excellent, TRM 0.0		Barrett et al. (1985)

247-41-10200-2120-3010

Appendix Table I-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2120-3010-0010										
247-41-10200-2120-3017										
247-41-10200-2120-3020										
	1978		495					Ground survey	Note - TYONEK D-1	
	1979		238					Ground survey	Upper Deception Creek	Watsjold (1979)
	1980		364						Upper Deception Creek	Watsjold (1980)
	1981	7/29	366					Aerial count, helicopter - Good	Less than 10% mortality at this time	ADF&G (1981)
	1982	8/06	229					Ground survey - Fair		ADF&G (1983a)
	1983		121							Hepler & Bentz (1984)
	1984		675							Hepler & Bentz (1985)
247-41-10200-2120-3020-4010										
247-41-10200-2120-3020-4018										
247-41-10200-2120-3020-4021										
247-41-10200-2120-3020-4031										
247-41-10200-2120-3020-4041										
247-41-10200-2120-3020-4051										
247-41-10200-2120-3020-4071										
247-41-10200-2120-3020-4071-5011										
247-41-10200-2120-3020-4071-5018										
247-41-10200-2120-3020-4071-5050										
247-41-10200-2130										
Little Willow Creek	Hist									
	1961	6/27	112					Aerial count, fixed wing	Max. count 278 chinook (1969); 35,000 pinks	
	1962	7/16	26					Aerial count	Peak count	Stefanich (1962)
	1963	7/09	11					Aerial count		Kubik (1963)
	1964	8/13	7					Aerial count		Kubik (1964)
	1965	7/06	3					Aerial count		Kubik (1965)
	1966		38					Aerial count		Kubik (1966)
	1967		6					Aerial count		Kubik (1967)
	1968		12					Aerial count		Kubik (1968)
	1969		150					Ground survey	Excellent observation - all at mouth	Stewart & Flagg (1969)

Appendix Table I-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2180-3061 North Fork Kashwitna River	1984	9/10	0	0	0	0	0	Aerial count, helicopter - Poor, TRM 0.0		Barrett et al. (1985)
	1984	7/26	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/02	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/10	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/20	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/28	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	9/27	0	0	0	0	0	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
247-41-10200-2180-3061 North Fork Kashwitna River	Hist								Chinook present, max count 10,000 pinks (1966)	
	1961	7/25	35					Aerial count, fixed wing	Peak count	Stefanich (1962)
	1962	7/31	19					Aerial count		Kubik (1963)
	1963	7/07	3					Aerial count		Kubik (1964)
	1964	7/17	14					Aerial count		Kubik (1965)
	1965	7/11	3					Aerial count		Kubik (1966)
	1966		2					Aerial count		Kubik (1967)
	1971		1					Aerial count - Poor		Matsjold (1972)
	1972		31					Aerial count		Matsjold (1973)
	1973		193					Aerial count, fixed wing		Matsjold (1974)
	1974		103					Aerial count, fixed wing		Matsjold (1975)
	1975		33					Aerial count, helicopter		Matsjold (1976)
	1976		303					Aerial count, helicopter		Matsjold (1977)
	1977		336					Aerial count, helicopter		Matsjold (1978)
	1978		362					Aerial count, helicopter		Matsjold (1979)
	1979		457					Aerial count, helicopter		Matsjold (1980)
	1980							No count - high, turbid water		Benz (1982)
	1981	7/31	557					Aerial count, helicopter - Good	Less than 10% mortality at this time	ADF&G (1981)
	1982	8/10	156					Aerial count, helicopter - Excellent		ADF&G (1983a)
	1983	7/18	297					Aerial count, helicopter - Good		Barrett et al. (1984)
	1984	7/31	111					Aerial count, helicopter - Poor		Barrett et al. (1985)
	1984	8/20								Barrett et al. (1985)
	1984	9/27			33	172				Barrett et al. (1985)
247-41-10200-2190 Caswell Creek	1958	6/10	0						Suspected aerial count	Kubik (1964)
	1961	7/06	6							Stefanich (1962)
	1962	7/01								Kubik (1963)
	1963	7/07	0							Kubik (1964)
	1966		1							Kubik (1967)
	1984	7/26	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	7/30	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/06	2	0	44	14	16	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	8/13	0	0	42	34	39	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/20	0	0	32	21	29	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/28	0	0	42	20	27	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/06	0	0	40	11	20	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/13	0	0	25	7	4	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/21	0	0	23	10	3	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
247-41-10200-2190-0010 Caswell Lake										
247-41-10200-2190-3020										
247-41-10200-2200 Sheep Creek	1958	6/15	200							Kubik (1964)
	1961	7/06	70							Stefanich (1962)
	1962	7/16	35							Kubik (1963)
	1963	8/07	24							Kubik (1964)
	1964	7/17	5							Kubik (1965)
	1965	7/07	3							Kubik (1966)
	1966		100							Kubik (1967)
	1969		150							Kubik (1970)
	1969		250							Stewart & Flagg (1969)
	1972		101							Matsjold (1973)
	1973		482							Matsjold (1974)
	1974		202							Matsjold (1975)
	1975		42							Matsjold (1976)
	1976		453							Matsjold (1977)
	1977		630							Matsjold (1978)
	1978		1209							Matsjold (1979)
	1979		778							Matsjold (1980)
	1980								No count - high, turbid water	Bentz (1982)
	1981	7/31	1013							ADF&G (1981)
	1982	8/07	527							ADF&G (1983a)
	1983	8/18	945							Bartlett et al. (1984)
	1983		975							Hepner & Bentz (1984)
	1984	7/26	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	7/30	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	7/31	1028					Aerial count, helicopter - Fair		Barrett et al. (1985)
	1984	8/06	0	0	0	86	91	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/13	0	0	21	111	211	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/20	0	0	0	6	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/28	0	0	1	5	1	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	9/06	0	0	4	5	14	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	9/13	0	0	21	2	4	Ground survey - Good, TRM 0.0		Barrett et al. (1985)

App. 1 Table 1 (Continued)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE	
	1984	9/21	0	0	14	2	2	Ground survey - Good, TRM 0.0		Barrett et al. (1985)	
247-41-10200-2230 Goose Creek	Hist										
	1958	7/15	1						Chinook, chum present, max. count 5,000 pinks (1969); 177 coho (1968)		
	1961	7/25	0						Suspect ground survey or aerial count	Kubik (1964)	
	1962	6/27	0						Suspect ground survey or aerial count	Kubik (1964)	
	1963	7/07	0						Suspect ground survey or aerial count	Kubik (1964)	
	1968	9/05			147			Ground survey		Suspect ground survey or aerial count	Kubik (1964)
	1969					0		Ground survey	Index area	Index area	Redick (1969a)
	1970					2		Ground survey	Index area	Index area	Redick (1970)
	1970	9/16				2					Redick (1971)
	1974	7/26	41					Aerial count, fixed wing			ADF&G (1982)
	1975	8/03	13					Aerial count, fixed wing			Matsjold (1975)
	1976	7/15	160					Aerial count, fixed wing			Matsjold (1976)
	1976	7/23	104								Matsjold (1977)
	1977		133					Aerial count, helicopter			ADF&G (1982)
	1978		283					Aerial count, helicopter			Matsjold (1978)
	1980								No count - high, turbid water		Bentz (1982)
	1981	7/30	262					Aerial count, helicopter - Good			ADF&G (1981)
	1982	8/07	140					Aerial count, helicopter - Good			ADF&G (1983a)
	1983	7/18	477					Aerial count, helicopter - Fair			Barrett et al. (1984)
	1984	7/31	258					Aerial count, helicopter - Fair			
	1984	9/14	0	0	7	4	4	Aerial count, helicopter - Good, TRM 0.0			Barrett et al. (1985)
	1984	9/22	0	0	9	3	3	Aerial count, helicopter - Good, TRM 0.0			Barrett et al. (1985)
	1984	7/27	3	74	0	128	0	Ground survey - Poor/Fair, TRM 0.0			Barrett et al. (1985)
	1984	7/31	0	0	0	72	282	Ground survey - Fair, TRM 0.0			Barrett et al. (1985)
	1984	8/07	0	0	8	278	178	Ground survey - Fair, TRM 0.0			Barrett et al. (1985)
	1984	8/14	0	3	7	281	223	Ground survey - Good, TRM 0.0			Barrett et al. (1985)
	1984	8/21	0	0	13	11	25	Ground survey - Good, TRM 0.0			Barrett et al. (1985)
	1984	8/29	0	0	19	12	19	Ground survey - Good, TRM 0.0			Barrett et al. (1985)
	1984	9/07	0	0	14	9	15	Ground survey - Excellent, TRM 0.0			Barrett et al. (1985)
247-41-10200-2250 Montana Creek	Hist								Chinook present, max. count 30,000 pinks (1966); 450 coho (1951)		
	1958	7/11	43						Suspected aerial count		Kubik (1964)
	1961	7/13	65						Peak count		Stefanich (1962)
	1962	6/30	75								Kubik (1963)
	1963	7/09	23								Kubik (1964)
	1964	8/04	75								Kubik (1965)
	1965	7/30	57								Kubik (1966)
	1966		100								Kubik (1967)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1967		2					Ground survey		Kubik (1968)
	1968		5					Ground survey		Kubik (1969)
	1969		250							Kubik (1970)
	1969		150							Rodick (1970)
	1969		50							Stewart & Flagg (1969)
	1970		161							ADF&G (1982)
	1970	7/27	260							ADF&G (1982)
	1970	7/28	21							ADF&G (1982)
	1970		261					Ground survey		Rodick (1971)
	1971		44					Ground survey		Matsjold (1972)
	1971	8/03	20							ADF&G (1982)
	1971	8/05	24							ADF&G (1982)
	1972		317					Ground survey		Matsjold (1973)
	1972	7/25	211							ADF&G (1982)
	1972	7/26	106							ADF&G (1982)
	1973		527					Ground survey		Matsjold (1974)
	1974	7/24	280					Ground survey		Matsjold (1975)
	1975	7/29	229					Ground survey		Matsjold (1976)
	1976	7/26	1445					Ground survey		Matsjold (1977)
	1977		1443					Ground survey		Matsjold (1978)
	1978		881					Ground survey - Poor		Matsjold (1979)
	1979		1094					Ground survey - Poor		Matsjold (1980)
	1980								No count - high, turbid water	Bentz (1982)
	1981	7/30	814					Aerial count, helicopter - Good	Less than 10% mortality at this time	ADF&G (1981)
	1982	8/05	887					Ground survey - Good		ADF&G (1983a)
	1983	7/14	1641					Ground survey - Excellent		Barrett et al. (1984)
A58	1984	7/24	2309					Ground survey - Fair		Barrett et al. (1985)
	1984	7/27	1	0	0	0	0	Ground survey - Fair/Good, TRM 0.0		Barrett et al. (1985)
	1984	7/31	15	0	0	13	23	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/07	3	0	7	20	96	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/14	10	0	12	41	182	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/21	2	0	9	24	37	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/29	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	9/07	0	0	10	6	16	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/14	0	0	50	0	0	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/23	0	0	7	2	0	Ground survey - Good, TRM 0.0		Barrett et al. (1985)

247-41-10200-2250-3050
South Fork Montana Creek

247-41-10200-2250-3061
Middle Fork Montana Creek

247-41-10200-2250-3061-4009

A. Table - Continue...

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COWD	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
North Fork Montana Creek										
247-41-10200-2254										
247-41-10200-2254-0010										
247-41-10200-2254-0020										
247-41-10200-2261										
247-41-10200-2291										
Rabideau Creek	Hist								Chinook present	
	1962	6/27	0					Aerial count		Kubik (1964)
	1964	8/05	8					Aerial count		Kubik (1965)
	1975	9/26			67			Ground survey		Watsjold (1976)
	1976	9/29			91			Ground survey		Watsjold (1977)
	1977		99					Aerial count		Kubik & Madson (1978)
	1978				88			Ground survey		Watsjold (1979)
	1982								chinook, coho, pink present	Kubik (pers. comm.)
	1984	9/26	0	1	21	0	0	Aerial count, helicopter - Good, TRM 0.0		Barrett et al. (1985)
	1984	7/23	8	0	0	0	0	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	7/29	0	7	0	13	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/02	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/10	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/17	0	0	0	0	35	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/24	0	0	0	0	1	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	9/01	0	0	1	2	1	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	9/10	0	0	1	2	0	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/17	0	0	0	1	2	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
247-41-10200-2291-3011										
Queer Creek										
247-41-10200-2291-3011-4030										
247-41-10200-2291-3041										
Gawmill Creek										
247-41-10200-2291-3049										
247-41-10200-2300										
Sunshine Creek	Hist								Max. count 25 chinook (1963); 1,000 pinks (1962)	
	1958	6/10	0						Suspected aerial count	Kubik (1964)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CONO	CHUN	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1961	7/25	0					Aerial count		Kubik (1964)
	1962	6/27	20					Aerial count		Kubik (1963)
	1963	7/07	25					Aerial count		Kubik (1964)
	1984	9/26	0	0	3	12	0	Aerial count, helicopter - Good, TRM 0.0		Barrett et al. (1985)
	1984	7/29	0	0	0	4	1611	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/03	1	42	2	37	321	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/10	0	0	16	0	766	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/17	0	0	20	0	256	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/24	0	0	38	1	16	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/01	0	0	83	1	2	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/10	0	0	0	0	0	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	9/17	0	0	3	7	1	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
247-41-10200-2300-0010 Sunshine Lakes										
247-41-10200-2300-3011										
Question Creek	Mist								Note - All Question Creek and Question Lake data combined.	
	1958	7/15	0						Max. count 5,970 sockeye (1957)	
	1961	7/25	0						Suspected aerial count	
	1962	6/27	0						Kubik (1964)	
	1963	7/07	0						Kubik (1964)	
	1973	9/28			59			Aerial count		Kubik (1964)
					3			Aerial count		Kubik (1964)
	1974							Aerial count		Kubik (1964)
	1975	9/23			111			Ground survey		Matsjold (1974)
	1976	9/28			126			Ground survey		Matsjold (1975)
	1977				87			Ground survey		Matsjold (1976)
	1978				45			Ground survey		Matsjold (1977)
	1979				384			Ground survey		Matsjold (1978)
	1980				321			Ground survey		Matsjold (1979)
	1981				230			Ground survey		Matsjold (1980)
	1982				397			Ground survey		Matsjold (1981)
	1984	9/28			320					Bentz (1982)
	1984	9/29			26			Ground survey - Excellent, TRM 0.0		Bentz (1983)
										Barrett et al. (1985)
										Barrett et al. (1985)
247-41-10200-2300-3011-0010 Question Lake									Note - See Question Creek.	
247-41-10200-2300-3011-4016 Answer Creek	1958	7/15	0							
	1982				24					Kubik (1964)
	1984	9/28			60					ADF&G (1983b)
										Barrett et al. (1985)

Appendix Table 1-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2320 Birch Creek Slough										
247-41-10200-2320-3010 Birch Creek	Hist								Large numbers of sockeye observed 1953; few coho, some chum; 75,000 pinks (1969)	
	1961	6/27	80					Aerial count		Stefanich (1962)
	1962		0					Aerial count		Kubik (1963)
	1963	7/07	6					Aerial count		Kubik (1964)
	1968	9/16			125			Ground survey		Redick (1969a)
	1969	10/01			142			Ground survey		Redick (1970)
	1970	9/17			201					ADF&G (1982)
	1970	9/23			206			Ground survey		Redick (1971)
	1971	9/27			138			Ground survey		Watsjold (1972)
	1972	8/18		107	15	10	3051			ADF&G (1982)
	1972	9/28			68			Ground survey		Watsjold (1973)
	1973	8/31		16				Boat survey		Barrett (1973a)
	1973	9/07		1				Boat survey		Barrett (1973a)
	1973	9/16		5				Boat survey		Barrett (1973a)
	1973	9/26			106			Ground survey		Watsjold (1974)
	1974	8/23	0	0	0	0	0	Boat survey		Barrett (1975a)
	1974	8/29	0	0	0	0	0	Boat survey		Barrett (1975a)
	1974	9/04		2	8			Boat survey		Barrett (1975a)
	1974	9/16	0	0	0	0	0	Boat survey		Barrett (1975a)
	1974	9/26			49			Ground survey	Index area	Watsjold (1975)
	1975	8/21		55			2			ADF&G (1982)
	1975	8/26		8						ADF&G (1982)
	1975	8/29		11	10					ADF&G (1982)
	1975	9/05		1	15		1			ADF&G (1982)
	1975	9/23	0	0	0	0	0			ADF&G (1982)
	1975				92			Ground survey	Index area	Watsjold (1976)
	1976	8/24		49			19			ADF&G (1982)
	1976	8/27		25	11		7			ADF&G (1982)
	1976				40					ADF&G (1982)
	1976				27			Ground survey	Index area	Watsjold (1977)
	1977				96			Ground survey	Index area	Watsjold (1978)
	1978	9/11		299	146					ADF&G (1982)
	1978				103			Ground survey	Index area	Watsjold (1979)
	1979	8/28		100	25					ADF&G (1982)
	1979				120			Ground survey	Index area	Watsjold (1980)
	1980				121			Ground Survey	Index area	Watsjold (1981)
	1981	8/25		150	10	10		Ground survey	Index area	ADF&G (1982)
	1981				121			Ground survey	Index area	Bentz (1982)
	1982				41			Ground survey	Index area	Bentz (1983)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODD	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	7/23	0	0	0	0	0	Ground survey - Excellent, TRM 0.0		Barrett et al. (1985)
	1984	7/29	9	174	0	0	132	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/02	9	50	0	0	115	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/09	16	0	0	0	904	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/16	9	0	0	0	551	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/23	1	3	0	0	72	Ground survey - Excellent, TRM 0.0		Barrett et al. (1985)
	1984	9/02	0	1	0	0	56	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	9/09	0	0	0	0	62	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/16	0	0	0	0	71	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/23	0	0	0	0	4	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
247-41-10200-2320-3010-0010										
Fish Lake (Birch Creek)	Hist								Max. counts 500 sockeye (1953)	
	1972	8/18		107				Boat survey		Barrett (1973a)
	1973	8/21		251				Boat survey		Barrett (1973a)
	1973	8/31		205				Boat survey		Barrett (1973a)
	1973	9/07		158				Boat survey		Barrett (1973a)
	1973	9/16		158				Boat survey		Barrett (1973a)
	1974	8/23		43				Boat survey		Barrett (1975a)
	1974	8/29		95				Boat survey		Barrett (1975a)
	1974	9/04		67				Boat survey		Barrett (1975a)
	1974	9/16		67				Boat survey		Barrett (1975a)
	1975	8/21		70						ADF&G (1982)
	1975	8/26		93						ADF&G (1982)
	1975	8/29		113						ADF&G (1982)
	1975	9/05		132						ADF&G (1982)
	1975	9/23		46						ADF&G (1982)
	1975			187				Boat survey	Peak survey count	Friesen (1976a)
	1976	8/24		82	17		48	Boat survey		Friesen (1976b)
	1976	8/27		25	11		26			ADF&G (1982)
	1976	9/03		47			7			ADF&G (1982)
	1976	9/07		23			14			ADF&G (1982)
	1977			611					Peak survey count	Nantvedt et al. (1979)
	1978	8/22		79			42			ADF&G (1982)
	1978	9/25		242	28					ADF&G (1982)
	1978			299					Peak survey count	Waltzinger et al. (1980)
	1979			100					Low visibility, turbid H2O	Tarbox & Sanders (1980)
	1980	8/18		2100						Tarbox & Sanders (1980)
	1981			176						Tarbox et al. (1983)
	1982			280						ADF&G (1985c)-SUSONE.TAB
	1984	8/08		26			10055			ADF&G (1985c)-SUSONE.TAB
	1984	8/15		190			20020			ADF&G (1985c)-SUSONE.TAB

247-41-10200-2320-3010-4010

Appen Table 1 (Continued.)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2341										
Trapper Creek	1984	7/23	15	0	0	0	0	Ground survey - Excellent, TRM 0.0		Barrett et al. (1985)
	1984	7/28	2	45	0	5	234	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/01	0	0	0	0	70	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/08	1	0	2	46	224	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/15	2	0	4	41	313	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
	1984	8/22	0	2	8	21	19	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/30	0	0	0	3	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	9/08	0	0	8	11	14	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/15	0	0	21	14	7	Ground survey - Excellent, TRM 0.0		Barrett et al. (1985)
	1984	9/24	0	0	3	13	2	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
247-41-10200-2355 *										
Cache Creek *	1984	7/23	0	0	0	0	0	Ground survey - Excellent, TRM 0.0	Note - TALK B-1	Barrett et al. (1985)
	1984	7/28	0	0	0	0	0	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/01	0	0	0	0	0	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/08	0	0	0	0	0	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/15	0	12	0	28	17	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/22	0	0	0	3	14	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	8/30	0	0	3	1	13	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	9/08	0	0	6	17	11	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/15	0	0	13	37	0	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/24	0	0	1	22	0	Ground survey - Good, TRM 0.0		Barrett et al. (1985)
247-41-10200-2391										
Whiskers Creek	1974	8/30			27			Ground, boat and aerial counts combined	Peak count	Barrett (1974)
	1975	8/04	22							Friese (1975)
	1981	8/05	0	0	0	0	0	Ground survey - Poor, 0.5 mi.		ADFG (1981)
	1981	8/11	0	0	8	0	0	Ground survey - Poor, 0.25 mi.		ADFG (1981)
	1981	8/25	0	0	43	0	0	Ground survey - Fair, 0.5 mi.		ADFG (1981)
	1981	8/29	0	0	50	0	0	Ground survey - Good, 0.5 mi.		ADFG (1981)
	1981	9/06	0	0	70	0	0	Ground survey - Good, 0.5 mi.		ADFG (1981)
	1981	9/17	0	0	9	1	1	Ground survey - Fair, 0.5 mi.		ADFG (1981)
	1981	9/24	0	0	16	0	1	Ground survey - Good, 0.5 mi.		ADFG (1981)
	1981	10/02	0	0	11	0	0	Ground survey - Good, 0.5 mi.		ADFG (1981)
1982	8/08	0	0	5	0	73	Ground survey - Excellent, 0.5 mi.		ADFG (1983b)	
	8/13	0	0	39	0	27	Ground survey - Excellent, 0.5 mi.		ADFG (1983b)	
	8/18	0	0	82	0	47	Ground survey - Poor, 0.25 mi.		ADFG (1983b)	
	8/23	0	0	176	0	138	Ground survey - Excellent, 0.25 mi.		ADFG (1983b)	
	9/21	0	0	0	0	0	Ground survey - Poor, 0.5 mi.		ADFG (1983b)	
	9/24	0	0	39	0	0	Ground survey - Good, 10.0 mi.		ADFG (1983b)	
1982	10/25	0	0	0	0	0	Ground survey - Good, 0.8 mi.		ADFG (1983b)	

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
A64	1983	7/15	3	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	7/25	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/04	3	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
	1983	8/12	0	0	4	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
	1983	8/26	0	0	5	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
	1983	9/05	0	0	55	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/09	0	0	50	0	0	Ground survey - Fair, 0.25 mi.		Barrett et al. (1984)
	1983	9/10	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
	1983	9/19	0	0	32	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/24	0	0	115	0	0	Aerial count, helicopter - Excellent, 8.0 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Aerial count, helicopter - Poor, 8.0 mi.		Barrett et al. (1984)
	1983	10/09	0	0	6	0	0	Aerial count, helicopter - Good, 8.0 mi.		Barrett et al. (1984)
	1984	7/22	67	0	0	0	0	Aerial count, helicopter - Fair, 8.0 mi.		Barrett et al. (1985)
	1984	9/01	0	0	90	0	0	Aerial count, helicopter - Good, 8.0 mi.		Barrett et al. (1985)
	1984	9/08	0	0	301	0	0	Aerial count, helicopter - Good, 8.0 mi.		Barrett et al. (1985)
A64	1984	9/15	0	0	33	0	0	Aerial count, helicopter - Fair, 8.0 mi.		Barrett et al. (1985)
	1984	9/22	0	0	217	0	0	Aerial count, helicopter - Excellent, 8.0 mi.		Barrett et al. (1985)
	1984	9/29	0	0	273	0	0	Aerial count, helicopter - Good, 8.0 mi.		Barrett et al. (1985)
	1984	10/13	0	0	46	0	0	Aerial count, helicopter - Excellent, 8.0 mi.		Barrett et al. (1985)
	1984	10/18	0	0	132	0	0	Aerial count, helicopter - Good, 8.0 mi.		Barrett et al. (1985)
	1984	7/11	0	0	0	0	0	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1985)
	1984	7/22	40	0	0	0	0	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1985)
	1984	7/27	1	0	0	0	41	Ground survey - Fair, 0.5 mi.		Barrett et al. (1985)
	1984	8/02	1	0	0	0	67	Ground survey - Fair, 0.5 mi.		Barrett et al. (1985)
	1984	8/09	0	0	6	0	174	Ground survey - Fair, 0.5 mi.		Barrett et al. (1985)
	1984	8/15	0	0	10	0	293	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1985)
	1984	8/26	0	0	0	0	10	Ground survey - Poor, 0.5 mi.		Barrett et al. (1985)
	1984	9/06	0	0	45	0	14	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1985)
	1984	9/17	0	0	117	0	0	Ground survey - Good, 0.5 mi.		Barrett et al. (1985)
	1984	9/24	0	0	18	0	0	Ground survey - Good, 0.5 mi.		Barrett et al. (1985)
	1984	9/30	0	0	22	0	0	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1985)
	1984	10/07	0	0	38	0	0	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1985)

247-41-10200-2391-3021

247-41-10200-2420

Chase Creek *

1974	8/16&0/21	1		Ground, boat and aerial counts combined	Note - TALK B-1
1974	9/01		40	Ground, boat and aerial counts combined	Peak count
1981	8/04	0	0	0	ADF&G (1981)
1981	8/11	0	0	23	ADF&G (1981)
1981	8/17	0	0	0	ADF&G (1981)
1981	8/23	0	0	13	ADF&G (1981)
				5	Ground survey - Good, 0.75 mi.
				38	Ground survey - Good, 0.75 mi.
				0	Ground survey - Fair, 0.75 mi.
				0	Ground survey - Excellent, 0.75 mi.

Barrett (1974)

Barrett (1974)

ADF&G (1981)

ADF&G (1981)

ADF&G (1981)

ADF&G (1981)

Appen Table 1- (inued.)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1981	8/29	0	0	49	0	0	Ground survey - Good, 0.75 mi.		ADF&G (1981)
	1981	9/07	0	0	80	1	0	Ground survey - Excellent, 0.75 mi.		ADF&G (1981)
	1981	9/14	0	0	62	1	0	Ground survey - Good, 0.75 mi.		ADF&G (1981)
	1981	9/24	0	0	34	0	0	Ground survey - Good, 0.75 mi.		ADF&G (1981)
	1981	10/02	0	0	21	0	0	Ground survey - Good, 0.75 mi.		ADF&G (1981)
	1982	8/08	0	0	0	0	4	Ground survey - Excellent, 0.75 mi.		ADF&G (1983b)
	1982	8/11	15	0	0	0	96	Ground survey - Good, 1.0 mi.		ADF&G (1983b)
	1982	8/20	2	0	0	0	107	Ground survey - Excellent, 1.0 mi.		ADF&G (1983b)
	1982	8/28	2	0	0	0	62	Ground survey - Excellent, 1.0 mi.		ADF&G (1983b)
	1982	9/06	0	0	0	0	4	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/17	0	0	1	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/21	0	0	3	0	0	Ground survey - Excellent, 0.75 mi.		ADF&G (1983b)
	1982	9/27	0	0	36	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Fair, 0.5 mi.		ADF&G (1983b)
	1983	7/21	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	7/22	0	0	0	0	0	Ground survey - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	8/01	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	8/12	0	0	0	0	6	Ground survey - Good, 0.75 mi.		Barrett et al. (1984)
	1983	8/27	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	9/06	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	9/19	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	9/24	0	0	12	0	0	Aerial count, helicopter - Excellent, 1.2 mi.		Barrett et al. (1984)
	1983	10/01	0	0	6	0	0	Aerial count, helicopter - Good, 1.2 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	10/08	0	0	1	0	0	Aerial count, helicopter - Excellent, 1.2 mi.		Barrett et al. (1984)
	1983	10/08	0	0	1	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1984	9/01	0	0	120	0	0	Aerial count, helicopter - Good, 2.0 mi.		Barrett et al. (1985)
	1984	9/08	0	0	95	0	0	Aerial count, helicopter - Good, 2.0 mi.		Barrett et al. (1985)
	1984	9/15	0	0	70	0	0	Aerial count, helicopter - Poor, 2.0 mi.		Barrett et al. (1985)
	1984	9/22	0	0	43	0	0	Aerial count, helicopter - Good, 2.0 mi.		Barrett et al. (1985)
	1984	9/29	0	0	74	0	0	Aerial count, helicopter - Good, 2.0 mi.		Barrett et al. (1985)
	1984	10/06	0	0	34	0	0	Aerial count, helicopter - Good, 2.0 mi.		Barrett et al. (1985)
	1984	10/13	0	0	26	0	0	Aerial count, helicopter - Excellent, 2.0 mi.		Barrett et al. (1985)
	1984	7/12	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1985)
	1984	7/27	0	0	0	0	41	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1985)
	1984	8/02	1	0	0	0	49	Ground survey - Fair, 0.75 mi.		Barrett et al. (1985)
	1984	8/09	2	0	2	0	68	Ground survey - Good, 0.75 mi.		Barrett et al. (1985)
	1984	8/16	3	0	0	1	438	Ground survey - Good, 0.75 mi.		Barrett et al. (1985)
	1984	8/28	0	0	239	0	140	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1985)
	1984	9/04	0	0	202	0	116	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1985)
	1984	9/17	0	0	85	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1985)
	1984	9/24	0	0	44	0	0	Ground survey - Good, 0.75 mi.		Barrett et al. (1985)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	9/30	0	0	42	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1985)
	1984	10/07	0	0	32	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1985)
	1984	10/14	0	0	10	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1985)
247-41-10200-2426 =										
Gash Creek *										
	1982	9/21	0	0	6	0	0	Ground survey - Excellent, 0.75 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Good, 0.1 mi.		ADF&G (1983b)
	1983	7/27	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/15	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/22	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/29	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/12	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/19	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/02	0	0	2	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1984	7/23	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	7/30	0	0	0	0	0	Ground survey - Fair, 0.25 mi.		Barrett et al. (1985)
	1984	8/07	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/14	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/21	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/27	0	0	0	0	3	Ground survey - Fair, 0.25 mi.		Barrett et al. (1985)
	1984	9/05	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/16	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/24	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/30	0	0	5	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	10/07	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2435										
Gash Creek *										
	1981	9/23	0	0	141	0	0	Ground survey - Excellent, 0.75 mi.		ADF&G (1981)
	1981	9/28	0	0	117	0	0	Ground survey - Excellent, 0.75 mi.		ADF&G (1981)
	1982	8/07	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/19	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/01	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/07	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/23	0	0	74	0	0	Ground survey - Excellent, 1.0 mi.		ADF&G (1983b)
	1982	9/27	0	0	67	0	0	Ground survey - Excellent, 1.0 mi.		ADF&G (1983b)
	1982	10/02	0	0	22	0	0	Ground survey - Excellent, 1.0 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1983	7/27	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	8/05	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1983	8/15	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	8/22	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	8/29	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	9/05	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	9/12	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	9/19	0	0	19	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	10/02	0	0	16	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1984	9/01	0	0	14	0	0	Aerial count, helicopter - Good, 3.0 mi.		Barrett et al. (1985)
	1984	7/23	0	0	0	0	0	Ground survey - Excellent, 3.0 mi.		Barrett et al. (1985)
	1984	7/30	0	0	0	0	0	Ground survey - Fair, 3.0 mi.		Barrett et al. (1985)
	1984	8/07	0	0	0	0	0	Ground survey - Excellent, 3.0 mi.		Barrett et al. (1985)
	1984	8/14	0	0	0	0	0	Ground survey - Excellent, 3.0 mi.		Barrett et al. (1985)
	1984	8/21	0	0	0	0	0	Ground survey - Excellent, 3.0 mi.		Barrett et al. (1985)
	1984	8/27	0	0	0	0	0	Ground survey - Poor, 3.0 mi.		Barrett et al. (1985)
	1984	9/05	0	0	20	0	0	Ground survey - Good, 3.0 mi.		Barrett et al. (1985)
	1984	9/16	0	0	61	0	0	Ground survey - Good, 3.0 mi.		Barrett et al. (1985)
	1984	9/24	0	0	234	0	0	Ground survey - Good, 3.0 mi.		Barrett et al. (1985)
	1984	9/30	0	0	192	0	0	Ground survey - Excellent, 3.0 mi.		Barrett et al. (1985)
	1984	10/07	0	0	127	0	0	Ground survey - Excellent, 3.0 mi.		Barrett et al. (1985)
	1984	10/14	0	0	71	0	0	Ground survey - Excellent, 3.0 mi.		Barrett et al. (1985)

A67 247-41-10200-2440
Lone Creek

Year	Date	Chinook present			Chinook present	Suspected aerial count	Reference	
			Aerial count	Peak count				
1958	7/17	5					Kubik (1964)	
1961	6/27	0					Kubik (1964)	
1962	7/19	0			Aerial count		Kubik (1964)	
1974	8/09				Aerial count			
1975	8/17				B2	Ground, boat and aerial counts combined	Peak count	Barrett (1974)
1975	8/17				106		Peak count	Friesz (1975)
1975	8/17		3					ADF&G (1985c)-SUSDNE.TAB
1981	7/27	22				Aerial count, helicopter - Fair		ADF&G (1981)
1981	7/28	40				Aerial count, helicopter - Good		ADF&G (1981)
1981	8/19	0	0	0	9	Ground survey - Fair, 0.5 mi.		ADF&G (1981)
1981	8/23	0	0	0	76	Ground survey - Excellent, 1.0 mi.		ADF&G (1981)
1981	8/29	0	0	0	17	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
1981	9/05	0	0	0	44	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
1981	9/13	0	0	0	24	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
1981	9/21	0	0	3	1	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
1981	9/28	0	0	1	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
1982	7/12	47	0	0	0	Ground survey - Excellent, 0.7 mi.		ADF&G (1983b)
1982	7/28	41	0	0	0	Ground survey - Fair, 2.5 mi.		ADF&G (1983b)
1982	8/02	1	0	0	1	Ground survey - Fair, 0.25 mi.		ADF&G (1983b)
1982	8/07	1	0	0	1	Ground survey - Excellent, 0.5 mi.		ADF&G (1983b)
1982	8/13	0	0	1	1	Ground survey - Excellent, 0.5 mi.		ADF&G (1983b)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	Sockeye	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
10200-2441	1982	8/19	0	0	0	4	577	Ground survey - Excellent, 0.5 mi.		ADF&G (1983b)
	1982	8/25	0	0	0	11	576	Ground survey - Excellent, 0.5 mi.		ADF&G (1983b)
	1982	8/31	0	0	0	11	78	Ground survey - Good, 0.5 mi.		ADF&G (1983b)
	1982	9/04	0	0	1	5	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/14	0	0	5	1	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1983b)
	1982	9/21	0	0	1	0	0	Ground survey - Fair, 0.5 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1983	7/12	6	0	0	0	0	Ground survey - Excellent, 1.5 mi.		Barrett et al. (1984)
	1983	7/21	6	0	0	0	0	Ground survey - Excellent, 1.5 mi.		Barrett et al. (1984)
	1983	7/28	0	0	0	0	0	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1984)
A68	1983	8/02	12	0	0	0	0	Aerial count, helicopter - Excellent, 1.5 mi.		Barrett et al. (1984)
	1983	8/05	6	0	0	0	5	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/15	0	0	0	6	28	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/22	0	0	0	3	28	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/29	0	0	0	1	14	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/12	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/19	0	0	2	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/24	0	0	1	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Aerial count, helicopter - Excellent, 2.0 mi.		Barrett et al. (1984)
	1984	7/22	23	0	0	0	0	Aerial count, helicopter - Excellent, 5.0 mi.		Barrett et al. (1985)
	1984	7/23	4	0	0	0	0	Aerial count, helicopter - Excellent, 5.0 mi.		Barrett et al. (1985)
	1984	9/29	0	0	24	0	0	Aerial count, helicopter - Good, 5.0 mi.		Barrett et al. (1985)
	1984	10/06	0	0	17	0	0	Aerial count, helicopter - Good, 5.0 mi.		Barrett et al. (1985)
	1984	7/30	6	0	0	6	35	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/07	1	0	0	25	686	Ground survey - Fair, 0.25 mi.		Barrett et al. (1985)
	1984	8/14	0	0	0	16	1184	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/21	0	0	3	31	829	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/27	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/05	0	0	0	2	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/16	0	0	1	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/24	0	0	2	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/30	0	0	2	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	10/05	0	0	8	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
Note - TALK C-1										
Clyde Creek #										
247-41-10200-2441	1984	8/07	0	0	8	0	4	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/14	0	0	8	0	10	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/21	0	0	8	0	34	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/27	0	0	8	0	5	Ground survey - Fair, 0.25 mi.		Barrett et al. (1985)
	1984	9/05	0	0	8	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/16	0	0	8	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)

247-41-10200-2441 *

Clyde Creek *

App Table 1 (Continued)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	9/24	0	0	8	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/30	0	0	8	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2443 *									Note - TALK C-1	
Maggot Creek *	1984	8/07	0	0	0	0	107	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/14	0	0	0	0	68	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/21	0	0	0	0	48	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/27	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/05	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/16	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/24	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2444									Note - TALK C-1	
Lower McKenzie Creek *	1981	8/23	0	1	56	14	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1981	8/29	0	0	0	12	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1981	9/05	0	0	0	2	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1981	9/13	0	0	4	1	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1981	9/21	0	0	2	0	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1981	9/28	0	0	2	1	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1982	8/07	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/13	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/19	0	0	0	0	23	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/25	0	0	0	0	6	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/31	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/06	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/14	0	0	133	0	0	Ground survey - Excellent, 1.5 mi.		ADF&G (1983b)
	1982	9/21	0	0	103	0	0	Ground survey - Good, 1.5 mi.		ADF&G (1983b)
	1982	9/27	0	0	90	0	0	Ground survey - Excellent, 1.0 mi.		ADF&G (1983b)
	1982	10/02	0	0	34	0	0	Ground survey - Excellent, 1.0 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1983	7/27	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	8/05	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	8/15	0	0	0	1	17	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	8/22	0	0	0	1	5	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	8/29	0	0	0	0	1	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	9/05	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	9/12	0	0	0	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	9/19	0	0	4	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	9/24	0	0	5	0	0	Ground survey - Fair, 3.0 mi.		Barrett et al. (1984)
	1983	10/01	0	0	18	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Aerial count, helicopter - Excellent, 2.0 mi.		Barrett et al. (1984)
	1983	10/08	0	0	4	0	0	Ground survey - Excellent, 0.75 mi.		Barrett et al. (1984)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	9/29	0	0	3	0	0	Aerial count, helicopter - Good, 2.0 mi.		Barrett et al. (1985)
	1984	7/30	0	0	0	0	585	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/07	0	0	0	0	226	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/14	0	0	0	0	115	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/21	0	0	0	0	71	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/27	0	0	24	23	4	Ground survey - Fair, 0.25 mi.		Barrett et al. (1985)
	1984	9/05	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/16	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/24	0	0	9	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/30	0	0	10	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	10/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2450 McKenzie Creek	1961	6/27	0							Kubik (1964)
	1962	7/19	0							Kubik (1964)
	1975	9/27		45						Friese (1975)
	1981	8/11	0	0	0	0	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1981	8/23	0	0	0	0	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1982	8/07	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/13	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/19	0	0	0	0	17	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/25	0	0	0	0	7	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/31	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/06	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/14	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/21	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/22	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	10/02	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Fair, 0.1 mi.		ADF&G (1983b)
	1983	7/27	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/15	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/22	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/29	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/12	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/19	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1984	7/30	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/07	0	0	0	0	11	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/14	0	0	0	0	7	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/21	0	0	0	0	5	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)

Appendix Table A-1 (continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODD	CHUN	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	8/27	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/05	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/16	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/24	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2454 *									Note - TALK C-1	
Little Portage Creek *	1982	8/07	0	0	0	0	40	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/13	0	0	0	0	140	Ground survey - Excellent, 0.5 mi.		ADF&G (1983b)
	1982	8/19	0	0	0	0	74	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/25	0	0	0	31	61	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/31	0	0	0	5	9	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/06	0	0	0	25	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/14	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/21	0	0	6	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/27	0	0	8	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	10/02	0	0	8	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	10/23	0	0	0	0	0	Ground survey - Good, 0.1 mi.		ADF&G (1983b)
	1983	7/27	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/15	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/22	0	0	0	0	7	Ground survey - Fair, 0.25 mi.		Barrett et al. (1984)
	1983	8/29	0	0	0	0	3	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/12	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/19	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1984	7/23	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	7/30	0	0	0	0	1	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	8/07	0	0	0	0	8	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/13	0	0	0	2	157	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	8/20	0	0	0	18	162	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/27	0	0	0	0	26	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/05	0	0	0	8	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/16	0	0	0	2	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/24	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2462 *									Note - TALK C-1	
Deadhorse Creek *	1962	7/19	0					Aerial count		Kubik (1964)
	1981	8/11	0	0	0	0	0	Ground survey - Excellent, 0.5 mi.	RN 120.9	ADF&G (1981)
	1981	8/25	0	0	0	0	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1983	8/15	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1983	8/22	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/30	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/06	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/13	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/17	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/25	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1984	8/06	0	0	0	0	41	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/13	0	0	0	0	337	Ground survey - Excellent, 1.5 mi.		Barrett et al. (1985)
	1984	8/20	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	8/27	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/06	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/13	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2470										
247-41-10200-2473										
Fifth of July Creek	1981	8/11	0	0	0	0	2	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1982	8/06	3	0	0	1	17	Ground survey - Excellent, 0.5 mi.		ADF&G (1983b)
	1982	8/12	0	0	0	0	61	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/19	0	0	0	0	113	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/25	0	0	0	0	29	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/31	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/06	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/14	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/20	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Poor, 0.2 mi.		ADF&G (1983b)
	1983	7/21	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/05	0	0	0	5	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/13	0	0	0	0	9	Ground survey - Good, 0.25 mi.		Barrett et al. (1984)
	1983	8/20	0	0	0	0	6	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/27	0	0	0	0	3	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/03	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1984)
	1983	9/11	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.25 mi.		Barrett et al. (1984)
	1984	7/22	10	0	0	0	0	Aerial count, helicopter - Good, 0.5 mi.		Barrett et al. (1985)

A72

Ap. 13 (Table 1, continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	7/22	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	7/23	17	0	0	0	0	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1985)
	1984	7/30	5	0	0	0	4	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	8/06	0	0	0	2	171	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/13	0	0	0	1	411	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/20	0	0	0	1	222	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/04	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/11	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/21	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/28	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	10/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2474 Skull Creek *	1981	8/11	0	0	0	10	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1981	8/19	0	0	0	0	4	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1981	8/20	0	0	0	0	8	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
	1982	8/06	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/12	0	0	0	0	12	Ground survey - Excellent, 0.5 mi.		ADF&G (1983b)
	1982	8/17	0	0	0	0	12	Ground survey - Excellent, 0.5 mi.		ADF&G (1983b)
	1982	8/23	0	0	0	0	11	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/31	0	0	0	1	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/06	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/13	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/19	0	0	0	0	0	Ground survey - Fair, 0.25 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Excellent, 0.1 mi.		ADF&G (1983b)
	1983	8/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/13	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/20	0	0	0	0	1	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/27	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/03	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1984)
	1983	9/11	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1984)
	1984	7/22	0	0	0	0	0	Aerial count, helicopter - Good, 1.5 mi.		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good, 1.5 mi.		Barrett et al. (1985)
	1984	7/30	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/06	0	0	0	0	10	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/13	0	0	0	0	121	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/20	0	0	0	4	81	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	9/04	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/11	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/21	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/28	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2510 Sherman Creek #	1962	7/10	0					Aerial count		Kubik (1964)
	1981	7/31	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		ADF&B (1981)
	1981	8/07	0	0	0	2	0	Ground survey - Good, 0.25 mi.		ADF&G (1981)
	1981	8/10	0	0	0	9	5	Ground survey - Good, 0.25 mi.		ADF&G (1981)
	1981	8/11	0	0	0	6	2	Ground survey - Excellent, 0.25 mi.		ADF&E (1981)
	1981	8/20	0	0	0	2	6	Ground survey - Excellent, 0.25 mi.		ADF&G (1981)
	1981	9/25	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1981)
	1982	8/06	3	0	0	0	5	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/12	0	0	0	0	24	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/17	0	0	0	0	5	Ground survey - Excellent, 0.25 mi.		ADF&B (1983b)
	1982	8/23	0	0	0	0	3	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/13	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		ADF&G (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	10/01	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Excellent, 0.1 mi.		ADF&G (1983b)
	1983	8/07	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/14	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/21	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1984)
	1983	8/29	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/11	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.25 mi.		Barrett et al. (1984)
	1984	7/22	0	0	0	0	0	Aerial count, helicopter - Excellent, 2.0 mi.		Barrett et al. (1985)
	1984	7/23	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	7/30	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	8/06	0	0	0	2	43	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/13	0	0	0	6	48	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/20	0	0	0	6	21	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/04	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/11	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/21	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/28	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)

Appendix Table 1-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2511										
Fourth of July Creek *	1974	8/16								
	1974	9/11			26		594	159	Ground, boat and aerial counts combined	Peak count
	1975	8/09	1						Ground, boat and aerial counts combined	Peak count
	1975	8/17		1				148		
	1981	7/31	0	0	0	1	0	Ground survey - Poor, 0.25 mi.		ADF&G (1981)
	1981	8/07	0	0	1	90	18	Ground survey - Fair, 0.25 mi.		ADF&G (1981)
	1981	8/10	0	0	0	31	4	Ground survey - Good, 0.25 mi.		ADF&G (1981)
	1981	8/20	0	0	0	66	29	Ground survey - Good, 0.25 mi.		ADF&G (1981)
	1981	9/01	0	0	0	0	5	Ground survey - Excellent, 1.5 mi.		ADF&G (1981)
	1981	9/25	0	0	1	1	0	Ground survey - Excellent, 0.3 mi.		ADF&G (1981)
	1982	7/28	56	0	0	0	0	Ground survey - Good, 2.0 mi.		ADF&G (1983b)
	1982	8/06	8	0	0	0	63	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/12	5	0	0	0	511	Ground survey - Good, 0.5 mi.		ADF&G (1983b)
	1982	8/17	0	0	0	0	594	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/23	0	0	0	168	702	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/30	0	0	0	188	125	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/05	0	0	0	0	191	0 Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/13	0	0	1	50	0	Ground survey - Fair, 0.25 mi.		ADF&G (1983b)
	1982	9/19	0	0	0	43	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/25	0	0	4	28	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	10/01	0	0	2	6	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Poor, 0.2 mi.		ADF&G (1983b)
	1983	7/10	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	7/21	0	0	0	0	0	Ground survey - Excellent, 1.5 mi.		Barrett et al. (1984)
	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 1.5 mi.		Barrett et al. (1984)
	1983	8/02	6	0	0	0	0	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	8/05	6	0	0	11	25	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	8/13	3	0	0	54	20	Ground survey - Good, 0.5 mi.		Barrett et al. (1984)
	1983	8/20	0	0	0	112	78	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	8/27	0	0	1	148	32	Ground survey - Good, 0.5 mi.		Barrett et al. (1984)
	1983	9/03	0	0	0	30	11	Ground survey - Fair, 0.5 mi.		Barrett et al. (1984)
	1983	9/11	0	0	2	24	0	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	9/18	0	0	3	54	0	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Poor, 0.5 mi.		Barrett et al. (1984)
	1983	10/08	0	0	2	14	0	Ground survey - Excellent, 0.5 mi.		Barrett et al. (1984)
	1984	7/22	92	0	0	0	0	Aerial count, helicopter - Good, 4.0 mi.		Barrett et al. (1985)
	1984	7/23	34	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Fair, 4.0 mi.		Barrett et al. (1985)
	1984	9/29	0	0	8	0	0	Aerial count, helicopter - Good, 2.0 mi.		Barrett et al. (1985)
	1984	7/30	25	0	0	129	553	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	8/06	6	1500	0	13	702	Ground survey - Fair, 0.25 mi.		Barrett et al. (1985)
	1984	8/13	0	0	0	193	1842	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/20	0	0	0	175	929	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/04	0	0	0	70	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/11	0	0	0	22	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/21	0	0	1	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/28	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	10/05	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2540										
Gold Creek	1962	7/20	0						Suspected aerial count	Kubik (1964)
	1981	8/25	0	0	0	0	0	Ground survey - Fair, 0.75 mi.		ADF&G (1981)
	1982	8/03	21	0	0	0	0	Ground survey - Excellent, 4.0 mi.		ADF&G (1983b)
	1982	8/11	2	0	0	0	11	Ground survey - Good, 0.5 mi.		ADF&G (1983b)
	1982	8/19	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/23	0	0	1	0	2	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/30	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Fair, 0.2 mi.		ADF&G (1983b)
A76										
	1983	7/24	23	0	0	0	0	Aerial count, helicopter - Excellent, 7.0 mi.		Barrett et al. (1984)
	1983	7/29	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/01	15	0	0	0	0	Aerial count, helicopter - Excellent, 7.0 mi.		Barrett et al. (1984)
	1983	8/07	6	0	0	0	7	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/14	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
	1983	8/21	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
	1983	8/29	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1984)
	1983	9/10	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.25 mi.		Barrett et al. (1984)
	1984	7/22	2	0	0	0	0	Aerial count, helicopter - Poor, 7.0 mi.		Barrett et al. (1985)
	1984	8/01	23	0	0	0	0	Aerial count, helicopter - Good, 7.0 mi.		Barrett et al. (1985)
	1984	8/18	0	0	0	0	0	Aerial count, helicopter - Poor, 7.0 mi.		Barrett et al. (1985)
	1984	9/01	0	0	0	0	0	Aerial count, helicopter - Excellent, 7.0 mi.		Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good, 7.0 mi.		Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good, 7.0 mi.		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Excellent, 7.0 mi.		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good, 7.0 mi.		Barrett et al. (1985)
	1984	8/08	1	0	0	0	82	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	8/24	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Fair, 0.25 mi.		Barrett et al. (1985)
	1984	9/28	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2551										
Indian River										
Hist									Max. count 1,002 chinook (1957)	
1962	7/03	28						Aerial count		Kubik (1963)
1962	8/19	0						Aerial count		Kubik (1963)
1964	8/12	2						Aerial count		Kubik (1965)
1972	7/30	35						Aerial count		Matsjold (1973)
1973	7/26	110								ADF&G (1982)
1973	7/29	122						Aerial count, fixed wing		Matsjold (1974)
1973		5						Aerial count		Kubik & Trent (1974)
1974	7/25	102						Aerial count, fixed wing		Matsjold (1975)
1974	8/19						577	Ground, boat and aerial counts combined	Peak count	Barrett (1974)
1974	9/10				64		531	Ground, boat and aerial counts combined		Barrett (1974)
1975	8/04	31						Aerial count, fixed wing		Matsjold (1976)
1975		35								ADF&G (1982)
1975	8/12	10				70	321			Friese (1975)
1975	9/26								Peak count	Friese (1975)
1976	7/23	537						Aerial count, fixed wing		Matsjold (1977)
1977		393						Aerial count, fixed wing		Matsjold (1978)
1978		114						Aerial count, fixed wing		Matsjold (1979)
1979	10/29					150			Cook Inlet Aquaculture Ass'n (CIAA)	
1979		285						Aerial count, fixed wing		Matsjold (1980)
1980									No count - high, turbid water	Bentz (1982)
1981	7/27	422						Aerial count, helicopter - Good		ADF&G (1981)
1981	8/06	0	0	0	0	22	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1981)
1981	8/10	0	0	0	0	4	0	Ground survey - Poor, 0.25 mi.		ADF&G (1981)
1981	8/21	0	0	0	0	34	2	Ground survey - Fair, 0.25 mi.		ADF&G (1981)
1981	9/03	0	0	0	0	40	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1981)
1981	9/11	0	0	0	16	16	0	Ground survey - Fair, 0.25 mi.		ADF&G (1981)
1981	9/15	0	0	0	85	0	0	Aerial count, helicopter - Good, 15.0 mi.		ADF&G (1981)
1981	9/19	0	0	0	10	3	0	Ground survey - Fair, 0.25 mi.		ADF&G (1981)
1981	9/26	0	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1981)
1982	7/21	1053	0	0	0	0	0	Aerial count, helicopter - Excellent, 15.0 mi.		ADF&G (1983b)
1982	8/01	110	0	0	0	0	0	Ground survey - Excellent, 6.0 mi.		ADF&G (1983b)
1982	8/03	142	0	0	0	0	24	Ground survey - Excellent, 2.0 mi.		ADF&G (1983b)
1982	8/05	129	0	0	0	16	203	Ground survey - Good, 4.0 mi.		ADF&G (1983b)
1982	8/11	30	0	0	0	134	738	Ground survey - Excellent, 1.0 mi.		ADF&G (1983b)
1982	8/16	15	0	0	9	367	559	Ground survey - Excellent, 1.0 mi.		ADF&G (1983b)
1982	8/23	2	0	0	0	199	567	Ground survey - Excellent, 1.0 mi.		ADF&G (1983b)
1982	8/29	8	0	0	18	168	347	Ground survey - Good, 1.0 mi.		ADF&G (1983b)
1982	9/04	0	0	0	24	1346	98	Ground survey - Excellent, 2.0 mi.		ADF&G (1983b)
1982	9/12	0	0	0	37	1177	0	Ground survey - Excellent, 2.0 mi.		ADF&G (1983b)
1982	9/18	0	0	0	36	74	0	Ground survey - Excellent, 2.0 mi.		ADF&G (1983b)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COD	CUN	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1982	9/24	0	0	101	0	0	Aerial count, helicopter - Excellent, 15.0 mi.		ADFG (1983b)
	1982	9/30	0	0	32	2	0	Ground survey - Excellent, 2.0 mi.		ADFG (1983b)
	1982	10/25	0	0	0	0	0	Ground survey - Good, 1.0 mi.		ADFG (1983b)
	1983	7/25	1193	0	0	0	0	Aerial count, helicopter - Excellent, 16.0 mi.		Barrett et al. (1984)
	1983	8/02	406	0	0	0	0	Aerial count, helicopter - Excellent, 16.0 mi.		Barrett et al. (1984)
	1983	8/09	8	0	0	0	0	Aerial count, helicopter - Poor, 16.0 mi.		Barrett et al. (1984)
	1983	8/26	0	0	16	361	151	Aerial count, helicopter - Good, 16.0 mi.		Barrett et al. (1984)
	1983	9/03	0	0	33	118	0	Aerial count, helicopter - Good, 16.0 mi.		Barrett et al. (1984)
	1983	9/10	0	0	53	120	0	Aerial count, helicopter - Excellent, 16.0 mi.		Barrett et al. (1984)
	1983	9/24	0	0	38	0	0	Aerial count, helicopter - Excellent, 16.0 mi.		Barrett et al. (1984)
	1983	10/01	0	0	17	0	0	Aerial count, helicopter - Good, 16.0 mi.		Barrett et al. (1984)
	1983	10/08	0	0	18	0	0	Aerial count, helicopter - Good, 16.0 mi.		Barrett et al. (1984)
	1983	7/27	40	0	0	76	36	Ground survey - Fair, 1.0 mi.		Barrett et al. (1984)
	1983	8/04	4	0	0	314	696	Ground survey - Good, 1.0 mi.		Barrett et al. (1984)
	1983	8/12	0	0	0	494	675	Ground survey - Good, 1.0 mi.		Barrett et al. (1984)
	1983	8/19	0	1	27	811	886	Ground survey - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	8/27	0	0	22	734	289	Ground survey - Fair, 1.0 mi.		Barrett et al. (1984)
	1983	9/03	0	0	0	0	0	Ground survey - Poor, 1.0 mi.		Barrett et al. (1984)
	1983	9/10	0	0	15	171	0	Ground survey - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	9/16	0	0	7	108	0	Ground survey - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	9/22	0	0	15	0	0	Ground survey - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	10/03	0	0	5	0	0	Ground survey - Excellent, 1.0 mi.		Barrett et al. (1984)
	1984	7/25	1456	0	0	0	0	Aerial count, helicopter - Good, 16.0 mi.		Barrett et al. (1985)
	1984	8/01	635	0	0	437	1466	Aerial count, helicopter - Good, 16.0 mi.		Barrett et al. (1985)
	1984	8/11	42	1	5	2247	7966	Aerial count, helicopter - Excellent, 16.0 mi.		Barrett et al. (1985)
	1984	8/18	0	0	125	1758	9066	Aerial count, helicopter - Fair, 16.0 mi.		Barrett et al. (1985)
	1984	9/01	0	0	211	509	0	Aerial count, helicopter - Excellent, 16.0 mi.		Barrett et al. (1985)
	1984	9/08	0	0	277	62	0	Aerial count, helicopter - Good, 16.0 mi.		Barrett et al. (1985)
	1984	9/15	0	0	465	6	0	Aerial count, helicopter - Good, 16.0 mi.		Barrett et al. (1985)
	1984	9/22	0	0	203	0	0	Aerial count, helicopter - Excellent, 16.0 mi.		Barrett et al. (1985)
	1984	9/29	0	0	87	0	0	Aerial count, helicopter - Good, 16.0 mi.		Barrett et al. (1985)
	1984	10/06	0	0	74	0	0	Aerial count, helicopter - Good, 16.0 mi.		Barrett et al. (1985)
	1984	10/13	0	0	77	0	0	Aerial count, helicopter - Excellent, 16.0 mi.		Barrett et al. (1985)
	1984	7/24	199	0	0	0	0	Ground survey - Good, 1.0 mi.		Barrett et al. (1985)
	1984	7/31	197	0	0	296	549	Ground survey - Fair, 1.0 mi.		Barrett et al. (1985)
	1984	8/08	100	0	2	494	3405	Ground survey - Good, 1.0 mi.		Barrett et al. (1985)
	1984	8/11	0	0	3	515	1834	Ground survey - Excellent, 1.0 mi.		Barrett et al. (1985)
	1984	8/17	0	0	45	1272	5282	Ground survey - Good, 1.0 mi.		Barrett et al. (1985)
	1984	8/24	0	0	0	0	0	Ground survey - Poor, 1.0 mi.		Barrett et al. (1985)
	1984	9/02	0	0	29	354	4	Ground survey - Good, 1.0 mi.		Barrett et al. (1985)
	1984	9/10	0	0	70	230	0	Ground survey - Good, 1.0 mi.		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Poor, 1.0 mi.		Barrett et al. (1985)
	1984	9/28	0	0	8	0	0	Ground survey - Excellent, 1.0 mi.		Barrett et al. (1985)

Appendix Table I-1 (continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	10/03	0	0	10	0	0	Ground survey - Excellent, 1.0 mi.		Barrett et al. (1985)
	1984	10/11	0	0	0	0	0	Ground survey - Excellent, 1.0 mi.		Barrett et al. (1985)
247-41-10200-2551-3015										
Salmon Creek										
247-41-10200-2551-3015-0010										
Summit Lake										
247-41-10200-2570										
Jack Long Creek *										
1981	8/21	0	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		ADF&G (1981)
1981	8/26	0	0	0	0	0	1	Ground survey - Excellent, 0.75 mi.		ADF&G (1981)
1981	9/24	0	0	0	0	0	0	Ground survey - Excellent, 0.5 mi.		ADF&G (1981)
1982	8/04	2	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
1982	8/11	2	0	0	0	0	15	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
1982	8/16	0	0	0	0	0	21	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
1982	8/22	0	0	0	0	0	8	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
1982	8/30	0	0	1	0	3	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
1982	9/04	0	0	0	0	1	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
1982	9/12	0	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
1982	9/18	0	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		ADF&G (1983b)
1982	9/30	0	0	1	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
1982	10/25	0	0	0	0	0	0	Ground survey - Poor, 0.3 mi.		ADF&G (1983b)
1983	7/24	0	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.0 mi.		Barrett et al. (1984)
1983	8/01	6	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
1983	8/04	1	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
1983	8/12	1	0	0	0	2	5	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
1983	8/18	0	0	0	0	2	1	Ground survey - Excellent, 0.25 mi.	*	Barrett et al. (1984)
1983	8/25	0	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
1983	9/02	0	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
1983	9/10	0	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
1983	9/15	0	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
1983	9/22	0	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
1983	10/01	0	0	1	0	0	0	Aerial count, helicopter - Excellent, 0.0 mi.		Barrett et al. (1984)
1983	10/03	0	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
1984	7/21	7	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.0 mi.		Barrett et al. (1985)
1984	9/08	0	0	0	0	0	0	Aerial count, helicopter - Good, 0.0 mi.		Barrett et al. (1985)
1984	9/15	0	0	0	0	0	0	Aerial count, helicopter - Good, 0.0 mi.		Barrett et al. (1985)
1984	9/22	0	0	5	0	0	0	Aerial count, helicopter - Excellent, 0.0 mi.		Barrett et al. (1985)
1984	9/29	0	0	6	0	0	0	Aerial count, helicopter - Good, 0.0 mi.		Barrett et al. (1985)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	7/31	1	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/08	2	0	0	4	14	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/17	0	0	0	1	5	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/24	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/02	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/10	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/26	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	10/03	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2505 Portage Creek	1962	7/30	27					Aerial count		Kubik (1963)
	1963	8/15	0					Aerial count		Kubik (1964)
	1972	7/30	68					Aerial count, fixed wing		Matsjold (1973)
	1973	7/26	153							ADF&G (1982)
	1973	7/29	174					Aerial count, helicopter		Matsjold (1974)
	1974	7/27	260					Aerial count, fixed wing		Matsjold (1975)
	1974	8/18			150	276	218	Ground, boat and aerial counts combined	Peak count	Barrett (1974)
	1975	7/29	29						Peak count	Friese (1975)
	1975	8/04	32					Aerial count, fixed wing		Matsjold (1976)
	1976	7/23	702					Aerial count, fixed wing		Matsjold (1977)
	1977		374					Aerial count, fixed wing		Matsjold (1978)
	1978		140					Aerial count, fixed wing		Matsjold (1979)
	1979		190					Aerial count, fixed wing		Matsjold (1980)
	1980							No count - High, turbid water		Bentz (1982)
	1981	7/27	459					Aerial count, helicopter - Good		ADF&G (1981)
	1981	8/21	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		ADF&G (1981)
	1981	9/15	0	0	22	0	0	Aerial count, helicopter - Fair, 12.0 mi.		ADF&G (1981)
	1981	9/24	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1981)
	1982	7/21	955	0	0	0	0	Aerial count, helicopter - Excellent, 15.0 mi.		ADF&G (1983b)
	1982	11/11								Bentz (1983)
	1982	8/03	1253	0	0	0	0	Aerial count, helicopter - Excellent, 15.0 mi.		ADF&G (1983b)
	1982	8/09	25	0	0	25	144	Ground survey - Excellent, 0.5 mi.		ADF&G (1983b)
	1982	8/16	1	0	0	71	169	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/22	2	0	1	153	111	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	8/29	1	0	1	28	141	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/03	0	0	0	7	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	9/12	0	0	0	0	0	Ground survey - Good, 0.25 mi.		ADF&G (1983b)
	1982	9/18	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		ADF&G (1983b)
	1982	9/23	0	0	0	0	0	Ground survey - Fair, 0.25 mi.		ADF&G (1983b)
	1982	9/24	0	0	88	5	0	Aerial count, helicopter - Excellent, 15.0 mi.		ADF&G (1983b)
	1982	9/30	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		ADF&G (1983b)

Appendix Table 1-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1983	7/25	3140	0	0	0	0	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1984)
	1983	8/01	2556					Aerial count, helicopter - Excellent		Barrett et al. (1984)
	1983	8/09	0	0	0	0	0	Aerial count, helicopter - Poor, 25.0 mi.		Barrett et al. (1984)
	1983	8/26	5	0	0	526	35	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1984)
	1983	9/04	0	0	0	141	0	Aerial count, helicopter - Good, 25.0 mi.		Barrett et al. (1984)
	1983	9/10	0	0	1	8	0	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1984)
	1983	9/24	0	0	15	0	0	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1984)
	1983	10/01	0	0	2	0	0	Aerial count, helicopter - Fair, 25.0 mi.		Barrett et al. (1984)
	1983	10/08	0	0	6	0	0	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1984)
	1983	8/04	5	0	0	262	285	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/12	4	0	0	68	50	Ground survey - Good, 0.25 mi.		Barrett et al. (1984)
	1983	8/18	0	0	2	26	57	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	8/25	0	0	0	0	4	Ground survey - Fair, 0.25 mi.		Barrett et al. (1984)
	1983	9/02	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1984)
	1983	9/09	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/15	0	0	0	1	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	9/22	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
	1983	10/03	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1984)
A81	1984	7/21	99	0	0	0	0	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1985)
	1984	7/25	190	0	0	0	0	Aerial count, helicopter - Poor, 25.0 mi.		Barrett et al. (1985)
	1984	2341								Hepfer & Bentz (1985)
	1984	8/01	5446	0	0	115	90	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1985)
	1984	8/11	663	0	15	405	2707	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1985)
	1984	8/18	12	14	91	1285	2105	Aerial count, helicopter - Good, 25.0 mi.		Barrett et al. (1985)
	1984	9/01	0	0	9	60	0	Aerial count, helicopter - Good, 25.0 mi.		Barrett et al. (1985)
	1984	9/08	0	0	93	19	0	Aerial count, helicopter - Good, 25.0 mi.		Barrett et al. (1985)
	1984	9/15	0	0	120	0	0	Aerial count, helicopter - Good, 25.0 mi.		Barrett et al. (1985)
	1984	9/22	0	0	94	0	0	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1985)
	1984	9/29	0	0	115	0	0	Aerial count, helicopter - Good, 25.0 mi.		Barrett et al. (1985)
	1984	10/06	0	0	48	0	0	Aerial count, helicopter - Good, 25.0 mi.		Barrett et al. (1985)
	1984	10/13	0	0	43	0	0	Aerial count, helicopter - Excellent, 25.0 mi.		Barrett et al. (1985)
	1984	7/31	43	0	0	53	40	Ground survey - Fair, 0.25 mi.		Barrett et al. (1985)
	1984	8/01	153	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/04	50	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/08	11	0	6	242	158	Ground survey - Fair, 0.25 mi.		Barrett et al. (1985)
	1984	8/17	0	12	21	262	58	Ground survey - Fair, 0.25 mi.		Barrett et al. (1985)
	1984	8/18	2	0	0	156	302	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	8/24	0	0	0	0	0	Ground survey - Poor, 0.25 mi.		Barrett et al. (1985)
	1984	9/02	0	2	0	1	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/10	0	1	1	0	0	Ground survey - Good, 0.25 mi.		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
	1984	9/26	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	10/03	0	0	0	0	0	Ground survey - Excellent, 0.25 mi.		Barrett et al. (1985)
247-41-10200-2585-3100										
247-41-10200-2585-3201 Thoroughfare Creek										
247-41-10200-2585-3223										
247-41-10200-2596 Cheechako Creek *										
A82	1962	7/19	0					Aerial count	Note - TALK MTS D-5	Kubik (1964)
	1982	8/05	11	0	0	0	0	Aerial count, helicopter - Excellent, 0.75 mi. Tributary in Devil Canyon (RM 152.5).		ADFL&G (1983b)
	1982	8/06	16	0	0	0	0	Aerial count, helicopter - Excellent, 3.0 mi.		ADFL&G (1983b)
	1982	8/11	6	0	0	0	0	Aerial count, helicopter - Good, 1.0 mi.		ADFL&G (1983b)
	1982	8/19	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		ADFL&G (1983b)
	1982	8/22	1	0	0	0	0	Aerial count, helicopter - Good, 1.5 mi.		ADFL&G (1983b)
	1982	8/28	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		ADFL&G (1983b)
	1982	9/08	0	0	0	0	0	Aerial count, helicopter - Good, 0.5 mi.		ADFL&G (1983b)
	1982	9/24	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.5 mi.		ADFL&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Good, 0.1 mi.		ADFL&G (1983b)
	1983	7/24	16	0	0	0	0	Aerial count, helicopter - Excellent, 1.25 mi.		Barrett et al. (1984)
	1983	8/01	25	0	0	0	0	Aerial count, helicopter - Excellent, 1.25 mi.		Barrett et al. (1984)
	1983	8/09	2	0	0	0	0	Aerial count, helicopter - Good, 1.25 mi.		Barrett et al. (1984)
	1983	8/26	0	0	0	0	0	Aerial count, helicopter - Fair, 1.25 mi.		Barrett et al. (1984)
	1983	9/04	0	0	0	0	0	Aerial count, helicopter - Good, 1.25 mi.		Barrett et al. (1984)
	1983	9/10	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.25 mi.		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.25 mi.		Barrett et al. (1984)
	1983	9/24	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.25 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.25 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.25 mi.		Barrett et al. (1984)
	1984	7/21	16	0	0	0	0	Aerial count, helicopter - Good, 1.25 mi.		Barrett et al. (1985)
	1984	8/01	29	0	0	0	0	Aerial count, helicopter - Good, 1.25 mi.		Barrett et al. (1985)
	1984	8/11	6	0	0	0	0	Aerial count, helicopter - Good, 1.25 mi.		Barrett et al. (1985)
	1984	8/18	0	0	0	0	0	Aerial count, helicopter - Good, 1.25 mi.		Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good, 1.25 mi.		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good, 1.25 mi.		Barrett et al. (1985)
	1984	10/13	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.25 mi.		Barrett et al. (1985)
247-41-10200-2630 Chinook Creek *										
	1982	8/06	5	0	0	0	0	Aerial count, helicopter - Excellent, 2.0 mi. Tributary in Devil Canyon (RM 156.8).		ADFL&G (1983b)
	1982	8/11	1	0	0	0	0	Aerial count, helicopter - Good, 1.5 mi.		ADFL&G (1983b)
	1982	8/18	1	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		ADFL&G (1983b)



Appendix Table I-1 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1982	8/22	0	0	0	0	0	Aerial count, helicopter - Good, 2.0 mi.		ADFG (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Good, 0.1 mi.		ADFG (1983b)
	1983	7/24	4	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	8/01	8	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	8/09	0	0	0	0	0	Aerial count, helicopter - Poor, 1.0 mi.		Barrett et al. (1984)
	1983	8/26	0	0	0	0	0	Aerial count, helicopter - Fair, 1.0 mi.		Barrett et al. (1984)
	1983	9/04	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	9/10	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	9/17	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	9/24	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1984)
	1984	7/21	2	0	0	0	0	Aerial count, helicopter - Fair, 1.0 mi.		Barrett et al. (1985)
	1984	8/01	15	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1985)
	1984	8/11	8	0	0	0	0	Aerial count, helicopter - Good, 1.0 mi.		Barrett et al. (1985)
	1984	8/18	0	0	0	0	0	Aerial count, helicopter - Good, 1.0 mi.		Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good, 1.0 mi.		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good, 1.0 mi.		Barrett et al. (1985)
	1984	10/13	0	0	0	0	0	Aerial count, helicopter - Excellent, 1.0 mi.		Barrett et al. (1985)
A C C 247-41-10200-2649 * Devil Creek *	Note - TALK MTS D-5									
	1982	8/06	0	0	0	0	0	Aerial count, helicopter - Excellent, 2.0 mi. Tributary in Devil Canyon (RM 161.0).		ADFG (1983b)
	1982	8/11	0	0	0	0	0	Aerial count, helicopter - Excellent, 2.0 mi.		ADFG (1983b)
	1982	8/18	0	0	0	0	0	Aerial count, helicopter - Excellent, 2.0 mi.		ADFG (1983b)
	1982	8/22	0	0	0	0	0	Aerial count, helicopter - Excellent, 2.0 mi.		ADFG (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Good, 1.0 mi.		ADFG (1983b)
	1983	7/24	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	8/01	1	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	8/02	1	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	8/09	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	8/26	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	9/04	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	9/10	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	9/24	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1984)
	1984	7/21	0	0	0	0	0	Aerial count, helicopter - Poor, 0.5 mi.		Barrett et al. (1985)
	1984	8/01	0	0	0	0	0	Aerial count, helicopter - Fair, 0.5 mi.		Barrett et al. (1985)
	1984	8/11	0	0	0	0	0	Aerial count, helicopter - Good, 0.5 mi.		Barrett et al. (1985)
	1984	8/18	0	0	0	0	0	Aerial count, helicopter - Good, 0.5 mi.		Barrett et al. (1985)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODD	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good, 0.5 mi.		Barrett et al. (1985)
	1984	10/13	0	0	0	0	0	Aerial count, helicopter - Excellent, 0.5 mi.		Barrett et al. (1985)
247-41-10200-2696 *									Note - TALK MTS D-4 Furthest upstream tributary (RM 176.1) where salmon have been documented in the middle reach of the Susitna River.	
Fog Creek *	1984	7/21	2	0	0	0	0	Aerial count, helicopter - Excellent, 3.0 mi.		Barrett et al. (1985)
	1984	8/01	0	0	0	0	0	Aerial count, helicopter - Excellent, 3.0 mi.		Barrett et al. (1985)
	1984	8/11	0	0	0	0	0	Aerial count, helicopter - Good, 3.0 mi.		Barrett et al. (1985)
	1984	8/18	0	0	0	0	0	Aerial count, helicopter - Good, 3.0 mi.		Barrett et al. (1985)

* - These new location codes and names were submitted to the editors of the Anadromous Waters Catalog in October 1985. Upon verification, they will be included in the next printing of the Anadromous Waters Catalog.

Appendix Table 1-2. Escapement survey counts of adult salmon in the Yentna River drainage.

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	Sockeye	CODD	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2053										
Yentna River	1974	7/13-8/17		54978				Mark-recapture	Modified Peterson	Barrett (1975b)
	1974	7/13-8/14		3746	1036	345	2534	Yentna Station fishwheel catch		Barrett (1975b)
Yentna Station	1981	6/29-9/07		139401	17017	19785	36053	Side-scan sonar	Escapement estimate	ADF&G (1981)
	1982	6/27-9/05		113847	34089	27830	447257	Side-scan sonar	Escapement estimate	ADF&G (1983a)
	1983	6/30-9/05		104400	8900	10800	60700	Side-scan sonar	Escapement estimate	Barrett et al. (1984)
	1984	7/01-9/05		149400	18200	26500	369300	Side-scan sonar	Escapement estimate	Barrett et al. (1985)
247-41-10200-2053-3020										
Kroto Slough										
247-41-10200-2053-3020-4029 *								Note - TYONEK C-2		
Whitsol Creek *	1984	9/10	0	0	55	0	0	Aerial count, helicopter - Good, TRM 0.0		Barrett et al. (1985)
	1984	9/27	0	0	20	0	0	Aerial count, helicopter - Good, TRM 0.0		Barrett et al. (1985)
	1984	10/06	0	0	0	0	0	Aerial count, helicopter - Good, TRM 0.0		Barrett et al. (1985)
	1984	7/31	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/09	0	0	0	0	0	Ground survey - Poor/Good, TRM 0.0		Barrett et al. (1985)
	1984	8/19	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	8/25	0	0	0	0	0	Ground survey - Poor, TRM 0.0		Barrett et al. (1985)
	1984	9/20	0	0	30	0	0	Ground survey - Fair, TRM 0.0		Barrett et al. (1985)
247-41-10200-2053-3020-0010										
Whitsol Lake										
247-41-10200-2053-3020-4015										
Fish Creek	1961	6/08	0					Suspected aerial count		Kubik (1964)
	1962	7/03	0					Suspected aerial count		Kubik (1964)
	1963	8/14	0					Suspected aerial count		Kubik (1964)
	1977		132				Aerial count			Kubik & Madman (1978)
247-41-10200-2053-3100										
Moose Creek	1958	7/11	0					Suspected aerial count		Kubik (1964)
	1961	6/29	0				Aerial count			Kubik (1964)
	1962	7/05	0				Aerial count			Kubik (1964)
	1963	6/27	2				Aerial count			Kubik (1964)
	1965		28				Aerial count			Kubik (1966)
247-41-10200-2053-3150										
Kahiltna River	1958	7/23	0					Suspected aerial count		Kubik (1964)
	1961	6/17	0				Aerial count			Kubik (1964)
	1962	7/05	0				Aerial count			Kubik (1964)
	1963	7/04	0				Aerial count			Kubik (1964)

Appendix Table 1-2 (Continued).

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODHO	CHUN	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
Sand Creek										
247-41-10200-2053-3150-4060-5033-6019 South Fork Martin Creek										
247-41-10200-2053-3150-4060-5033-6025										
247-41-10200-2053-3150-4060-5033-6033 String Creek										
247-41-10200-2053-3150-4060-5040 Deep Creek										
247-41-10200-2053-3150-4060-5050 Cottonwood Creek										
247-41-10200-2053-3150-4060-5050-6003 Willow Creek										
247-41-10200-2053-3150-4060-5067 *	1964	7/03	4					Aerial count	Note - TALK C-2	Kubik (1965)
Bird Creek *										
247-41-10200-2053-3150-4080 Bear Creek	1962	7/23	9					Aerial count	Peak	Kubik (1963)
	1963	7/09	13					Aerial count	Peak	Kubik (1964)
	1964	7/29	4					Aerial count	Peak	Kubik (1965)
	1972		12					Aerial count	Peak	Kubik (1973)
	1976		15					Aerial count		Kubik & Madman (1977)
	1977		298					Aerial count		Kubik & Madman (1978)
	1982		100				5000			Kubik (pers. comm.)
									Max. abundance estimate from several years observations	
247-41-10200-2053-3150-4090 Pickle Creek	1982		100				5000			Kubik (pers. comm.)
247-41-10200-2053-3150-4090-5008 Hungryman Creek	1982		100	5000						Kubik (pers. comm.)
247-41-10200-2053-3150-4115 Treasure Creek										
247-41-10200-2053-3150-4120 Cache Creek	1958	7/23	0						Suspected aerial count	Kubik (1964)
								100%		
								100%		

Appendix Table I-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODD	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1962	7/23	4					Aerial count		Kubik (1963)
	1963	6/25	0					Aerial count	Peak	Kubik (1964)
	1976		61					Aerial count		Kubik & Madan (1977)
	1977		100					Aerial count		Kubik & Madan (1978)
	1982				2		68			Kubik (pers. comm.)
	1983			497				Aerial count		Heptner & Bentz (1984)
247-41-10200-2053-3150-4120-5017 Dollar Creek										
247-41-10200-2053-3150-4120-5021 Falls Creek										
247-41-10200-2053-3150-4120-5023										
247-41-10200-2053-3150-4120-5027 Nugget Creek										
247-41-10200-2053-3150-4120-5032 Cache Creek										
247-41-10200-2053-3150-4144 * Granite Creek *	1973		4					Aerial count, fixed wing	Note - TALK B-3	Matsjold (1974)
247-41-10200-2053-3170 Lake Creek	Hist								Max. count 770 chinook (1969), 559 sockeye (1958)	
	1961	6/27	60					Aerial count		Kubik (1964)
	1962	7/12	10					Aerial count	Peak	Kubik (1963)
	1963	6/21	4					Aerial count		Kubik (1964)
	1964		45					Aerial count	Lake Creek mainstem count	Kubik (1965)
	1964		305					Aerial count	Lake Creek System (includes Camp, Sunflower, Yentlo, and Twin Cks.)	Kubik (1965)
	1965		172					Aerial count	Lake Creek mainstem count	Kubik (1967)
	1965		0					Aerial count	Lake Creek System	Kubik (1967)
	1966		30					Aerial count	Lake Creek mainstem count	Kubik (1967)
	1966		147					Aerial count	Lake Creek System	Kubik (1967)
	1966		300					Total escapement estimate		Kubik (1967)
	1967		343					Aerial count	Lake Creek mainstem count	Kubik (1968)
	1967		723					Aerial count	Lake Creek System	Kubik (1968)
	1967		1000						Total escapement estimate	Kubik (1968)
	1968		362					Aerial count	Lake Creek mainstem count	Kubik (1969)
	1968		653					Aerial count	Lake Creek System	Kubik (1969)
	1968		1300						Total escapement estimate	Kubik (1969)

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COND	CUN	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1969		304					Aerial count	Lake Creek mainstem count	Kubik (1970)
	1969		770					Aerial count	Lake Creek System	Kubik (1970)
	1969		1540						Total escapement estimate	Kubik (1970)
	1969		350						Excellent observation - TRM 0.0-10.0	Stewart & Flagg (1969)
	1970		54					Aerial count - Poor	Lake Creek mainstem count, high water	Kubik (1971)
	1970	7/26	189				70			ADF&G (1982)
	1971		0					Aerial count	Lake Creek mainstem count	Kubik (1972)
	1971		119					Aerial count	Includes Sunflower & Camp Ck	Kubik (1972)
	1972		442					Aerial count	Lake Creek mainstem count	Kubik (1973)
	1972		920					Aerial count	Lake Creek System	Kubik (1973)
	1972	8/30	114	112						ADF&G (1982)
	1973		761					Aerial count/Ground survey		Kubik & Trent (1974)
	1974		535					Aerial count		Kubik & Chlupach (1975)
	1975		281					Aerial count		Kubik & Riss (1976)
	1976	7/26	3735					Aerial count		Kubik & Madman (1977)
	1977		7391					Aerial count		Kubik & Madman (1978)
	1978		8931					Aerial count		Kubik & Madman (1979)
	1979		4196					Aerial count		Kubik & Delaney (1980)
	1980		6000	5000	2500	15000	500000			Kubik (pers. comm.)
	1981	7/30	169					Aerial count, helicopter - Poor	Camp Creek to Lake, partial count	ADF&G (1981)
	1982		3577					Aerial count		Delaney & Nepler (1983)
	1982	8/02	2317					Aerial count, helicopter - Good		ADF&G (1983a)
	1983	7/26	7075					Aerial count, helicopter - Excellent		Barrett et al. (1984)
247-41-10200-2053-3170-0010 Chelatchie Lake	1972		57							
	1973		11						Includes Coffee Ck. & Snowslide Ck.	Tarbox & Sanders (1980)
	1974		0						Includes Coffee Ck. & Snowslide Ck.	Tarbox & Sanders (1980)
	1975		4						Includes Coffee Ck. & Snowslide Ck.	Tarbox & Sanders (1980)
	1975	8/29	50						Includes Coffee Ck. & Snowslide Ck.	Tarbox & Sanders (1980)
	1977		171						Includes Coffee Ck. & Snowslide Ck.	Tarbox & Sanders (1980)
	1978		0						Includes Coffee Ck. & Snowslide Ck.	Tarbox & Sanders (1980)
	1979		0						Glacially occluded, Coffee & Snowslide	Tarbox & Sanders (1980)
	1980	8/29	4120						Includes Coffee Ck. & Snowslide Ck.	Tarbox & Sanders (1980)
	1981	8/27	14500						Includes Coffee Ck. & Snowslide Ck., includes 2,700 carcasses	Tarbox et al. (1983)
	1982	8/20	23180						Includes 2,700 carcasses	ADF&G (1985c)-YENONE.TAB
	1983	8/25	520							ADF&G (1985c)-YENONE.TAB
	1984	8/08	575							ADF&G (1985c)-YENONE.TAB
	1984	8/15	341							ADF&G (1985c)-YENONE.TAB
	1984	8/26	41							ADF&G (1985c)-YENONE.TAB
247-41-10200-2053-3170-4027 Yenno Creek	1962	7/27	33					Aerial survey 1979 count		Kubik (1963)

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1963	6/25	0					Aerial count		Kubik (1964)
	1964	7/29	8					Aerial count		Kubik (1965)
	1965	7/29	3					Aerial count		Kubik (1966)
	1966		6					Aerial count		Kubik (1973)
	1969		28					Aerial count		Kubik (1973)
	1972		0					Aerial count		Kubik (1973)
247-41-10200-2053-3170-4039										
247-41-10200-2053-3170-4039-5017										
247-41-10200-2053-3170-4045										
Home Creek										
247-41-10200-2053-3170-4057										
Camp Creek	Hist								Max. count 101 chinook (1965)	
	1961	7/26	86					Aerial count, fixed wing	Peak count	Stefanich (1962)
	1962	7/23	34					Aerial count	Peak	Kubik (1963)
	1963	7/09	10					Aerial count		Kubik (1964)
	1964	7/29	94					Aerial count		Kubik (1965)
	1965	7/30	101					Aerial count		Kubik (1966)
	1966		68					Aerial count		Kubik (1973)
	1967		225					Aerial count		Kubik (1973)
	1968		129					Aerial count		Kubik (1973)
	1969		96					Aerial count		Kubik (1973)
	1969		0						To early	Stewart & Flagg (1969)
	1970		47					Aerial count		Kubik (1973)
	1971		89					Aerial count		Kubik (1973)
	1972		126					Aerial count		Kubik (1973)
	1973		72					Aerial count		Kubik & Trout (1974)
	1981	7/24	436					Aerial count, helicopter - Fair		ADF&G (1981)
	1982	8/02	517					Aerial count, helicopter - Excellent		ADF&G (1983a)
	1983	7/29	1050					Aerial count, helicopter - Excellent		Barrett et al. (1984)
247-41-10200-2053-3170-4057-5011										
Mills Creek										
247-41-10200-2053-3170-4057-5011-6017										
Twin Creek										
	1963	7/09	20					Aerial count		Kubik (1964)
	1964	7/29	7					Aerial count		Kubik (1965)
	1965	7/30	19					Aerial count		Kubik (1966)
	1966		5					Aerial count		Kubik (1973)
	1969		56					Aerial count		Kubik (1973)
	1972		0					Aerial count		Kubik (1973)

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2053-3170-4067 Sunflower Creek (Lake Creek Drainage)	Hist								Max. count 151 chinook (1964), 1 pink (1953)	
	1961	7/26	16					Aerial count, fixed wing		Stefanich (1962)
	1962	7/23	19					Aerial count	Peak	Kubik (1963)
	1963	8/24	32					Aerial count		Kubik (1964)
	1964	7/29	151					Aerial count		Kubik (1965)
	1965	7/30	49					Aerial count		Kubik (1966)
	1966		38					Aerial count		Kubik (1973)
	1967		155					Aerial count		Kubik (1973)
	1968		162					Aerial count		Kubik (1973)
	1969		296					Aerial count		Kubik (1973)
	1970		88					Aerial count		Kubik (1973)
	1971		31					Aerial count		Kubik (1973)
	1972		261					Aerial count		Kubik (1973)
	1973		154					Aerial count		Kubik & Trent (1974)
	1981	7/24	260					Aerial count, helicopter - Fair		ADF&G (1981)
	1982	8/02	743					Aerial count, helicopter - Excellent		ADF&G (1983a)
	1983	7/29	2250					Aerial count, helicopter - Excellent		Barrett et al. (1984)
247-41-10200-2053-3170-4080 Eagle Creek	Hist	1985						Note - TALK C-3		Davis (pers. comm.)
247-41-10200-2053-3170-4088 Coffee Creek	Hist							Sockeye present		
	1963	8/19	0					Aerial count		Kubik (1964)
	1972	8/29		254				Ground survey		Barrett (1973a)
	1972	8/30		24				Ground survey		Barrett (1973a)
	1973	9/06	0	0	0	0	0	Ground survey		Barrett (1973a)
	1974	9/06	0	0	0	0	0	Ground survey		Barrett (1975a)
	1975	8/30		70						ADF&G (1982)
	1975	9/01		7						ADF&G (1982)
	1975			0				Ground survey		Friesen (1976a)
	1976							Ground survey		Friesen (1976b)
	1977	8/27		231					Glacially occluded	ADF&G (1982)
	1977								Glacially occluded	Nantvedt et al. (1979)
	1978			0						Waltemeyer et al. (1980)
	1978	8/27		18					Coffee Creek and Snowslide Creek	ADF&G (1982)
247-41-10200-2053-3170-4093 Spring Creek	Hist							Note - TALK C-4		
	1972	8/29		33				Max. count 142 sockeye (1954)		
	1972			57				Includes Snowslide Creek	Barrett (1973a)	
								Includes Snowslide Creek	ADF&G (1985c)-YENDNE.TAB	

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1973	9/06		11				Foot survey	Includes Snowslide Creek	Barrett (1973a)
	1974	9/06	0	0	0	0	0	Foot survey	Includes Snowslide Creek	Barrett (1975a)
	1975	9/01		4					Includes Snowslide Creek	Friese (1976a)
	1976			0				Foot survey	Glacially occluded	Friese (1976b)
247-41-10200-2053-3170-4095-4 Snowslide Creek +									Note - Trib. of Cripple Creek, TALK C-4	
	1977			171					Referred to in previous reports as Spring Creek	Nantvedt et al. (1970)
	1978			0					Referred to in previous reports as Spring Creek	Waltemyer et al. (1980)
247-41-10200-2053-3170-4095-5019 Cripple Creek	1975	8/23		427						ADF&G (1982)
	1975	8/30		48						ADF&G (1982)
	1976	8/23		438						ADF&G (1982)
	1976	9/02	24	428						ADF&G (1982)
	1977	9/12	0	0	0	0	0			ADF&G (1982)
	1979	8/26	0	0	0	0	0			ADF&G (1982)
247-41-10200-2053-3180									Note - Also known as Quig Creek (Barrett 1975, weir counts) and Quig Creek (ADF&G, Soldatna)	
Fish Lake Creek / Quig Creek	1965	7/30	53					Aerial count		Kubik (1966)
	1974	7/30-B/14		1048	6		7	Weir count, Quig Creek	Partial estimate for sockeye & coho due to sampling dates	Barrett (1975b)
	1977		131					Aerial count		Kubik & Wadean (1978)
	1978		66					Aerial count		Kubik & Wadean (1979)
	1983	7/22	250	17500				Aerial count	Sockeye reported (15000-20000)	Marcuson (pers. comm.)
247-41-10200-2053-3180-0010									Note - All Fish Lake data combined (Fish Lake 0010 - 0050)	
Fish Lakes (Fish Lake Creek)	Hist								Sockeye escapements exceeding 1,000 Escapement count (weir)	Barrett (1975b)
	1974			1048						Kubik (pers. comm.)
	1981		200		500					
247-41-10200-2053-3180-0020 Fish Lakes (Fish Lake Creek)									Note - See Fish Lakes (0010)	
247-41-10200-2053-3180-0030 Fish Lakes (Fish Lake Creek)									Note - See Fish Lakes (0010)	

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2053-3180-0040 Fish Lakes (Fish Lake Creek)									Note - See Fish Lakes (0010)	
247-41-10200-2053-3180-0050 Fish Lakes (Fish Lake Creek)									Note - See Fish Lakes (0010)	
247-41-10200-2053-3205 Skwentna River	Hist									
	1958	6/12	0						Max. count 75 sockeye (1953)	
	1976	8/26		150	20	1	140		Suspected aerial count	Kubik (1964)
	1977	9/01		150						ADF&G (1982)
	1978	8/29		308						ADF&G (1982)
										ADF&G (1982)
247-41-10200-2053-3205-4027 * Eight Mile Creek *	1961	6/17	0						Note - TYOMEX D-4	
	1962	7/04	2					Ground survey	Peak, suspected ground survey	Kubik (1964)
									Peak	Kubik (1963)
247-41-10200-2053-3205-4050 Shell Creek	Hist								Significant numbers of sockeye	
	1961	6/17	0					Aerial count		Kubik (1964)
	1962	8/03	0					Aerial count		Kubik (1964)
	1963	6/19	0					Aerial count		Kubik (1964)
	1972	7/28		5000				5 Ground survey		Barrett (1973a)
	1972	8/10		0	0	0	0	Ground survey		Barrett (1973a)
	1972	8/18		0	0	0	0	Ground survey		Barrett (1973a)
	1972	8/29		50				Aerial count, Super Cub		Barrett (1973a)
	1973	7/15-8/14	0	26	0	0	26	Weir count	Weir site #1, estimates believed low due to low discharge and timing	Barrett (1973a)
	1973	9/14		200				Aerial count, Super Cub		Barrett (1973a)
	1973			295				Aerial count, Super Cub		Barrett (1973a)
	1974	8/26		35	15			Aerial count, Super Cub		Barrett (1975a)
	1974	9/09		64	20			Aerial count, Super Cub		Barrett (1975a)
	1974	10/03		0	0	0	0	Aerial count, Super Cub		Barrett (1975a)
	1974	7/18-8/17		956	1		3	Weir count	Escapement count (Weir Sites #1 & #2)	Barrett (1975a)
	1975	8/29		0	0	0	0	Aerial count, Super Cub		Friese (1976a)
	1975	7/26-8/15		2027		2	76	Weir count	Escapement count (Weir)	Friese (1976a)
	1976	8/17		900			20			ADF&G (1982)
	1976	8/26		170	55					ADF&G (1982)
	1976	9/14		120						ADF&G (1982)
	1976			344						ADF&G (1982)
	1977	8/24		127					Peak survey count	ADF&G (1982)

Appendix Table I-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODR	CHIN	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1979	9/07		1000	200					ADF&G (1982)
	1981	9/04		5100						ADF&G (1982)
	1983	9/06		12000					12,000+ chinook	Marcuson (pers. comm.)
	1984	8/28		1500						ADF&G (1985c)-YENONE.TAB
	1984	9/04		6100						ADF&G (1985c)-YENONE.TAB
247-41-10200-2053-3205-4050-0010 Shell Lake	Hist								Significant number of sockeye	
	1972	7/28		0	0	0	0	Ground survey		Barrett (1973a)
	1972	8/29		640				Aerial count, Super Cub		Barrett (1973a)
	1973	9/04		115				Aerial count, Super Cub		Barrett (1973a)
	1973			295				Aerial count, Super Cub		Barrett (1973a)
	1973	9/14		95				Aerial count, Super Cub		Barrett (1973a)
	1974	8/26		0	0	0	0	Aerial count, Super Cub		Barrett (1975a)
	1974	9/09		20				Aerial count, Super Cub		Barrett (1975a)
	1974	10/03		5				Aerial count, Super Cub		Barrett (1975a)
	1975	8/29		251				Aerial count, Super Cub		Friese (1976a)
	1976			344				Aerial count		Friese (1976b)
	1976	8/26		194	55				Peak count	
	1976	9/14		309						ADF&G (1982)
	1977	8/24		172						ADF&G (1982)
	1977	8/26		194						ADF&G (1982)
	1977	9/01		247				Aerial count		Naavvedt et al. (1979)
	1978	8/24		127						Tarbox & Sanders (1980)
	1979			1480						Tarbox & Sanders (1980)
	1979	9/07		480						ADF&G (1982)
	1980			5800						Tarbox & Sanders (1980)
	1980	8/22		4800						ADF&G (1982)
	1980	9/11		5500						ADF&G (1982)
	1981							Data combined into Lakes category		Hills (1982)
	1981	9/04		2500						ADF&G (1985c)-YENONE.TAB
	1981	9/04		2600						ADF&G (1985c)-YENONE.TAB
	1981	9/08		6050						Tarbox et al. (1983)
	1981	9/08		3500						ADF&G (1985c)-YENONE.TAB
	1981	9/08		2550						ADF&G (1985c)-YENONE.TAB
	1981	10/02		3500						ADF&G (1982)
	1982	8/23		51				- Poor survey conditions		ADF&G (1985c)-YENONE.TAB
	1982	8/26		2725						ADF&G (1985c)-YENONE.TAB
	1982	8/27		3150						ADF&G (1985c)-YENONE.TAB
	1983	7/21		2810						ADF&G (1985c)-YENONE.TAB
	1984	8/28		4920						ADF&G (1985c)-YENONE.TAB
	1984	9/04		2500						ADF&G (1985c)-YENONE.TAB

247-41-10200-2053-3205-4053

Appendix Table I-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
Talachulitna River	Hist								Max. count 52,900 sockeye (1962); 30,000 coho (1952); 1,522 chums (1958) 1,000,000 pinks (1960) Suspected aerial count	
	1958	6/25	0					Aerial count, fixed wing	Peak count	Kubik (1964)
	1961	6/29	32					Aerial count		Stefanich (1962)
	1962	7/27	78					Aerial count		Kubik (1963)
	1963	7/29	56					Aerial count		Kubik (1964)
	1964	7/28	95					Aerial count		Kubik (1965)
	1965	8/07	69					Aerial count		Kubik (1966)
	1966		15					Aerial count		Kubik (1967)
	1972		405					Aerial count		Kubik (1973)
				6501				Aerial count	Total count - entire drainage	Friese (1976a)
				12362				Aerial count	Total count - entire drainage	Friese (1976a)
				6816				Aerial count	Total count - entire drainage	Friese (1976a)
				5105				Aerial count	Total count - entire drainage	Friese (1976a)
				13210				Aerial count	Total count - entire drainage	Nantvedt et al. (1979)
				25935				Aerial count	Total count - entire drainage	Nantvedt et al. (1979)
				14308				Aerial count	Total count - entire drainage	Waltenmeyer et al. (1980)
				11696				Aerial count	Total count - entire drainage	Tarbox et al. (1983)
				21125				Aerial count	Total count - entire drainage	Tarbox et al. (1983)
				9926				Aerial count	Total count - entire drainage	Tarbox et al. (1983)
AO	1972	7/10-8/14	405	15730	454	12783	202915	Observation towers	Tower 1 only, (7/10-7/17) Tower 1 & 2, (7/18-8/14) Barrett (1973a) doubted the accuracy of the 1972 sockeye & chum estimates due to possible species I.D. problems	Barrett (1973a)
	1972	9/16		30				Aerial count, helicopter		Barrett (1973a)
	1972		405					Observation tower	Upper river	Kubik & Trent (1974)
	1973	7/05		78					Upper river	ADF&G (1982)
	1973	7/5-8/14	291	19727	8	707	92496	Observation tower	Tower 2 only, Partial estimates for chinook & coho due to timing of sampling	Barrett (1973a)
	1973					50	6200		Spawners observed below Tower 2	Barrett (1973a)
	1973	8/17		26				Aerial count, helicopter	Talachulitna Lake	Barrett (1973a)
	1973	8/17		510				Aerial count, Super Cub	Upper river	Barrett (1973a)
	1973	9/05		231				Aerial count, helicopter	Talachulitna Lake	Barrett (1973a)
	1973	9/05		78				Aerial count, helicopter	Upper river	Barrett (1973a)
	1973	9/28		61				Aerial count, helicopter	Talachulitna Lake	Barrett (1973a)
	1973	9/28		65	6	10		Aerial count, helicopter	Upper river	Barrett (1973a)
	1973		333					Observation tower		Kubik & Trent (1974)
	1974	7/6-8/14		15976	193	415	50496	Observation tower	Tower 3, Partial estimates for coho due to timing of sampling	Barrett (1975a)

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
AOS	1974	8/28		55				Aerial count, helicopter		Barrett (1975a)
	1974	9/10		102				Aerial count, helicopter		Barrett (1975a)
			303					Aerial count		Kubik & Chupach (1975)
	1975	8/06		86						ADFGG (1982)
	1975	8/29		95						ADFGG (1982)
	1975	8/29		150						ADFGG (1982)
	1975		120						Upper river	Kubik & Riis (1976)
	1976	8/17		10249			30000			ADFGG (1982)
	1976	8/25		20550						ADFGG (1982)
	1976	8/26		10553						ADFGG (1982)
	1976		1319					Aerial count		Kubik & Madman (1977)
	1977		1856					Aerial count		Kubik & Madman (1978)
	1978		1375					Aerial count		Kubik & Madman (1979)
	1979		1648					Aerial count		Kubik & DeJaney (1980)
	1979	8/31		2699						ADFGG (1982)
	1981	7/29-7/30	2129					Aerial count, helicopter		ADFGG (1981)
	1981	9/08		200						ADFGG (1985c)-VENONE.TAB
	1981	10/02		35						ADFGG (1985c)-VENONE.TAB
	1981		2025					Aerial count		Hepler & Kubik (1982)
	1982	8/01	3101					Aerial count, helicopter - Excellent		ADFGG (1983a)
	1982	8/23		1000			104000			ADFGG (1985c)-VENONE.TAB
	1983	7/29	10014					Aerial count, helicopter - Excellent		Barrett et al. (1984)
	1983	8/27		1650						ADFGG (1985c)-VENONE.TAB
	1984	8/28		250			6000			ADFGG (1985c)-VENONE.TAB
	1984	9/04					600			ADFGG (1985c)-VENONE.TAB
	1984	7/31	6138					Aerial count, helicopter - Poor		Barrett et al. (1985)
247-41-10200-2053-3205-4053-5009										
247-41-10200-2053-3205-4053-5028										
Thursday Creek	1961	8/17	0					Aerial count		Kubik (1964)
	1962	8/02	0					Aerial count		Kubik (1964)
	1963	8/14	0					Aerial count		Kubik (1964)
247-41-10200-2053-3205-4053-5038										
Deep Creek										
247-41-10200-2053-3205-4053-5046										
Friday Creek	1961	7/06	0					Aerial count		Kubik (1964)
	1962	8/02	0					Aerial count		Kubik (1964)
	1963	8/14	0					Aerial count		Kubik (1964)

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1980	7/26	82							ADF&G (1982)
247-41-10200-2053-3205-4053-5046-6011 Saturday Creek										
247-41-10200-2053-3205-4053-5046-6020										
247-41-10200-2053-3205-4053-5053										
247-41-10200-2053-3205-4053-5066 Talachulitna Creek	Hist									
	1958	8/29	0						Max. count 1,199 sockeye (1956)	
	1962	8/27	12					Aerial count	Suspected aerial count	Kubik (1964)
	1972	9/16		390				Aerial count, helicopter	Peak	Kubik (1963)
	1973	8/17		270				Aerial count, Super Cub		Barrett (1973a)
	1973	9/05		960				Aerial count, helicopter		Barrett (1973a)
	1973	9/28		1350				Aerial count, helicopter		Barrett (1973a)
	1974	8/28		74				Aerial count, helicopter		Barrett (1975a)
	1974	9/10		205				Aerial count, helicopter		Barrett (1975a)
	1975	8/29		86						ADF&G (1982)
	1981	9/08		5025					Includes 4,000 carcasses	ADF&G (1985c)-YENONE,TAB
	1981	10/02		100						ADF&G (1985c)-YENONE,TAB
	1982	8/23		6045		50			Includes 1,395 carcasses	ADF&G (1985c)-YENONE,TAB
	1983	7/21							Significant nos.of chinook & sockeye, no counts	Marcuson (pers. com.)
	1983	8/27		2200						ADF&G (1985c)-YENONE,TAB
	1984	8/28		6000						ADF&G (1985c)-YENONE,TAB
	1984	9/04		4430						ADF&G (1985c)-YENONE,TAB
247-41-10200-2053-3205-4053-5066-0010 Judd Lake	Hist									
									Max. counts 100,000 sockeye (1966), 10,062 pinks (1952), 56 chinook (1963) and 370 chum (1952)	
	1970	9/01		600						
	1972	9/16		4900				Aerial count, helicopter		Barrett (1973a)
	1973	8/17		5350				Aerial count, Super Cub		Barrett (1973a)
	1973	9/05		10364				Aerial count, helicopter		Barrett (1973a)
	1973	9/28		4225				Aerial count, helicopter		Barrett (1973a)
	1974	8/28		4050				Aerial count, helicopter		Barrett (1975a)
	1974	9/10		5675				Aerial count, helicopter		Barrett (1975a)
	1975	8/29		4720						ADF&G (1982)
	1981	9/08		625					Includes 200 carcasses	ADF&G (1985c)-YENONE,TAB
	1981	10/02		1800					Most at Talachulitna Creek mouth	ADF&G (1985c)-YENONE,TAB
	1983	8/27		440						ADF&G (1985c)-YENONE,TAB

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	Sockeye	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1984	8/28		12500						ADF&G (1985c)-YENONE.TAB
	1984	9/04		18104						ADF&G (1985c)-YENONE.TAB
(No location code assigned) Judd Springs									Note - TYONEK C-5, located in the marshy area on the western shore of Judd Lake, no map of its location found	Davis (pers. comm.)
	1981	10/02		3000					Includes 500 carcasses	ADF&G (1985c)-YENONE.TAB
	1982	8/23		200						ADF&G (1985c)-YENONE.TAB
(No location code assigned) North Judd Springs									Note - TYONEK C-5, located in the marshy area on the western shore of Judd Lake, no map of its location found	Davis (pers. comm.)
	1981	9/08		1000					Carcass count	ADF&G (1985c)-YENONE.TAB
	1981	10/02		200						ADF&G (1985c)-YENONE.TAB
	1982	8/23		400						ADF&G (1985c)-YENONE.TAB
(No location code assigned) South Judd Springs									Note - TYONEK C-5, located in the marshy area on the western shore of Judd Lake, no map of its location found	Davis (pers. comm.)
	1981	9/08		1000					Carcass count	ADF&G (1985c)-YENONE.TAB
	1981	10/02		200					Carcass count	ADF&G (1985c)-YENONE.TAB
	1982	8/23		800						ADF&G (1985c)-YENONE.TAB
247-41-10200-2053-3205-4053-5066-0020 Talachulitna Lake	1973	8/17		26				Aerial count, Super Cub		Barrett (1973a)
	1973	9/05		231				Aerial count, helicopter		Barrett (1973a)
	1973	9/28		61				Aerial count, helicopter		Barrett (1973a)
	1981	10/02		75	25				Includes 25 sockeye carcasses	ADF&G (1985c)-YENONE.TAB
	1981	9/08		101					Includes 1 carcass	ADF&G (1985c)-YENONE.TAB
	1982	8/23		125						ADF&G (1985c)-YENONE.TAB
	1983	8/27		550						ADF&G (1985c)-YENONE.TAB
	1984	8/28		600						ADF&G (1985c)-YENONE.TAB
	1984	9/04		700						ADF&G (1985c)-YENONE.TAB
247-41-10200-2053-3205-4053-5066-6012 Trinity Creek *	1961	7/10	0					Aerial count		Kubik (1964)
	1962	8/02	0					Aerial count		Kubik (1964)
247-41-10200-2053-3205-4053-5066-6012-0010 Trinity Lake	Hist								Max. counts 417 sockeye (1957),	

Appendix Table I-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1972	8/18		350				Ground survey	6,000 pinks (1962)	
	1973	9/14		75				Trinity Creek		Barrett (1973a)
	1974	8/26		0				Includes Movie Lake count		Tarbox & Sanders (1980)
	1974	9/09		0				Aerial count, Super Cub		Barrett (1975a)
	1974	10/03		0				Aerial count, Super Cub		Barrett (1975a)
	1975			0				Aerial count, Super Cub		Barratt (1975a)
	1976	9/14		42				Aerial count, Super Cub		Friese (1976a)
	1977	8/25		148				Aerial count, Super Cub		Friese (1976b)
	1977	9/01		186				Aerial count	Includes Movie Lake count	ADF&G (1982)
	1978	8/26		140	28			Aerial count		Tarbox & Sanders (1980)
	1978			150				Aerial count		ADF&G (1982)
	1979	9/07		195				Aerial count	Includes Movie Lake count	Tarbox & Sanders (1980)
	1980	8/22		50				Aerial count	Includes Movie Lake count	Tarbox & Sanders (1980)
	1980	9/11		200				Aerial count	Includes Movie Lake count	ADF&G (1982)
	1981	9/04		500				Aerial count	Includes Movie Lake count	Tarbox & Sanders (1980)
	1982			138				Aerial count	Includes Movie Lake count	Tarbox et al. (1983)
	1983	8/27		230				Aerial count	Includes Movie Lake count	ADF&G (1985c)-YENONE.TAB
	1984	8/28		280				Aerial count	Includes Movie Lake count	ADF&G (1985c)-YENONE.TAB
	247-41-10200-2053-3205-4053-5066-6012-0020									ADF&G (1985c)-YENONE.TAB
A 60	Movie Lake	1983	8/27	30						
		1984	8/28	640					Includes 200 fish at stream mouth	ADF&G (1985c)-YENONE.TAB
	247-41-10200-2053-3205-4053-5066-6026									
	247-41-10200-2053-3205-4053-5066-6034									
	Judd Springs #2 *	Hint							Max. count 2,858 sockeye (1956)	
		1972	9/16		180			Aerial count, helicopter		Barrett (1973a)
		1973	8/17	0	0	0	0	Aerial count, Super Cub		Barrett (1973a)
		1973	9/05		335			Aerial count, helicopter		Barrett (1973a)
		1973	9/28		75			Aerial count, helicopter		Barrett (1973a)
		1974	8/29	0	0	0	0	Aerial count, helicopter		Barrett (1975a)
		1974	9/10		82			Aerial count, helicopter		Barrett (1975a)
		1975	8/29	0	0	0	0	Aerial count, helicopter		ADF&G (1982)
		1983	8/27		3900			Aerial count, helicopter		ADF&G (1985c)-YENONE.TAB
	247-41-10200-2053-3205-4053-5066-6045									
	Upper Talachulitna Creek *	1981	9/08		175					ADF&G (1985c)-YENONE.TAB
		1981	10/02		25	100				ADF&G (1985c)-YENONE.TAB
		1982	8/23		990					ADF&G (1985c)-YENONE.TAB
		1983	8/27		850				Includes 90 carcasses	ADF&G (1985c)-YENONE.TAB

Appendix Table 1-2 (Continued).

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2053-3205-4077-5023 *									Note - TYDNEK D-6, north of Dickason Mt.	
Dickason Creek *	1977		4					Aerial count		Kubik & Wadean (1978)
	1982								Chinook and pink present	Kubik (pers. comm.)
247-41-10200-2053-3205-4078										
247-41-10200-2053-3205-4082										
247-41-10200-2053-3205-4082-5003										
247-41-10200-2053-3205-4099										
247-41-10200-2053-3205-4099-0010										
Red Salmon Lake	1973	9/14	250					Aerial count, Super Cub	Peak survey count	Barrett (1973a)
	1974	9/09	160					Aerial count, Super Cub	Peak survey count	Barrett (1975a)
	1975	8/29	142					Aerial count, Super Cub	Peak survey count	Friese (1976a)
	1976	9/02	376	40				Aerial count, Super Cub	Peak survey count	Friese (1976b)
	1976	9/14	35							ADF&G (1982)
	1977	8/24	150	1						ADF&G (1982)
	1977	9/01	372					Aerial count	Peak survey count	Nantvadt et al. (1979)
	1978	8/09	200							ADF&G (1982)
	1978	8/24	235					Aerial count		Walteyner et al. (1980)
	1978	8/24			230					ADF&G (1985c)-YENONE.TAB
	1979		480							Tarbox & Sanders (1980)
	1980	8/22	1100							Tarbox & Sanders (1980)
	1980	8/22				900				ADF&G (1985c)-YENONE.TAB
	1981	9/04	1212							Tarbox et al. (1983)
	1982	8/26	1000							ADF&G (1985c)-YENONE.TAB
	1983	7/22	43							ADF&G (1985c)-YENONE.TAB
	1983	8/25	150							ADF&G (1985c)-YENONE.TAB
	1984	8/08	100	800						ADF&G (1985c)-YENONE.TAB
	1984	8/15	142	725						ADF&G (1985c)-YENONE.TAB
	1984	8/26	470		1050					ADF&G (1985c)-YENONE.TAB
247-41-10200-2053-3205-4112										
Happy River	1982								Chinook and pink present	Kubik (pers. comm.)
247-41-10200-2053-3205-4112-5037										
Canyon Creek (Happy River)	1982								Pinks present	Kubik (pers. comm.)
247-41-10200-2053-3205-4112-5045										
Squaw Creek	1973	10						Aerial count		Kubik & Treat (1974)

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	Sockeye	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2053-3205-4112-5045-0010										
Puntilla Lake	1977	8/24		2100				Aerial count		Namtvedt et al. (1979)
	1978	8/24		1105				Aerial count		Waltemyer et al. (1980)
	1979	8/26		90						Tarbox & Sanders (1980)
	1980	8/22		550						Tarbox & Sanders (1980)
	1981			200						Tarbox et al. (1983)
247-41-10200-2053-3205-4112-5049										
Indian Creek	1958	8/14	225						Suspected aerial count	Kubik (1964)
	1982								Chinook and chum present	Kubik (pers. comm.)
247-41-10200-2053-3205-4112-5050 *									Note - TALK A-6	Kubik (pers. comm.)
Moose Creek *	1982				600					
247-41-10200-2053-3205-4130 *									Note - TYONEK D-7	
Portage Creek *	1958	7/07	2						Suspected aerial count	Kubik (1964)
(Skwentna River)										
247-41-10200-2053-3205-4282 *									Note - TYONEK C-8	
Crystal Creek *	1972	8/29		33						ADF&G (1982)
	1972	9/06		11						ADF&G (1982)
247-41-10200-2053-3213										
Hemitt Creek	Hist								Sockeye, pink, chinook present, ex. count 312 coho (1954)	
	1962	8/02	0					Aerial count		Kubik (1964)
	1972	8/23		137				Ground survey		Barrett (1973a)
	1973	8/18		29				Boat survey		Barrett (1973a)
	1973	8/29		49				Boat survey		Barrett (1973a)
	1973	9/12		67				Boat survey		Barrett (1973a)
	1974	8/27		94				Boat survey		Barrett (1975a)
	1974	9/09		78				Boat survey		Barrett (1975a)
	1974	9/18		32				Boat survey		Barrett (1975a)
	1975	8/25		30				Boat survey		Friese (1976a)
	1975	9/03		30				Boat survey		Friese (1976a)
	1976	8/26		17				Boat survey		Friese (1976b)
	1976	9/19	236					Boat survey		Friese (1976b)
	1977	8/20	14						Combined with Whiskey Lake	ADF&G (1982)
	1977		0							Namtvedt et al. (1979)
	1978	8/29		93						Waltemyer et al. (1980)
	1979	9/07		40						ADF&G (1982)
	1979	8/26		20						ADF&G (1982)
	1980	8/22		50						ADF&G (1982)
	1980	9/11		50	50					ADF&G (1982)

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1982								Chinook and pink present	Kubik (pers. com.)
	1983	7/22	0	0	0	v	0		Cook Inlet Aquaculture Association	Marcuson (pers. com.)
	1984	8/28		44						ADFBG (1985c)-YENDNE.TAB
	1984	9/04		262						ADFBG (1985c)-YENDNE.TAB
247-41-10200-2053-3213-0010 Whiskey Lake	Hist								Max. count 1,000 sockeye (1953)	
	1972	8/29		20				Aerial count, Super Cub		Barrett (1973a)
	1973	9/11		1				Boat survey		Barrett (1973a)
	1974	8/26		49				Boat survey		Barrett (1975a)
	1974	9/09		216				Boat survey		Barrett (1975a)
	1974	9/18		118				Boat survey		Barrett (1975a)
	1975	9/03		62				Boat survey		Friese (1976a)
	1976	8/26		150				Boat survey		Friese (1976b)
	1976			17				Boat survey		Friese (1976b)
	1977			0						Nantvedt et al. (1979)
	1978			221						Waltemayer et al. (1980)
	1978	8/29		8						ADFBG (1982)
	1978	9/28		192	2					ADFBG (1982)
	1979			221					Peak survey count	ADFBG (1982)
	1979	8/26		190						ADFBG (1982)
	1979	9/07		110						ADFBG (1982)
	1980	8/22		425						ADFBG (1982)
	1980	9/11		300					Sport fish harvest	ADFBG (1982)
	1983	8/27		2425						ADFBG (1985c)-YENDNE.TAB
	1984	8/28		1520					Includes stream (marshy)	ADFBG (1985c)-YENDNE.TAB
	1984	9/04		4301					Includes stream (marshy)	ADFBG (1985c)-YENDNE.TAB
247-41-10200-2053-3213-4063 *									Note - not on USGS maps, overgrown, not surveyed in '84 or '85 TYONEK D-4	
Christmas Tree Creek *	Hist								Sockeye present	
	1972	8/29		50				Aerial count, Super Cub		Barrett (1973a)
	1973	8/17		0				Boat survey		Barrett (1973a)
	1973	8/28		29				Boat survey		Barrett (1973a)
	1973	9/11		40				Boat survey		Barrett (1973a)
	1974	8/26		49				Boat survey		Barrett (1975a)
	1974	9/09		56				Boat survey		Barrett (1975a)
	1974	9/18		80				Boat survey		Barrett (1975a)
	1975	8/24		84				Boat survey		Friese (1976a)
	1975	9/03		55				Boat survey		Friese (1976a)
	1976	8/26		56				Boat survey		Friese (1976b)
	1976	9/09		54						ADFBG (1982)

A 103

Appendix Table I-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	Sockeye	Coho	Chum	Pink	SURVEY METHOD	COMMENTS	DATA SOURCE
	1977	8/28		30						Nantvedt et al. (1979)
	1978			87						Waltzeyer et al. (1980)
	1980	8/22		0						ADF&G (1982)
	1980	9/11		50						ADF&G (1982)
247-41-10200-2053-3213-4066 *									Note - called Whiskey Creek in '84 - '85 surveys TYONEK D-4 Max. count 434 sockeye (1953)	
Huckleberry Creek *	Hist									
	1972	8/23	1					Ground survey		Barrett (1973a)
	1973	8/17		110				Boat survey		Barrett (1973a)
	1973	8/28		389				Boat survey		Barrett (1973a)
	1973	9/11		511				Boat survey		Barrett (1973a)
	1974	8/27		79				Boat survey		Barrett (1975a)
	1974	9/18		129				Boat survey		Barrett (1975a)
	1974	9/19		369				Boat survey		Barrett (1975a)
	1975	8/29	328					Boat survey		Friese (1976a)
	1975	9/03		263						ADF&G (1982)
	1976			182				Boat survey		Friese (1976b)
	1977			25						Nantvedt et al. (1979)
	1978			23						Waltzeyer et al. (1980)
	1978	8/29	311							ADF&G (1982)
	1979	8/26	500							ADF&G (1982)
	1980	8/22	1000							ADF&G (1982)
	1980	9/11	1750							ADF&G (1982)
247-41-10200-2053-3213-4050										
247-41-10200-2053-3213-4050-0010	Hewitt Lake	Hist							Max. count 3060 sockeye (1953)	
	1972	8/23		990				Boat survey		Barrett (1973a)
	1972	8/29		290				Aerial count, Super Cub		Barrett (1973a)
	1973	8/29		134				Boat survey		Barrett (1973a)
	1973	9/12		453				Boat survey		Barrett (1973a)
	1973	8/18		69				Boat survey		Barrett (1973a)
	1974	8/27		151				Boat survey		Barrett (1975a)
	1974	9/10		204				Boat survey		Barrett (1975a)
	1974	9/18		298				Boat survey		Barrett (1975a)
	1975	8/25		113				Boat survey		ADF&G (1982)
	1975	9/04		247						Friese (1976a)
	1976	8/26		419						ADF&G (1982)
	1976	9/10		1984						ADF&G (1982)
	1976			2017				Boat survey		Friese (1976b)
	1977	8/29		729		1				Nantvedt et al. (1979)

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CINNICK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1978			1594					Peak survey count	Waltzeyer et al. (1980)
	1978	8/29		225						ADF&G (1982)
	1979	8/26		275						ADF&G (1982)
	1979	9/07		415						ADF&G (1982)
	1980	8/22		1205					Hewitt & Whiskey Lakes combined	Tarbox et al. (1983)
	1980	9/11		1100						ADF&G (1982)
	1981	9/04		3250					Hewitt and Whiskey Lakes combined	Tarbox et al. (1983)
	1981	10/02		9850					Hewitt and Whiskey Lakes combined, 60% carcasses	Tarbox et al. (1983)
	1984	8/28		1756					Hewitt and Whiskey Lakes combined	ADF&G (1985c)-YENONE.TAB
	1984	9/04		6593					Hewitt and Whiskey Lakes combined	ADF&G (1985c)-YENONE.TAB
247-41-10200-2053-3220 Donkey Creek Slough										
247-41-10200-2053-3220-4030 Donkey Creek	1963	7/06	0					Aerial count		Kubik (1964)
	1973		25					Aerial count		Kubik & Trent (1974)
	1977		159					Aerial count		Kubik & Madnan (1978)
	1978		163					Aerial count		Kubik & Madnan (1979)
	1982		600	1000				5000		Kubik (pers. comm.)
247-41-10200-2053-3220-4030-5030										
247-41-10200-2053-3220-4030-5030-0010 Donkey Creek Lake										
247-41-10200-2053-3225 Johnson Creek	1958	7/21	0						Suspected aerial count	Kubik (1964)
	1962	7/27	0							Kubik (1964)
	1963	7/03	0							Kubik (1964)
	1982								Chinook, coho, & chum present	Kubik (pers. comm.)
247-41-10200-2053-3225-4015 Red Creek	Hist									
	1958	7/21	27						Chinook present	
	1962	7/27	11						Suspected aerial count	
	1977		1511							Kubik (1964)
	1978	8/24	0	0	0	0	0	Aerial count	Kubik (1963)	
	1978		385					Aerial count	Kubik & Madnan (1978)	
	1981	7/29	749					Aerial count, helicopter - Good	ADF&G (1982)	
	1982							5100	Kubik & Madnan (1979)	
									ADF&G (1981)	
									Kubik (pers. comm.)	
247-41-10200-2053-3225-4035										

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2053-3229 Kichatna River	1963	7/03	0					Aerial count		Kubik (1964)
	1977		120							ADF&G (1982)
	1982		1000		10000		10000			Kubik (pers. comm.)
247-41-10200-2053-3229-4002 Sagean Creek *	1963	6/25	13					Test net		Kubik (1966)
	1981								Chinook & pink present	Kubik (pers. comm.)
247-41-10200-2053-3229-4002-5022										
247-41-10200-2053-3229-4009	1977		120					Aerial count	Note - TALK A-5, Unnamed (Kichatna R)	Kubik & Nadman (1978)
247-41-10200-2053-3229-4050 Nakochna River	1973		12					Aerial count		Kubik & Trent (1974)
	1974		2					Aerial count		Kubik & Chlupach (1975)
	1982		100				1000			Kubik (pers. comm.)
247-41-10200-2053-3229-4075 909										
247-41-10200-2053-3229-4079										
247-41-10200-2053-3229-4087										
247-41-10200-2053-3229-4099										
247-41-10200-2053-3229-4099-5007										
247-41-10200-2053-3229-4110										
247-41-10200-2053-3238 Clearwater Creek	1962	7/27	13					Aerial count		Kubik (1963)
	1963	7/06	0					Aerial count		Kubik (1964)
	1973		6					Aerial count		Kubik & Trent (1974)
	1977		47					Aerial count		Kubik & Madnan (1978)
	1982		100				5000			Kubik (pers. comm.)
247-41-10200-2053-3249 West Fork Yentna River	1976		550							Nantvedt et al. (1979)
	1977		4000							Nantvedt et al. (1979)
	1978		6000							Maltemyer et al. (1980)
	1979		456						Glacially occluded	Tarbox & Sanders (1980)

Appendix Table 1-2 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1980	9/10		5500					Includes 1,630 carcasses	Tarbox & Sanders (1980)
	1981	8/27		9000					Includes 1,000 carcasses	Tarbox et al. (1983)
	1982	8/20		10340			210			ADFBG (1985c)-YENDNE.TAB
	1983	8/25		630						ADFBG (1985c)-YENDNE.TAB
	1983	9/07		9660						ADFBG (1985c)-YENDNE.TAB
	1984	8/28		5700						ADFBG (1985c)-YENDNE.TAB
	1984	9/04		6350						ADFBG (1985c)-YENDNE.TAB
247-41-10200-2053-3249-4101										
247-41-10200-2053-3250										
East Fort Yentna River										
247-41-10200-2053-3250-4008 *								Note - TALK B-4		
Rich Creek *	1982							Few pinks		Kubik (pers. comm.)
247-41-10200-2053-3250-4018 *								Note - TALK B-4		
Flag Creek *	1982							Pinks present		Kubik (pers. comm.)

* - These new location codes and names were submitted to the editors of the Anadromous Waters Catalog in October 1985. Upon verification these changes will be included in the next printing of the Anadromous Waters Catalog.

Appendix Table I-3. Escapement survey counts of adult salmon in the Talkeetna River drainage.

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	Sockeye	Coho	Chum	Pink	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2370 Talkeetna River	Hist								Large number census (1953)	
	1976	8/23								ADF&G (1982)
	1981	7/29-7/30	2129			410		Aerial count, helicopter - Good		ADF&G (1981)
247-41-10200-2370-3041 Chunilna Creek / Clear Creek	Hist									
	1961	7/14	300					Ground survey		Stefanich (1962)
	1962	7/11	3					Aerial count		Kubik (1963)
	1963	7/29	38					Aerial count		Kubik (1964)
	1964	7/21	319					Boat survey		Kubik (1965)
	1964	8/05	9					Aerial count		Kubik (1965)
	1965	8/06	8					Aerial count		Kubik (1966)
	1966		300					Aerial count		Kubik (1967)
	1968		1000					Aerial count		Kubik (1969)
	1969		375					Aerial count		Kubik (1970)
	1969		125						Excellent observation - TRM 0.0-2.0	Stewart & Flagg (1969)
	1970		58						High water	Kubik (1971)
	1970		72	7000						ADF&G (1982)
	1971		5					Aerial count - Poor		Matsjold (1972)
	1972	7/30	91					Aerial count - Poor		Matsjold (1973)
	1973	7/25	245					Aerial count		ADF&G (1982)
	1973	7/28	292							Matsjold (1974)
	1974	7/27	236					Aerial count		ADF&G (1982)
	1974	7/31	283					Aerial count, helicopter		Matsjold (1975)
	1974		823							ADF&G (1982)
	1975	7/28	101					Aerial count, helicopter		Matsjold (1976)
	1976	7/16	1220							ADF&G (1982)
	1976	7/23	1237					Aerial count, helicopter		Matsjold (1977)
			30						Includes Moa & Popa Bear Lakes	Tarbox & Sanders (1980)
			75						Includes Moa & Popa Bear Lakes	Tarbox & Sanders (1980)
	1977		769					Aerial count, fixed wing		Matsjold (1978)
	1978		310						Includes Moa & Popa Bear Lakes	Tarbox & Sanders (1980)
	1978		997					Aerial count, helicopter		Matsjold (1979)
	1979		365						Includes Moa & Popa Bear Lakes	Tarbox & Sanders (1980)
	1979		864					Aerial count, helicopter - Poor		Matsjold (1980)
	1980		320						Includes Moa & Popa Bear Lakes	Tarbox & Sanders (1980)
	1980								No count - high, turbid water	Bentz (1982)
	1981		169							Bentz (1982)
	1982	7/21	982					Suspected aerial count - Poor		ADF&G (1983a)
								Aerial count, helicopter - Fair		

Appendix Table 1-3 (Continued).

Appendix Table 1-3 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2370-3080-0010 Larson Lake	Hist								Sockeye, coho, pinks and chum present	
	1972	9/07		300				Aerial count, Super Cub		Barrett (1973a)
	1973	9/06		20				Aerial count, Super Cub	Max. count 559 sockeye (1956)	Barrett (1973a)
	1974	9/09		19				Aerial count, Super Cub		Barrett (1973a)
	1975	8/30		32						ADF&G (1982)
	1975	7/06		63				Aerial count, Super Cub		Friese (1976a)
	1975	9/13		47						ADF&G (1982)
	1976	8/23		485						ADF&G (1982)
	1976	9/02		327						ADF&G (1982)
	1976			85				Aerial count, Super Cub	Peak count	Friese (1976b)
	1977			330				Aerial count		Mantvedt et al. (1979)
	1977	8/05		50						ADF&G (1982)
	1977	8/10		150						ADF&G (1982)
	1977	8/16		1300						ADF&G (1982)
	1977	8/29		2500						ADF&G (1982)
	1977	9/12		1655						ADF&G (1982)
	1978			117				Aerial count	Peak survey count	Waltemayer et al. (1980)
	1979	8/28		160						Tarbox & Sanders (1980)
	1980								No count	Tarbox et al. (1983)
	1981			4600						Tarbox et al. (1983)
	1981	8/25		5500						ADF&G (1982)
	1982	8/23		1200						ADF&G (1985c)-TALK.TAB
	1982			2150	41	3	5000			ADF&G (1985c)-TALK.TAB
	1983	9/07		650						ADF&G (1985c)-TALK.TAB
247-41-10200-2370-3090 Sheep River + (Name correction)	1973							Aerial surveyed	Blazially occluded, no count	Matsjold (1974)
247-41-10200-2370-3090-4049										
247-41-10200-2370-3090-4049-0010 Rainbow Lake										
247-41-10200-2370-3171 Disappointment Creek	1958	8/01	5						Suspected aerial count	Kubik (1964)
	1962	7/19	0							Kubik (1964)
	1974		20					Aerial count		Matsjold (1974)
								Aerial count, fixed wing		
247-41-10200-2370-3301 Prairie Creek	Hist								Max. count 275 chinook (1963) sockeye present	

Appendix Table I-3 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	Sockeye	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1962	7/30	142					Aerial count		Kubik (1963)
	1963	8/07	275					Aerial count		Kubik (1964)
	1964	7/17	138					Aerial count		Kubik (1965)
	1965	7/11	30					Aerial count		Kubik (1966)
	1966		153					Aerial count		Kubik (1967)
	1970	7/29	675							ADF&G (1982)
			820					Ground survey		Matsjold (1973)
			40							ADF&G (1982)
			630					Ground survey		Matsjold (1973)
	1972	8/21		202				Ground survey		Barrett (1973a)
	1973	7/29	3286							ADF&G (1982)
		8/23		21				Ground survey		Barrett (1973a)
	1973	9/06		21				Ground survey		Barrett (1973a)
	1973	9/17		7				Ground survey		Barrett (1973a)
			4190					Ground survey		Matsjold (1974)
	1974	7/26	1498					Ground survey		Matsjold (1975)
	1974	8/25		37				Ground survey		Barrett (1975a)
	1974	9/05		12				Ground survey		Barrett (1975a)
	1974	9/17		2				Ground survey		Barrett (1975a)
	1975	8/04	369					Ground survey		Matsjold (1976)
	1975	8/23		36						ADF&G (1982)
	1975	9/02		49	44			Ground survey		Friese (1976a)
	1975	9/26		5	12					ADF&G (1982)
	1976	7/20	6513					Ground survey		Matsjold (1977)
	1976	8/25		81	2			Ground survey		Friese (1976b)
	1976	9/03		80	36					ADF&G (1982)
	1976	9/10		60	11					ADF&G (1982)
			339							ADF&G (1982)
	1977		5790					Ground survey		Matsjold (1978)
	1977	8/27	9	120					Chinook data source unknown	Naatvedt et al. (1979)
				120						Waltmeyer et al. (1980)
	1978		5154					Ground survey		Matsjold (1979)
	1980								No count - high, turbid water	Bentz (1982)
	1981	7/30	1900					Aerial count, fixed wing - Poor	Less than 10% mortality at this time	ADF&G (1981)
	1981		1875							Bentz (1982)
	1982	7/31	3844					Aerial count, helicopter - Excellent		ADF&G (1983a)
	1983	7/20	871					Ground survey - Excellent		Barrett et al. (1984)
	1983		3200					Aerial count, fixed wing	Estimate based on ground & aerial counts	Barrett et al. (1984)
	1984	7/24	9000					Aerial count, fixed wing - Good		Barrett et al. (1985)
	1984	8/08		85						ADF&G (1985c)-TALK.TAB
	1984	8/15		40						ADF&G (1985c)-TALK.TAB

Appendix Table I-3 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUN	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2370-3301-0010										
247-41-10200-2370-3301-0020	Hist									
Stephan Lake	1972	8/21		38				Boat survey	Max. count 6,500 sockeye (1951)	Barrett (1973a)
	1972	9/07	0	0	0	0	0	Aerial count, Super Cub		Barrett (1973a)
	1972			166						ADFBG (1982)
	1973	8/23		85				Boat survey		Barrett (1973a)
	1973	9/06		106				Boat survey		Barrett (1973a)
	1973	9/17		128				Boat survey		Barrett (1973a)
	1973			234						ADFBG (1982)
	1974	8/25		13				Boat survey		Barrett (1975a)
	1974	9/05		18				Boat survey		Barrett (1975a)
	1974	9/17		27				Boat survey		Barrett (1975a)
	1974			78						ADFBG (1982)
	1975	8/24		124						ADFBG (1982)
	1975	9/03		155						ADFBG (1982)
	1975	9/27		136						ADFBG (1982)
	1975			212				Boat survey		Friese (1976a)
	1976	8/25		197						ADFBG (1982)
	1976	9/10		346	11					ADFBG (1982)
	1976			381				Boat survey		Friese (1976b)
	1977	8/27		419						Naatvedt et al. (1979)
	1978	9/12		1022	2					Malteayer et al. (1980)
	1980	8/18		220						Tarbox et al. (1983)
	1981	8/25		475						Tarbox et al. (1983)
	1983	8/23	0	0	0	0	0		No counts, bad weather	ADFBG (1985c)-TALK.TAB
	1984	8/08		0					Visibility poor	ADFBG (1985c)-TALK.TAB
	1984	8/15		150					Includes 140 fish in Murder Lake	ADFBG (1985c)-TALK.TAB
247-41-10200-2370-3301-4021										
247-41-10200-2370-3301-4034										
247-41-10200-2370-3301-4044										
247-41-10200-2370-3320										
247-41-10200-2370-332B										
247-41-10200-2370-3332										
247-41-10200-2370-3340										

A113

Appendix Table 1-3 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2370-3350										

A114

Appendix Table 1-4. Escapement survey counts of adult salmon in the Chulitna River drainage.

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODD	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2381										
Chulitna River	Mist								Chinook, coho, pink and chinook	
	1958	7/11	3							Kubik (1964)
	1973		42					Aerial count, helicopter	Suspected aerial count, peak	Watsjold (1974)
	1973		219					Aerial count, helicopter	East Fork	Watsjold (1974)
	1976	7/23	124					Aerial count, fixed wing	West Fork	Watsjold (1977)
	1977		229					Aerial count, fixed wing		Watsjold (1978)
	1978		62					Aerial count, fixed wing		Watsjold (1979)
	1979								No count conducted	Watsjold (1980)
	1980								No count - high, turbid water	Bentz (1982)
	1981								No count - high, turbid water	Bentz (1982)
	1982	8/12	100					Aerial count, helicopter - Excellent		ADF&G (1981)
	1983		213							Hepler & Bentz (1984)
	1984	7/24	4191					Boat survey, raft - Excellent		Barrett et al. (1985)
	1984	8/12	1036					Boat survey, raft - Excellent		Barrett et al. (1985)
247-41-10200-2381-3051										
A 247-41-10200-2381-3090										
115 247-41-10200-2381-3130	Troublesome Creek	Mist							Max. count 100 chinook (1958)	
		1958	7/07	100					Suspected aerial count	
		1970		5				Ground survey		Kubik (1964)
		1971	7/21	5						Watsjold (1972)
		1971	7/27	5						ADF&G (1982)
		1971	9/08	5			70			ADF&G (1982)
		1972	8/26		102					ADF&G (1982)
		1972	7/30	5				Aerial count, fixed wing		Watsjold (1973)
		1973	7/26	7				Aerial count, fixed wing		Watsjold (1974)
		1973	9/05		141					ADF&G (1982)
		1973	9/26			5				ADF&G (1982)
		1974	7/25	0	0	0	0			ADF&G (1982)
								Aerial count, fixed wing		Watsjold (1975)
								Aerial count, fixed wing		Watsjold (1977)
								Aerial count, fixed wing		Watsjold (1978)
								Ground survey		Watsjold (1979)
								Aerial count, fixed wing		Watsjold (1980)
		1979	10/29				100		Cook Inlet Aquaculture Assoc.	
								No count - high, turbid water		Bentz (1982)
								No count - high, turbid water		Bentz (1982)
		1981								ADF&G (1983a)
		1982	8/12	36				Aerial count, helicopter - Excellent		

Appendix Table 1-4 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUN	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1982				39	585	172		Upper Cook Inlet Survey	ADF&G (1985c)-CHUL.TAB
247-41-10200-2381-3161 Tokositna River	Hist								Also spelled "Tokichitna River"	
	1958	7/25	0						Max. count 97 sockeye (1954)	
	1981								Suspected aerial count	Kubik (1984)
									Sockeye & coho present	Kubik (pers. comm.)
247-41-10200-2381-3161-4016 Alder Creek	1958	7/22	0						Suspected aerial count	Kubik (1984)
	1983	8/19	0					Aerial count		Kubik (1984)
247-41-10200-2381-3161-4016-5010 Unnamed Creek *	1982				3				Note - Trib. of Alder Creek, TALK C-1	
										ADF&G (1983a)
247-41-10200-2381-3161-4071										
247-41-10200-2381-3161-4071-0010 Swan Lake	Hist								Max. count 150 sockeye (1954)	
	1972		302						Includes Slim Creek and T-Creek	Tarbox & Sanders (1980)
	1973		310						Includes Slim Creek and T-Creek	Tarbox & Sanders (1980)
	1974		386						Includes Slim Creek and T-Creek	Tarbox & Sanders (1980)
	1975		485						Includes Slim Creek and T-Creek	Tarbox & Sanders (1980)
	1975	8/22	229							ADF&G (1982)
	1975	8/30	289							ADF&G (1982)
	1975	9/25	90							ADF&G (1982)
	1976		518						Includes Slim Creek and T-Creek	Tarbox & Sanders (1980)
	1977		827						Includes Slim Creek and T-Creek	Tarbox & Sanders (1980)
	1978	8/25-8/26	734							ADF&G (1982)
	1978	9/14	263							ADF&G (1982)
	1978	9/21-9/22	234							ADF&G (1982)
	1978		917						Includes Slim Creek and T-Creek	Tarbox & Sanders (1980)
	1979		40						Includes Slim Creek and T-Creek, low visibility, & turbid water	Tarbox & Sanders (1980)
	1980	8/18	1							ADF&G (1982)
	1981		505						Includes Slim Creek and T-Creek	ADF&G (1985c)-CHUL.TAB
	1981	8/20	660							ADF&G (1985c)-CHUL.TAB
	1981	8/25	350						Includes Slim Creek and T-Creek	Tarbox et al. (1983)
	1983	8/23	0	0	0	0	0		Visibility poor, turbid H2O	ADF&G (1985c)-CHUL.TAB
	1983	9/07	340							ADF&G (1985c)-CHUL.TAB
	1984	8/26	48						S. lake and stream to Tokositna River occluded	ADF&G (1985c)-CHUL.TAB
	1984	8/30	21						SAA, visibility poor	ADF&G (1985c)-CHUL.TAB
									Editors Note - What is SAA ?	

A118

Appendix Table 1-4 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
247-41-10200-2381-3161-4071-5020									Note - NW end of Swan Lake; TALK C-1 overgrown, not surveyed in '84 - '85 Max. count 150 sockeye (1954)	
Slim Creek *	Hist									
	1970	8/24		516						
	1972	8/25		63				Ground survey		Barrett (1973a)
	1973	8/22	0	0	0	0	0	Ground survey		Barrett (1973a)
	1973	9/05		53				Ground survey		Barrett (1973a)
	1973	9/18		168				Ground survey		Barrett (1973a)
	1973			195				Ground survey		Barrett (1973a)
	1974	8/24	0	0	0	0	0	Ground survey		Barrett (1975a)
	1974	9/06		83				Ground survey		Barrett (1975a)
	1974	9/17		195				Ground survey		Barrett (1975a)
	1975			176				Ground survey		Friese (1976a)
	1975	9/25		50						ADFGG (1982)
	1975	8/30		50						ADFGG (1982)
	1975	9/26		75						ADFGG (1982)
	1976	8/24		69				Ground survey		Friese (1976b)
	1976	9/08		64						ADFGG (1982)
	1977	8/24		755	3					ADFGG (1982)
	1977	9/12-9/13		739						ADFGG (1982)
	1977			82						Nauvedt et al. (1979)
A117	1978			253						Waltemyer et al. (1980)
	1978			263						ADFGG (1982)
	1979	8/28		40						ADFGG (1982)
247-41-10200-2381-3161-4071-5031									Note - S end of Swan Lake, TALK C-1	
T-Creek *	Hist									
	1972	8/26		182				Ground survey		Max. count 400 sockeye (1954)
	1972			239						Barrett (1973a)
	1973	8/22		35				Peak survey count		ADFGG (1982)
	1973	9/03		88						Barrett (1973a)
	1973	9/18		57				Ground survey		Barrett (1973a)
	1973			115						Barrett (1973a)
	1974	8/24		103				Ground survey		ADFGG (1982)
	1974	9/05		118				Ground survey		Barrett (1975a)
	1974	9/17		42				Ground survey		Barrett (1975a)
	1974			191						Peak survey count
	1975	8/22		229						ADFGG (1982)
	1975	8/30		223						ADFGG (1982)
	1975			289				Ground survey		Peak survey count
	1976	8/24		447				Ground survey		Friese (1976a)
	1976	9/08		39	50					Friese (1976b)
										ADFGG (1982)

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1977		745						Peak survey count, chum & pink present	Nauvedt et al. (1979)
	1978		654							Waltmeyer et al. (1980)
247-41-10200-2381-3161-4071-5031-0020										
247-41-10200-2381-3161-4085										
Bunco Creek	1973	8/02	34					Aerial count, fixed wing		Matsjold (1974)
	1976	7/23	112					Aerial count, fixed wing		Matsjold (1977)
	1977		136					Aerial count, fixed wing		Matsjold (1978)
	1978		153					Aerial count, fixed wing		Matsjold (1979)
	1980							No count - high, turbid water		Bentz (1982)
	1981							No count - high, turbid water		Bentz (1982)
	1982	8/07	198					Aerial count, helicopter - Fair		ADFG (1983a)
	1983	8/02	279					Ground survey - Good		Barrett et al. (1984)
	1983		523					Aerial count		Barrett et al. (1984)
	1984	8/10	51					Aerial count, helicopter - Good		Barrett et al. (1985)
247-41-10200-2381-3161-4085-0010										
Bunco Lake		Hist							Good escapement of pinks in 1964	
247-41-10200-2381-3179										
Spink Creek	1958	7/07	60							Kubik (1964)
	1963	8/19	0							Kubik (1964)
	1982	8/07		12				Aerial count		ADFG (1983a)
								Aerial count, helicopter - Excellent		
247-41-10200-2381-3179-0010										
Spink Lake										
247-41-10200-2381-3180										
Byers Creek		Hist							Few chinook, 1,200 sockeye (1964); good pink escapement (1964)	
	1964	8/27	2					Aerial count		Kubik (1965)
	1965	8/06	4					Aerial count		Kubik (1966)
	1971		3					Ground survey/Aerial count		Matsjold (1972)
	1971	8/29	2					Aerial count		ADFG (1982)
	1971	9/08		35	1100					ADFG (1982)
	1972	7/30	7					Aerial count		Matsjold (1973)
	1973	7/26	1					Aerial count		Matsjold (1974)
	1973	9/26		49						ADFG (1982)
	1974	7/23	0					Aerial count, fixed wing		Matsjold (1975)
	1976	7/23	53					Aerial count, fixed wing		Matsjold (1977)
	1976	8/23		50			39			ADFG (1982)

Appendix Table I-4 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1977		69					Aerial count, fixed wing	Peak survey count	Natsjold (1978)
	1977	8/04	1							ADF&G (1982)
	1977	8/05	2	300						ADF&G (1982)
	1977	8/10		200						ADF&G (1982)
	1977	8/16		100						ADF&G (1982)
	1977	8/12		6		314				ADF&G (1982)
	1979	10/29		1000		500	0		Cook Inlet Aquaculture Ass'n (CIAA)	
				28				Aerial count, fixed wing		Natsjold (1980)
	1980								No count - high, turbid water	Bentz (1982)
	1981								No count - high, turbid water	Bentz (1982)
	1982		15			36	417	1110		ADF&G (1985c)-CHUL.TAB
	1982	8/12	7							ADF&G (1983a)
247-41-10200-2381-3180-0010 Byers Lake	1976			50						
	1977			300					Peak survey count	Nantvedt et al. (1979)
	1981	8/27		275		100		200	Coho & pink data source unknown	Nantvedt et al. (1979) Tarbox et al. (1983)
247-41-10200-2381-3220 Horseshoe Creek										
A 10 247-41-10200-2381-3223 *	1962	7/30	5					Aerial count	Note - TALK MTS D-6	Kubik (1963)
	1963	8/19	0					Aerial count	Peak	Kubik (1964)
247-41-10200-2381-3223-4023 *	Hist								Note - TALK MTS D-6	
West Fork Coal Creek *	1976	8/17	0	0	0	0	0		Chinook, pinks present	ADF&G (1982)
	1976	8/24	0	0	0	0	0			ADF&G (1982)
	1976	9/14	0	0	0	0	0			ADF&G (1982)
	1977	8/25		47					Lake and creek	ADF&G (1985c)-CHUL.TAB
	1977	9/01		151					100 fish in lower creek	ADF&G (1985c)-CHUL.TAB
	1978			2300					Includes Coal Creek Lake and mainstem West Fork Coal Creek	Tarbox et al. (1983)
	1979	9/19		500					Includes Coal Creek Lake and mainstem West Fork Coal Creek	Tarbox et al. (1983)
	1980	8/22		600					Includes Coal Creek Lake and mainstem West Fork Coal Creek	Tarbox et al. (1983)
	1981			1100					Includes Coal Creek Lake and mainstem West Fork Coal Creek	Tarbox et al. (1983)
	1982	8/23		1200					West Fork Coal Creek	ADF&G (1985c)-CHUL.TAB
	1982	8/23		240					Coal Creek Lake	ADF&G (1985c)-CHUL.TAB
247-41-10200-2381-3223-4023-0010 *									Note - See Coal Creek, TALK MTS D-6	

Appendix Table J-4 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
Coal Creek Lake *										
247-41-10200-2381-3234 *									Note - TALK MTS D-6	
Pass Creek	1962	7/30	15					Aerial count	Peak count	Kubik (1963)
	1963	8/19	0					Aerial count	Peak count	Kubik (1964)
	1973		8					Aerial count, fixed wing		Matsjold (1974)
247-41-10200-2381-3240										
Honolulu Creek	1973	7/26	17					Aerial count, fixed wing		Matsjold (1974)
	1973	7/29	8							ADF&G (1982)
	1974	7/25	12					Aerial count, fixed wing		Matsjold (1975)
	1976	7/23	24					Aerial count, fixed wing		Matsjold (1977)
	1977		36					Aerial count, fixed wing		Matsjold (1978)
	1978		13					Aerial count, fixed wing		Matsjold (1979)
	1979		37					Aerial count, fixed wing		Matsjold (1980)
	1980								No count - high, turbid water	Bentz (1982)
	1981								No count - high, turbid water	Bentz (1982)
	1982	8/12	27					Aerial count, helicopter - Excellent		ADF&G (1983a)
247-41-10200-2381-3240-4020										
Little Honolulu Creek										
247-41-10200-2381-3260										
East Fork Chulitna River	Hist								Chinook present, maximum sockeye count 500 (1964)	
	1973	8/02	42					Aerial count		ADF&G (1982)
	1974	7/25	41					Aerial count, fixed wing		Matsjold (1975)
	1975	8/04	7					Aerial count, fixed wing		Matsjold (1976)
	1976	7/23	112					Aerial count, fixed wing		Matsjold (1977)
	1977		168					Aerial count, fixed wing		Matsjold (1978)
	1978		59					Aerial count, fixed wing		Matsjold (1979)
	1979								No count - high, turbid water	Bentz (1982)
	1980								No count - high, turbid water	Bentz (1982)
	1982	8/12	119					Aerial count, helicopter - Excellent		ADF&G (1983a)
247-41-10200-2381 *									Note - HEALY A-6	
Middle Fork Chulitna River *	1973		219					Aerial count		ADF&G (1982)
	1973	8/02	206							ADF&G (1982)
	1974	7/25	159					Aerial count, fixed wing		Matsjold (1975)
	1975	8/04	55					Aerial count, fixed wing		Matsjold (1976)
	1976	7/23	1870					Aerial count, fixed wing		Matsjold (1977)
	1977		1782					Aerial count, fixed wing		Matsjold (1978)
	1978		900					Aerial count, fixed wing		Matsjold (1979)

Appendix Table 1-4 (Continued).

LOCATION CODE / STREAM NAME	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD	COMMENTS	DATA SOURCE
	1980								No count - high, turbid water	Bentz (1982)
	1981								No count - high, turbid water	Bentz (1982)
	1982		863							ADF&G (1985c)-CHUL.TAB
	1982	8/12	644					Aerial count, helicopter - Excellent		ADF&G (1983a)
	1983	7/19	3846					Boat survey, raft - Excellent		Barrett et al. (1984)
	1983	8/03	958					Boat survey, raft - Excellent		Barrett et al. (1984)
	1984		4191							Hepler & Bentz (1985)

* - These new location codes and names have been submitted to the editors of the Anadromous Waters Catalog in October 1985. Upon verification they will be included in the next printing of the Anadromous Waters Catalog.

Appendix Table 1-5. Escapement survey counts of adult salmon in Susitna River sloughs, side channels, and the mainstem between river mile (RM) 28.0 and RM 161.0.
 All data presented for 1981-1984 represent the peak total counts (live fish + dead fish) observed.

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
Rustic Wilderness Slough (RM 57.0)	1984	10/13	0	0	6	0	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)
Caswell Side Channel Mouth (RM 62.1)	1984	10/09	0	0	0	8	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)
Caswell Creek Slough (RM 63.2)	1984	10/11	0	0	0	4	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)
Mainstem (RM 68.3)	1981	9/21	0	0	0	6	0	Ground survey - 0.5 miles	622 N05 W13 AAB, Spawning	ADF&G (1981)
Unnamed Side Channel (RM 71.6)	1984	10/09	0	0	0	4	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)
Mid-Chan N Goose Sl (RM 73.9)	1984	10/10	0	0	0	3	0	Ground survey - Poor, 100%	Spawning site	Barrett et al. (1985)
SW of Circular Side Chan (RM 74.4)	1984	9/25	0	0	0	36	0	Ground survey - Good, 100%		Barrett et al. (1985)
Goose Creek Slough (RM 74.5)	1984	10/01	0	0	4	0	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)
	1984	10/08	0	0	0	16	0	Ground survey - Fair, 100%	Spawning site	Barrett et al. (1985)
Circular Side Channel (RM 75.3)	1984	9/18	0	0	0	0	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)
	1984	9/25	0	0	0	89	2	Ground survey - Good, 50%	Spawning site	Barrett et al. (1985)
Mainstem (RM 76.6)	1981	9/21	0	0	2	1	0	Electroshocking - 1.0 mile	623 N04 W07 BBD, Spawning	ADF&G (1981)
	1981	9/27	0	0	0	16	0	Ground survey - 0.5 miles	623 N04 W07 BBD, Spawning	ADF&G (1981)
Sauna Slough Mouth (RM 79.2)	1984	9/18	0	0	4	16	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)
	1984	10/08	0	0	0	7	0	Ground survey - Fair, 100%	Spawning site	Barrett et al. (1985)
Whitefish Slough (RM 79.4)	1984	8/16	0	0	0	0	0	Ground survey - Poor, 100%		Barrett et al. (1985)
	1984	8/25	0	0	0	1	2	Ground survey - Poor, 15%		Barrett et al. (1985)
	1984	9/18	0	0	0	1	0	Ground survey - Good, 22%		Barrett et al. (1985)
	1984	9/28	0	0	0	0	0	Ground survey - Excellent, 100%		Barrett et al. (1985)
Mainstem (RM 83.3)	1981	9/05	0	0	0	17	0	Ground survey - 0.5 miles	624 N05 W15 BCC Spawning	ADF&G (1981)

A123

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE	
Sunset Side Channel (RM 87.0)	1984	9/21	0	0	0	173	14	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
	1984	9/28	0	0	5	165	10	Ground survey - Excellent, 100%	Spawning site	Barrett et al. (1985)	
North Sunset Side Channel (RM 87.5)	1984	9/21	0	0	5	0	0	Ground survey - Good, 60%	Spawning site	Barrett et al. (1985)	
Birch Creek Slough (RM 88.2)	1984	7/23	126	375	0	3	437	Ground survey - Excellent, 22%	Surveyed from south to confluence with stream.	Barrett et al. (1985)	
	1984	7/29	0	0	0	0	0	Ground survey - Poor, 7%		Barrett et al. (1985)	
	1984	8/02	4	230	0	0	3304	Ground survey - Good, 7%		Barrett et al. (1985)	
	1984	8/09	13	93	234	1064	9917	Ground survey - Good, 7%	Only pink salmon observed spawning.	Barrett et al. (1985)	
	1984	8/16	0	6	75	476	6518	Ground survey - Good, 22%		Barrett et al. (1985)	
	1984	8/23	17	22	112	326	1350	Ground survey - Good, 17%		Barrett et al. (1985)	
	1984	8/31	4	0	119	175	507	Ground survey - Poor, 22%		Barrett et al. (1985)	
	1984	9/09	0	0	79	156	359	Ground survey - Poor, 17%		Barrett et al. (1985)	
	1984	9/16	0	0	40	117	161	Ground survey - Good, 7%		Barrett et al. (1985)	
	1984	9/25	0	0	0	60	15	Ground survey - Excellent, 22%		Barrett et al. (1985)	
	1984	10/01	0	0	16	538	0	Ground survey - Good, 22%		Barrett et al. (1985)	
Lower Birch Mainstem (RM 88.7)	1984	10/09	0	0	0	23	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
	1984	10/11	0	0	0	23	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
A 124	Upper Birch Camp (RM 89.5)	1984	9/29	0	0	0	12	0	Ground survey - Excellent, 100%	Spawning site	Barrett et al. (1985)
	1984	10/09	0	0	0	12	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
Upper Birch Side Channel (RM 90.1)	1984	10/09	0	0	0	68	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
Trapper Creek Side Channel (RM 90.3)	1984	9/23	0	0	0	795	0	Ground survey - Excellent, 100%	Spawning site	Barrett et al. (1985)	
	1984	9/26	0	0	2	141	2	Ground survey - Excellent, 100%	Spawning site	Barrett et al. (1985)	
	1984	9/28	0	0	0	4	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
	1984	10/01	0	0	24	149	0	Ground survey - Fair, 15%	Spawning site	Barrett et al. (1985)	
	1984	10/02	0	0	45	121	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
	1984	10/04	0	0	23	0	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
	1984	10/09	0	0	0	58	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
	1984	10/10	0	0	117	0	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
	1984	10/11	0	0	0	12	0	Ground survey - Poor, 100%	Spawning site	Barrett et al. (1985)	
Mainstem (RM 92.2)	1981	10/09	0	0	0	13	0	Ground survey - 0.3 miles	625 NOS W13 RCC Spawning	ADF&G (1981)	
Beaver Dam Channel (RM 95.0)	1984	9/27	0	0	0	3	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)	
Nushar Slough	1984	9/27	0	0	0	65	0	Ground survey - Excellent, 100%	Spawning site	Barrett et al. (1985)	

Appendix Table 1-5 (Continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODD	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
(RM 95.2)	1984	9/28	0	0	0	84	0	Ground survey - Excellent, 100%	Spawning site	Barrett et al. (1985)
Cache Creek Slough (RM 95.4)	1984	9/27	0	0	0	160	2	Ground survey - Excellent, 100%	Spawning site	Barrett et al. (1985)
Mainstem (RM 96.8)	1981	9/02	0	0	0	1	0	Ground survey - 0.3 miles	S26 N05 W25 BAA Spawning	ADF&G (1981)
Mainstem (RM 97.0)	1981	9/17	0	0	0	20	0	Ground survey - 0.1 miles	S26 N05 W26 ADB Spawning	ADF&G (1981)
Peridotia Slough (RM 98.0)	1984	9/14	0	4	2	439	0	Ground survey - Good, 100%	Spawning site	Barrett et al. (1985)
Slough 1 (RM 99.6)	1981	8/21	0	0	0	0	0	Ground survey - Poor, 50% surveyed	ADF&G (1981)	
	1981	8/29	0	0	0	0	0	Ground survey - Poor, 100% surveyed	ADF&G (1981)	
	1981	9/06	0	0	0	6	0	Ground survey - Good, 100% surveyed	ADF&G (1981)	
	1981	9/18	0	0	0	1	0	Ground survey - Excellent, 100% survey	ADF&G (1981)	
	1981	9/24	0	0	0	1	0	Ground survey - Excellent, 100% survey	ADF&G (1981)	
	1981	10/02	0	0	0	0	0	Ground survey - Excellent, 100% survey	ADF&G (1981)	
A 125	1982	8/08	0	0	0	0	0	Ground survey - Excellent, 100% survey	ADF&G (1983b)	
	1982	8/13	0	0	0	0	0	Ground survey - Excellent, 100% survey	ADF&G (1983b)	
	1982	8/20	0	0	0	0	0	Ground survey - Good, 100% surveyed	ADF&G (1983b)	
	1982	8/26	0	0	0	0	0	Ground survey - Good, 100% surveyed	ADF&G (1983b)	
	1982	9/01	0	0	0	0	0	Ground survey - Good, 100% surveyed	ADF&G (1983b)	
	1982	9/29	0	0	0	0	0	Ground survey - Excellent, 100% survey	ADF&G (1983b)	
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Good, 100% surveyed	ADF&G (1983b)	
	1983	7/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed	Barrett et al. (1984)	
	1983	8/07	0	0	0	0	0	Ground survey - Poor, 100% surveyed	Barrett et al. (1984)	
	1983	8/15	0	0	0	0	0	Ground survey - Poor, 100% surveyed	Barrett et al. (1984)	
	1983	8/22	0	0	0	0	0	Ground survey - Excellent, 100% survey	Barrett et al. (1984)	
	1983	8/29	0	0	0	0	0	Ground survey - Excellent, 60% surveyed	Barrett et al. (1984)	
	1983	9/05	0	0	0	0	0	Ground survey - Excellent, 100% survey	Barrett et al. (1984)	
	1983	9/12	0	0	0	0	0	Ground survey - Excellent, 100% survey	Barrett et al. (1984)	
	1983	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey	Barrett et al. (1984)	
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey	Barrett et al. (1984)	
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey	Barrett et al. (1984)	
	1984	8/09	0	0	0	0	0	Ground survey - Poor, 100% surveyed	Barrett et al. (1985)	
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed	Barrett et al. (1985)	
	1984	9/06	0	10	0	12	0	Ground survey - Excellent, 100% survey	Barrett et al. (1985)	
	1984	9/24	0	0	0	0	0	Ground survey - Good, 100% surveyed	Barrett et al. (1985)	

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
Slough 2 (RM 100.4)	1981	8/02	0	0	0	0	0	Ground survey - Poor, 50% surveyed		ADF&G (1981)
	1981	8/21	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/29	0	0	0	3	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/06	0	0	0	27	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/16	0	0	0	6	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/24	0	0	0	5	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	10/02	0	0	0	3	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/08	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1983b)
	1982	8/13	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1983b)
	1982	8/20	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	8/26	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	9/01	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	9/29	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Fair, 100% surveyed		ADF&G (1983b)
	1983	7/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/07	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/15	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/22	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/29	0	0	0	10	0	Ground survey - Excellent, 20% survey		Barrett et al. (1984)
	1983	9/05	0	0	0	23	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/12	0	0	0	49	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/19	0	0	0	21	0	Ground survey - Good, 80% surveyed		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/09	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/15	0	0	0	2	0	Ground survey - Good, 20% surveyed		Barrett et al. (1985)
	1984	8/17	0	0	0	13	0	Ground survey - Excellent, 50% survey		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/06	0	7	0	129	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/15	0	4	0	26	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/17	0	5	0	55	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/24	0	4	0	32	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/28	0	2	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/30	0	2	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	10/07	0	4	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 100.5)	1981	9/24	0	0	0	0	0	Ground survey - 0.1 miles	S26 N05 W02 CDD, Redds observed	ADF&G (1981)
Mainstem	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)

Appendix Table I-5 (Continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
(RM 101.2)	1984	9/01	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	0	0	89	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	16	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Slough 3B (RM 101.4)	1975	9/03		15		50			Peak count	Friese (1975)
	1981	8/05	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	8/11	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	8/21	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/29	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	9/06	0	1	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/17	0	1	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/24	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	10/02	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1981)
	1982	8/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/13	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1983b)
	1982	8/23	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	9/01	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	9/07	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/21	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	9/29	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Good, 100% surveyed		ADF&G (1983b)
Slough 3A	1983	7/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/04	0	0	0	1	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/12	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/26	0	0	0	3	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/05	0	1	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/19	0	5	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	1	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
Slough 3A	1984	8/09	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/17	0	0	0	1	0	Ground survey - Good, 10% surveyed		Barrett et al. (1985)
	1984	8/26	0	10	0	21	1	Ground survey - Excellent, 70% survey		Barrett et al. (1985)
	1984	9/06	0	20	0	56	0	Ground survey - Excellent, 70% survey		Barrett et al. (1985)
	1984	9/17	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/24	0	0	0	0	28	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/30	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Slough 3A	1981	8/04	0	4	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)

A127

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COD	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
(RM 101.9)	1981	8/11	0	7	0	0	0	Ground survey - Fair, 100% survey		ADFG (1981)
	1981	8/21	0	3	0	0	1	Ground survey - Excellent, 100% survey		ADFG (1981)
	1981	8/29	0	0	0	0	0	Ground survey - Fair, 100% survey		ADFG (1981)
	1981	9/06	0	1	0	0	0	Ground survey - Fair, 100% survey		ADFG (1981)
	1981	9/17	0	0	0	0	0	Ground survey - Fair, 100% survey		ADFG (1981)
	1981	9/24	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFG (1981)
	1981	10/02	0	0	0	0	0	Ground survey - Fair, 100% survey		ADFG (1981)
	1982	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/20	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFG (1983b)
	1982	9/01	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFG (1983b)
	1982	9/07	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/21	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFG (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFG (1983b)
A128	1983	7/15	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	7/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/04	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/12	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/05	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/17	0	11	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Slough 5 (RM 107.2)	1984	8/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/15	0	11	0	1	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/17	0	8	0	17	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/24	0	3	0	7	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/30	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1981	8/07	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFG (1981)
1981	1981	8/19	0	0	0	0	0	Ground survey - Fair, 100% survey		ADFG (1981)
	1981	8/25	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFG (1981)
	1981	8/28	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1981)
	1981	9/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1981)
1982	1982	8/07	0	0	0	2	0	Ground survey - Good, 100% surveyed		ADFG (1983b)
	1982	8/13	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1983b)
	1982	8/19	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1983b)
	1982	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1983b)

A129

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHIN	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
	1982	9/01	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFLG (1983b)
	1982	9/07	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFLG (1983b)
	1982	9/21	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFLG (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Poor, 100% surveyed		ADFLG (1983b)
	1983	7/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/07	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/15	0	0	0	1	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/22	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/29	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/05	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/12	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/07	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/09	0	0	0	0	4	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/28	0	1	0	0	2	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/04	0	0	0	0	0	Ground survey - Fair, 100% surveyed		Barrett et al. (1985)
	1984	9/17	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/24	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
Slough 6 (RM 108.2)	1974	8/28			1			Ground survey	Peak count	Barrett (1974)
	1981	8/07	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFLG (1981)
	1981	8/19	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADFLG (1981)
	1981	8/23	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADFLG (1981)
	1981	8/28	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1981)
	1981	9/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFLG (1981)
	1982	8/13	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1983b)
	1982	8/19	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFLG (1983b)
	1982	8/26	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFLG (1983b)
	1982	9/01	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFLG (1983b)
	1982	9/07	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFLG (1983b)
	1982	9/21	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFLG (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Fair, 100% surveyed		ADFLG (1983b)
	1983	7/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/07	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/15	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/22	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/29	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)

Appendix Table 1-5 (Continued)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
	1983	9/05	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/12	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/07	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/28	0	0	0	1	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/04	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/17	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/24	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
Mainstem (RM 110.0)	1984	9/01	0	0	0	4	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 110.1)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/08	0	0	0	2	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Slough 6A (RM 112.3)	1981	8/19	0	1	0	11	0	Ground survey - Good, 100% surveyed		ADF&G (1981)
	1981	8/23	0	0	0	11	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	8/29	0	1	0	3	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	9/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/07	0	0	0	0	35	Ground survey - Poor, 100% surveyed		ADF&G (1983b)
	1982	8/13	0	0	35	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/19	0	0	30	2	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/25	0	0	0	0	1	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/31	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/07	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/14	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/21	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Good, 100% surveyed		ADF&G (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/05	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/15	0	0	2	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/29	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/05	0	0	0	6	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)

A130

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD &	COMMENTS	DATA SOURCE
	1983	9/12	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/07	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/14	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/21	0	0	3	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/05	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/16	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/24	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
Slough B (RM 113.7)	1981	8/07	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/09	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/29	0	0	0	268	25	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/05	0	0	0	302	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/13	0	0	0	151	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/21	0	0	0	96	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/28	0	0	0	16	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	7/28	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADF&G (1983b)
	1982	8/02	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADF&G (1983b)
	1982	8/07	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/31	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	9/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/14	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/21	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Excellent, 100% survey		ADF&G (1983b)
	1983	8/05	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/15	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/29	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/05	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/12	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/07	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)

A131

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
Mainstem (RM 114.0)	1984	8/14	0	0	0	15	1	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/21	0	0	0	52	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/05	0	2	0	45	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/16	0	0	0	46	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/21	0	1	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/24	0	0	0	11	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
Mainstem (RM 114.4)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	0	0	46	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 114.8)	1982	9/02	0	0	1	8	0	Electroshocking - 200 yards	S28 W04 W06 CAB, Spawning	ADF&G (1983a)
	1982	9/02	0	0	0	10	0	Boat survey - 200 yards	S28 W04 W06 CAB, Spawning	ADF&G (1983a)
Mainstem (RM 115.0)	1984	9/01	0	0	0	8	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	69	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	5	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 114.5)	1984	9/08	0	0	0	8	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 115.0)	1983	9/12	0	0	0	20	0	Ground survey - 300 yards	S07 N28 W04 BBC, Spawning	Barrett et al. (1984)
Mainstem (RM 115.4)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	15	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	7	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	8	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 117.6)	1981	9/23	0	0	6	0	0	Drift gill net - 0.01 miles	S29 N13 W28 BBC	ADF&G (1981)
Bushrod Slough (RM 117.8)	1984	8/13	0	0	0	27	10	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/20	0	0	0	90	4	Ground survey - Excellent, 100% survey		Barrett et al. (1985)

Appendix Table 1-5 (Continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1984	8/27	0	0	0	22	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/05	0	0	0	24	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/16	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/24	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
Mainstem (RM 118.9)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	5	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	21	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	10	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 119.0)	1983	9/19	0	0	0	17	0	Ground survey - 1/8 mile	616 N29 W04 CDD	Barrett et al. (1984)
									Spawning	
Mainstem (RM 119.1)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	6	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	15	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	2	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 119.4)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	0	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	2	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 121.6)	1984	9/15	0	0	0	2	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Slough 80 (RM 121.8)	1981	8/01	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	8/07	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/15	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/29	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/12	0	0	0	0	0	Ground survey - Excellent, 50% surveyed		ADF&G (1983b)
	1982	9/14	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1982	9/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1983b)
	1982	9/25	0	0	0	23	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Poor, 100% surveyed		ADFG (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/03	0	0	0	1	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/12	0	0	0	0	0	Ground survey - Fair, 100% surveyed		Barrett et al. (1984)
	1983	8/18	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/25	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/01	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/09	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/17	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/25	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/13	0	0	0	2	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/17	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/21	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/31	0	0	0	11	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/06	0	0	0	49	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/13	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/28	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
Slough BC (RM 121.9)	1981	8/01	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFG (1981)
	1981	8/07	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1981)
	1981	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1981)
	1981	8/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1982	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/15	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/29	0	0	0	23	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/12	0	2	0	48	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/14	0	1	0	31	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Poor, 100% surveyed		ADFG (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/03	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/12	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)

A135

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
Klappan River (RM 122.2)	1983	8/18	0	0	0	0	0	Ground survey - Fair, 100% surveyed		Barrett et al. (1984)
	1983	8/25	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/01	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/09	0	0	0	4	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/17	0	0	0	1	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/25	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/13	0	0	0	0	1	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
Slough 88 (RM 122.2)	1984	8/17	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/21	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/31	0	0	0	68	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/04	0	0	0	110	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/13	0	0	0	121	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/22	0	0	0	116	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/28	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1981	8/01	0	0	0	1	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	8/07	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
Klappan River (RM 122.2)	1982	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/19	0	0	0	2	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/22	0	0	0	1	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/29	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/31	0	5	0	23	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/06	0	2	0	80	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/12	0	2	0	46	0	Ground survey - Excellent, 50% surveyed		ADF&G (1983b)
	1982	9/14	0	1	0	31	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
Klappan River (RM 122.2)	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Good, 100% surveyed		ADF&G (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/03	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/12	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/18	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/25	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/01	0	0	0	1	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
Klappan River (RM 122.2)	1983	9/09	0	0	0	104	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)

Appendix Table 1--Continued..

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
	1983	9/17	0	0	0	93	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/25	0	0	0	19	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	10/01	0	0	0	20	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	3	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/13	0	0	0	5	3	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/17	0	1	0	176	68	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/21	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/31	0	0	0	400	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/06	0	0	0	349	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/08	0	0	0	187	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/13	0	0	0	335	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/15	0	0	0	76	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/22	0	0	0	149	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/28	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
Moose Slough (RM 123.5)	1981	8/27	0	0	0	139	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1981	9/04	0	0	0	167	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1981	9/12	0	0	0	153	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1981	9/21	0	0	0	92	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1981	9/27	0	0	0	4	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1982	8/06	1	0	0	2	6	Ground survey - Fair, 100% surveyed		ADFG (1983b)
	1982	8/12	0	0	0	7	6	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/19	0	8	0	9	1	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/25	0	0	0	9	0	Ground survey - Good, 100% surveyed		ADFG (1983b)
	1982	8/31	0	5	0	23	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/06	0	0	0	14	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1983b)
	1982	9/25	0	0	0	23	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Poor, 100% surveyed		ADFG (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/05	0	0	0	68	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/13	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/14	0	3	0	7	0	Ground survey - Poor, 20% surveyed		Barrett et al. (1984)
	1983	8/15	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/17	0	0	0	8	0	Ground survey - Poor, 75% surveyed		Barrett et al. (1984)
	1983	8/18	0	4	0	15	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/21	0	2	0	17	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1983	8/23	0	6	0	33	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/30	0	7	0	30	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/01	0	1	0	18	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/02	0	2	0	12	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/03	0	1	0	17	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/05	0	13	0	19	0	Ground survey - Fair, 100% surveyed		Barrett et al. (1984)
	1983	9/07	0	19	0	12	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/09	0	22	0	15	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	18	0	13	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	2	0	8	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	3	25	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/13	0	4	1	150	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/19	0	8	0	87	2	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/03	0	0	0	76	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/09	0	0	0	49	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 124.0)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	18	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Slough A' (RM 124.6)	1981	8/27	0	0	0	39	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/04	0	0	0	140	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/12	0	0	0	92	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/21	0	0	0	34	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	7/29	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/12	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/23	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/31	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/06	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	9/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/19	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1983b)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHIN	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Poor, 100% surveyed		ADF&G (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/05	0	0	0	4	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/15	0	0	0	77	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/17	0	0	0	69	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/19	0	0	0	56	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/20	0	0	0	52	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/21	0	0	0	55	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/23	0	0	0	35	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/27	0	0	0	10	0	Ground survey - Excellent, 20% surveyed		Barrett et al. (1984)
	1983	8/28	0	0	0	4	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/30	0	0	0	13	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/01	0	0	0	17	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/02	0	0	0	22	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/03	0	0	0	11	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/05	0	0	0	16	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/07	0	0	0	21	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	0	0	43	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	13	24	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/13	0	0	0	111	23	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/19	0	0	0	109	3	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/03	0	0	0	53	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/09	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Slough A (RM 124.7)	1981	8/07	0	0	0	20	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/11	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/19	0	0	0	26	2	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/27	0	0	0	34	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/04	0	0	0	23	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/12	0	0	0	23	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/24	0	0	0	4	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	7/29	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/12	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/17	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	Sockeye	Coho	Chum	Pink	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1982	8/23	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/31	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/06	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADFG (1983b)
	1982	9/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/19	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Poor, 100% surveyed		ADFG (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/05	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/13	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/27	0	0	0	2	1	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/02	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/26	0	0	0	2	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/04	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 124.9)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	4	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	8	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	4	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Slough BA (RM 125.1)	1981	8/07	0	0	0	16	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1981	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1981)
	1981	8/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFG (1981)
	1981	9/04	0	177	0	620	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1981	9/12	0	105	0	311	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1981	9/21	0	38	0	7	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1981	9/27	0	9	0	0	0	Ground survey - Excellent, 100% survey		ADFG (1981)
	1982	8/06	0	0	0	1	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/12	0	68	0	80	0	Ground survey - Fair, 100% surveyed		ADFG (1983b)
	1982	8/17	0	62	0	190	0	Ground survey - Good, 100% surveyed		ADFG (1983b)
	1982	8/23	0	23	0	308	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/31	0	27	0	336	0	Ground survey - Excellent, 100% survey		ADFG (1983b)

Table 1 (Continued)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1982	9/06	0	35	0	305	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/13	0	17	0	230	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/20	0	20	3	25	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	9/25	0	15	3	13	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	10/02	0	2	4	1	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Fair, 100% surveyed		ADFG (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/05	0	1	0	2	3	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/13	0	0	0	16	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/14	0	0	0	25	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/15	0	0	0	29	1	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/17	0	0	0	31	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/19	0	30	0	17	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/20	0	0	0	26	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/21	0	0	0	29	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/23	0	0	0	23	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/28	0	0	0	19	0	Ground survey - Fair, 100% surveyed		Barrett et al. (1984)
	1983	8/30	0	32	0	37	0	Ground survey - Fair, 100% surveyed		Barrett et al. (1984)
	1983	9/01	0	30	0	34	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/03	0	36	0	36	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/05	0	54	0	19	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/07	0	42	0	21	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/09	0	57	0	18	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	66	0	11	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	56	0	2	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	28	0	1	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	8	0	1	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	3	0	46	5	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/13	0	17	0	280	46	Ground survey - Excellent, 75% survey		Barrett et al. (1985)
	1984	8/19	0	59	0	593	134	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/03	0	128	0	917	3	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/09	0	125	0	562	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/20	0	40	0	20	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/26	0	45	0	27	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	10/04	0	3	0	1	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	10/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Slough B (RM 126.3)	1982	8/12	0	0	0	1	32	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/19	0	2	0	11	0	Ground survey - Excellent, 100% survey		ADFG (1983b)
	1982	8/23	0	1	0	47	12	Ground survey - Excellent, 100% survey		ADFG (1983b)

Appendix Table 1-5 (Continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SPOTTED	CODD	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
	1982	8/31	0	0	0	25	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/05	0	8	0	58	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/13	0	6	0	22	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/02	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Poor, 100% survey		ADF&G (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/13	0	0	0	0	0	Ground survey - Poor, 100% survey		Barrett et al. (1984)
	1983	8/20	0	0	0	0	0	Ground survey - Poor, 100% survey		Barrett et al. (1984)
	1983	9/03	0	0	0	0	0	Ground survey - Poor, 100% survey		Barrett et al. (1984)
	1983	9/11	0	2	0	7	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	0	0	Ground survey - Poor, 100% survey		Barrett et al. (1985)
	1984	8/13	0	0	0	0	0	Ground survey - Poor, 100% survey		Barrett et al. (1985)
	1984	8/20	0	0	0	0	0	Ground survey - Poor, 100% survey		Barrett et al. (1985)
	1984	8/21	0	0	0	32	0	Ground survey - Good, 50% surveyed		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% survey		Barrett et al. (1985)
	1984	9/04	0	9	0	108	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/11	0	4	0	30	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/21	0	1	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 127.8)	1984	9/15	0	0	0	4	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 128.3)	1984	9/08	0	0	0	73	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Slough 9 (RM 128.3)	1974	9/5				511		Ground survey		Barrett (1974)
	1974	9/5&9/12		8				Ground survey		Barrett (1974)
	1975	9/27				181				Friese (1975)
	1981	8/07	0	0	0	0	0	Ground survey - Poor, 10% surveyed		ADF&G (1981)
	1981	8/11	0	0	0	5	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/23	0	0	0	0	0	Ground survey - Excellent, 50% surveyed		ADF&G (1981)
	1981	9/04	0	10	0	260	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/12	0	6	0	71	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/20	0	10	0	16	0	Ground survey - Excellent, 100% survey		ADF&G (1981)

Appendix Table I-3 (continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODD	CHUM	PINK	SURVEY METHOD &	COMMENTS	DATA SOURCE
	1981	9/27	0	0	0	2	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/06	0	0	0	1	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/17	0	0	0	21	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/23	0	1	0	47	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/30	0	5	0	211	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/05	0	3	0	300	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/13	0	3	0	295	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/19	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Fair, 100% surveyed		ADF&G (1983b)
A142	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/13	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/18	0	0	0	5	0	Ground survey - Poor, 50% surveyed		Barrett et al. (1984)
	1983	8/20	0	0	0	51	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/27	0	0	0	0	0	Ground survey - Poor, 100% survey		Barrett et al. (1984)
	1983	9/03	0	0	0	0	0	Ground survey - Poor, 100% survey		Barrett et al. (1984)
	1983	9/05	0	0	0	152	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/07	0	2	0	162	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/09	0	0	0	156	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	1	0	169	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	0	0	165	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
Mainstem (RM 128.6)	1984	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/13	0	0	0	4	1	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/04	0	6	0	350	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/11	0	0	0	138	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/21	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1982	9/05	0	0	0	10	0	Ground survey - 200 yards	S30 N03 W16 BCA	ADF&G (1983a)
	1982	9/07	0	0	0	7	0	Ground survey - 200 yards	S30 N03 W16 BCA	ADF&G (1983a)
	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	27	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	15	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	77	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1984	9/29	0	0	0	6	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 128.7)	1984	9/15	0	0	0	10	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 129.2)	1981	9/08	0	0	1	2	0	Drift gill net - 0.1 miles	530 N03 W09 B Numerous redds seen	ADF&G (1981)
Slough 98 (RM 129.2)	1981	8/11	0	27	0	56	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/23	0	47	0	90	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/27	0	81	0	71	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/04	0	71	0	49	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/12	0	62	0	26	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/20	0	54	0	7	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/27	0	35	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/30	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/19	0	1	0	5	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Fair, 100% survey		ADF&G (1983b)
A143	1983	7/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/10	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/14	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/21	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/26	0	7	0	73	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/01	0	6	0	63	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/08	0	7	0	25	0	Aerial count, helicopter - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/21	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 129.8)	1982	9/12	0	0	0	5	0	Ground survey - 800 yards	530 N03 W09 DAB Spawning	ADF&G (1983a)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	18	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	0	0	1	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 130.0)	1984	9/08	0	0	0	5	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 130.5)	1981	9/08	0	0	0	3	0	Drift gill net - 0.1 miles	S30 N03 W10 B Redds not visible	ADF&G (1981)
	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	16	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	36	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	1	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 131.0)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good	Left bank	Barrett et al. (1985)
	1984	9/01	0	0	0	32	0	Aerial count, helicopter - Good	Left bank, spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good	Left bank	Barrett et al. (1985)
	1984	9/15	0	0	0	10	0	Aerial count, helicopter - Good	Left bank, spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good	Left bank	Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good	Left bank	Barrett et al. (1985)
Mainstem (RM 131.0)	1984	9/15	0	1	0	0	0	Aerial count, helicopter - Good	Right bank, spawning	Barrett et al. (1985)
Mainstem (RM 131.1)	1981	9/07	0	0	0	3	0	Drift gill net - 0.2 miles	S30 N03 W03 DA Redds not visible	ADF&G (1981)
	1983	10/01	0	0	2	4	0	Ground survey - 200 yards	S03 N03 W03 DAB, Spawning	Barrett et al. (1984)
	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good	Left bank	Barrett et al. (1985)
	1984	9/01	0	0	0	11	0	Aerial count, helicopter - Good	Left bank, spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	81	0	Aerial count, helicopter - Good	Left bank, spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good	Left bank	Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good	Left bank	Barrett et al. (1985)
Mainstem (RM 131.2)	1984	9/08	0	0	0	18	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	15	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)

Appendix Table 1-5 (Continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
	1984	9/29	0	0	0	2	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 131.3)	1982	8/19	0	0	0	3	0	Electroshocking - 80 yards	SJ0 N03 W03 DAD, Spawning	ADFLG (1983a)
	1982	9/04	0	0	0	12	0	Boat survey - 100 yards	SJ0 N03 W03 DAD, Spawning	ADFLG (1983a)
	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/08	0	0	0	57	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	13	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 131.5)	1984	8/24	0	0	2	5	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	102	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 131.6)	1984	9/08	0	0	0	60	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 131.7)	1984	9/08	0	0	0	19	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	20	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	7	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 132.9)	1984	9/15	0	0	0	28	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Slough 9A (RM 133.3)	1981	7/31	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1981)
	1981	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1981)
	1981	8/27	0	2	0	71	0	Ground survey - Excellent, 20% survey		ADFLG (1981)
	1981	9/04	0	1	0	68	0	Ground survey - Excellent, 20% survey		ADFLG (1981)
	1981	9/12	0	2	0	64	0	Ground survey - Poor, 80% surveyed		ADFLG (1981)
	1981	9/20	0	0	0	182	0	Ground survey - Excellent, 100% survey		ADFLG (1981)
	1981	9/27	0	0	0	94	0	Ground survey - Excellent, 100% survey		ADFLG (1981)
	1982	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1983b)
	1982	8/12	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1983b)
	1982	8/17	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1983b)
	1982	8/23	0	0	0	25	0	Ground survey - Good, 100% surveyed		ADFLG (1983b)
	1982	8/30	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1983b)
	1982	9/05	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1983b)
	1982	9/06	0	0	0	118	0	Ground survey - Excellent, 100% survey		ADFLG (1983b)
	1982	9/13	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1983b)
	1982	9/19	0	1	0	0	0	Ground survey - Excellent, 100% survey		ADFLG (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADFLG (1983b)

Appendix Table I-3 (continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD &	COMMENTS	DATA SOURCE
	1982	10/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Good, 100% surveyed		ADF&G (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	1	0	97	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	0	0	105	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	10/08	0	0	0	14	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/10	0	0	0	46	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/13	0	0	0	41	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/04	0	0	0	303	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/11	0	0	0	170	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/21	0	0	0	14	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Slough 10 (RM 133.9)	1981	7/31	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/10	0	0	0	0	0	Ground survey - Fair, 100% survey		ADF&G (1981)
	1981	8/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/12	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/17	0	0	0	2	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/23	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/30	0	0	0	1	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/05	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Excellent, 100% survey		ADF&G (1983b)
	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)

Appendix Table 1-5 (Continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
Mainstem (RM 134.7)	1983	9/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/01	0	1	0	1	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/11	0	0	0	1	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	2	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	8/13	0	0	0	5	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/18	0	0	0	10	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/21	0	0	0	26	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/26	0	0	0	36	0	Ground survey - Fair, 100% survey		Barrett et al. (1985)
Mainstem (RM 135.0)	1984	9/01	0	0	0	29	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/03	0	0	0	32	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/04	0	0	0	32	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/21	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	0	0	2	0	Aerial count, helicopter - Good	Spanning	Barrett et al. (1985)
	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 135.1)	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	8	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	2	0	0	0	Aerial count, helicopter - Good	Spanning	Barrett et al. (1985)
Mainstem (RM 135.2)	1981	9/06	0	0	0	6	0	Drift gill net - 0.1 miles	S31 N02 W19 ADA Redds not observed	ADF&G (1981)
Slough 11 (RM 135.3)	1974	9/17				33		Ground survey		Barrett (1974)
	1974	9/22		79				Ground survey		Barrett (1974)
	1975	9/04		84						Friese (1975)
Mainstem (RM 135.4)	1981	7/31	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/06	0	100	0	0	0	Ground survey - Fair, 100% survey		ADF&G (1981)
	1981	8/10	0	50	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/20	0	0	0	1	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/22	0	259	0	282	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/27	0	378	0	411	0	Ground survey - Excellent, 100% survey		ADF&G (1981)

App.....Table 1 - Cont'd.

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1981	9/01	0	635	0	384	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/11	0	893	0	343	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/20	0	806	0	306	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/24	0	603	0	32	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/02	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/06	0	40	0	10	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/11	0	116	0	20	39	Ground survey - Fair, 100% survey		ADF&G (1983b)
	1982	8/17	0	194	0	43	131	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/23	0	299	0	165	113	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/30	0	456	0	411	87	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/05	0	368	0	377	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/13	0	434	0	459	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/19	0	335	0	223	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/25	0	205	0	130	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/01	0	168	0	68	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/05	0	111	0	12	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Excellent, 100% survey		ADF&G (1983b)
A 148	1983	7/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/03	0	68	0	71	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/11	0	49	0	12	7	Ground survey - Excellent, 50% surveyed		Barrett et al. (1984)
	1983	8/12	0	52	0	33	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/13	0	36	0	55	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/14	0	40	0	52	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/15	0	27	0	91	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/18	0	4	0	71	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/20	0	34	0	75	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/22	0	44	0	108	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/25	0	56	0	78	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/27	0	98	0	125	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/28	0	92	0	138	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/30	0	105	0	151	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/01	0	109	0	138	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/03	0	130	0	183	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/05	0	138	0	165	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/07	0	197	0	200	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/09	0	241	0	187	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	248	0	150	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	238	0	238	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/25	0	201	0	161	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/03	0	124	0	89	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/11	0	73	0	75	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1984	8/06	0	0	0	54	6	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	8/13	0	3	0	422	102	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/19	0	18	0	1235	121	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	8/26	0	93	0	1583	27	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/03	0	351	0	1560	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/09	0	564	0	1066	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/17	0	507	1	1586	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/21	0	244	0	22	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/26	0	158	0	5	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	10/04	0	18	0	1	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	10/10	0	4	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Slough 13 (RM 135.7)	1975	9/25				1				Friesen (1975)
	1981	7/31	0	0	0	0	0	Ground survey - Poor, 15% surveyed		ADF&G (1981)
	1981	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/04	0	0	0	4	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	9/11	0	0	0	3	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/17	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/23	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/30	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/05	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Fair, 100% surveyed		ADF&G (1983b)
	1983	8/20	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/27	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/01	0	0	0	4	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/18	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)

Appendix Table 1 (continued)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1984	8/21	0	0	0	12	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/27	0	0	0	22	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/04	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/21	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Slough 14 (RM 135.9)	1974	8/30				2		Ground survey	Peak count	Barrett (1974)
	1981	7/31	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/04	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/17	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/23	0	0	0	0	0	Ground survey - Excellent, 100% Survey		ADF&G (1983b)
	1982	8/30	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/05	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/13	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Fair, 100% surveyed		ADF&G (1983b)
	1983	8/20	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/27	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/01	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/18	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/27	0	0	2	1	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/04	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/21	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 136.0)	1982	8/12	0	0	4	14	20	Electroshocking - 400 yards	SJI N02 W19 AD Spawning	ADF&G (1983a)

Appendix Table 1-5 (Continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COMO	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
	1982	9/04	0	0	0	50	0	Boat survey - 150 yards	S31 N02 W19 AD Spawning	ADF&G (1983a)
Mainstem Side Channel (RM 136.1)	1983	9/09	0	0	0	110	0	Ground survey - 50 yards	S20 N31 W02 BBD, Spawning	Barrett et al. (1984)
	1983	9/17	0	0	0	67	0	Ground survey - 50 yards	S20 N31 W02 BBD, Spawning	Barrett et al. (1984)
	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	131	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	49	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 136.3)	1984	9/08	0	0	0	31	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 136.5)	1984	9/15	0	0	0	6	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Mainstem (RM 136.8)	1983	9/09	0	0	0	12	0	Ground survey - 100 yards	S20 N31 W02 BAA, Spawning	Barrett et al. (1984)
Slough 15 (RM 137.2)	1975	9/06				1				Friese (1975)
	1981	7/31	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1981)
	1981	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/10	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	8/21	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/26	0	0	0	1	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/04	0	0	0	0	24	Ground survey - Fair, 100% surveyed		ADF&G (1983b)
	1982	8/11	0	0	14	0	132	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/17	0	0	5	1	2	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/23	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/30	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/04	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/12	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Poor, 100% surveyed		ADF&G (1983b)

Appendix Table 1-5 (continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
A152 Slough 16 (RM 137.3)	1983	7/25	1	0	0	0	0	Ground survey - Fair, 100% surveyed		Barrett et al. (1984)
	1983	8/04	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/11	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/18	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/25	0	0	0	2	1	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/03	0	0	14	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/09	0	0	0	1	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/15	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/24	0	0	2	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/08	0	1	10	100	500	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/17	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
A153 Slough 16 (RM 137.3)	1984	8/24	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/02	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/10	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1974	8/19/80/30				2		Ground survey	Peak count	Barrett (1974)
	1975	8/26				12				Friese (1975)
A154 Slough 16 (RM 137.3)	1981	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/10	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/21	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/26	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	9/03	0	0	0	3	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	9/19	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
A155 Slough 16 (RM 137.3)	1982	8/04	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	8/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/17	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/23	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/30	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/04	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/12	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Good, 100% surveyed		ADF&G (1983b)
A156 Slough 16 (RM 137.3)	1983	7/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)

Appendix Table 1-5 (Continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHIN	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
Mainstem (RM 137.4)	1983	8/04	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/11	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/25	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/03	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/09	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/15	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/08	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
Mainstem (RM 138.2)	1984	8/17	0	0	0	14	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/24	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/01	0	0	0	15	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/02	0	0	0	7	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/10	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 138.3)	1982	8/19	0	0	0	25	0	Electroshocking - 200 yards	S31 N02 W17 DBB, Spawning	ADFLG (1983a)
Mainstem (RM 138.6 - RM 138.9)	1983	9/15	0	11	0	56	0	Ground survey - 1/4 mile		509 N31 W02 DCB, Spawning
Mainstem (RM 138.7)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	3	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 138.8)	1984	9/15	0	4	0	36	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	Sockeye	CODO	CHUM	PINK	SURVEY METHOD &	COMMENTS	DATA SOURCE
Mainstem (RM 138.9)	1982	9/04	0	0	0	16	0	Ground survey - 200 yards	S31 N02 W09 DBD Spawning	ADF&G (1983a) -
Slough 17 (RM 138.9)	1974	9/13				24		Ground survey	Peak count	Barrett (1974)
	1981	8/06	0	0	0	9	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/10	0	0	0	3	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/21	0	1	0	33	0	Ground survey - Excellent, 75% survey		ADF&G (1981)
	1981	8/26	0	0	0	38	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/03	0	5	0	37	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/11	0	6	0	30	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/19	0	3	0	4	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/04	0	0	0	0	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	8/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/16	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/30	0	0	0	4	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/04	0	0	0	2	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/12	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/18	0	0	0	2	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/23	0	0	0	21	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/30	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Excellent, 100% survey		ADF&G (1983b)
	1983	7/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/04	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/11	0	0	5	28	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/18	0	1	0	33	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/25	0	2	0	90	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/03	0	1	0	2	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/09	0	3	0	5	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/15	0	0	0	3	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/22	0	6	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	2	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/08	0	16	0	39	1	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/17	0	1	0	29	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/24	0	15	0	70	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/02	0	3	0	66	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/10	0	0	0	0	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)

Appendix Table 1-5 (Continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COND	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
	1984	9/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	10/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 139.0)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	2	0	46	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	87	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	3	0	15	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 139.4)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	6	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	37	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Slough 19 (RM 139.7)	1974	8/21		3				Ground survey	Peak count	Barrett (1974)
	1974	9/24				4		Ground survey	Peak count	Barrett (1974)
	1975	8/26		20						Friese (1975)
	1981	8/06	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/10	0	0	0	0	0	Ground survey - Fair, 100% surveyed		ADF&G (1981)
	1981	8/21	0	13	0	3	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	8/26	0	20	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/03	0	23	0	1	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/11	0	18	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/19	0	8	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/26	0	6	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/04	0	0	0	0	1	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/11	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/16	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/30	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/04	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/12	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/23	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/30	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Excellent, 100% survey		ADF&G (1983b)
	1983	7/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)

Table ... Continue...

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODO	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1983	8/04	0	0	0	0	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1983	8/11	0	0	0	0	1	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	8/18	0	0	0	0	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1983	8/25	0	0	0	2	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1983	9/03	0	1	0	3	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1983	9/09	0	5	0	0	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1983	9/15	0	3	0	0	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1983	9/22	0	3	0	0	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1983	10/03	0	0	0	0	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1984	8/08	0	0	0	19	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	8/17	0	0	0	3	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1985)
	1984	8/24	0	4	0	40	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/02	0	9	0	45	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1985)
	1984	9/10	0	11	0	5	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/20	0	6	0	0	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1985)
	1984	9/26	0	4	0	1	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1985)
	1984	10/03	0	0	0	0	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1985)
Slough 20 (RM 140.1) A16	1974	9/05			107			Ground survey	Peak count	Barrett (1974)
	1981	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/10	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/21	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/26	0	2	0	11	0	Ground survey - Excellent, 100% surveyed		ADF&G (1981)
	1981	9/03	0	0	0	14	0	Ground survey - Excellent, 100% surveyed		ADF&G (1981)
	1981	9/11	0	0	0	0	0	Ground survey - Excellent, 100% surveyed		ADF&G (1981)
	1981	9/19	0	0	0	0	0	Ground survey - Excellent, 100% surveyed		ADF&G (1981)
	1982	8/04	0	0	0	0	0	Ground survey - Excellent, 100% surveyed		ADF&G (1983b)
	1982	8/11	0	0	0	0	51	Ground survey - Excellent, 100% surveyed		ADF&G (1983b)
	1982	8/16	0	0	0	0	64	Ground survey - Excellent, 100% surveyed		ADF&G (1983b)
	1982	8/22	0	0	0	3	50	Ground survey - Excellent, 100% surveyed		ADF&G (1983b)
	1982	8/30	0	0	0	3	8	Ground survey - Excellent, 100% surveyed		ADF&G (1983b)
	1982	9/04	0	0	0	30	0	Ground survey - Excellent, 100% surveyed		ADF&G (1983b)
	1982	9/12	0	0	0	9	0	Ground survey - Excellent, 100% surveyed		ADF&G (1983b)
	1982	9/18	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1983b)
	1982	9/23	0	0	0	2	0	Ground survey - Excellent, 100% surveyed		ADF&G (1983b)
	1982	9/30	0	0	0	0	0	Ground survey - Excellent, 100% surveyed		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Fair, 100% surveyed		ADF&G (1983b)
	1983	7/25	0	0	0	0	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1983	8/04	0	0	0	7	7	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1983	8/11	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)

A197

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	Sockeye	Coho	Chum	Pink	Survey Method *	Comments	Data Source
	1983	8/18	0	0	0	62	0	Ground survey - Excellent, 100% surveyed		Barrett et al. (1984)
	1983	8/25	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/03	0	0	0	63	0	Ground survey - Good, 100% surveyed		Barrett et al. (1984)
	1983	9/09	0	0	0	39	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/15	0	0	0	23	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/08	0	0	0	39	37	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	8/17	0	0	0	138	85	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/24	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/02	0	0	0	280	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/10	0	0	0	116	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 140.5)	1984	6/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	8	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 140.8)	1984	9/15	0	0	0	2	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Slough 21 (RM 141.0)	1974	9/18		13		668		Ground survey		Barrett (1974)
	1975	9/06				250			Peak count	Friese (1975)
	1975	9/25		75					Peak count	Friese (1975)
	1981	8/06	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/10	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/21	0	0	0	0	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	8/26	0	1	0	169	0	Ground survey - Excellent, 50% surveyed		ADF&G (1981)
	1981	9/03	0	26	0	274	0	Ground survey - Excellent, 75% surveyed		ADF&G (1981)
	1981	9/11	0	38	0	136	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/19	0	33	0	67	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/26	0	3	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/04	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/11	0	0	0	7	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	8/16	0	0	0	0	64	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/22	0	10	0	235	7	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/29	0	15	0	613	6	Ground survey - Good, 100% surveyed		ADF&G (1983b)

Appendix Table 1 (continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	COHO	CHUM	PINK	SURVEY METHOD #	COMMENTS	DATA SOURCE
	1982	9/04	0	44	0	736	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/12	0	53	0	506	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/18	0	32	0	36	0	Ground survey - Good, 100% surveyed		ADF&G (1983b)
	1982	9/23	0	19	0	31	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/30	0	5	0	3	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Fair, 100% surveyed		ADF&G (1983b)
	1983	7/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/04	0	0	0	1	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/11	0	0	0	4	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/18	0	45	0	154	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/20	0	0	0	1	0	Ground survey - Poor, 2% surveyed		Barrett et al. (1984)
	1983	8/22	0	34	0	81	0	Ground survey - Poor, 75% surveyed		Barrett et al. (1984)
	1983	8/23	0	53	0	118	1	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	8/25	0	1	0	7	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/02	0	86	0	81	0	Ground survey - Excellent, 50% survey		Barrett et al. (1984)
	1983	9/09	0	197	0	319	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/15	0	169	0	247	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/22	0	78	0	200	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/03	0	10	0	16	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/08	0	0	0	1	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/08	0	0	0	12	0	Ground survey - Excellent, 35% survey		Barrett et al. (1985)
	1984	8/17	0	58	0	981	8	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/24	0	12	0	458	0	Ground survey - Good, 35% surveyed		Barrett et al. (1985)
	1984	9/02	0	115	0	2354	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/10	0	122	0	1520	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/20	0	62	0	823	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/26	0	40	0	605	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	10/03	0	20	0	1	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	10/08	0	6	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 141.4)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	45	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 141.6)	1984	8/24	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/01	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/08	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
	1984	9/15	0	9	0	1	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
	1984	9/22	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)

Appendix Table 1-5 (Continued).

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	Sockeye	Coho	Chum	Pink	SURVEY METHOD *	COMMENTS	DATA SOURCE
	1984	9/29	0	0	0	0	0	Aerial count, helicopter - Good		Barrett et al. (1985)
Mainstem (RM 143.3)	1982	9/04	0	0	0	22	0	Ground survey - 100 yards	632 N01 W38 BCB Spawning	ADF&G (1983a)
	1984	9/01	0	0	0	45	0	Aerial count, helicopter - Good	Spawning	Barrett et al. (1985)
Slough 22 (RM 144.5)	1983	8/18	0	0	0	114	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/25	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/02	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1984)
	1983	9/09	0	0	0	98	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/15	0	0	0	51	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/22	0	0	0	11	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/08	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/17	0	0	0	38	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	8/24	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/02	0	2	0	151	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/10	0	1	0	7	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Slough 21A (RM 145.3)	1981	8/26	0	0	0	5	0	Ground survey - Poor, 100% surveyed		ADF&G (1981)
	1981	9/02	0	0	0	8	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1981	9/11	0	0	0	5	0	Ground survey - Excellent, 100% survey		ADF&G (1981)
	1982	8/04	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/09	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	8/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	9/23	0	0	0	0	0	Ground survey - Excellent, 100% survey		ADF&G (1983b)
	1982	10/25	0	0	0	0	0	Aerial count, helicopter - Fair, 100% surveyed		ADF&G (1983b)
	1983	8/18	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	8/25	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/02	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/09	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/15	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	9/22	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1983	10/03	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1984)
	1984	8/08	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	8/17	0	0	0	10	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)

LOCATION NAME / (RIVER MILE)	YEAR	DATE	CHINOOK	SOCKEYE	CODD	CHUM	PINK	SURVEY METHOD *	COMMENTS	DATA SOURCE
Mainstem (RM 148.2)	1984	8/24	0	0	0	0	0	Ground survey - Poor, 100% surveyed		Barrett et al. (1985)
	1984	9/01	0	0	0	6	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/02	0	0	0	6	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/08	0	0	0	7	0	Aerial count, helicopter - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/10	0	0	0	7	0	Ground survey - Good, 100% surveyed		Barrett et al. (1985)
	1984	9/20	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
	1984	9/26	0	0	0	0	0	Ground survey - Excellent, 100% survey		Barrett et al. (1985)
Mainstem (RM 148.2)	1982	8/10	0	0	0	400	0	Electroshocking - 125 yards	S32 N01 W26 DCA Spawning	ADF&G (1983a)
	1982	9/05	0	1	1	4	0	Electroshocking - 100 yards	S32 N01 W26 DCA Spawning	ADF&G (1983a)

* - Additional survey method information obtained from the original field data forms and interviews with Susitna Aquatic Studies staff.

APPENDIX 2

Fishwheel Daily and Cumulative
Catches, by Station.

A163

Appendix Table 2-1. Flathorn Station east channel daily and cumulative fishwheel catch by species, 1985.

Date	No. of Wheel Wheels	Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch	
			Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.
052685	2	10.50	0	0	1	1	0	0	0	0	0	0	0	0	0	1	1
052785	2	47.00	3	3	2	3	0	0	0	0	0	0	0	0	0	5	6
052885	3	51.00	4	7	2	5	0	0	0	0	0	0	0	2	2	8	14
052985	3	72.00	6	13	2	7	0	0	0	0	0	0	0	8	10	16	30
053085	3	72.00	8	21	5	12	0	0	0	0	0	0	0	10	20	23	53
053185	3	72.00	10	31	3	15	0	0	0	0	0	0	0	11	31	24	77
060185	3	72.00	16	47	7	22	0	0	0	0	0	0	0	22	53	45	122
060285	4	65.50	13	60	8	30	0	0	0	0	0	0	0	1	54	22	144
060385	3	70.00	88	148	12	42	0	0	0	0	0	0	0	1	38	104	248
060485	3	70.00	71	219	9	51	0	0	0	0	0	0	0	2	60	82	330
060585	3	71.00	102	321	26	77	0	0	0	0	0	0	0	12	72	140	470
060685	4	77.50	83	404	15	92	0	0	0	0	0	0	0	4	76	102	572
060785	4	95.50	101	505	9	101	0	0	0	0	0	0	0	12	88	122	694
060885	4	78.00	293	798	13	114	0	0	0	0	0	0	0	20	108	326	1020
060985	4	96.00	457	1255	29	143	0	0	0	0	0	0	0	31	139	517	1537
061085	4	95.50	537	1792	29	172	0	0	0	0	0	0	0	23	162	589	2126
061185	4	96.00	553	2345	17	189	0	0	0	0	0	0	0	5	167	575	2701
061285	4	95.50	476	2821	12	201	0	0	0	0	0	0	0	4	171	492	3193
061385	4	95.50	420	3241	10	211	0	0	0	0	0	0	0	15	186	445	3638
061485	4	96.00	264	3505	8	219	0	0	0	0	0	0	0	8	194	280	3918
061585	4	96.00	492	3997	6	225	0	0	0	0	0	0	0	17	211	515	4433
061685	4	95.50	470	4467	2	227	0	0	0	0	0	0	0	12	223	484	4917
061785	4	96.00	439	4906	1	228	0	0	0	0	0	0	0	23	246	463	5380
061885	4	96.00	322	5228	2	230	0	0	0	0	0	0	0	15	261	339	5719
061985	4	96.00	259	5487	7	237	0	0	1	1	0	0	0	15	276	282	6001
062085	4	96.00	365	5852	1	238	0	0	0	1	0	0	0	13	289	379	6380
062185	4	96.00	318	6170	5	243	0	0	0	1	0	0	0	5	294	328	6708
062285	4	95.50	259	6429	3	246	1	1	0	1	0	0	0	11	305	274	6982
062385	4	95.50	315	6744	4	250	1	2	0	1	0	0	0	9	314	329	7311

A164

Appendix Table 2-1. Continued.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species	
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.
062485	4 96.00	227	6971	2	252	1	3	0	1	0	0	0	11	325	241	7552
062585	4 96.00	162	7133	5	257	0	3	0	1	0	0	0	21	346	188	7740
062685	4 96.00	121	7254	4	261	0	3	0	1	0	0	0	12	358	137	7877
062785	4 96.00	85	7339	7	268	0	3	0	1	0	0	0	9	367	101	7978
062885	4 96.00	66	7405	2	270	1	4	0	1	0	0	0	9	376	78	8056
062985	4 76.75	70	7475	0	270	2	6	0	1	0	0	0	1	377	73	8129
063085	2 48.00	57	7532	1	271	1	7	0	1	0	0	0	3	380	62	8191
070185	2 46.00	29	7561	2	273	0	7	0	1	0	0	0	1	381	32	8223
070285	2 48.00	14	7575	3	276	2	9	0	1	0	0	0	1	382	20	8243
070385	2 48.00	10	7585	4	280	1	10	0	1	0	0	0	1	383	16	8259
A165																
070485	2 48.00	6	7591	7	287	3	13	0	1	0	0	0	1	384	17	8276
070585	2 48.00	21	7612	8	292	2	15	1	2	0	0	0	2	386	31	8307
070685	2 48.00	18	7630	11	303	6	21	0	2	0	0	0	2	388	37	8344
070785	2 48.00	18	7648	11	314	8	29	0	2	0	0	0	3	391	40	8384
070885	2 48.00	19	7667	12	326	14	43	1	3	0	0	0	2	393	48	8432
070985	2 47.50	5	7672	12	338	15	58	1	4	0	0	0	0	393	33	8465
071085	2 48.00	6	7678	11	349	17	75	0	4	1	1	0	4	397	39	8504
071185	2 48.00	7	7685	4	353	19	94	0	4	1	2	0	11	408	42	8546
071285	2 48.00	3	7688	5	358	23	117	0	4	1	3	0	3	411	35	8581
071385	2 48.00	7	7695	9	367	25	142	0	4	3	6	0	5	416	49	8630
071485	2 48.00	4	7699	6	373	51	193	0	4	4	10	0	2	418	67	8697
071585	2 46.50	5	7704	22	395	54	247	1	5	6	16	0	6	424	94	8791
071685	2 48.00	5	7709	25	420	39	286	0	5	5	21	0	13	437	87	8878
071785	2 48.00	3	7712	23	443	40	326	1	6	9	30	0	15	452	91	8969
071885	2 47.50	1	7713	10	453	22	348	0	6	6	36	0	6	458	45	9014
071985	2 48.00	1	7714	6	459	16	364	0	6	6	42	0	8	466	37	9051
072085	2 48.00	2	7716	8	467	20	384	0	6	1	43	2	8	476	41	9092
072185	2 48.00	2	7718	6	473	29	413	0	6	2	45	0	4	480	43	9135
072285	2 48.00	1	7719	29	502	49	462	7	13	6	51	0	3	483	95	9230

Appendix Table 2-1. Continued.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species		
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.	
072385	2	48.00	0	7719	262	764	47	509	23	36	36	87	0	8	491	376	9606
072485	2	47.00	1	7720	271	1035	82	591	37	73	55	142	0	8	499	454	10060
072585	2	48.00	2	7722	189	1224	159	750	29	102	69	211	0	23	522	471	10531
072685	2	48.00	0	7722	214	1438	205	955	42	144	81	292	0	9	531	551	11082
072785	2	48.00	0	7722	254	1692	182	1137	44	188	88	380	0	4	535	572	11654
072885	2	46.00	1	7723	414	2106	148	1285	43	231	93	473	0	11	546	710	12364
072985	2	44.50	0	7723	262	2368	115	1400	74	305	72	545	0	13	559	536	12900
073085	2	48.00	0	7723	199	2567	189	1589	105	410	78	623	0	16	575	587	13487
073185	2	48.00	1	7724	101	2668	191	1780	96	506	118	741	1	4	580	512	13999
080185	2	48.00	0	7724	84	2752	213	1993	66	572	88	829	0	10	590	461	14460
080285	2	48.00	3	7727	87	2839	111	2104	55	627	79	908	0	16	606	351	14811
080385	2	48.00	1	7728	62	2901	73	2177	34	661	42	950	1	15	622	228	15039
080485	2	48.00	0	7728	84	2985	179	2356	59	720	31	981	2	28	652	383	15422
080585	2	48.00	2	7730	79	3064	116	2472	29	749	18	999	0	15	667	259	15681
080685	2	48.00	0	7730	96	3160	154	2626	38	787	19	1018	2	15	684	324	16005
080785	2	48.00	1	7731	78	3238	181	2807	27	814	11	1029	0	25	709	323	16328
080885	2	48.00	1	7732	65	3303	144	2951	59	873	23	1052	1	10	720	303	16631
080985	2	48.00	0	7732	98	3401	301	3252	66	939	34	1086	0	13	733	512	17143
081085	2	48.00	0	7732	125	3526	275	3527	152	1091	31	1117	1	10	744	594	17737
081185	2	48.00	0	7732	107	3633	264	3791	285	1376	34	1151	7	12	763	709	18446
081285	2	48.00	0	7732	89	3722	260	4051	301	1677	34	1185	8	13	784	705	19151
081385	2	48.00	0	7732	35	3757	61	4112	128	1805	7	1192	8	7	799	246	19397
081485	2	48.00	2	7734	37	3794	53	4165	492	2297	22	1214	5	12	816	623	20020
081585	2	48.00	1	7735	26	3820	47	4212	622	2919	48	1262	9	14	839	767	20787
081685	2	48.00	1	7736	29	3849	25	4237	395	3304	44	1306	3	7	849	494	21281
081785	2	48.00	0	7736	53	3902	34	4271	416	3720	17	1323	10	5	864	535	21816
081885	2	48.00	0	7736	33	3935	13	4284	339	4059	36	1359	14	19	897	454	22270
081985	2	48.00	0	7736	28	3963	30	4314	245	4304	19	1378	22	39	958	383	22653
082085	2	48.00	0	7736	13	3976	17	4331	143	4447	14	1392	26	46	1030	259	22912

Appendix Table 2-1. Continued.

Date	No. of Wheel Wheels	Chinook				Sockeye				Pink				Chum				Coho				Miscellaneous				Total Catch All Species	
		Hours	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.	
082185	2	48.00	0	7736	6	3982	13	4344	62	4509	14	1406	57	38	1125	190	23102										
082285	2	48.00	0	7736	5	3987	9	4353	16	4525	6	1412	53	34	1212	123	23225										
082385	2	48.00	0	7736	4	3991	4	4357	23	4548	9	1421	26	38	1276	104	23329										
082485	2	48.00	0	7736	2	3993	5	4362	20	4568	6	1427	37	55	1368	125	23454										
082585	2	48.00	0	7736	4	3997	6	4368	15	4583	6	1433	37	42	1447	110	23564										
082685	2	45.00	0	7736	3	4000	1	4369	7	4590	4	1437	11	16	1474	42	23606										
082785	2	48.00	0	7736	2	4002	1	4370	4	4594	3	1440	23	26	1523	59	23665										
082885	2	48.00	0	7736	0	4002	1	4371	4	4598	3	1443	29	31	1583	68	23733										
082985	2	48.00	0	7736	1	4003	1	4372	6	4604	3	1446	19	20	1622	50	23783										
083085	2	48.00	0	7736	4	4007	1	4373	3	4607	2	1448	20	18	1660	48	23831										
083185	2	48.00	0	7736	0	4007	2	4375	2	4609	3	1451	24	18	1702	49	23880										
090185	2	48.00	0	7736	3	4010	1	4376	4	4613	0	1451	4	4	1710	16	23896										
090285	2	48.00	0	7736	0	4010	0	4376	1	4614	2	1453	17	9	1736	29	23925										
090385	2	24.00	0	7736	0	4010	0	4376	4	4618	7	1460	50	13	1799	74	23999										

Appendix Table 2-2. Flathorn Station west channel daily and cumulative fishwheel catch by species, 1985.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous		Total Catch All Species	
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Daily	Cum.
052685	2 20.00	2	2	0	0	0	0	0	0	0	0	1	2	3	5
052785	2 48.00	2	4	2	2	0	0	0	0	0	0	1	15	19	20
052885	3 55.50	7	11	1	3	0	0	0	0	0	0	0	4	23	12
052985	3 72.00	7	18	1	4	0	0	0	0	0	0	0	8	31	16
053085	3 69.00	13	31	4	8	0	0	0	0	0	0	0	6	37	23
053185	3 72.00	11	42	7	15	0	0	0	0	0	0	0	5	42	23
060185	4 66.75	7	49	9	24	0	0	0	0	0	0	0	7	49	23
060285	3 72.00	11	60	7	31	0	0	0	0	0	0	0	2	51	20
060385	3 70.00	32	92	10	41	0	0	0	0	0	0	0	2	55	46
060485	3 71.00	51	143	12	53	0	0	0	0	0	0	0	0	55	63
060585	3 70.00	43	186	8	61	0	0	0	0	0	0	0	1	56	52
060685	3 58.75	35	221	4	65	0	0	0	0	0	0	0	2	58	41
060785	2 48.00	78	299	13	78	0	0	0	0	0	0	0	2	60	93
060885	2 46.50	179	478	17	95	0	0	0	0	0	0	0	1	63	199
060985	2 47.50	272	750	13	108	0	0	0	0	0	0	0	3	66	288
061085	2 47.50	226	976	10	118	0	0	0	0	0	0	0	1	67	237
061185	2 48.00	215	1191	6	124	0	0	0	0	0	0	0	2	69	223
061285	2 48.00	152	1343	5	129	0	0	0	0	0	0	0	2	71	159
061385	2 48.00	134	1477	3	132	0	0	0	0	0	0	0	4	75	141
061485	2 48.00	119	1596	1	133	0	0	0	0	0	0	0	3	78	123
061585	2 48.00	201	1797	2	135	0	0	0	0	0	0	0	7	85	210
061685	2 48.00	210	2007	4	139	0	0	0	0	0	0	0	8	93	222
061785	2 48.00	168	2175	4	143	0	0	0	0	0	0	0	7	100	179
061885	2 48.00	157	2332	2	145	0	0	0	0	0	0	0	5	105	164
061985	2 40.50	108	2440	3	148	0	0	0	0	0	0	0	1	106	112
062085	2 30.50	93	2533	0	148	0	0	0	0	0	0	0	1	107	94
062185	2 48.00	162	2695	1	149	0	0	0	0	0	0	0	8	115	171
062285	2 48.00	126	2821	1	150	0	0	0	0	0	0	0	5	120	132
062385	2 48.00	123	2944	2	152	0	0	0	0	0	0	0	6	126	131

ALT68

Appendix Table 2-2. Continued.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species	
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.
062485	2 47.50	82	3026	2	154	0	0	0	0	0	0	0	6	132	90	3312
062585	2 48.00	56	3082	0	154	0	0	0	0	0	0	0	19	151	75	3387
062685	2 46.00	35	3117	0	154	0	0	0	0	0	0	0	21	172	56	3443
062785	2 48.00	26	3143	0	154	0	0	0	0	0	0	0	20	192	46	3489
062885	2 48.00	25	3168	0	154	0	0	0	0	0	0	0	8	200	33	3522
062985	2 48.00	14	3182	0	154	0	0	0	0	0	0	0	4	204	18	3540
063085	2 48.00	25	3207	1	155	0	0	0	0	0	0	0	1	205	27	3567
070185	2 47.00	6	3213	2	157	0	0	0	0	0	0	0	1	206	9	3576
070285	2 45.50	4	3217	1	158	0	0	0	0	0	0	0	1	207	6	3582
070385	2 47.00	2	3219	0	158	0	0	0	0	0	0	0	0	207	2	3584
A169	070485	2 48.00	4	3223	7	165	0	0	0	0	0	0	0	207	11	3595
	070585	2 48.00	6	3229	5	170	1	1	0	0	0	0	2	209	14	3609
	070685	2 48.00	11	3240	13	183	1	2	1	1	0	0	4	213	30	3639
	070785	2 48.00	5	3245	16	199	7	9	1	2	0	0	4	217	33	3672
	070885	2 48.00	10	3255	7	206	9	18	2	4	0	0	1	218	29	3701
070985	2 48.00	3	3258	14	220	11	29	0	4	2	2	0	0	218	30	3731
071085	2 48.00	4	3262	6	226	16	45	0	4	1	3	0	5	223	32	3763
071185	2 48.00	2	3264	8	234	26	71	0	4	4	7	0	4	227	44	3807
071285	2 48.00	2	3266	14	248	31	102	0	4	5	12	0	4	231	56	3863
071385	2 48.00	3	3269	6	254	22	124	1	5	3	15	0	3	234	38	3901
071485	2 48.00	5	3274	8	262	38	162	0	5	3	18	0	4	238	58	3959
071585	2 48.00	2	3276	38	300	53	215	0	5	7	25	0	2	240	102	4061
071685	2 48.00	3	3279	38	338	29	244	1	6	7	32	0	8	248	86	4147
071785	2 48.00	1	3280	29	367	29	273	0	6	4	36	0	4	252	67	4214
071885	2 47.50	1	3281	14	381	20	293	0	6	3	39	0	2	254	40	4254
071985	2 48.00	2	3283	5	386	18	311	0	6	2	41	0	11	265	38	4292
072085	2 48.00	2	3285	3	389	12	323	0	6	0	41	0	2	267	19	4311
072185	2 48.00	0	3285	2	391	21	344	0	6	0	41	0	2	269	25	4336
072285	2 48.00	1	3286	61	452	29	373	1	7	2	43	0	4	273	98	4434

Appendix Table 2-2. Continued.

Date	No. of Wheel Wheels	Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species		
			Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.	
072385	2	48.00	2	3288	457	909	47	420	17	24	47	90	0	5	278	575	5009	
072485	2	48.00	1	3289	516	1425	94	514	25	49	107	197	0	5	283	748	5757	
072585	2	48.00	0	3289	400	1825	184	698	22	71	112	309	0	8	291	726	6483	
072685	2	48.00	2	3291	451	2276	191	889	15	86	87	396	0	5	296	751	7234	
072785	2	48.00	1	3292	481	2757	126	1015	20	106	96	492	0	4	300	728	7962	
072885	2	48.00	0	3292	546	3303	116	1131	22	128	76	568	0	8	308	768	8730	
072985	2	48.00	0	3292	470	3773	117	1248	18	146	97	665	0	4	312	706	9436	
073085	2	48.00	0	3292	133	3906	148	1396	10	156	52	717	0	1	313	344	9780	
073185	2	48.00	0	3292	68	3974	115	1511	7	163	62	779	0	2	315	254	10034	
080185	2	48.00	0	3292	54	4028	83	1594	8	171	37	816	0	4	319	186	10220	
A170	080285	2	48.00	0	3292	131	4159	85	1679	7	178	41	857	0	1	320	265	10485
	080385	2	48.00	1	3293	103	4262	74	1753	4	182	44	901	0	7	327	233	10718
	080485	2	48.00	1	3294	95	4357	85	1838	2	184	19	920	0	3	330	205	10923
	080585	2	48.00	0	3294	60	4417	44	1882	0	184	8	928	0	1	331	113	11036
	080685	2	48.00	0	3294	124	4541	72	1954	5	189	24	952	0	2	333	227	11263
080785	2	48.00	0	3294	63	4604	78	2032	3	192	18	970	0	1	334	163	11426	
080885	2	48.00	2	3296	43	4647	76	2108	0	192	19	989	0	1	335	141	11567	
080985	2	48.00	0	3296	39	4686	35	2143	1	193	3	992	0	0	335	78	11645	
081085	2	48.00	0	3296	39	4725	59	2202	5	198	7	999	0	2	337	112	11757	
081185	2	48.00	0	3296	31	4756	41	2243	3	201	11	1010	0	0	337	86	11843	
081285	2	48.00	0	3296	55	4811	109	2352	10	211	15	1025	0	1	338	190	12033	
081385	2	48.00	0	3296	25	4836	22	2374	10	221	4	1029	1	3	342	65	12098	
081485	2	47.00	0	3296	23	4859	24	2398	74	295	8	1037	0	11	353	140	12238	
081585	2	48.00	0	3296	21	4880	35	2433	70	365	13	1050	0	4	357	143	12381	
081685	2	48.00	2	3298	15	4895	12	2445	50	415	8	1058	1	0	358	88	12469	
081785	2	48.00	0	3298	15	4910	19	2464	73	488	8	1066	3	0	361	118	12587	
081885	2	48.00	0	3298	16	4926	15	2479	13	501	7	1073	0	2	363	53	12640	
081985	2	48.00	0	3298	9	4935	19	2498	8	509	2	1075	2	3	368	43	12683	
082085	2	48.00	0	3298	2	4937	12	2510	5	514	2	1077	0	3	371	24	12707	

Appendix Table 2-2. Continued.

Appendix Table 2-3. Flathorn Station daily and cumulative fishwheel catch by species, 1985.

Date	No. of Wheel Wheels	Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species		
			Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.	
052685	4	30.50	2	2	1	1	0	0	0	0	0	0	1	2	3	6	6	
052785	4	95.00	5	7	4	5	0	0	0	0	0	0	1	15	19	25	31	
052885	6	106.50	11	18	3	8	0	0	0	0	0	0	0	6	25	20	51	
052985	6	144.00	13	31	3	11	0	0	0	0	0	0	0	16	41	32	83	
053085	6	141.00	21	52	9	20	0	0	0	0	0	0	0	16	57	46	129	
053185	6	144.00	21	73	10	30	0	0	0	0	0	0	0	16	73	47	176	
060185	7	138.75	23	96	16	46	0	0	0	0	0	0	0	29	102	68	244	
060285	7	137.50	24	120	15	61	0	0	0	0	0	0	0	3	105	42	286	
060385	6	140.00	120	240	22	83	0	0	0	0	0	0	3	5	113	150	436	
060485	6	141.00	122	362	21	104	0	0	0	0	0	0	0	2	115	145	581	
A172	060585	6	141.00	145	507	34	138	0	0	0	0	0	0	13	128	192	773	
	060685	7	136.25	118	625	19	157	0	0	0	0	0	0	6	134	143	916	
	060785	6	143.50	179	804	22	179	0	0	0	0	0	0	14	148	215	1131	
	060885	6	124.50	472	1276	30	209	0	0	0	0	0	0	1	22	171	525	1656
	060985	6	143.50	729	2005	42	251	0	0	0	0	0	0	34	205	805	2461	
061085	6	143.00	763	2768	39	290	0	0	0	0	0	0	0	24	229	826	3287	
061185	6	144.00	768	3536	23	313	0	0	0	0	0	0	0	7	236	798	4085	
061285	6	143.50	628	4164	17	330	0	0	0	0	0	0	0	6	242	651	4736	
061385	6	143.50	554	4718	13	343	0	0	0	0	0	0	0	19	261	586	5322	
061485	6	144.00	383	5101	9	352	0	0	0	0	0	0	0	11	272	403	5725	
061585	6	144.00	693	5794	8	360	0	0	0	0	0	0	0	24	296	725	6450	
061685	6	143.50	680	6474	6	366	0	0	0	0	0	0	0	20	316	706	7156	
061785	6	144.00	607	7081	5	371	0	0	0	0	0	0	0	30	346	642	7798	
061885	6	144.00	479	7560	4	375	0	0	0	0	0	0	0	20	366	503	8301	
061985	6	136.50	367	7927	10	385	0	0	1	1	0	0	0	16	382	394	8695	
062085	6	126.50	458	8385	1	386	0	0	0	1	0	0	0	14	396	473	9168	
062185	6	144.00	480	8865	6	392	0	0	0	1	0	0	0	13	409	499	9667	
062285	6	143.50	385	9250	4	396	1	1	0	1	0	0	0	16	425	406	10073	
062385	6	143.50	438	9608	6	402	1	2	0	1	0	0	0	15	440	460	10533	

Appendix Table 2-3. Continued.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species			
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.		
062485	6	143.50	309	9997	4	406	1	3	0	1	0	0	0	17	457	331	10864	
062585	6	144.00	218	10215	5	411	0	3	0	1	0	0	0	40	497	263	11127	
062685	6	142.00	156	10371	4	415	0	3	0	1	0	0	0	33	530	193	11320	
062785	6	144.00	111	10482	7	422	0	3	0	1	0	0	0	29	559	147	11467	
062885	6	144.00	91	10573	2	424	1	4	0	1	0	0	0	17	576	111	11578	
062985	6	124.75	84	10657	0	424	2	6	0	1	0	0	0	5	581	91	11669	
063085	4	96.00	82	10739	2	426	1	7	0	1	0	0	0	4	585	89	11758	
070185	4	93.00	35	10774	4	430	0	7	0	1	0	0	0	2	587	41	11799	
070285	4	93.50	18	10792	4	434	2	9	0	1	0	0	0	2	589	26	11825	
070385	4	95.00	12	10804	4	438	1	10	0	1	0	0	0	1	590	18	11843	
070485	4	96.00	10	10814	14	452	3	13	0	1	0	0	0	1	591	28	11871	
070585	4	96.00	27	10841	10	462	3	16	1	2	0	0	0	4	595	45	11916	
070685	4	96.00	29	10870	24	486	7	23	1	3	0	0	0	6	601	67	11983	
070785	4	96.00	23	10893	27	513	15	38	1	4	0	0	0	7	608	73	12056	
070885	4	96.00	29	10922	19	532	23	61	3	7	0	0	0	3	611	77	12133	
070985	4	95.50	8	10930	26	558	26	87	1	8	2	15	2	0	611	63	12196	
071085	4	96.00	10	10940	17	575	33	120	0	8	2	4	0	9	620	71	12267	
071185	4	96.00	9	10949	12	587	45	165	0	8	5	9	0	15	635	86	12353	
071285	4	96.00	5	10954	19	606	54	219	0	8	6	15	0	7	642	91	12444	
071385	4	96.00	10	10964	15	621	47	266	1	9	6	21	0	8	650	87	12531	
071485	4	96.00	9	10973	14	635	89	355	0	9	7	28	0	6	656	125	12656	
071585	4	94.50	7	10980	60	695	107	462	1	10	13	41	0	8	664	196	12852	
071685	4	96.00	8	10988	63	758	68	530	1	11	12	68	53	0	21	685	173	13025
071785	4	96.00	4	10992	52	810	69	599	1	12	13	66	0	19	704	158	13183	
071885	4	95.00	2	10994	24	834	42	641	0	12	9	75	0	8	712	85	13268	
071985	4	96.00	3	10997	11	845	34	675	0	12	8	83	0	19	731	75	13343	
072085	4	96.00	4	11001	11	856	32	707	0	12	1	84	2	10	743	60	13403	
072185	4	96.00	2	11003	8	864	50	757	0	12	2	86	0	6	749	68	13471	
072285	4	96.00	2	11005	90	954	78	835	8	20	8	94	0	7	756	193	13664	

Appendix Table 2-3. Continued.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous		Total Catch All Species			
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.	
072385	4 96.00	2	11007	719	1673	94	929	40	60	83	177	0	13	769	951	14615	
072485	4 95.00	2	11009	787	2460	176	1105	62	122	162	339	0	13	782	1202	15817	
072585	4 96.00	2	11011	589	3049	343	1448	51	173	181	520	0	31	813	1197	17014	
072685	4 96.00	2	11013	665	3714	396	1844	57	230	168	688	0	14	827	1302	18316	
072785	4 96.00	1	11014	735	4449	308	2152	64	294	184	872	0	8	835	1300	19616	
072885	4 94.00	1	11015	960	5409	264	2416	65	359	169	1041	0	19	854	1478	21094	
072985	4 92.50	0	11015	732	6141	232	2648	92	451	169	1210	0	17	871	1242	22336	
073085	4 96.00	0	11015	332	6473	337	2985	115	566	130	1340	0	17	888	931	23267	
073185	4 96.00	1	11016	169	6642	306	3291	103	669	180	1520	1	6	895	766	24033	
080185	4 96.00	0	11016	138	6780	296	3587	74	743	125	1645	0	14	909	647	24680	
ALTA 4	080285	4 96.00	3	11019	218	6998	196	3783	62	805	120	1765	0	17	926	616	25296
	080385	4 96.00	2	11021	165	7163	147	3930	38	843	86	1851	1	22	949	461	25757
	080485	4 96.00	1	11022	179	7342	264	4194	61	904	50	1901	2	31	982	588	26345
	080585	4 96.00	2	11024	139	7481	160	4354	29	933	26	1927	0	16	998	372	26717
	080685	4 96.00	0	11024	220	7701	226	4580	43	976	43	1970	2	17	1017	551	27268
080785	4 96.00	1	11025	141	7842	259	4839	30	1006	29	1999	0	26	1043	486	27754	
080885	4 96.00	3	11028	108	7950	220	5059	59	1065	42	2041	1	11	1055	444	28198	
080985	4 96.00	0	11028	137	8087	336	5395	67	1132	37	2078	0	13	1068	590	28788	
081085	4 96.00	0	11028	164	8251	334	5729	157	1289	38	2116	1	12	1081	706	29494	
081185	4 96.00	0	11028	138	8389	305	6034	288	1577	45	2161	7	12	1100	795	30289	
081285	4 96.00	0	11028	144	8533	369	6403	311	1888	49	2210	8	14	1122	895	31184	
081385	4 96.00	0	11028	60	8593	83	6486	138	2026	11	2221	9	10	1141	311	31495	
081485	4 95.00	2	11030	60	8653	77	6563	566	2592	30	2251	5	23	1169	763	32258	
081585	4 96.00	1	11031	47	8700	82	6645	692	3284	61	2312	9	18	1196	910	33168	
081685	4 96.00	3	11034	44	8744	37	6682	435	3719	52	2364	4	7	1207	582	33750	
081785	4 96.00	0	11034	68	8812	53	6735	489	4208	25	2389	13	5	1225	653	34403	
081885	4 96.00	0	11034	49	8861	28	6763	352	4560	43	2432	14	21	1260	507	34910	
081985	4 96.00	0	11034	37	8898	49	6812	253	4813	21	2453	24	42	1326	426	35336	
082085	4 96.00	0	11034	15	8913	29	6841	148	4961	16	2469	26	49	1401	283	35619	

Appendix Table 2-3. Continued.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species		
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering	Cisco	Other	Cum.	Daily	Cum.
082185	4 96.00	0	11034	11	8924	15	6856	70	5031	16	2485	57	48	1506	217	35836	
082285	4 96.00	0	11034	8	8932	10	6866	17	5048	9	2494	60	57	1623	161	35997	
082385	4 96.00	0	11034	6	8938	10	6876	26	5074	10	2504	29	68	1720	149	36146	
082485	4 96.00	0	11034	5	8943	10	6886	30	5104	10	2514	41	101	1882	197	36343	
082585	4 96.00	0	11034	4	8947	8	6894	19	5123	9	2523	41	64	1967	145	36488	
082685	4 93.00	0	11034	6	8953	2	6896	8	5131	8	2531	16	23	2006	63	36551	
082785	4 96.00	1	11035	3	8956	1	6897	8	5139	5	2536	26	29	2061	73	36624	
082885	4 96.00	0	11035	1	8957	2	6899	7	5146	4	2540	30	36	2127	80	36704	
082985	4 95.00	0	11035	2	8959	2	6901	6	5152	6	2546	20	24	2171	60	36764	
083085	4 96.00	0	11035	6	8965	1	6902	4	5156	4	2550	21	18	2210	54	36818	
A L T E																	
083185	4 96.00	0	11035	2	8967	2	6904	2	5158	4	2554	24	18	2252	52	36870	
090185	4 96.00	0	11035	3	8970	1	6905	4	5162	0	2554	4	4	2260	16	36886	
090285	4 96.00	0	11035	0	8970	0	6905	2	5164	2	2556	18	9	2287	31	36917	
090385	4 48.00	0	11035	0	8970	0	6905	4	5168	7	2563	50	14	2351	75	36992	

$$(AV10 - AKCS)^2 \times AV10$$

Appendix Table 2-4. Sunshine Station daily and cumulative fishwheel catch by species, 1985.

Date	No. of Wheel Wheels	Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species		
			Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering	Cisco	Other	Cum.	Daily	Cum.
060385	2	12.50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
060485	2	48.00	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1
060585	4	64.50	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
060685	4	83.00	0	0	0	0	0	0	0	0	0	0	0	1	2	1	2	2
060785	4	96.00	1	1	2	2	0	0	0	0	0	0	0	1	3	4	4	6
060885	4	96.00	2	3	8	10	0	0	0	0	0	0	0	8	11	18	24	
060985	4	96.00	18	21	21	31	0	0	0	0	0	0	0	19	30	58	82	
061085	4	91.00	24	45	19	50	0	0	0	0	0	0	0	16	46	59	141	
061185	4	96.00	45	90	31	81	0	0	0	0	0	0	0	33	79	109	250	
061285	4	93.00	71	161	45	126	0	0	0	0	0	0	0	14	93	130	380	
A176	061385	4	89.00	63	224	18	144	0	0	0	0	0	0	5	98	86	466	
	061485	4	94.00	94	318	37	181	0	0	0	0	0	0	5	103	136	602	
	061585	4	96.00	182	500	27	208	0	0	0	0	0	0	4	107	213	815	
	061685	4	94.00	162	662	22	230	0	0	0	0	0	0	8	115	192	1007	
	061785	4	96.00	132	794	14	244	0	0	0	0	0	0	3	118	149	1156	
061885	4	96.00	166	960	3	247	0	0	0	0	0	0	0	2	120	171	1327	
061985	4	96.00	210	1170	8	255	0	0	0	0	0	0	0	2	122	220	1547	
062085	4	96.00	292	1462	3	258	0	0	0	0	0	0	0	7	129	302	1849	
062185	4	92.00	329	1791	1	259	0	0	0	0	0	0	0	2	131	332	2181	
062285	4	95.50	402	2193	5	264	0	0	0	0	0	0	0	0	131	407	2588	
062385	4	96.00	422	2615	4	268	0	0	0	0	0	0	0	0	131	426	3014	
062485	4	94.00	334	2949	3	271	0	0	0	0	0	0	0	2	133	339	3353	
062585	4	96.00	210	3159	1	272	0	0	0	0	0	0	0	2	135	213	3566	
062685	4	94.00	201	3360	1	273	1	1	0	0	0	0	0	0	135	203	3769	
062785	4	93.00	343	3703	3	276	0	1	0	0	0	0	0	1	136	347	4116	
062885	4	92.50	512	4215	4	280	0	1	0	0	0	0	0	1	137	517	4633	
062985	4	94.00	444	4659	1	281	0	1	0	0	0	0	0	2	139	447	5080	
063085	4	95.00	379	5038	5	286	0	1	0	0	0	0	0	0	139	384	5464	
070185	4	94.00	213	5251	4	290	0	1	0	0	0	0	0	2	141	219	5683	

Appendix Table 2-4. Continued.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species	
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.
070285	4 96.00	56	5307	1	291	0	1	0	0	0	0	0	1	142	58	5741
070385	4 96.00	35	5342	0	291	0	1	0	0	0	0	0	0	142	35	5776
070485	4 96.00	96	5438	1	292	0	1	0	0	0	0	0	1	143	98	5874
070585	4 96.00	119	5557	2	294	0	1	0	0	0	0	0	0	143	121	5995
070685	4 96.00	173	5730	5	299	0	1	0	0	0	0	0	1	144	179	6174
070785	4 96.00	174	5904	6	305	0	1	0	0	0	0	0	1	145	181	6355
070885	4 95.00	149	6053	8	313	0	1	0	0	0	0	0	0	145	157	6512
070985	4 96.00	185	6238	11	324	0	1	0	0	0	0	0	1	146	197	6709
071085	4 96.00	106	6344	17	341	1	2	1	1	0	0	0	0	146	125	6834
071185	4 96.00	102	6446	40	381	4	6	2	3	0	0	0	0	146	148	6982
071285	4 94.00	68	6514	26	407	0	6	4	7	0	0	0	2	148	100	7082
071385	4 93.00	52	6566	26	433	15	21	0	7	0	0	0	3	151	96	7178
071485	4 96.00	43	6609	25	458	17	38	4	11	0	0	0	2	153	91	7269
071585	4 94.00	47	6656	22	480	26	64	2	13	1	1	0	3	156	101	7370
071685	4 96.00	34	6690	31	511	29	93	2	15	1	2	0	1	157	98	7468
071785	4 93.00	34	6724	33	544	35	128	3	18	0	2	0	2	159	107	7575
071885	4 96.00	19	6743	50	594	69	197	3	21	4	6	0	4	163	149	7724
071985	4 96.00	14	6757	72	666	54	251	1	22	2	8	0	2	165	145	7869
072085	4 93.00	13	6770	42	708	50	301	0	22	3	11	0	3	168	111	7980
072185	3 72.00	6	6776	17	725	6	307	0	22	0	11	0	0	168	29	8009
072285	4 79.25	10	6786	11	736	29	336	0	22	1	12	0	2	170	53	8062
072385	4 96.00	13	6799	20	756	57	393	1	23	6	18	0	1	171	98	8160
072485	4 96.00	9	6808	18	774	80	473	1	24	6	24	0	2	173	116	8276
072585	4 94.00	8	6816	216	990	68	541	4	28	12	36	0	0	173	308	8584
072685	4 96.00	2	6818	1732	2722	46	587	37	65	14	50	0	1	174	1832	10416
072785	4 93.25	3	6821	2353	5075	101	688	242	307	12	62	0	1	175	2712	13128
072885	4 86.25	3	6824	2005	7080	175	863	735	1042	31	93	0	3	178	2952	16080
072985	4 86.50	2	6826	2068	9148	399	1262	1013	2055	29	122	0	0	178	3511	19591
073085	4 95.50	2	6828	1547	10695	461	1723	697	2752	42	164	0	0	178	2749	22340

Appendix Table 2-4. Continued.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species	
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.
073185	4 95.25	4	6832	2014	12709	951	2674	1567	4319	102	266	0	0	178	4638	26978
080185	4 96.00	0	6832	1855	14564	740	3414	1635	5954	118	384	0	0	178	4348	31326
080285	4 93.75	0	6832	1442	16006	970	4384	3348	9302	207	591	0	4	182	5971	37297
080385	4 77.50	0	6832	683	16689	533	4917	1915	11217	167	758	0	1	183	3299	40596
080485	4 96.00	0	6832	428	17117	519	5436	1711	12928	221	979	0	1	184	2880	43476
080585	4 95.00	0	6832	337	17454	437	5873	1533	14461	277	1256	0	5	189	2589	46065
080685	4 95.75	0	6832	218	17672	191	6064	1411	15872	323	1579	0	1	190	2144	48209
080785	4 96.00	0	6832	175	17847	149	6213	1053	16925	278	1857	0	1	191	1656	49865
080885	4 96.00	2	6834	142	17989	117	6330	607	17532	303	2160	0	1	192	1172	51037
080985	4 96.00	1	6835	88	18077	102	6432	455	17987	205	2365	0	1	193	852	51889
081085	4 94.50	0	6835	100	18177	70	6502	422	18409	207	2572	0	2	195	801	52690
081185	4 95.00	0	6835	75	18252	42	6544	208	18617	153	2725	0	1	196	479	53169
081285	4 96.00	1	6836	73	18325	35	6579	290	18907	168	2893	0	1	197	568	53737
081385	4 96.00	0	6836	40	18365	8	6587	22	18929	29	2922	0	1	198	100	53837
081485	4 96.00	0	6836	180	18545	49	6636	301	19230	228	3150	0	3	201	761	54598
081585	4 96.00	0	6836	126	18671	37	6673	324	19554	165	3315	0	2	203	654	55252
081685	4 96.00	0	6836	57	18728	10	6683	138	19692	112	3427	0	0	203	317	55569
081785	4 96.00	0	6836	160	18888	35	6718	525	20217	395	3822	0	0	203	1115	56684
081885	4 92.00	1	6837	185	19073	66	6784	550	20767	489	4311	0	6	209	1297	57981
081985	4 96.00	0	6837	118	19191	44	6828	561	21328	512	4823	0	5	214	1240	59221
082085	4 96.00	0	6837	90	19281	50	6878	539	21867	331	5154	0	2	216	1012	60233
082185	4 91.00	0	6837	59	19340	25	6903	480	22347	207	5361	0	2	218	773	61006
082285	4 96.00	0	6837	61	19401	30	6933	454	22801	150	5511	0	6	224	701	61707
082385	4 96.00	0	6837	30	19431	8	6941	498	23299	159	5670	0	2	226	697	62404
082485	4 94.00	0	6837	24	19455	10	6951	697	23996	162	5832	0	6	232	899	63303
082585	4 96.00	0	6837	8	19463	3	6954	294	24290	44	5876	0	4	236	353	63656
082685	4 96.00	0	6837	12	19475	0	6954	463	24753	67	5943	0	6	242	548	64204
082785	4 89.00	0	6837	8	19483	2	6956	383	25136	71	6014	5	4	251	473	64677
082885	4 96.00	0	6837	8	19491	2	6958	205	25341	24	6038	3	3	257	245	64922

Appendix Table 2-4. Continued.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species	
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.
082985	4 96.00	0	6837	2	19493	1	6959	72	25413	21	6059	0	6	263	102	65024
083085	4 94.00	0	6837	5	19498	1	6960	79	25492	37	6096	3	5	271	130	65154
083185	4 96.00	0	6837	1	19499	0	6960	124	25616	28	6124	2	7	280	162	65316
090185	4 96.00	0	6837	0	19499	0	6960	30	25646	8	6132	2	1	283	41	65357
090285	4 96.00	0	6837	1	19500	0	6960	21	25667	8	6140	0	1	294	31	65388
090385	4 96.00	0	6837	2	19502	0	6960	15	25682	7	6147	0	0	284	24	65412
090485	4 96.00	0	6837	2	19504	0	6960	15	25697	8	6155	2	0	286	27	65439
090585	4 96.00	0	6837	0	19504	0	6960	41	25738	15	6170	2	9	297	67	65506
090685	3 72.00	0	6837	0	19504	0	6960	24	25762	3	6173	4	4	305	35	65541
090785	3 72.00	0	6837	1	19505	0	6960	15	25777	4	6177	12	4	321	36	65577
090885	3 60.00	0	6837	0	19505	0	6960	8	25785	1	6178	3	4	328	16	65593
090985	2 48.00	0	6837	0	19505	0	6960	4	25789	0	6178	2	0	330	6	65599
091085	2 24.00	0	6837	0	19505	0	6960	1	25790	0	6178	4	0	334	5	65604

A179

Appendix Table 2-5. Curry Station daily and cumulative fishwheel catch by species, 1985.

Date	No. of Wheel Wheels	Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species	
			Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.
061085	2	14.50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
061185	2	48.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
061285	2	48.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
061385	2	48.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
061485	2	48.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
061585	2	48.00	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1
061685	2	44.00	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
061785	2	47.00	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
061885	2	47.00	0	0	0	0	0	0	0	0	0	0	0	5	6	5	6
061985	2	46.50	0	0	0	0	0	0	0	0	0	0	0	0	6	0	6
A180	062085	2	48.00	2	2	0	0	0	0	0	0	0	0	0	6	2	8
	062185	2	48.00	1	3	0	0	0	0	0	0	0	0	1	7	2	10
	062285	2	48.00	0	3	0	0	0	0	0	0	0	0	1	8	1	11
	062385	2	48.00	0	3	0	0	0	0	0	0	0	0	1	9	1	12
	062485	2	48.00	1	4	0	0	0	0	0	0	0	0	1	10	2	14
062585	2	48.00	4	8	0	0	0	0	0	0	0	0	1	11	5	19	
062685	2	48.00	5	13	0	0	0	0	0	0	0	0	0	0	11	5	24
062785	2	48.00	22	35	0	0	0	0	0	0	0	0	0	0	11	22	46
062885	2	48.00	26	61	0	0	0	0	0	0	0	0	0	1	12	27	73
062985	2	48.00	32	93	0	0	0	0	0	0	0	0	0	0	12	32	105
063085	2	48.00	48	141	0	0	0	0	0	0	0	0	2	14	50	155	
070185	2	48.00	62	203	0	0	0	0	0	0	0	0	1	15	63	218	
070285	2	31.75	9	212	0	0	0	0	0	0	0	0	0	0	15	9	227
070385	1	24.00	4	216	0	0	0	0	0	0	0	0	0	0	15	4	231
070485	1	24.00	17	233	0	0	0	0	0	0	0	0	1	16	18	249	
070585	2	37.00	49	282	0	0	0	0	0	0	0	0	1	17	50	299	
070685	2	48.00	60	342	0	0	0	0	0	0	0	0	1	18	61	360	
070785	2	48.00	87	429	0	0	0	0	0	0	0	0	2	20	89	449	
070885	2	48.00	98	527	0	0	0	0	0	0	0	0	1	21	99	548	

Appendix Table 2-5. Continued.

Date	No. of Wheel Wheels	Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species		
			Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.	
070985	2	48.00	41	568	0	0	0	0	0	0	0	0	0	0	21	41	589	
071085	2	48.00	43	611	0	0	0	0	0	0	0	0	0	0	21	43	632	
071185	2	48.00	73	684	0	0	0	0	0	0	0	0	0	1	22	74	706	
071285	2	48.00	54	738	0	0	0	0	0	0	0	0	0	0	22	54	760	
071385	2	48.00	42	780	0	0	0	0	0	0	0	0	0	1	23	43	803	
071485	2	48.00	41	821	0	0	0	0	0	0	0	0	0	2	25	43	846	
071585	2	48.00	50	871	0	0	2	2	0	0	0	0	0	1	26	53	899	
071685	2	48.00	52	923	1	1	0	2	0	0	0	0	0	0	26	53	952	
071785	2	48.00	25	948	0	1	2	4	1	1	0	0	0	2	28	30	982	
071885	2	48.00	26	974	1	2	4	8	0	1	0	0	0	0	28	31	1013	
AL81	071985	2	48.00	21	995	1	3	4	12	0	1	0	0	0	0	28	26	1039
	072085	2	44.00	16	1011	0	3	6	18	1	2	0	0	0	0	28	23	1062
	072185	2	32.50	7	1018	1	4	1	19	0	2	0	0	0	1	29	10	1072
	072285	1	24.00	1	1019	0	4	0	19	0	2	0	0	0	0	29	1	1073
	072385	2	37.00	5	1024	0	4	3	22	0	2	0	0	0	0	29	8	1081
	072485	2	46.00	12	1036	0	4	1	23	1	3	0	0	0	0	29	14	1095
	072585	2	48.00	11	1047	2	6	2	25	0	3	0	0	0	1	30	16	1111
	072685	2	48.00	8	1055	0	6	12	37	0	3	0	0	0	0	30	20	1131
	072785	2	48.00	6	1061	1	7	15	52	1	4	0	0	0	0	30	23	1154
	072885	2	48.00	4	1065	2	9	20	72	1	5	0	0	0	2	32	29	1183
	072985	2	48.00	8	1073	3	12	14	86	2	7	0	0	0	2	34	29	1212
	073085	2	48.00	1	1074	10	22	31	117	7	14	0	0	0	2	36	51	1263
	073185	2	48.00	7	1081	5	27	54	171	11	25	0	0	0	0	36	77	1340
	080185	2	48.00	4	1085	16	43	57	228	23	48	0	0	0	0	36	100	1440
	080285	2	48.00	0	1085	20	63	50	278	34	82	0	0	0	0	36	104	1544
	080385	2	48.00	2	1087	22	85	83	361	93	175	4	4	0	1	37	205	1749
	080485	2	48.00	3	1090	24	109	138	499	94	269	5	9	0	0	37	264	2013
	080585	2	48.00	4	1094	18	127	137	636	113	382	5	14	0	0	37	277	2290
	080685	2	48.00	1	1095	29	156	147	783	166	548	7	21	0	0	37	350	2640

Appendix Table 2-5. Continued.

Date	No. of Wheel Wheels Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species		
		Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering Cisco	Other	Cum.	Daily	Cum.	
080785	2	48.00	1	1096	22	178	88	871	143	691	12	33	0	0	37	266	2906
080885	2	48.00	0	1096	15	193	92	963	89	780	10	43	0	3	40	209	3115
080985	2	48.00	1	1097	14	207	49	1012	45	825	11	54	0	0	40	120	3235
081085	2	48.00	0	1097	7	214	50	1062	61	886	13	67	0	1	41	132	3367
081185	2	40.00	0	1097	10	224	24	1086	25	911	4	71	0	0	41	63	3430
081285	2	48.00	0	1097	6	230	17	1103	37	948	9	80	0	0	41	69	3499
081385	2	48.00	0	1097	4	234	18	1121	8	956	2	82	0	1	42	33	3532
081485	2	48.00	0	1097	4	238	8	1129	19	975	2	84	0	0	42	33	3565
081585	2	48.00	0	1097	3	241	6	1135	21	996	6	90	0	0	42	36	3601
081685	2	48.00	1	1098	10	251	9	1144	24	1020	0	90	0	0	42	44	3645
081785	2	48.00	0	1098	7	258	4	1148	7	1027	8	98	0	0	42	26	3671
081885	2	48.00	0	1098	5	263	2	1150	17	1044	15	113	0	1	43	40	3711
081985	2	48.00	0	1098	17	280	6	1156	32	1076	10	123	0	0	43	65	3776
082085	2	48.00	0	1098	7	287	4	1160	29	1105	18	141	0	1	44	59	3835
082185	2	48.00	0	1098	2	289	3	1163	20	1125	9	150	0	0	44	34	3869
082285	2	48.00	0	1098	4	293	0	1163	15	1140	6	156	0	0	44	25	3894
082385	2	48.00	0	1098	2	295	1	1164	12	1152	6	162	0	3	47	24	3918
082485	2	48.00	0	1098	2	297	3	1167	18	1170	1	163	0	2	49	26	3944
082585	2	48.00	0	1098	4	301	2	1169	7	1177	2	165	0	3	52	18	3962
082685	2	48.00	0	1098	5	306	1	1170	29	1206	7	172	0	2	54	44	4006
082785	2	48.00	0	1098	6	312	1	1171	26	1232	4	176	0	0	54	37	4043
082885	2	48.00	0	1098	3	315	1	1172	14	1246	6	182	0	0	54	24	4067
082985	2	48.00	0	1098	3	318	0	1172	15	1261	2	184	0	3	57	23	4090
083085	2	48.00	0	1098	1	319	0	1172	7	1268	2	186	0	2	59	12	4102
083185	2	48.00	0	1098	2	321	0	1172	5	1273	1	187	0	1	60	9	4111
090185	2	48.00	0	1098	2	323	0	1172	11	1284	1	188	0	2	62	16	4127
090285	2	48.00	0	1098	0	323	0	1172	4	1288	1	189	0	1	63	6	4133
090385	2	48.00	0	1098	0	323	0	1172	1	1289	0	189	0	2	65	3	4136
090485	2	48.00	0	1098	1	324	0	1172	1	1290	5	194	0	2	67	9	4145

Appendix Table 2-5. Continued.

Date	No. of Wheel Wheels	Hours	Chinook		Sockeye		Pink		Chum		Coho		Miscellaneous			Total Catch All Species	
			Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Daily	Cum.	Bering	Disco	Other	Cum.	Daily
090585	2	48.00	0	1098	0	324	0	1172	2	1292	4	198	0	1	68	7	4152
090685	2	48.00	0	1098	0	324	0	1172	2	1294	2	200	0	0	68	4	4156
090785	2	48.00	0	1098	0	324	0	1172	2	1296	0	200	0	0	68	2	4158
090885	2	48.00	0	1098	0	324	0	1172	2	1298	0	200	0	0	68	2	4160
090985	2	48.00	0	1098	0	324	0	1172	0	1298	0	200	0	1	69	1	4161
091085	2	48.00	0	1098	0	324	0	1172	0	1298	1	201	0	0	69	1	4162
091185	2	48.00	0	1098	0	324	0	1172	0	1298	0	201	0	0	69	0	4162
091285	2	48.00	0	1098	0	324	0	1172	7	1305	2	203	0	3	72	12	4174

A183

APPENDIX 3

Escapement and Tag Recovery Surveys

A185

Appendix Table 3-1. Escapement survey counts of Susitna River streams between RM 10.0 and 165.0, 1985.

Spawning Site	RM	SM ¹	Date	Chinook			Sockeye			Pink			Chum			Coho			
				SC ²	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
ALEXANDER CREEK	10.1	B	07 13 F	4	0	4	3	0	3	0	0	0	0	0	0	0	0	0	0
FISH CRK RED SHIRT LAKE DOWN	13.5	H	08 28 E	1	1	2	136	0	136	0	0	0	0	0	0	0	0	0	0
FISH CREEK KROTO SLOUGH	28.0	B	07 12 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FISH CREEK KROTO SLOUGH	28.0	B	07 18 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FISH CREEK KROTO SLOUGH	28.0	B	08 18 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FISH CREEK KROTO SLOUGH	28.0	B	08 27 PF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FISH CREEK KROTO SLOUGH	28.0	B	09 04 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FISH CREEK KROTO SLOUGH	28.0	B	09 20 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHELL CREEK	28.0	B	08 27 6	0	0	0	1	0	1	0	0	0	0	0	0	0	201	0	201
TALACHULITNA RIVER	28.0	R	07 22 GE	1357	12	1369	0	0	0	4	0	4	2	0	2	0	7	0	7
TALACHULITNA RIVER	28.0	BF	08 27 PF	0	0	0	0	0	0	28	54	82	1	0	1	7	0	7	
YENTNA RIVER FISH CREEK	28.0	BF	07 05 E	12	0	12	0	0	0	0	0	0	0	0	0	0	0	0	0
YENTNA RIVER FISH CREEK	28.0	F	07 12 E	11	0	11	43	1	44	0	0	0	0	0	0	0	0	0	0
YENTNA RIVER FISH CREEK	28.0	F	07 19 E	15	0	15	1737	31	1768	0	0	0	0	0	0	0	0	0	0
YENTNA RIVER FISH CREEK	28.0	B	07 29 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YENTNA RIVER LAKE CREEK	28.0	BF	07 12 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YENTNA RIVER LAKE CREEK	28.0	B	08 26 F	0	0	0	0	0	0	12	9	21	50	2	52	0	0	0	0
NO NAME CREEK	31.7	B	07 13 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NO NAME CREEK	31.7	B	07 18 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NO NAME CREEK	31.7	B	07 29 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NO NAME CREEK	31.7	B	08 17 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NO NAME CREEK	31.7	B	08 26 PF	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
NO NAME CREEK	31.7	B	09 03 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NO NAME CREEK	31.7	B	09 12 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NO NAME CREEK	31.7	B	09 19 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Conditions (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	SC ²	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
WHITSOL CREEK	35.2	B	07 12 F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITSOL CREEK	35.2	B	07 18 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITSOL CREEK	35.2	B	07 29 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITSOL CREEK	35.2	F	08 09 F		0	0	0	0	0	0	0	0	0	0	0	0	24	0	24
WHITSOL CREEK	35.2	B	08 18 FG		0	0	0	0	0	0	0	0	0	0	0	0	307	0	307
WHITSOL CREEK	35.2	B	08 27 F		0	0	0	0	0	0	0	0	0	0	0	0	285	0	285
WHITSOL CREEK	35.2	B	09 04 PF		0	0	0	0	0	0	0	0	0	0	0	0	17	0	17
WHITSOL CREEK	35.2	B	09 20 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ROLLY CREEK	39.0	B	07 13 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ROLLY CREEK	39.0	B	07 18 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ROLLY CREEK	39.0	B	07 29 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ROLLY CREEK	39.0	B	08 17 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ROLLY CREEK	39.0	B	09 03 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ROLLY CREEK	39.0	B	09 12 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ROLLY CREEK	39.0	B	09 19 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DESHKA RIVER WEST FORK	40.6	R	07 22 FG	4064	22	4086	0	0	0	0	0	0	0	0	0	0	0	0	0
DESHKA RIVER MOOSE CREEK	40.6	R	07 30 G	3494	83	3577	0	0	0	1	0	1	1	1	0	1	35	0	35
DESHKA RIVER TRAPPER CREEK	40.6	H	08 28 PF	0	58	58	0	0	0	0	1	1	1	0	0	0	0	0	0
WILLOW CREEK	49.1	B	07 11 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WILLOW CREEK	49.1	B	07 17 F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WILLOW CREEK	49.1	BF	07 28 G		0	0	0	0	0	0	34	0	34	13	0	13	0	0	0
WILLOW CREEK	49.1	B	08 08 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WILLOW CREEK	49.1	B	08 17 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WILLOW CREEK	49.1	B	08 25 F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WILLOW CREEK	49.1	B	09 03 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WILLOW CREEK	49.1	B	09 12 F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WILLOW CREEK	49.1	B	09 19 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WILLOW CREEK	49.1	B	09 27 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WILLOW CREEK	49.1	B	10 04 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	SC ²	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
LITTLE WILLOW CREEK	50.5	B	07 11	FG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE WILLOW CREEK	50.5	F	07 17	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE WILLOW CREEK	50.5	BF	07 28	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE WILLOW CREEK	50.5	B	08 08	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE WILLOW CREEK	50.5	B	08 17	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE WILLOW CREEK	50.5	B	08 25	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE WILLOW CREEK	50.5	B	09 03	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE WILLOW CREEK	50.5	B	09 12	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE WILLOW CREEK	50.5	B	09 19	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE WILLOW CREEK	50.5	B	09 27	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE WILLOW CREEK	50.5	B	10 04	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GRAYS CREEK	59.5	B	07 11	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GRAYS CREEK	59.5	B	07 17	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GRAYS CREEK	59.5	B	07 28	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GRAYS CREEK	59.5	B	08 08	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GRAYS CREEK	59.5	B	08 17	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GRAYS CREEK	59.5	B	08 25	F	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
CASWELL CREEK	64.0	F	07 11	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CASWELL CREEK	64.0	F	07 17	F	23	0	23	1	0	1	0	0	0	0	0	0	0	0	0
CASWELL CREEK	64.0	F	07 28	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CASWELL CREEK	64.0	F	08 08	F	0	0	0	0	0	0	0	16	0	16	0	0	67	0	67
CASWELL CREEK	64.0	B	08 16	FG	0	0	0	0	0	0	0	0	0	0	0	0	52	0	52
CASWELL CREEK	64.0	B	08 24	F	0	0	0	0	0	0	0	0	0	0	0	0	237	0	237
CASWELL CREEK	64.0	B	09 03	FG	0	0	0	0	0	0	0	0	0	0	0	0	238	0	238
CASWELL CREEK	64.0	B	09 11	FG	0	0	0	0	0	0	0	0	0	4	0	4	122	0	122
CASWELL CREEK	64.0	B	09 18	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CASWELL CREEK	64.0	B	09 26	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CASWELL CREEK	64.0	BF	10 04	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHEEP CREEK	66.1	F	07 11	F	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0
SHEEP CREEK	66.1	F	07 17	G	6	1	7	0	0	0	0	0	0	0	0	0	0	0	0
SHEEP CREEK	66.1	F	07 28	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHEEP CREEK	66.1	F	08 08	F	0	24	24	0	0	0	4	0	4	1	7	8	0	0	0
SHEEP CREEK	66.1	F	08 16	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHEEP CREEK	66.1	F	08 24	PF	0	0	0	0	0	0	0	3	3	1	2	3	0	0	0
SHEEP CREEK	66.1	F	09 03	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHEEP CREEK	66.1	F	09 11	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHEEP CREEK	66.1	F	09 18	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHEEP CREEK	66.1	F	09 26	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHEEP CREEK	66.1	F	10 04	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	Chinook			Sockeye			Pink			Chum			Coho			
				SC ²	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
GOOSE CREEK	72.0	F	07 11 E	29	0	29	1	0	1	0	0	0	0	0	0	0	0	0	0
GOOSE CREEK	72.0	F	07 11 P	15	0	15	0	0	0	0	0	0	0	0	0	0	0	0	0
GOOSE CREEK	72.0	BF	07 17 E	27	0	27	0	0	0	2	0	0	2	2	0	2	0	0	0
GOOSE CREEK	72.0	F	07 28 P	0	0	0	0	0	0	0	0	0	0	2	2	0	2	0	0
GOOSE CREEK	72.0	F	07 28 E	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
GOOSE CREEK	72.0	F	08 08 G	0	0	0	0	0	0	30	0	0	30	59	0	59	4	0	4
GOOSE CREEK	72.0	F	08 16 F	0	0	0	0	0	0	6	0	0	6	6	2	8	10	0	10
GOOSE CREEK	72.0	F	08 24 G	0	3	3	0	0	0	3	0	0	18	9	4	12	16	3	33
GOOSE CREEK	72.0	F	09 03 G	0	0	0	0	0	0	0	0	0	0	9	4	5	9	3	3
GOOSE CREEK	72.0	F	09 11 G	0	0	0	0	0	0	0	0	0	0	1	2	0	3	0	0
GOOSE CREEK	72.0	F	09 18 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MONTANA CREEK	77.0	F	07 11 FG	31	0	31	0	0	0	0	0	0	0	0	0	0	0	0	0
MONTANA CREEK	77.0	F	07 17 P	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
MONTANA CREEK	77.0	F	07 17 E	99	0	99	0	0	0	0	0	0	0	0	0	0	0	1	0
MONTANA CREEK	77.0	F	07 28 GE	21	2	23	0	0	0	10	0	0	10	0	0	0	0	1	1
MONTANA CREEK	77.0	F	08 01 G	230	24	254	0	0	0	30	2	0	32	3	1	4	0	1	1
MONTANA CREEK	77.0	F	08 02 G	739	0	739	0	0	0	0	0	0	0	0	0	0	0	0	0
MONTANA CREEK	77.0	F	08 16 PF	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
MONTANA CREEK	77.0	F	08 24 P	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
MONTANA CREEK	77.0	F	09 03 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MONTANA CREEK	77.0	F	09 11 G	0	0	0	0	0	0	0	0	0	0	4	1	5	7	0	7
MONTANA CREEK	77.0	F	09 18 F	0	0	0	0	0	0	0	0	0	0	1	0	1	11	0	11
MONTANA CREEK	77.0	F	09 26 P	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
MONTANA CREEK	77.0	F	10 03 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIDEAUX CREEK	83.1	BF	07 10 G	14	0	14	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIDEAUX CREEK	83.1	BF	07 16 F	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIDEAUX CREEK	83.1	BF	07 27 FG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIDEAUX CREEK	83.1	BF	07 28 E	114	4	118	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIDEAUX CREEK	83.1	BF	08 07 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIDEAUX CREEK	83.1	BF	08 16 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIDEAUX CREEK	83.1	B	08 23 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIDEAUX CREEK	83.1	BF	09 03 PF	0	0	0	0	0	0	0	0	0	0	0	0	0	32	0	32
RABIDEAUX CREEK	83.1	F	09 11 PF	0	0	0	0	0	0	0	0	0	0	4	4	43	12	55	
RABIDEAUX CREEK	83.1	F	09 18 PF	0	0	0	0	0	0	0	0	0	0	0	0	0	13	13	
RABIDEAUX CREEK	83.1	F	09 26 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIDEAUX CREEK	83.1	F	10 02 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	SC ²	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
ANSWER CREEK	84.1	F	09 05 6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANSWER CREEK	84.1	F	09 09 6	0	0	0	0	0	0	0	0	0	0	0	0	0	27	0	0
ANSWER CREEK	84.1	F	09 24 F	0	0	0	0	0	0	0	0	0	0	0	0	0	8	1	9
ANSWER CREEK	84.1	F	10 02 6	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	9
QUESTION CREEK	84.1	F	09 05 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
QUESTION CREEK	84.1	F	09 24 G	0	0	0	0	0	0	0	0	0	0	0	0	0	75	1	76
QUESTION CREEK	84.1	F	10 02 GE	0	0	0	0	0	0	0	0	0	0	0	0	0	43	4	47
SUNSHINE CREEK	85.1	F	07 10 E	31	0	31	0	0	0	0	0	0	0	0	0	0	0	0	0
SUNSHINE CREEK	85.1	F	07 16 G	2	0	2	0	0	0	0	17	0	17	0	0	0	0	0	0
SUNSHINE CREEK	85.1	F	07 27 GE	0	0	0	0	0	0	1	43	1	44	0	0	0	0	0	0
SUNSHINE CREEK	85.1	F	08 07 E	0	0	0	0	0	0	0	74	0	74	0	0	0	0	7	0
SUNSHINE CREEK	85.1	F	08 16 PF	0	0	0	0	0	0	0	78	12	90	3	0	3	11	0	11
SUNSHINE CREEK	85.1	F	08 23 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SUNSHINE CREEK	85.1	F	09 02 G	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
SUNSHINE CREEK	85.1	B	09 10 G	0	0	0	0	0	0	0	0	0	0	0	0	0	64	1	65
SUNSHINE CREEK	85.1	B	09 17 F	0	0	0	0	0	0	0	0	0	0	0	0	0	39	0	39
SUNSHINE CREEK	85.1	B	09 25 F	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	4
SUNSHINE CREEK	85.1	B	10 03 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRCH CREEK	89.2	F	07 10 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRCH CREEK	89.2	F	07 16 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRCH CREEK	89.2	F	07 28 E	5	0	5	0	0	0	0	3	0	3	0	0	0	0	0	0
BIRCH CREEK	89.2	F	08 07 G	16	4	22	3	0	0	3	117	2	119	0	0	0	0	0	0
BIRCH CREEK	89.2	F	08 15 G	5	4	9	0	0	0	0	564	15	579	0	0	0	0	2	0
BIRCH CREEK	89.2	F	08 23 E	5	5	10	0	0	0	0	502	75	577	0	0	0	0	0	0
BIRCH CREEK	89.2	F	09 02 E	0	0	0	0	1	0	1	17	71	88	0	1	1	0	0	0
BIRCH CREEK	89.2	F	09 10 E	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	9
BIRCH CREEK	89.2	F	09 17 F	0	0	0	0	0	0	0	0	0	0	0	0	0	13	0	13
BIRCH CREEK	89.2	F	09 25 G	0	0	0	0	0	0	0	0	0	0	0	0	0	14	0	14
BIRCH CREEK	89.2	F	10 03 G	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	6
TRAPPER CREEK	91.5	BF	07 11 G	22	0	22	0	0	0	0	0	0	0	0	0	0	0	0	0
TRAPPER CREEK	91.5	BF	07 17 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TRAPPER CREEK	91.5	F	08 07 FG	3	0	3	4	0	0	4	31	0	31	0	0	0	294	0	294
TRAPPER CREEK	91.5	F	08 15 F	0	0	0	0	0	0	0	1	1	2	0	0	0	9	0	9
TRAPPER CREEK	91.5	BF	08 23 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TRAPPER CREEK	91.5	BF	09 17 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	Chinook			Sockeye			Pink			Chum			Coho			
				SC ²	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
CACHE CREEK	95.5	F	07 17 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CACHE CREEK	95.5	F	07 28 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CACHE CREEK	95.5	F	08 07 G	0	0	0	1	0	1	3	0	3	2	0	2	0	0	0	0
CACHE CREEK	95.5	F	08 15 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CACHE CREEK	95.5	F	08 23 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CACHE CREEK	95.5	F	09 02 FG	0	0	0	2	0	2	0	0	0	45	0	45	2	0	0	2
CACHE CREEK	95.5	F	09 10 G	0	0	0	7	0	7	0	0	0	40	2	42	0	0	0	0
CACHE CREEK	95.5	F	09 17 P	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0
CACHE CREEK	95.5	F	09 25 F	0	0	0	0	0	0	0	0	0	7	3	10	2	0	0	2
CACHE CREEK	95.5	F	10 02 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BYERS CREEK	97.8	F	07 27 E	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
BYERS CREEK	97.8	F	08 14 G	0	0	0	139	0	139	0	0	0	8	0	8	3	0	0	3
CHULITNA RIVER MIDDLE FORK	97.8	RF	07 27 G	3039	0	3039	0	0	0	0	0	0	0	0	0	0	0	0	0
CHULITNA RIVER MIDDLE FORK	97.8	RF	08 06 G	447	433	BB0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAPA BEAR LAKE INLET STREAM	97.8	F	07 12 E	0	0	0	538	2	540	0	0	0	0	0	0	0	0	0	0
PAPA BEAR LAKE INLET STREAM	97.8	F	07 12 P	0	0	0	750	0	750	0	0	0	0	0	0	0	0	0	0
PAPA BEAR LAKE INLET STREAM	97.8	F	07 19 G	0	0	0	399	0	399	0	0	0	0	0	0	0	0	0	0
PRAIRIE CREEK	97.8	F	07 19 G	1193	0	1193	5	0	5	0	0	0	0	0	0	0	0	0	0
PRAIRIE CREEK	97.8	F	07 28 G	1941	80	2021	0	0	0	0	0	0	0	0	0	0	0	0	0
TALKEETNA RIVER CLEAR CREEK	97.8	H	07 17 F	2421	0	2421	0	0	0	0	0	0	0	0	0	0	0	0	0
TALKEETNA RIVER FISH CREEK	97.8	F	08 15 G	0	1	1	45	0	45	293	15	308	62	1	63	13	0	0	13
TALKEETNA RIVER FISH CREEK	97.8	F	08 22 G	0	0	0	0	0	0	161	0	161	33	0	33	55	0	0	55
TOKOSITNA RIVER UNNAMED CREEK	97.8	F	08 22 F	0	0	0	12	0	12	0	0	0	8	0	8	0	0	0	0
TROUBLESOME CREEK	97.8	F	07 27 E	23	2	25	0	0	0	0	0	0	0	0	0	0	0	0	0
TROUBLESOME CREEK	97.8	F	08 14 P	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	Chinook			Sockeye			Pink			Chum			Coho			Total		
				SC ²	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total		
WHISKERS CREEK	101.4	H	07 17 E	B	87	0	87	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHISKERS CREEK	101.4	H	07 25 E	B	101	2	103	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHISKERS CREEK	101.4	H	08 23 G	G	0	0	0	0	0	0	0	0	0	0	0	0	68	0	68	0	
WHISKERS CREEK	101.4	H	08 28 G	G	0	0	0	0	0	0	0	0	0	0	0	0	208	0	208	0	
WHISKERS CREEK	101.4	H	09 04 E	E	0	0	0	0	0	0	0	0	0	0	0	0	442	1	443	0	
WHISKERS CREEK	101.4	H	09 11 P	P	0	0	0	0	0	0	0	0	0	0	0	0	227	0	227	0	
WHISKERS CREEK	101.4	H	09 18 G	G	0	0	0	0	0	0	0	0	0	0	0	0	150	0	150	0	
WHISKERS CREEK	101.4	H	09 26 G	G	0	0	0	0	0	0	0	0	0	0	0	0	215	6	221	0	
WHISKERS CREEK	101.4	H	10 02 G	G	0	0	0	0	0	0	0	0	0	0	0	0	151	15	166	0	
WHISKERS CREEK	101.4	F	07 21 E	E	J	14	0	J	14	0	0	0	0	0	0	0	0	0	0	0	
WHISKERS CREEK	101.4	F	08 02 G	G	J	3	0	J	3	0	0	0	0	0	0	0	0	0	0	0	
WHISKERS CREEK	101.4	F	08 13 P	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHISKERS CREEK	101.4	F	08 20 G	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHISKERS CREEK	101.4	F	08 27 G	G	0	0	0	0	0	0	0	0	0	0	0	0	135	0	135	0	
WHISKERS CREEK	101.4	F	09 03 G	G	0	0	0	0	0	0	0	0	0	0	0	0	108	0	108	0	
WHISKERS CREEK	101.4	F	09 10 P	P	0	0	0	0	0	0	0	0	0	0	0	0	65	0	65	0	
WHISKERS CREEK	101.4	F	09 17 P	P	0	0	0	0	0	0	0	0	0	0	0	0	10	1	11	0	
WHISKERS CREEK	101.4	F	09 24 P	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHISKERS CREEK	101.4	F	10 01 P	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CHASE CREEK	106.9	H	07 17 E	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CHASE CREEK	106.9	H	07 24 G	G	J	6	0	J	14	0	0	0	0	0	0	0	0	0	0	0	
CHASE CREEK	106.9	H	08 23 G	G	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	
CHASE CREEK	106.9	H	08 28 G	G	0	0	0	0	0	0	0	0	0	0	0	0	17	0	17	0	
CHASE CREEK	106.9	H	09 04 E	E	0	0	0	0	0	0	0	0	0	0	0	0	79	0	79	0	
CHASE CREEK	106.9	H	09 11 P	P	0	0	0	0	0	0	0	0	0	0	0	0	53	0	53	0	
CHASE CREEK	106.9	H	09 18 P	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CHASE CREEK	106.9	H	09 26 G	G	0	0	0	0	0	0	0	0	0	0	0	0	13	0	13	0	
CHASE CREEK	106.9	H	10 02 G	G	0	0	0	0	0	0	0	0	0	0	0	0	25	4	29	0	
CHASE CREEK	106.9	F	07 21 E	E	J	1	0	J	31	0	0	0	0	0	0	0	0	0	0	0	
CHASE CREEK	106.9	F	07 27 E	E	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
CHASE CREEK	106.9	F	08 02 G	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CHASE CREEK	106.9	F	08 13 F	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CHASE CREEK	106.9	F	08 20 G	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CHASE CREEK	106.9	F	08 27 E	E	0	0	0	0	0	0	0	0	0	0	0	0	13	0	13	0	
CHASE CREEK	106.9	F	09 03 E	E	0	0	0	0	0	0	0	0	0	0	0	0	102	0	102	0	
CHASE CREEK	106.9	F	09 10 G	G	0	0	0	0	0	0	0	0	0	0	0	0	218	0	218	0	
CHASE CREEK	106.9	F	09 17 F	F	0	0	0	0	0	0	0	0	0	0	0	0	84	0	84	0	
CHASE CREEK	106.9	F	09 24 F	F	0	0	0	0	0	0	0	0	0	0	0	0	30	4	34	0	
CHASE CREEK	106.9	F	10 01 G	G	0	0	0	0	0	0	0	0	0	0	0	0	28	8	36	0	

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) = P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	Chinook			Sockeye			Pink			Chum			Coho			
				SC ²	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
SLASH CREEK	111.2	F	08 18 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLASH CREEK	111.2	F	08 25 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLASH CREEK	111.2	F	09 02 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLASH CREEK	111.2	F	09 09 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLASH CREEK	111.2	F	09 16 G		0	0	0	0	0	0	0	0	0	5	0	5	0	0	0
SLASH CREEK	111.2	F	09 23 G		0	0	0	0	0	0	0	0	500	0	500	85	0	85	0
SLASH CREEK	111.2	F	09 30 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GASH CREEK	111.6	H	08 23 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GASH CREEK	111.6	H	08 28 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GASH CREEK	111.6	H	09 04 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GASH CREEK	111.6	H	09 11 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GASH CREEK	111.6	H	09 18 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GASH CREEK	111.6	H	09 25 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GASH CREEK	111.6	H	10 02 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GASH CREEK	111.6	F	08 18 G		0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
GASH CREEK	111.6	F	08 25 E		0	0	0	0	0	0	0	2	0	2	0	0	0	0	0
GASH CREEK	111.6	F	09 02 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GASH CREEK	111.6	F	09 09 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GASH CREEK	111.6	F	09 16 G		0	0	0	0	0	0	0	0	0	0	0	0	70	1	71
GASH CREEK	111.6	F	09 23 G		0	0	0	0	0	0	0	0	0	0	0	0	13	0	13
GASH CREEK	111.6	F	09 30 G		0	0	0	0	0	0	0	0	0	0	0	0	14	0	14
LANE CREEK	113.6	H	07 17 E		2	0	2	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	H	08 23 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	H	08 28 G		0	0	0	0	0	0	0	0	20	0	20	0	0	0	0
LANE CREEK	113.6	H	09 04 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	H	09 11 P		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	H	09 18 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	H	09 26 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	H	10 02 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	F	07 21 E		17	0	17	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	F	07 27 E		5	1	6	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	F	08 02 E		6	0	6	0	0	0	0	0	6	0	6	0	0	0	0
LANE CREEK	113.6	F	08 11 E		2	1	3	0	0	0	0	0	97	1	98	1	0	0	0
LANE CREEK	113.6	F	08 18 G		0	0	0	0	0	0	0	0	125	2	127	0	0	0	0
LANE CREEK	113.6	F	08 25 E		0	0	0	0	0	0	0	0	67	7	74	0	0	0	0
LANE CREEK	113.6	F	09 02 E		0	0	0	0	0	0	0	0	2	0	2	0	0	0	0
LANE CREEK	113.6	F	09 09 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	F	09 16 F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	F	09 23 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LANE CREEK	113.6	F	09 30 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	SC ²	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
LITTLE PORTAGE CREEK	117.7	F	08 11	E	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
LITTLE PORTAGE CREEK	117.7	F	08 18	G	0	0	0	0	0	0	0	6	1	7	0	0	0	0	0
LITTLE PORTAGE CREEK	117.7	F	08 25	G	0	0	0	0	0	0	0	0	0	0	4	0	4	0	0
LITTLE PORTAGE CREEK	117.7	F	09 02	G	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
LITTLE PORTAGE CREEK	117.7	F	09 09	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE PORTAGE CREEK	117.7	F	09 16	PF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE PORTAGE CREEK	117.7	F	09 23	G	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
LITTLE PORTAGE CREEK	117.7	F	09 30	E	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FROMUNDA CREEK	119.3	F	08 18	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROMUNDA CREEK	119.3	F	08 25	E	0	0	0	0	0	0	0	3	1	4	0	0	0	0	0
FROMUNDA CREEK	119.3	F	09 02	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROMUNDA CREEK	119.3	F	09 16	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROMUNDA CREEK	119.3	F	09 23	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FROMUNDA CREEK	119.3	F	09 30	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOWNUNDA CREEK	119.4	F	08 18	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOWNUNDA CREEK	119.4	F	08 25	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOWNUNDA CREEK	119.4	F	09 02	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOWNUNDA CREEK	119.4	F	09 16	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOWNUNDA CREEK	119.4	F	09 23	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DOWNUNDA CREEK	119.4	F	09 30	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEADHORSE CREEK	120.8	H	07 17	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEADHORSE CREEK	120.8	F	08 18	B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEADHORSE CREEK	120.8	F	08 25	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEADHORSE CREEK	120.8	F	09 02	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEADHORSE CREEK	120.8	F	09 09	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEADHORSE CREEK	120.8	F	09 16	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEADHORSE CREEK	120.8	F	09 23	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEADHORSE CREEK	120.8	F	09 30	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	Chinook			Sockeye			Pink			Chum			Coho			
				SC ²	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
MAGGOT CREEK	113.6	F	08 11 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MAGGOT CREEK	113.6	F	08 18 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MAGGOT CREEK	113.6	F	08 25 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MAGGOT CREEK	113.6	F	09 02 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MAGGOT CREEK	113.6	F	09 09 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MAGGOT CREEK	113.6	F	09 16 F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MAGGOT CREEK	113.6	F	09 23 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MAGGOT CREEK	113.6	F	09 30 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLYDE CREEK	113.8	F	08 11 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLYDE CREEK	113.8	F	08 18 E		0	0	0	0	0	0	0	7	0	7	0	0	0	0	0
CLYDE CREEK	113.8	F	08 25 E		0	0	0	0	0	0	0	2	2	4	0	0	0	0	0
CLYDE CREEK	113.8	F	09 02 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLYDE CREEK	113.8	F	09 09 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLYDE CREEK	113.8	F	09 16 F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLYDE CREEK	113.8	F	09 23 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLYDE CREEK	113.8	F	09 30 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER MCKENZIE CREEK	116.2	H	09 04 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER MCKENZIE CREEK	116.2	H	09 11 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER MCKENZIE CREEK	116.2	F	08 11 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER MCKENZIE CREEK	116.2	F	08 18 G		0	0	0	0	0	0	0	3	0	3	0	0	0	0	0
LOWER MCKENZIE CREEK	116.2	F	08 25 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER MCKENZIE CREEK	116.2	F	09 02 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LOWER MCKENZIE CREEK	116.2	F	09 09 G		0	0	0	0	0	0	0	0	0	0	0	0	11	0	11
LOWER MCKENZIE CREEK	116.2	F	09 16 E		0	0	0	0	0	0	0	0	0	0	0	0	24	0	24
LOWER MCKENZIE CREEK	116.2	F	09 23 G		0	0	0	0	0	0	0	0	0	0	0	0	24	0	24
LOWER MCKENZIE CREEK	116.2	F	09 30 G		0	0	0	0	0	0	0	0	0	0	0	0	41	9	50
UPPER MCKENZIE CREEK	116.7	F	08 10 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER MCKENZIE CREEK	116.7	F	08 18 G		0	0	0	0	0	0	0	2	0	2	0	0	0	0	0
UPPER MCKENZIE CREEK	116.7	F	08 25 E		0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
UPPER MCKENZIE CREEK	116.7	F	09 02 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER MCKENZIE CREEK	116.7	F	09 09 E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER MCKENZIE CREEK	116.7	F	09 16 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER MCKENZIE CREEK	116.7	F	09 23 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UPPER MCKENZIE CREEK	116.7	F	09 30 G		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	Chinook			Sockeye			Pink			Chum			Coho		
				Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
FIFTH OF JULY CREEK	123.7	H	07 17 E	6	0	6	0	0	0	0	0	0	0	0	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	07 20 E	18	0	18	0	0	0	0	0	0	0	0	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	07 26 E	21	0	21	0	0	0	0	3	0	0	0	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	08 02 E	11	0	11	0	0	0	0	21	0	0	0	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	08 09 E	0	0	0	0	0	0	0	35	1	0	21	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	08 18 G	0	0	0	0	0	0	0	13	0	0	36	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	08 25 E	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	09 02 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	09 05 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	09 09 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	09 16 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	09 23 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FIFTH OF JULY CREEK	123.7	F	09 30 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SKULL CREEK	124.7	F	08 09 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SKULL CREEK	124.7	F	08 16 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SKULL CREEK	124.7	F	08 22 E	0	0	0	0	0	0	0	3	0	0	3	0	0	0	0
SKULL CREEK	124.7	F	08 29 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SKULL CREEK	124.7	F	09 05 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SKULL CREEK	124.7	F	09 12 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SKULL CREEK	124.7	F	09 20 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SKULL CREEK	124.7	F	09 27 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SKULL CREEK	124.7	F	10 03 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHERMAN CREEK	130.8	H	07 24 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHERMAN CREEK	130.8	F	07 20 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHERMAN CREEK	130.8	F	07 27 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHERMAN CREEK	130.8	F	08 02 E	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
SHERMAN CREEK	130.8	F	08 09 G	0	0	0	0	0	0	0	8	0	0	8	0	0	0	0
SHERMAN CREEK	130.8	F	08 17 G	0	0	0	0	0	0	0	12	0	0	12	0	0	0	0
SHERMAN CREEK	130.8	F	08 22 G	0	0	0	0	0	0	0	3	0	0	3	0	0	0	0
SHERMAN CREEK	130.8	F	08 29 G	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
SHERMAN CREEK	130.8	F	09 05 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHERMAN CREEK	130.8	F	09 12 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHERMAN CREEK	130.8	F	09 19 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHERMAN CREEK	130.8	F	09 26 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHERMAN CREEK	130.8	F	10 03 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) = P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	Chinook			Sockeye			Pink			Chum			Coho			
				SC ²	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
FOURTH OF JULY CREEK	131.1	H	07 17 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	H	07 24 E	85	0	85	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	H	07 31 G	24	3	27	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	H	08 23 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	H	08 28 G	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	H	09 04 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	H	09 11 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	H	09 18 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	H	09 19 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	H	09 26 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	H	10 02 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	F	07 20 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	F	07 26 E	3	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	F	08 02 E	20	0	20	0	0	0	0	12	0	12	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	F	08 09 G	7	3	10	0	0	0	0	175	2	177	43	0	43	0	0	0
FOURTH OF JULY CREEK	131.1	F	08 17 G	2	0	2	0	0	0	0	92	7	99	140	0	140	0	0	0
FOURTH OF JULY CREEK	131.1	F	08 22 G	0	0	0	0	0	0	0	77	86	163	48	3	51	0	0	0
FOURTH OF JULY CREEK	131.1	F	08 29 G	0	0	0	0	0	0	0	4	71	75	23	16	39	0	0	0
FOURTH OF JULY CREEK	131.1	F	09 12 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	F	09 26 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOURTH OF JULY CREEK	131.1	F	10 03 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	H	07 17 E	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	H	07 24 G	35	1	36	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	H	07 31 G	30	0	30	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	H	08 23 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	H	08 28 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	H	09 04 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	H	09 11 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	H	09 18 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	H	09 25 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	H	10 02 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	F	07 30 G	22	1	23	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	F	08 06 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	F	08 12 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	F	08 19 G	0	1	1	0	0	0	0	0	2	0	2	0	0	0	0	0
GOLD CREEK	136.7	F	08 26 G	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
GOLD CREEK	136.7	F	09 02 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	F	09 09 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	F	09 16 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	F	09 23 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GOLD CREEK	136.7	F	09 30 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = fair, H = helicopter

2/ Survey Condition (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	SC ²	Chinook			Sockeye			Pink			Chum			Coho			
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	
INDIAN RIVER	138.6	H	07 17	E	774	1	775	0	0	0	0	0	0	0	0	0	0	0	0	
INDIAN RIVER	138.6	H	07 24	E	970	7	977	0	0	0	0	0	0	0	0	0	0	0	0	
INDIAN RIVER	138.6	H	07 31	G	517	99	616	0	0	0	0	0	0	0	0	0	0	0	0	
INDIAN RIVER	138.6	H	08 16	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
INDIAN RIVER	138.6	H	08 23	G	0	0	0	2	0	2	5	0	5	1153	75	1228	20	0	20	
INDIAN RIVER	138.6	H	08 28	G	0	0	0	0	0	0	9	0	9	473	46	519	63	0	63	
INDIAN RIVER	138.6	H	09 04	G	0	0	0	0	0	0	0	0	0	0	171	56	227	71	0	71
INDIAN RIVER	138.6	H	09 11	G	0	0	0	0	0	0	0	0	0	0	93	8	101	32	0	32
INDIAN RIVER	138.6	H	09 18	G	0	0	0	0	0	0	0	0	0	0	26	0	26	48	0	48
INDIAN RIVER	138.6	H	09 25	E	0	0	0	0	0	0	0	0	0	0	0	0	0	37	0	37
INDIAN RIVER	138.6	H	10 02	G	0	0	0	0	0	0	0	0	0	0	0	0	0	35	0	35
INDIAN RIVER	138.6	F	07 18	E	263	0	263	0	0	0	0	0	0	0	0	0	0	0	0	0
INDIAN RIVER	138.6	BF	07 19	E	115	2	117	0	0	0	0	0	0	0	0	0	0	0	0	0
INDIAN RIVER	138.6	F	07 26	E	162	5	167	0	0	0	0	0	0	12	0	12	0	0	0	0
INDIAN RIVER	138.6	F	08 01	E	110	47	157	0	0	0	0	0	0	46	0	46	17	0	17	0
INDIAN RIVER	138.6	F	08 08	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INDIAN RIVER	138.6	F	08 08	E	24	69	93	0	0	0	0	0	0	645	3	648	65	1	66	0
INDIAN RIVER	138.6	F	08 16	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INDIAN RIVER	138.6	F	08 24	G	1	1	2	0	0	0	0	0	0	339	47	386	425	44	469	28
INDIAN RIVER	138.6	F	08 30	G	0	0	0	0	0	0	0	0	0	7	55	62	331	142	473	66
INDIAN RIVER	138.6	F	09 06	G	0	0	0	0	0	0	0	0	0	0	0	0	139	195	334	57
INDIAN RIVER	138.6	F	09 13	G	0	0	0	0	0	0	0	0	0	0	0	0	53	79	132	39
INDIAN RIVER	138.6	F	09 20	F	0	0	0	0	0	0	0	0	0	0	0	0	12	16	28	38
INDIAN RIVER	138.6	F	09 27	G	0	0	0	0	0	0	0	0	0	0	0	0	1	20	21	32
INDIAN RIVER	138.6	F	10 04	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	15
JACK LONG CREEK	144.5	H	07 17	E	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	H	07 24	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	H	08 01	G	7	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	H	09 04	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	H	09 11	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	0
JACK LONG CREEK	144.5	H	09 18	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	H	09 25	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	H	10 02	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	F	08 08	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	F	08 16	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	F	08 24	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	F	08 30	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	F	09 06	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	F	09 13	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	F	09 20	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	F	09 28	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JACK LONG CREEK	144.5	F	10 04	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) = P = poor, F = fair, G = good, H = helicopter

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	SC ²	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
PORTAGE CREEK	148.9	H	07 17 E	1900	0	1900	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	H	07 24 E	2621	8	2629	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	H	07 31 G	1767	93	1860	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	H	08 16 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	H	08 23 G	3	0	3	0	0	0	0	0	0	0	0	520	9	529	25	0
PORTAGE CREEK	148.9	H	08 28 G	2	0	2	0	0	0	0	1	0	1	524	15	539	1	0	
PORTAGE CREEK	148.9	H	09 04 E	0	0	0	0	0	0	0	0	0	0	0	285	6	291	0	0
PORTAGE CREEK	148.9	H	09 11 G	0	0	0	0	0	0	0	0	0	0	0	14	0	14	0	0
PORTAGE CREEK	148.9	H	09 18 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	H	09 25 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0
PORTAGE CREEK	148.9	H	10 02 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	07 18 E	147	0	147	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	07 19 E	19	0	19	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	07 25 E	261	1	262	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	BF	07 26 E	22	0	22	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	08 01 E	210	33	243	0	0	0	0	1	0	1	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	08 08 F	3	4	7	0	0	0	0	148	1	149	314	0	0	0	0	0
PORTAGE CREEK	148.9	F	08 16 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	08 24 G	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	08 30 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	09 06 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	09 13 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	09 20 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	09 28 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTAGE CREEK	148.9	F	10 03 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	07 17 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	07 24 E	18	0	18	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	07 31 G	10	0	10	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	08 16 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	08 23 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	08 28 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	09 04 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	09 11 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	09 18 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	09 25 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHEECHAKO CREEK	152.5	H	10 02 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H = helicopter

2/ Survey Condition (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-1. Continued.

Spawning Site	RM	SM ¹	Date	SC ²	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
CHINOOK CREEK	156.8	H	07 17	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHINOOK CREEK	156.8	H	07 24	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHINOOK CREEK	156.8	H	07 31	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHINOOK CREEK	156.8	H	08 16	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHINOOK CREEK	156.8	H	08 23	G	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
CHINOOK CREEK	156.8	H	08 28	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHINOOK CREEK	156.8	H	09 04	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHINOOK CREEK	156.8	H	09 11	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHINOOK CREEK	156.8	H	09 18	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHINOOK CREEK	156.8	H	09 25	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHINOOK CREEK	156.8	H	10 02	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	07 17	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	07 24	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	07 31	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	08 16	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	08 23	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	08 28	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	09 04	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	09 11	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	09 18	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	09 25	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DEVIL CREEK	161.0	H	10 02	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOG CREEK	176.1	H	07 17	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOG CREEK	176.1	H	07 24	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOG CREEK	176.1	H	07 31	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BEAR CREEK	178.0	H	07 17	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BEAR CREEK	178.0	H	07 24	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BEAR CREEK	178.0	H	07 31	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TSUSENA CREEK	181.3	H	07 17	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TSUSENA CREEK	181.3	H	07 24	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TSUSENA CREEK	181.3	H	07 31	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1/ Survey Method (SM) - B = boat, F = foot, H - helicopter

2/ Survey Condition (SC) - P = poor, F = fair, G = good, E = excellent

Appendix Table 3-2. Escapement survey counts of Susitna River sloughs between RM 98.6 and 161.0, 1985.

Spawning Site	RM	SD	Date	Chinook			Sockeye			Pink			Chum			Coho			
				SC	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
SLOUGH 1	99.6	100	08 11 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	009
SLOUGH 1	99.6	100	08 20 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	033
SLOUGH 1	99.6	100	08 27 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	043
SLOUGH 1	99.6	100	09 03 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	055
SLOUGH 1	99.6	100	09 10 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	069
SLOUGH 1	99.6	100	09 17 E	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	074
SLOUGH 1	99.6	100	09 24 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	091
SLOUGH 1	99.6	100	10 01 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	104
SLOUGH 2	100.2	020	08 13 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	010
SLOUGH 2	100.2	100	08 20 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	032
SLOUGH 2	100.2	100	08 27 E	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	043
SLOUGH 2	100.2	100	09 03 E	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	056
SLOUGH 2	100.2	100	09 10 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	068
SLOUGH 2	100.2	100	09 17 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	080
SLOUGH 2	100.2	100	09 24 G	0	0	0	0	0	0	0	0	0	13	4	17	0	0	0	092
SLOUGH 2	100.2	100	10 01 G	0	0	0	0	0	0	0	0	15	6	21	0	0	0	0	104
SLOUGH 3B	101.4	100	08 13 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	019
SLOUGH 3B	101.4	100	08 20 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	032
SLOUGH 3B	101.4	100	08 27 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	045
SLOUGH 3B	101.4	BRE	09 03 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	056
SLOUGH 3B	101.4	100	09 10 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	069
SLOUGH 3B	101.4	BRE	09 17 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	080
SLOUGH 3B	101.4	100	09 24 G	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	092
SLOUGH 3B	101.4	100	10 01 G	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	105
SLOUGH 3A	101.9	100	08 13 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	019
SLOUGH 3A	101.9	100	08 20 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	032
SLOUGH 3A	101.9	100	08 27 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	045
SLOUGH 3A	101.9	100	09 03 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	056
SLOUGH 3A	101.9	100	09 10 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	069
SLOUGH 3A	101.9	100	09 17 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	080
SLOUGH 3A	101.9	100	09 24 G	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	092
SLOUGH 3A	101.9	100	10 01 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	105

RM = River mile; SD = Percent of slough surveyed; SC = Survey conditions

Appendix Table 3-2. Continued.

Spawning Site	RM	SD	Date	Chinook			Sockeye			Pink			Chum			Coho			
				SC	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
SLOUGH 4	105.2	100	08 13	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 021
SLOUGH 4	105.2	100	08 20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 031
SLOUGH 4	105.2	100	08 27	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 045
SLOUGH 4	105.2	100	09 03	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 057
SLOUGH 4	105.2	100	09 10	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 068
SLOUGH 4	105.2	100	09 17	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 081
SLOUGH 4	105.2	100	09 24	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 099
SLOUGH 4	105.2	100	10 01	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 105
SLOUGH 5	107.6	100	08 13	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 021
SLOUGH 5	107.6	100	08 20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 031
SLOUGH 5	107.6	100	08 27	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 044
SLOUGH 5	107.6	100	09 03	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 057
SLOUGH 5	107.6	100	09 10	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 068
SLOUGH 5	107.6	100	09 17	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 081
SLOUGH 5	107.6	100	09 24	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 093
SLOUGH 5	107.6	100	10 01	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 106
SLOUGH 6	108.2	100	08 13	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 021
SLOUGH 6	108.2	100	08 20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 031
SLOUGH 6	108.2	100	08 27	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 044
SLOUGH 6	108.2	100	09 03	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 057
SLOUGH 6	108.2	100	09 10	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 067
SLOUGH 6	108.2	100	09 17	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 081
SLOUGH 6	108.2	100	09 24	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 093
SLOUGH 6	108.2	100	10 01	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 106
SLOUGH 6A	112.3	100	08 11	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 009
SLOUGH 6A	112.3	100	08 18	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 030
SLOUGH 6A	112.3	100	08 25	G	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0 043
SLOUGH 6A	112.3	100	09 02	E	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0 053
SLOUGH 6A	112.3	100	09 09	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 065
SLOUGH 6A	112.3	100	09 16	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 079
SLOUGH 6A	112.3	100	09 23	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 091
SLOUGH 6A	112.3	100	09 30	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 104

RM = River mile; SD = Percent of slough surveyed; SC = Survey conditions

Appendix Table 3-2. Continued.

Spawning Site	RM	SD	Date	Chinook			Sockeye			Pink			Chum			Coho		
				SC	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead
SLOUGH 7	113.2	CO	08 13 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 020
SLOUGH 7	113.2	CO	08 18 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 030
SLOUGH 7	113.2	CO	08 25 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 042
SLOUGH 8	113.7	100	08 11 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 009
SLOUGH 8	113.7	100	08 18 G	0	0	0	0	0	0	0	0	0	24	0	24	0	0	0 030
SLOUGH 8	113.7	100	08 25 E	0	0	0	0	0	0	0	2	2	47	5	52	0	0	0 042
SLOUGH 8	113.7	100	09 02 E	0	0	0	0	0	0	0	0	0	47	29	76	0	0	0 053
SLOUGH 8	113.7	100	09 09 G	0	0	0	0	0	0	0	0	0	26	30	56	0	0	0 065
SLOUGH 8	113.7	BRE	09 16 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 079
SLOUGH 8	113.7	100	09 23 E	0	0	0	0	0	0	0	0	0	26	28	54	0	0	0 091
SLOUGH 8	113.7	100	09 30 E	0	0	0	0	0	0	0	0	5	9	14	0	0	0	0 103
BUSHROD SLOUGH	117.8	100	08 11 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 008
BUSHROD SLOUGH	117.8	100	08 18 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 029
BUSHROD SLOUGH	117.8	100	08 25 E	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0 041
BUSHROD SLOUGH	117.8	100	09 02 G	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0 053
BUSHROD SLOUGH	117.8	100	09 09 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 065
BUSHROD SLOUGH	117.8	BRE	09 16 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 078
BUSHROD SLOUGH	117.8	100	09 23 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 090
BUSHROD SLOUGH	117.8	100	09 30 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 103
ELMO SLOUGH	117.9	100	08 18 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 029
ELMO SLOUGH	117.9	100	08 25 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 042
ELMO SLOUGH	117.9	100	09 02 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 054
ELMO SLOUGH	117.9	100	09 09 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 066
ELMO SLOUGH	117.9	BRE	09 16 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 078
ELMO SLOUGH	117.9	100	09 23 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 090
ELMO SLOUGH	117.9	100	09 30 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 103
SLOUGH 8D	121.8	100	08 10 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 008
SLOUGH 8D	121.8	100	08 18 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 029
SLOUGH 8D	121.8	100	08 25 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 041
SLOUGH 8D	121.8	100	09 02 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 054
SLOUGH 8D	121.8	100	09 09 E	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0 067
SLOUGH 8D	121.8	100	09 16 G	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0 077
SLOUGH 8D	121.8	100	09 23 G	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0 090
SLOUGH 8D	121.8	100	09 30 E	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0 102

RM = River mile; SD = Percent of slough surveyed; SC = Survey conditions

Appendix Table 3-2. Continued.

Spawning Site	RM	SD	Date	SC	Chinook			Sockeye			Pink			Chum			Coho			Total obs
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	
SLOUGH BC	121.9	100	08	10 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	008	
SLOUGH BC	121.9	100	08	18 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	026	
SLOUGH BC	121.9	100	08	25 E	0	0	0	0	0	0	0	0	0	2	0	2	0	0	041	
SLOUGH BC	121.9	100	09	02 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	054	
SLOUGH BC	121.9	100	09	09 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	066	
SLOUGH BC	121.9	100	09	16 G	0	0	0	0	0	0	0	0	6	2	8	0	0	0	078	
SLOUGH BC	121.9	100	09	23 G	0	0	0	1	0	1	0	0	0	47	18	65	0	0	089	
SLOUGH BC	121.9	100	09	30 E	0	0	0	0	0	0	0	0	0	27	12	39	0	0	102	
SLOUGH BB	122.2	100	08	10 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	007	
SLOUGH BB	122.2	100	08	18 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	028	
SLOUGH BB	122.2	100	08	25 E	0	0	0	0	0	0	0	0	2	2	177	6	183	0	0	040
SLOUGH BB	122.2	100	09	02 G	0	0	0	0	0	0	0	0	0	0	151	16	167	0	0	055
SLOUGH BB	122.2	100	09	09 E	0	0	0	0	0	0	0	0	0	70	27	97	0	0	066	
SLOUGH BB	122.2	BRE	09	16 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	077	
SLOUGH BB	122.2	100	09	23 G	0	0	0	2	0	2	0	0	0	0	111	25	136	1	0	1089
SLOUGH BB	122.2	100	09	30 E	0	0	0	0	0	0	0	0	0	50	38	BB	0	0	102	
MOOSE SLOUGH	123.5	100	08	09 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	007	
MOOSE SLOUGH	123.5	100	08	18 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	028	
MOOSE SLOUGH	123.5	100	08	25 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	040	
MOOSE SLOUGH	123.5	100	09	02 G	0	0	0	0	0	0	0	0	0	2	1	3	0	0	055	
MOOSE SLOUGH	123.5	100	09	09 G	0	0	0	0	0	0	0	0	0	22	2	24	0	0	067	
MOOSE SLOUGH	123.5	BRE	09	16 P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	077	
MOOSE SLOUGH	123.5	100	09	23 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	089	
MOOSE SLOUGH	123.5	100	09	28 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	101	
SLOUGH A1	124.6	100	08	09 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	006	
SLOUGH A1	124.6	100	08	18 G	0	0	0	0	0	0	0	0	0	0	1	0	1	0	027	
SLOUGH A1	124.6	100	08	22 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	036	
SLOUGH A1	124.6	100	08	29 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	049	
SLOUGH A1	124.6	100	09	05 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	061	
SLOUGH A1	124.6	100	09	12 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	073	
SLOUGH A1	124.6	100	09	20 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	085	
SLOUGH A1	124.6	100	09	27 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	097	
SLOUGH A1	124.6	100	10	03 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	110	

RM = River mile; SD = Percent of slough surveyed; SC = Survey conditions

Appendix Table 3-2. Continued.

A205

Spawning Site	RM	SD	Date	SC	Chinook			Sockeye			Pink			Chum			Coho			obs
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	
SLOUGH A	124.7	100	08	09	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	007
SLOUGH A	124.7	100	08	16	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	027
SLOUGH A	124.7	100	08	22	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	037
SLOUGH A	124.7	100	08	29	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	049
SLOUGH A	124.7	CD	09	05	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	061
SLOUGH A	124.7	CD	09	12	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	073
SLOUGH A	124.7	CD	09	20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	085
SLOUGH A	124.7	CD	09	27	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	097
SLOUGH A	124.7	CD	10	03	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	110
SLOUGH BA	125.4	100	08	09	E	0	0	0	54	0	54	0	0	0	41	0	41	0	0	006
SLOUGH BA	125.4	100	08	16	G	0	0	0	39	0	39	0	0	0	68	0	68	0	0	027
SLOUGH BA	125.4	100	08	22	G	0	0	0	114	0	114	0	0	0	292	7	299	1	0	1036
SLOUGH BA	125.4	100	08	29	E	0	0	0	129	1	130	0	0	0	221	24	245	0	0	049
SLOUGH BA	125.4	100	09	05	G	0	0	0	161	4	165	0	0	0	174	77	251	0	0	061
SLOUGH BA	125.4	100	09	12	G	0	0	0	146	9	155	0	0	0	95	70	165	0	0	073
SLOUGH BA	125.4	100	09	20	E	0	0	0	112	13	125	0	0	0	109	139	248	9	0	9085
SLOUGH BA	125.4	100	09	27	E	0	0	0	50	20	70	0	0	0	26	80	106	3	0	3096
SLOUGH BA	125.4	100	10	03	G	0	0	0	19	30	49	0	0	0	0	63	63	9	0	9109
SLOUGH B	126.3	040	08	16	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	026
SLOUGH B	126.3	100	08	22	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	036
SLOUGH B	126.3	100	08	29	G	0	0	0	2	0	2	0	0	0	25	1	26	0	0	048
SLOUGH B	126.3	075	09	05	G	0	0	0	5	0	5	0	0	0	54	19	73	0	0	060
SLOUGH B	126.3	100	09	12	G	0	0	0	1	0	1	0	0	0	72	17	89	0	0	072
SLOUGH B	126.3	100	09	20	E	0	0	0	1	0	1	0	0	0	47	15	62	0	0	084
SLOUGH B	126.3	100	09	27	E	0	0	0	0	0	0	0	0	0	0	26	26	0	0	096
SLOUGH B	126.3	100	10	03	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	109
SLOUGH 9	128.3	100	08	09	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	006
SLOUGH 9	128.3	100	08	16	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	026
SLOUGH 9	128.3	100	08	22	P	0	0	0	0	0	0	0	0	0	0	1	1	0	0	035
SLOUGH 9	128.3	100	08	29	G	0	0	0	0	0	0	1	0	1	61	33	94	0	0	048
SLOUGH 9	128.3	100	09	05	G	0	0	0	0	0	0	0	0	0	6	28	34	0	0	060
SLOUGH 9	128.3	100	09	12	G	0	0	0	0	0	0	0	0	0	0	29	29	0	0	072
SLOUGH 9	128.3	100	09	19	G	0	0	0	0	0	0	0	0	0	18	6	24	1	0	1084
SLOUGH 9	128.3	100	09	27	E	0	0	0	0	0	0	0	0	0	6	5	11	0	0	096
SLOUGH 9	128.3	100	10	03	G	0	0	0	0	0	0	0	0	0	2	2	0	0	0	109

RM = River mile; SD = Percent of slough surveyed; SC = Survey conditions

Appendix Table 3-2. Continued.

Spawning Site	RM	SD	Date	SC	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
SLOUGH 9B	129.2	CD	08 16	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	026
SLOUGH 9B	129.2	CD	08 22	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	035
SLOUGH 9B	129.2	CD	08 29	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	048
SLOUGH 9B	129.2	CD	09 05	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	060
SLOUGH 9B	129.2	CD	09 12	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	072
SLOUGH 9B	129.2	CD	09 19	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	084
SLOUGH 9B	129.2	CD	09 27	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	095
SLOUGH 9B	129.2	CD	10 03	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	108
SLOUGH 9A	133.8	030	08 08	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	005
SLOUGH 9A	133.8	025	08 16	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	025
SLOUGH 9A	133.8	025	08 22	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	035
SLOUGH 9A	133.8	025	08 29	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	047
SLOUGH 9A	133.8	020	09 05	P	0	0	0	0	0	0	0	0	0	11	0	0	0	0	059
SLOUGH 9A	133.8	100	09 12	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	071
SLOUGH 9A	133.8	BRE	09 19	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	083
SLOUGH 9A	133.8	100	09 26	G	0	0	0	0	0	0	0	0	0	118	13	131	1	0	1095
SLOUGH 9A	133.8	100	10 03	G	0	0	0	0	0	0	0	0	0	47	47	94	0	0	108
SLOUGH 10	133.9	100	08 08	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	005
SLOUGH 10	133.9	100	08 16	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	025
SLOUGH 10	133.9	100	08 22	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	034
SLOUGH 10	133.9	100	08 29	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	047
SLOUGH 10	133.9	100	09 05	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	059
SLOUGH 10	133.9	100	09 12	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	071
SLOUGH 10	133.9	100	09 19	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	083
SLOUGH 10	133.9	100	09 26	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	095
SLOUGH 10	133.9	100	10 03	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	108

RM = River mile; SD = Percent of slough surveyed; SC = Survey conditions

Appendix Table 3-2. Continued.

Spawning Site	RM	SD	Date	SC	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total obs
SLOUGH 11	135.3	100	08	08 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	005
SLOUGH 11	135.3	100	08	15 G	0	0	0	9	0	9	0	0	0	52	0	52	0	0	022
SLOUGH 11	135.3	100	08	22 G	0	0	0	70	4	74	0	0	0	336	6	342	0	0	034
SLOUGH 11	135.3	100	08	29 G	0	0	0	289	1	290	0	0	0	485	67	552	0	0	047
SLOUGH 11	135.3	100	09	05 E	0	0	0	498	2	500	0	0	0	270	151	421	0	0	059
SLOUGH 11	135.3	100	09	12 G	0	0	0	669	7	676	0	0	0	146	276	422	0	0	071
SLOUGH 11	135.3	100	09	19 G	0	0	0	672	22	694	0	0	0	115	491	606	0	0	083
SLOUGH 11	135.3	100	09	26 G	0	0	0	384	28	412	0	0	0	56	359	415	0	0	094
SLOUGH 11	135.3	100	10	03 G	0	0	0	147	472	619	0	0	0	6	410	416	0	0	107
SLOUGH 12	135.4	CD	08	22 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	034
SLOUGH 12	135.4	100	08	29 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	046
SLOUGH 12	135.4	100	09	05 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	058
SLOUGH 12	135.4	100	09	12 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	070
SLOUGH 12	135.4	CD	09	19 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	082
SLOUGH 12	135.4	CD	09	26 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	094
SLOUGH 12	135.4	CD	10	03 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	107
SLOUGH 13	135.8	100	08	20 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	033
SLOUGH 13	135.8	100	08	29 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	046
SLOUGH 13	135.8	100	09	05 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	058
SLOUGH 13	135.8	100	09	12 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	070
SLOUGH 13	135.8	100	09	19 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	082
SLOUGH 13	135.8	100	09	26 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	094
SLOUGH 13	135.8	100	10	03 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	107
SLOUGH 14	135.9	100	08	20 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	033
SLOUGH 14	135.9	100	08	29 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	046
SLOUGH 14	135.9	100	09	05 E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	058
SLOUGH 14	135.9	100	09	12 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	070
SLOUGH 14	135.9	100	09	19 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	082
SLOUGH 14	135.9	100	09	26 G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	093
SLOUGH 14	135.9	100	10	03 F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106

RM = River mile; SD = Percent of slough surveyed; SC = Survey conditions

Appendix Table 3-2. Continued.

Spawning Site	RM	SD	Date	SC	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
SLOUGH 15	137.2	100	08 16	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	025
SLOUGH 15	137.2	100	08 24	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	040
SLOUGH 15	137.2	100	08 30	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	052
SLOUGH 15	137.2	100	09 06	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	064
SLOUGH 15	137.2	100	09 13	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	076
SLOUGH 15	137.2	100	09 20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	088
SLOUGH 15	137.2	100	09 27	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	097
SLOUGH 15	137.2	100	09 28	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	099
SLOUGH 15	137.2	100	10 04	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	113
SLOUGH 16	137.3	100	08 08	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	004
SLOUGH 16	137.3	100	08 16	F	0	0	0	0	0	0	0	0	2	0	2	0	0	0	024
SLOUGH 16	137.3	100	08 24	G	0	0	0	0	0	0	5	5	8	2	0	10	0	0	039
SLOUGH 16	137.3	100	08 30	E	0	0	0	0	0	0	0	0	4	2	6	0	0	0	052
SLOUGH 16	137.3	100	09 06	E	0	0	0	0	0	0	0	0	0	2	2	0	0	0	064
SLOUGH 16	137.3	100	09 13	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	076
SLOUGH 16	137.3	100	09 20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	088
SLOUGH 16	137.3	100	09 27	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	098
SLOUGH 16	137.3	100	09 28	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	099
SLOUGH 16	137.3	100	10 04	G	0	0	0	0	0	0	0	0	1	1	1	0	0	0	112
SLOUGH 17	138.9	100	08 08	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	004
SLOUGH 17	138.9	100	08 16	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	024
SLOUGH 17	138.9	100	08 24	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	039
SLOUGH 17	138.9	100	08 30	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	052
SLOUGH 17	138.9	100	09 06	E	0	0	0	0	0	0	0	0	0	1	1	0	0	0	064
SLOUGH 17	138.9	CO	09 13	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	076
SLOUGH 17	138.9	100	09 20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	088
SLOUGH 17	138.9	100	09 28	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	101
SLOUGH 17	138.9	100	10 04	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	112

RM = River mile; SD = Percent of slough surveyed; SC = Survey conditions

Appendix Table 3-2. Continued.

Spawning Site	RM	SD	Date	SC	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total
SLOUGH 18	139.1	CD	08 16	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 024
SLOUGH 18	139.1	CD	08 24	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 034
SLOUGH 18	139.1	CD	08 30	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 051
SLOUGH 18	139.1	CD	09 06	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 063
SLOUGH 18	139.1	CD	09 13	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 075
SLOUGH 18	139.1	CD	09 20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 087
SLOUGH 18	139.1	CD	09 28	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 101
SLOUGH 19	139.7	100	08 08	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 004
SLOUGH 19	139.7	100	08 16	G	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0 023
SLOUGH 19	139.7	100	08 24	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 038
SLOUGH 19	139.7	100	08 30	E	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 051
SLOUGH 19	139.7	100	09 04	G	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0 063
SLOUGH 19	139.7	100	09 13	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 075
SLOUGH 19	139.7	100	09 20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 087
SLOUGH 19	139.7	100	09 28	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 100
SLOUGH 19	139.7	100	10 04	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 112
SLOUGH 20	140.0	100	08 08	E	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0 003
SLOUGH 20	140.0	100	08 16	G	0	0	0	0	0	0	0	0	0	13	0	13	0	0	0 023
SLOUGH 20	140.0	100	08 24	E	0	0	0	0	0	0	0	0	0	54	0	54	0	0	0 038
SLOUGH 20	140.0	100	08 30	E	0	0	0	0	0	0	2	0	2	6	10	16	0	0	0 051
SLOUGH 20	140.0	100	09 06	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 063
SLOUGH 20	140.0	100	09 13	G	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0 075
SLOUGH 20	140.0	100	09 20	G	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0 087
SLOUGH 20	140.0	100	09 28	G	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0 100
SLOUGH 20	140.0	100	10 04	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 111

RM = River mile; SD = Percent of slough surveyed; SC = Survey conditions

Appendix Table 3-2. Continued.

Spawning Site	RM	SD	Date	SC	Chinook			Sockeye			Pink			Chum			Coho		
					Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total	Live	Dead	Total obs
SLOUGH 21	141.1	050	08	08	E	0	0	0	0	0	0	0	0	2	0	2	0	0	0 003
SLOUGH 21	141.1	025	08	16	G	0	0	0	0	0	0	0	0	42	0	42	0	0	0 023
SLOUGH 21	141.1	100	08	24	E	0	0	0	11	0	11	0	0	258	17	275	0	0	0 038
SLOUGH 21	141.1	100	08	30	E	0	0	0	28	0	28	0	0	151	51	202	0	0	0 050
SLOUGH 21	141.1	100	09	06	E	0	0	0	28	0	28	0	0	260	19	279	0	0	0 062
SLOUGH 21	141.1	100	09	13	G	0	0	0	47	2	49	0	0	131	27	158	0	0	0 074
SLOUGH 21	141.1	100	09	20	G	0	0	0	53	0	53	0	0	36	2	38	0	0	0 086
SLOUGH 21	141.1	100	09	28	G	0	0	0	20	0	20	0	0	22	1	23	0	0	0 100
SLOUGH 21	141.1	100	10	04	G	0	0	0	5	0	5	0	0	38	5	43	0	0	0 111
SLOUGH 22	144.5	100	08	08	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 003
SLOUGH 22	144.5	100	08	16	P	0	0	0	0	0	0	0	0	0	0	0	0	0	0 022
SLOUGH 22	144.5	100	08	24	G	0	0	0	0	0	0	0	0	20	4	24	0	0	0 037
SLOUGH 22	144.5	100	08	30	G	0	0	0	0	0	0	0	0	6	0	6	0	0	0 050
SLOUGH 22	144.5	100	09	06	E	0	0	0	0	0	0	0	0	0	2	2	0	0	0 062
SLOUGH 22	144.5	CO	09	13	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 074
SLOUGH 22	144.5	100	09	20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 086
SLOUGH 22	144.5	100	09	28	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 098
SLOUGH 22	144.5	100	10	04	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 111
SLOUGH 21A	145.3	100	08	16	G	0	0	0	0	0	0	0	0	1	-	1	0	0	0 022
SLOUGH 21A	145.3	100	08	24	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 037
SLOUGH 21A	145.3	100	08	30	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 050
SLOUGH 21A	145.3	CO	09	06	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 062
SLOUGH 21A	145.3	CO	09	13	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 074
SLOUGH 21A	145.3	CO	09	20	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 086
SLOUGH 21A	145.3	CO	09	28	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 098
SLOUGH 21A	145.3	CO	10	04	G	0	0	0	0	0	0	0	0	0	0	0	0	0	0 110

RM = River mile; SD = Percent of slough surveyed; SC = Survey conditions

Appendix Table 3-3. Chinook salmon spawning ground surveys of selected streams and resultant tagged to untagged ratios, 1985.

Spawning Site	river mile	date	survey conditions	Chinook salmon tagged to untagged ratios, 1985											
				Flatiron				Sunshine				Curry			
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
ALEXANDER CREEK	10.1	07 13	F	0	4	4	0.0	0	4	4	0.0	0	4	4	0.0
YENTNA RIVER FISH CREEK	28.0	07 05	E	1	11	12	0.091	0	12	12	0.0	0	12	12	0.0
YENTNA RIVER FISH CREEK	28.0	07 12	E	3	8	11	0.375	0	11	11	0.0	0	11	11	0.0
YENTNA RIVER FISH CREEK	28.0	07 19	E	0	15	15	0.0	0	15	15	0.0	0	15	15	0.0
TALACHULITNA RIVER	28.0	07 22	EG	6	1351	1357	0.004	0	1357	1357	0.0	0	1357	1357	0.0
DESHKA RIVER WEST FORK	40.6	07 22	FG	86	3978	4064	0.022	3	4061	4064	0.001	12	4052	4064	0.003
DESHKA RIVER MOOSE CREEK	40.6	07 30	G	53	3441	3494	0.015	4	3490	3494	0.001	1	3493	3494	0.0
CASWELL CREEK	64.0	07 17	F	2	21	23	0.095	2	21	23	0.095	0	23	23	0.0
SHEEP CREEK	66.1	07 11	F	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
SHEEP CREEK	66.1	07 17	G	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0
GOOSE CREEK	72.0	07 11	P	0	15	15	0.0	0	15	15	0.0	0	15	15	0.0
GOOSE CREEK	72.0	07 11	PE	0	29	29	0.0	2	27	29	0.074	0	29	29	0.0
GOOSE CREEK	72.0	07 17	EE	0	27	27	0.0	1	26	27	0.038	1	26	27	0.038
GOOSE CREEK	72.0	07 28	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
MONTANA CREEK	77.0	07 11	FG	0	31	31	0.0	0	31	31	0.0	1	30	31	0.033
MONTANA CREEK	77.0	07 17	P	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
MONTANA CREEK	77.0	07 17	E	0	99	99	0.0	8	91	99	0.088	1	98	99	0.010
MONTANA CREEK	77.0	07 28	GE	1	20	21	0.050	4	17	21	0.235	0	21	21	0.0
MONTANA CREEK	77.0	08 01	G	4	226	230	0.018	8	222	230	0.036	3	227	230	0.013
MONTANA CREEK	77.0	08 02	G	2	737	739	0.003	17	722	739	0.023	1	738	739	0.001
RABIDEUX CREEK	83.1	07 10	G	0	14	14	0.0	7	7	14	1.0	0	14	14	0.0
RABIDEUX CREEK	83.1	07 16	GF	0	3	3	0.0	1	2	3	0.500	0	3	3	0.0
RABIDEUX CREEK	83.1	07 28	E	1	113	114	0.009	8	106	114	0.075	1	113	114	0.009

Appendix Table 3-3 (Continued).

Spawning Site	Chinook salmon tagged to untagged ratios, 1985														
	river mile	date	survey conditions	Flathorn				Sunshine				Curry			
				tagged	un- tagged	total	tag/untag ratio	tagged	untagged	total	tag/untag ratio	tagged	untagged	total	tag/untag ratio
SUNSHINE CREEK	85.1	07 10	E	5	26	31	0.192	7	24	31	0.292	0	31	31	0.0
SUNSHINE CREEK	85.1	07 16	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
BIRCH CREEK	89.2	07 28	E	0	5	5	0.0	0	5	5	0.0	0	5	5	0.0
BIRCH CREEK	89.2	08 07	E	0	16	16	0.0	0	16	16	0.0	0	16	16	0.0
BIRCH CREEK	89.2	08 15	E	0	5	5	0.0	0	5	5	0.0	0	5	5	0.0
BIRCH CREEK	89.2	08 23	E	0	3	3	0.0	1	4	5	0.250	0	5	5	0.0
TRAPPER CREEK	91.5	07 11	E	0	5	5	0.0	1	4	5	0.250	0	5	5	0.0
TRAPPER CREEK	91.5	07 11	EF	0	17	17	0.0	2	15	17	0.133	0	17	17	0.0
TRAPPER CREEK	91.5	08 07	BF	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
BYERS CREEK	98.7	07 27	E	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
CHULITNA RIVER MIDDLE FORK	98.7	07 27	E	7	3032	3039	0.002	56	2983	3039	0.019	0	3039	3039	0.0
CHULITNA RIVER MIDDLE FORK	98.7	08 06	E	0	447	447	0.0	4	443	447	0.009	0	447	447	0.0
PRAIRIE CREEK	98.7	07 19	E	2	1191	1193	0.002	18	1175	1193	0.015	0	1193	1193	0.0
PRAIRIE CREEK	98.7	07 28	E	1	1940	1941	0.001	61	1880	1941	0.032	0	1941	1941	0.0
TROUBLESOME CREEK	98.7	07 27	E	0	23	23	0.0	3	20	23	0.150	0	23	23	0.0
WHISKERS CREEK	101.4	07 21	E	1	13	14	0.077	1	13	14	0.077	0	14	14	0.0
WHISKERS CREEK	101.4	08 02	E	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
CHASE CREEK	106.9	07 21	E	0	31	31	0.0	1	30	31	0.033	0	30	31	0.033
CHASE CREEK	106.9	07 27	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0

Appendix Table 3-3 (Continued).

Spawning Site	river mile	date	survey conditions	Chinook salmon tagged to untagged ratios, 1985											
				Flathorn				Sunshine				Curry			
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
LANE CREEK	113.6	07 21	E	0	17	17	0.0	3	14	17	0.214	0	17	17	0.0
LANE CREEK	113.6	07 27	EE	0	5	5	0.0	0	5	5	0.0	0	5	5	0.0
LANE CREEK	113.6	08 02	EE	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0
LANE CREEK	113.6	08 11	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
FIFTH OF JULY CREEK	123.7	07 20	E	1	17	18	0.059	1	17	18	0.059	9	9	18	1.000
FIFTH OF JULY CREEK	123.7	07 26	EE	0	21	21	0.0	0	21	21	0.0	6	6	15	0.400
FIFTH OF JULY CREEK	123.7	08 02	EE	0	11	11	0.0	1	10	11	0.100	1	10	11	0.100
FIFTH OF JULY CREEK	123.7	08 09	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
FOURTH OF JULY CREEK	131.0	07 26	E	0	5	5	0.0	1	4	5	0.250	1	4	5	0.250
FOURTH OF JULY CREEK	131.0	08 02	E	0	20	20	0.0	0	20	20	0.0	2	18	20	0.111
FOURTH OF JULY CREEK	131.0	08 09	E	0	7	7	0.0	1	6	7	0.167	1	6	7	0.167
FOURTH OF JULY CREEK	131.0	08 17	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
FOURTH OF JULY CREEK	131.0	08 28	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
GOLD CREEK	136.7	07 30	E	0	22	22	0.0	1	21	22	0.048	4	18	22	0.222
INDIAN RIVER	138.6	07 18	E	0	263	263	0.0	6	257	263	0.023	9	254	263	0.035
INDIAN RIVER	138.6	07 19	EE	0	115	115	0.0	4	111	115	0.036	8	107	115	0.075
INDIAN RIVER	138.6	07 26	EE	1	161	162	0.006	8	154	162	0.052	14	148	162	0.095
INDIAN RIVER	138.6	08 01	EEE	0	110	110	0.0	7	103	110	0.068	9	101	110	0.089
INDIAN RIVER	138.6	08 08	EE	0	24	24	0.0	2	22	24	0.091	1	23	24	0.044
INDIAN RIVER	138.6	08 24	E	0	1	1	0.0	0	1	1	0.0	1	0	1	0.0
PORTAGE CREEK	148.9	07 18	E	0	147	147	0.0	5	142	147	0.035	9	138	147	0.065
PORTAGE CREEK	148.9	07 19	EE	0	19	19	0.0	0	19	19	0.0	0	19	19	0.0
PORTAGE CREEK	148.9	07 25	EE	0	261	261	0.0	7	254	261	0.028	14	247	261	0.057
PORTAGE CREEK	148.9	07 26	EE	0	22	22	0.0	0	22	22	0.0	0	22	22	0.0
PORTAGE CREEK	148.9	08 01	E	0	210	210	0.0	9	201	210	0.045	22	188	210	0.117
PORTAGE CREEK	148.9	08 08	E	0	3	3	0.0	0	3	3	0.0	3	0	3	0.0
PORTAGE CREEK	148.9	08 24	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0

Appendix Table 3-4. Chinook salmon spawning ground surveys of selected sloughs and resultant tagged to untagged ratios, 1985.

Spawning Site	river mile	date	survey conditions	Chinook salmon tagged to untagged ratios, 1985											
				Flathorn			Sunshine			Curry			tagged	un- tagged	total
				tagged	un- tagged	total	tagged	un- tagged	total	tagged	un- tagged	total			
SHEEP CREEK SLOUGH	66.1	07 11	P	0	45	45	0.0	3	42	45	0.071	0	45	45	0.0
SHEEP CREEK SLOUGH	66.1	07 17	G	6	251	257	0.024	8	249	257	0.032	1	256	257	0.004
SHEEP CREEK SLOUGH	66.1	07 28	FG	0	5	5	0.0	0	5	5	0.0	0	5	5	0.0
BIRCH CREEK SLOUGH	88.4	07 10	G	3	118	121	0.025	10	111	121	0.090	1	120	121	0.008
BIRCH CREEK SLOUGH	88.4	07 16	G	2	396	398	0.005	19	379	398	0.050	0	398	398	0.0
BIRCH CREEK SLOUGH	88.4	07 28	FG	0	291	291	0.0	28	263	291	0.106	1	290	291	0.003
BIRCH CREEK SLOUGH	88.4	08 07	E	0	107	107	0.0	10	97	107	0.103	0	107	107	0.0
BIRCH CREEK SLOUGH	88.4	08 15	F	0	12	12	0.0	1	11	12	0.091	0	12	12	0.0
BIRCH CREEK SLOUGH	88.4	08 23	FG	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0

Appendix Table 3-5. Sockeye salmon spawning ground surveys of selected streams and resultant tagged to untagged ratios, 1985.

Spanning Site	river mile	date	survey conditions	Sockeye salmon tagged to untagged ratios, 1985											
				Flathorn				Sunshine				Curry			
				tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio
ALEXANDER CREEK	10.1	07 13	F	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
FISH CRK RED SHIRT LAKE DOWN	13.5	08 28	E	4	132	136	0.030	0	136	136	0.0	0	136	136	0.0
VENTNA RIVER FISH CREEK	28.0	07 12	E	7	36	43	0.194	0	43	43	0.0	0	43	43	0.0
VENTNA RIVER FISH CREEK	28.0	07 19	E	34	1703	1737	0.020	0	1737	1737	0.0	0	1737	1737	0.0
SHELL CREEK	28.0	08 27	B	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
CASWELL CREEK	64.0	07 17	F	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
GOOSE CREEK	72.0	07 11	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SUNSHINE CREEK	85.1	09 02	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
BIRCH CREEK	89.2	08 07	G	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
BIRCH CREEK	89.2	09 02	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
TRAPPER CREEK	91.5	08 07	GF	1	3	4	0.333	0	4	4	0.0	0	4	4	0.0
CACHE CREEK	95.5	08 07	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
CACHE CREEK	95.5	09 02	FG	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
CACHE CREEK	95.5	09 10	G	1	6	7	0.167	1	6	7	0.167	1	6	7	0.167
BYERS CREEK	97.8	08 14	G	3	136	139	0.022	33	106	139	0.311	0	139	139	0.0

Appendix Table 3-5 (Continued).

Spawning Site	river mile	date	survey conditions	Flatiron						Sunshine						Curry					
				tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio		
PAPA BEAR LAKE INLET STREAM	97.8	07 19	6	17	382	399	0.045	34	365	399	0.093	0	399	399	0.0						
PRAIRIE CREEK	97.8	07 19	6	0	5	5	0.0	0	5	5	0.0	0	5	5	0.0						
TALKEETNA RIVER FISH CREEK	97.8	08 15	6	1	44	45	0.023	13	32	45	0.406	0	45	45	0.0						
TOKOSITNA RIVER UNNAMED CREEK	97.8	08 22	F	0	12	12	0.0	4	8	12	0.500	0	12	12	0.0						
INDIAN RIVER	139.6	08 23	6	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0						

Appendix Table 3-6. Sockeye salmon spawning ground surveys of selected sloughs and resultant tagged to untagged ratios, 1985.

Spawning Site	river mile	date	survey conditions	Sockeye salmon tagged to untagged ratios, 1985											
				Flatiron				Sunshine				Curry			
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
BIRCH CREEK SLOUGH	88.4	07 16	G	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
BIRCH CREEK SLOUGH	88.4	07 28	FG	0	31	31	0.0	2	29	31	0.069	0	31	31	0.0
BIRCH CREEK SLOUGH	88.4	08 07	E	4	207	211	0.019	45	166	211	0.271	0	211	211	0.0
BIRCH CREEK SLOUGH	88.4	08 23	FB	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
BIRCH CREEK SLOUGH	88.4	09 02	EE	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
BIRCH CREEK SLOUGH	88.4	09 10	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
BIRCH CREEK SLOUGH	88.4	09 23	G	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
PERDIDULA SLOUGH	97.1	09 02	FG	1	69	70	0.014	13	57	70	0.228	0	70	70	0.0
PERDIDULA SLOUGH	97.1	09 10	F	4	60	64	0.067	8	56	64	0.143	0	64	64	0.0
PERDIDULA SLOUGH	97.1	09 25	FB	0	11	11	0.0	2	9	11	0.222	0	11	11	0.0
SLOUGH 6A	112.3	09 02	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
BUSHROD SLOUGH	117.8	09 02	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SLOUGH 8C	121.9	09 23	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SLOUGH 8B	122.2	09 23	G	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
SLOUGH 8A	125.4	08 09	E	0	54	54	0.0	8	46	54	0.174	7	47	54	0.149
SLOUGH 8A	125.4	08 16	G	0	39	39	0.0	8	31	39	0.258	8	31	39	0.258
SLOUGH 8A	125.4	08 22	G	2	112	114	0.018	19	95	114	0.200	15	99	114	0.152
SLOUGH 8A	125.4	08 29	EE	1	128	129	0.008	18	111	129	0.162	17	112	129	0.152
SLOUGH 8A	125.4	09 05	G	4	157	161	0.025	18	145	161	0.110	14	147	161	0.095
SLOUGH 8A	125.4	09 12	GB	6	140	146	0.043	11	135	146	0.081	8	138	146	0.058
SLOUGH 8A	125.4	09 20	GB	2	110	112	0.018	6	106	112	0.057	4	108	112	0.037
SLOUGH 8A	125.4	09 27	GB	2	48	50	0.042	4	46	50	0.087	3	47	50	0.064
SLOUGH 8A	125.4	10 03	G	1	18	19	0.056	1	18	19	0.056	0	19	19	0.0

Appendix Table 3-6 (Continued).

Spawning Site	Sockeye salmon tagged to untagged ratios, 1985														
	river mile	date	survey conditions	Flathead				Sunshine				Curry			
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
SLOUGH 8	126.3	08 29	G	0	2	2	0.0	0	2	2	0.0	1	1	2	1.000
SLOUGH 8	126.3	09 05	G	0	5	5	0.0	0	5	5	0.0	4	1	5	4.000
SLOUGH 8	126.3	09 12	G	0	1	1	0.0	0	1	1	0.0	1	0	1	---
SLOUGH 8	126.3	09 20	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SLOUGH 11	135.3	08 15	G	2	7	9	0.286	3	6	9	0.500	0	9	9	0.0
SLOUGH 11	135.3	08 22	G	4	66	70	0.061	15	55	70	0.273	9	61	70	0.148
SLOUGH 11	135.3	08 29	G	4	285	289	0.014	56	233	289	0.240	32	257	289	0.125
SLOUGH 11	135.3	09 05	E	0	498	498	0.0	80	418	498	0.191	59	439	498	0.134
SLOUGH 11	135.3	09 12	G	5	664	669	0.008	98	571	669	0.172	72	597	669	0.121
SLOUGH 11	135.3	09 19	G	13	659	672	0.020	85	587	672	0.145	54	618	672	0.087
SLOUGH 11	135.3	09 26	G	2	382	384	0.005	41	343	384	0.120	18	366	384	0.049
SLOUGH 11	135.3	10 03	G	2	145	147	0.014	12	135	147	0.089	8	139	147	0.058
SLOUGH 19	139.7	08 16	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SLOUGH 21	141.1	08 24	E	1	10	11	0.100	2	9	11	0.222	0	11	11	0.0
SLOUGH 21	141.1	08 30	E	1	27	28	0.037	5	23	28	0.217	2	26	28	0.077
SLOUGH 21	141.1	09 06	E	1	27	28	0.037	6	22	28	0.273	5	23	28	0.217
SLOUGH 21	141.1	09 13	G	1	46	47	0.022	5	42	47	0.119	2	45	47	0.044
SLOUGH 21	141.1	09 20	G	1	52	53	0.019	9	44	53	0.205	1	52	53	0.019
SLOUGH 21	141.1	09 28	G	0	20	20	0.0	4	16	20	0.250	0	20	20	0.0
SLOUGH 21	141.1	10 04	G	0	5	5	0.0	0	5	5	0.0	0	5	5	0.0

--- DENOTES I/O

Appendix Table 3-7. Pink salmon spawning ground surveys of selected streams and resultant tagged to untagged ratios, 1985.

Spawning Site	Pink salmon tagged to untagged ratios, 1985																		
	river mile	date	survey conditions	Flathorn					Sunshine					Curry					
				un-tagged	tagged	total	tag/untag ratio	un-tagged	tagged	total	tag/untag ratio	un-tagged	tagged	total	tag/untag ratio	un-tagged	tagged	total	tag/untag ratio
TALACHULITNA RIVER	28.0	07 22	EG	0	4	4	0.0	0	0	4	0.0	0	0	4	0.0	0	0	4	0.0
TALACHULITNA RIVER	28.0	08 27	PF	1	27	28	0.037	0	0	28	0.0	0	0	28	0.0	0	0	28	0.0
VENTNA RIVER LAKE CREEK	28.0	08 26	F	1	11	12	0.091	0	12	12	0.0	0	0	12	12	0.0	0	12	0.0
DEGHKA RIVER MOOSE CREEK	40.6	07 30	G	0	1	1	0.0	0	1	1	0.0	0	0	1	1	0.0	0	1	0.0
WILLOW CREEK	49.1	07 28	G	0	34	34	0.0	0	34	34	0.0	0	0	34	34	0.0	0	34	0.0
CASWELL CREEK	64.0	08 08	F	0	16	16	0.0	0	16	16	0.0	0	0	16	16	0.0	0	16	0.0
SHEEP CREEK	66.1	08 08	F	0	4	4	0.0	0	4	4	0.0	0	0	4	4	0.0	0	4	0.0
GOOSE CREEK	72.0	07 17	E	0	2	2	0.0	0	2	2	0.0	0	0	2	2	0.0	0	2	0.0
GOOSE CREEK	72.0	07 28	E	0	1	1	0.0	0	1	1	0.0	0	0	1	1	0.0	0	1	0.0
GOOSE CREEK	72.0	07 28	P	0	2	2	0.0	1	1	2	1.000	0	0	2	2	0.0	0	2	0.0
GOOSE CREEK	72.0	08 08	G	0	30	30	0.0	1	29	30	0.034	0	0	30	30	0.0	0	30	0.0
GOOSE CREEK	72.0	08 16	F	0	6	6	0.0	0	6	6	0.0	0	0	6	6	0.0	0	6	0.0
GOOSE CREEK	72.0	08 24	B	0	3	3	0.0	0	3	3	0.0	0	0	3	3	0.0	0	3	0.0
MONTANA CREEK	77.0	07 17	E	2	8	10	0.250	0	10	10	0.0	0	0	10	10	0.0	0	10	0.0
MONTANA CREEK	77.0	07 28	GE	1	29	30	0.034	4	26	30	0.154	0	0	30	30	0.0	0	30	0.0
MONTANA CREEK	77.0	08 24	P	0	1	1	0.0	0	1	1	0.0	0	0	1	1	0.0	0	1	0.0
SUNSHINE CREEK	85.1	07 16	G	0	17	17	0.0	5	12	17	0.417	0	0	17	17	0.0	0	17	0.0
SUNSHINE CREEK	85.1	07 27	GE	2	41	43	0.049	3	40	43	0.075	0	0	43	43	0.0	0	43	0.0
SUNSHINE CREEK	85.1	08 07	E	1	73	74	0.014	12	62	74	0.194	0	0	74	74	0.0	0	74	0.0
SUNSHINE CREEK	85.1	08 16	F	0	9	9	0.0	4	5	9	0.800	0	0	9	9	0.0	0	9	0.0
SUNSHINE CREEK	85.1	08 16	FP	0	69	69	0.0	19	50	69	0.380	0	0	69	69	0.0	0	69	0.0

--- DENOTES 1/0

Appendix Table 3-7 (Continued).

A220

Spawning Site	river mile	date	survey conditions	Pink salmon tagged to untagged ratios, 1985											
				Flatiron			Sunshine			Curry					
				tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio
BIRCH CREEK	89.2	07 28	E	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
BIRCH CREEK	89.2	08 07	G	0	117	117	0.0	21	96	117	0.219	0	117	117	0.0
BIRCH CREEK	89.2	08 15	G	3	561	564	0.005	134	430	564	0.317	0	564	564	0.0
BIRCH CREEK	89.2	08 23	G	2	500	502	0.004	83	419	502	0.198	0	502	502	0.0
BIRCH CREEK	89.2	09 02	E	0	17	17	0.0	0	17	17	0.0	0	17	17	0.0
TRAPPER CREEK	91.5	08 07	GF	0	31	31	0.0	6	25	31	0.240	0	31	31	0.0
TRAPPER CREEK	91.5	08 15	F	0	1	1	0.0	1	0	1	---	0	1	1	0.0
CACHE CREEK	95.5	08 07	G	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
TALKEETNA RIVER FISH CREEK	97.8	08 15	G	2	291	293	0.007	69	224	293	0.308	1	292	293	0.003
TALKEETNA RIVER FISH CREEK	97.8	08 22	G	4	157	161	0.025	21	140	161	0.150	0	161	161	0.0
CHASE CREEK	106.9	07 21	E	2	2	4	1.000	0	4	4	0.0	0	4	4	0.0
CHASE CREEK	106.9	08 13	FF	0	1	1	0.0	1	0	1	---	0	1	1	0.0
CHASE CREEK	106.9	08 20	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
BASH CREEK	111.6	08 18	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
BASH CREEK	111.6	08 25	E	0	2	2	0.0	1	1	2	1.000	0	2	2	0.0
LANE CREEK	113.6	08 02	E	0	6	6	0.0	1	5	6	0.200	1	5	6	0.200
LANE CREEK	113.6	08 11	EG	0	97	97	0.0	19	78	97	0.244	12	85	97	0.141
LANE CREEK	113.6	08 18	G	1	124	125	0.008	22	103	125	0.214	9	116	125	0.078
LANE CREEK	113.6	08 25	G	0	67	67	0.0	7	60	67	0.117	6	61	67	0.098
LANE CREEK	113.6	09 02	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
MAGGOT CREEK	113.6	08 18	G	0	4	4	0.0	0	4	4	0.0	3	1	4	3.000
CLYDE CREEK	113.8	08 18	E	0	7	7	0.0	0	7	7	0.0	2	5	7	0.400
CLYDE CREEK	113.8	08 25	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0

--- DENOTES 1/0

Appendix Table 3-7 (Continued).

Spawning Site	river mile	date	survey conditions	Pink salmon tagged to untagged ratios, 1985											
				Flathead				Sunshine				Curry			
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
LOWER MCKENZIE CREEK	116.2	08 18	S	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
UPPER MCKENZIE CREEK	116.7	08 18	SE	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
UPPER MCKENZIE CREEK	116.7	08 25	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
LITTLE PORTAGE CREEK	117.7	08 11	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
LITTLE PORTAGE CREEK	117.7	08 18	S	0	6	6	0.0	0	6	6	0.0	0	3	3	1.00
FROMUNDA CREEK	119.3	08 25	E	0	3	3	0.0	0	3	3	0.0	1	2	3	0.500
FIFTH OF JULY CREEK	123.7	08 02	EE	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
FIFTH OF JULY CREEK	123.7	08 09	EESE	0	21	21	0.0	7	14	21	0.500	5	16	21	0.313
FIFTH OF JULY CREEK	123.7	08 16	SE	0	35	35	0.0	4	31	35	0.129	10	25	35	0.400
FIFTH OF JULY CREEK	123.7	08 25	E	0	13	13	0.0	1	12	13	0.083	3	10	13	0.300
SKULL CREEK	124.7	08 22	E	0	3	3	0.0	2	1	3	2.000	1	2	3	0.500
SHERMAN CREEK	130.8	08 09	S	0	8	8	0.0	2	6	8	0.333	1	7	8	0.143
SHERMAN CREEK	130.8	08 17	SS	0	10	10	0.0	2	10	12	0.200	1	11	12	0.091
SHERMAN CREEK	130.8	08 22	SS	0	3	3	0.0	1	2	3	0.500	0	3	3	0.0
SHERMAN CREEK	130.8	08 29	S	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
FOURTH OF JULY CREEK	131.0	08 02	S	0	12	12	0.0	2	10	12	0.200	1	11	12	0.091
FOURTH OF JULY CREEK	131.0	08 09	SS	1	174	175	0.006	40	135	175	0.296	23	152	175	0.151
FOURTH OF JULY CREEK	131.0	08 17	S	0	92	92	0.0	11	81	92	0.136	12	80	92	0.150
FOURTH OF JULY CREEK	131.0	08 22	FF	3	74	77	0.041	13	64	77	0.203	13	64	77	0.203
FOURTH OF JULY CREEK	131.0	08 29	S	0	4	4	0.0	0	4	4	0.0	0	4	4	0.0
GOLD CREEK	136.7	08 19	S	0	2	2	0.0	0	2	2	0.0	1	1	2	1.000
GOLD CREEK	136.7	08 26	S	0	1	1	0.0	0	1	1	0.0	0	0	1	---

--- DENOTES 1/0

Appendix Table 3-7 (Continued).

Spawning Site	river mile	date	survey conditions	Flatiron						Sunshine						Curry					
				tagged	un- tagged	total	tag/untag ratio	tagged			un- tagged	total	tag/untag ratio	tagged			un- tagged	total	tag/untag ratio		
								un-	tagged	total				un-	tagged	total					
INDIAN RIVER	138.6	07 26	E	0	12	12	0.0	0	0	12	12	0.0	0	0	12	12	12	12	0.0		
INDIAN RIVER	138.6	08 01	E	0	46	46	0.0	7	39	46	0.179	11	35	46	0.314						
INDIAN RIVER	138.6	08 08	E	1	644	645	0.002	93	552	645	0.168	89	556	645	0.160						
INDIAN RIVER	138.6	08 24	G	0	339	339	0.0	3	336	339	0.009	7	332	339	0.021						
INDIAN RIVER	138.6	08 30	G	0	7	7	0.0	0	7	7	0.0	0	7	7	0.0						
PORTRAGE CREEK	148.9	08 01	E	0	1	1	0.0	1	0	1	---	0	1	1	0.0						
PORTRAGE CREEK	148.9	08 08	E	0	98	98	0.0	11	87	98	0.126	18	80	98	0.225						
PORTRAGE CREEK	148.9	08 24	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0						

--- DENOTES 1/0

Appendix Table 3-8. Pink salmon spawning ground surveys of selected sloughs and resultant tagged to untagged ratios, 1985.

Spawning Site	Pink salmon tagged to untagged ratios, 1985															
	river mile	date	survey conditions	tagged	Flathead				Sunshine				Curry			
					un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio	
SHEEP CREEK SLOUGH	66.1	07 17	G	0	10	10	0.0	0	10	10	0.0	0	10	10	0.0	
SHEEP CREEK SLOUGH	66.1	08 08	FG	0	62	62	0.0	0	62	62	0.0	4	58	62	0.069	
BIRCH CREEK SLOUGH	88.4	07 16	G	0	41	41	0.0	2	39	41	0.051	8	33	41	0.242	
BIRCH CREEK SLOUGH	88.4	07 28	FG	0	748	748	0.0	7	741	748	0.009	87	661	748	0.132	
BIRCH CREEK SLOUGH	88.4	08 07	E	0	2833	2833	0.0	17	2816	2833	0.006	486	2347	2833	0.207	
BIRCH CREEK SLOUGH	88.4	08 15	F	0	457	457	0.0	5	452	457	0.011	94	363	457	0.259	
BIRCH CREEK SLOUGH	88.4	08 23	FG	0	110	110	0.0	2	108	110	0.019	17	93	110	0.183	
BIRCH CREEK SLOUGH	88.4	09 02	E	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0	
SLOUGH 9	128.3	08 29	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	
SLOUGH 20	140.0	08 30	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0	

Appendix Table 3-9. Chum salmon spawning ground surveys of selected streams relative to untagged ratios, 1985.

A224

Spawning Site	river mile	date	survey conditions	Flathead				Sunshine (D)				Sunshine (B)				Curry			
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
TALACHULITNA RIVER	28.0	07 22	EG	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
TALACHULITNA RIVER	28.0	08 27	PF	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
VENTNA RIVER LAKE CREEK	28.0	08 26	F	2	48	50	0.042	0	50	50	0.0	0	50	50	0.0	0	50	50	0.0
DESHKA RIVER MOOSE CREEK	40.6	07 30	B	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
WILLOW CREEK	49.1	07 28	B	0	13	13	0.0	0	13	13	0.0	0	13	13	0.0	0	13	13	0.0
CASWELL CREEK	64.0	09 11	FG	0	4	4	0.0	0	4	4	0.0	0	4	4	0.0	0	4	4	0.0
SHEEP CREEK	66.1	08 08	F	0	1	1	0.0	1	0	0	0.0	0	1	1	0.0	0	1	1	0.0
SHEEP CREEK	66.1	08 24	PF	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
GOOSE CREEK	72.0	07 17	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
GOOSE CREEK	72.0	07 28	P	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
GOOSE CREEK	72.0	08 08	B	0	59	59	0.0	8	51	59	0.137	0	59	59	0.0	0	59	59	0.0
GOOSE CREEK	72.0	08 16	F	0	6	6	0.0	1	5	6	0.200	0	6	6	0.0	0	6	6	0.0
GOOSE CREEK	72.0	08 24	B	0	4	4	0.0	1	3	4	0.333	0	4	4	0.0	0	4	4	0.0
GOOSE CREEK	72.0	09 03	G	0	4	4	0.0	0	4	4	0.0	0	4	4	0.0	0	4	4	0.0
GOOSE CREEK	72.0	09 11	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
MONTANA CREEK	77.0	07 28	GE	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
MONTANA CREEK	77.0	09 03	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
MONTANA CREEK	77.0	09 11	G	0	4	4	0.0	0	4	4	0.0	0	4	4	0.0	0	4	4	0.0
MONTANA CREEK	77.0	09 18	F	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SUNSHINE CREEK	85.1	08 16	FP	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
SUNSHINE CREEK	85.1	09 10	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SUNSHINE CREEK	85.1	09 17	F	0	3	3	0.0	1	2	3	0.500	0	3	3	0.0	0	3	3	0.0
SUNSHINE CREEK	85.1	09 25	F	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0

Sunshine (D) denotes those fish tagged with orange tags prior to 21 July.
 Sunshine (B) denotes those fish tagged with blue tags after 21 July.

Appendix Table 3-9 (Continued).

Spawning Site	river mile	date	survey conditions	Chum salmon tagged to untagged ratios, 1985																	
				tagged	un-tagged	total	Flatorn	tag/untag ratio	tagged	un-tagged	total	Sunshine (D)	tag/untag ratio	tagged	un-tagged	total	Sunshine (B)	tag/untag ratio	tagged	un-tagged	total
BIRCH CREEK	89.2	09 10	E	0	8	8	0.0	0.0	0	8	8	0.0	0.0	0	8	8	0.0	0	8	8	0.0
BIRCH CREEK	89.2	09 17	F	0	3	3	0.0	0.0	0	3	3	0.0	0.0	0	3	3	0.0	0	3	3	0.0
CACHE CREEK	95.5	08 07	S	0	2	2	0.0	0.0	0	2	2	0.0	0.0	0	2	2	0.0	0	2	2	0.0
CACHE CREEK	95.5	09 02	FG	4	41	45	0.098	0.098	3	42	45	0.071	0.071	1	44	45	0.023	0	45	45	0.0
CACHE CREEK	95.5	09 10	S	0	40	40	0.0	0.0	2	38	40	0.053	0.053	2	38	40	0.053	0	40	40	0.0
CACHE CREEK	95.5	09 17	P	0	2	2	0.0	0.0	0	2	2	0.0	0.0	0	2	2	0.0	0	2	2	0.0
CACHE CREEK	95.5	09 25	S	1	6	7	0.147	0.147	0	7	7	0.0	0.0	0	7	7	0.0	0	7	7	0.0
CACHE CREEK	95.5	10 02	S	0	5	5	0.0	0.0	0	5	5	0.0	0.0	0	5	5	0.0	0	5	5	0.0
BYERS CREEK	97.8	08 14	S	2	6	8	0.333	0.333	2	6	8	0.333	0.333	0	8	8	0.0	0	8	8	0.0
TALKEETNA RIVER FISH CREEK	97.8	08 15	S	0	62	62	0.0	0.0	18	44	62	0.409	0.409	0	62	62	0.0	0	62	62	0.0
TALKEETNA RIVER FISH CREEK	97.8	08 22	S	0	33	33	0.0	0.0	3	30	33	0.100	0.100	0	33	33	0.0	0	33	33	0.0
TOKOSITNA RIVER UNNAMED CREEK	97.8	08 22	F	0	8	8	0.0	0.0	0	8	8	0.0	0.0	0	8	8	0.0	0	8	8	0.0
SLASH CREEK	111.2	09 16	S	0	5	5	0.0	0.0	0	5	5	0.0	0.0	0	5	5	0.0	0	5	5	0.0
LAME CREEK	113.6	08 11	E	0	1	1	0.0	0.0	0	1	1	0.0	0.0	0	1	1	0.0	1	0	1	---
LITTLE PORTAGE CREEK	117.7	08 25	S	0	4	4	0.0	0.0	0	4	4	0.0	0.0	0	4	4	0.0	1	3	4	0.333
LITTLE PORTAGE CREEK	117.7	09 02	S	0	1	1	0.0	0.0	0	1	1	0.0	0.0	0	1	1	0.0	0	1	1	0.0
FIFTH OF JULY CREEK	123.7	09 05	S	0	3	3	0.0	0.0	0	3	3	0.0	0.0	0	3	3	0.0	0	3	3	0.0
SKULL CREEK	124.7	08 16	S	0	2	2	0.0	0.0	2	0	2	1.0	1.0	0	2	2	0.0	0	2	2	0.0
FOURTH OF JULY CREEK	131.0	08 09	S	0	43	43	0.0	0.0	6	37	43	0.162	0.162	0	43	43	0.0	2	41	43	0.049
FOURTH OF JULY CREEK	131.0	08 17	S	1	139	140	0.007	0.007	28	112	140	0.250	0.250	0	140	140	0.0	10	130	140	0.077
FOURTH OF JULY CREEK	131.0	08 22	S	0	48	48	0.0	0.0	2	46	48	0.043	0.043	0	48	48	0.0	9	39	48	0.231
FOURTH OF JULY CREEK	131.0	08 29	S	0	23	23	0.0	0.0	2	21	23	0.095	0.095	0	23	23	0.0	0	23	23	0.0

Sunshine (D) denotes those fish tagged with orange tags prior to 21 July.

Sunshine (B) denotes those fish tagged with blue tags after 21 July.

--- DENOTES T/D

Appendix Table 3-9 (Continued).

Spawning Site	river mile	date	survey conditions	Flathead			Chum salmon tagged to untagged ratios, 1985												
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
INDIAN RIVER	138.6	08 01	E	0	17	17	0.0	2	15	17	0.133	0	17	17	0.0	1	16	17	0.063
INDIAN RIVER	138.6	08 08	E	0	65	65	0.0	6	59	65	0.102	0	65	65	0.0	8	57	65	0.140
INDIAN RIVER	138.6	08 08	P	0	36	36	0.0	0	36	36	0.0	0	36	36	0.0	0	36	36	0.0
INDIAN RIVER	138.6	08 24	S	0	425	425	0.0	31	394	425	0.079	0	425	425	0.0	27	398	425	0.068
INDIAN RIVER	138.6	08 30	S	0	331	331	0.0	16	315	331	0.051	4	327	331	0.012	9	322	331	0.028
INDIAN RIVER	138.6	09 06	S	0	139	139	0.0	7	132	139	0.053	4	135	139	0.030	9	130	139	0.069
INDIAN RIVER	138.6	09 13	S	0	54	54	0.0	1	53	54	0.019	0	54	54	0.0	2	52	54	0.038
INDIAN RIVER	138.6	09 20	F	0	12	12	0.0	0	12	12	0.0	0	12	12	0.0	0	12	12	0.0
INDIAN RIVER	138.6	09 27	S	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
PORTAGE CREEK	148.9	08 08	E	0	14	14	0.0	3	11	14	0.273	0	14	14	0.0	2	12	14	0.167
PORTAGE CREEK	148.9	08 30	P	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0
PORTAGE CREEK	148.9	09 06	S	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0

Sunshine (D) denotes those fish tagged with orange tags prior to 21 July.
 Sunshine (B) denotes those fish tagged with blue tags after 21 July.

Appendix Table 3-10. Chum salmon spawning ground surveys of selected sloughs and resultant tagged to untagged ratios, 1985.

Spawning Site	river mile	date	survey conditions	Chum salmon tagged to untagged ratios, 1985															
				Flatiron				Sunshine (D)				Sunshine (B)				Curry			
				tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio
SHEEP CREEK SLOUGH	66.1	08 08	FG	1	473	474	0.002	27	447	474	0.057	0	474	474	0.0	0	474	474	0.0
SHEEP CREEK SLOUGH	66.1	09 03	PF	0	5	5	0.0	0	5	5	0.0	0	5	5	0.0	0	5	5	0.0
SHEEP CREEK SLOUGH	66.1	09 11	G	0	9	9	0.0	0	9	9	0.0	0	9	9	0.0	0	9	9	0.0
BIRCH CREEK SLOUGH	66.4	07 16	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
BIRCH CREEK SLOUGH	66.4	07 28	FG	0	10	10	0.0	0	10	10	0.0	0	10	10	0.0	0	10	10	0.0
BIRCH CREEK SLOUGH	66.4	08 07	E	2	142	144	0.014	42	102	144	0.412	0	144	144	0.0	0	144	144	0.0
BIRCH CREEK SLOUGH	66.4	08 15	F	0	25	25	0.0	4	21	25	0.190	0	25	25	0.0	0	25	25	0.0
BIRCH CREEK SLOUGH	66.4	08 23	FG	2	138	140	0.014	16	124	140	0.129	7	133	140	0.053	0	140	140	0.0
BIRCH CREEK SLOUGH	66.4	09 02	EE	11	349	360	0.032	4	356	360	0.011	15	345	360	0.043	0	360	360	0.0
BIRCH CREEK SLOUGH	66.4	09 10	EE	6	151	157	0.040	0	157	157	0.0	7	150	157	0.047	0	157	157	0.0
BIRCH CREEK SLOUGH	66.4	09 17	PF	0	69	69	0.0	2	67	69	0.030	6	63	69	0.095	1	68	69	0.015
BIRCH CREEK SLOUGH	66.4	09 23	G	0	57	57	0.0	0	57	57	0.0	1	56	57	0.018	0	57	57	0.0
BIRCH CREEK SLOUGH	66.4	10 03	FG	0	13	13	0.0	0	13	13	0.0	0	13	13	0.0	0	13	13	0.0
PERIDULIA SLOUGH	97.1	08 23	FG	2	73	75	0.027	9	66	75	0.136	3	72	75	0.042	0	75	75	0.0
PERIDULIA SLOUGH	97.1	09 02	FG	9	317	326	0.028	18	308	326	0.058	8	318	326	0.025	0	326	326	0.0
PERIDULIA SLOUGH	97.1	09 10	F	13	341	554	0.024	7	547	554	0.013	17	537	554	0.032	0	554	554	0.0
PERIDULIA SLOUGH	97.1	09 25	FG	3	496	499	0.006	0	499	499	0.0	3	496	499	0.004	1	499	499	0.002
PERIDULIA SLOUGH	97.1	10 03	G	0	237	237	0.0	0	237	237	0.0	0	237	237	0.0	0	237	237	0.0
SLOUGH 1	99.6	09 17	E	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
SLOUGH 2	100.2	09 24	G	0	13	13	0.0	0	13	13	0.0	0	13	13	0.0	0	13	13	0.0
SLOUGH 2	100.2	10 01	G	0	15	15	0.0	0	15	15	0.0	0	15	15	0.0	0	15	15	0.0
SLOUGH 3B	101.4	09 24	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SLOUGH 3A	101.9	09 24	G	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0

Sunshine (D) denotes fish marked with orange tags prior to 21 July.
 Sunshine (B) denotes fish marked with blue tags after 21 July.

Appendix Table 3-10 (Continued).

A228

Spawning Site	River Site	Date	Survey conditions	Chum salmon tagged to untagged ratios, 1985											
				Flathead	total	tag/untag ratio	Flathead	total	Sunshine (D) tag/untag ratio	Sunshine (B) tag/untag ratio	Curry				
				tagged	un- tagged		tagged	un- tagged			total	tag/untag ratio			
SLOUGH B	113.7	08 18	E	0	24	0.0	4	20	0.200	0	24	0.0			
SLOUGH B	113.7	08 25	E	1	46	0.022	4	43	0.093	0	47	0.0			
SLOUGH B	113.7	09 02	E	1	46	0.022	3	44	0.048	4	43	0.093			
SLOUGH B	113.7	09 09	E	0	26	0.0	0	26	0.0	0	26	0.0			
SLOUGH B	113.7	09 23	E	0	26	0.0	0	26	0.0	0	26	0.0			
SLOUGH B	113.7	09 30	E	0	5	0.0	0	5	0.0	0	5	0.0			
SLOUGH BD	121.8	09 16	E	0	1	0.0	0	1	0.0	1	0	---			
SLOUGH BC	121.9	08 25	E	0	2	0.0	0	2	0.0	0	2	0.0			
SLOUGH BC	121.9	09 16	E	0	6	0.0	0	6	0.0	0	6	0.0			
SLOUGH BC	121.9	09 23	E	0	47	0.0	0	47	0.0	0	47	0.0			
SLOUGH BC	121.9	09 30	E	0	27	0.0	0	27	0.0	0	27	0.0			
SLOUGH BB	122.2	08 25	E	0	177	177	0.0	14	163	177	0.086	0	177	177	0.0
SLOUGH BB	122.2	09 02	E	0	151	151	0.0	6	145	151	0.041	0	151	151	0.0
SLOUGH BB	122.2	09 09	E	1	49	70	0.014	6	70	70	0.0	2	68	70	0.029
SLOUGH BB	122.2	09 23	E	0	111	111	0.0	0	111	111	0.0	1	110	111	0.009
SLOUGH BB	122.2	09 30	E	0	50	50	0.0	0	50	50	0.0	1	49	50	0.020
MOOSE SLOUGH	123.3	09 02	E	0	2	0.0	0	2	0.0	0	2	0.0			
MOOSE SLOUGH	123.3	09 09	E	1	21	22	0.048	0	22	0.0	0	22	0.0		
SLOUGH A PRIME	124.6	08 16	E	0	1	0.0	0	1	0.0	0	1	0.0			
SLOUGH BA	125.4	08 09	E	0	41	41	0.0	11	30	41	0.367	0	41	41	0.0
SLOUGH BA	125.4	08 16	E	0	68	68	0.0	9	59	68	0.153	0	68	68	0.097
SLOUGH BA	125.4	08 22	E	0	292	292	0.0	29	263	292	0.110	0	292	292	0.0
SLOUGH BA	125.4	08 29	E	0	221	221	0.0	10	211	221	0.047	1	220	221	0.005
SLOUGH BA	125.4	09 05	E	0	174	174	0.0	4	170	174	0.024	2	172	174	0.012
SLOUGH BA	125.4	09 12	E	1	94	95	0.011	0	95	95	0.0	3	92	95	0.033
SLOUGH BA	125.4	09 20	E	1	108	109	0.009	0	109	109	0.0	2	93	95	0.022
SLOUGH BA	125.4	09 27	E	0	26	26	0.0	0	26	26	0.0	2	107	109	0.019

Bsunshine (D) denotes fish marked with orange tags prior to 21 July.
 Sunshine (B) denotes fish marked with blue tags after 21 July.

--- DENOTES 1/0

Appendix Table 3-10 (Continued).

Spawning Site	river mile	date	survey conditions	Chum salmon tagged to untagged ratios, 1985															
				Flathorn				Sunshine (O)				Sunshine (B)				Curry			
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged		
SLough 8	126.3	08 29	S	0	25	25	0.0	3	22	25	0.136	0	25	25	0.0	1	24	25	0.042
SLough 8	126.3	09 05	S	0	54	54	0.0	0	54	54	0.0	0	54	54	0.0	1	53	54	0.019
SLough 8	126.3	09 12	E	0	70	72	0.029	1	71	72	0.014	0	72	72	0.0	1	71	72	0.014
SLough 8	126.3	09 20	E	0	47	47	0.0	0	47	47	0.0	0	47	47	0.0	0	47	47	0.0
SLough 9	128.3	08 29	S	0	61	61	0.0	4	57	61	0.070	0	61	61	0.0	8	53	61	0.151
SLough 9	128.3	09 05	S	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0	2	4	6	0.500
SLough 9	128.3	09 19	SE	0	18	18	0.0	0	18	18	0.0	0	18	18	0.0	0	18	18	0.0
SLough 9	128.3	09 27	E	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0
SLough 9A	133.8	09 05	P	0	11	11	0.0	0	11	11	0.0	0	11	11	0.0	0	11	11	0.0
SLough 9A	133.8	09 26	S	0	118	118	0.0	0	118	118	0.0	0	118	118	0.0	0	118	118	0.0
SLough 9A	133.8	10 03	S	0	47	47	0.0	0	47	47	0.0	0	47	47	0.0	0	47	47	0.0
SLough 11	135.3	08 15	S	0	52	52	0.0	9	43	52	0.209	0	52	52	0.0	4	48	52	0.083
SLough 11	135.3	08 22	S	0	336	336	0.0	28	308	336	0.091	0	336	336	0.0	18	318	336	0.057
SLough 11	135.3	08 29	S	0	485	485	0.0	29	456	485	0.064	3	482	485	0.006	33	452	485	0.073
SLough 11	135.3	09 05	SE	0	270	270	0.0	10	260	270	0.038	5	265	270	0.019	7	263	270	0.027
SLough 11	135.3	09 12	S	1	145	146	0.007	1	145	146	0.007	1	145	146	0.007	4	142	146	0.028
SLough 11	135.3	09 19	S	1	114	115	0.009	0	113	115	0.0	0	115	115	0.0	2	113	115	0.018
SLough 11	135.3	09 26	S	0	56	56	0.0	0	56	56	0.0	0	56	56	0.0	1	55	56	0.018
SLough 11	135.3	10 03	S	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0
SLough 16	137.3	08 16	F	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
SLough 16	137.3	08 24	S	0	8	8	0.0	2	6	8	0.333	0	8	8	0.0	0	8	8	0.0
SLough 16	137.3	08 30	E	0	4	4	0.0	1	3	4	0.333	0	4	4	0.0	0	4	4	0.0
SLough 20	140.0	08 08	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SLough 20	140.0	08 16	SE	0	13	13	0.0	1	12	13	0.083	0	13	13	0.0	2	13	13	0.182
SLough 20	140.0	08 24	SE	0	54	54	0.0	5	49	54	0.102	0	54	54	0.0	1	53	54	0.019
SLough 20	140.0	08 30	SE	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0
SLough 20	140.0	09 13	S	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SLough 20	140.0	09 20	S	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0

Sunshine (O) denotes fish marked with orange tags prior to 21 July.

Sunshine (B) denotes fish marked with blue tags after 21 July.

--- DENOTES 1/0

Appendix Table 3-10 (Continued).

Spawning Site	river mile	date	survey conditions	Flathead				Sunshine (D)				Sunshine (B)				Curry			
				tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio	tagged	un- tagged	total	tag/untag ratio
SLOUGH 21	141.1	08 08	E	0	2	2	0.0	1	1	2	1.000	0	2	2	0.0	1	1	2	1.000
SLOUGH 21	141.1	08 06	S	0	42	42	0.0	1	41	42	0.024	0	42	42	0.0	8	34	42	0.190
SLOUGH 21	141.1	08 24	E	0	258	258	0.0	19	239	258	0.079	0	258	258	0.0	21	237	258	0.089
SLOUGH 21	141.1	08 30	S	0	151	151	0.0	8	143	151	0.056	1	150	151	0.007	5	146	151	0.034
SLOUGH 21	141.1	09 06	E	0	259	260	0.004	8	252	260	0.032	1	259	260	0.004	11	249	260	0.044
SLOUGH 21	141.1	09 13	S	0	131	131	0.0	1	130	131	0.008	3	128	131	0.023	5	126	131	0.040
SLOUGH 21	141.1	09 20	S	0	36	36	0.0	0	36	36	0.0	0	36	36	0.0	0	36	36	0.0
SLOUGH 21	141.1	09 28	S	0	22	22	0.0	0	22	22	0.0	0	22	22	0.0	0	22	22	0.0
SLOUGH 21	141.1	10 04	S	0	38	38	0.0	0	38	38	0.0	0	38	38	0.0	0	38	38	0.0
SLOUGH 21A	141.1	08 16	S	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0	1	0	1	---
SLOUGH 22	144.5	08 24	S	0	20	20	0.0	1	19	20	0.053	0	20	20	0.0	0	20	20	0.0
SLOUGH 22	144.5	08 30	S	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0

Sunshine (D) denotes fish marked with orange tags prior to 21 July.

Sunshine (B) denotes fish marked with blue tags after 21 July.

--- DENOTES 1/0

Appendix Table 3-11. Coho salmon spawning ground surveys of selected streams and resultant tagged to untagged ratios, 1985.

Spawning Site	river mile	date	survey conditions	Coho salmon tagged to untagged ratios, 1985											
				Flatiron			Sunshine			Curry					
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
SHELL CREEK	28.0	08 27	G	3	198	201	0.015	0	201	201	0.0	0	201	201	0.0
TALACHULITNA RIVER	28.0	08 27	PF	0	7	7	0.0	0	7	7	0.0	0	7	7	0.0
NO NAME CREEK	31.7	08 26	FP	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
WHITSOL CREEK	35.2	08 09	F	2	22	24	0.091	0	24	24	0.0	0	24	24	0.0
WHITSOL CREEK	35.2	08 18	FG	7	300	307	0.023	0	307	307	0.0	0	307	307	0.0
WHITSOL CREEK	35.2	08 27	F	8	277	285	0.029	0	285	285	0.0	0	285	285	0.0
WHITSOL CREEK	35.2	09 04	FP	1	16	17	0.063	0	17	17	0.0	0	17	17	0.0
DESHKA RIVER MOOSE CREEK	40.6	07 30	G	1	34	35	0.029	0	35	35	0.0	0	35	35	0.0
CASWELL CREEK	64.0	08 08	F	0	67	67	0.0	0	67	67	0.0	0	67	67	0.0
CASWELL CREEK	64.0	08 16	FG	1	51	52	0.020	0	52	52	0.0	0	52	52	0.0
CASWELL CREEK	64.0	08 24	F	4	233	237	0.017	3	234	237	0.013	0	237	237	0.0
CASWELL CREEK	64.0	09 03	FG	10	228	238	0.044	7	231	238	0.030	0	238	238	0.0
CASWELL CREEK	64.0	09 11	FG	3	119	122	0.025	9	113	122	0.068	0	122	122	0.0
GOOSE CREEK	72.0	08 08	G	0	4	4	0.0	0	4	4	0.0	0	4	4	0.0
GOOSE CREEK	72.0	08 16	F	0	10	10	0.0	2	8	10	0.250	0	10	10	0.0
GOOSE CREEK	72.0	08 24	G	0	3	3	0.0	1	2	3	0.500	0	3	3	0.0
GOOSE CREEK	72.0	09 03	G	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
MONTANA CREEK	77.0	07 17	E	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
MONTANA CREEK	77.0	09 03	G	1	6	7	0.167	0	7	7	0.0	0	7	7	0.0
MONTANA CREEK	77.0	09 11	G	0	13	13	0.0	0	13	13	0.0	0	13	13	0.0
MONTANA CREEK	77.0	09 18	F	0	11	11	0.0	1	10	11	0.100	0	11	11	0.0

Appendix Table 3-11 (Continued).

Spawning Site	River mile	date	Survey conditions	Coho salmon tagged to untagged ratios, 1985											
				Flatiron				Sunshine				Curry			
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
RABIDEUX CREEK	83.1	09 03	PF	0	32	32	0.0	6	26	32	0.231	0	32	32	0.0
RABIDEUX CREEK	83.1	09 11	F	1	25	26	0.040	4	22	26	0.182	0	26	26	0.0
RABIDEUX CREEK	83.1	09 11	PF	1	16	17	0.063	1	16	17	0.063	0	17	17	0.0
ANSWER CREEK	84.1	09 09	G	0	27	27	0.0	4	23	27	0.174	0	27	27	0.0
ANSWER CREEK	84.1	09 24	FG	0	8	8	0.0	1	7	8	0.143	0	8	8	0.0
ANSWER CREEK	84.1	10 02	G	0	9	9	0.0	1	8	9	0.125	0	9	9	0.0
QUESTION CREEK	84.1	09 24	G	0	75	75	0.0	4	71	75	0.056	0	75	75	0.0
QUESTION CREEK	84.1	10 02	GE	0	43	43	0.0	3	40	43	0.075	0	43	43	0.0
SUNSHINE CREEK	85.1	08 07	E	0	7	7	0.0	0	7	7	0.0	0	7	7	0.0
SUNSHINE CREEK	85.1	08 16	F	0	2	2	0.0	1	1	2	1.000	0	2	2	0.0
SUNSHINE CREEK	85.1	08 16	FP	0	9	9	0.0	4	5	9	0.889	0	9	9	0.0
SUNSHINE CREEK	85.1	09 02	FG	1	63	64	0.016	22	42	64	0.524	0	64	64	0.0
SUNSHINE CREEK	85.1	09 10	G	4	35	39	0.114	8	31	39	0.250	0	39	39	0.0
SUNSHINE CREEK	85.1	09 17	F	0	4	4	0.0	4	0	4	---	0	4	4	0.0
BIRCH CREEK	89.2	08 15	G	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
BIRCH CREEK	89.2	09 10	EE	0	9	9	0.0	1	8	9	0.125	0	9	9	0.0
BIRCH CREEK	89.2	09 17	FFG	0	13	13	0.0	3	10	13	0.300	0	13	13	0.0
BIRCH CREEK	89.2	09 25	GG	0	14	14	0.0	3	11	14	0.273	0	14	14	0.0
BIRCH CREEK	89.2	10 03	GG	0	6	6	0.0	0	6	6	0.0	0	6	6	0.0
TRAPPER CREEK	91.5	08 07	FG	0	294	294	0.0	39	255	294	0.153	0	294	294	0.0
TRAPPER CREEK	91.5	08 15	F	0	9	9	0.0	2	7	9	0.286	0	9	9	0.0
CACHE CREEK	95.5	09 02	FG	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
CACHE CREEK	95.5	09 25	F	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
CACHE CREEK	95.5	10 02	G	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
BYERS CREEK	97.8	08 14	G	1	2	3	0.500	0	3	3	0.0	0	3	3	0.0
TALKEETNA RIVER FISH CREEK	97.8	08 15	G	0	13	13	0.0	3	10	13	0.300	0	13	13	0.0
TALKEETNA RIVER FISH CREEK	97.8	08 22	G	0	55	55	0.0	13	42	55	0.310	0	55	55	0.0

Appendix Table 3-11 (Continued).

Spawning Site	river mile	date	survey conditions	Coho salmon tagged to untagged ratios, 1985											
				Flathorn				Sunshine				Curry			
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
WHISKERS CREEK	101.4	08 27	G	6	129	135	0.047	24	111	135	0.216	0	135	135	0.0
WHISKERS CREEK	101.4	09 03	G P	0	108	108	0.0	21	87	108	0.241	0	108	108	0.0
WHISKERS CREEK	101.4	09 10	P	0	63	65	0.0	14	51	65	0.275	0	65	65	0.0
WHISKERS CREEK	101.4	09 17	P	0	10	10	0.0	2	8	10	0.250	0	10	10	0.0
CHASE CREEK	106.9	08 27	E	0	13	13	0.0	1	12	13	0.083	0	13	13	0.0
CHASE CREEK	106.9	09 03	E E P	0	102	102	0.0	25	77	102	0.325	1	101	102	0.010
CHASE CREEK	106.9	09 10	E E P	3	215	218	0.014	41	177	218	0.232	3	215	218	0.014
CHASE CREEK	106.9	09 17	E E P	0	83	84	0.012	15	69	84	0.217	2	82	84	0.024
CHASE CREEK	106.9	09 24	F G	0	30	30	0.0	5	25	30	0.200	1	29	30	0.034
CHASE CREEK	106.9	10 01	G	0	28	28	0.0	0	28	28	0.0	0	28	28	0.0
SLASH CREEK	111.2	09 23	G	0	8	8	0.0	0	8	8	0.0	0	8	8	0.0
SLASH CREEK	111.2	09 30	G	0	5	5	0.0	1	4	5	0.250	0	5	5	0.0
GASH CREEK	111.6	09 16	G	0	46	46	0.0	6	40	46	0.150	0	46	46	0.0
GASH CREEK	111.6	09 16	G G G	1	23	24	0.043	2	22	24	0.091	0	24	24	0.0
GASH CREEK	111.6	09 23	G G G	0	13	13	0.0	2	11	13	0.182	0	13	13	0.0
GASH CREEK	111.6	09 30	G	0	14	14	0.0	0	14	14	0.0	0	14	14	0.0
LAME CREEK	113.6	09 23	G	1	0	1	---	0	1	1	0.0	0	1	1	0.0
LAME CREEK	113.6	09 30	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
LOWER MCKENZIE CREEK	116.2	09 09	G	0	11	11	0.0	0	11	11	0.0	0	11	11	0.0
LOWER MCKENZIE CREEK	116.2	09 16	G E	0	24	24	0.0	4	20	24	0.200	1	23	24	0.043
LOWER MCKENZIE CREEK	116.2	09 23	G G	0	24	24	0.0	2	22	24	0.091	2	22	24	0.091
LOWER MCKENZIE CREEK	116.2	09 30	G	0	41	41	0.0	8	33	41	0.242	1	40	41	0.025
LITTLE PORTAGE CREEK	117.7	09 23	G	0	2	2	0.0	0	2	2	0.0	0	2	2	0.0
LITTLE PORTAGE CREEK	117.7	09 30	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0

--- DENOTES 1/0

Appendix Table 3-11 (Continued).

Spawning Site	river mile	date	survey conditions	Flathorn						Sunshine						Curry					
				tagged	un- tagged	total	tag/untag ratio	tagged			un- tagged	total	tag/untag ratio	tagged			un- tagged	total	tag/untag ratio		
								tagged	un- tagged	total				tagged	un- tagged	total					
INDIAN RIVER	138.6	08 24	S	0	28	28	0.0	2	26	28	0.077	5	23	28	0.177						
INDIAN RIVER	138.6	08 30	S	0	56	56	0.0	5	51	56	0.098	8	48	56	0.167						
INDIAN RIVER	138.6	09 06	S	0	57	57	0.0	4	53	57	0.075	9	48	57	0.180						
INDIAN RIVER	138.6	09 13	S	0	35	35	0.0	3	32	35	0.094	1	34	35	0.029						
INDIAN RIVER	138.6	09 20	F	0	38	38	0.0	1	37	38	0.027	3	35	38	0.086						
INDIAN RIVER	138.6	09 27	S	0	32	32	0.0	2	30	32	0.067	3	29	32	0.103						
INDIAN RIVER	138.6	10 04	S	0	14	14	0.0	0	14	14	0.0	0	14	14	0.0						
PORTEAGE CREEK	140.9	08 30	P	0	7	7	0.0	2	5	7	0.400	1	6	7	0.167						

Appendix Table 3-12. Coho salmon spawning ground surveys of selected sloughs and resultant tagged to untagged ratios, 1985.


Spawning Site	river mile	date	survey conditions	Coho salmon tagged to untagged ratios, 1985											
				Flathorn				Sunshine				Curry			
				tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio	tagged	un-tagged	total	tag/untag ratio
SHEEP CREEK SLOUGH	66.1	08 24	FP	1	12	13	0.083	0	13	13	0.0	0	13	13	0.0
WHITEFISH SLOUGH	79.4	08 24	PF	0	13	13	0.0	4	9	13	0.444	0	13	13	0.0
BIRCH CREEK SLOUGH	88.4	08 07	E	0	55	55	0.0	8	47	55	0.170	0	55	55	0.0
BIRCH CREEK SLOUGH	88.4	08 23	FG	0	261	261	0.0	67	194	261	0.345	1	260	261	0.004
BIRCH CREEK SLOUGH	88.4	09 02	E	1	287	288	0.003	53	233	288	0.447	0	288	288	0.0
BIRCH CREEK SLOUGH	88.4	09 10	E	2	150	152	0.013	35	117	152	0.299	0	152	152	0.0
BIRCH CREEK SLOUGH	88.4	09 25	G	0	9	9	0.0	1	8	9	0.125	0	9	9	0.0
BIRCH CREEK SLOUGH	88.4	10 03	FG	0	3	3	0.0	0	3	3	0.0	0	3	3	0.0
PERIDIOLA SLOUGH	97.1	08 23	FG	4	367	371	0.011	76	295	371	0.258	0	371	371	0.0
PERIDIOLA SLOUGH	97.1	09 02	FG	4	256	260	0.016	40	220	260	0.182	0	260	260	0.0
PERIDIOLA SLOUGH	97.1	09 10	F	2	194	196	0.010	22	174	196	0.126	0	196	196	0.0
PERIDIOLA SLOUGH	97.1	09 25	FG	0	8	8	0.0	2	6	8	0.333	1	7	8	0.143
PERIDIOLA SLOUGH	97.1	10 03	G	0	15	15	0.0	4	11	15	0.364	1	14	15	0.071
SLOUGH BB	121.8	09 23	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SLOUGH BB	122.2	09 23	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SLOUGH BA	125.4	08 22	G	0	1	1	0.0	0	1	1	0.0	1	0	1	---
SLOUGH BA	125.4	09 20	EE	0	9	9	0.0	0	9	9	0.0	2	7	9	0.286
SLOUGH BA	125.4	09 27	EE	0	3	3	0.0	0	3	3	0.0	1	2	3	0.500
SLOUGH BA	125.4	10 03	G	0	9	9	0.0	0	9	9	0.0	1	8	9	0.125
SLOUGH 7	128.3	09 19	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0
SLOUGH 9A	133.8	09 26	G	0	1	1	0.0	0	1	1	0.0	0	1	1	0.0

--- DENOTES 1/0


APPENDIX 4

Station Locations and Middle River
Survey Areas

A237




Appendix Figure 4-1. Flathorn Station with fishwheel sites defined, 1985.




Appendix Figure 4-2. Sunshine Station with fishwheel sites defined, 1985.


A240




Appendix Figure 4-3. Curry Station with fishwheel sites defined, 1985.




Appendix Figure 4-4. Susitna River slough, stream and mainstem spawning locations from the confluence of the Talkeetna and Chulitna rivers to RM 150.0, 1985.



Appendix Figure 4-4 (Continued).



Appendix Figure 4-4 (Continued).



Appendix Figure 4-4 (Continued).

A245

APPENDIX 5

Migrational Timing Based on Cumulative
Fishwheel Catch Weighted by CPUE

Appendix Table 5-1 Migrational timing of salmon, by species at main channel sampling locations of Flathorn, Sunshine and Curry stations based on cumulative percent of fishwheel catch, 1985.

Station	Species	Cumulative Percent of Total Fishwheel Catches				
		5%	25%	50%	75%	95%
Flathorn Station (eastbank)	Chinook	6/06	6/11	6/15	6/20	6/28
	Sockeye (1st run)	5/31	6/05	6/09	6/11	6/19
	Sockeye (2nd run)	7/17	7/25	7/29	8/06	8/16
	Pink	7/15	7/27	8/04	8/10	8/14
	Chum	7/28	8/11	8/15	8/17	8/20
	Coho	7/23	7/27	7/31	8/10	8/20
Flathorn Station (westbank)	Chinook	6/05	6/10	6/15	6/20	6/27
	Sockeye (1st run)	5/30	6/03	6/07	6/10	6/17
	Sockeye (2nd run)	7/21	7/24	7/27	7/29	8/10
	Pink	7/14	7/25	7/30	8/06	8/15
	Chum	7/24	7/29	8/14	8/16	8/22
	Coho	7/23	7/25	7/28	8/02	8/15
A248 Flathorn Station (combined banks)	Chinook	6/06	6/10	6/10	6/20	6/27
	Sockeye (1st run)	5/30	6/04	6/08	6/11	6/18
	Sockeye (2nd run)	7/18	7/25	7/28	8/02	8/13
	Pink	7/14	7/26	8/01	8/09	8/15
	Chum	7/27	8/11	8/14	8/17	8/20
	Coho	7/22	7/26	7/30	8/05	8/19
Sunshine Station	Chinook	6/15	6/21	6/27	7/01	7/12
	Sockeye (1st run)	6/09	6/11	6/13	6/16	6/23
	Sockeye (2nd run)	7/26	7/28	7/30	8/02	8/14
	Pink	7/23	7/31	8/02	8/04	8/14
	Chum	7/29	8/02	8/04	8/15	8/26
	Coho	8/01	8/06	8/14	8/19	8/25
Curry Station	Chinook	6/28	7/05	7/09	7/15	7/25
	Sockeye	7/30	8/03	8/07	8/16	8/22
	Pink	7/28	8/03	8/05	8/08	8/13
	Chum	8/02	8/05	8/07	8/15	8/28
	Coho	8/05	7/09	8/18	8/22	9/04