July 1, 1978 - June 30, 1979

FEDERAL AID IN FISH RESTORATION

SW-1

STATEWIDE HARVEST STUDY

By Michael J. Mills

Alaska Department of Fish and Game

Ronald O. Skoog, Commissioner


Sport Fish Division

Juneau, Alaska

Study SW-1-A

STATE OF ALASKA

Jay S. Hammond, Governor



Annual Performance Report for

ALASKA STATEWIDE SPORT FISH HARVEST STUDIES

by

Michael J. Mills

ALASKA DEPARTMENT OF FISH AND GAME Ronald O. Skoog, Commissioner

SPORT FISH DIVISION
Rupert E. Andrews, Director

ARLIS

Alaska Resources
Library & Information Services
Anchorage, Alaska

SH 11 -A73 A4 V.20

pt. B

TABLE OF CONTENTS

٠.		Page
Abstract		1
Background .		1
Recommendati	ons	2
Objectives .		2
Techniques U	sed	2
Findings		4
Appendix A	Figures and Tables	7
Appendix B	Questionnaire and Reminders	79
	* * *	
	LIST OF TABLES	
Table 1.	List of Common Names, Scientific Names, and Abbreviations	9
Table 2.	List of Alaska Sport Fishing Areas and Codes	10
Table 3.	Summary of Mailings and Response	11
Table 4.	Number of Anglers, Households, and Anglers per Household Sport Fishing in Alaska in 1977 by Area of Residence	12
Table 5.	Number and Percentage of Licensed and Juvenile Alaska Sport Fishermen by Area of Residence, 1977	13
Table 6.	Number of Angler-Days Fished in Alaska and Percentage by Region and Area, 1977	14
Table 7.	Alaska Sport Harvests by Region and Species, 1977	15
Table 8.	Alaska Sport Sea-Run Salmon Harvests by Region, Area, and Species, 1977	16

•		Page
Table 9.	Alaska Sport Landlocked Salmon Harvests by Region, Area, and Species, 1977	17
Table 10.	Alaska Sport Steelhead Harvests by Region and area, 1977	18
Table 11.	Alaska Sport Rainbow Trout Harvests by Region and Area, 1977	19
Table 12.	Alaska Sport Cutthroat Trout Harvests by Region and Area, 1977	20
Table 13.	Alaska Sport Brook Trout Harvests by Region and Area, 1977	21
Table 14.	Alaska Sport Lake Trout Harvests by Region and Area, 1977	22
Table 15.	Alaska Sport Dolly Varden/Arctic Char Harvests by Region and Area, 1977	23
Table 16.	Alaska Sport Arctic Grayling Harvests by Region and Area, 1977	24
Table 17.	Alaska Sport Northern Pike Harvests by Region and Area, 1977	25
Table 18.	Alaska Sport Whitefish Harvests by Region and Area, 1977	26
Table 19.	Alaska Sport Burbot Harvests by Region and Area, 1977	27
Table 20.	Alaska Sport Sheefish Harvests by Region and Area, 1977	28
Table 21.	Alaska Sport Halibut Harvests by Region and Area, 1977	29
Table 22.	Alaska Sport Smelt Harvests by Region and Area, 1977	30
Table 23.	Alaska Sport Razor Clam Harvests by Region and Area, 1977	31
Table 24.	Ketchikan Area Sport Fish Harvests and Effort by Fishery and Species, 1977	32

		Page
Table 25.	Prince of Wales Island Sport Fish Harvests and Effort by Fishery and Species, 1977	33
Table 26.	Petersburg-Wrangell Area Sport Fish Harvests and Effort by Fisheries and Species, 1977	34
Table 27.	Sitka Area Sport Fish Harvests and Effort by Fisheries and Species, 1977	35
Table 28.	Juneau Area Sport Fish Harvests and Effort by Fisheries and Species, 1977	36
Table 29.	Haines-Skagway Sport Fish Harvests and Effort by Fisheries and Species, 1977	37
Table 30.	Glacier Bay Sport Fish Harvests and Effort by Fisheries and Species, 1977	38
Table 31.	Yakutat Area Sport Fish Harvests and Effort by Fisheries and Species, 1977	39
Table 32.	Glennallen Area Sport Fish Harvest and Effort by Fisheries and Species, 1977	40
Table 33.	Prince William Sound Sport Fish Harvests and Effort by Fisheries and Species, 1977	41
Table 34.	Knik Arm Drainage Sport Fish Harvests and Effort by Fisheries and Species, 1977	42
Table 35.	Anchorage Area Sport Fish Harvests and Effort by Fisheries and Species, 1977	43
Table 36.	East Side Susitna River Drainage Sport Fish Harvests and Effort by Fisheries and Species, 1977	44
Table 37.	West Side Cook Inlet-West Side Susitna Drainage Sport Fish Harvests and Effort by Fisheries and Species, 1977	45
Table 38.	Kenai Peninsula Sport Fish Harvests and Effort by Fisheries and Species, 1977	46
Table 39.	Kodiak Area Sport Fish Harvests and Effort by Fisheries and Species, 1977	47
Table 40.	Naknek Drainages-Alaska Peninsula Sport Fish Harvests and Effort by Fishery and Species, 1977	48

		Page
Table 41.	Kvichak River Drainages Sport Fish Harvests and Effort by Fishery and Species, 1977	49
Table 42.	Nushagak Area Sport Fish Harvests and Effort by Fishery and Species, 1977	50
Table 43.	Tanana River Drainages Sport Fish Harvests and Effort by Fishery and Species, 1977	51
Table 44.	Interior Alaska Sport Fish Harvests and Effort by Fishery and Species, 1977	52
Table 45.	Seward Peninsula-Norton Sound Sport Fish Harvests and Effort by Fishery and Species, 1977	52
Table 46.	Northwest Alaska Sport Fish Harvests and Effort by Fishery and Species, 1977	53
Table 47.	South Slope Brooks Range Sport Fish Harvests and Effort by Fishery and Species, 1977	- 53
Table 48.	North Slope Brooks Range Sport Fish Harvests and Effort by Fishery and Species, 1977	54
Table 49.	Type of Sport Fishing Preferred by Alaska Anglers by Area of Residence	55
Table 50.	Order of Effort and Preference for Fish Species by Alaska Sport Fishermen by Residency	56
Table 51.	Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Southeast Alaska Regulatory Area	57
Table 52.	Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Upper Copper- Susitna Rivers Regulatory Area	57
Table 53.	Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Prince William Sound Regulatory Area	58
Table 54.	Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Kenai Peninsula Regulatory Area	58
Table 55.	Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the West Cook Inlet-Upper Susitna Drainage Regulatory Area	59

	Page
Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Kodiak Regulatory Area	59
Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Alaska Peninsula-Bristol Bay-Aleutian Regulatory Area	60
Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Arctic-Yukon-Kuskokwim Regulatory Area	60
Percentage of Total Sport Fishing Time Spent Fishing for Salmon by Alaska Anglers by Residence, 1977	61
Most Frequent Comments to the 1977 Alaska Sport Fish Survey	62
Comparison of 1977 Alaska Sport Fish Survey and Creel Census Harvests	63
Comparison of Two 1977 Alaska Sport Fish Harvest Surveys for Selected Major Sport Fisheries	66
Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery	67
LIST OF FIGURES	
Map of Alaska Sport Fishing Areas	8
Sport Fish Survey, First Mailing, First Survey	80
First Reminder, First and Second Surveys	107
Second Reminder, First Survey	108
Third Reminder, First Survey	109
First Mailing of the Second Survey	110
	by Sport Fishermen Residing in the Kodiak Regulatory Area

	#i
•	
	,
·	
	Li
	-

Volume 20

RESEARCH PROJECT SEGMENT

State: ALASKA Name: Sport

Sport Fish Investigations

of Alaska.

Project No.: F-9-11

Study No.: SW-I Study Title: STATEWIDE SPORT FISH STUDIES

Job No.: SW-I-A Job Title: Alaska Statewide Sport Fish

Harvest Studies.

Period Covered: July 1, 1978 to June 30, 1979.

ABSTRACT

A statewide survey of Alaska sport fishermen indicated that 201,058 anglers fished 1,197,590 days to harvest 2,300,327 fish in 1977. The methodology of the survey, based primarily on mailing questionnaires to a sample of licensees, proved effectual for estimating effort and harvests for sport-caught species by area and fishery.

BACKGROUND

Meeting public demand for recreational fishing opportunities in Alaska while at the same time maintaining and protecting the fishery resources has become increasingly complex. In the early years of statehood--before rapid population expansion and industrial development--good, uncrowded sport fishing was accessible; large sport fisheries were few and easily monitored; and sport fishing was considered to be a minor factor in management of commercially exploited species.

Today, along with increasing tourism and forest, mineral, petroleum, and associated government development has come a mushrooming recreationally oriented population. Accessible sport fisheries have become crowded, new fisheries have developed, and pressure from a large mobil population is spilling ever farther afield. Native land claims, federally imposed national monuments, impending (d)(2) national interest land legislation, an extended coastal zone, and the issue of subsistence have clouded questions of access, user priorities, and management jurisdiction. The State and private corporations have made substantial committments to aquaculture and hatchery propogation. Also, recreational fishing has now become a significant factor in total management of commercially exploited species, especially in Cook Inlet where vociferous sport-commercial user conflicts over king and coho salmon have developed.

Against this backdrop, the need has become evident for a statewide data base providing information on where sport fishing occurs, the extent of

participation, the preferences of participants, and the species and numbers of major game fishes being harvested. Such a data base is fundamental not only for regulation and management of Alaska's sport fisheries but also for total regulation, management, and allocation of multiple-use fisheries. In addition, this information is needed in establishing priorities, formulating policies, planning, and evaluating rehabilitation, enhancement, hatchery, stocking, habitat protection, and access acquisition projects—to say nothing of its use for stock assessment, forecasting, gauging the economic and social significance of sport fishing, and satisfying requests for information from individuals, special interest groups, government agencies, and the recreational industry.

Because of Alaska's vastness, meeting all these data requirements statewide by on-site creel censuses would be prohibitively costly, thus an economical supplementary program has become necessary. Described herein is the beginning of that program.

Species covered are listed in Table 1, Appendix A. Alaska sport fishing regulatory and management areas are delineated on the map in Figure 1, Appendix A.

RECOMMENDATIONS

- 1. Refine and continue to evaluate the methodology developed to estimate statewide sport fish effort and harvests.
- 2. Continue to provide statewide estimates of effort and harvest for major Alaskan sport-caught species by area and fishery.

OBJECTIVES

- 1. To evaluate and test methods of estimating statewide effort and harvests for major Alaskan sport-caught species by area and fishery.
- 2. To provide statewide estimates of effort and harvest for major Alaskan sport-caught species by area and fishery.

TECHNIQUES USED

The 1977 Alaska statewide sport fish harvest program combined postal surveys and creel censuses to obtain estimates of effort and harvest by fishery and by species. The postal surveys consisted of repeated mailings of questionnaires to random samples of Alaska sport fishing license holders. Creel censuses consisted of on-site interviews of random samples of sport fishermen. The postal surveys provided estimates for all fisheries, while the creel censuses of major selected fisheries provided validity correction and check. Only the postal survey methodology, the basis of the harvest program, and estimation procedures are described herein.

The initial version of the postal survey questionnaire was developed in consultation with sport fish managers, administrators, and researchers. A mock-up of this version was pretested by asking selected fishery professionals and others from the target population to complete the questionnaire for their past season's fishing and to comment on it. Appendix B gives the version of the questionnaire used in the survey. Appendix B also gives copies of reminder letters used.

Persons 16 years of age or older must possess a license to sport fish in Alaska. The sampling frame for this survey was the 1977 computer file containing information from copies of these licenses. Two independent computer generated random samples were drawn from the 168,104 license holders represented on this file. One of 12,000 was drawn in mid-October, 1977. The other of 4,500 was drawn in early January, 1978. Names and addresses sorted by zip code were computer printed on self-adhesive, pressure sensitive mailing labels for those sampled.

The first survey mailing of 12,000 questionnaires began October 20, 1977, and was followed by reminder mailings at minimum intervals of four weeks to first, second, and third time nonrespondents to initial delivery. The second survey mailing of 4,500 questionnaires began January 11, 1978, and was followed by one reminder mailing seven weeks later. Questionnaires were a different color for each mailing. All outgoing mail was sent bulk rate, except for a random sample of 500 of the last mailing of the first survey, which was sent by certified mail. All incoming mail was returned first class in pre-addressed business reply envelopes provided with each of the questionnaires mailed. Undeliverable mail returned with forwarding addresses was remailed. Undeliverable mail returned without forwarding addresses was computer deleted from the original random sample stored on magnetic tape so that no reminders would be sent to those addresses. Similarly, respondents were deleted from the sample file so that they would receive no reminders or additional reminders.

After coding, key punching, and verification, data from the returned questionnaires were computer edited. Then they were sorted by area and sent to research and management biologists familiar with fisheries in these areas for further editing. These computer and hand editings consisted primarily of deleting records for catches of species not found in the areas in which they were reported, deleting reported catches exceeding the product of angler-days fished and the daily bag limit, and deleting incomplete or inconsistent records (for example, reporting catching but not fishing). Following editing, data tapes were corrected and preliminary estimates were run. These preliminary estimates were returned to area biologists for comment, after which suspicious estimates were rechecked. Final estimates were then run.

Harvest and effort totals were estimated by multiplying sample totals by the ratio of the number of households in the target population to the number in the sample. The number of households in the target population was estimated by dividing the number of licensed fishermen in the population by the mean number of licensed fishermen (those 16 years of age or older) per household in the sample.

Estimates were adjusted as follows for nonresponse bias arising from differences in participation, harvest, and success between those who did and those who did not return valid completed questionnaires.

 $X = (N/n_d) (n_r X_r + n_r X_r)$

N = Number of households in the population

n_r = Number of questionnaires returned

n_d = Number of questionnaires delivered

 $n_{nr} = n_d - n_r$

X = Statistic being estimated (harvest or effort)

 \overline{X}_r = Mean X per household for questionnaires returned

 \overline{X}_{nr} = Mean X per household for nonrespondents

 \overline{X}_{nr} was estimated to be the extrapolated asymptote of the curve formed by plotting \overline{X}_r against mailing.

For the group of species for which creel census and survey harvest estimates differed significantly, adjusted estimates were calculated statewide by multiplying the ratio of the creel census and corresponding survey means by survey sample totals. In combining the two independent surveys to produce a single estimate, weighted estimates based on respective sample sizes were calculated.

FINDINGS

Results

The Alaska sport fish harvest survey indicated that an estimated 201,058 anglers fished 1,197,590 days to harvest 2,300,327 fish in 1977.

Of the 201,058 anglers 146,161 (73%) were licensed, while 54,897 (27%), those less than 16 years of age, were not. Nonresidents comprised 50,083 (25%) of all anglers of which 11,366 (23%) were from foreign countries. Of the 168,104 persons who purchased 177,734 licenses, 21,943 (13%) did not fish.

Of the 1,197,590 angler-days fished 827,455 (69%) were expended in the southcentral region of Alaska, 246,974 (21%) were expended in the Southeast region, and 123,161 (10%) were expended in the Arctic-Yukon-Kuskokwim region. The Kenai Peninsula had 422,958 angler-days or 35% of the State total sport fishing effort. The Kenai River alone had 122,138 angler-days effort, 10% of the State total. An estimated 380,899 angler-days,

32% of all sport fishing, was in salt water; 816,701 angler-days, 68% of all sport fishing, was in fresh water.

The 2,300,327 fish harvested included 961,695 (42%) razor clams and 390,691 (17%) smelt. Of the remaining 947,941 harvested fish 421,966 (45%) were salmon, of which 381,051 were sea-run and 40,945 were landlocked; 119,047 were Dolly Varden and Arctic char; 113,691 were Arctic grayling; and 94,310 were rainbow trout; 25,289 were cutthroat trout; 17,469 were lake trout; and 759 were brook trout. There were 23,244 halibut and 31,054 rockfish. There were 11,982 northern pike, 8,425 burbot, and 6,748 whitefish. Also harvested were 3,699 steelhead and 1,247 sheefish. Landlocked salmon, char, trout, and Arctic grayling harvests required a common adjustment to 43% of initial estimates.

Harvest and effort by region, area, fishery, and species are tabulated in Appendix A. Also included in Appendix A are tables summarizing responses to the general questions asked in the survey.

Discussion

The harvest survey methodology proved effectual. Response to the first survey was 80% of initial delivery; response to the second survey was 66% of initial delivery (Table 3). Agreement between harvest survey and onsite creel censuses (Table 61) was sufficient to indicate that estimates do satisfy the purposes for which the survey was initiated; in fact, comparison between survey and creel censuses led to re-evaluation and, in some cases, redesign of creel censuses. Reliability of estimates was sufficient to meet management needs. The two independent surveys gave consistent results (Table 62) and confidence intervals were tight enough (Table 62), sample sizes large enough (Table 63), for estimating effort and harvest for all of Alaska's major sport fisheries.

Two independent surveys, one covering the first nine months of 1977 and the other covering all of 1977, were undertaken to (1) permit production of an early report on the majority of sport fisheries, those completed before October; (2) provide a replicate for fisheries completed before October to assess reliability; and (3) to determine whether there are fisheries, or portions of fisheries, occurring in the last three months of the year having effort or harvest large enough to be estimable by subtracting first survey totals from second survey totals. Comparison of the two surveys indicates that sport harvest and effort in the last three months of the year were not detectable at these sampling levels. Because increased sampling is economically infeasible, because 70% response was achieved after three mailings, and because the certified part of the fourth mailing (though producing a significantly higher response than the noncertified portion, 48% versus 22%) proved cost-ineffective in increasing response, it is planned that only one survey beginning in October and consisting of three regular, bulk rate mailings will be undertaken in 1978. Otherwise, Alaska sport fish harvest survey methods will in 1978 remain the same.

그는 사람이 하고 있다면 가게 되어 보고 있는데 되었다. 속하다 그들이 그 그리고 있는 것이 없는데 많은데 하셨다고 말았다. 중요, 모나나 없다.	
Prepared by:	Approved by:
Michael J. Mills Biometrician	Rupert E. Andrews, Director Sport Fish Division
	Mark C. Warner, Ph. D
	Sport Fish Research Chief
다. 이번 시간 이번 발표하고 있는 경험 보고 있는 이번 모양하고 있다. 전하는 전하는 전략 이번 보기 되는 사람들은 사람들은 기술을 받고 있는 것을 받고 있는 것을 모양하는 것이다.	
는 사람들이 되었다. 그는 생각 사람들은 사람들이 되었다는 물리를 받았다. 	
	보다 하는 경기에 가는 이 그 것이다. 수보는 그렇게 살아보는 것이다.
이 보고 있는데 함께 보고 있다. 문화를 통해하는 상태에 대통한 등을 제공하는 것으로 모든 것이다. 	
는 경기 등에 가는 것 같아 하는 것이 있다. 이 경기 등에 하는 것이 되었다. 	수 하다 하는 경기에 가는 것이다. 소설하다면 하는 것이 되었다.
	병원하면 경기 가는 가장 그는 그는 그 그
	병원이 되었다. 그 사람이 1980년 - 1985년
	병원 불안 되었다. 그는 이 그는 그를 다 하는 것이다.
그 본도 그리면 활성을 되었다면서 한 호선 전에서 걸려 그리면 뭐	
고 있는 사람들이 하면 가장 이 생각이 되었다. 그 사람들은 사람들이 되었다. 그 사람들이 되었다면 되었다. 그 사람들이 되었다면 되었다. 그 사람들이 되었다면 되었다면 되었다. 그 사람들이 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면	한 통해된 지난한다고 하다고 있는데 하는데 되다. 지난한 경기들은 대한 사람들이 가장하는 것이다.
도 보고 있다. 그 등에 가장 하는 것이 되었다. 그런 말이 되었다. 그는 것이 되었다. 그는 이 사람들은 이 기를 하는 것이 되었다. 그는 것이 되었다. 그는 것이 되었다.	
하는 것이 있는 것이 되었다. 그런 사람들이 없는 것이 되었다. 그렇게 말하는 것이 되었다. 그런 사람들이 있는 것이 되었다.	
	물건으로 하는 것이 되었다. 그 사이를 보는 것이 되었다. 물건 사고 하는 사람들은 사람들이 되었다.
	의 일본 중요한다. (1985년 - 1985년 - 1 - 1985년 - 1985
	6
그리는 그 그 그는 그리는 이 그들이 그들이 바로 살아들이 살아 들었다.	

APPENDIX A

FIGURES AND TABLES

Figure 1. Alaska Sport Fishing Areas.

Table 1. List of common names, scientific names and abbreviations.

Common Name	Scientific Name & Author	Abbreviation
Chinook salmon	Oncorhynchus tshawytscha (Walbaum)	KS
Coho salmon	Oncorhynchus kisutch (Walbaum)	SS
Landlocked coho salmon	Oncorhynchus kisutch (Walbaum)	LL
Sockeye salmon	Oncorhynchus nerka (Walbaum)	RS
Kokanee salmon	Oncorhynchus nerka (Walbaum)	KO
Pink salmon	Oncorhynchus gorbuscha (Walbaum)	PS
Chum salmon	Oncorhynchus keta (Walbaum)	CS
Steelhead	Salmo gairdneri Richardson	SH
Rainbow trout	Salmo gairdneri Richardson	RT
Cutthroat trout	Salmo clarki Richardson	CT
Brook trout	Salvelinus fontinalis (Mitchell)	ВТ
Lake trout	Salvelinus namaycush (Walbaum)	LT
Dolly Varden	Salvelinus malma (Walbaum)	DV
Arctic char	Salvelinus alpinus (Linnaeus)	AC
Arctic grayling	Thymallus arcticus (Pallas)	GR
Nortern pike	Esox lucius Linnaeus	NP
Whitefish	Coregonus sp.	WF
Burbot	Lota lota (Linnaeus)	ВВ
Inconnu (Sheefish)	Stenodus leucichthys (Guldenstadt)	SF
Halibut	Hyppoglossus stenolepis Schmidt	H
Rockfish	Sebastodes sp.	RF
Smelt	Osmeridae sp.	SM
Capelin	Mallotus villosus	SM
programme and the contract of		

Table 2. List of Alaska Sport Fishing Regions, Regulatory Areas, and Subareas.

Regions

- I Southeast Alaska
- II Southcentral Alaska
- III Arctic-Yukon-Kuskokwim

Regulatory Areas

- 1. Southeast Alaska
- 2. Upper Copper-Susitna Rivers
- 3. Prince William Sound
- 4. Kenai Peninsula
- 5. Cook Inlet and Lower Susitna River Drainage
- 6. Kodiak
- 7. Alaska Peninsula-Bristol Bay-Aleutian Islands
- 8. Arctic-Yukon-Kuskokwim

Subareas

- A, B, C, D, E, F, G, H (Region I, Regulatory Area 1)
- I (Region II, Regulatory Area 2)
- J (Region II, Regulatory Area 3)
- P (Region II, Regulatory Area 4)
- K, L, M, N (Region II, Regulatory Area 5)
- Q (Region II, Regulatory Area 6)
- R, S, T (Region II, Regulatory Area 7)
- U, V, W, X, Y, Z (Region III, Regulatory Area 8)

Table 3. Summary of Mailings and Responses.

	· · · · · · · · · · · · · · · · · · ·			URVEY ONE					SURVEY TWO)	
	Mailing 1	Mailing 2	Mailing 3	Mailing 4 Regular Mail	Mailing 4 Certified Mail	Mailing 4 Total	Total	Mailing 1 M	Mailing 2	Total	Grand Total
Date of Mailing	10/20/77	11/18/77	12/16/77	1/24/78	1/24/78	1/24/78		1/11/78 2	2/27/78		
Number Mailed	12,000	8,327	5,262	3,527	500	4,027	29,616	4,500 2	920	7,420	37,036
Number Nondeliverable	1,612	578	427	169	12	181	2,798	762	273	1,035	3,833
Percent Nondeliverable	13.4	6.9	8.1	4.8	2.4	4.5	9.4	16.9	9.3	13.9	10.3
Number Delivered	10,388	7,749	4,835	3,358	488	3,846	26,818	3,738 2	2,647	6,385	33,203
Percent Delivered	86.6	93.1	91.9	95.2	97.6	95.5	90,6	83.1	90.7	86.1	89.7
Responses											
Number	4,305	2,036	992	736	233	969	8,302	1,563	890 2	2,453	10,755
Percent of Mailed	35.9	24.5	18.9	20.9	46.6	24.1		34.7	30.5		
Percent of Delivered	41.4	26.3	20.5	21.9	47.7	25.2		41.8	33.6		
Percent of 1st Delivery	41.4	19.6	9.5	7.1	2.3	9.4	79.9	41.8	23.8	65.6	76.1
Cumulative Responses	·.	; ·						· .			
Number	4,305	6,341	7,333	8,069	8,302	8,302	8,302	1,563 2	,453	2,453	10,755
Percent of 1st Delivery	41.4	61.0	70.6	77.7	79.9	79.9	79.9	41.8	65.6	65.6	76.1

Table 4. Number of Anglers, Households, and Anglers per Household Who Sport Fished in Alaska in 1977 by Area of Residence.

Area	Number of Anglers	Number of Households	Anglers Per Household
Southeast	20,387	8,139	2.50
Upper Copper- Susitna Rivers	1,885	752	2.51
Prince William Sound	2,802	1,095	2.56
Kenai Peninsula	14,690	5,616	2.62
West Cook Inlet- Lower Susitna Drainage	85,062	33,310	2.56
Kodiak	2,955	1,121	2.64
Bristol Bay	933	364	2.57
Arctic-Yukon-Kuskokwim	22,261	9,387	2.37
Other United States	38,717	20,842	1.86
Foreign	11,366	5,256	2.16
Total	201,058	85,882	2.34

Table 5. Number and Percentage of Licensed and Juvenile* Alaska Sport Fishermen by Area of Residence, 1977.

Area of Residence	Licensed Number	Anglers Percent	Juvenile* Number	Anglers Percent	Total Anglers Numbers
Alaska**					
Southeast	14,208	69.7	6,179	30.3	20,387
Upper Copper- Susitna Rivers	1,278	67.8	607	32.2	1,885
Prince William Sound	1,533	54.7	1,269	45.3	2,802
Kenai Peninsula	10,221	69.6	4,469	30.4	14,690
Cook Inlet- Lower Susitna Drainage	59,793	70.3	25,269	29.7	85,062
Kodiak	1,686	57.1	1,269	42.9	2,955
Alaska Peninsula- Bristol Bay- Aleutian Islands	767	82.2	166	17.8	933
Arctic-Yukon- Kuskokwim	14,923	67.0	7,338	33.0	22,261
Total	104,409	69.2	46,566	30.8	150,975
Other Than Alaska					
United States	32,758	84.6	5,959	15.4	38,717
Foreign	8,994	79.1	2,372	20.9	11,366
Total	41,752	83.4	8,331	16.6	50,083
Grand Total	146,161	72.7	54,897	27.3	201,058

^{*}Less than 16 years of age.

^{**}Alaska areas correspond to regulatory areas.

Table 6. Number of Angler-Days Fished in Alaska and Percentage by Region and Area, 1977.

	Angler-Days	Percent
Southeast		
Ketchikan	55,740	4.7
Prince of Wales Island	12,043	1.0
Petersburg-Wrangell	27,212	2.3
Sitka	37,744	3.2
Juneau	92,379	7.7
Haines-Skagway	11,602	1.0
Glacier Bay	4,375	0.4
Yakutat	5,879	0.5
Total	246,974	20.6
Southcentral		
Glennallen	51,485	4.3
Prince William Sound	48,369	4.3
Knik Arm Drainage	81,949	6.8
Anchorage	55,060	4.6
East Susitna Drainage	56,651	4.7
West Cook Inlet-West	50,051	7.1
Susitna Drainage	31,946	2.7
Kenai Peninsula	422,954	35.3
Kodiak	41,563	3.5
Naknek River Drainage-		•
Alaska Peninsula	17,007	1.4
Kvichak River Drainage	12,227	1.0
Nushagak	8,244	0.7
Total	827,455	69.1
Arctic-Yukon-Kuskokwim		
Tanana River Drainage	99,919	8.3
Interior Alaska	7,337	0.6
Seward Peninsula-	7,557	0.0
Norton Sound	7,828	0.7
Northwest Alaska	3,487	0.7
South Slope Brooks Range	2,156	0.2
North Slope Brooks Range	2,434	0.2
Total	123,161	10.3
Grand Total	1,197,590	100.0

Table 7. Alaska Sport Harvests by Region and Species, 1977.

S41		Southcentral	Arctic-Yukon-	_ `
	Southeast	Southcentral	Kuskokwim	Total
Chinook salmon	17,449	25,112	499	43,060
Sea-run coho salmon	36,152	67,866	973	104,991
Land-locked coho salmon	0	31,152	7,151	38,303
Sockeye salmon	5,803	97,629	69	103,501
Kokanee salmon	574	2,068	0	2,642
Pink salmon	34,031	85,543	2,524	122,098
Chum salmon	1,111	5,044	1,246	7,401
Steelhead trout	1,750	1,949	0	3,699
Rainbow trout	7,741	80,354	6,215	94,310
Cutthroat trout	23,377	1,912	0	25,289
Brook trout	759	0	0	759
Lake trout	0	15,200	2,269	17,469
Dolly Varden/Arctic char	34,734	79,405	4,908	119,047
Arctic grayling	775	45,748	67,168	113,691
Northern Pike	0	321	11,661	11,982
Whitefish	0	2,594	4,154	6,748
Burbot	0	6,652	1,773	8,425
Sheefish	0	0	1,247	1,247
Halibut	5,832	17,412	0	23,244
Rockfish	8,962	22,092	0	31,054
Smelt	55,034	335,657	0	390,691
Razor clams	10,309	951,386	0	961,695
Other fish	11,456	54,311	3,214	68,981
				,502

Table 8. Alaska Sport Sea-Run Salmon Harvest by Region, Area, and Species, 1977.

	Chinook	Coho	Sockeye	Pink	Chum	Total
Southeast						
Ketchikan	4,672	4,583	459	11,709	280	21,703
Prince of Wales Island	811	1,917	325	1,559	105	4,717
Petersburg-Wrangell	2,671	3,048	108	2,741	38	8,606
Sitka	1,738	3,116	812	8,835	191	14,692
Juneau	6,377	20,068	2,384	7,380	321	36,530
Haines-Skagway	471	1,270	790	1,311	176	4,013
Glacier Bay	356	744	237	122	0	1,459
Yakutat	353	1,406	688	374	0	2,821
Total	17,449	36,152		34,031	1,111	94,546
Southcentral					23.	
Glennallen	532	269	3,662	0	······································	4,463
Prince William Sound	428	8,829	6,512	25,425	740	41,934
Knik Arm Drainage	207	4,366	1,576	1,661	250	8,060
Anchorage	52	1,127	25	2,953	0	4,157
East Susitna Drainage	1,056	5,709	3,594	19,663	1,382	31,404
West Cook Inlet-	1,000	3,703	3,334	19,005	1,302	31,404
West Susitna Drainage	3,411	7,131	2,792	8,812	430	22,576
Kenai Peninsula	16,210	33,574	74,376	12,395	225	136,780
Kodiak	483			14,519	1,645	
Naknek River Drainage-	403	4,716	1,255	14,519	1,043	22,618
Alaska Peninsula	1,405	1 760	000	115	226	4 112
Kvichak River Drainage		1,368	998			4,112
Nushagak	243	190	2,266	0	76	2,775
Total	1,085	587	573	0	70	2,315
iotai	25,112	67,866	97,629	85,543	5,044	281,194
Arctic-Yukon-Kuskokwim						
Tanana River Drainage	100	94	0	0	300	494
Interior Alaska Seward Peninsula-	177	430	69	114	241	1,031
Norton Sound	197	449	0	2,402	670	3,718
Northwest Alaska	16	0	0	8	28	52
South Slope Brooks Range	9	0	0	0	7	16
North Slope Brooks Range	0	0	0	0	0	0
Total	499	973	69	2,524	1,246	5,311
Grand Total	43,060	104,991	103,501	122,098	7,401	381,051

Table 9. Alaska Sport Landlocked Salmon Harvests by Region, Area, and Species, 1977.

Area Fished	Landlocked Coho Salmon	Kokanee Salmon
Southeast		
Ketchikan	0	393
Prince of Wales Island	0	
Petersburg-Wrangell	Ö	0
Sitka	0	0
Juneau	0	181
Haines-Skagway	0	0
Glacier Bay		0
Yakutat		0
Total	0	574
Iotal		5/4
Southcentral		
71	1 750	
Glennallen	1,750	0
Prince William Sound	0	0
Knik Arm Drainage	26,917	0
Anchorage	129	. 0
East Susitna Drainage	512	0
West Cook Inlet-		
West Susitna Drainage	0	0
Kenai Peninsula	1,615	2,068
Kodiak	229	0
Naknek River Drainage-		
Alaska Peninsula	0	0
Kvichak River Drainage		0
Nushagak		0
Total	31,152	2,068
Arctic-Yukon-Kuskokwim		
Tanana River Drainage	7,151	0
Interior Alaska	0	0
Seward Peninsula-		
Norton Sound	Ò	0
Northwest Alaska		0
South Slope Brooks Range	0	0
North Slope Brooks Range	0	0
Total	7,151	0
Alaska Total		Ö (40
Alaska Total	38,303	2,642

Table 10. Alaska Sport Steelhead Harvests by Region and Area, 1977.

Area Fished	Steelhead Trout	
Southeast		
Ketchikan	708	
Prince of Wales Island	357	
Petersburg-Wrangell	412	
Sitka		
Juneau	67	
Haines-Skagway		
Glacier Bay		
Yakutat	136	
Total	1,750	
Southcentral		
	은 경화들은 한 경상 보는 그는 것이	
Glennallen	187	
Prince William Sound		· . · ·
Knik Arm Drainage		
Anchorage		
East Susitna Drainage		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
West Cook Inlet-	4. 보양한다고 되는 거야 되었다.	
West Susitna Drainage		
Kenai Peninsula	1,530	
Kodiak	232	
Naknek River Drainage-		eng Table to the
Alaska Peninsula		
Kvichak River Drainage		
Nushagak	8. 3. 4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
Total	1,949	
Arctic-Yukon-Kuskokwim		
Arctic-fukon-kuskokwim		14 11 11 11 11 11
Tanana River Drainage	0	
Interior Alaska		311
Seward Peninsula-		
Norton Sound		
Northwest Alaska		
South Slope Brooks Range		
North Slope Brooks Range		
Total		
Alaska Total	3,699	

Table 11. Alaska Sport Rainbow Trout Harvests by Region and Area, 1977.

Area Fished	Rainbow Trout
Southeast	
Ketchikan	2,751
Prince of Wales Island	1,207
Petersburg-Wrangell	829
Sitka	2,012
Juneau	704
Haines-Skagway	136
Glacier Bay	14
Yakutat	88
Total	7,741
Southcentral	
Glennallen	2,808
Prince William Sound	378
Knik Arm Drainage	18,615
Anchorage	17,733
East Susitna Drainage	5,225
West Cook Inlet-	
West Susitna Drainage	8,430
Kenai Peninsula	23,101
Kodiak	1,472
Naknek River Drainage-	
Alaska Peninsula	906
Kvichak River Drainage	1,092
Nushagak	594
Total	80,354
Arctic-Yukon-Kuskokwim	
Tanana River Drainage	5,992
Interior Alaska	223
Seward Peninsula-	
Norton Sound	0
Northwest Alaska	$\frac{\mathbf{v}}{\mathbf{v}}$
South Slope Brooks Range	
North Slope Brooks Range	
	6,215
Total	U,413
Alaska Total	94,310
Alaska Iulai	

Table 12. Alaska Sport Cutthroat Trout Harvests by Region and Area, 1977.

Area Fished	Cutthroat Trout	
Southeast		
Ketchikan	7,908	
Prince of Wales Island	1,699	
Petersburg-Wrangell	5,577	
Sitka	1,896	
Juneau	5,107	
Haines-Skagway	667	
Glacier Bay	319	
Yakutat	204	
Total	23,377	
이 등 이 하다는 그 있는데 생각을 5한 이글을 하다.		
Southcentral		
Glennallen	0	
Prince William Sound	1,912	
Knik Arm Drainage		
Anchorage		
East Susitna Drainage	0	
West Cook Inlet-		
West Susitna Drainage Kenai Peninsula	ŏ	
Kodiak	ŏ	
Naknek River Drainage-		
Alaska Peninsula	0	
Kvichak River Drainage	,	
Nushagak	e de la companya de	
Total	1,912	
그 그 그 그는 그는 그들은 그 생각으로 생각하게 받았다. 그 것이다.		
Arctic-Yukon-Kuskokwim		er terminale de la companya de la c La companya de la co
		the first war and the second
Tanana River Drainage	0	
Interior Alaska		for the second
Seward Peninsula-		
Norton Sound		
Northwest Alaska		
South Slope Brooks Range		
North Slope Brooks Range		
Total		
Alaska Total	25,289	

Table 13. Alaska Sport Brook Trout Harvests by Region and Area, 1977.

Area Fished	Brook Trout	
Southeast		
Ketchikan	238	
Prince of Wales Island	0	
Petersburg-Wrangell	0	
Sitka	198	
Juneau	289	
Haines-Skagway	34	
Glacier Bay	0	
Yakutat	0	
Total	75,9	
Southcentral		
C1		
Glennallen Prince William Sound	0	
	0	
Knik Arm Drainage	0	
Anchorage	0	
East Susitna Drainage	0	
West Cook Inlet-		
West Susitna Drainage Kenai Peninsula	0	
Kodiak	0	
Naknek River Drainage-	U	
Alaska Peninsula	0	
Kvichak River Drainage	0	
	0	
Nushagak	0	
Total	0	•
Arctic-Yukon-Kuskokwim		
Tanana River Drainage	0	
Interior Alaska	0	
Seward Peninsula-		
Norton Sound	0	
Northwest Alaska	0	
South Slope Brooks Range	0	
North Slope Brooks Range	0	
Total	0	4
		• • •
Alaska Total	759	

Table 14. Alaska Sport Lake Trout Harvests by Region and Area, 1977.

Area Fished	Lake Trout	
Southeast		
Ketchikan	0	
Prince of Wales Island	0	
Petersburg-Wrangell	0	
Sitka		
Juneau	0	
Haines-Skagway	0	
Glacier Bay	0	
Yakutat	0	
Total	0	
Southcentral		
Glennallen	7,699	
Prince William Sound	,,055	
Knik Arm Drainage	2,260	
Anchorage	0	
East Susitna Drainage	693	
West Cook Inlet-	033	
West Susitna Drainage	278	
Kenai Peninsula	3,678	
Kodiak	0	
	U	
Naknek River Drainage-	769	
Alaska Peninsula	368	
Kvichak River Drainage	176	
Nushagak	48	
Total	15,200	
Arctic-Yukon-Kuskokwim		
Tanana River Drainage	1,471	
Interior Alaska	124	
Seward Peninsula-		
Norton Sound	0	
Northwest Alaska	90	
South Slope Brooks Range	496	
North Slope Brooks Range	88	
· · · · · · · · · · · · · · · · · · ·		
Total	2,269	
Alaska Total	17,469	
		•

Table 15. Alaska Sport Dolly Varden/Arctic Char Harvests by Region and Area, 1977.

Area Fished	Dolly Varden/Arc	ctic Char
Southeast		
Ketchikan	3,539)
Prince of Wales Island	1,345	
Petersburg-Wrangell	3,552	
Sitka	6,290	
Juneau	12,014	
Haines-Skagway	5,962	
Glacier Bay	917	
Yakutat	1,115	
	34,734	
Total	34,73-	
Southcentral		
01 11	0.055	
Glennallen	2,251	
Prince William Sound	6,302	
Knik Arm Drainage	7,541	
Anchorage	4,040	
East Susitna Drainage	2,726	5
West Cook Inlet-		
West Susitna Drainage	3,098	3.
Kenai Peninsula	36,103	3
Kodiak	14,536	5
Naknek River Drainage-		
Alaska Peninsula	1,542	2
Kvichak River Drainage	516	5
Nushagak	750) · · · · · · · · · · · · · · · · · · ·
Total	79,405	5
Arctic-Yukon-Kuskokwim		• • • • • • • • • • • • • • • • • • •
Tanana River Drainage	877	7
Interior Alaska	1,689	
Seward Peninsula-	1,000	
Norton Sound	1,621	
Northwest Alaska	469	
South Slope Brooks Range	11	
	241	
North Slope Brooks Range	4,908	
Total	4,900	
	119,047	the state of the s

Table 16. Alaska Sport Arctic Grayling Harvests by Region and Area, 1977.

Area Fished	Arctic Grayling	
Southeast		
Ketchikan	591	
Prince of Wales Island	0	
Petersburg-Wrangell	0	*
Sitka	17	
Juneau	108	
Haines-Skagway	59	
Glacier Bay	0	
Yakutat	0	
Total	775	
Southcentral		
Glennallen	25,991	
Prince William Sound	0	
Knik Arm Drainage	3,916	
Anchorage	187	
East Susitna Drainage	7,469	-
West Cook Inlet-	· · · · · · · · · · · · · · · · · · ·	
West Susitna Drainage	4,414	
Kenai Peninsula	1,587	
Kodiak	54	
Naknek River Drainage-		
Alaska Peninsula	808	
Kvichak River Drainage	826	
Nushagak	496	
Total	45,748	
Arctic-Yukon-Kuskokwim		
Tanana River Drainage	57,793	
Interior Alaska	4,090	
Seward Peninsula-	. , , , , , , , , , , , , , , , , , , ,	
Norton Sound	1,607	
Northwest Alaska	1,407	
South Slope Brooks Range	1,032	
North Slope Brooks Range	1,239	
Total	67,168	
Alaska Total	113,691	
LIGORO IOCAL	110,001	

Table 17. Alaska Sport Northern Pike Harvests by Region and Area, 1977.

Area Fished	Northern Pike	
Southeast		
Ketchikan	0	
Prince of Wales Island	0	
Petersburg-Wrangell	0	
Sitka	0	
Juneau	0	
Haines-Skagway	0	
Glacier Bay	0	
Yakutat	0	
Total	0	
Southcentral		
Glennallen	0	
Prince William Sound	0	
Knik Arm Drainage	0	
Anchorage	0	
East Susitna Drainage	Ō	
West Cook Inlet-		
West Susitna Drainage	132	•
Kenai Peninsula	0	•
Kodiak	0	
Naknek River Drainage-		
Alaska Peninsula	90	
Kvichak River Drainage	46	
Nushagak	53	
Total	321	
Total	321	
Arctic-Yukon-Kuskokwim		
Tanana River Drainage	9,345	
Interior Alaska	1,652	
Seward Peninsula-		
Norton Sound	302	
Northwest Alaska	147	
South Slope Brooks Range	215	
North Slope Brocks Range	0	
Total	11,661	
Alaska Total	11,000	
Alaska Total	11,982	

Table 18. Alaska Sport Whitefish Harvests by Region and Area, 1977.

Area Fished	Whitefish	
Southeast		
Southeast		
Ketchikan	0	
Prince of Wales Island	0	
Petersburg-Wrangell	Ŏ	
Sitka	0	
Juneau	0	
Haines-Skagway	0	
Glacier Bay	0	
Yakutat	0	
Total	0	
10001		
Southcentral		
Glennallen	2,445	
Prince William Sound	85	
Knik Arm Drainage	0	
Anchorage	0	
East Susitna Drainage	0	
West Cook Inlet-		
West Susitna Drainage	0	
Kenai Peninsula	0	
Kodiak	0	
Naknek River Drainage-		
Alaska Peninsula	10	
Kvichak River Drainage	3	
Nushagak	51	
Total	2,594	
Arctic-Yukon-Kuskokwim		
Tanana River Drainage	3,378	
Interior Alaska	221	
Seward Peninsula-		
Norton Sound	170	
Northwest Alaska	385	
South Slope Brooks Range	0	
North Slope Brooks Range	0	
Total	4,154	
Alaska Total	6,748	

Table 19. Alaska Sport Burbot Harvests by Region and Area, 1977.

Area Fished	Burbot		
Southeast	 		
Southeast			
Ketchikan	· · · · · · · · · · · · · · · · · · ·		
Prince of Wales Island	0		
Petersburg-Wrangell	0		
Sitka	0		
Juneau	0	•	
Haines-Skagway	Ō	1.	
Glacier Bay	0		
Yakutat	0		
Total	0		
Southcentral			
Glennallen	5,628		
Prince William Sound	0		
Knik Arm Drainage	290		
Anchorage	0		
East Susitna Drainage	619		
West Cook Inlet-			
West Susitna Drainage	115		
Kenai Peninsula	0		
Kodiak	0	* .	
Naknek River Drainage-			
Alaska Peninsula	0		
Kvichak River Drainage	0		
Nushagak	0		
Total	6,652		
Arctic-Yukon-Kuskokwim			
	1,547		
Tanana River Drainage	•		
Interior Alaska	226		
Seward Peninsula-			
Norton Sound	0		
Northwest Alaska	0		
South Slope Brooks Range	0		
North Slope Brooks Range	<u>U</u>		
Total	1,773		
Alaska Total	8,425	·	
ALLONI IOUA	, 3, 13		

Table 20. Alaska Sport Sheefish Harvests by Region and Area, 1977.

	Sheefish	
Southeast		
Ketchikan	0.	,
Prince of Wales Island	0	
Petersburg-Wrangell	0	
Sitka	. 0	
Juneau	0	
Haines-Skagway	. 0	
Glacier Bay	0	
Yakutat	0	
Total	0	
Southcentral		•
Glennallen	0	
Prince William Sound	0	
Knik Arm Drainage	0	
Anchorage	0	
East Susitna Drainage	0	
West Cook Inlet-		
West Susitna Drainage	0	
Kenai Peninsula	0	
Kodiak	0	
Naknek River Drainage-	•	
Alaska Peninsula	0	
Kvichak River Drainage	0	
Nushagak	0	
Total	0	
Arctic-Yukon-Kuskokwim		
Tanana River Drainage	158	
Interior Alaska	294	
Seward Peninsula-		
Norton Sound	0	
Northwest Alaska	656	
South Slope Brooks Range	139	
North Slope Brooks Range	0	
Total	1,247	
Alaska Total	1,247	

Table 21. Alaska Sport Halibut Harvests by Region and Area, 1977.

Area Fished	Halibut	
Southeast		
Ketchikan	1,360	
Prince of Wales Island	277	
Petersburg-Wrangell	447	
Sitka	992	
Juneau	1,976	
Haines-Skagway	81	
Glacier Bay	271	
Yakutat	428	
Total	5,832	
Southcentral		
Glennallen	0	•
Prince William Sound	1,247	
Knik Arm Drainage	0	
Anchorage	N 0	
East Susitna Drainage	0	
West Cook Inlet-		
West Susitna Drainage	0	
Kenai Peninsula	15,171	
Kodiak	994	
Naknek River Drainage-		
Alaska Peninsula	0	•
Kvichak River Drainage	0	
Nushagak	0	
Total	17,412	
Arctic-Yukon-Kuskokwim		
		•
Tanana River Drainage	0	
Interior Alaska	0	
Seward Peninsula-		
Norton Sound	0	
Northwest Alaska	0	
South Slope Brooks Range	0	
North Slope Brooks Range	0	
Total	0	
Alaska Total	23,244	

Table 22. Alaska Sport Smelt Harvests by Region and Area, 1977.

Area I	ished	Smelt	
Southeast			
V - 4 - 1 - 1		16	
Ketchikan	T-1-1	16	
Prince of Wal		0 747	
Petersburg-Wi	rangell		
Sitka		44,931	
Juneau		0 740	
Haines-Skagwa	ay .	9,340	
Glacier Bay		0	
Yakutat	*	0	
Total		55,034	
Southcentral			
Glennallen		0	
Prince Willia	am Sound	6,818	
Knik Arm Drai	inage	0	
Anchorage		201,209	
East Susitna	Drainage	0	
West Cook In:			
	na Drainage	0	
Kenai Penins		105,597	
Kodiak		5,652	
Naknek River	Drainage-		
Alaska Pen		10,751	
Kvichak Rive		0	
	Diamage	5,630	
Nushagak		335,657	
Total		333,037	
Access to Violence V	112		
Arctic-Yukon-K	uskokwim		
- n·	D	•	
Tanana River		0	
Interior Alas		U	
Seward Penin		0	
Norton Sou		0	1. The second of
Northwest Ala		0	
South Slope		0	
North Slope	Brooks Range	0	
Total			
Alaska Total		390,691	

Table 23. Alaska Sport Razor Clam Harvests by Region and Area, 1977.

Area Fished		Razor Clams		
outheast				i _
outheast				
Ketchikan		0	-	•
Prince of Wales Island		Ô		
Petersburg-Wrangell		Ö		
Sitka	••••	10,309		
Juneau		0		
Haines-Skagway	•	0		
Glacier Bay		0		
Yakutat		0		
Total		10,309		
Southcentral				
Glennallen		0		
Prince William Sound		28,413		
Knik Arm Drainage		0		
Anchorage		0		
East Susitna Drainage		0		
West Cook Inlet-				
West Susitna Drainage		44,252		
Kenai Peninsula		871,247		
Kodiak		7,474		
Naknek River Drainage-			- .	
Alaska Peninsula		0		
Kvichak River Drainage		0	•	
Nushagak		0		
Total		951,386		
·				
Arctic-Yukon-Kuskokwim				
Tanana River Drainage		0		
Interior Alaska		0		
Seward Peninsula-				
Norton Sound		0		
Northwest Alaska		0		
South Slope Brooks Range		0		
North Slope Brooks Range		. 0		
Total		0		
10001		Ğ		
Alaska Totai		961,695		

Table 24. Ketchikan* Area Sport Fish Harvests and Effort by Fishery and Species, 1977.

	Days Fished	KS	SS	RS	ко	PS	cs	Н	SII	СТ	вт	RT	DV	GR	RF	SM	Other
SALTWATER:														:			
Boat-East, West Behm Canals	11,894	1,316	968	44	0	3,373	85	288	. 9	136	0	0	22	. 0	59	0	529
Boat- Clarence Strait	6,909	1,050	1,036	31	0	1,928	36	261	9	5	0	0	17	0	113	0	263
Boat- Revilla Channel	2,818	338	186	25	0_	633	22	79	00	57	0	0	14	0	85	16	572
Boat- Tongass Narrows	9,730	691	771	39	_0	2,087	33	199	8	6	0_	. 0	45	0	532	0	1,937
Boat-Yes Bay	286	35	28	0	0_	60	3	.3	0	0	0	0	23	0	0	0	0
Boat-Bell Island	1,272	321	244	0	0	372	9	72	0.	0	0	0	6	0	0	0	20
Boat-Other Areas	4,598	793	786	119	0	1,120	71	390	49	218	0_	0	631	0	26	. 0	716
Shoreline-Other Areas	4,353	128	191	38	0	1,747	9	68	11	269	0	. 0	164	0	19	0	314
SALTWATER TOTAL	41,860	4,672	4,210	296	0	11,320	268	1,360	86	691	0_	. 0	922	0	834	0	4,351
FRESHWATER:		٠					,									,	
Naha River	1,821	0	171	31	0	101	9	0	135	948	0	481	291	68	0	0	0
Other Streams	5,380	0	202	132	0	288	3	0	365	2,515	0	693	1,321	305	0	0	0
Other Lakes	6,679	0	. 0	0	393	0	0	. 0	122	3,754	238	1,577	1,005	218	0	0	370
FRESHWATER TOTAL	13,880	0	373	163	393	389	12_	0	622	7,217	238	2,751	2,617	591	0	0	370
GRAND TOTAL	55,740	4,672	4,583	459	393	11,709	280	1,360	708	7,908	238	2,751	3,539	591	834	16	4.721

^{*}Ketchikan Area (Area A): All waters from Portland Canal to Ernest Sound, including Duke, Annette, and Gravina Islands and Associated Waters.

CO CO

Table 25. Prince of Wales Island* Sport Fish Harvests and Effort by Fishery and Species, 1977.

										·				<u> </u>				
		Days Fished	KS	ss	RS	ко	PS	CS	Н	SH	СТ	ВТ	RT	DV	GR	RF	SM	Other
SALTWATER:				 											(
Boat		5,652	802	948	175	. 0	1,205	61	271	0	62	0	. 0	118	0	566	0	42
Shoreline		363	9	100	0	0	119	0	6	0	5	0	0	172	. 0	5	0	0
SALTWATER TOTAL		6,015	811	1,048	175	0.	1,324	61	277	0	67	0	0	290	0	571	0	42
FRESHWATER:				-									er .		,			
Karta River		459	. 0	31	6	0	6	0	0	73	150	0	90	133	0	0	0	0
Sweetwater- Thorne system																		
(stream, lake)		758	0	194	125	0	18	0	0	28	404	0	0	193	0	. 0	0	0
Other streams		4,249	0	644	19	0	211	44	0 .	251	699	0	998	633	00	: 0	0	0
Other lakes	·	562	0	0	0	0	0	0	0	5	379	0	119	96	0	0	0	0
FRESHWATER TOTAL	· · · · · · · · · · · · · · · · · · ·	6,028	. 0	869	150	0	235	44	0 ·	357	1,632	0	1,207	1,055	0	0	0	0
GRAND TOTAL		12,043	811	1,917	325	0	1,559	105	277	357	1,699	0	1,207	1,345	0	571	0	42

^{*}Prince of Wales Island (Area B): All waters from Cape Chacon northward to Sumner Strait and from Clarence Strait westward.

w

Table 26. Petersburg-Wrangell* Area Sport Fish Harvests and Effort by Fisheries and Species, 1977.

			•														
	Days																
	Fished	KS	SS	RS	ко	PS	CS	H	SH	CT	BT	RТ	DV	GR	RF	SM	Other
SALTWATER:			, and a second	:													
Boat-Blind Slough,																	
Wrangell Narrows	4,726	448	685	33	0	406	3 .	108	3	65	O	0	376	Λ	167	.0	351
Boat-Duncan Saltchuck					,	· · · · · · · · · · · · · · · · · · ·											
Duncan Canal	636	29	199	0	0	132	0	13	9	206	0 .	. 0	37		26	0	14
Boat-Gray Pass	3,549	818	173	0	.0	0	3	50	0		0	0	5		12	0	3
Boat-Other	8,055	1,165	1,281	0	0	1,373	29	225	17	85	0.	0_	59	0	393	747	45
Shoreline-Blind Slough	613	0	216	0	0	49	0	0	0	14	0 .	0	19	0	23	0	. 0
Shoreline-														:			
Duncan Saltchuck	81	0	44	0	0	0	0 .	0	0	. 17	0	0	0	0	5	0_	0
Shoreline-Other	1,718	211	169	0	0	100	3	51	5	189	0	0	127	_ 0	1.36	0_	5.7
SALTWATER TOTAL	19,378	2,671	2,767	33	0	2,060	38	447	34	576	. 0	0	623	0	762	747	470
FRESHWATER:																	
Castle River	190	0	24	. 0	0	0	0	0.	. 6	213	0 .	0	113	. 0	0	0	
Anan Creek	946	0	5	0	0	512	0	0	14	113	0	17	93	. 0	0	_n	
Petersburg Creek	1,172	0	118	0	0.	119	. 0	0 .	45	413	0	5 _	1.086	Ω	0	_0	
Kadake Creek	248	0	0	0	0	0	0	0	11	1.7	0	0	119	0.	0	0	0
Other streams	4.056	0	95	69	0	50	0_	0	302	3,051	0	569	1.117	0	. 0	0_	0
Lakes	1,222	0	39	6	0	0	0	0	. 0	1.194	0	238	401	- 0	0	0	0
FRESHWATER TOTAL	7,834	0	281	75	0	681	. 0	0	378	5.001	0	829	2.929	. 0	0	Λ.	0
GRAND TOTAL	27,212	2,671	3,048	108	0	2,741	38	447	412	5.577	0	829	3.552	0	762	747	470

^{*}Petersburg-Wrangell (Area C): All waters from Ernest Sound to Cape Fanshaw, including Wrangell, Etolin, Zarembo, Mitkof, Kupreanof, and Kuiu Islands.

ယ ပာ

Table 27. Sitka Area* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

*	 		· ,															
	Days Fished	KS	ss	RS	ко	PS	cs	н	SH	RT	CT	вт	DV	GR	RF	SM	RC	Other
SALTWATER:					•					:								
Boat	24,178	1,716	2,531	377	0	5,566	139	976	23	0	178	0	1,245	0	3,567	14,008	0	2,198
Shoreline	6,639	22	324	243	0	2,823	2	16	20	0	48	0	1,330	0	68	30,923	10,309	1,143
SALTWATER TOTAL	30,817	1,738	2,855	620	. 0	8,389	141	992	43	0	226	0	2,575	0	3,635	44,931	10,309	3,341
FRESHWATER:														ŧ				
Plotnikof- Rezanof System (Lake, Stream)	580	0	84	0	0	26	2	0	8	555	0	0	77	0	0 -	0	0	0
Goulding River	60	0	.0 ,.	0	0	0	0	0	.0	23	19	0	0	0	0	0	0	0
Pavlov Harbor System (Lake, Stream)	372	0	30	0	0	30	7	0	0	0	65	0	246	0	0	0	0	0
Mud Bay Creek	107	0	0	0	0	100	0	0	0	0	5	0	156	0	0	0	0	Ö
Other Streams	2,657	0	113	192	0	189	41	0	19	189	563	0	2,681	0	. 0	0	0	17_
Lake Eva (Lake Stream)	284	0	. 0	0	0	0	. 0	0	0	0	223	0	244	. 0	0	0	0	0
Goulding Lakes	230	0	0	0	0	0	0	0	0	. 0	226	0	. 0	. 0	0	0	0	0_
Other Lakes	2,637	0	34	0_	0	101	0	0	0	1,245	569	198	311	17	0	0	. 0	0
FRESHWATER TOTAL	6,927	0_	261	192	0	446	50	0.	27	2,012	1,670	· 198	3,715	17	0	0	0	17
GRAND TOTAL	37,744	1,738	3,116	812	0	8,835	191	992	70	2,012	1,896	198	6,290	17	3,635	44,931	10,309	3,358

^{*}Sitka (Area D): Baranof and Chichagof Islands and associated waters.

ω m

Table 28. Juneau Area* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

	Days Fished	KS	ss	RS	ко	PS	cs	Н	SH	RT	СТ	вт	DV	GR	SM	RF	Other
SALTWATER:																	
Boat - Dotys Cove to					•												
Berners Bay and West to Point Retreat	59,089	5,066	15,950	1,205	0	4,059	138	1,651	19	0	110	0	1,878	0	.0	2,490	1,253
Boat-Other	4,619	484	1,427	144	_0	346	9	131	6_	0	9	0	292	0_	0_	144	212
Shorcline-Dupont to Echo Cove & Douglas Island	14,998	749	1,753	791	0	1,150	115	127	5	0	178	0	3,290	0	0	305	362
Shoreline-Other	2,597	78	602	182	b	239	3	67	3	0	99	0	509	0_	0	57	57
SALTWATER TOTAL	81,303	6,377	19,732	2,322	. 0	5,794	265	1,976	33	0	396	0	5,969	0	0	2,996	1,884
FRESHWATER:					• * .										2		
Dupont to Echo Cove & Douglas Island	2,083	0	100	6	0	729	37	0	17_	71	113	0_	1,118	0	0	0_	0
Streams	4,762	. 0	140	37_	0_	857	19_	0_	_17	328	1,032	0	3,877	0	0		3
Lake Florence	835	0	0	0	0	0	0	0	0.	0	708	0	. 65	0	0	0	0
Turner Lake	878	0	0	0	99	0	0	0	00	00	518	.0	351	0	0	0_	0
Other Lakes	2,518	0	96	19	8.2	0	0	0	0	305	2,340	289	634	108	0	0	12
FRESHWATER TOTAL	11,076	0	336	62	181	1,586	56	0	34	704	4,711	289	6,045	108	0	00	15
GRAND TOTAL	92,379	6,377	20,068	2,384	181	7,380	321	1,976	67	704	5,107	289	12,014	108	0	2.996	1.899

^{*}Juneau Area (Area E): All waters from Cape Fanshaw to Point Sherman, including Berners Bay and all of Admiralty Island.

Table 29. Haines-Skagway* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

	Days Fished	KS	SS	RS	ко	PS	cs	Н	SH	RT	СТ	вт	DV	GŘ	SM	RF	Other
SALTWATER:		 - : - -		<u>:</u>					- i							·.	
Boat	4,211	462	130	0	0	258	7	70	0	0	59	0	546	0	0	116	108
Shoreline	1,383	9	153	123	0_	251	48	11	0	0	3	0	348	0	0	14	797
SALTWATER TOTAL	5,594	471	283	123	0	509	55	81	0	0	62	0	894	0	0	130	905
FRESHWATER:											•						**
Chilkoot River	1,797	0	198	355	0	505	0	0	0	0	0	0	899	0	2,782	0	0
Other Streams	1,964	0	671	153	0	176	121	0	0_	0	240	0	2,075	0	6,558	0	0
Chilkoot Lake	1,342	0	88	159	0	121	0	0	0	0	0	0	1,451	0	0	0	0
Other Lakes	905	0	30	0	0	0	0	0	0	136	365	34	643	59	. 0	0	3
FRESHWATER TOTAL	6,008	0	987	667	0	802	121	0	0	136	605	34	5,068	59	9,340	0	3
GRAND TOTAL	11,602	4 7 1	1,270	790	0	1,311	176	81	0	136	667	34	5,962	59	9,340	130	908

^{*}Haines-Skagway (Area F): All waters from Point Sherman to the Canadian Border

Table 30. Glacier Bay* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

		<u> </u>					<u></u>										
	Days Fished	KS	SS	RS	ко	PS	CS	н	SH	RT	CT	ВТ	DV	GR	SM	RF	Other
SALTWATER:									<u>,</u>	 	*******						
Boat	2,614	356	644	231	0	71	0	256	0	0	0	0	28	0	0	34	6
Shoreline	399	.0	100	0	0	51	0	15	0	00	12	.0	274	00	0	0	. 0
SALTWATER TOTAL	3,013	356	744	231	0	122	0	271	0	0	12	0	302	0	0	34	6
FRESHWATER:								.67									
Streams	332	0	0	6	0	0	0	0	0	8	271	0	190	0	0	0	12
Lakes	1,030	0	0	0	0	0	0	0	0	6	36	0	425	0	0	. 0	0_
FRESHWATER TOTAL	1,362	0	0	6	0	0	0	0.	0	14	307	0	615	0	0	0	12_
GRAND TOTAL	4,375	356	744	237	0	122	0	271	0	14	319	0	917	0	00	34_	18

^{*}Glacier Bay (Area G): All waters from Cape Fairweather to Icy Strait and eastward to Point Couverden.

Table 31. Yakutat Area* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

·											·				<u> </u>		
	Days Fished	KS	SS	RS	ко	PS	cs	Н	SH	RT	СТ	ВТ	DV	GR	SM	RF	Other
SALTWATER:		· · · · · · · · · · · · · · · · · · ·							***************************************			 	· · · · · · · · · · · · · · · · · · ·				
Boat	350	79	83	0	0	0	0	428	0	00	0	0	3.	0	0	0_	40_
Shoreline	492	9	100	62	0_	20 -	. 0	0	0	0_	0	0_	71	0	0	0	0
SALTWATER TOTAL	842	88	183	62	. 0	20	0	428	- 0	0_	0	0	74	0	0	0	40
FRESHWATER:																	
Situk River	3,571	244	853	497	0	315	0	0	136	88	28	0_	710	0	٠0	0	00
Other Streams	1,380	21	370	123	0	39	5	00	0	0	176	0	331	0	0	0	0_
Lakes	86	0	0	6	0	0	0	0	0	0	0_	. 0	0	0	0	0	0
FRESHWATER TOTAL	5,037	265	1,223	626	0	354	5	0	136	88	204	0	1,041	0	0	0	0_
GRAND TOTAL	5,879	353	1,406	688	0	374	5	428	136	88	204	0	1,115	. 0	0	0	40

^{*}Yakutat Area (Area H): All waters from Cape Suckling to Cape Fairweather.

Table 32. Glennallen Area* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

								• .		•				,	
	Days Fished	KS	SS	· LL	RS	PS	CS	RT	LT	SH	WF	AC DV	GR	ВВ	Other
Gulkana River	4,165	421	0	0	1,180	. 0	0	447	15	0	189	0	3,355	4	57
Lake Louise, Lake Susitna, Tyone Lake	14,899	0	0	0	. 0	0	0	0	2,838	0	1,035	0	3,557	3,157	37
Van (Silver Lake)	1,160	0	0	716	0	0	0	348	0	0	0_	0	0	00_	0_
Paxson Lake Summit Lake	6,429	0	0	0	0	0	0	305	1,420	0	· 169	0	2,169	212	12
Strelna Lake	548	0	. 0	353	0	0	0	218	0	.0	0	0	0	. 0	0
Sculpin Lake	68	0	0	0	0	0	0	25	0	0	0	0	0	0	0
Crosswind Lake	1,852	0	0	0	0	0	00	0	252	0	351	0	405	291	0
Hudson Lake	234	0	0	0	0	0_	00	0	0	. 0	0	0	0	467	0
Other Waters	22,130	. 111	269	681	2,482	0	0	1,465	3,174	187	701	2,251	16,505	1,497	130
TOTAL	51,48 5	532	269	1,750	3,662	0	0	2,808	7,699	187	2,445	2,251	25,991	5,628	236

^{*}Glennallen Area (Area I): All waters and drainages of the Oshetna River and the Copper River upstream from a line between the south bank of Haley Creek and the south bank of Canyon Creek in Woods Canyon, and including the Upper Susitna River drainage from its confluence with the Oshetna River.

Table 33. Prince William Sound* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

						<u>a kir</u> Afrik									
	Days Fished	KS	SS	RS	PS	cs	н	RT	CT	DV AC	WF	SM	RF	RC	Other
Valdez Bay	19,423	247	5,277	557	12,020	219	528	0	0	594	0	905	1,895	0	1,236
Eyak River	3,544	0	1,229	209	0	0	0	0	93	854	3	0	0	0	373
Eshamy Lake and Lagoon															
Coghill River	5,842	0	0	2,898	4,213	158	0	0	305	56	0	0	0	0	57
Lake Shrode, Long Bay	1,209	0	0	319	658	25	0	0	0	34	0	0	0	0	42
Pigot River	1,325	0	61	0	1,565	114	0	0	0	91	0	0	0	0	0
Others	17,026	181	2,262	2,529	6,969	224	719	378	1,514	4,673	82	5,913	2,506	28,413	6,133
TOTAL	48,369	428	8,829	6,512	25,425	740	1,247	378	1,912	6,302	85	6,818	4,401	28,413	7,841

^{*}Prince William Sound (Area J): All waters and drainages from Cape Suckling through Prince William Sound to Cape Puget, including that portion of the Copper River Drainage downstream of a line between the south bank of Haley Creek and the south bank of Canyon Creek in Woods Canyon.

7

Table 34. Knik Arm Drainage* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

	Days Fished	Less Than 20 Inches KS		LL.	RS	PS	cs	RI	DV AC	ĹŦ	GR	ВВ	Other
Little Susitna River	11,063	191	3,415	0	888	1,208	131	843	645	0	190	6	77
Wasilla Creek (Rabbit Slough)	2,805	0	472	0	274	217	17	252	328	0	0	0	0
Finger Lake	14,864	0	0	14,739	. 0	0	0	0	0	0	0	0	0
Kepler Lake Complex	7,962	0	0	528	0	0	0	1,822	0	0	72	0	0
Lucille Lake	7,440	0	0	8,952	0	0	0	0	., 0	0	0	0	0
Big Lake	11,869	0	0	721	37	0	0	3,906	4,953	665	00	73	17
Nancy Lake Recreation Area,													
Including Nancy Lake	7,259	0	56	76	56	0	0	2,642	277	336	0	148	57
Others	18,687	16	423	1,901	321	236	102	9,150	1,338	1,259	3,654	63	229
TOTAL	81,949	207	4,366	26,917	1,576	1,661	250	18,615	7,541	2,260	3,916	290	380

^{*}Knik Arm Drainage (Area K): All waters inside the area bounded by the Little Susitna River on the north and west and the Knik Arm on the south, including all drainages of the Matanuska and Knik Rivers. (Boundary Streams included in the area).

Table 35. Anchorage Area* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

	Days Fished	Less Than 20 Inches KS	SS	LL	RS	PS	cs	RT	DV AC	GR	SM	Other
Jewel Lake	5,908	0	0	0	0	0	0	1,547	0	0	0	
Campbell Point Lake	3,099	0	0	0	0	0_	0	1,483	0_	0	0	
Sand Lake	2,099	0	0	0	0	0	0	653	0	0	0	
Lower Fire Lake	3,132	0	0	0	0	0	0	1,618	0	0	0	
Mirror Lake	1,808	0	0	0	0	0	0	176	0	187	0	c
Otter Lake	5,197	0	0	0	0	0	0	3,250	0	0	0	
Clunie Lake	2,977	0	0	0	0	0	0	1,915	0	0	<u> </u>	
Gwen Lake	837	0	0	0	0	0	0	512	0	0	0	25
Sixmile Lake	1,473	0	0	19	0	0	0	470	0	0	0	0
Green Lake	3,278	0	0	0	0	0	0	1,418	0	0	0	
Hillberg Lake	2,487	0	0	00	0	0	0	1,194	0	0	0	0
Ship Creek	1,156	52	125	0	0	93	0	257	249	0	0	34
Eagle River	1,328	0	6	0	0	0	0	292	868	0	0	0
Bird Creek	7,389	0	0	0	0	2,797	0	0	676	0	0	113
Twentymile River	6,403	0	996	0	0	0	0	0	945	0	189,077	1,191
Others	6,489	0	0	110	25	63	Ó	2,948	1,302	0	12,132	158
Total	55,060	52	1,127	129	25	2,953	0	17,733	4,040	187	201,209	1,521

^{*}Anchorage Area (Area L): All waters inside the area bounded by the Ekultna River on the north; Knik Arm on the west; Turnagain Arm, to and including, Portage Creek at Portage on the south; and the Chugach Mountains on the east. (Boundary streams are included in the area.)

~

Table 36. East Side Susitna River Drainage* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

	Days Fished	Less Than 20 Inches KS	SS	LL	RS	PS	CS	RT	DV AC	LT	GR	ВВ	Other
Willow Creek	14,024	137	679	0	831	7,140	343	1,055	863	0	1,483	26	218
Montana Creek	14,268	415	1,415	0	978	3,568	326	727	300	0	379	110	133
Clear (Chunilna) Creek	3,163	25	1,070	0	334	1,314	146	450	379	0	486	0	23
Sheep Creek	8,112	259	438	0	450	4,291	202	368	94	0	317	45	0
Little Willow Creek	4,583	16	225	0	305	1,261	175	224	139	0	934	0	57
Others	12,501	204	1,882	512	696	2,089	190	2,401	951	693	3,870	438	195
TOTAL	56,651	1,056	5,709	512	3,594	19,663	1,382	5,225	2,726	693	7,469	619	626

^{*}East Side Susitna River Drainage (Area M): All east side drainages of the Susitna River below its confluence with the Oshetna River. Fish taken while fishing from the east bank of the Susitna River are included in this area.

Table 37. West Side Cook Inlet-West Side Susitna River Drainages* Sport Fish Harvest and Effort by Fisheries and Species, 1977.

	Days Fished	Less Than 20 Inches KS	SS	RS	PS	cs	RT	DV AC	LT	GR	NP	BB	Other
Deshka River (Kroto Creek)	3,852	1,017	559	0	391	0	1,556	0	0	631	0	3	68
Lake Creek	6,946	464	1,203	658	4,927	162	1,853	122	116	1,599	42	42	14
Alexander Creek	5,991	820	1,562	34 9	1,263	30	1,251	53	0_	280	0	0	59
Talachulitna River	1,342	.224	346	457	539	37	0	252	0	832	0	0	0
Chuit River	1,355	227	316	6	245	7	509	671	0	0	0	. 0	12
Theodore River	1,037	237	113	0.	363	0	415	181	0	0	0	0	0
Lewis River	343	9	103	. 0	62	0	34	0	0	0	0_	0	. 0
Other rivers	7,269	413	2,929	842	1,022	194	1,677	1,279	23	619	0	51	342
Shell Lake	566	0	0	52	0	0	124	0	23	0	0	0	0
Whiskey Lake	287	0	0	99	0	0	45	0	0	0	0 .	0	0
lewitt Lake	436	0	0	43	0	· · · · · · · · · · · · · · · · · · ·	128	0	0	0	0	0	0
Judd Lake	317	0	0	24	0	0	68	195	8	45	0	0	0
Other Lakes	2,205	0	0	262	0	0	. 770	345	108	408	90	19	68
TOTAL	31,946	3,411	7,131	2,792	8,812	430	8,430	3,098	278	4,414	132	115	563

Razor clams Total Digging Days: 896 Total Clams Taken: 44,252

^{*}West Side Cook Inlet-West Side Susitna Drainages (Area N): All west side Susitna River drainages and all west side Cook Inlet waters southward to Cape Douglas. Fish taken while fishing from the west bank of the Susitna River are included in this area.

Table 38. Kenai Peninsula* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

	Fished	KS	SS	LL	RS	ко	PS	CS	Ĥ	SH	RT	DV AC	LT	GR	SM	RF	Other
	. 201100	•••															
SALTWATER:																	
Deep Creek	32,218	4,470	557	0	1,133	0	305	0	3,609	5	0	603	0	0	0	0	286
Resurrection Bay	41,797	515	14,528	0	6	0	1,595	63	1.674	. 0	0	1,720	0	0	19,486	12,783	6,548
Kachemak Bay	38,498	614	3,623	0	122	0	6,921	126	9,291	0	0	3.676	0	0	16	1.117	16_086
Others	8,329	356	1,126	0	294	0	1,395	0	597	0	0	461	0	0	14.573	981	13,804
SALTWATER TOTAL	120,842	5,955	19,834	0	1,555	0	10,216	189	15,171	5	0	6,460	0	0	34,075	14.881	36,724
FRESHWATER:																	
Kenai River	122,138	7,585	9,537	0	23,196	0	163	0	0	0	4,438	7,423	252	187	56,550	0	179
Anchor River	31,515	1,077	1,339	0	0	0	27	0	0	1.072	1.027	9,222	0	0	0	0	116
Ninilchik River	11,350	1,168	122	0	0	0	0	0	0	60	170	424	0	0	0	0_	19
Deep Creek	11,399	425	306	0	0	.0	109	0	0	269	300	1,330	0	0	0	0	17
Stariski Creek	1,442	0	133	0	0	0	26	0	0	124	170	461	0	. 0	0	0	6
Russian River	54,220	0	1,472		48,263	0	37	0	0	0	769	914	0	37	0	0	20
Other Rivers	11,822	0	732	0	1,272	0	1,817	36	0_	0	2,483	3,754	537	317	14,972	0	144
Hidden Lake	7,462	0	0	0	0	1,256	0	0_	0	0	866	280	1,542	0	0	0	9
Canoe Lake System	8,183	0	10	226	37	0	0	0	0	0	5,861	1.086	0	0	0	0	0
Other lakes	17,188	0	89	1.389	5.3	812	0	0	n	0	7.017	4.749	1 347	1 046	0	0	755
FRESHWATER TOTAL		10,255	13,740		72,821	2,068	2,179	36	0	1,525	23,101	29,643	3,678	1,587	71,522	0	1,265
Razor clams Between Kasilof and Anchor Point	25,393	Tot	al Diggi	ng Days	: 25,39)3 T	otal Cla	ums Ta	ken: 87	1,247				·			
GRAND TOTAL	422,954	16,210	33,574	1,615	74,376	2,068	12,395	225	15,171	1,530	23,101	36,103	3,678	1,587	105,597	14.881	37,989

^{*}Kenai Peninsula (Area P): All waters and drainages of the Kenai Peninsula from Cape Puget around to, but excluding Portage Creek at Portage, and including Kalgin Island.

Table 39. Kodiak Area* Sport Fish Harvests and Effort by Fisheries and Species, 1977.

	Days Fished	KS	SS	ЫL	RS	PS	cs	Н	Sił	RT	DV AC	GR	RF	RC	Capelin (SM)	Other
SALTWATER:																
Boat	6,144	9	440	0	20	510	158	964	0	0	371	0	2,363	. 0	0	1,685
Shoreline	8,813	25	732	0	82	4,564	475	30	3	0	713	0	447	7,474	332	3,439
SALTWATER TOTAL	14,957	34	1,172	0	102	5,074	633	994	3	0	1,084	0	2.810	7,474	332	5,124
FRESHWATER:																
Buskin River	12,681	0	890	0	228	3,868	0	0	0	0	10,353	0	0	0	0	5
Pasagshak River	4,712	0	1,169	0	176	1,423	42	0	0	0	617	0_	0	0	0	3
Other aters	9,213	449	1,485	229	749	4,154	970	0	229	1,472	2,482	54	0	0	5,320	17
FRESHWATER TOTAL	26,606	449	3,544	229	1,153	9,445	1,012	0	229	1,472	13,452	54	0	0	5,320	25
GRAND TOTAL	41,563	483	4,716	229	1,255	14,519	1,645	994	232	.1,472	14,536	54	2,810	7,474	5,652	5,149

^{*}Kodiak Area (Area Q): All waters and drainages of the Kodiak and Afognak Island groups.

DO

Table 40. Naknek Drainages-Alaska Peninsula* Sport Fish Harvests and Effort by Fishery and Species, 1977.

	Days Fished	KS	SS	RS	PS	cs	RT	DV AC	LT	GR	NP	WF	BB	SM	Other
Naknek River	4,675	1,005	297	78	0	78	586	195	34	484	15	5	0	6,434	0
Naknek Lake	872	0	0	165	0	0	37	9	23	17	12	0	Ò'	0	0
Brooks River	1,195	0	0	135	0	0	173	71	11	50	0	0	0	0	0
Ugashik System	707	0	26	213	0	0	0	51	14	141	0	0	0	0	0
Becharof System	403	4	138	144	0	0	0	76	0	59	0	0	0	0	0
Others	9,155	396	907	263	115	148	110	1,140	286	57	63	5	0	4,317	6
TOTAL	17,007	1,405	1,368	998	115	226	906	1,542	368	808	90	10	0	10,751	6

^{*}Naknek Drainages-Alaska Peninsula (Area R): All waters and drainages between Cape Douglas and the community of Naknek including the Naknek River drainage and the Aleutian Island Chain.

Table 41. Kvichak River Drainages* Sport Fish Harvests and Effort by Fishery and Species, 1977.

	Days Fished	KS	SS	RS	PS	CS	RT	DV AC	LT	GR	NP	WF	BB	SM	Other
Kvichak River	1,509	9	86	583	0	0	672	165	0_	361	0_	_0	0	0	0
Lower Talarik Creek	749	0	5	58	0	0	57	6	0	60	0	0	0	0	0
Copper River	1,686	0	0	62	0	0	14	6	0	0	0	0	0	0	0
Gibraltar River	423	0	0	8	0	0	62	5	0	0	0	0	0	0	0
Newhalen River	1,686	0	0	805	0	0	122	85	0	88	0	0	0	0	0
Lake Clark Area	3,748	0	0	420	0	0	0	25	122	275	43	3	0	0	0
Others	2,426	234	99	330	0	76	165	224	54	42	3	0	0	0	0
TOTAL	12,227	243	190	2,266	0	76	1,092	516	176	826	46	3	0	0	0

^{*}Kvichak River Drainages (Area S): All lakes and tributaries of the Kvichak River drainage, including Nonvianuk Lake, Kukalek Lake, Kulik Lake, Lake Iliamna, and Lake Clark.

50

Table 42. Nushagak Area* Sport Fish Harvests and Effort by Fishery and Species, 1977.

	Days Fished	KS	SS	RS	PS	cs	RT	DV AC	LT	GR	NP	WF	BB	SM	Other
Nushagak River System	1,380	402	65	94	0	24	31	23	0	34	5	0	0	5,630	0
Mulchatna River System	1,296	521	90	280	0	46	116	102	0	59	25	0	0	0	0
Wood River Lakes System	3,549	0	61	129	0	0	252	435	0	201	3	0	0	0	0
Tikchik-Nuyakuk Lake System	959	0	93	16	0	0	62	34	28	108	8	0	0_	0	0
Togiak River System	675	62	114	14	0	0	102	133	0	26	12	0	0	0	0
Others	385	100	164	40	0.	0 .	31	23	20	68	` 0	51	0	0	0
TOTAL	8,244	1,085	587	573	0	70	594	750	48	496	53	51	0	5,630	0

^{*}Nushagak Area (Area T): All lakes and tributaries of the Nushagak River drainage, including the Mulchatna River Drainage, the Wood River and Tikchik Lake Systems, and waters westward to Cape Newenham.

Table 43. Tanana River Drainages* Sport Fish Harvests and Effort by Fishery and Species, 1977.

																
	Days Fished	KS	ss	LL	RS	PS	CS	RT	DV AC	LT	GR	NP	WF	ВВ	SF	Other
Chena River, Badger Slough	30,002	29	0	0	0	0.	43	0	0	0	21,723	871	538	642	37	65
Chatanika River	9,925	9	0	0	0	0	. 34	0	. 0	0	6,737	121	1,635	34_	14	14
Salcha River	8,167	62	0	0	0	0	- 27	0	0	0	6,387	0	45	0	0	Ö
Delta Clearwater River	6,881	0	31	. 0	0	0	19	0	. 0	0	6,118	.0_	28	0	. 0	0
Birch Lake	8,118	0	0	5,697	0	0	0	1,850	0	0	0	0	0	0	0	158
Quartz Lake	6,317	0	. 0	0	0	0	0	2,634	0	0	0	0	0	0	0	0_
George Lake	854	0	0	0	0	0	0	0	0	0	0	1,227	12	5	0	0_
Minto Flats	3,886	0	0	0	0	0	0	0	0	0	243	3,615	31	37	68	0
Others	25,769	0	63	1,454	0	0	177	1,508	877	1,471	16,585_	3,511	1,089	829	39	495
: TOTAL	99,919	100	94	7,151	0	0	300	5,992	877	1,471		9,345	3,378	1,547	158	732

^{*}Tanana River Drainages (Area U): All water within the watershed of the Tanana River upstream from its confluence with the Yukon River.

	D							•	· DV	,	•					
	Days Fished	KS	SS	LL	RS	PS	CS	RT	AC	LT	GR	NP	WF	BB	SF	Other
TOTAL	7,337	177	430	0	69	114	241	223	1,689	124	4,090	1,652	221	226	294	317

^{*}Interior Alaska* (Area V): All waters of the Yukon and Kuskokwim Drainages south of the Arctic Circle and excluding the Tanana Drainages.

Also to include water flowing into Kuskokwim Bay.

Table 45. Seward Peninsula-Norton Sound* Sport Fish Harvests and Effort by Fishery and Species, 1977.

5

	Days Fished	· KS	SS	LL	RS	PS	CS	RT	DV AC	LT	GR	NP	WF	BB	SF	Other
TOTAL	7,828	197	449	0	0 .	2,402	670	0	1,621	0	1,607	302	170	0	0	2,165

^{*}Seward Peninsula-Norton Sound (Area W): The area north of the Yukon River Drainage and south of the Selawick River-Kotzebue Sound area, not to include the Koyukuk River.

ဟ

Table 46. Northwest Alaska* Sport Fish Harvests and Effort by Fishery and Species, 1977.

	Days Fished	KS	SS	LL	RS .	PS	CS	RT	DV AC	LT	GR	NP	WI	ВВ	SF	Other
Noatak Riv	ver 935	0	0	0	0	0	0	0	133	0	413	11	17	0	0	0
Kobuk Rive	er 950	0	0	0	0	0	9	0	14	0	297	65	85	0	625	0
Wulik Rive	er 648	0	0	0	0	00	0	0	184	00	118	0	00	0	0	0
Others	954	16	0	. 0	0	8	19	0	138	90	579	71	283	0	31	0
TOTAL	3,487	16	0	0	0	.8	28	0	469	90	1,407	147	385	0	656	0

^{*}Northwest Alaska (Area X): Kotzebue area, to include drainages of Selawick, Kobuk, Noatak, Wulik, and Kivalina Rivers.

Table 47. South Slope Brooks Range* Sport Fish Harvests and Effort by Fishery and Species, 1977.

	Days Fished	KS	SS	LL	RS	PS	CS	RT	DV AC	LT	GR	NP	WF	ВВ	SF	Other
TOTAL	2,156	9	0	0	0	0	7	0	11	496	1,032	215	. 0	0	139	0

^{*}South Slope Brooks Range (Area Y): All drainages from, and including, the Alatna River on the west to the Canadian Border on the east and from the Brooks Range south to the Arctic Circle.

Table 48. North Slope Brooks Range* Sport Fish Harvests and Effort by Fishery and Species, 1977.

									•	. 1	,					
	Days Fished	KS	SS	LL	RS	PS	CS	RT	DV AC	LT	GR	NP	WF	BB	SF	Other
TOTAL	2,434	0 .	0	0	0	0	0	0	241	88	1,239	0	0	0	0	0

^{*}North Slope Brooks Range (Area Z): All waters north of the Brooks Range and flowing into the Beaufort and Chukchi Seas and ending at, but excluding, Point Hope.

Table 49. Type of Sport Fishing Preferred by Alaska Anglers by Area of Residence.

	Sport Fish	hing Prefe	rred	
Area of Residence	Saltwater Percent	Stream Percent	Lake	
Alaska*				
Southeast	70	21	9	
Upper Copper-Susitna Rivers	9	61	30	
Prince William Sound	58	32	10	
Kenai Peninsula	25	66	9	
Cook Inlet-				
Lower Susitna Drainage	17	65	18	
Kodiak	40	55	5	
Alaska Peninsula-Bristol Bay-				,
Aleutian Islands	7	79	14	
Arctic-Yukon-Kuskokwim	8	67	25	
Statewide	26	58	16	
Other than Alaska			•	
United States	30	54	16	
Foreign	26	62	12	
Total	29	56	15	
Overal1	27	57	16	

^{*} Alaska areas correspond to regulatory areas.

Table 50. Order of Effort and Preference for Fish Species by Alaska Sport Fishermen by Residency.

	Alaska Res	idents	Nonresi	dents	Total	4
Rank	Effort	Preference	Effort	Preference	Effort	Preference
1	Chinook salmon					
2	Coho salmon	Coho salmon	Dolly Varden	Coho salmon	Coho salmon	Coho salmon
3	Arctic grayling	Rainbow trout	Arctic grayling	Rainbow trout	Arctic grayling	Rainbow trout
4	Rainbow trout	Arctic grayling	Coho salmon	Arctic grayling	Rainbow trout	Arctic grayling
5	Dolly Varden	Halibut	Rainbow trout	Dolly Varden	Dolly Varden	Halibut
6	Sockeye salmon	Dolly Varden	Halibut	Halibut	Sockeye salmon	Dolly Varden
7	Halibut	Sockeye salmon	Sockeye salmon	Sockeye salmon	Halibut	Sockeye salmon
- 8	Pink salmon	Steelhead trout	Pink salmon	Steelhead trout	Lake trout	Steelhead trout
9	Lake trout	Lake trout	Lake trout	Lake trout	Pink salmon	Lake trout
10	Northern pike					
11	Steelhead trout	Pink salmon	Steelhead trout	Pink salmon	Steelhead trout	Pink salmon
12	Cutthroat trout					

Table 51. Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Southeast Regulatory Area.

Rank	Souther Effort	ast Preference
1	Chinook salmon	Chinook salmon
2	Coho salmon	Coho salmon
3	Halibut	Halibut
4	Dolly Varden	Dolly Varden
5 ·	Cutthroat trout	Cutthroat trout
6	Pink salmon	Steelhead trout
7	Rainbow trout	Rainbow trout
8	Steelhead trout	Pink salmon
9	Sockeye salmon	Sockeye salmon
10	Arctic grayling	Arctic grayling
11	Rockfish	Brook Trout
12	Chum salmon	Rockfish

Table 52. Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Upper Copper-Susitna Rivers Regulatory Area.

~ 1	, , , , , , , , , , , , , , , , , , ,	sitna Rivers		
Rank	Effort	Preference		
1	Arctic grayling	Arctic grayling		
2	Lake trout	Rainbow trout		
3	Burbot	Lake trout		
4	Dolly Varden	Burbot		
	Rainbow trout	Dolly Varden		
6	Chinook salmon	Chinook salmon		
7	Sockeye salmon	Coho salmon		
8	Northern pike	Northern pike		
9	Whitefish	Steelhead trout		
10	Landlocked coho salmon	Whitefish		
11	Coho salmon	Sockeye salmon		
12	Halibut	Cutthroat trout		

Table 53. Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Prince William Sound Regulatory Area.

	Prince William	Sound
Rank	Effort	Preference
1	Coho salmon	Coho salmon
 2	Dolly Varden	Halibut
3	Halibut	Dolly Varden
4	Pink salmon	Rainbow trout
5	Cutthroat trout	Arctic grayling
6	Rainbow trout	Pink salmon
. 7	Arctic grayling	Cutthroat trout
8	Chinook salmon	Chinook salmon
9	Sockeye salmon	Razor clams
10	Rockfish	Sockeye salmon
11	Razor clams	Steelhead trout
12	Smelt	Lake trout

Table 54. Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Kenai Peninsula Regulatory Area.

	Kenai Per	ninsula
Rank	Effort	Preference
1	Chinook salmon	Chinook salmon
2	Coho salmon	Coho salmon
3	Dolly Varden	Rainbow trout
. 4	Rainbow trout	Halibut
5	Halibut	Dolly Varden
6	Sockeye salmon	Sockeye salmon
7	Steelhead trout	Steelhead trout
8	Pink salmon	Arctic grayling
9	Arctic grayling	Pink salmon
10	Razor clams	Lake trout
11	Sme1t	Northern pike
12	Kokanee salmon	Razor clams

Table 55. Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the West Cook Inlet-Susitna Drainage Regulatory Area.

Rank		Effort	Preference
1		Chinook salmon	Chinook salmon
2		Coho salmon	Coho salmon
3		Rainbow trout	Rainbow trout
4		Sockeye salmon	Arctic grayling
5		Arctic grayling	Sockeye salmon
6		Dolly Varden	Halibut
7	•	Halibut	Dolly Varden
8		Lake trout	Steelhead trout
9		Pink salmon	Lake trout
10		Steelhead trout	Pink salmon
11		Landlocked coho salm	non Northern pike
12		Burbot	Burbot

Table 56. Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Kodiak Regulatory Area.

	Rank	Effort	Kodiak	Preference	
	1	Coho salmon		Coho salmon	
	2	Dolly Varden		Dolly Varden	
	3	Pink salmon		Halibut	
	4	Halibut		Rainbow trout	
*	5	Rainbow trout		Pink salmon	
	6	Sockeye salmon		Chinook salmon	
	7	Chinook salmon		Steelhead trout	
	8	Arctic grayling		Sockeye salmon	:
	9	Steelhead trout		Arctic grayling	
	10	Chum salmon		Kokanee salmon	
	11	Rockfish		Chum salmon	
	12	Razor clams		Lake trout	:

Table 57. Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Alaska Peninsula-Bristol Bay-Aleutian Regulatory Area.

Rank	Alaska Peninsula-Bristol Bay Effort	r-Aleutian Islands Preference
1 2 3 4 5 6 7 8 9	Rainbow trout Dolly Varden Arctic grayling Chinook salmon Coho salmon Sockeye salmon Smelt Northern pike Lake trout Chum salmon	Rainbow trout Coho salmon Arctic grayling Chinook salmon Dolly Varden Northern pike Smelt Lake trout Steelhead trout Halibut
11 12	Whitefish Halibut	Chum salmon Whitefish

Table 58. Order of Effort and Preference for Fish Species by Sport Fishermen Residing in the Arctic-Yukon-Kuskokwim Regulatory Area.

		Arctic-Yukon-Kuskokwim		
Rank		Effort		Preference
1		Arctic grayling		Amatia amazii.
2		Northern pike		Arctic grayling Northern pike
3		Coho salmon		Rainbow trout
4		Rainbow trout		Lake trout
5		Lake trout		Coho salmon
6		Dolly Varden	1.3	Dolly Varden
7	*	Chinook salmon		Chinook salmon
8	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Whitefish		Sheefish
9	÷ *	Burbot		Burbot
10		Sockeye salmon		Sockeye salmon
11		Sheefish		Halibut
12		Pink salmon		Whitefish

Table 59. Percentage of Total Sport Fishing Time Spent Fishing for Salmon by Alaska Anglers by Area of Residence, 1977.

Area of Residence				Time Spent for Salmon
Alaska*				
Southeast Upper Copper-Susitna Rive Prince William Sound	r s		55 20 47	
Kenai Peninsula Cook Inlet-Lower Susitna Kodiak			49 48 49 27	
Alaska Peninsula-Bristol Arctic-Yukon-Kuskokwim	bay-Aleutlan is		15 44	
Other Than Alaska		Transfer of 1288. Transfer of the second Transfer of the second	11 44 11 41 14 14 15 14 1 47 14 1	
United States			43	Ata A Santa a
Foreign Total			45 44	
Grand Total			44	

^{*} Alaska areas correspond to regulatory areas.

Table 60. Most Frequent* Comments to the 1977 Alaska Sport Fish Survey.

		Number
1.	Stock more	1,260
2.	Make sport fishing regulations less restrictive	993
3.	Publish sport fish survey results	893
4.	Enforce regulations more and better	. 787
5.	Build more hatcheries	. 749
6.	Restrict commercial fishing more	729
7.	Provide more access	514
8.	Make sport fishing regulations more restrictive	
9.	Manage fisheries better	. 293
10.	Provide more public recreational, sanitary facilities	
11.	Control litter	. 248
12.	Rehabilitate-enhance more	. 238
13.	Allocate more salmon to sport fishermen	. 200
14.	Provide more and better information and education	
15.	Improve regulation book	
16.	Restrict sport fishing more	
17.	Increase nonresident license fees	. 131
18.	Increase fisheries research	. 130
19.	Implement punch card or permit system	. 106

^{*}Occurring 100 or more times.

Table 61. Comparison of 1977 Alaska Sport Fish Survey and Creel Census Harvests.

Fishery	Creel Census	Harvest Survey
Ketchikan Saltwater		
Chinook salmon	1,712	3,395
Coho salmon	1,459	2,961
Pink salmon	11,904	8,021
es Bay		
Chinook salmon	120	11 - John Mary II. (1 35 Alberta
Coho salmon	30	28
Pink salmon	167	
Bell Island		
Chinook salmon	474	321
Coho salmon	101	244
Pink salmon	447	372
Vrangell Saltwater		
Chinook salmon	478	818
Juneau Saltwater		요현 수 명명 () 이 그 경우 () [1일 : 이 전 () : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :
Chinook salmon	4,845	5,066
Coho salmon	13,084	15, 950
Sockeye salmon	1,748	1,205
Pink salmon	2,402	4,059
Chum salmon	138	138
Gulkana River		
Chinook salmon	332	421
Sockeye salmon	998	1,180
Kepler Lakes Complex		i di Santa di Santa Canada di Santa di S Canada di Santa di S
Landlocked coho salmon	543	528
Rainbow trout	1,557	1,822
Arctic grayling	36	92
Twentymile River		
Smal+	170,349	189,077
Sme1t	170,349	100,U//

Table 61. (cont.) Comparison of 1977 Alaska Sport Fish Survey and Creel Census Harvests.

Fishery	Creel Census	Harvest Survey
Deshka Riyer		
Coho salmon	527	559
Deep Creek Saltwater		
Chinook salmon	4,983	4,470
Resurrection Bay		
Coho salmon	16,345	14,528
<u> Kenai River</u>		
Chinook salmon	7,321 (8,783)*	7,585
Coho salmon	10,056	9,537
Russian River		
Sockeye salmon Cook Inlet Beach between Kasilof and Anchor Point	47,840	48,263
Razor clams	889,960	871,247
Buskin River		
Coho salmon	750	890
Pink salmon Dolly Varden	4,503 10,477	3,868 10,353
Delta Clearwater River		
Arctic grayling	6,634	6,118
Chatanika River		
Whitefish	986	1,635
Salcha River		
Chinook salmon	50	62
Chum salmon	25	27

Table 61. (cont.) Comparison of 1977 Alaska Sport Fish Survey and Creel Census Harvests.

Fishery	Creel Census	Harvest Survey
Birch Lake		
Landlocked coho Rainbow trout	salmon 5,753 2,387	5, 697 1,850
Quartz Lake		
Rainbow trout	2,239	2,634

^{*}Includes jacks.

Table 62. Comparison of Two 1977 Alaska Sport Fish Harvest Surveys for Selected Major Sport Fisheries.

	Sur	vey One	Sur	vey Two	
Fishery, Harvest/Effort Variable	Estimate	95% Confidence Interval	Estimate	95% Confidence Interval	
Behm Canal boat, chinook salmon	1,362	1,115- 1,609	1,154	789- 1,519	
Sitka marine boat, days fished	24,533	20,778- 28,288	22,928	15,731- 30,125	
uneau marine boat, days fished		51,209- 64,135	62,496		•
uneau marine boat, coho salmon	16,002	14,347- 17,657	15,768	12,125- 19,441	
aldez Bay, days fished	20,296	17,650- 22,942	16,345		
illow Creek, pink salmon	6,722	6,047- 7,397	8,612	7,004- 10,220	
eshka River, coho salmon	512	427- 615	724	416- 1,032	
esurrection Bay, coho salmon	14,028	12,862- 15,194	16,292	13,573- 18,981	
enai River, days fished	122,451	115,990-128,912	121,036	108,736-133,336	
enai River, chinook salmon	7,595	7,194- 7,996	7,548		
ussian River, sockeye salmon	47,870	44,611- 51,129	49,651	43,628- 55,674	* *
ast Side Cook Inlet, razor clams	878,640	874,947-882,333	845,186	807,126-883,246	1
uskin River, Dolly Varden	10,526	8,190- 12,862	9,743	6,064- 13,422	
aknek River, chinook salmon	843	294- 1,392	1,576	945- 2,207	
hena River, days fished	30,499	27,295- 33,703	28,252		
hena River, Arctic grayling	22,441	20,083- 24,799	19,192		a i
hatanika River, whitefish	1,546	1,331- 1,761	1,949		
uartz Lake, rainbow trout	2,821	2,420- 3,222	1,974	1,369- 2,579	

Table 63. Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

	Fishery	Survey One	Survey Two
rea	A. Ketchikan		
	SALTWATER:		
	Boat - East, West Behm Canals	117	38
	Boat - Clarence Strait	94	15
	Boat - Revilla Channel	42	9
	Boat - Tongass Narrows	114	36
	Boat - Yes Bay	11	4
	Boat - Bell Island	35	14
	Boat - Other Areas	58	$^{\prime\prime}$ \sim $ ilde{ ext{ii}}$ $_{ ext{i}}$
	Shoreline - Other Areas	63	8
· .	FRESHWATER:		
	Naha River	48	13
	Other Streams	75	13
	Other Lakes	78	21
rea	B. Prince of Wales Island		1 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -
	SALTWATER:		
	Boat	63	12
	Shoreline	16	1
- ".	FRESHWATER:		
	Karta River	17	5
	Sweetwater - Thorne System (Stream, Lake)	20	1
· .	Other Streams (Specify)	39	6

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

	Fishery	Survey One	Survey Two
	Other Lakes (Specify)	17	4
Area	C. Kake, Petersburg, Wrangell, Stikine Area		
	SALTWATER:		
	Boat - Blind Slough, Wrangell Narrows	56	13
	Boat - Duncan Saltchuck Duncan Canal	20	
	Boat - Gray Pass	50	4
	Boat - Other	70	13
	Shoreline - Blind Slough	13	3
	Shoreline - Duncan Saltchuck	3.	
	Shoreline - Other	29	2
	FRESHWATER:		
	Castle River	8	1
	Anan Creek	15	3
	Petersburg Creek	25	5
	Kadake Creek	5	1
	Other Streams (Specify)	42	3
	Lakes (Specify)	30	5
Area	D. Sitka		
	SALTWATER:		
1	Boat	164	39

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

Fishery	Survey One	Survey	Two
Shoreline	63	24	
FRESHWATER:		en e	
Plotnikof - Rezanof System (Lake, Stream)	14	4	
Goulding River	4	0	4 %
Pavlov Harbor System (Lake, Stream)	12	· 4	
Mud Bay Creek	3		
Other Streams (Specify)	38	110	
Lake Eva (Lake, Stream)	9	3	
Goulding Lakes	5 ,	2	
Other Lakes (Specify)	39	9	•
. Juneau Area		1.	
SALTWATER:		. ***	4 ,75
Boat - Dotys Cove to Berners And West to Point Retreat	Bay 359	72	
Boat - Other	62	13	
Shoreline - Dupont to Echo Co And Douglas Island	ove 194	42	
Shoreline - Other	38	11	
FRESHWATER:			
Dupont to Echo Cove and Douglas Island	48		
Streams (Specify)	81	11	

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

Fishery	Survey One	Survey Two
Lake Florence	15	5
Turner Lake	19	3
Other Lakes (Specify)	58	17
Area F. Haines-Skagway Area		
SALTWATER		
Boat	46	9
Shoreline	18	15
FRESHWATER		
Chilkoot River	32	18
Other Streams (Specify)	. 21	9
Chilkoot Lake	25	13
Other Lakes (Specify)	21	7
Area G. Glacier Bay		
SALTWATER:		
Boat	31	11
Shoreline	8	1
FRESHWATER:		
Streams (Specify)	.	2
Lakes (Specify)	2	16

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

Fishery	Survey One	Survey Two
Area H. Yakutat		
SALTWATER:		
Boat		ing sample
Shoreline	4	* - * * * * * * * * * * * * * * * * * *
FRESHWATER:		
Situk River	32	.
Other Streams (Specify)	10	8
Lakes (Specify)	2	0
Area I. Glennallen		
Gulkana River	291	80
Lake Louise, Lake Susitna, Tyone Lake	283	77
Van (Silver) Lake	30	5
Paxson Lake, Summit Lake	187	48
Strelna Lake	13	4
Sculpin Lake		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Crosswind Lake	22	11
Hudson Lake	11	0
Other Waters (Specify)	341	88
Area J. Prince William Sound		And the Association of the Control o
Valdez Bay	226	61

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

	Fishery	Survey One	Survey Two
·.	Eyak River	41	10
	Eshamy Lake and Lagoon, Coghill River and Lake	74	36
	Lake Shrode, Long Bay	31	8
	Pigot River	16	7
	Others (Specify)	218	48
lrea	K. Knik Arm Drainage		
	Little Susitna River	310	81
	Wasilla Creek (Rabbit Slough)	107	15
	Finger Lake	409	83
	Kepler Lake Complex	203	41
	Lucille Lake	201	44
	Big Lake	282	71
	Nancy Lake Recreation Area, Including Nancy Lake	213	53
	Others (Specify)	303	. 57
\rea	L. Anchorage		
	Jewel Lake	185	45
	Campbell Point Lake	51	15
	Sand Lake	55	11
	Lower Fire Lake	97	14

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

Fishery	Survey One	Survey Two
Mirror Lake	78	19
Otter Lake	120	25
Clunie Lake	72	22
Gwen Lake	26	5
Sixmile Lake	43	19
Green Lake	71	21
Hillberg Lake	58	15
Ship Creek	36	15
Eagle River	43	17
Bird Creek	236	64
Twentymile River	229	46
Others (Specify)	124	40
rea M. East Side Susitna Drainage		en e
Willow Creek	380	110
Montana Creek	493	113
Clear (Chunilna) Creek	58	11
Sheep Creek	255	57
Little Willow Creek	164	39
Others (Specify)	223	43

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

Fishery	Survey One	Survey Two
Area N. West Side Cook Inlet - West Side Susitna River Drainages		
Deshka River (Kroto Creek)	116	21
Lake Creek	176	39
Alexander Creek	127	39
Talachulitna River	36	15
Chuit River	34	8
Theodore River	30	7
Lewis River	9	4
Other Rivers (Specify)	146	32
Shell Lake	17	5
Whiskey Lake	8	0
Hewitt Lake	10	5
Judd Lake	17	8
Other Lakes (Specify)	55	15
Area P. Kenai Peninsula		
SALTWATER:		
Deep Creek	713	129
Resurrection Bay	556	141
Kachemak Bay	621	168
Others (Specify)	128	30

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

Fishery	Survey One	Survey Two
FRESHWATER:		
Kenai River	1,380	372
Anchor River	766	155
Ninilchik River	412	81
Deep Creek	417	94
Stariski Creek	62	16
Russian River	829	261
Others Rivers (Specify)	228	58
Hidden Lake	229	47
Canoe Lake System	188	49
Other Lakes (Specify)	317	72
Razor Clams between Kasilof and Anchor Point	747	163
rea Q. Kodiak		
SALTWATER:		
Boat	59	11
Shoreline	69	29
FRESHWATER		
Buskin River	78	27
Pasagshak River	48	25
Other Waters (Specify)	86	38

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

Fishery	Survey One	Survey Two
Area R. Naknek Drainages - Alaska Peninsula		
Naknek River	66	24
Naknek Lake	22	7
Brooks River	23	
Ugashik System	15	6 ° 2 × 2
Becharof System	6	5
Others (Specify)	66	28
Area S. Kvichak River Drainages		
Kvichak River	39	10
Lower Talarik Creek	21	6
Copper River	33	12
Gibraltar River	15	8
Newhalen River	47	16
Lake Clark Area	35	14
Others (Specify)	49	13
Area T. Nushagak Area		
Nushagak River System	29	10
Mulchatna River System	21	9
Wood River Lakes System	42	11
Tikchik-Nuyakuk Lake System	14	9

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.


Fishery	Survey One	Survey Two
Togiak River System	10	2
Others (Specify)	18	6
Area U. Tanana River Drainages		e di karangan di Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kab
Chena River, Badger Slough	348	93
Chatanika River	199	56
Salcha River	137	38
Delta Clearwater River	105	25
Birch Lake	169	32
Quartz Lake	190	41
George Lake	31	3
Minto Flats	99	25
Others (Specify)	331	95
Area V. Interior Alaska		
Respondents Specified	171	41
Area W. Seward Peninsula - Norton Sound		
Respondents Specified	83	26
Area X. Northwest Alaska		
Noatak River	12	5
Kobuk River	13	3
Wulik River	8	1
Others (Specify)	21	6

Table 63. (cont.) Number of Households Responding to the 1977 Alaska Sport Fish Harvest Surveys by Fishery.

	Fishery	Survey One Survey Two
Area Y.	South Slope Brooks Range	
Re	espondents Specified	50 13
Area Z	North Slope Brooks Range	
Re	espondents Specified	45 10

APPENDIX B

QUESTIONNAIRE AND REMINDERS



STATE OF ALASKA

DEPARTMENT OF FISH AND GAME

OFFICE OF THE COMMISSIONER

SUBPORT BUILDING — JUNEAU 9588

Dear Alaska Sport Fisherman:

Sport fishing is becoming an increasingly important part of the Alaska scene. As the State grows in population, pressure on its fishery resources is increasing rapidly. If we are to maintain and improve the quality of sport fishing, it is vital that we have the best possible information for making responsive resource management decisions.

I would very much appreciate your taking a few minutes to answer the questions attached to this letter. Although there are quite a number of pages, the questions are straightforward and you need only respond to those pertaining to the areas where you sport fished. Be assured that your responses will be considered confidential.

It is my hope that you recognize this survey as a means by which you can participate in decisions concerning this State's fishery resources. We need your input. Only when we know what your needs are can we respond to them.

Sincerely,

Ronald O. Skoog

Commissioner

Attachment

INSTRUCTIONS:


- 1. Questions apply to all members of your household.
- 2. If more than one member of your household received a copy of this questionnaire, you need fill out only one questionnaire, but to avoid repeated mailings, please return all.
- 3. Please answer the general questions on page 2.
- 4. If members of your household sport fished between January 1 and September 30 this year, please fill out the remaining pages which cover the areas you sport fished. The maps on pages 3, 11, and 21 will help you find the pages which deal with those areas. If no members of your household sport fished between January 1 and September 30, please return your questionnaire in the enclosed postage-paid envelope after answering the questions on page 2.
- 5. If you cannot remember exactly how much time you sport fished or how many fish you caught, please estimate as closely as you can. Do not count commercially-caught or subsistence-caught fish.
- 6. Please return your completed questionnaire in the enclosed postage-paid envelope.


Thanks for helping us help you.

1.	How many members of your household <u>under</u> the age of 16 sport fished between January 1 and September 30 this year?	
2.	How many members of your household 16 years of age or older sport fished between January 1 and September 30 this year?	
3.	What kind of sport fishing do you prefer? (Check only one)	
	Saltwater Stream Fishing Lake Fishing	
4.	Please list the fish species you primarily sport fished for by order of effort:	
	1	
	2	
	3.	
5.	Please list the fish species you prefer to sport fish for by order of preference:	
	1	
	2 5	
	3.	
6.	Please estimate the percentage of your total sport fishing time spent fishing for salmon.	
	What would you like to see done to improve sport fishing in Alaska?	
		•

α ω SOUTHEASTERN ALASKA

A-H





A. KETCHIKAN AREA: ALL WATERS FROM PORTLAND CANAL TO ERNEST SOUND, INCLUDING DUKE, ANNETTE, AND GRAVINA ISLANDS AND ASSOCIATED WATERS.



- 1. Mark the number of days spent <u>sport</u> fishing. *In the example, a man fished 5 days (count any part of a day as one whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
- 2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 1 rainbow were caught and kept by that household. (Please note that many fish are called by different names: smelt = hooligan, eulachon; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Coho	Red	Kokanee Salmon	Pink	Chum	Halibut	Steelhead	Cut- throat Trout	Brook Trout	Rainbow Trout	Dolly Varden	Arctic Grayling	Arctic Rockfish	Smelt	Other
Example	8	2					s.)					1				-	
SALTWATER:		-	•,		·			•	•			· · · · · · · · · · · ·					
Boat - East, West Behm Canals				* .											,		
Boat - Clarence Strait																	
Boat - Revilla Channel																	
Boat - Tongass Narrows												-					
Boat - Yes Bay												•					
Boat - Bell Island																	
Boat - Other areas																	
Shoreline - Other areas																	
RESHWATER:							•							1			<u> </u>
Naha River																	
Other streams:				!												:	
							i	1.								-	
			·														
Other lakes:																	
							* * * * * * * * * * * * * * * * * * * *										
			,														
. 1											,					ı	

00



- B. PRINCE OF WALES ISLAND: ALL WATERS FROM CAPE CHACON NORTHWARD TO SUMNER STRAIT AND FROM CLARENCE STRAIT WESTWARD.
 - 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as one whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
 - 2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 1 rainbow were caught and kept by that household. (Please note that many fish are called by different names: smelt = hooligan, eulachon; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Coho	Red	Kokanee Salmon	Pink	Chum	Halibut	Steelhead	Rainbow Trout	Cut- throat Trout	Brook Trout	Dolly Varden	Arctic Grayling	Smelt	Rockfish	Other
Example	4	2		·						/							
SALTWATER:	1				,												
Boat:	1																
Shoreline:							,				.*						
FRESHWATER:		<u> </u>															
Karta River																	
Sweetwater - Thorne system (stream, lake)						***************************************									•		
nOther streams: (specify)						: : :											
									,								
Other lakes: (specify)								-									
										-							

- C. KAKE, PETERSBURG, WRANGELL, STIKINE AREA: ALL WATERS FROM ERNEST SOUND TO CAPE FANSHAW, INCLUDING WRANGELL, ETOLIN, ZAREMBO, MITKOF, KUPREANOF, AND KUIU ISLANDS.
 - 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as one whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
 - 2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 1 coho were caught and kept by that household. (Please note that many are called by different names: smelt = hooligan, eulachon; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Coho	Red	Kokanee Salmon	Pink	Chum	Halibut	Steelhead	Rainbow Trout	Cut- throat Trout	Brook Trout	Dolly Varden	Arctic Grayling	Smelt	Rockfish	Other
Example	8	2	1.	,				1	<u> </u> -) ·.	
SALTWATER:																	
Boat - Blind Slought, Wrangell Narrows																	
Boat - Duncan Saltchuck Duncan Canal																	
Boat - Gray Pass																	
Boat - Other:																·	
Shoreline - Blind Slough											·						
Shoreline - Duncan Saltchuck						-											
Shoreline - Other:																	
FRESHWATER:	<u></u>		<u></u>				<u> </u>		1	! <u> </u>			1	·			<u> </u>
Castle River		<u> </u>	T		1		1		T .		<u> </u>	<u> </u>	I	T		1	
Anan Creek		<u> </u>									·						
Petersburg Creek		<u> </u>					·										
Kadake Creek							<u> </u>		1	· · · · · ·							
Other streams: (specify)			·													·	
	•							ļ !								•*	
] 						· .		
											•				٠		
Lakes: (specify)						:											
				· :													
) ·*.					
	l.	:	;		-								. ,		i,		

α



- D. SITKA AREA: BARANOF AND CHICAGOF ISLANDS AND ASSOCIATED WATERS.
- 1. Mark the number of day spent sport fishing. *In the example, a man fished 5 days (count any part of a day as one whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
- 2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 1 coho were caught and kept by that household. (Please note that many fish are called by different names: smelt = hooligan, eulachon; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	Vinc	Coho	Red	Kokanee Salmon	Dink	Chum	Halibut	Steelhead	Rainbow Trout	Cut- throat Trout	Brook Trout	Dolly Varden	Arctic Grayling	Smelt	Rock- Fish	Razor Clams	Other
	Rished	ス ス	Cono	Red	Salmon	Pink	Chum	nalibut	Steemeau	11000	Trout	Hout	valueli	Graying	Smert	, 1311	Giams	
Example SALTWATER:	10	1/	1.1	<u>!</u>	<u> </u>	<u> </u>	i	<u> </u>	<u> </u>	<u> </u>			!	1		!	<u> </u>	!
		, -	1	T	T			T	1	·		1	· · · · · · · · · · · · · · · · · · ·	1	<u> </u>	F	1	ì
Boat:					<u></u>										· · · · · · · · · · · · · · · · · · ·			
Shoreline:																		
FRESHWATER:	- 12		·															
Plotnikof - Rezanof system (lake, stream)															•			
Goulding River																		
Pavlov Harbor system (lake, stream)																		
Mud Bay Creek											-							
Other streams: (specify)										·								
) 							
											: 							
Lake Eva (lake, stream)								-										
Goulding Lakes																		
Other lakes: (specify)																		
							ı										. •	
														· :		·		;
						'						•		/ \				L

E. JUNEAU AREA: ALL WATERS FROM CAPE FANSHAW TO POINT SHERMAN, INCLUDING BERNERS BAY AND ALL OF ADMIRALTY ISLAND.

1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as one whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.

2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 1 coho were caught and kept by that household. (Please note that many fish are called by different names: smelt = eulachon, hooligan; king = chinook; coho = silver; red = sockeye, pink = humpback; chum = dog.)

	Days Fished	King	Coho	Red	Kokanee Salmon	Pink	Chum	Halibut	Steelhead	Rainbow Trout	Cut- throat Trout	Brook Trout	Dolly Varden	Arctic Grayling	Smelt	Rockfish	Other
Example	8	2	1							ŀ							
SALTWATER:	4						L		- L				<u> </u>			<u> </u>	
Boat - Dotys Cove to Berners Bay and west to Point Retreat																	
Boat - Other:																	
Shoreline - Dupont to Echo Cove & Douglas Island																	
Shoreline - Other:														, ,			
FRESHWATER:	 	<u> </u>	1				1	<u> </u>	1	,				1		<u> </u>	
Dupont to Echo Cove & Douglas Island													·				
Streams: (specify)																	
						•											
	ļ	ļ	 		<u> </u>				<u> </u>								
Lake Florence																	
Turner Lake																	
Other lakes: (specify)															-		

က



F. HAINES-SKAGWAY AREA: ALL WATERS FROM POINT SHERMAN TO THE CANADIAN BORDERS.

- 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
- 2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 1 coho were caught and kept by that household. (Please note that many fish are called by different names: smelt = hooligan, eulachon; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Coho	Red	Kokanee Salmon	Pink	Chum	Halibut	Steelhead	Rainbow Trout	Cut- throat Trout	Brook Trout	Dolly Varden	Arctic Grayling	Smelt	Rockfish	Other
Example	8	2	١														
SALTWATER:				,											-		
Boat:															-		
Shoreline:																	
FRESHWATER:					:							<u> </u>					
Chilkoot River											-						
Other streams: (specify)																	
ග ©																	
Chilkoot Lake														,			
Other lakes: (specify)							·										

1. Mark the number of days spent sport fishing: *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.


2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 1 coho were caught and kept by that household. (Please note that many fish are called by different names: smelt = eulachon, hooligan; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Coho	Red	Kokanee Salmon	Pink	Chum	Halibut	Steelhead	Rainbow Trout	Cut- throat Trout	Brook Trout	Dolly Varden	Arctic Grayling	Smelt	Rockfish	Other
Example	8	2)														
SALTWATER:			<u> </u>	<u> </u>						<u> </u>	H	· · · · · · · · · · · · · · · · · · ·	**************************************	· · · · · · · · · · · · · · · · · · ·			
Boat:																	
Shoreline:																	
FRESHWATER:					· · · · · · · · · · · · · · · · · · ·											- 1	
Streams: (specify)															٠.		
					•							1.					
Lakes: (specify)										1							

H. YAKUTAT AREA: ALL WATERS FROM CAPE SUCKLING TO CAPE FAIRWEATHER.

4000	400
	. 039
2007	MANUSCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON
	28
racestra.	486

	Days Fished	King	Coho	Red	Kokanee Salmon	Pink	Chum	Halibut	Steelhead	Rainbow Trout	Cut- throat Trout	Brook Trout	Dolly Varden	Arctic Grayling	Smelt	Rockfish	Other
SALTWATER:																	
Boat:]								
Shoreline:																	
FRESHWATER:											-			<u> </u>			
Situk River		T		·				T		T]		T -	
Other streams: (specify)				!		i			 							ļ — —	
46 *						,						,			-		
	4.2	Mary Conf.								a control production	way is in	** :	eni, com				
•		İ										* .					
Lakes: (specify)											7						
		İ															
		-	1 1					(
T T		1	1 1		1	,		1						, ,		1	



- GLENNALLEN: ALL WATERS AND DRAINAGES OF THE OSHETNA RIVER AND THE COPPER RIVER UPSTREAM FROM A LINE BETWEEN THE SOUTH BANK OF HALEY CREEK AND THE SOUTH BANK OF CANYON CREEK IN WOODS CANYON, AND INCLUDING THE UPPER SUSITNA RIVER DRAINAGE FROM ITS CONFLUENCE WITH THE OSHETNA RIVER.
 - 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
 - 2. For each variety of fish, mark the number caught and kept. In the example, 2 burbot and 2 lake trout were caught and kept by that household. (Please note that many fish are called by different names: king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Sea-run Coho	Land- locked Coho	Red	Pink	Chum	Rainbow Trout	Lake Trout	Steelhead	Dolly Varden Arctic Char	Arctic Grayling	Whitefish	Burbot	Other
Example	8								2					2	
Gulkana River			-										i		
Lake Louise, Lake Susitna, Tyone Lake															
Van (Silver) Lake									. •					,	
Paxson Lake Summit Lake															
Streina Lake						14									
Sculpin Lake		-										. ••			
Crosswind Lake															
Hudson Lake															
Other waters: (specify)															



- PRINCE WILLIAM SOUND: ALL WATERS AND DRAINAGES FROM CAPE SUCKLING THROUGH PRINCE WILLIAM SOUND TO CAPE PUGET, INCLUDING THAT PORTION OF THE COPPER RIVER DRAINAGE DOWNSTREAM OF A LINE BETWEEN THE SOUTH BANK OF HALEY CREEK AND THE SOUTH BANK OF CANYON CREEK IN WOODS CANYON
 - 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
 - 2. For each variety of fish, mark the number caught and kept. In the example, 2 smelt and 2 whitefish were caught and kept by the household. (Please note that many fish are called by different names: smelt = eulachon, hooligan; king = chinook; coho = silver; red = sockeye; pink = humpback.)

	Days Fished	King	Coho	Red	Pink	Chum	Halibut	Rainbow Trout	Cut- throat Trout	Dolly Varden Arctic Char	Whitefish	Smelt	Rockfish	Razor Clams	Other
Example	8										2	2			
Valdez Bay															
Eyak River					•			±							
Eshamy Lake and lagoon Coghill River and lake											•				
Lake Shrode, Long Bay															
Pigot River													: -		
Others: (specify)															

K. KNIK ARM DRAINAGE: ALL WATERS INSIDE THE AREA BOUNDED BY THE LITTLE SUSITNA RIVER ON THE NORTH AND WEST AND THE KNIK ARM ON THE SOUTH, INCLUDING ALL DRAINAGES OF THE MATANUSKA AND KNIK RIVERS. (BOUNDARY STREAMS INCLUDED IN THE AREA.)

K

- 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
- 2. For each variety of fish, mark the number caught and kept. In the example, 2 burbot and 2 lake trout were caught and kept by that household (Please note that many fish are called by different names: king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days		Sea-run	Land- locked			<u> </u>	Rainbow	Dolly Varden	Lake	Arctic		Other
	Fished	King	Coho	Coho	Red	Pink	Chum	Trout	Arctic Char	Trout	Grayling	Burbot	
Example	8									2		2	
Little Susitna River													
Wasilla Creek (Rabbit Slough)													
Finger Lake		'											
Kepler Lake Complex													
Lucille Lake				:					·				
Big Lake													
Nancy Lake Recreation area, including Nancy Lake				:						: .			
Others: (specify)					, e'					: '			
								,					
							·			-			



. ANCHORAGE AREA: ALL WATERS INSIDE THE AREA BOUNDED BY THE EKLUTNA RIVER ON THE NORTH, KNIK ARM ON THE WEST, TURNAGAIN ARM TO-AND INCLUDING-PORTAGE CREEK AT PORTAGE ON THE SOUTH, AND THE CHUGACH MOUNTAINS ON THE EAST. (BOUNDARY STREAMS ARE INCLUDED IN THE AREA.)

- 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
- 2. For each variety of fish, mark the number caught and kept. In the example 2 char and 2 rainbow were caught and kept by that household. (Please note that coho salmon can also be called silver salmon.)

	Days Fished	Sea-run Coho	Land-locked Coho	Rainbow Trout	Dolly Varden Arctic Char	Arctic Grayling	Other
Example	8			2	2	*	
Jewel Lake							
Campbell Point Lake							
Sand Lake							
Lower Fire Lake							
Mirror Lake							
Otter Lake		. 1.7.1.					
Clunie Lake					_		
Gwen Lake							
Sixmile Lake	***************************************						
Green Lake				•			
Hillberg Lake							
Ship Creek							
Eagle River							
Bird Creek	**************************************						
Twentymile River							
Others: (specify)							
					·	·	
					r		
						i i	

M. EAST SIDE SUSITNA DRAINAGE: ALL EAST SIDE DRAINAGES OF THE SUSITNA RIVER BELOW ITS CONFLUENCE WITH THE OSHETNA RIVER. FISH TAKEN WHILE FISHING FROM THE EAST BANK OF THE SUSITNA RIVER ARE INCLUDED IN THIS AREA.

M

- 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
- 2. For each variety of fish, mark the number caught and kept. In the example, 2 burbot and 2 lake trout were caught and kept by that household. (Please note that many fish are called by different names: king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Sea-run Coho	Land- locked Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Burbot	Other
Example	8									2		2	
Willow Creek													
Montana Creek													
Clear (Chunilna) Creek													
Sheep Creek													
Little Willow Creek													
Others: (specify)													
												-	

N. WEST SIDE COOK INLET-WEST SIDE SUSITNA RIVER DRAINAGES: ALL WEST SIDE SUSITNA RIVER DRAINAGES AND ALL WEST SIDE COOK INLET WATERS SOUTHWARD TO CAPE DOUGLAS. FISH TAKEN WHILE FISHING FROM THE WEST BANK OF THE SUSITNA RIVER ARE IN-**CLUDED IN THIS AREA.**

- 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
- 2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 1 rainbow were caught and kept by that household. Since Talachulitna rainbow cannot be kept, mark the number you caught and released. (Please note that many fish are called by different names: king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	Kings less than 20"	Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Northern Pike	Burbot	Razor Clams	Other
Example	8	2					1							
Deshka River (Kroto Creek)														
Lake Creek														
Alexander Creek	:							·						
Talachulitna River														
Chuit River									•					
Theodore River						-								
coLewis River														
Other rivers: (specify)														
Shell Lake														
Whiskey Lake									·	·				
Hewitt Lake			·											
Judd Lake														
Other lakes: (specify)									• ,					
									.	·				

P. KENAI PENINSULA: ALL WATERS AND DRAINAGES OF THE KENAI PENINSULA FROM CAPE PUGET AROUND TO, BUT EXCLUDING PORTAGE CREEK AT PORTAGE, INCLUDING KALGIN ISLAND.

1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.

2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 2 halibut were caught and kept by that household. (Please note that many fish are called by different names: smelt = eulachon, hooligan; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Sea-run Coho	Land- locked Coho	Red	Kokanee Salmon	Pink	Chum	Halibut	Steelhead	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Smelt	Rock- fish	Razor Clams	Other
Example	8	ュ							2									
SALTWATER:		4	!	1	L		.	.4		<u> </u>		<u> </u>		· · · · · · · · · · · · · · · · · · ·				
Deep Creek]						T										
Resurrection Bay	1																	
Kachemak Bay																		
Others: (specify)																		:
			ŀ]												
)	1		1				4								
							ļ								-			
		<u> </u>		<u> </u>		<u></u>		<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>
FRESHWATER:					7, 7						· .		· · · · · · · · · · · · · · · · · · ·					
Kenai River								T .										
Anchor River																		
Ninilchik River																		
Deep Creek																		
Stariski Creek																		
Russian River																		
Other rivers: (specify)									-									
						,		ļ,		,		-						
						ľ			-								,	
									·					1	1			
								<u> </u>										
Hidden Lake							·										<u> </u>	
Canoe Lake system																÷		*1
Other lakes: (specify)			20-3									. 1						
															 			·
				:														
Razor clams between Kasilof and Anchor Point		To	tal diggin	g days		· •••			То	tal clams	taken						1	1



Q. KODIAK AREA: ALL WATERS AND DRAINAGES OF THE KODIAK AND AFOGNAK ISLAND GROUPS.

1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.

2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 2 rainbow were caught and kept by that household. (Please note that many fish are called by different names: smelt = capelin, hooligan; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Sea-run Coho	Land- locked Coho	Red	Pink	Chum	Halibut	Steelhead	Rainbow Trout	Dolly Varden Arctic Char	Arctic Grayling	Rockfish	Razor Clams	Capelin (smelt)	Other
Example	8	2								ユ						
SALTWATER:																
Boat:																
Shoreline:				-												
FRESHWATER:																
Buskin River														-		
Pasagshak River																
Other waters: (specify)								·								
								1								
					·											



R. NAKNEK DRAINAGES-ALASKA PENINSULA: ALL WATERS AND DRAINAGES BETWEEN CAPE DOUGLAS AND THE COMMUNITY OF NAKNEK INCLUDING THE NAKNEK RIVER DRAINAGE AND THE ALEUTIAN ISLAND CHAIN.

* Note: Instructions for sections R, S, and T are slightly different.

For each variety of fish, mark the number caught and the number kept. In the example, 4 king were caught and 2 were kept, and 6 rainbow were caught and only 2 kept.

	Days Fished	King	Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Northern Pike	Whitefish	Burbot	Smelt	Other
Example	8	4/2					6/2								
Naknek River						-									
Naknek Lake															
Brooks River															
Ugashik system										 			<u> </u>	· · · · · · · · · · · · · · · · · · ·	
Becharof system															
Others: (specify)							<u></u>								
	1]	` .					_							
	•					, **			İ				•		
	<u> </u>	•			•		:			ļ					
en e n en en e n en en en en en en en en en en en en en		<u>L </u>	,									, 			

ALL LAKES AND TRIBUTARIES OF THE KVICHAK RIVER DRAINAGE, INCLUDING NONVIANUK LAKE, KUKAKLEK LAKE, KULIK LAKE, LAKE ILIAMNA, AND LAKE CLARK.


- 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
- 2. For each variety of fish, mark the number <u>caught and</u> number <u>kept</u>. In the example, 4 king were caught and 3 were kept, and 6 rainbow were caught and only 2 were kept. (Please note that many fish are called by many different names: smelt = hooligan, eulachon; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Northern Pike	Whitefish	Burbot	Smelt	Other
Example	8	4/2					6/2								
Kvichak River				·											
Lower Talarik Creek															
Copper River															
Gibraltar River								*****************							
Newhalen River															
Lake Clark Area															· · · · · · · · · · · · · · · · · · ·
Others: (specify)			· · · · · · · · · · · · · · · · · · ·												
•															

T. NUSHAGAK AREA: ALL LAKES AND TRIBUTARIES OF THE NUSHAGAK RIVER DRAINAGE, INCLUDING THE MULCHATNA RIVER DRAINAGE, THE WOOD RIVER AND TIKCHIK LAKE SYSTEMS, AND WATERS WESTWARD TO CAPE NEWENHAM.

Please use the same instructions as in S.

	Days Fished	King	Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Northern Pike	Whitefish	Burbot	Smelt	Other
Nushagak River system							•								
Mulchatna River system															
Wood River Lakes system	. ·									<u> </u>		· · · · · · · · · · · · · · · · · · ·			
Tikchik-Nuyakuk Lake system															
Togiak River system					•					1	-		1		
Others: (specify)															
				ì									,		



U. TANANA RIVER DRAINAGES: ALL WATER WITHIN THE WATERSHED OF THE TANANA RIVER UPSTREAM FROM ITS CONFLUENCE WITH THE YUKON RIVER.

- 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as one whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
- 2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 1 land-locked coho were caught and kept by that household. (Please note that many fish are called by different names: smelt = hooligan, eulachon; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Sea-run Coho	Land- locked Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Northern Pike	Whitefish	Burbot	Sheefish	Other
Example	8	2		1							·					
Chena River, Badger Slough			·												·	·
Chatanika River				-												
Salcha River	:															
Delta Clearwater River														·		
Birch Lake					·											
Quartz Lake																
George Lake						•										•
Minto Flats																
Others: (specify)																
											,					
					. ,											
														1		



- V. INTERIOR ALASKA: ALL WATERS OF THE YUKON AND KUSKOKWIM DRAINAGES SOUTH OF THE ARCTIC CIRCLE AND EXCLUDING THE TANANA DRAINAGES, ALSO TO INCLUDE WATER FLOWING INTO KUSKOKWIM BAY.
 - 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
 - 2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 2 rainbow were caught and kept by that household. (Please note that many fish are called by different names: smelt = capelin, hooligan; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Sea-run Coho	Land- locked Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Northern Pike	Whitefish	Burbot	i	Other
Example	8	2						ス	·							, ,
Please specify:		·														
1			·							······································		•				
						·										

W. SEWARD PENINSULA-NORTON SOUND: THE AREA NORTH OF THE YUKON RIVER DRAINAGE AND SOUTH OF THE SELAWICK RIVER-KOTZEBUE SOUND AREA, NOT TO INCLUDE THE KOYUKUK RIVER.

	Days Fished	King	Sea-run Coho	Land- locked Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Northern Pike	Whitefish	Burbot	Sheefish	Other
Example	8	2				•		2								
Please specify:			,													
												<u></u>				
				·												
		, ,														
		'	(; T)	[] [air e						[]	L	

X. NORTHWEST ALASKA: KOTZEBUE AREA, TO INCLUDE DRAINAGES OF SELAWICK, KOBUK, NOATAK, WULIK, AND KIVALINA RIVERS.

X

- 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
- 2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 2 rainbow were caught and kept by that household. (Please note that many fish are called by different names: smelt = capelin, hooligan; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Sea-run Coho	Land- locked Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Northern Pike	Whitefish	Burbot	Sheefish	Other
Example	8	2			-			2								
Noatak River																
Kobuk River						-								:		
Wulik River										,			·			
Others: (specify)																
							:	·			·					
		·		·								· · · · · · · · · · · · · · · · · · ·				



- Y. SOUTH SLOPE BROOKS RANGE: ALL DRAINAGES FROM, AND INCLUDING, THE ALATNA RIVER ON THE WEST, TO THE CANADIAN BORDER ON THE EAST, AND FROM THE BROOKS RANGE SOUTH TO THE ARCTIC CIRCLE.
 - 1. Mark the number of days spent sport fishing. *In the example, a man fished 5 days (count any part of a day as the whole day) and his son fished with him 3 of those days. "8" (5+3) is entered in the space.
 - 2. For each variety of fish, mark the number caught and kept. In the example, 2 king and 2 rainbow were caught and kept by that household. (Please note that many fish are called by different names: smelt = capelin, hooligan; king = chinook; coho = silver; red = sockeye; pink = humpback; chum = dog.)

	Days Fished	King	Sea-run Coho	Land- locked Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Northern Pike	Whitefish	Burbot	Sheefish	Other
Example	q	2						2	·				,			
Please specify:							-									
														·		·

Z

Z. NORTH SLOPE BROOKS RANGE: ALL WATERS NORTH OF THE BROOKS RANGE AND FLOWING INTO THE BEAUFORT AND CHUKCHI SEAS AND ENDING AT, BUT EXCLUDING, POINT HOPE.

	Days Fished	King	Sea-run Coho	Land- locked Coho	Red	Pink	Chum	Rainbow Trout	Dolly Varden Arctic Char	Lake Trout	Arctic Grayling	Northern Pike	Whitefish	Burbot	Sheefish	Other
Example			i													
Please specify:					·											
									:							
·							•									
L		<u> </u>	<u> </u>				·									

OFFICE OF THE COMMISSIONER

SUBPORT BUILDING -- JUNEAU \$5881

Dear Alaska Sport Fisherman:

We have not yet received your completed 1977 Alaska Sport Fishing Survey form. If you have not yet returned it to us, please complete the enclosed form and return it in the postage-paid envelope that is provided for your use.

Please do not underestimate the importance of your fishing activities. You have been chosen as part of a representative sample of Alaskan sport fishermen and the information that you can provide is vital to the success of this study, and may have a significant impact on the future management of Alaska's sport fish resources.

If you have already returned your questionnaire, please disregard this letter and accept our sincere thanks.

Sincerely,

Rupe Vt E. Andrews, Director

Sport Fish Division

0

OFFICE OF THE COMMISSIONER

Dear Alaska Sport Fisherman:

Some time has passed since we first requested information about your fishing activities in Alaska in 1977. We still have not received your reply.

You were selected as part of a representative sample of Alaskan fishermen and, as such, we urgently need your reply at the earliest possible date. If you did not fish in Alaska in 1977, we need your reply anyway. Simply answer the applicable questions and return the survey form in the enclosed postage-paid envelope.

Won't you give a few minutes of your time now to help insure future fishing enjoyment in Alaska for yourself and others?

If you have already returned your completed questionnaire, please disregard this letter and accept our sincere thanks.

Sincerely,

Rupert E. Andrews, Director

Sport Fish Division

0

WE NEED YOUR HELP!

Please answer the questionnaire, as we need <u>your</u> answers to assess sport fishing in Alaska (regardless of how often you fished or how many fish you caught).

Please complete the survey and return it to us in the stamped envelope we have enclosed.

Thank you for your cooperation.

If you have already returned your questionnaire, please disregard this reminder.

OFFICE OF THE COMMISSIONER

SUBPORT BUILDING

Dear Alaska Sport Fisherman:

Sport fishing is becoming an increasingly important part of the Alaska scene. As the State grows in population, pressure on its fishery resources is increasing rapidly. If we are to maintain and improve the quality of sport fishing, it is vital that we have the best possible information for making responsive resource management decisions.

I would very much appreciate your taking a few minutes to answer the questions attached to this letter. Although there are quite a number of pages, the questions are straightforward and you need only respond to those pertaining to the areas where you sport fished. Be assured that your responses will be considered confidential.

It is my hope that you recognize this survey as a means by which you can participate in decisions concerning this State's fishery resources. We need your input. Only when we know what your needs are can we respond to them.

Sincerely,

Ronald O. Skoog Commissioner

Attachment

INSTRUCTIONS:

- 1. Questions apply to all members of your household.
- 2. If more than one member of your household received a copy of this questionnaire, you need fill out only one questionnaire, but to avoid repeated mailings, please return all.
- 3. Please answer the general questions on page 2.
- 4. If members of your household <u>sport</u> fished between January 1 and December 31, 1977, please fill out the remaining pages which cover the areas you sport fished. The maps on pages 3, 11, and 21 will help you find the pages which deal with those areas. If no members of your household <u>sport</u> fished bewteen January 1 and December 31, 1977, please return your questionnaire in the enclosed postage-paid envelope after answering the questions on page 2.
- 5. If you cannot remember exactly how much time you <u>sport</u> fished or how many fish you caught, please estimate as closely as you can. Do not count commercially-caught or subsistence-caught fish.
- 6. Please return your completed questionnaire in the enclosed postage-paid envelope.

Thanks for helping us help you.

GENE	RAL QUESTIONS:
1.	How many members of your household <u>under</u> the age of 16 <u>sport</u> fished between January 1 and December 31, 1977?
2.	How many members of your household 16 years of age or older <u>sport</u> fished between January 1 and December 31, 1977?
3.	What kind of sport fishing do you prefer? (Check only one)
	Saltwater Stream Fishing Lake Fishing
4.	Please list the fish species you primarily sport fished for by order of effort:
	1
	2.
	3.
5.	Please list the fish species you prefer to sport fish for by order of preference:
	1
	25.
	3.
6.	Please estimate the percentage of your total <u>sport</u> fishing time spent fishing for salmon.
7.	What would you like to see done to improve sport fishing in Alaska?

ARLIS

Alaska Resources
Library & Information Services
Anchorage, Alaska