Susitna-Watana Hydroelectric Project Document ARLIS Uniform Cover Page

Title: Salmon escapement study, Study plan Section 9.7: Initial study r Part B: Supplemental information (and errata) to Part A (February Draft Initial Study Report)	SuWa 223		
Author(s) – Personal:			
Author(s) - Corporate: LGL Alaska Research Associates, Inc.			
Alaska Department of Fish and Game, Division of Sport Fish			
AEA-identified category, if specified: Initial study report			
AEA-identified series, if specified:			
Series (ARLIS-assigned report number): Susitna-Watana Hydroelectric Project document number 223	Existing numbers on document:		
Published by: [Anchorage : Alaska Energy Authority, 2014]	Date published: June 2014		
Published for: Alaska Energy Authority	Date or date range of report:		
Volume and/or Part numbers:	Final or Draft status, as indicated:		
Document type:	Pagination: 1 page		
Related work(s): The following parts of Section 9.7 appear in separate files: Part A; Part B; Part C; Part D.	Pages added/c	hanged by ARLIS:	
Notes:			

All reports in the Susitna-Watana Hydroelectric Project Document series include an ARLIS-produced cover page and an ARLIS-assigned number for uniformity and citability. All reports are posted online at http://www.arlis.org/resources/susitna-watana/





Susitna-Watana Hydroelectric Project (FERC No. 14241)

Salmon Escapement Study Study Plan Section 9.7

Initial Study Report

Part B: Supplemental Information (and Errata) to Part A (February 3, 2014 Draft Initial Study Report)

Prepared for

Alaska Energy Authority



Prepared by

LGL Alaska Research Associates, Inc. &

Alaska Department of Fish and Game, Division of Sport Fish

June 2014

PART B: SUPPLEMENTAL INFORMATION (AND ERRATA) TO PART A (FEBRUARY 3, 2014 DRAFT INITIAL STUDY REPORT)

Part A Reference	Description	
Tables I-5 and I-10 (Appendix I, p.10, 14)	The standard errors and confidence intervals for Chinook and coho salmon abundance within tributaries/groupings were revised by ADF&G after the February 3 submission of the draft ISR. Revised Tables I-5 and I-10 are provided below.	

Table I-1. Chinook salmon spawning distributions, based on weighted abundance (Table I-4), in the mainstem Susitna River above the lower river tagging site, 2013.

	Estimated		Intervals	
Location	Abundance	SE	95% lower	95% upper
Susitna River above the mainstem tagging site	89,463	9,523	77,720	114,954
PRM 34–102.4 mainstem Susitna River ^a	2,432	757	1,227	4,184
Deshka River	18,469	2,262	15,343	24,207
Eastside Susitna River	16,867	2,511	13,306	23,134
Talkeetna River	24,408	3,545	19,541	33,412
PRM 102.4–153.4 mainstem Susitna River ^b	7,680	1,494	5,435	11,281
Chulitna River	19,607	2,823	15,635	26,700

^a PRM 34 upstream to the Chulitna River Confluence

Table I-2. Coho salmon spawning distributions, based on weighted abundance (Table I-9), in the mainstem Susitna River above the lower river tagging site, 2013.

Location	Estimated Abundance	SE	Intervals	
			95% lower	95% upper
Susitna River above the mainstem tagging site	130,026	24,342	100,411	193,403
PRM 34–102.4 mainstem Susitna River ^a	31,204	8,010	20,640	51,617
Deshka River	29,215	6,875	19,934	46,594
Eastside Susitna River	11,038	3,280	6,270	19,027
Talkeetna River	13,372	3,762	7,969	22,615
PRM 102.4–153.4 mainstem Susitna River ^b	8,313	2,961	4,005	15,534
Chulitna River	36,844	8,144	26,073	57,609

^a PRM 34 upstream to the Chulitna River Confluence

^b Chulitna River Confluence to Devils Canyon

^b Chulitna River Confluence to Devils Canyon