SUSITNA HYDRUELECTRIC PROJECT

RESPONSE OF JUVENILE CHINOOK HABITAT
TO MAINSTEM DISCHARGE
IN THE TALKEETNA-TO-DEVIL CANYON SEGMENT
OF THE SUSITNA RIVER, ALASKA

PREPARED BY:

CLEVELAND R. STEWARD, III R. CURT WILKINSON ALEXANDER MILNER

TRIHEY AND ASSOCIATES

Under Contract To Harza-Ebasco Susitna Joint Venture

> Prepared for Alaska Power Authority

> > Draft Report September 1985

PREFACE

The goal of the Alaska Power Authority in identifying environmentally acceptable flow regimes for the proposed Susitna Hydroelectric Project is the maintenance of existing fish resources and levels of production. This goal is consistent with mitigation goals of the U.S. Fish and Wildlife Service and the Alaska Department of Fish and Game. Maintenance of naturally occurring fish populations and habitats is the preferred goal in agency mitigation policies.

In 1982, following two years of baseline studies, a multi-disciplinary approach to quantify effects of the proposed Susitna Hydroelectric Project on existing fish habitats and to identify mitigation opportunities was initiated. The Insteam Flow Relationships Studies focus on the response of fish habitats in the middle Susitna River to incremental changes in mainstem discharge, temperature and water quality. As part of this multidisciplinary effort, a technical report series was planned that would (1) describe the existing fish resources of the Susitna River and identify the seasonal habitat requirements of selected species, and (2) evaluate the effects of alternative project designs and operating scenarios on physical processes which most influence the seasonal availability of fish habitat.


The summary report for the IFRS, the Instream Flow Relationships Report (IFRR), (1) identifies the biologic significance of the physical processes evaluated in thie technical report series, (2) integrates the findings of the technical report series, and (3) provides quantitative relationships and discussions regarding the influences of incremental changes in stream-

flow, stream temperature, and water quality on fish habitats in the middle Susitna River on a seasonal basis.

The IFRR consists of two volumes. Volume I uses project reports, data and professional judgment available before March 1985 to identify evaluation species, important life stages, and habitats. The report ranks a variety of physical habitat components with regard to their degree of influence on fish habitat at different times of the year. This ranking considers the biologic requirements of the evaluation species and life stage, as well as the physical characteristics of different habitat types, under both natural and anticipated with-project conditions. Volume II of the IFRR will address the third objective of the IFRR and provide quantitative relationships regarding the influences of incremental changes in streamflow, stream temperature, and water quality on fish habitats in the middle Susitna River on a seasonal basis.

The influence of incremental changes in streamflow on the availability and quality of fish habitat is the central theme of the IFRR Volume II analysis. Project-induced changes in stream temperature and water quality are used to condition or qualify the forecasted responses of fish habitat to instream hydraulics. The influence of streamflow on fish habitat will be evaluated at the microhabitat level and presented at the macrohabitat level in terms of a composite weighted usable area curve. This composite curve will describe the combined response of fish habitat at all sites within the same representative group to incremental changes in mainstem discharge.

Four technical reports are being prepared by E. Woody Trihey and Associates in support of the IFRR Volume II analysis. The function of each report is depicted in a flow diagram and described below.



Quantify Streamflow-Dependent Habitat Response Functions for Juvenile Chinook and Spawning Chum Salmon

RESPONSE OF AQUATIC HABITAT SURFACE AREAS TO MAINSTEM DISCHARGE IN THE TALKEETNA-TO-DEVIL CANYON SEGMENT OF THE SUSITNA RIVER, ALASKA

This report identifies five aquatic habitat types within the middle Susitna River directly influenced by changes in mainstem discharge and presents the necessary photography and surface area measurements to quantify the change in wetted surface area associated with incremental decreases in mainstem discharge between 23,000 and 5,100 cfs. The report also describes the influence of mainstem discharge on habitat transformations and tabulates the wetted surface area responses for 172 specific areas using the ten representative groups presented in the Habitat Characterization Report. Surface area measurements presented in this report provide a basis for extrapolating results from intensively studied modeling sites to the remainder of the middle Susitna River.

CHARACTERIZATION OF AQUATIC HABITATS IN THE TALKEETNA-TO-DEVIL CANYON SEGMENT OF THE SUSITNA RIVER, ALASKA

This report describes the characterization and classification of 172 specific areas into ten representative groups that are hydrologically, hydraulically and morphologically similar. Emphasis is placed on the transformation of specific areas from one habitat type to another in response to incremental decreases in mainstem discharge from 23,000 cfs to 5,100 cfs. Both modeled and non-modeled sites are classified and a structural habitat index is presented for each specific area based upon subjective

evaluation of data obtained through field reconnaissance surveys. Representative groups and structural habitat indices presented in this report provide a basis for extrapolating habitat response functions developed at modeled sites to non-modeled areas within the remainder of the river.

HYDRAULIC RELATIONSHIPS AND MODEL CALIBRATION PROCEDURES AT 1984 STUDY SITES IN THE TALKEETNA-TO-DEVIL CANYON SEGMENT OF THE SUSITNA RIVER, ALASKA

This report describes the influence of site-specific hydraulic conditions on the availability of habitat for juvenile chinook and spawning chum salmon. Two aquatic habitat models are applied to quantify site-specific habitat responses to incremental changes in depth and velocity for both steady and spatially varied streamflow conditions. Summaries of site-specific stage-discharge and flow-discharge relationships are presented as well as a description of data reduction methods and model calibration procedures. Weighted usable area forecasts are provided for juvenile chinook at 8 side channel sites and for spawning chum salmon at 14 side channel and mainstem sites. These habitat response functions provide the basis for the instream flow assessment of the middle Susitna River.

RESPONSE OF JUVENILE CHINOOK AND SPAWNING CHUM SALMON HABITAT TO MAINSTEM DISCHARGE IN THE TALKEETNA-TO-DEVIL CANYON SEGMENT OF THE SUSITNA RIVER, ALASKA

This report <u>integrates</u> results from the surface area mapping, habitat characterization, and hydraulic modeling reports to provide streamflow dependent habitat response functions for juvenile chinook and spawning chum salmon. Wetted surface area and weighted usable area are the principal determinants of habitat indices provided in Part A of the report for juvenile chinook at each specific area and the ten representative groups identified in the habitat characterization report. Part B of this report provides habitat response functions for existing chum salmon spawning sites. The habitat response functions contained in this report will be used for an incremental assessment of the rearing and spawning potential of the entire middle Susitna River under a wide range of natural and with-project streamflows.

TABLE OF CONTENTS

			Page No.
PREF	ACE	•••••	ii
LIST	OF F	GURES	111
LIST	OF T	BLES	xiv
LIST	OF P	ATES	χv
1.0	INTR	DUCTION	1
2.0	METH	DS	11
	2.1	Habitat Characterization of the Middle Susitna River	11
		2.1.1 Study Site Classifications	11
		2.1.2 Representative Groups	13
	2.2	Quantification of Surface Areas	19
	2.3	Physical Habitat Modeling Studies	20
		2.3.1 Overview of Modeling Techniques	20
		2.3.2 Hydraulic Data Requirements	22
		2.3.3 Habitat Suitability Criteria	26
		2.3.4 Habitat Model Response Variables	32
	2.4	Extrapolation of Modeling Results to Non-modeled Specific Areas	37
	2.5	Application of Habitat Modeling Results	43
3.0	RESU	.TS	44
	3.1	Representative Group I	44
	3.2	Representative Group II	51
	3.3	Representative Group III	65
	3.4	Representative Group IV	77

	3.5	Represer	ntative	Group	٧	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	 88
	3.6	Represer	ntative	Group	٧١		• • • • •	• • • • •		• • • • •	 95
	3.7	Represer	ntative	Group	vII				••••		 103
	3.8	Represer	ntative	Group	VIII.			••••		• • • • •	 106
	3.9	Represen	ntative	Group	IX			• • • • •		••••	 110
4.0	SUMM	ARY	•••••			••••		••••		••••	 122
LITE	RATUR	E CITED.						• • • • •			 127
APPE	NDICE	S:									
	Appe	ndix A -	Aerial	Photog	graphy	of M	odeli	ng Si	tes	• • • • •	 130
	Appe	ndix B -	Habitat for Spe	t Avai	labili Areas	ty In	dices	(HAI) • • • • • •		 163
	Appe	ndix C -	Wetted for Spe	Surface ecific	ce Area Areas	a (WS	A) Va	lues			 179
	Appe	ndix D -	Weighte				UA) V	alues			105

LIST OF FIGURES

Figure No.		Page No.
1.	Natural and with-project mean weekly discharges for the middle Susitna River.	3
2.	Percentage distribution of juvenile chinook salmon within different habitat types of the middle Susitna River during the open water period	5
3.	Flow chart indicating steps followed in the extrapolation of site-specific juvenile chinook habitat indices to the entire middle Susitna River.	10
4.	Juvenile chinook habitat modeling sites in the middle Susitna River.	12
5.	Key to habitat transformation categories used to classify specific areas to representative groups.	17
6.	RJHAB and PHABSIM modeling pathways followed in the analysis of juvenile chinook salmon habitat.	21
7.	Sampling design for RJHAB modeling sites.	23
8.	Sampling design for PHABSIM modeling sites.	24
9.	Cover suitability criteria used to model juvenile chinook habitat (WUA) in the middle Susitna River.	27
10.	Depth suitability criteria used to model juvenile chinook habitat (WUA) under clear and turbid water conditions in the middle Susitna River.	28
11.	Velocity suitability criteria used to model juvenile chinook habitat (WUA) under clear and turbid water conditions in the middle Susitna River	29
12.	Derivation of a non-modeled specific area (sa) HAI curve using a modeled specific area (ms) HAI curve.	41
13.	Surface area and chinook rearing habitat index response curves for modeling site 107.6L.	45
14.	Surface area and chinook rearing habitat index response curves for modeling site 112.5L.	47
15.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 107.6L of Representative Group I.	49

Figure No.		Page No.
16.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 112.5L of Representative Group I.	50
17.	Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group I of the middle Susitna River.	52
18.	Surface area and chinook rearing habitat index response curves for modeling site 101.4L.	54
19.	Surface area and chinook rearing habitat index response curves for modeling site 113.7R.	55
20.	Surface area and chinook rearing habitat index response curves for modeling site 126.0R.	56
21.	Surface area and chinook rearing habitat index response curves for modeling site 144.4L.	57
22.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 101.4L of Representative Group II.	60
23.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 113.7R of Representative Group II.	61
24.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 126.0R of Representative Group II.	62
25.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 144.4L of Representative Group II.	63
26.	Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group II of the middle Susitna River.	64
27.	Surface area and chinook rearing habitat index response curves for modeling site 101.28.	66

•	No.		No
	28.	Surface area and chinook rearing habitat index response curves for modeling site 128.8R.	67
	29.	Surface area and chinook rearing habitat index response curves for modeling site 132.6L.	68
	30.	Surface area and chinook rearing habitat index response curves for modeling site 141.4R.	69
	31.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 101.2R of Representative Group III.	72
	32.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 128.8R of Representative Group III.	73
	33.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 132.6L of Representative Group III.	74
	34.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 141.4R of Representative Group III.	75
	35.	Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group III of the middle Susitna River.	76
	36.	Surface area and chinook rearing habitat index response curves for modeling site 112.6L.	78
	37.	Surface area and chinook rearing habitat index response curves for modeling site 131.7L.	79
	38.	Surface area and chinook rearing habitat index response curves for modeling site 134.9R.	80
	39.	Surface area and chinook rearing habitat index response curves for modeling site 136.0L.	81

•	Figure No.		Page No.
	40.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 112.6L of Representative Group IV.	83
	41.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 131.7L of Representative Group IV.	84
	42.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 134.9R of Representative Group IV.	85
	43.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 136.0L of Representative Group IV.	86
	44.	Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group IV of the middle Susitna River.	89
	45.	Surface area and chinook rearing habitat index response curves for modeling site 141.6R.	91
	46.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 141.6R of Representative Group Y.	93
	47.	Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group V of the middle Susitna River.	94
	48.	Surface area and chinook rearing habitat index response curves for modeling site 133.8L.	97
	49.	Surface area and chinook rearing habitat index response curves for modeling site 136.3R.	98
	50.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 133.8L of Representative Group VI.	100

	Page No.
of chinook rearing habitat availability to discharge within non-modeled specific areas of dle Susitna River which are associated with site 136.3R of Representative Group VI.	101
e response of A - wetted surface area (WSA) and book rearing habitat potential (WUA) to mainstem e in specific areas comprising Representative of the middle Susitna River.	102
area and chinook rearing habitat index response or modeling site 119.2R.	105
of chinook rearing habitat availability to discharge within non-modeled specific areas of dle Susitna River which are associated with site 119.2R of Representative Group VII.	107
e response of A- wetted surface area (WSA) and ook rearing habitat potential (WUA) to mainstem e in specific areas comprising Representative I of the middle Susitna River.	108
of chinook rearing habitat availability to discharge within non-modeled specific areas of dle Susitna River which are associated with site 132.6L of Representative Group VIII.	111
of chinook rearing habitat availability to discharge within non-modeled specific areas of dle Susitna River which are associated with site 144.4L of Representative Group VIII.	112
e response o. A - wetted surface area (WSA) and ook rearing habitat potential (WUA) to mainstem e in specific areas comprising Representative II of the middle Susitna River.	113
area and chinook rearing habitat index response or modeling site 101.5L.	115
area and chinook rearing habitat index response or modeling site 147.1L.	116
of chinook rearing habitat availability to discharge within non-modeled specific areas of dle Susitna River which are associated with site 101.50 of Representative Group IX.	119
	discharge within non-modeled specific areas of dle Susitna River which are associated with site 136.3R of Representative Group VI. e response of A - wetted surface area (WSA) and book rearing habitat potential (WUA) to mainstem the in specific areas comprising Representative of the middle Susitna River. area and chinook rearing habitat index response for modeling site 119.2R. of chinook rearing habitat availability to discharge within non-modeled specific areas of dle Susitna River which are associated with site 119.2R of Representative Group VII. e response of A- wetted surface area (WSA) and book rearing habitat potential (WUA) to mainstem the in specific areas comprising Representative I of the middle Susitna River. of chinook rearing habitat availability to discharge within non-modeled specific areas of dle Susitna River which are associated with site 132.6L of Representative Group VIII. of chinook rearing habitat availability to discharge within non-modeled specific areas of dle Susitna River which are associated with site 144.4L of Representative Group VIII. e response o. A - wetted surface area (WSA) and book rearing habitat potential (WUA) to mainstem the in specific areas comprising Representative II of the middle Susitna River. area and chinook rearing habitat index response or modeling site 101.5L. area and chinook rearing habitat index response or modeling site 147.1L.

Figure No.		Page No.
62.	Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 147.1L of Representative Group IX.	120
63.	Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group IX of the middle Susitna River.	121
64.	Comparison of the aggregate response of chinook rearing habitat potential [WUA] for Representative Groups I through IX.	125

LIST OF TABLES

Table No.		Page No.
1.	Primary hydrologic, hydraulic and morphologic characteristics of representative groups identified for the middle Susitna River.	15
2.	Cover suitability criteria used to model juvenile chinook habitat (WUA) in the middle Susitna River. Separate criteria are presented for clear and turbid water conditions.	31
3.	Wetted surface area (WSA), weighted usable area (WUA) and related habitat indices used in the evaluation of chinook rearing habitat potential within the middle Susitna River.	33
4.	Mainstem breaching discharges and structural habitat indices (SHI) determined for specific areas within the middle Susitna River. Specific areas are arranged in representative groups by subgroup, where the modeled specific area representing each subgroup is located at	40
	top.	40

LIST OF PLATES

Plate No.		Page No.
A-1	Aerial photography of modeling site 107.6L at mainstem discharges of 23,000 cfs and 16,000 cfs.	131
A-2	Aerial photography of modeling site 112.5L at mainstem discharges of 23,000 cfs and 16,000 cfs.	132
A-3	Aerial photography of modeling site 101.4L at mainstem discharges of 23,000 cfs and 16,000 cfs.	133
A-4	Aerial photography of modeling site 113.7R at mainstem discharges of 23,000 cfs and 16,000 cfs.	134
A-5	Aerial photography of modeling site 126.0R at mainstem discharges of 23,000 cfs and 16,000 cfs.	135
A-6	Aerial photography of modeling site 144.4L at mainstem discharges of 23,000 cfs and 16,000 cfs.	136
A-7	Aerial photography of modeling site 101.2R at mainstem discharges of 23,000 cfs and 16,000 cfs.	137
A-8	Aerial photography of modeling site 101.2R at mainstem discharges of 12,500 cfs and 7,400 cfs.	138
A-9	Aerial photography of modeling site 128.8R at mainstem discharges of 23,000 cfs and 16,000 cfs.	139
A-10	Aerial photography of modeling site 128.8R at mainstem discharges of 12,500 cfs and 7,400 cfs.	140
A-11	Aerial photography of modeling site 132.6L at mainstem discharges of 23,000 cfs and 16,000 cfs.	141
A-12	Aerial photography of modeling site 132.6L at mainstem discharges of 12,500 cfs and 7,400 cfs.	142
A-13	Aerial photography of modeling site 141.4R at mainstem discharges of 23,000 cfs and 16,000 cfs.	143
A-14	Aerial photography of modeling site 141.4R at mainstem discharges of 12,500 cfs and 7,400 cfs.	144
A-15	Aerial photography of modeling site 112.6L at mainstem discharges of 23,000 cfs and 16,000 cfs.	145
A-16	Aerial photography of modeling site 112.6L at mainstem discharges of 12,500 cfs and 7,400 cfs.	146
A-17	Aerial photography of modeling site 131.7L at mainstem	147

LIST OF PLATES (cont.)

No.		Page No.
A-18	Aerial photography of modeling site 131.7L at mainstem discharges of 12,500 cfs and 7,400 cfs.	148
A-19	Aerial photography of modeling site 134.9R at mainstem discharges of 23,000 cfs and 16,000 cfs.	149
A-20	Aerial photography of modeling site 134.9R at mainstem discharges of 12,500 cfs and 7,400 cfs.	150
A-21	Aerial photography of modeling site 136.0L at mainstem discharges of 23,000 cfs and 16,000 cfs.	151
A-22	Aerial photography of modeling site 136.0L at mainstem discharges of 12,500 cfs and 7,400 cfs.	152
A-23	Aerial photography of modeling site 141.6R at mainstem discharges of 23,000 cfs and 16,000 cfs.	153
A-24	Aerial photography of modeling site 133.8L at mainstem discharges of 23,000 cfs and 16,000 cfs.	154
A-25	Aerial photography of modeling site 136.3R at mainstem discharges of 23,000 cfs and 16,000 cfs.	155
A-26	Aerial photography of modeling site 136.3R at mainstem discharges of 12,500 cfs and 7,400 cfs.	156
A-27	Aerial photography of modeling site 119.2R at mainstem discharges of 23,000 cfs and 16,000 cfs.	157
A-28	Aerial photography of modeling site 119.2R at mainstem discharges of 12,500 cfs and 7,400 cfs.	158
A-29	Aerial photography of modeling site 101.5L at mainstem discharges of 23,000 cfs and 16,000 cfs.	159
A-30	Aerial photography of modeling site 101.5L at mainstem discharges of 12,500 cfs and 7,400 cfs.	160
A-31	Aerial photography of modeling site 147.1L at mainstem discharges of 23,000 cfs and 16,000 cfs.	161
A-32	Aerial photography of modeling site 147.1L at mainstem discharges of 12.500 cfs and 7.400 cfs.	162

1.0 INTRODUCTION

This report addresses the effects of flow variation on the availability and quality of juvenile chinook salmon habitat within the Talkeetna to Devil Canyon reach of the Susitna River. The response of juvenile chinook habitat to changes in streamflow within this middle reach of the Susitna River has been the subject of several years of data collection and modeling studies conducted by the Alaska Department of Fish and Game (ADF&G) and E. Woody Trihey and Associates (EWT&A). These investigations are part of an extensive environmental assessment program conducted to fulfill licensing requirements for the proposed Susitna Hydroelectric Project.

The Alaska Power Authority (APA), the state agency responsible for developing the hydropower potential of the Susitna River, has indicated a desire to maintain or enhance existing fish resources and levels of production within affected reaches of the river (APA 1983). This goal may be attainable through a variety of mitigative options (Moulton et al. 1984). However, to protect existing fisheries resources and to ensure the success of selected mitigation and enhancement efforts, it is necessary to identify and adopt instream flows and reservoir operation schedules which will provide for the needs of the fish species inhabiting the middle Susitna River.

The storage and release of water to meet the instream flow needs of fishes downstream is not necessarily deleterious to hydropower interests. The recharge and storage capabilities of the proposed Devil Canyon and Watana reservoirs [refer to APA (1983) for a description of the design criteria and construction schedule for these facilities] will permit water to be

stored during periods when natural runoff exceeds both the water demand for power generation and the instream flow needs of resident and anadromous fishes. This will allow for the controlled release of water during periods of greatest need.

Peak demand for electricity typically occurs during the working day on a 24 hour cycle and during the winter on a seasonal basis. The frequency and rate of change of daily flow fluctuations in the middle reach may be of significant concern if the Watana dam alone is constructed and subsequently operated as a peak load following facility. However, if both dams are built, daily flow fluctuations are expected to be minimal, due to the anticipated regulating capability of the proposed Devil Canyon dam. Over the long term, however, use of the combined storage volume of the two reservoirs to satisfy peak seasonal power demand will result in lower summer and higher winter flows than presently occur. Figure 1 compares natural with simulated with-project mean weekly discharges for the middle Susitna River. Projected with-project flows are for 1) Watana reservoir operating alone assuming energy demand forecasts for 1996; and 2) both Watana and Devil Canyon reservoirs in operation, based on projected demand for 2020. These with-project flow scenarios correspond to Case E-VI. demand levels B and D, respectively (Harza-Ebasco Susitna Joint Venture 1985).

As the demand for electricity varies over time, so do the instream flow needs of a fish species vary according to their life history stage. Adult chinook spawn exclusively within tributaries of the middle reach of the Susitna River, principally Indian River and Portage Creek. Consequently,




Figure 1. Natural and with-project mean weekly discharges for the middle Susitna River. Natural flows are based on 35 year record (1950-1984) from USGS Station 15292000 at Gold Creek. Simulated with-project flows are based on Case E-VI, demand levels B and D (data from Harza-Ebasco Susitna Joint Venture 1985).


the reproductive and early post-emergent fry life stages of chinook (unlike those of chum, pink and sockeye salmon which spawn in both tributary and non-tributary habitats of the middle Susitna River) are not likely to be affected by project operation. The later freshwater life stages of chinook salmon, including juvenile and migratory phases, will be subjected to altered streamflow regimes since they utilize mainstem and mainsteminfluenced habitats. The summer growth season is a critical period for

chinook juveniles since it is at this time that density-dependent factors typically have their greatest effect on the population. Due to the economic importance of the species, the ecological sensitivity of the life stage, and their extensive use of mainstem-associated habitats, chinook juveniles have been designated as a primary evaluation species to be used in analyses of existing and with-project conditions. Chum salmon spawning and incubation life stages comprise the other two primary species/life stages selected for evaluation (EWT&A and Woodward-Clyde Consultants [WCC] 1985).

Following emergence in March and April juvenile chinook typically spend several months rearing in their natal streams. However, the numbers and biomass of juvenile fish usually exceeds the carrying capacity of the tributaries by midsummer and a large fraction of the chinook population responds by emigrating to the Susitna River. During the remainder of their freshwater residency, which usually lasts until the spring of the following year, juvenile chinook occupy a wide range of habitats. Densities are highest in tributaries, side channels and side sloughs, respectively, during the open water season (Figure 2). Chinook distribution during the winter months is not well documented other than a noted tendency for individuals in mainstem and side channel areas to seek relatively warmer upwelling areas found in side sloughs. A significant number of young-of-the-year chinook apparently migrate downstream late in the summer, although it is uncertain whether they overwinter in fresh or saltwater (Dugan et al. 1984).

chinook juveniles since it is at this time that density-dependent factors typically have their greatest effect on the population. Due to the economic importance of the species, the ecological sensitivity of the life stage, and their extensive use of mainstem-associated habitats, chinook juveniles have been designated as a primary evaluation species to be used in analyses of existing and with-project conditions. Chum salmon spawning and incubation life stages comprise the other two primary species/life stages selected for evaluation (EWT&A and Woodward-Clyde Consultants [WCC] 1985).

Following emergence in March and April juvenile chinook typically spend several months rearing in their natal streams. However, the numbers and biomass of juvenile fish usually exceeds the carrying capacity of the tributaries by midsummer and a large fraction of the chinook population responds by emigrating to the Susitna River. During the remainder of their freshwater residency, which usually lasts until the spring of the following year, juvenile chinook occupy a wide range of habitats. Densities are highest in tributaries, side channels and side sloughs, respectively, during the open water season (Figure 2). Chinook distribution during the winter months is not well documented other than a noted tendency for individuals in mainstem and side channel areas to seek relatively warmer upwelling areas found in side sloughs. A significant number of young-of-the-year chinook apparently migrate downstream late in the summer, although it is uncertain whether they overwinter in fresh or saltwater (Dugan et al. 1984).



S

Figure 2. Percentage distribution of juvenile chinook salmon within different habitat types of the middle Susitna River during the open water period (from E. Woody Trihey and Associates and Woodward-Clyde Consultants 1985).

The biological and physical factors affecting juvenile chinook salmon in their rearing environment are complex. Milner (1985) critically reviewed these environmental factors and their effects. Food availability, predation, competition, and the incidence of disease and parasitism are among the more important biological factors. All are mediated to some degree by the quantity and quality of physical habitat which constitute the fish's living space. Physical habitat includes the combination of hydraulic, structural and chemical variables to which juvenile chinook respond either behaviorally or physiologically. Stream temperature, turbidity, suspended sediment level, water depth and velocity, cover, and substrate texture are important physical habitat variables which are either directly or indirectly influenced by the volume and pattern of streamflow.

The goal of minimizing potentially adverse effects of flow alterations associated with hydropower generation is possible only if the magnitude of the impacts is known, thereby presenting two major problems. The first relates to the quantification of existing resources and the relationships which sustain them. The second problem is methodological: how can predictions of with-project conditions be superimposed on natural conditions to enable accurate forecasts?

Existing and with-project conditions have not been sufficiently defined to offer straightforward solutions to these problems. For one, our knowledge of the population dynamics of chinook salmon stocks of the middle Susitna River yields little insight into their likely long-term response to with-project flow regimes. Population adjustments are frequently determined by combinations of environmental properties occuring far in advance of the

biological response. Thus, although fish production and its component parameters (i.e., density, mortality, growth, etc.) may eventually reflect the influence of causative environmental factors, the complexity of these relationships is too great and there is too much variability in our estimates to base our forecasts entirely on population studies. We are not limited as much by our ability to conceptualize the relationships linking juvenile chinook to their environment as we are by our ability to measure and test these relationships.

This problem is not a new one. Fisheries biologists faced with the task of identifying acceptable instream flows often make their selection because it appears to make biological sense, and not on the basis of mathematically defined relationships between streamflow and biological response. In the past decade, however, an instream flow assessment methodology has been developed which partially bridges this gap. The Instream Flow Incremental Methodology (IFIM) described by Bovee (1982) provides a computer assisted capability of simulating important components of fish habitat based on site-specific field measurements. The suitability of fish habitat at a given flow is evaluated by reference to preference criteria. There are frequency distributions which describe the probability that a fish will be found in association with a particular level or interval of the habitat component in question. Once the spatial distribution and levels of habitat components are known or are reliably simulated for a range of flows, and the relationships between these components and behavioral preferences have been quantified, then a habitat response index may be calculated for each flow of interest. Following standard IFIM terminology, this habitat response index is termed Weighted Usable Area (WUA). From an assumption

that the carrying capacity of a stream varies with the amount of usable physical habitat, the direction and magnitude of WUA may be considered reliable indicators of the probable population response to discharge alterations. This assumption has been verified for some salmonid streams but not for others (Nelson 1980, Loar 1985). Factors other than the amount of usable habitat, such as inadequate food supplies and catastrophic events (e.g., floods), may have been responsible for the conflicting results.

For purposes of this report, the concept of habitat preference appears valid and the linkage between biological response and flow-related habitat changes, as indexed by WUA, is considered strong enough to make inferences concerning the present status and likely trends in juvenile chinook populations.

Included in this report are WUA functions and related habitat indices defining the relationship between mainstem discharge and chinook rearing habitat potential at 20 study (modeling) sites on the middle Susitna River. Modeling results are extrapolated from individual study sites to describe the response of juvenile chinook habitat within a number of different subenvironments of the middle Susitna River. Conventional methods of extrapolating WUA in single channel rivers based on the concept of continuous homogeneous subsegments represented by individual modeling sites are not applicable to large braided rivers like the the Susitna River due to large spatial variations in hydraulic and morphologic character. Aaserude et al. (1985) discuss this problem further. Consequently, investigators concentrated on sampling smaller areas of the middle river possessing relatively uniform yet comparatively distinct hydrologic, hydraulic and water clarity characteristics. This sampling design prompted

Steward and Trihey (1984), which weights WUA indices developed for each modeling site according to the proportion of the middle reach possessing similar hydrologic, hydraulic and water clarity attributes. This approach focuses on the characterization of fish habitat on the subenvironmental scale in order to overcome problems associated with the large degree of environmental variability in the middle Susitna River. Stratifying the river into subenvironments and identifying the relationship between streamflow and fish habitat at this level increases our confidence in the applicability of these results to the river as a whole.

within the overall framework of the Susitna aquatic habitat assessment program, habitat modeling results obtained for individual subenvironments are particularly appropriate since related studies of juvenile fish distribution were conducted at this level (Hoffman 1985). An evaluation of habitat modeling results in combination with fish utilization data will permit an accurate assessment of rearing habitat response to natural and project-induced changes in streamflow for the entire middle river segment.

Figure 3 illustrates the primary steps in the extrapolation analysis. An outline of the data requirements and steps which comprise the methodology follows in order that the reader gain an appreciation of the utility of the rearing habitat response curves. The results of applying the full extrapolation analysis to existing flow regimes will be detailed in Volume II of the Instream Flow Relationships Report, scheduled for release by EWT&A in December 1985.

Quantification

Quantity surface areas of individual channel branches in the middle Susitna River for each flow for which aerial photography is available to determine the surface area response to mainstem discharge.

Stratification

Use available morphologic, hydraulic, and hydrologic information to stratify individual aquatic habitats into groups that are hydrologically and morphologically similar.

Simulation

Simulate the response of aquatic habitat quality to discharge with habitat modeling techniques at selected areas of the middle Susitna River.

Integration

For each evaluation species/ life stage:

Integrate the quantification, stratification, and simulation components to determine the aquatic habitat response to discharge for the entire middle Susitna River.

Figure 3. Flow chart indicating steps followed in the extrapolation of site-specific juvenile chinook habitat indices to the entire middle Susitna River.

2.0 METHODS

2.1 Habitat Characterization of the Middle Susitna River

2.1.1 Study Site Classification

For the middle reach of the Susitna River, Klinger and Trihey (1984) identified six subenvironments, on the basis of water source and morphology, which they termed habitat types: mainstem, side channel, side slough, upland slough, tributary, and tributary mouth. Rearing habitat modeling sites were initially selected to conform with the concept of aquatic habitat types. The degree to which these habitat types are utilized by juvenile salmon as well as their susceptibility to project impacts determined the extent to which they were represented in modeling studies. Of the large number of locations sampled for juveniles in 1981 and 1982, significant numbers of chum, sockeye, and chinook salmon were found in tributary, side channel, side slough and upland slough locations. Chinook salmon utilization of these habitat types is summarized in Figure 2. Recognizing that rearing habitat in tributaries will probably not be affected by project operation, investigators excluded this habitat type from modeling studies. Juvenile salmon utilization of mainstem and tributary mouth areas was judged insufficient to warrant intensive study. The sites chosen for modeling studies of juvenile chinook habitat are identified by river mile and bank orientation (L and R denote left and right bank looking upstream) in Figure 4.




Figure 4. Juvenile chinook habitat modeling sites in the middle Susitna River. Sites are identified by river mile and bank orientation, where L and R denote left and right bank looking upstream.

2.1.2 Representative Groups

While the habitat type concept of Klinger and Trihey (1984) is useful in the identification of attributes characterizing a particular location within the middle river at a given time, the static quality implicit in the concept makes it less practical as a means of stratifying the river for extrapolation purposes. The results of the habitat modeling analyses are WUA forecasts for sites which frequently transform from one habitat type to another over the range of evaluation flows. Juvenile chinook habitat distribution and quality is highly dependent upon these transformations and the progressive physical changes which attend them.

In order that the dynamic and site-specific nature of rearing habitat response to a constantly changing aquatic environment be acknowledged by the extrapolation methodology, an alternate means of stratifying the middle river was developed. The concept of representative groups as a further set of distinct subenvironments of the middle river and the criteria used by Aaserude et al. (1985) to define them ensures that the modeling sites are truly representative of the portions of the river they are supposed to characterize. Accurate forecasts of the response of juvenile chinook to natural or imposed changes in flow regime require that this condition be satisfied.

Aaserude et al. (1985) delineated 172 specific areas of the middle river from aerial photography interpretation and field verification studies. Specific areas formerly assigned to four habitat types (side channel, side slough, upland slough, and in some cases mainstem habitats) were divided

among ten representative groups, each characterized by unique and readily identifiable combinations of flow-related attributes. Representative groups and the primary hydrologic, hydraulic and morphologic forms and processes which distinguish them are summarized in Table 1.

Each modeling site is associated with a corresponding specific area; from an analysis of aerial photography and reconnaissance level field data, a modeled specific area may also be determined to be representative of several non-modeled specific areas within the same representative group. Within the framework of the extrapolation methodology, the collection of modeled and non-modeled specific areas which comprise a particular representative group may be thought of as a discontinuous (i.e., spatially discontinuous) yet homogeneous subsegment of the river.

Figure 4 indicates the representative group designation of each rearing habitat modeling site. Because the delineation of representative groups occurred subsequent to study site selection and data collection, some representative groups do not possess specific areas in which modeling studies were conducted. In particular, specific areas which dewater at relatively high mainstem discharges (Group VIII) and mainstem areas which remain shoal-like at most evaluation flows (Group X) are not represented by juvenile chinook habitat modeling sites. The remainder of the representative groups have at least one specific area with an associated modeling study site. This fact is important since the objective is to extrapolate habitat indices from specific areas with modeled sites to non-modeled specific areas, assuming that modeling sites generally reflect the habitat character of non-modeled areas within the same representative group. As will be discussed later, juvenile chinook habitat response within

Table 1. Primary hydrologic, hydraulic and morphologic characteristics of representative groups identified for the middle Susitna River.

REPRESENTATIVE GROUP	NUMBER OF SPECIFIC AREAS	DESCRIPTION	HABITAT MODELING SITES
1	19	Predominantly upland sloughs. The specific areas comprising this group are highly stable due to the persistence of non-breached conditions (i.e., possess high breaching flows). Specific area hydraulics are characterized by pooled clear water with velocities frequently near 0.0 fps and depths greater than 1.0 ft. Pools are commonly connected by short riffles where velocities are less than 1.0 fps and depths are less than 0.5 ft.	107.6L, 112.5L
11	28	This group includes specific areas commonly referred to as side sloughs. These sites are characterized by relatively high breaching flows (>19,500 cfs), clear water caused by upwelling groundwater, and large channel length to width ratios (>15:1).	113.7R, 126.0R, 144.4L
111	17	Intermediate breaching flows and relatively broad channel sections typify the specific areas within this Representative Group. These sites are side channels which transform into side sloughs at mainstem discharges ranging from 8,200 to 16,000 cfs. Lower breaching flows and smaller length to width ratios distinguish these sites from those in Group II. Upwelling groundwater is present.	101.2R, 128.8R, 132.6L, 141.4R
14	23	Specific areas in this group are side channels that are breached at low discharges and possess intermediate mean reach velocities (2.0-5.0 fps) at a mainstem discharge of approximately 10,000 cfs.	101.5L, 112.6L, 131.7L, 134.9R, 136.0L
Y	9	This group includes mainstem and side channel shoal areas which transform to clear water side sloughs as mainstem flows recede. Transformations generally occur at moderate to high breaching discharges.	141.6R
VI	14	This group is similar to the preceding one in that the habitat character of the specific areas is dominated by channel morphology. These sites are primarily overflow channels that parallel the adjacent mainstem, usually separated by a sparsely vegetated gravel bar. Upwelling groundwater may or may not be present. Habitat transformations within this group are variable both in type and timing of occurrence.	133.8L, 136.3R
V11	7	These specific areas are typically side channels which breach at variable yet fairly low mainstem discharges and exhibit a characteristic riffle/pool sequence. Pools are frequently large backwater areas near the mouth of the sites.	119.2R
VIII	22	The specific areas in this group tend to dewater at relatively high mainstem discharges. The direction of flow at the head of these channels tends to deviate sharply (>30 degrees) from the adjacent mainstem. Modeling sites from Groups II and III possessing representative post-breaching hydraulic characteristics are used to model these specific areas.	132.6L, 144.4L
1X	20	This group cosists of mainstem and side channels, including indistinct (i.e., shoal) areas, characterized by low breaching discharges. Specific areas tend to either retain their habitat type character or transform from indistinct to distinct channels. Mean reach velocities typically exceed 5 fps and up at moderately low discharges (10,000 cfs).	101.4L, 147.1L
x	13	Large mainstem shoals and the margins of mainstem channels which show signs of upwelling are included in this representative group.	None

Group XIII was represented using modeling results from study sites from Groups II and III. No attempt was made in the present analysis to characterize rearing habitat at specific areas included in Group X, However, future derivation of acceptable habitat response curves for this group is feasible through modification of direct input hydraulic/habitat models developed for spawning chum salmon (Hilliard et al. 1985)

Important criteria used to partition specific areas into representative groups are the type and rate of change in hydrologic character documented for the specific areas. The hydrologic component of the method used by Aaserude et al. (1985) to stratify the middle Susitna River focuses on the systematic transformation in habitat type of specific areas within the 5,100 to 23,000 cfs flow range. For example, as flows recede mainstem areas frequently become shallow water shoals, and side channels may transform into side sloughs; both habitat types may eventually dewater as flows decrease further. The emphasis on habitat transformation acknowledges the transient nature of riverine habitat availability and distribution. The dichotomous key in Figure 5 delineates the eleven habitat transformation categories derived from an evaluation of the 172 specific areas and eight streamflows for the middle river. Note that the final categories approximate the original "habitat type" designations used by Klinger and Trihey (1984) and ADF&G (1983). Two important modifications to the habitat type classification system are the inclusion of shoal habitat and the presence/absence of upwelling. Shoals are areas which at high flows are visually inseparable from adjacent mainstem or side channel areas. As flows recede the shoal or riffle character of these sites becomes obvious, even though the boundaries separating shoals and adjacent




Figure 5. Key to habitat transformation categories used to classify specific areas to representative groups.

habitat types are usually indistinct. Specific areas fitting this description are further distinguished on the basis of whether their boundaries remain indistinct or transform into well-defined channels at lower flows. Upwelling groundwater, usually discernable in aerial photos by the presence of clear water, is accentuated in the classification step of the extrapolation methodology because of its pronounced effect on the distribution of juvenile and adult salmon within the middle Susitna River.

Using habitat types present at 23,000 cfs as a point of reference, site-specific habitat transformations have been defined for several discharges of 18,000 cfs and less. The sequential changes in habitat type observed within this flow range offers a powerful tool with which to combine specific areas into representative groups. Other hydrologic parameters used with varying degrees of confidence to cluster specific areas into representative groups are breaching flow, cross-sectional profiles of the head berm and adjacent mainstem channel, and upwelling.

of the hydraulic variables examined by Aaserude et al. (1985), mean reach velocity under breached conditions was considered the most appropriate for classifying specific areas within the middle Susitna River. Unfortunately, the relatively low flows (8,000 - 11,000 cfs) at which field sampling was conducted precluded standardization of mean reach velocities on the basis of a common flow or transformational state. Mean reach velocities were unavailable at sampling flows for two-thirds of the specific areas delineated in the middle Susitna River; the majority of the sites were unbreached during reconnaissance field studies. Nonetheless, the velocity data collected was used to further refine transformation category definitions.

Of more practical value in the development of representative groups were channel morphology indices derived from aerial photo interpretation and onsite visits in the field. Specific areas within the middle reach exhibit sufficient similarities in plan form to provide a theoretically attractive means of grouping sites together. Use of channel geometry, sinuosity, length-to-width ratios and related morphologic indices to classify specific areas according to representative group is justified by the repetitiveness of similar channel features within the middle river segment.

2.2 Quantification of Surface Areas

Although each specific area is assigned to the same representative group for all flows of interest, the perimeter and therefore its surface area varies with discharge. Furthermore, both the absolute size and the rate of change in surface area varies between specific areas. Successful application of the extrapolation methodology requires that the surface area response to streamflow of individual sites be quantified since the amount of rearing habitat available within a specific area is dependent on its areal extent at different flows.

The total surface area of each specific area in the middle river has been estimated for mainstem discharges of 5,100, 7,400, 10,600, 12,500, 16,000, 18,000, 23,000 cfs using digital measurements on 1 inch = 1,000 feet scale aerial photography. The digitizing methods are described by Klinger and Trihey (1984). Surface area estimates were used to adjust WUA estimates at both modeled and non-modeled specific areas, as described in Section 2.4 below.

2.3 Physical Habitat Modeling Studies

2.3.1 Overview of Modeling Techniques

The quantitative assessment of juvenile chinook rearing habitat response to streamflow in the middle Susitna River is based on investigations conducted by ADF&G and EWT&A between 1982 and 1985. Sufficient data were collected to model chinook rearing habitat potential at 20 modeling sites typical of 9 of the 10 representative groups which characterize the middle Susitna River. These studies utilized two data intensive modeling techniques: 1) the Resident Juvenile Habitat (RJHAB) model developed by ADF&G; and 2) the Physical Habitat Simulation (PHABSIM) System developed by the Instream Flow and Aquatic Systems Group of the U.S. Fish and Wildlife Service. Data requirements and sampling methods employed by the two models are similar. and model parameters and standard output variables are identical (Figure 6). The major differences between RJHAB and PHABSIM modeling approaches relate to the resolution of input and output data and the techniques used to process these data. The RJHAB model generates surface area and WUA output only for those discharges for which hydraulic information was collected. The PHABSIM modeling system incorporates hydraulic models which may be used to forecast synthetic hydraulic data for any streamflow within an acceptable calibration range. These data serve as input to a program (HABTAT) which calculates wetted surface area and various habitat indices for the modeling site. WUA forecasts for unobserved flows based on the PHABSIM models are much more reliable than those obtained using the RJHAB modeling technique.




Figure 6. RJHAB and PHABSIM modeling pathways followed in the analysis of juvenile chinook salmon habitat.

Source documents for information relating to RJHAB and PHABSIM model development for middle river study sites include Estes and Vincent-Lang (1984), Hale et al. (1984), Marshall et al. (1984), and EWT&A and WCC (1985). Habitat suitability criteria serving as model parameters for HABTAT are described in Steward (1985).

2.3.2 Hydraulic Data Requirements

RJHAB and PHABSIM models applied in this study assess the influence of three key physical habitat variables known to significantly influence juvenile chinook salmon distribution, namely instream and overhead cover, water velocity and water depth. The availability of areas characterized by suitable combinations of these variables varies directly with changes in streamflow. The primary objectives of both habitat models are to quantify the distribution of various combinations of these habitat variables within a representative segment of stream and to describe this distribution in terms of its usability or potential as rearing habitat for juvenile chinook.

In order to describe rearing habitat potential based on the availability of suitable cover, velocity and depth within a study site, field measurements, were obtained at discrete intervals along multiple transects. Figures 7 and 8 illustrate the basic differences between the RJHAB and PHABSIM sampling methods, including transect placement, number of verticals where hydraulic variables are sampled and the dimensions of the cells or mapping elements represented by these point measurements. In the case of the RJHAB modeling sites, cover and hydraulic data were collected at four to seven

$$d_i = \frac{\sum_{j=1}^{n} d_j}{n}$$

$$v_i = \sum_{j=1}^n v_j$$

where di = depth (ft) for ith cell

dj = depth (ft) at jth vertical

dn = depth (ft) at nth vertical

vi = velocity (ft/sec) for ith cell

vj = velocity (ft/sec) at jth vertical

vn = velocity (ft/sec) at nth vertical

n = number of verticals




Figure 7. Sampling design for RJHAB modeling sites. The RJHAB model assumes that average values obtained for habitat variables within 6' x 50' bank and mid-channel cells are representative of larger areas within the modeling site.

```
vi = velocity (ft/sec) for ith cell
di = depth (ft) for ith cell
wi = width (ft) for ith cell
li = length (ft) for ith cell
```




Figure 8. Sampling design for PHABSIM modeling sites.

different discharges. Two bank cells and one mid-channel cell, each 6 ft wide by 50 ft long, were sampled per transect. However, the areas represented as bank cells in surface area and WUA calculations extended 6 ft out from the left or right banks and upstream to the next transect. The mid-channel cells were considered representative of the area located between the 6 foot wide bank cells.

Cover, velocity and depth data for PHABSIM models were collected at several irregularly spaced verticals along the study site transects. The surface area associated with each cell extended halfway to adjacent verticals and transects (Figure 8). In contrast to the RJHAB model, the field data obtained in the PHABSIM analysis are used to calibrate a hydraulic model capable of forecasting depth-velocity combinations for each cell at unsampled discharges. Two types of hydraulic models were used for this purpose, depending primarily on hydraulic conditions at the study site. The IFG-2 model is a water surface profile type model based on the Manning equation and the principle of conservation of mass and energy (Milhous et al. 1984). Data requirements for the IFG-2 model include a single set of velocity data and several measurements of transect water surface elevations. Model calibration involves iterative adjustments of Manning's n values until agreement between observed and predicted water surface elevations is obtained. Once reliably calibrated, the IFG-2 model may be used to predict velocities within each cell across the transect at different discharges.

The second type of model used to simulate hydraulic data in rearing habitat investigations was the IFG-4, which employs linear regression analysis to

predict depth and velocity as a function of discharge for each cell. The IFG-4 model requires a minimum of two hydraulic data sets but is better suited than the IFG-2 model for simulating rapidly varied flow conditions (Trihey and Baldrige 1985).

Estes and Vincent-Lang (1984), Hale et al. (1984), and Hilliard et al. (1985) provide further information on hydraulic data collection and analytical procedures.

2.3.3 Habitat Suitability Criteria

The next stage in the RJHAB and PHABSIM modeling process requires that habitat suitability criteria be developed for the species/life stages of interest. Habitat suitability criteria (curves) indicate the preference of a fish for different levels of a particular habitat variable; suitability curves are needed for each physical habitat variable incorporated in the habitat models. The cover, velocity and depth suitability criteria used in this study to evaluate chinook rearing habitat potential in the middle Susitna River are based primarily on field observations of juvenile chinook densities in side channel and side slough areas of the middle Susitna River (Suchanek et al. 1984). EWT&A and WCC (1985) and Steward (1985) discuss these data with regard to their applicability to mainstem, side channel and side slough habitats. The juvenile chinook suitability criteria recommended by Steward (1984) and summarized in Figures 9, 10, and 11 were applied in this study.

Of particular interest are the separate velocity and cover habitat suitability criteria which apply under clear and turbid water conditions.




Figure 9. Cover suitability criteria used to model juvenile chinook habitat (WUA) in the middle Susitna River. Separate criteria are presented for clear and turbid water conditions (Steward 1985).

DEPTH SUITABILITY CRITERIA FOR JUVENILE CHINOOK SALMON




Figure 10. Depth suitability criteria used to model juvenile chinook habitat (WUA) under clear and turbid water conditions in the middle Susitna River (Steward 1985).

VELOCITY SUITABILITY CRITERIA FOR JUVENILE CHINOOK SALMON




Figure 11. Velocity suitability criteria used to model juvenile chinook habitat (WUA) under clear and turbid water conditions in the middle Susitna River (Steward 1985).

Clear water habitats occur in side channel areas which are not breached by the turbid waters of the mainstem river yet maintain a base flow via groundwater upwelling or tributary inflow. The frequency and duration of this condition depends on the elevation of the thalweg at the head of the site relative to the water surface elevation of the adjacent mainstem. Site flow versus mainstem discharge relationships were used to determine when clear and turbid water velocity and cover criteria were to be applied.

Rearing salmon use cover to avoid predation and unfavorable water velocities. Instream objects such as submerged macrophytes, large substrates and organic debris, and overhanging vegetation in near shore areas can provide cover for juvenile chinook salmon. Instream object cover in most rearing areas of the middle Susitna River is provided by larger streambed materials, primarily rubble (3-5 inch diameter) and boulder (>5 inches) size substrates. The cover suitability criteria presented in Figure 9 and Table 2 suggest that juvenile chinook tend to associate with some form of object cover in both clear and turbid water habitats. Preference generally increases in proportion to the percentage of object cover present, particularly under clear water conditions. The different preferences for the same type and percent of object cover indicated by the clear and turbid water suitability criteria are due to the utilization of turbidity as cover by rearing chinook. Dugan et al. (1984) documented higher densities of chinook in breached, turbid water side channels than were found at the same sites under nonbreached, clear water conditions. This disparity was most pronounced at sampling sites possessing minimal object cover.

31

Table 2. Cover suitability criteria recommended for use in modeling juvenile chinook habitat under clear and turbid water conditions. Sources: Suchanek et al. 1984; Steward 1985.

Percent Cover	No Cover	Emergent Veg.			Rubble 3"-5"	Cobble or Boulders <5"	Debris & Deadfall	Overhanging Riparian	Undercut Banks			
Clear Water (Suchanek et al. 1984))												
0-5%	0.01	0.01	0.07	0.07	0.09	0.09	0.11	0.06	0.10			
6-25%	0.01	0.04	0.22	0.21	0.27	0.29	0.33	0.20	0.32			
26-50%	0.01	0.07	0.39	0.35	0.45	0.49	0.56	0.34	0.54			
51-75%	0.01	0.09	0.53	0.49	0.63	0.69	0.78	0.47	0.75			
76-100%	0.01	0.12	0.68	0.63	0.81	0.89	1.00	0.61	0.97			
Turbid Water (EWT&A and WCC 1985) ¹												
0-5%	0.31	0.31	0.31	0.31	0.39	0.39	0.48	0.26	0.44			
6-25%	0.31	0.31	0.39	0.37	0.47	0.51	0.58	0.35	0.56			
26-50%	0.31	0.31	0.46	0.42	0.54	0.59	0.67	0.41	0.65			
51-75%	0.31	0.31	0.52	0.48	0.62	0.68	0.77	0.46	0.74			
76-100%	0.31	0.31	0.58	0.54	0.69	0.76	0.85	0.52	0.82			

¹Multiplication factors: 0-5% - 4.38; 6-25% - 1.75; 26-50% - 1.20; 51-75% - 0.98; 76-100% - 0.85

Water depth is not a significant factor limiting juvenile chinook habitat potential, as indicated by the open ended depth suitability curve in Figure 10. Provided that other microhabitat conditions are suitable, juveniles tend to prefer depths exceeding 0.15 feet to an equal degree. This observation has been corroborated in other habitat utilization studies of juvenile chinook salmon (Steward 1985).

A distinct preference by juveniles for low velocities under turbid water conditions was noted by Suchanek et al. (1984). Turbid water habitat suitability criteria identify optimal velocities in the 0.05 to 0.35 fps range, as compared to 0.5 to 0.65 fps indicated by clear water velocity criteria (Figure 11). The preference for lower velocities in areas of high turbidity may be twofold: 1) a lack of visual cues necessary to maintain position in faster currents, and 2) a decrease in the number of drifting prey items captured at higher velocities (Milner 1985).

2.3.4 Habitat Model Response Variables

The RJHAB model was modified slightly in order that the methods of calculating various indices of habitat potential, including WUA, and wetted surface areas were consistent for all modeling sites. Wetted surface area (WSA) estimates based on RJHAB and PHABSIM modeling approaches were computed by summing the surface areas of watered cells within the modeling site (Table 3). Flow related increases in wetted surface area at RJHAB sites were apportioned among mid-channel cells of the sites since the dimensions of the area represented by bank cells remained essentially unchanged for all flows. At study sites modeled with IFG-2 or IFG-4

Table 3. Wetted surface area (WSA), weighted usable area (WUA) and related habitat indices used in the evaluation of chinook rearing habitat potential within the middle Susitna River.

Statistic	Equation	Parameters/Units
Calcu	ulations Performed for Each Ce	11 (1)
Surface Area (A ₁)	A; = w;1;	w ₁ = cell width (ft) 1 ₁ = cell length (ft) (ft ²)
Composite Suitability (S ₁)	S ₁ = s(c ₁) s(v ₁) s(d ₁)	$s(c_1)$, $s(v_1)$ and $s(d_1)$ are weighting factors for cover, velocity and depth (dimensionless)
Weighted Usable Area (WUA ₁)	WUA1 = A1 S1	(ft ²)
Calculations Perform	ned for a Modeling Site Compri	sed of (n) Cells
Wetted Surface Area (WSA)	WSA = $\sum_{i=1}^{n} A_{i}$	includes all cells (ft^2)
Gross Habitat Area (GHA)	$GHA = \sum_{i=1}^{n} A_{i}$	includes cells with WUA > 0.0 (ft^2)
Weighted Usable Area (WUA)	WUA = $\sum_{i=1}^{n} A_{i} S_{i}$	(ft ²)
Habitat Availability Index (HAI)	HAI = WUA / WSA	(dimensionless)
Habitat Distribution Index (HDI)	HDI = GHA / WSA	(dimensionless)
Habitat Quality Index (HQI)	HQI = WUA / GHA	(dimensionless)

hydraulic models, the size and location of cells generally remained constant but the total number of cells increased or decreased as wetted top widths responsed to changes in flow. Hence, the cumulative surface area of the IFG modeling sites increased through the addition of new cells along the shoreline.

The composite suitability of each cell within the RJHAB and IFG modeling sites was determined by multiplying the individual suitability values associated with prevailing velocity, depth and cover conditions (Table 3). This method of calculation implies that the physical habitat variables evaluated by the models are assumed to be independent in their influence on habitat selection by juvenile chinook. Weighted usable area is computed for each cell by multiplying the cell's composite suitability by its surface area. The sum of the cell WUAs obtained for a given discharge yields the modeling site WUA; when plotted as a function of discharge, the modeling site WUA curve indicates the response of usable rearing habitat to changes in streamflow.

Habitat simulation results include WUA and WSA estimates for each study site for mainstem discharges ranging from 5,000 to 35,000 cfs as measured at the USGS Gold Creek gaging station. In order to facilitate comparisons between modeling sites, WSA is expressed in units of square feet per linear foot of stream. WSA is therefore proportional to the mean width of the modeling site. These units are less satisfactory for comparisons of WUA since usable habitat at a site is a function of surface area weighted by the suitability of its physical habitat attributes. An interpretation of habitat availability should not be made without reference to the total wetted surface area of the site. As an example, consider two study sites

possessing relatively equal amounts of weighted usable area; the smaller site, particularly where there is a large disparity in size, possesses a greater amount of usable habitat relative to the prevailing wetted surface area. Therefore, a more meaningful index of habitat availability is the ratio of WUA to WSA, which is designated the Habitat Availability Index (HAI).

In the context of the extrapolation analysis, the Habitat Availability Index has the added merit of being unitless. Assuming that the HAI of a modeling site is representative of the associated specific area (i.e., both possess the same frequency distributions of cover, velocity and depth), the WUA of the specific area is equal to the product of the HAI and the total surface area of the specific area. Total surface areas are known, as discussed in Section 2.2, and therefore a flow-dependent habitat response curve may be derived for any specific area represented by a modeling site.

The HABTAT program of the PHABSIM modeling system and the RJHAB model were modified to compute the Gross Habitat Area (GHA) for each discharge of interest. The GHA is the cumulative (unweighted) surface area of cells possessing non-zero WUA values within a site. Gross Habitat Area is important because it represents the maximum area of rearing habitat available. Two other habitat response indices, the Habitat Distribution Index (HDI) and the Habitat Quality Index (HQI) are calculated by the following formulas:

$$HDI$$
 (%) = $GHA/WSA \times 100$

and

$$HQI$$
 (%) = $WUA/GHA \times 100$

The use of HDI and HQI indices partially overcomes a major criticism of most WUA-based interpretations of habitat potential, namely, that WUA is a quantification of the amount of suboptimal habitat within a study site expressed as an equivalent amount of optimal habitat. In other words, a cell with a surface area of 100 sq. ft. and a joint preference factor of 1.0, that is, optimal cover, velocity and depth conditions, is assumed to provide as much usable habitat as an area ten times its size which possesses a joint preference factor of 0.10. Although flow-related changes in the composite suitability of individual cells (i.e., at discrete locations within the modeling site) were not evaluated, we examined relationships between a modeling site's weighted usable area, gross habitat area and wetted surface area over a range of discharges to gain an understanding of probable changes in habitat quality within cells containing usable habitat.

Surface areas and habitat indices were simulated for site flows corresponding to mainstem flows ranging from 5,000 to 35,000 cfs at Gold Creek. Of the 20 study sites investigated, six were modeled using the RJHAB model and 15 were modeled using the PHABSIM modeling system. One study site, 132.6L (Representative Group III), was modeled using both RJHAB and PHABSIM techniques. In most instances, WSA, WUA and HAI values for unobserved site flows (in the case of RJHAB models) or flows lying outside the recommended extrapolation range of the hydraulic models (a frequently encountered situation in PHABSIM applications) were estimated by interpolation and trend analysis techniques (Hilliard et al. 1985). In fitting curves to data points forecast by the habitat models, reference was made to aerial photographs and site-specific channel geometry and breaching flow information.

2.4 Extrapolation of Modeling Results to Non-modeled Specific Areas

Whereas the general habitat characteristics of a modeling site may be assumed to be representative of the associated specific area, the same combination and quality of habitat attributes may not be found in other specific areas, even those classified in the same representative group. Aaserude et al. (1985) concluded that variations in structural characteristics, including several attributes known to affect the quality of juvenile chinook rearing habitat, are common among specific areas of the same representative group. These differences are significant enough that direct transfer of WUA functions from modeled to non-modeled specific areas is considered impracticable. For this reason, Structural Habitat Indices (SHIs) were developed from field data in order to rank specific areas within the same representative group according to their relative structural habitat quality. As indexed by SHI values, specific areas are evaluated on the basis of six variables: 1) dominant cover type, 2) percent cover, 3) dominant substrate size. 4) substrate embeddedness, 5) channel cross sectional geometry, and 6) riparian vegetation. These variables were weighted according to their relative importance to juvenile chinook salmon. For each variable, specific areas were placed in one of five descriptive categories, ranging from "non-existent" to "excellent" in quality. Each variable category received a corresponding numerical rating factor. A single SHI value was calculated for each specific area, including those containing modeling sites, by summing the products of variable weighting and rating factors. For further details concerning the collection and synthesis of data into structural habitat indices, see Aaserude et al. (1985).

In this, the integration step of the extrapolation methodology, Habitat Availability Indices (HAIs) derived for the modeling sites are used to estimate juvenile chinook WUA for each specific area of the middle Susitna River. As discussed above, the amount of usable rearing habitat at a specific area containing a modeling site may be calculated by multiplying the modeling site's HAI value (i.e., the WUA:WSA ratio obtained as model output) by the wetted surface area of the specific area. For each discharge, this calculation can be represented as

WUAsa = HAIms, sa x WSAsa

where the subscripts ms and sa refer to the modeling site and the specific area within which it is found. As pointed out earlier, HAI values determined for the modeling site are assumed to be applicable to the entire specific area.

If it were reasonable to assume that the HAI response curves for all specific areas within a representative group were identical, then WUA values for non-modeled specific areas within the same group could be calculated by the above equation using a single HAI function. The structural habitat data of Aaserude et al. (1985), as well as the modeling results presented in this report do not support this assumption. Between-site variations in rearing habitat availability appear to result from dissimilarities in channel geometry (which are reflected by differences in breaching flows and the rate of change in WUA and WSA) and structural habitat quality (as indexed by SHI values). Therefore, each specific area of the middle Susitna River is assumed to possess a unique HAI curve which may nonetheless be patterned after the modeling site within the same


representative group having the most similar hydrologic, hydraulic, and morphologic attributes. Specific areas within a representative group with more than one modeling site are divided between modeling sites on the basis of their SHI values. Thus, each modeling site may be considered representative of a subgroup of specific areas.


HAI curves are developed for non-modeled specific areas by modifying the HAI functions of associated modeling sites using information obtained in the classification and quantification steps of the extrapolation analysis, including: 1) breaching flows to normalize HAI functions on the discharge axis; and 2) structural habitat indices to adjust for differences in the quality of usable rearing habitat. Table 4 summarizes breaching flow and SHI information used in the development of HAI curves for non-modeled specific areas within Representative Groups I through IX.

The discharge at which the head berm of a specific area is breached is the dominant hydrologic variable affecting the availability of chinook rearing habitat. As will be demonstrated later, the vast majority of juvenile chinook HAI functions obtained for the middle Susitna River modeling sites exhibit a maxima just to the right of the breaching flow on the discharge (horizontal) axis. To develop an HAI response curve for a non-modeled specific area, the HAI curve obtained for the associated modeling site is shifted left or right on the abscissa depending on whether the breaching flow for the non-modeled specific area is lower or higher than that of the modeling site. The distance moved is equal to the difference in the sites' breaching discharges. This lateral shift, diagrammed in Figure 12, identifies the horizontal coordinates of the HAI curve for the non-modeled specific area. The lefthand curve in Figure 12 represents HAI values

Table 4. Mainstem breaching discharges and structural habitat indices (SHI) determined for specific areas within the middle Susitna River. Specific areas are arranged in representative groups by subgroup, where the modeled specific area representing each subgroup is located at top.

	GROUP I			GROUP II			GROUP III			GROUP IV			GROUP Y	
Specific Area	Breaching Flow (cfs)	SHI Ratio	Specific Area	Breaching Flow (cfs)	SHI Ratio	Specific Area	Breaching Flow (cfs)	SHI Ratio	Specific Area	Breaching Flow (cfs)	SHI Ratio	Specific Area	Breaching Flow (cfs)	SHI Ratio
107 .6L 119 .4L 120 .0R 123 .1R 129 .4R 135 .5R 135 .6R 139 .0L 112 .5L 102 .2L 105 .2R 108 .3L 121 .9R 123 .3R 127 .2M 133 .9L 134 .0L 136 .9R 139 .9R	>35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,000 >35,00	1.00 1.02 1.14 1.00 1.23 1.02 0.73 1.00 1.22 1.01 1.03 1.06 0.99 0.85 0.99 1.31 1.01	101.4L 115.6R 125.9R 137.8L 143.4L 113.1R 118.0L 121.8R 122.4R 122.5R 123.6R 125.1R 135.3L 137.5R 137.5R 137.9L 140.2R 140.2R	22,000 23,000 26,000 20,000 30,000 24,000 26,000 22,000 22,000 20,000 25,500 20,000 23,000 23,000 21,000 21,000 26,500 33,000 31,000 32,000 22,000 22,000 21,000 22,000 22,000 22,000 22,000 22,000 22,000 22,000 23,000 22,000 22,000 22,000 23,000 22,000 22,000 23,000 22,000 23,000 23,000 22,000 23,000 23,000 23,000 23,000	1.00 1.04 1.02 1.02 1.00 0.61 0.76 0.57 1.00 0.84 0.94 0.98 0.98 0.98	101.2R 101.6L 110.4L 115.0R 119.3L 130.2L 130.2R 128.8R 100.6L 101.7L 133.7R 132.6L 100.4R 128.5R 128.7R 137.2R	9,200 14,000 12,000 16,000 8,200 12,000 16,000 9,200 9,600 11,500 10,500 12,500 10,400 11,500	1.00 1.20 0.98 1.00 1.07 1.10 1.00 0.86 0.94 0.90 1.00 1.00 1.00 1.00	112.6L 127.0L 139.4L 131.7L 100.7R 110.8M 111.5R 114.0R 116.8R 121.7R 124.1L 127.4L 139.6L 140.4R 134.9R 125.2R 129.5R 136.0L 108.7L 119.6L 119.6L 119.6L 119.6L 119.6L	<5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000	1.00 1.08 1.02 1.00 1.04 1.02 0.91 1.02 0.98 0.98 0.98 1.09 1.00 1.00 1.00 1.00 0.96 0.96 0.96	141.6R 101.7L 117.0M 118.9L 124.0M 132.8R 139.0L 139.7R 143.0L	21,000 10,000 15,500 <5,000 23,000 19,500 <5,000 22,000 7,000	1.00 0.86 0.55 0.86 0.91 1.02 0.77 0.91 0.55
	GROUP VI			GROUP VII			ŚROUP YIII			GROUP IX				
Specifi Area	Breachin		Specific Area	Breaching Flow (cfs)		Specific Area	Breaching Flow (cfs)	SHI Ratio	Specific Area	Breaching Flow (cfs)	SHI Ratio			
133.8L 117.8L 117.9R 119.7L 135.7R 138.8R 139.5R 102.6L 106.3R 107.1L 138.0L 140.6R	8,000 7,300 23,000 27,500 6,000 8,900 13,000 6,500 4,800 9,600 8,000	1.00 0.98 1.00 1.04 0.65 0.63 0.63 1.00 1.28 0.98 1.13 0.98	119.2R 114.1R 121.1L 123.0L 125.6L 127.5M 131.3L	10,000 5,100 7,400 <5,000 <5,000 8,000	1.00 0.76 1.05 0.95 1.27 0.76 0.76	132.6L 104.3M 109.5M 112.4L 117.2M 121.5R 123.2R 124.8R 125.5R 135.0R 135.1R 144.0M 145.6R 146.6L 144.4L 101.3M 102.0L 117.1M 119.8L 120.0L 121.6R 128.4R 132.5L	10,500 21,000 16,000 22,000 23,000 19,500 23,000 26,000 23,000 22,000 22,000 22,000 22,000 22,000 21,000 9,200 10,000 15,500 14,000 15,500 15,500 15,500 14,500	1.00 0.98 1.00 0.55 0.65 0.65 0.94 0.90 0.90 0.63 1.27 0.98 1.00 0.72 0.53 0.65 0.53	101.5L 104.0R 109.4R 111.0R 117.7L 131.2R 135.0L 147.1L 105.7R 108.9L 113.8R 127.1M 128.3R 129.3L 129.8R 139.2R 141.2R 141.3R 142.8R 142.8R	<5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5,000 <5	1.00 1.07 1.00 0.78 0.91 1.07 1.07 1.00 0.93 0.93 0.93 1.11 1.09 0.98 1.07 1.21 1.21 0.98			








Figure 12. Derivation of a non-modeled specific area (sa) HAI curve using a modeled specific area (ms) HAI curve. A. Lateral shift to account for differences in breaching discharge (Q_{ms} Q_{sa}) B. Vertical shift proportional to (SHI $_{sa}$ /SHI $_{ms}$) to account for differences in structural habitat quality. C. Final hypothetical modeled and non-modeled specific area curves.

forecast for a hypothetical modeling site. The curve on the right is an HAI function obtained for a related non-modeled specific area (also hypothetical) from the same representative group.

Structural habitat indices are used to determine the magnitude of the HAI response to flow at a non-modeled specific area (i.e., to "fix" the location of the HAI curve with respect to the vertical axis) as illustrated in Figure 12b. For each discharge, the following calculation is made:

$$HAI_{sa} = HAI_{ms} \times (SHI_{ms}/SHI_{sa})$$

In this case, the subscript \underline{ms} refers to the modeling site whose HAI function has been adjusted using the breaching flow of the non-modeled specific area, identified by the subscript sa.

The non-modeled specific area in Figure 12c HAI curve has been shifted to the right and downward to account for the higher breaching flow and the lower structural habitat quality of the non-modeled site relative to the modeled site. An HAI response curve derived in this fashion may be multiplied by wetted surface area estimates to calculate WUA values for each flow of interest. Preliminary HAI functions have been developed for all middle Susitna River specific areas and appear in Section 4.0 of this draft report.

2.5 Application of Habitat Modeling Results

The synthesis of data obtained in the classification, quantification and simulation steps of the extrapolation analysis will provide estimates of chinook rearing habitat for 172 specific areas within the middle Susitna River. Preliminary surface area measurements have been obtained for specific areas in Representative Groups I through IX, and aggregate WUA curves for juvenile chinook salmon are presented herein for these subenvironments.


In regard to the rearing habitat potential of different representative groups, the relative significance of aggregate WUA functions in future decisions will likely be influenced by data concerning present and prospective utilization by juvenile chinook salmon under natural and with-project flow regimes. An assessment of the relative importance of the different representative groups in terms of their utilization by rearing chinook salmon will appear in Volume II of the Instream Flow Relationships Report. When coupled with information relating to food availability, water temperature, suspended sediment and other environmental factors, the aggregate physical habitat response functions will allow for conclusions and recommendations at the management level.

3.1 Representative Group I

The 19 specific areas within this group include all upland sloughs occuring in the middle Susitna River. Except during flood stage, these sloughs are connected to the main channel only at their downstream end. In addition to high breaching flows and low turbidity levels, typical features of specific areas in Representative Group I include low velocity pools of greater-than-average depth separated by short, higher velocity riffles. Clear water enters these sites via seepage or tributary inflow and maintains relatively stable base flows under non-breached conditions. Substrates are frequently homogeneous over large areas and are often characterized by fine silt/sand sediments overlaying cobble materials. Cover is usually provided by overhanging and emergent vegetation. These sites are used only to a small extent by juvenile chinook salmon (Marshall et al. 1984).

Specific areas assigned to Representative Group I are represented by two RJHAB modeling sites: 107.6L and 112.5L. Photographs of these sites when mainstem discharges were 23,000 and 16,000 cfs are presented in Plates A-1 and A-2 (Appendix A). For much of its length, Site 107.6L is a low gradient, narrow meandering stream. At mainstem discharges above 20,000 cfs, the turbid backwater area at the slough mouth advances upstream and inundates lower sections of the site; this phenomenon accounts for the marked relative increase in wetted surface area indicated in Figure 13.

Usable chinook rearing habitat at Site 107.6L does not respond dramatically to increases in wetted surface area, as evidenced by the WUA and HAI curves







Figure 13. Surface area and chinook rearing habitat index response curves for modeling site 107.6L.

A- Wetted surface area (WSA) and weighted usable area (WUA).

B - Habitat availability index (HAI)

shown in Figure 13. WUA at this site gradually increases at higher flows due to the reduction in water velocity and water clarity caused by rising backwater. Water velocities ranging up to 0.8 fps are common at transects upstream of the backwater pool. Therefore, under clear water conditions nearly ideal velocities exist for juvenile chinook. A silt substrate is dominant, which affords little cover value for juvenile chinook, resulting in a low composite suitability for most cells within the site regardless of the suitability of their depths and velocities. As the extent of the backwater increases, velocities in these cells decrease to 0.0 fps, slightly reducing suitability with respect to this habitat variable, but turbidity levels increase, yielding a higher overall suitability (the weighting factor associated with the "no cover" class of cover using turbid water suitability criteria is 0.31, compared to 0.01 for clear water criteria). When coupled with an increase in surface area, this leads to the slight rise in WUA observed at higher flows. However, because the rate of change in WSA is so great relative to the change in WUA, the proportion of the site containing usable rearing habitat declines as flows increase. HAIs decrease from 11.9 percent at 5,000 cfs to 5.4 percent at 26,000 cfs.

In contrast to Site 107.6L, very little response in WSA, WUA, and HAI to changes in mainstem discharge were observed at Site 112.5L (Figure 14). The latter site is an upland slough with steep banks which prevents large changes in surface area as site water surface elevations change (Plate A-2). As a consequence, physical habitat conditions within this site remain relatively constant and little variation in WUA and HAI results from mainstem flow fluctuations below 35,000 cfs. Slight inconsistencies in ADF&G field data required that an average HAI value (4.2 percent) be used to back






Figure 14. Surface area and chinook rearing habitat index response curves for modeling site 112.5L.

A- Wetted surface area (WSA) and weighted usable area (WUA).

B - Habitat availability index (HAI)


calculate WUA values for Site 112.5L. Values derived for these habitat indices were comparable to those recorded for Site 107.6L.

Specific areas assigned to Representative Group I are former side channels and side sloughs that have become increasingly isolated over time from the mainstem owing to long-term channel activity. Due to the infrequency of breaching events, the primary response in habitat character at these sites results from backwater effects at the upland slough/mainstem interface. Differences between specific areas are related primarily to the extent of backwater areas, and secondarily to the presence or absence of riparian and instream vegetation. Variations in local runoff resulting from precipitation may also affect short-term habitat availability and quality.

Of the two modeling sites investigated, Site 107.6L is located within a specific area which is representative of 8 of the 19 specific areas classified in Group I, based on between-site comparisons of Structural Habitat Indices (SHIs) obtained from Aaserude et al. (1985). Site 112.5L may be considered representative of the remaining specific areas, each possessing an SHI of 0.56 or greater. HAI functions were derived for modeled and non-modeled specific areas associated with each of the modeling sites and are presented in Figures 15 and 16 (see also Appendix B). These HAI curves were not adjusted laterally on the discharge axis since the specific areas within Representative Group I are breached at extremely high mainstem discharges. Differences in habitat availability between specific areas are assumed to be due to dissimilarities in structural habitat quality.


For each specific area included in Representative Group I, HAI ratios representing the amount of usable rearing habitat per unit surface area at

REPRESENTATIVE GROUP 1



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 107.6L of Representative Group I.

REPRESENTATIVE GROUP 1



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 112.5L of Representative Group I.


flow increments of 500 cfs were multiplied by corresponding wetted surface area estimates interpolated from areas digitized from scaled aerial photography. The product of flow-specific HAI and WSA values are estimates of the total amount of WUA (in square feet) present at a particular site for mainstem flows ranging from 5,000 to 35,000 cfs. Aggregate WSA and WUA values were obtained for Representative Group I by summing individual specific area WSA and WUA forecasts. The results of these calculations are presented in Figure 17.

The overall response of juvenile chinook habitat for Group I sites is influenced by changes in backwater-related surface area and by the relative constancy of HAI values, particularly at lower flows. WUA tends to increase slightly as flows increase from 5,000 to 16,000 cfs; rearing habitat is maximal at the latter flow. Rearing habitat potential remains fairly constant between 16,000 and 35,000 cfs. It should be noted that the total amount of rearing habitat provided by Group I is small in comparison to other Representative Groups due to their comparatively low surface area and HAI values recorded for its individual specific areas.

3.2 Representative Group II

Associated with this group are modeling sites 101.4L, 113.7R, 126.0R and 144.4L. These sites are associated with side sloughs having moderately high breaching flows (> 20,000 cfs) and enough upwelling groundwater to keep portions of the sites ice-free during the winter months. Side sloughs classified in Representative Group II were found to contain significant

REPRESENTATIVE GROUP I







Figure 17. Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group I of the middle Susitna River.

numbers of juvenile chinook during the growth season, particularly in their breached state (Dugan et al. 1984).

The 27 specific areas included in this group are typically oxbow channels separated from the mainstem by large, vegetated islands or gravel bars. When breached, these channels convey only a small percentage of the total mainstem flow. They are characterized further by relatively high length-to-width ratios and lower gradients than are found in the adjacent mainstem. Cross-sections vary from relatively broad, uniform and rectangular in shape to narrow, irregular and v-shaped in profile. Head berms generally fall in the former category. Backwater areas occur at the mouths of most specific areas within Group II but their effects on hydraulic conditions and therefore juvenile chinook habitat are not as extensive as those observed for upland sloughs since side sloughs possess slightly higher gradients. Substrates range from silt and sand in backwater areas to rubble/cobble/boulder throughout the rest of the site. These sites tend to possess abundant macrophytic vegetation.

Aerial photography indicating the general features of modeling sites 101.4L, 113.7R, 126.0R, and 144.4L and their associated specific areas at 23,000 and 16,000 cfs are presented in Plates A-3, A-4, A-5, and A-6 (Appendix A). The appearance of these sites does not change appreciably at mainstem flows below 16,000 cfs.

Response curves for wetted surface area (WSA) and habitat indices (WUA, HAI) developed for the four modeling sites within Group II exhibit strong similarities in appearance due to the dominant influence of shared hydrologic, hydraulic and morphologic properties (cf Figures 18-21). In the







Figure 18. Surface area and chinook rearing habitat index response curves for modeling site 101.4L.

A- Wetted surface area (WSA) and weighted usable area (WUA).

B - Habitat availability index (HAI)









Figure 19. Surface area and chinook rearing habitat index response curves for modeling site 113.7R.

A- Wetted surface area (WSA), and weighted usable area (WUA).

B - Habitat availability index (HAI).







Figure 20. Surface area and chinook rearing habitat index response curves for modeling site 126.0R.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.






Figure 21. Surface area and chinook rearing habitat index response curves for modeling site 144.4L.

A- Wetted surface area (WSA) and weighted usable area (WUA).

B - Habitat availabiiity index (HAI)

non-breached state, wetted surface areas remain relatively constant, responding primarily to local runoff and upwelling conditions. Following breaching, rapid increases in WSA occur in response to further changes in mainstem flow. Increases in WSA are attenuated as flows approach bank full levels.


Juvenile chinook WUA values simulated for Group II modeling sites are generally constant until the sites are breached, whereupon large increases occur in response to incremental changes in site flow. The amount of usable rearing habitat tends to peak shortly after the head berms are overtopped. This relatively sudden and rapid increase in juvenile chinook habitat results from a combination of factors: 1) the rapid accrual of wetted surface area, 2) the enhanced cover value provided by higher turbidities, and 3) the preponderance of velocities falling within the optimal preference range for juvenile chinook. In general, the magnitude of the WUA increase is proportional to the increase in wetted surface area possessing suitable velocities. Site velocities, however, soon become limiting in mid-channel areas following breaching, leading to a reduction in rearing WUA at higher flows.

On the basis of limited gross habitat (GHA) and habitat quality (HQI) data obtained for Site 126.0R (Figure 20), usable rearing habitat appears to be more uniformly distributed and of better quality at flows associated with the ascending left hand limb of the WUA curve than at non-breached or high mainstem discharges. Under non-breached conditions, unsuitably shallow depths often occur in riffle areas of the site, resulting in slightly lower HDI values. Although surface area and habitat indices for Site 126.0R were not extrapolated to flows exceeding 35,000 cfs, it is likely that juvenile

chinook habitat becomes more restricted to peripheral areas as mid-channel velocities increase.

Aaserude et al. (1984) report identical structural habitat (SHI) values for modeling sites 113.7R and 126.0R; these sites collectively represent 15 of the 27 specific areas within Group II. Breaching flows were used to divide these 15 areas among the two modeling sites. Specific areas breaching at flows exceeding 28,000 were grouped with Site 126.0R, which is overtopped at 33,000 cfs. The 13 other specific areas, all breaching at 27,000 cfs or less, are represented by Site 113.7R, which breaches at 24,000 cfs. Site 144.4L has a higher SHI value than the other modeling sites and represents 7 of the specific areas in Group II. Site 101.4L may be considered representative of the remaining 5 specific areas. HAI functions are plotted for specific areas associated with each of these modeling sites in Figures 22 through 25. HAI values used to plot these curves are tabulated in Appendix B.

Figure 26 depicts the aggregate WUA curve obtained by multiplying Group II specific area HAI values by their wetted surface areas and summing the results for each flow of interest. Because of their high breaching flows, most specific areas exhibit peak HAI values in the range of 20,000 to 30,000 cfs. When adjusted by their wetted surface areas these sites yield cumulative WUA values which increase slowly at low to intermediate flows, increase more rapidly after this point and peak at 29,000 cfs. Approximately 1.2 million square feet of juvenile chinook WUA is provided by Group II specific areas at this discharge. The large differences in WUA over the range of evaluation flows indicate that rearing habitat potential



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 101.4L of Representative Group II.





Figure 23. Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 113.7R of Representative Group II.



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 126.0R of Representative Group II.





Figure 25. Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 144.4L of Representative Group II.






Figure 26. Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group II of the middle Susitna River.


in Representative Group II as a whole may be considered highly sensitive to fluctuations in mainstem flow. Figure 26 also illustrates aggregate WSA response for Representative Group II.

3.3 Representative Group III

Sites 101.2R, 128.8R, 132.6L and 141.4R are all side channels which become nonbreached at intermediate (8,000 to 16,000 cfs) mainstem discharge levels, and transform into side sloughs at lower discharges. These modeling sites and the Group III specific areas they represent, shown in Plates A-7 through A-14 (Appendix A), are larger and convey greater volumes of water when breached than the side sloughs discussed in the preceding section. Site geometry tends toward broad, concave cross-sections. Reach gradients are less than those measured for the adjacent mainstem, yet great enough to promote mid-channel velocities of 2 to 5 fps following breaching. Consequently, substrate is dominated by larger bed materials. Upwelling occurs sporadically within these specific areas and in a few cases may be insufficient to provide for passage between clearwater pools formed at low mainstem flows.

The specific areas comprising Group III represent some of the most heavily utilized rearing areas in the middle segment of the Susitna River. Juvenile chinook are found in these areas primarily under turbid water conditions (Dugan et al. 1984).

Surface area and juvenile chinook habitat response curves are portrayed in Figures 27, 28 and 30 for modeling sites 101.2R, 128.8R and 141.4R, respectively. These sites were modeled using IFG hydraulic simulation







Figure 27. Surface area and chinook rearing habitat index response curves for modeling site 101.2R.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.







Figure 28. Surface area and chinook rearing habitat index response curves for modeling site 128.8R.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.







Figure 29. Surface area and chinook rearing habitat index response curves for modeling site 132.6L.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.






Figure 30. Surface area and chinook rearing habitat index response curves for modeling site 141.4R.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.

models coupled with the HABTAT model of the PHABSIM system. A fourth site, 132.6L was modeled using both PHABSIM and RJHAB modeling techniques applied to separate sets of data. Results for this site are found in Figure 29.

An inspection of the aerial photography (Plates A-7 through A-14, Appendix A) WSA curves developed for the modeling sites suggests a rapid response of wetted surface area to changes in mainstem discharge following breaching. This response is paralleled by changes in gross habitat area until moderately high flows are attained, when the proportion of wetted surface area possessing usable rearing habitat falls off. Peak HDI values for the modeling sites typically range from 95 to 97 percent. These maxima usually occur at much higher flows than those associated with peak WUA values. Therefore, the quality of usable rearing habitat, as measured by the HQI index, tends to decline at higher flows; i.e., a greater proportion of the total WUA is concentrated in a smaller area within the modeling sites. This decline is caused by shifts in velocities in the majority of cells toward the suboptimal end of the velocity suitability curve.

Usable habitat within Group III specific areas during the non-breached phase is generally minimal due to a reduction in suitability caused by increased water clarity. Specific areas represented by Site 141.4R are an exception to this rule because of the widespread occurence of suitable depth/velocity cells. The enhanced cover conditions afforded by increased turbidity levels at this site are offset by a rapid decline in suitable velocities following breaching.


Of the 17 specific areas classified within Group III, 16 are represented by Sites 101.2R, 128.8R, and 132.6L. Site 141.4R is considered atypical due

to its larger size and discharge under non-breached conditions. Therefore, the only specific area assigned to this modeling site was the one in which the modeling site was found. Modeling results for Sites 101.2R and 132.6L were used to develop specific area HAI functions for 7 and 5 specific areas, respectively. Site 128.8R was used to represent 4 specific areas possessing relatively poor structural habitat quality.


Figures 31 to 34 illustrate HAI functions derived from modeling site habitat data and underscore the singularity of the habitat response to flow at Site 141.4R. HAI curves developed for the remainder of the other modeling sites in this representative group exhibit a strong unimodal peak in HAI following breaching, whereas the HAI response to increasing discharge at Site 141.4R is to progressively decrease for reasons stated above.

A comparison of the magnitudes and shapes of the WSA, WUA and HAI curves derived for Site 132.6L (Figure 29) suggests that the RJHAB and PHABSIM modeling approaches yield similar results. The RJHAB method appears well-suited to smaller channels where cross-sectional profiles (i.e., velocity and depth distributions) and cover characteristics are relatively homogeneous. We recommend limiting the use of RJHAB modeling techniques primarily to baseline evaluations of fish habitat in lotic subenvironments meeting these constraints.


The aggregate WUA function derived from individual rearing habitat response curves for specific areas in Representative Group III exhibits a pronounced peak in the vicinity of 15,500 cfs (Figure 35). The amount of juvenile



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 101.2R of Representative Group III.



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 128.8R of Representative Group III.



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 132.6L of Representative Group III.





Figure 34. Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 141.4R of Representative Group III.







Figure 35. Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group III of the middle Susitna River.

chinook habitat provided by this flow (1.3 million square feet) represents an increase of 350 percent over WUA values forecast for 9,000 cfs (0.3 million square feet). This marked increase in usable habitat is directly attributable to the recruitment of side channel habitat within the 9,000 to 12,500 cfs flow range; 13 of the 17 specific areas which comprise Group III breach in this range (refer to Table 4 for site-specific breaching flows). After peaking at 15,000 cfs, juvenile chinook habitat gradually declines to 0.9 million square feet at 26,000 cfs and remains at this level through 35,000 cfs. Decreases in HAI values which occur within this range are offset by gains in total wetted surface area, resulting in relatively stable rearing habitat potential at higher flows.

3.4 Representative Group IV

Aaserude et al. (1985) delineates the 23 specific areas within this group on the basis of their low breaching discharges and intermediate to high mean reach velocities. The side channels which comprise these specific areas possess lower mean reach velocities than adjacent mainstem channels. Substrates range primarily from cobble to boulder.

Four modeling sites represent Group IV: 112.6L, 131.7L, 134.9R and 136.0L. Of these, Site 112.6L is the largest and Site 136.0L the smallest of the sites investigated. In spite of their disparity in size the modeling sites are characterized by similar surface area and habitat index response curves. Compare the aerial photographs of the modeling sites presented in Plates A-15 through A-22 (Appendix A) with the wetted surface curves in Figures 36 through 39. As is typical of most side channels of the middle river, wetted surface area responds to changes in streamflow more rapidly







Figure 36. Surface area and chinook rearing habitat index response curves for modeling site 112.6L.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.







Figure 37. Surface area and chinook rearing habitat index response curves for modeling site 131.7L.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.







Figure 38. Surface area and chinook rearing habitat index response curves for modeling site 134.9R.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.






Figure 39. Surface area and chinook rearing habitat index response curves for modeling site 136.0L.


A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.

at lower than at higher flows; the rate of change in WSA per 1000 cfs increment in mainstem discharge declines perceptibly at flows exceeding 16,000 cfs. This response pattern is accentuated at sites with wide, shallow channel cross sections such as Site 131.7L (Plates A-17 and A-18, Figure 37).

In terms of juvenile chinook habitat potential, the most remarkable feature of Group IV modeling sites is the comparatively large amounts of WUA they provide at low to moderate mainstem flows. A comparison of the WUA values and, more appropriately, HAI functions (Figures 40 through 43) with estimates obtained for modeling sites from other Representative Groups suggests that Group IV specific areas provide a significant amount of rearing habitat within the middle river. This conclusion is supported by ADF&G sampling data indicating high utilization of these sites by juvenile chinook during the summer months (Dugan et al. 1984).

At all modeling sites except Site 131.7L, usable rearing habitat is greatest at the lowest evaluated flow (5,000 cfs), and after a gradual decline either continues to taper off or remains constant for flows above 16,000 cfs. Turbidity levels are high at all discharges and most areas of the sites possess suitable depths for rearing fish. Changes in WUA and HAI are therefore directly proportional to the increase or decrease in the availability of suitable velocities. As an example, Williams (1985) demonstrated that the total area within Site 112.6L possessing suitable rearing velocities is five times greater at 13,500 cfs than at 33,000 cfs.



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 112.6L of Representative Group IV.






Figure 41. Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 131.7L of Representative Group IV.



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 134.9R of Representative Group IV.



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 136.0L of Representative Group IV.

GHA and HDI curves reveal that the amount of gross habitat at the modeling sites is nearly equal to their total wetted surface area for flows ranging from 8,500 (Sites 112.6L and 134.9R) to 17,000 cfs (Site 131.7L). However, mean reach velocities measured at specific areas within this group averaged 3.3 fps at 10,000 cfs (Aaserude et al. 1985), well above the range of velocities tolerated by juvenile chinook salmon, suggesting that for the group as a whole, the amount and proportion of gross rearing habitat is probably greatest when flows are less than 10,000 cfs. Regardless of discharge levels, the quality and quantity of usable rearing habitat is greatest along the margins of the modeling sites due to the reduction of velocities in these areas.


The specific areas relegated to Representative Group IV have been divided among the four study sites on the basis of their structural habitat indices. Over half of the specific areas are grouped with Site 131.7L due to their poor structural habitat quality. Sites 136.0L and 134.9R were assigned 6 and 3 of the specific areas, respectively. The remaining 3 sites, all possessing SHI values of 0.59 or greater, were grouped with Site 112.6L. HAI response functions were derived for each specific area by normalizing the parent modeling site curves using breaching flow differences and SHI ratios. The derived HAI curves are shown in Figures 40 and 43. The strong resemblance between curves is related to their low breaching discharges and similar hydraulic geometry. The specific areas associated with Site 131.7L deviate slightly from the other sites in that rearing habitat availability peaks in the vicinity of 8,000 cfs rather than at streamflows of 5,000 cfs or less.

The aggregate WSA response for the group is shown in Figure 44. As discussed above, the proportion of the wetted surface area providing usable chinook habitat in Group IV sites, particularly in the lower flow range, is high in comparison to specific areas from other representative groups. This characteristic, when coupled with the fairly large surface areas associated with Group IV specific areas, results in exceptionally large rearing WUA forecasts for Representative Group IV as a whole (Figure 44). The significance of this fact will be discussed in Section 4.0 following presentation of aggregate WUA curves for all representative groups.

Juvenile chinook potential in Group IV sites is highest at mainstem discharges of 10,000 cfs and less. Peak rearing WUA values (approximately 4.1 million square feet) are attained at 8 - 8,500 cfs. This trend is related to the low breaching flows characteristic of specific areas within this group. The composite suitability of velocity and depth within these sites decreases rapidly as flows increase; WUA declines concomitantly, reaching a low of 1.6 million square feet at 35,000 cfs.

3.5 Representative Group V

This group includes shoal areas which transform into clear water side sloughs at lower mainstem discharges. A shoal is similar to a riffle in that both are topographic high points in the longitudinal bed profile of the river and are therefore zones of accretion. Shoals, however, are easily distinguished from riffles by their morphological features and the hydraulic processes responsible for their existence. As a general rule, shoals form immediately downstream of point gravel bars located at bends of







Figure 44. Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group IV of the middle Susitna River.

the river or at the lower end of established islands. Due to reduced flow in these areas, shoals are characterized by fine sediments (sand and gravels) deposited on the falling stages of floods and at low flow. Larger substrates are possible if the shoal has stabilized and begun to take on gravel bar characteristics. Shoals naturally evolve into gravel bars or islands as erosion continues on the opposite (outer) bank.

Flow across shoal areas may be transverse to mainstem flow and velocities tend to be slower-than-average due to the drag effect exerted by the streambed. As water levels drop, flow is concentrated in a few small channels which feed a larger single channel on the inside of the shoal. When feeder channels dewater at lower discharges there is usually sufficient mainstem downwelling through the head and sides of the channel berm to maintain a small amount of clear water slough habitat at the site.

The general morphologic features described above may be observed in aerial photographs (Plate A-23) of Site 141.6R—the only modeling site found in Representative Group V. Site 141.6R begins to convey mainstem water at 18,000 cfs but is not controlled by mainstem discharge until 22,000 cfs. Site flows under non-breached conditions average 5 cfs. Wetted surface area and juvenile chinook weighted usable area at Site 141.6R are assumed to remain constant in the non-breached state; the ratio of WUA to WSA, expressed as a percentage, is 13.4 percent (Figure 45). Gross habitat area is estimated to comprise 83 percent of the total surface area when clear water conditions prevail.

As is common with most side sloughs of the middle Susitna River, the introduction of turbid mainstem water has an immediate effect on the






Figure 45. Surface area and chinook rearing habitat index response curves for modeling site 141.6R.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.

usability of Site 141.6R by juvenile chinook. Other than turbidity, the most significant factor contributing to the sharp rise in usable habitat is the large increase in wetted surface area. Most of the recruited habitat is shallow and slow velocity areas that may be used to some extent by young chinook. Figure 45 indicates that over 90 percent of the total surface area has at least some rearing habitat value at discharges between 23,000 and 32,000 cfs. Maximum WUA, HAI, and HQI values occur at the lower end of this flow range; each of these habitat indices peak in the range of 24,000 and 25,500 cfs. Habitat index curves are drawn out at their upper ends by the gradual loss of suitable velocity areas. Eventually, flow over the shoals is fast enough to significantly reduce the availability and quality of chinook rearing habitat at the site.

.


•

ı

There are 9 specific areas within Representative Group V. The areas breach over a wide range of mainstem discharges (<5,000 to 23,000 cfs) and exhibit large variations in structural habitat quality. The HAI function obtained for Site 141.6R, which breaches at 22,000 cfs and has a comparatively high SHI value, was used as a template for deriving HAI curves for all specific areas within the group (Figure 46 and Appendix B). There does not appear to be any correlation between the magnitude of breaching flow and structural habitat quality of peak habitat availability for these specific areas.


Collectively, the specific areas which make up Representative Group V do not provide significant amounts of juvenile chinook habitat, even under ideal flow conditions. The low aggregate WUA values portrayed in Figure 47 result from 1) the small number of specific areas assigned to Group V, and 2) the small amount of total wetted surface area associated

REPRESENTATIVE GROUP V



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 141.6R of Representative Group V.

REPRESENTATIVE GROUP V






Figure 47. Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group V of the middle Susitna River.

WUA is provided by Representative Group V by streamflows within the range of 5,000 to 35,000 cfs. WUA values peak at approximately 26,000 cfs when joint surface area and HAI values are maximized (Figure 47).


3.6 Representative Group VI

The specific areas within this group are products of the channel braiding processes active in the high gradient middle segment of the Susitna River. Included are overflow channels which parallel the adjacent mainstem. Typically separated from the mainstem by a sparsely vegetated bar, these channels may or may not possess upwelling. These specific areas may represent more advanced stages of shoal development in which their gravel bars have stabilized due to the growth of vegetation and further high-stage sedimentation, and mainstem overflow is usually delivered by a single dominant feeder channel. Incision of the lateral channels has gradually occurred over time, leading to lower head berm elevations and coarser substrates. Side channel gradients are usually greater than adjacent mainstem channels as a result of hydraulic processes which adjust channel morphology to maintain transport continuity. The spectrum of shoal-to-side channel developmental stages represented by the specific areas of Group VI is indicated by the wide range of breaching discharges and structural habitat indices recorded by Aaserude et al. (1985).

Included in Representative Group VI are modeling sites 133.8L and 136.3R, which breach at 17,500 and 13,000 cfs, respectively, but remain watered at non-breached mainstem discharges. Plates A-24 through A-26 (Appendix A) give some idea of the morphologic features and wetted surface area response

to flow of Group VI modeling sites. A large backwater occurs at their confluence with the mainstem channel. The gravel bar at Site 136.3R appears to be more stable than the bar at Site 133.8L, judging from differences in the type and amount of vegetation cover. Both modeling sites are relatively flat in cross section except for deep narrow channels running along banks opposite the gravel bars. These banks are steep-walled whereas banks formed by the gravel bars are gently sloping. These features are largely responsible for the type of response of juvenile chinook habitat to changes in mainstem discharge observed at the two Group VI modeling sites.

Habitat index and surface area response functions derived for Site 133.8L and 136.3R are conspicuously similar, particularly if allowance is made for differences in mean channel width (Figures 48 and 49). In both cases, the anticipated increase in WUA following breaching occurs, but after attaining moderate levels the amount of rearing habitat remains fairly constant at higher mainstem discharges. This pattern, which is uncharacteristic of more developed side channels (compare, for example, the WUA response curves for sites from Representative Group VI with results for Group III and IV modeling sites), is also apparent in the relationship between gross habitat area and river discharge. The constancy of WUA and GHA values at moderate-to-high mainstem flows results in generally stable habitat quality at the sites, implying that areas suitable for chinook rearing are recruited and lost at comparable rates. Regardless of flow levels, most juvenile chinook habitat at Sites 133.8L and 136.3R is associated with the gravel bar shoreline and backwater area of both sites.







Figure 48. Surface area and chinook rearing habitat index response curves for modeling site 133.8L.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.







Figure 49. Surface area and chinook rearing habitat index response curves for modeling site 136.3R.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.






Figure 49. Surface area and chinook rearing habitat index response curves for modeling site 136.3R.


A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.

HAI functions developed for the two modeling sites exhibit the expected rise and fall in juvenile chinook habitat availability which attends breaching and further increases in discharge. However, because WUA values remain constant at higher flows, the slope of the descending limb of the HAI curves is not as great as observed for other representative groups. Based on an assessment of structural habitat data obtained at modeled and non-modeled specific areas in Group VI, exactly half of the 14 specific areas may be grouped with Site 133.8L and Site 136.3R, respectively. HAI functions derived from the modeling sites are presented for each subgroup in Figures 50 and 51 and Appendix B. Note the relatively narrow range of breaching flows and high SHI values (see also Table 4) of specific areas associated with Site 136.3R as compared with areas represented by Site 133.8L.


Due to their relatively high breaching flows and rapid wetted surface area response following breaching (Figure 52), specific areas within Representative Group VI provide considerably more juvenile chinook WUA at high as compared to low mainstem discharges. Figure 52 indicates the aggregate rearing WUA function derived as the sum of individual specific area habitat values for flows ranging from 5,000 to 35,000 cfs. Rearing habitat potential increases steadily as a function of flow throughout this range. The amount of juvenile chinook WUA forecast for 35,000 cfs (1.3 million square feet) represents over 30 times the amount of WUA forecast for 5,000 cfs (0.04 million square feet). The correlation between wetted surface area and aggregate rearing WUA values is more pronounced in Group VI than in other representative groups due to the relative constancy of HAI values across all flows.

REPRESENTATIVE GROUP VI




Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 133.8L of Representative Group VI.

REPRESENTATIVE GROUP VI



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 136.3R of Representative Group VI.

REPRESENTATIVE GROUP VI






Figure 52. Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group VI of the middle Susitna River.


3.7 Representative Group VII

This group is dominated by side channels possesing low breaching discharges and organized into distinctive riffle/pool flow patterns. In most cases, the specific areas are comparatively short with small length:width ratios and are composed of a single riffle extending from the head of the site down to a large backwater area at the mouth. The transition from riffle to backwater pool is defined by an abrupt step in bed and water surface Head berms are generally broad-crested and the riffles of greater-than-average slope. The increase in water velocities resulting from steep riffle gradients and an increase in streamflow tends to counteract the staging effect of rising mainstem flows at the mouth of the site. Consequently, the rate of change in backwater area is less than is observed at lower gradient sloughs and side channels over a comparable range of discharges. Backwater area varies at Group VII sites primarily by expanding or contracting laterally as flows change. Flow characteristics within backwater pools include near zero velocities and a calm surface, as compared to the broken and rapidly moving water of riffles.

Considerable longitudinal variation in streambed texture occurs in Group VII specific areas. Riffles are composed of rubble and boulder size substrates, whereas backwater areas tend to have sandy beds. Periodic high flows may temporarily expose coarse sediment in backwater pools which is subsequently covered by sand and silt during periods of low flow. High turbidities also prevail at these sites since upwelling is not present.

Modeling Site 119.2R is the sole representative of the 7 specific areas classified within Group VII. This site possesses the typical riffle/pool sequence characteristics just described (Plates A-27 and A-28 in Appendix A). As indicted in Figure 53, a basal level of wetted surface area and juvenile chinook WUA is maintained under non-breached conditions by backwater effects. Peak rearing habitat potential occurs shortly after the berm at the head of the site is overtopped and the riffle area is inundated. The relatively broad width and uniform elevation of the head berm strongly influences the distribution and amount of juvenile chinook habitat at Site 119.2R. Areas of usable habitat within the riffle rapidly expand until local velocities begin to exceed tolerable limits which in turn prompts a decline in rearing habitat. Maximum WUA values are forecast for discharges of 12,500 to 13,000 cfs, when juvenile chinook WUA is nearly four times greater than WUA present under non-breached conditions (39,300 versus 10,500 sq.ft./ft.).

Gross habitat is widely distributed throughout Site 119.2R at flows ranging up to 17,000 cfs, as demonstrated by the GHA response to discharge in Figure 53. However, habitat availability and quality, as indexed by HAI and HQI values, begins to diminish appreciably around 12,000 cfs. Peak HAI and HQI estimates were similar at 40 percent, a fairly high value in comparison to other modeling sites. The minimum HAI value was 3 percent at 35,000 cfs. This HAI value was estimated by extending the WSA and WUA curves by eye for discharges exceeding 20,000 cfs (Hilliard et al. 1985). The HQI curve was not extrapolated past 20,000 cfs, but HQI values may be expected to be higher than HAI values to a degree which is proportional to the difference between gross habitat area and wetted surface areas at high discharges.






Figure 53. Surface area and chinook rearing habitat index response curves for modeling site 119.2R.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.


HAI functions derived from modeling results for Site 119.2R display the low breaching flows and comparatively large habitat potential at low discharges associated with specific areas of Representative Group VII (Figure 54 and Appendix B). Within a narrow range of low mainstem discharges (10,000 to 13,000 cfs), HAI values compare favorably with peak HAI values recorded for specific areas from other groups. The marked decline in habitat availability at higher flows and the overall poor structural habitat quality (i.e., low SHI values) of Group VII sites suggests that hydraulic geometry plays a more important role than does object cover in determining the collective rearing habitat potential of this group.

As was the case for side channels comprising Representative Group IV, which are characterized by similarly low breaching discharges, the seven specific areas of Group VII provide notably greater amounts of usable rearing habitat at low than at high mainstem flows, as evidenced by the aggregate WUA function in Figure 55. This results from the comparatively high HAI values which occur immediately subsequent to breaching and their rapid decline at higher flows. Juvenile chinook WUA peaks at 0.3 million square feet at 8,000 cfs, remains at this level through 13,000 cfs and declines to 0.08 million square feet at 35,000 cfs.

3.8 Representative Group VIII


This group is comprised of 22 specific areas which tend to dewater at intermediate to high mainstem discharges. The absence of an upwelling groundwater supply may be due to the local structural geology and the location of the channels relative to sources of subsurface flow. Asserude et al. (1985) noted that the heads of channels included in Group VIII were

REPRESENTATIVE GROUP VII



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 119.2R of Representative Group VII.

REPRESENTATIVE GROUP VII






Figure 55. Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group VII of the middle Susitna River.

frequently oriented at a $30^{\circ}+$ angle to the adjacent mainstem channel. Apparently groundwater flow is either diverted away from these sites or occurs at a lower elevation than the bed elevation of the exposed channels.

In spite of their tendency to dewater, specific areas in Group VIII are similar to specific areas assigned to Groups II and III in their hydrologic, hydraulic, and morphologic properties. Therefore, because Group VIII does not possess a specific area with a rearing habitat modeling site, HAI functions based on modeling sites from Representative Groups II and III were used to represent Group VIII in the habitat extrapolation process. An obvious requirement was that the habitat functions for modeling sites selected to represent this group be modified to reflect the total loss of rearing habitat as mainstem stage declines below head berm elevations. Candidate modeling sites include Site 144.4L from Group II and Site 132.6L from Group III. The first modeling site is recommended by its high breaching discharge, its morphological similitude with several Group VIII specific areas, and by the general shape of its habitat response curves. Figure 29 illustrates the WSA, WUA and HAI curves which have been derived from Site 144.4L to represent a subclass of Group VIII specific areas. Note that the lefthand limb of the curves have been truncated at a breaching flow of 21,000 cfs.

Site 132.6L has been selected to represent the subclass of specific areas from Group VIII which dewater at intermediate discharges. Based on an examination of aerial photography obtained at several mainstem flows, these specific areas and Site 132.6L possess similar longitudinal and cross sectional profiles. Site 132.6L, which breaches at 10,500 cfs, eventually

dewaters at 6,000 cfs as the water surface elevation drops below the elevation of the groundwater table. However, the revised modeling site habitat response curves have been truncated at 10,500 cfs to accurately reflect the rapid dewatering which occurs at Group VIII specific areas.

HAI curves derived from the modified HAI functions of Sites 144.4L and 132.6L are presented in Figures 56 and 57 and aggregate WSA response in Figure 58. The specific areas from Group VIII were divided between the modeling sites on the basis of breaching flow; the 9 specific areas which breach at 15,500 cfs and less are associated with Site 132.6L, and the remaining 11 sites are represented by Site 144.4L.

Since all of the specific areas associated with Group VIII are dewatered by 8,000 cfs, juvenile chinook habitat does not exist at flows below this value. This is reflected in the aggregate rearing WUA curve developed for Group VIII (Figure 58). WUA accumulates rapidly as the specific areas become breached and peak values (0.7 million square feet) are attained at 29,500 cfs. Rearing habitat potential declines slightly at higher flows.

3.9 Representative Group IX

This group contains specific areas categorized as mainstem, side channel, or shoal habitat with mean reach velocities greater than 5 fps at 10,000 cfs. These sites are closely associated with the main river corridor, usually convey a significant percentage of the total discharge, and possess small length to width ratios. Flow tends to parallel the overall channel direction but may not be distributed uniformly across the channel

REPRESENTATIVE GROUP VIII






Figure 56. Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 132.6L of Representative Group VIII.

REPRESENTATIVE GROUP VIII



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 144.4L of Representative Group VIII.

REPRESENTATIVE GROUP VIII







Figure 58. Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group VIII of the middle Susitna River.

since some curvature is typical of most specific areas of the middle Susitna River. Curved channels are characterized by a transverse bed slope, with the thalweg located near the outside of the bend. In general, the inside banks of Group IX specific areas are formed by mildly sloped and vegetated gravel bars.

Two habitat modeling sites were selected from the specific areas included in Group IX. Sites 101.5L and 147.1L are large channels classified as mainstem habitat over the entire 5,100 to 23,000 cfs flow range (Plates A-29 through A-32 in Appendix A). Due to an excess of areas with velocities greater than 2.5 fps (i.e., the upper velocity threshold for rearing), the modeling sites provide little juvenile chinook habitat in relation to the total volume of water they convey. This conclusion is strengthened by the large differences observed between WSA and GHA estimates and the low rearing WUA values forecast for all mainstem discharges (Figures 59 and 60). Wetted surface areas change at comparatively slow rates as discharge varies at both sites due to their large size and a tendency to compensate for varying flow more through adjustments in water depth and velocity than in top width.

Both GHA and WUA increase slightly at higher mainstem discharges; thus, the availability of usable rearing habitat and its distribution within the modeling sites tends to remain constant throughout the range of evaluation flows. In a detailed analysis of cross section velocity profiles at Sites 101.5L and 147.1L, Williams (1985) noted that suitable rearing areas are confined to nearshore zones in the channels, primarily along the gently sloped island banks, due to high mid-channel velocities. The ratio of juvenile chinook WUA to wetted surface area at these sites is very low, on







Figure 59. Surface area and chinook rearing habitat index response curves for modeling site 101.5L.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.






Figure 60. Surface area and chinook rearing habitat index response curves for modeling site 147.1L.

A- Wetted surface area (WSA), gross habitat area (GHA) and weighted usable area (WUA).

B - Habitat availability index (HAI), habitat distribution index (HDI) and habitat quality index (HQI) response functions.


the order of 5 percent or less. These values are considerably lower than HAI estimates obtained for modeling sites from other representative groups. The ratio of WUA to GHA is predictably higher, ranging up to 22 percent, but also slightly lower than HQI ratios calculated for other sites. Taking these indices into account, the juvenile chinook habitat potential within Group IX specific areas is judged to be inferior in quality.

Using the HAI functions developed for Sites 101.5L and 147.1L as templates, HAI curves were derived for specific areas within Group IX. Adjustments were made to account for differences in breaching flow and structural habitat quality. In regard to structural habitat, the mean SHI value for specific areas in this group is high compared to other representative groups. This results from the large substrate sizes which predominate in the high velocity channels and the high cover value assigned to them in the SHI calculations. Nine of the 20 specific areas within Group IX have been grouped with Site 101.5L; the remaining 11 sites are represented by site 147.1L. HAI functions derived for modeled and non-modeled specific areas are presented in Figures 61 and 62 and the aggregate WSA response curve for Group IX in Figure 63.

The collective rearing habitat potential of the 20 specific areas in Group IX increases from 0.3 million square feet at 5,000 cfs to a peak of 0.6 million square feet at 27,500 cfs (Figure 63). Aggregate WUA values increase steadily over this flow range although the rate of change is very low in comparison to other representative groups, with the exception of Group I (upland sloughs), being only slightly greater than the rate of change in wetted surface area. Juvenile chinook WUA remains constant at


higher flows as increases in wetted surface area are offset by gradual reductions in rearing habitat availability.

REPRESENTATIVE GROUP IX




Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 101.5L of Representative Group IX.

REPRESENTATIVE GROUP IX



Response of chinook rearing habitat availability to mainstem discharge within non-modeled specific areas of the middle Susitna River which are associated with modeling site 147.1L of Representative Group IX.

REPRESENTATIVE GROUP IX






Figure 63. Aggregate response of A - wetted surface area (WSA) and B - chinook rearing habitat potential (WUA) to mainstem discharge in specific areas comprising Representative Group IX of the middle Susitna River.

4.0 SUMMARY

The physical habitat modeling presented in this report provides a quantitative evaluation of the response of juvenile chinook weighted usable area to incremental changes in streamflow for the middle Susitna River. Underpinning the extrapolation methodology are several assumptions related to physical habitat modeling and river stratification procedures.

The primary assumption of the habitat modeling studies is that weighted usable area (WUA) is an index of physical habitat conditions and changes in WUA are attended by adjustments in the distribution and relative abundance of juvenile chinook populations. Although other physical and non-physical components of fish habitat not included in the calculation of WUA may influence the survival and growth of juvenile chinook salmon, the physical environment affects to a substantial degree biotic processes of the aquatic community. Moreover, considerable data exist which indicate the importance of individual microhabitat variables for influencing the distribution of juvenile chinook within different subenvironments of the middle Susitna River. Hence, physical habitat modeling is an appropriate method for assessing the influence of project-induced changes in streamflow on juvenile chinook habitat.

It is recognized that numerous environmental variables influence the availability of chinook rearing habitat and that these variables are typically not independent of one another. Under some circumstances, however, the availability or quality of juvenile chinook habitat may be governed primarily by one or two variables whose influence is more pronounced than

the combined effect of all other environmental variables. An example is the positive correlation during the summer growing period between juvenile chinook distribution and turbid water. This may reflect the value of turbidity as cover for juvenile chinook as reported by Dugan et al. (1984) or it may reflect a greater abundance of drifting invertebrate prey in the turbid mainstem and side channel habitats than in clear water sloughs.

Water clarity was treated as a cover variable in the physical habitat modeling studies since our present understanding of turbidity, food availability, and juvenile chinook distribution does not warrant an evaluation of the relationship of turbidity to food supply. Nevertheless, if it is drifting invertebrate prey associated with turbid mainstem and side channel flow which juvenile chinook are responding to rather than the cover value of turbidity, the physical habitat model remains valid. For it is the influence of turbidity on juvenile chinook distribution, not the cause, which is being modeled.

The influence of water clarity was incorporated into the modeling process through the application of separate clear and turbid water habitat suitability criteria for juvenile chinook. Clear water velocity and cover suitability criteria were used to calculate rearing WUA indices for modeling sites under non-breached conditions. Following breaching high turbidities prevailed at the modeling sites and turbid water criteria were applied.

The results of the rearing habitat modeling studies conducted at individual modeling sites indicate surface area and rearing habitat response curves are generally more similar within representative groups (where two or more

modeling sites occur) than between groups. The amount of rearing habitat available at a particular site is strongly affected by the mainstem discharge at which its upstream berm is overtopped. Under non-breached conditions, juvenile chinook habitat is typically relatively small. The combination of the influx of turbid water to the channel and the increase in its wetted surface area which accompany breaching typically increases the availability of rearing habitat significantly. Positive gains of WUA continue, but at a gradually declining rate, as mainstem discharge increases and water velocities at the site remain favorable. Juvenile Chinook habitat tends to decrease more rapidly in smaller channels as mainstem discharge increases than in larger channels due to a more gradual response of near shore velocities to changes in flow in large channels. Thus, relatively small changes in the availability of rearing habitat occur as flows increase or decrease in the large side channels and mainstem. It should be emphasized, however, that these large side channels and the mainstem contribute a disproportionately small amount of habitat in relation to their wetted surface area.

Based on the delineation of specific areas and their classification into the representative groups reported by Aaserude et al. 1985, we have developed aggregate rearing habitat response functions for the majority of the subenvironments which directly respond to changes in mainstem discharge. These are summarized in Figure 64. We have not combined WUA values for the representative groups to obtain an aggregate WUA value for the entire middle Susitna River. Evidence of variability in juvenile chinook abundance and distribution between representative groups is provided by

à




Figure 64. Comparison of the aggregate response of chinook rearing habitat potential [WUA] for Representative Groups I through IX.

125

Hoffman (1985), suggesting that WUA indices for different representative groups be adjusted for utilization prior to being aggregated.

Other considerations which should be addressed prior to drawing final conclusions from the habitat response functions provided in this report are the influences of food availability and water temperature on the quality of rearing habitats. In addition such seasonal aspects as availability of chinook overwintering habitat should be considered. The habitat modeling results presented in this report are not directly applicable to evaluations of winter habitat since hydraulic characteristics and fish behavior are different at this time of year. In regard to the open water period, however, time series and habitat duration analyses at the representative group level are recommended for comparisons between groups and flow regimes. Whereas the primary utility of the WUA response functions is their application to existing habitat conditions, the general shape of the WUA response functions are also well-suited to assessing with-project effects on juvenile chinook habitat.

LITERATURE CITED

- Aaserude, R.G., J. Thiele, and D. Trudgen. 1985. Characterization of aquatic habitats in the Talkeetna-to-Devil Canyon segment of the Susitna River, Alaska. Preliminary draft report. E. Woody Trihey and Associates and Arctic Environmental Information and Data Center, University of Alaska, Fairbanks. Alaska Power Authority. Susitna Hydroelectric Project. 1 vol.
- Alaska Dept. of Fish and Game. 1983. Phase II basic data report. Vol. 4: Aquatic habitat and instream flow studies, 1982. Parts I and II. 367 pp.
- Alaska Power Authority. 1983. Application for license for major project, Susitna Hydroelectric Project, before the Federal Energy Regulatory Commission. Vol. 6A. Exhibit E, Chaps. 3. Alaska Power Authority. Susitna Hydroelectric Project.
- Bovee, K.D. 1982. A guide to stream habitat analysis using the instream flow incremental methodology. U.S. Fish and Wildlife Service. Insteam Flow Information Paper 12. 1 vol.
- Dugan, L.J., D.A. Sterritt, and M.E. Stratton. 1984. The distribution and relative abundance of juvenile salmon in the Susitna River drainage above the Chulitna River confluence. 51 pp. Part 2 in Schmidt, D.C., et al. Report No. 2. Resident and juvenile anadromous fish investigations (May October 1983). Susitna Hydro Aquatic Studies, Alaska Dept. of Fish and Game. Report for Alaska Power Authority, Anchorage, AK. Document 1784. 1 vol.
- Estes, C.C., and D.S. Vincent-Lang, eds. 1984. Report No. 3. Aquatic habitat and instream flow investigations (May -October 1983). Chapter 7: An evaluation of chum and sockeye salmon spawning habitat in sloughs and side channels of the middle Susitna River. Susitna Hydro Aquatic Studies, Alaska Dept. of Fish and Game. Report for Alaska Power Authority, Anchorage, AK. Document 1936. 1 vol.
- Hale, S.S., P.M. Suchanek, and D.C. Schmidt. 1984. Modeling of juvenile salmon and resident fish habitat. 48 pp. Part 7 in Schmidt, D.C., et al. Report No. 2. Resident and juvenile anadromous fish investigations (May October 1983). Susitna Hydro Aquatic Studies, Alaska Dept. of Fish and Game. Report for Alaska Power Authority, Anchorage, AK. Document 1784. 1 vol.
- Harza-Ebasco Susitna Joint Venture. 1985. Susitna hydroelectric project case E-VI alternative flow regime: Volume 1, main report. Report for Alaska Power Authority, Anchorage, AK.
- Hilliard, N.D., et al. 1985. Hydraulic relationships and model calibration procedures at 1984 study sites in the Talkeetna-to-Devil Canyon segment of the Susitna River, Alaska. E. Woody Trihey and Associates. Report for Alaska Power Authority, Anchorage, AK. 1 vol.


- Hoffman, A.G. 1985. Report No. 9. Summary of salmon fishery data for selected middle Susitna River sites. Susitna Hydro Aquatic Studies, Alaska Dept. of Fish and Game. Report for Alaska Power Authority, Anchorage, AK. 1 vol.
- Klinger, S., and E.W. Trihey. 1984. Response of aquatic habitat surface areas to mainstem discharge in the Talkeetna-to-Devil Canyon reach of the Susitna River. E. Woody Trihey and Associates. Report for Alaska Power Authority. Susitna Hydroelectric Project. Document 1693. 1 vol.
- Loar, J.M., ed. 1985. Application of habitat evaluation models in southern Appalachian trout streams. Oak Ridge National Laboratory. Environmental Sources Division publication no. 2383. 310 p.
- Marshall, R.P., P.M. Suchanek, and D.C. Schmidt. 1984. Juvenile salmon rearing habitat models. 51 pp. Part 4 in Report No. 2. Resident and juvenile anadromous fish investigations (May October 1983). Susitna Hydro Aquatic Studies, Alaska Dept. of Fish and Game. Report for Alaska Power Authority, Anchorage, AK. Document 1784. 1 vol.
- Milhous, R.T., D.L. Weyner, and T. Waddle. 1984. Users guide to the Physical Habitat Simulation System. Instream Flow Information Paper 11. U.S. Fish and Wildlife Service. FWS/OBS 81-43 revised. 475 p.
- Milner, A.M. 1985. A framework for the assessment of chinook salmon rearing in the middle Susitna River under altered flow, temperature and sediment regime. E. Woody Trihey and Associates. Report for Alaska Power Authority, Anchorage, AK. 69 p.
- Moulton, L.L., et al. 1984. Fish mitigation plan. Woodward-Clyde Consultants. Report for Alaska Power Authority. 1 vol.
- Nelson, F.A. 1980. Evaluation of four instream flow methods applied to four trout rivers in southwest Montana. Montana Department of Fish, Wildlife and Parks, Bozeman, Montana. 105 p.
- Suchanek, P.M., R.P. Marshall, S.S. Hale and D.C. Schmidt. 1984. Juvenile salmon rearing suitability criteria. 49 pp. Part 3 in D.C. Schmidt et al., eds. Report No. 2. Resident and juvenile anadromous fish investigations (May October 1983). Susitna Hydro Aquatic Studies, Alaska Dept. of Fish and Game. Report for Alaska Power Authority, Anchorage, AK. Document 1784. 1 vol.
- Steward, C.R. 1985. Suitability criteria recommended for use in IFR habitat modeling studies of the middle Susitna River. Technical Memorandum. E. Woody Trihey and Associates, Anchorage, AK. 11 pp.
- Steward, C.R. and E.W. Trihey. 1984. Fish habitat and instream flow relationships in the middle reach of the Susitna River: An extrapolation methodology. Unpublished manuscript.
- E. Woody Trihey and Associates and Woodward-Clyde Consultants. 1985. Instream flow relationships report. Volume 1. Working draft. Alaska Power Authority. Susitna Hydroelectric Project. 1 vol.

- Trihey, E.W., and J.E. Baldrige. 1985. An empirical approach for evaluating microhabitat response to streamflow in steep-gradient, large bed-element streams. Paper presented at symposium on Small Hydropower and Fisheries, Aurora, CO. American Fisheries Society. 8 pp.
- Williams, S. 1985. The influence of middle Susitna River discharge and suspended sediment on mainstem and side channel rearing habitats. Technical memorandum. E. Woody Trihey and Associates, Anchorage, AK. 45 pp.

APPENDIX A

AERIAL PHOTOGRAPHY OF MODELING SITES

(PLATES A-1 THROUGH A-32)







Plate A-1 Aerial photography of modeling site 107.6L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at >35,000 cfs and is included in Representative Group I.







Plate A-2 Aerial photography of modeling site 112.5L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at >35,000 cfs and is included in Representative Group I.






Plate A-3 Aerial photography of modeling site 101.4L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 22,000 cfs and is included in Representative Group II.





Plate A-4 Aerial photography of modeling site 113.7R at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 24,000 cfs and is included in Representative Group II.







Plate A-5 Aerial photography of modeling site 126.0R at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 33,000 cfs and is included in Representative Group II.






Plate A-6 Aerial photography of modeling site 144.4L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 21,000 cfs and is included in Representative Group II.






Plate A-7 Aerial photography of modeling site 101.2R at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 9,200 cfs and is included in Representative Group III.





Plate A-8 Aerial photography of modeling site 101.2R at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at 9,200 cfs and is included in Representative Group III.







Plate A-9 Aerial photography of modeling site 128.8R at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 16,000 cfs and is included in Representative Group III.







Plate A-10 Aerial photography of modeling site 128.8R at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at 16,000 cfs and is included in Representative Group III.







Plate A-11 Aerial photography of modeling site 132.6L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 10,500 cfs and is included in Representative Group III.





Plate A-12 Aerial photography of modeling site 132.6L at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at 10,500 cfs and is included in Representative Group III.







Plate A-13 Aerial photography of modeling site 141.4R at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 11,500 cfs and is included in Representative Group III.







Plate A-14 Aerial photography of modeling site 141.4R at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at 11,500 cfs and is included in Representative Group III.







Plate A-15 Aerial photography of modeling site 112.6L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at <5,000 cfs and is included in Representative Group IV.







Plate A-16 Aerial photography of modeling site 112.6L at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at <5,000 cfs and is included in Representative Group IV.







Plate A-17 Aerial photography of modeling site 131.7L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at <5,000 cfs and is included in Representative Group IV.







Plate A-18 Aerial photography of modeling site 131.7L at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at <5,000 cfs and is included in Representative Group IV.







Plate A-19 Aerial photography of modeling site 134.9R at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at <5,000 cfs and is included in Representative Group IV.

1 40







Plate A-20 Aerial photography of modeling site 134.9R at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at <5,000 cfs and is included in Representative Group IV.







Plate A-21 Aerial photography of modeling site 136.0L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at <5,000 cfs and is included in Representative Group IV.







Plate A-22 Aerial photography of modeling site 136.0L at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at <5,000 cfs and is included in Representative Group IV.






Plate A-23 Aerial photography of modeling site 141.6R at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 21,000 cfs and is included in Representative Group V.







Plate A-24 Aerial photography of modeling site 133.8L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 17,500 cfs and is included in Representative Group VI.







Plate A-25 Aerial photography of modeling site 136.3R at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 13,000 cfs and is included in Representative Group VI.







Plate A-26 Aerial photography of modeling site 136.3R at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at 13,000 cfs and is included in Representative Group VI.







Plate A-27 Aerial photography of modeling site 119.2R at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at 10,000 cfs and is included in Representative Group VII.







Plate A-28 Aerial photography of modeling site 119.2R at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at 10,000 cfs and is included in Representative Group VII.







Plate A-29 Aerial photography of modeling site 101.5L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at <5,000 cfs and is included in Representative Group IX.







Plate A-30 Aerial photography of modeling site 101.5L at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at <5,000 cfs and is included in Representative Group IX.







Plate A-31 Aerial photography of modeling site 147.1L at mainstem discharges of 23,000 cfs and 16,000 cfs. Site breaches at <5,000 cfs and is included in Representative Group IX.






Plate A-32 Aerial photography of modeling site 147.1L at mainstem discharges of 12,500 cfs and 7,400 cfs. Site breaches at <5,000 cfs and is included in Rerresentative Group IX.

APPENDIX B HABITAT AVAILABILITY INDICES (HAI) FOR SPECIFIC AREAS

HAI VALUE	ES (PERCE	ENT)												
Qms	102.2L	105.2R	107.6L	108.3L	112.5L	119.4L	120.OR	121.9R	123.1R	123.3R	127.2M	129.4R	133.9L	134.0L
5000							17 40				7.5/			
5000 5500	5.09		11.88	4.29	4.17	12.14	13.49	4.48	12.14	4.11	3.56	11.88	4.11	
6000	5.09 5.09	4.23	11.87 11.85	4.29	4.17		13.46	4.48	12.12	4.11	3.56	11.85	4.11	5.46 5.46
6500	5.09	4.23		4.29	4.17		13.43	4.48	12.12	4.11	3.56	11.82	4.11	
7000	5.09	4.23		4.29	4.17		13.39	4.48	12.05	4.11	3.56	11.79	4.11	
7500	5.09	4.23		4.29	4.17		13.34	4.48	12.01	4.11	3.56	11.74	4.11	
8000	5.09	4.23		4.29	4.17		13.28	4.48	11.95	4.11	3.56	11.68	4.11	
8500	5.09	4.23		4.29	4.17			4.48	11.89	4.11	3.56	11.62	4.11	
9000	5.09	4.23		4.29	4.17	11.81	13.12	4.48	11.81	4.11	3.56	11.55	4.11	
9500	5.09	4.23		4.29	4.17		13.03	4.48	11.73	4.11	3.56	11.47	4.11	
10000	5.09	4.23	11.38	4.29	4.17		12.93	4.48	11.63	4.11	3.56	11.38	4.11	
10500	5.09	4.23		4.29	4.17	11.53	12.81	4.48	11.53	4.11	3.56	11.28	4.11	
11000	5.09	4.23	11.17	4.29	4.17	11.42	12.69	4.48	11.42	4.11	3.56	11.17	4.11	
11500	5.09	4.23	11.05	4.29	4.17	11.30	12.56	4.48	11.30	4.11	3.56	11.05	4.11	
12000	5.09	4.23	10.93	4.29	4.17	11.18	12.42	4.48	11.18	4.11	3.56	10.93	4.11	
12500	5.09	4.23	10.80	4.29	4.17	11.04	12.27	4.48	11.04	4.11	3.56	10.80	4.11	5.46
13000	5.09	4.23	10.66	4.29	4.17	10.90	12.11	4.48	10.90	4.11	3.56	10.66	4.11	5.46
13500	5.09	4.23	10.51	4.29	4.17	10.75	11.95	4.48	10.75	4.11	3.56	10.51	4.11	5.46
14000	5.09	4.23	10.36	4.29	4.17	10.60	11.77	4.48	10.60	4.11	3.56	10.36	4.11	5.46
14500	5.09	4.23	10.20	4.29	4.17	10.43	11.59	4.48	10.43	4.11	3.56	10.20	4.11	5.46
15000	5.09	4.23	10.04	4.29	4.17	10.27	11.41	4.48	10.27	4.11	3.56	10.04	4.11	5.46
15500	5.09	4.23	9.87	4.29	4.17	10.09	11.21	4.48	10.09	4.11	3.56	9.87	4.11	
16000	5.09	4.23	9.69	4.29	4.17	9.91	11.01	4.48	9.91	4.11	3.56	9.69	4.11	
16500	5.09	4.23	9.51	4.29	4.17	9.73	10.81	4.48	9.73	4.11	3.56	9.51	4.11	
17000	5.09	4.23	9.33	4.29	4.17	9.54	10.60	4.48	9.54	4.11	3.56	9.33	4.11	
17500	5.09	4.23	9.14	4.29	4.17	9.35	10.39	4.48	9.35	4.11	3.56	9.14	4.11	
18000	5.09	4.23	8.95	4.29	4.17	9.15	10.17	4.48	9.15	4.11	3.56	8.95	4.11	
18500	5.09	4.23	8.75	4.29	4.17	8.95	9.95	4.48	8.95	4.11	3.56	8.75	4.11	
19000	5.09	4.23	8.55	4.29	4.17	8.75	9.72	4.48	8.75	4.11	3.56	8.55	4.11	
19500	5.09	4.23	8.35	4.29	4.17	8.54	9.49	4.48	8.54	4.11	3.56	8.35	4.11	
20000 20500	5.09	4.23	8.13	4.29	4.17	8.32	9.24 8.99	4.48	8.32	4.11	3.56 3.56	8.13 7.91	4.11	
21000	5.09 5.09	4.23	7.91 7.68	4.29	4.17	7.85	8.73	4.48	7.85	4.11	3.56	7.68	4.11	
21500	5.09	4.23	7.44	4.29	4.17	7.61	8.45	4.48	7.61	4.11	3.56	7.44	4.11	
22000	5.09	4.23	7.20	4.29	4.17	7.37	8.18	4.48	7.37	4.11	3.56	7.20	4.11	
22500	5.09	4.23	7.03	4.29	4.17	7.19	7.99	4.48	7.19	4.11	3.56	7.03	4.11	
23000	5.09	4.23	6.82	4.29	4.17	6.97	7.75	4.48	6.97	4.11	3.56	6.82	4.11	
23500	5.09	4.23	6.66	4.29	4.17	6.81	7.57	4.48	6.81	4.11	3.56	6.66	4.11	
24000	5.09	4.23	6.55	4.29	4.17	6.70	7.44	4.48	6.70	4.11	3.56	6.55	4.11	
24500	5.09	4.23	6.22	4.29	4.17	6.36	7.06	4.48	6.36	4.11	3.56	6.22	4.11	
25000	5.09	4.23	5.89	4.29	4.17	6.02	6.69	4.48	6.02	4.11	3.56	5.89	4.11	5.46
25500	5.09	4.23	5.56	4.29	4.17	5.68	6.32	4.48	5.68	4.11	3.56	5.56	4.11	5.46
26000	5.09	4.23	5.40	4.29	4.17	5.52	6.14	4.48	5.52	4.11	3.56	5.40	4.11	5.46
26500	5.09	4.23	5.44	4.29	4.17	5.57	6.19	4.48	5.57	4.11	3.56	5.44	4.11	5.46
27000	5.09	4.23	5.48	4.29	4.17	5.60	6.22	4.48	5.60	4.11	3.56	5.48	4.11	
27500	5.09	4.23	5.56	4.29	4.17	5.69	6.32	4.48	5.69	4.11	3.56	5.56	4.11	
28000	5.09	4.23					6.40		5.76					
28500	5.09	4.23	5.71	4.29	4.17	5.84	6.49	4.48	5.84	4.11	3.56	5.71	4.11	
29000	5.09	4.23	5.74	4.29	4.17		6.52	4.48	5.87	4.11	3.56	5.74		
29500	5.09	4.23	5.78	4.29	4.17	5.91	6.57	4.48	5.91	4.11	3.56	5.78	4.11	
30000	5.09	4.23	5.76	4.29	4.17		6.55	4.48	5.89	4.11	3.56	5.76	4.11	
30500	5.09	4.23	5.80	4.29	4.17	5.93	6.59	4.48	5.93	4.11	3.56	5.80	4.11	
31000	5.09	4.23	5.80	4.29	4.17		6.59	4.48	5.93	4.11	3.56	5.80	4.11	
31500	5.09	4.23	5.80	4.29	4.17	5.93	6.59	4.48	5.93	4.11	3.56	5.80	4.11	
32000	5.09	4.23	5.79	4.29	4.17		6.58	4.48	5.93	4.11	3.56	5.79	4.11	
32500	5.09	4.23	5.79	4.29	4.17	5.93	6.58	4.48	5.93	4.11	3.56	5.79	4.11	
33000	5.09	4.23	5.79	4.29	4.17		6.58	4.48	5.92	4.11	3.56	5.79 5.79	4.11	
33500	5.09	4.23	5.79	4.29	4.17	5.93	6.58	4.48	5.93 5.92	4.11 4.11	3.56 3.56	5.79	4.11	
34000	5.09	4.23	5.79	4.29	4.17		6.58		5.89	4.11	3.56	5.76	4.11	
34500	5.09	4.23	5.76	4.29	4.17		6.55	4.48	5.87	4.11	3.56	5.73	4.11	
35000	5.09	4.23	5.73	4.29	4.17	5.87	6.32	4.48	3.67	4.11	3.36	3.73	7.11	3.40

REPRESENTATIVE GROUP 1 HAI VALUES (PERCENT) 135.5R 135.6R 136.9R 139.0L 139.9R 0.05 5000 8.64 14.57 4.23 12.14 4 54 8.63 14.56 5500 4.23 12.14 4 54 8.62 14.54 8.60 14.51 6000 4.23 12.12 4.54 6500 4.23 12.09 4.54 8.57 14.46 7000 4.23 12.05 4.54 7500 8.54 14.41 4.23 12.01 4.54 8000 8.50 14.34 4.23 11.95 4.54 8500 8.45 11.89 14.26 4.23 4.54 9000 8.40 14.17 4.23 11.81 4.54 9500 8.34 14.07 4.23 11.73 4.54 10000 8.27 13.96 4.23 11.63 4.54 10500 8.20 13.84 4.54 4.23 11.53 8.12 13.71 8.04 13.57 11000 4.23 11.42 4.54 11500 4.23 11.30 4.54 7.95 13.41 12000 4.23 11.18 4.54 12500 7.85 13.25 4.23 11.04 4.54 13000 7.75 13.08 10.90 4.23 4.54 13500 7.65 12.90 4.23 10.75 4.54 14000 7.54 12.72 4.23 10.60 4.54 7.42 12.52 14500 4.54 10.43 4.23 15000 7.30 12.32 4.23 10.27 4.54 15500 7.18 12.11 4.23 10.09 4.54 16000 7.05 11.90 9.91 4.54 4.23 6.92 11.68 6.78 11.45 16500 4.23 9.73 4.54 17000 4.54 4.23 9.54 17500 6.65 11.22 4.23 9.35 4.54 18000 6.51 10.98 4.23 9.15 4.54 18500 6.37 10.74 4.23 8.95 4.54 19000 6.22 10.50 4.23 8.75 4.54 19500 6.07 10.25 4.23 8.54 4.54 20000 5.92 9.98 4.23 8.32 4.54 20500 5.75 9.71 4.23 8.09 4.54 21000 5.58 9.42 4.23 7.85 4.54 9.13 21500 5.41 4.23 4.54 7.61 22000 5.24 8.84 4.23 7.37 4.54 22500 5.11 8.63 4.23 7.19 4.54 23000 6.97 4.54 4.96 8.37 4.23 23500 4.85 8.13 6.81 4.54 4.23 24000 4.76 6.70 4.54 8.04 4.23 6.36 24500 4.52 7.63 4.23 4.54 25000 4.28 7.23 4.23 6.02 4.54 25500 4.04 4.23 5.68 4.54 6.82 6.63 26000 3.93 4.23 5.52 4.54 26500 3.96 6.68 4.23 5.57 4.54 27000 3.98 5.60 4.54 6.72 4.23 27500 4.04 6.82 4.23 5.69 4.54 28000 4.10 6.91 4.23 5.76 4.54 28500 4.15 7.01 5.84 4.54 4.23 29000 4.18 7.05 4.23 5.87 4.54 29500 4.20 7.09 4.23 5.91 4.54 30000 7.07 5.89 4.54 4.19 4.23 30500 7.12 4.23 5.93 4.54 4.22 5.93 31000 4.22 7.12 4.23 4.54 4.22 7.12 4.23 5.93 4.54 31500 32000 4.21 7.11 4.23 5.93 4.54 32500 4.21 7.11 4.23 5.93 4.54 33000 4.21 7.10 4.23 5.92 4.54 33500 4.21 7.11 4.23 5.93 4.54 34000 4.21 7.11 5.92 4.54 4.23

35000

4.19

4.17

7.07

7.04

5.89

5.87

4.54

4.54

4.23

REPRESENTATIVE GROUP II HAI VALUES (PERCENT) 100.6R 101.4L 101.8L 113.1R 113.7R 115.6R 117.9L 118.0L 121.8R 122.4R 122.5R 123.6R 125.1R 125.9R Qes 5000 6.95 11.17 15.06 3.68 10.05 7.53 13.66 12.86 3.56 14.53 3.86 8.05 13.25 14.53 5500 3.56 14.53 3.86 8.05 13.20 14.53 3.68 10.09 6.98 7.53 13.91 11.17 13.10 15.06 7.04 7.53 14.16 11.17 13.33 15.06 10.18 6000 3.56 14.53 3.86 8.05 13.16 14.53 3.68 14.53 14.42 11.17 13.58 15.06 3.68 10.31 7.14 7.53 6500 3.56 14.53 3.86 8.05 13.11 13.82 7.53 14.68 11.13 15.06 7000 3.56 14.53 3.86 8.05 13.14 14.53 3.68 10.45 7.23 10.64 3.68 7.37 7.51 14.96 11.09 14.08 15.06 7500 13.19 14.53 3.56 14.53 3.85 8.02 8000 14.53 3.85 8.00 13.31 14.53 3.67 10.83 7.50 7.48 15.23 11.06 14.33 15.06 3.56 11.08 14.60 15.06 7.64 7.46 15.51 3.56 11.03 8500 14.53 3.85 7.97 13.48 14.53 3.67 11.12 7.98 13.66 7.77 7.47 15.85 14.91 15.06 9000 3.56 14.53 3.84 14.53 3.66 11.23 7.92 7.50 16.18 11.22 15.23 15.06 8.02 13.91 14.53 3.66 11.44 9500 3.56 14.53 3.84 11.37 15.06 8.09 14.53 3.65 11.65 8.06 7.57 16.59 15.61 3.83 14.16 10000 3.56 14.53 15.06 16.09 8.19 14.42 14.53 3.65 11.86 8.21 7.67 17.09 11.52 10500 3.56 14.53 3.82 8.39 7.77 17.64 11.73 16.60 15.06 8.30 14.68 14.53 3.64 12.12 11000 3.56 14.53 3.81 17.05 14.96 14.53 3.63 12.38 8.57 7.91 18.11 11.94 15.06 11500 3.56 14.53 3.81 8.46 8.61 8.78 8.05 18.59 12.16 17.50 15.06 12000 3.80 15.23 14.53 3.62 12.68 3.56 14.53 9.05 8.20 19.08 12.38 17.96 15.06 12500 3.56 14.53 3.78 8.77 15.51 14.53 3.61 13.07 15.06 19.56 13000 3.56 14.53 3.77 8.92 15.85 14.53 3.60 13.49 9.34 8.35 12.61 18.41 15.06 9.09 16.18 14.53 3.59 13.85 9.59 8.51 19.95 12.84 18.78 13500 3.56 14.53 3.76 16.59 13.08 19.20 15.06 14000 3.56 14.53 3.75 9.26 14.53 3.57 14.22 9.84 8.66 20.40 17.09 10.10 8.82 20.87 13.36 19.64 15.06 14.59 14500 3.56 14.53 3.73 9.43 14.53 3.56 15000 3.56 14.53 3.71 9.63 17.64 14.53 3.54 14.96 10.36 9.01 21.38 13.64 20.13 15.06 9.20 21.95 13.99 20.66 15.06 15500 3.56 14.53 3.70 9.84 18.11 14.53 3.53 15.26 10.56 18.59 14.53 3.51 15.60 10.80 9.43 22.46 14.41 21.14 15.06 16000 3.56 10.08 14.53 3.68 15.06 16500 3.56 14.53 3.66 10.39 19.08 14.53 3.49 15.96 11.05 9.72 22.99 14.87 21.63 11.32 10.03 23.51 15.27 22.13 15.06 19.56 3.47 16.35 17000 10.72 14.53 3.56 14.53 3.64 10.30 23.99 15.68 22.58 15.06 17500 3.56 14.53 3.62 11.01 19.95 14.53 3.45 16.78 11.62 16.09 22.97 15.06 17.17 11.89 10.57 24.40 18000 3.56 14.53 3.60 11.30 20.40 14.53 3.43 18500 3.56 14.53 3.58 11.60 20.87 14.53 3.41 17.58 12.17 10.85 24.79 16.49 23.34 15.06 19000 14.53 11.89 21.38 14.53 3.39 17.98 12.45 11.12 25.17 16.82 23.69 15.06 3.55 3.56 17.20 21.95 3.37 18.35 12.70 11.34 25.49 23.99 15.06 3.53 14.53 19500 3.55 14.53 12.13 20000 3.55 14.53 3.51 12.40 22.46 14.53 3.35 18.66 12.92 11.60 25.77 17.59 24.26 15.06 25.82 18.03 24.30 15.06 20500 3.54 14.53 3.52 12.68 22.99 14.53 3.36 18.96 13.13 11.87 12.16 23.51 14.53 19.25 13.32 25.94 18.51 24.42 15.06 21000 3.54 14.53 3.55 13.00 3.38 13.34 23.99 14.53 3.57 19.49 13.50 12.48 26.25 18.93 24.70 15.06 21500 3.53 14.53 3.75 15.06 19.71 12.77 26.76 19.38 24.40 14.53 4.25 13.64 25.18 22000 3.52 14.53 4.46 13.65 22500 14.74 5.71 13.97 24.79 14.53 5.44 19.74 13.67 13.07 27.45 19.82 25.83 15.06 3.51 15.06 23000 3.50 15.82 9.76 14.29 25.17 14.53 9.31 19.84 13.74 13.37 28.36 20.23 26.69 14.74 13.64 23500 3.49 17.06 15.53 14.58 25.49 14.81 20.07 13.90 29.52 20.58 27.78 15.06 25.77 15.82 18.44 20.46 14.17 13.88 31.22 20.90 29.38 15.06 24000 3.48 18.57 19.33 14.83 15.06 20.99 14.10 33.36 21.22 31.39 24500 3.47 21.19 23.50 15.07 25.82 17.06 22.42 14.53 36.02 25000 3.46 25.37 26.19 15.30 25.94 18.57 24.98 21.68 15.01 14.31 21.49 33.90 15.06 25500 3.44 29.59 28.36 15.50 26.25 21.19 27.05 22.57 15.63 14.50 38.39 21.73 36.13 15.06 3.43 32.28 15.67 26.76 25.37 28.63 23.87 16.53 14.65 40.34 21.77 37.97 15.06 26000 30.01 27.45 29.59 29.72 25.51 17.66 14.68 41.51 21.87 39.07 15.28 26500 3.41 33.71 31.16 15.69 40.05 27000 19.07 22.13 3.40 34.65 32.22 15.77 28.36 32.28 30.73 27.54 14.75 42.55 16.41 27500 3.38 35.01 32.16 15.95 29.52 33.71 30.67 29.36 20.32 14.93 42.74 22.56 40.22 17.69 28000 3.36 34.75 31.18 16.26 31.22 34.65 29.74 30.85 21.36 15.22 42.43 23.14 39.94 19.26 29.26 33.36 35.01 27.91 31.75 21.98 15.61 41.78 23.91 39.32 21.97 3.34 28500 34.17 16.68 29000 3.32 33.00 26.85 17.24 36.02 34.75 25.61 32.54 22.53 16.12 40.75 24.89 38.35 26.31 38.39 34.17 32.68 22.63 16.78 39.75 26.32 37.41 30.68 29500 3.30 31.42 23.73 17.94 22.63 30000 3.28 29.83 20.49 18.98 40.34 33.00 19.54 32.45 22.46 17.75 38.77 28.12 36.49 33.47 30500 3.26 28.29 17.69 20.28 41.51 31.42 16.88 31.95 22.12 18.97 37.83 30.37 35.60 34.96 36.94 35.93 15.19 29.83 14.49 31.16 21.57 20.48 32.37 34.77 31000 3.24 26.92 21.89 42.55 30.40 21.05 21.83 35.93 34.02 33.82 31500 3.25 25.72 13.19 23.33 42.74 28.29 12.59 36.31 20.53 34.87 35.00 29.65 22.94 32.82 36.04 32000 3.28 24.66 11.39 24.52 42.43 26.92 10.86 3.46 25.23 41.78 32500 23.73 9.78 25.72 9.33 28.93 20.03 23.61 33.87 35.88 31.88 35.44 33000 8.34 25.87 40.75 24.66 7.96 28.25 19.56 24.20 32.84 36.03 30.91 34.22 4.11 22.91 19.02 23.73 31.81 35.78 29.94 32.58 27.48 24.30 33500 5.27 22.21 7.19 25.98 39.75 6.86 34000 9.01 21.60 6.30 25.79 38.77 22.91 6.01 26.67 18.46 24.13 30.81 35.22 29.00 30.94 29.88 34500 14.34 25.90 17.93 23.76 34.35 28.12 29.34 21.08 5.57 25.39 37.83 22.21 5.32 35000 17.84 20.64 4.93 24.77 36.94 21.60 4.70 25.11 17.38 23.17 28.97 33.52 27.27

HAI VALUES	7	••												
Qms	126.0R	126.3R	131.8L	133.9R	135.3L	137.5L	137.5R	137.8L	137.9L	140.2R	142.1R	142.2R	143.4L	144.4L
5000	17.64	3.50	11 49	17.29	7.74	7 62	11 33	14.53	13.05	12.99	3.56	3.09	14.79	3.56
5500	17.64	3.50	11.69	17.29	7.71	3.62	11.38	14.53	13.22	12.99	3.56	3.09	14.79	3.56
6000	17.64	3.50	11.69	17.29	7.73	3.62		14.53	13.39	12.99	3.56	2.08	14.79	3.56
6500	17.64	3.50	11.69	17.29	7.76	3.62	11.63	14.53	13.64	12.99	3.56	3.08	14.79	3.56
7000	17.64	3.50	11.69		7.83	3.62		14.53	13.88	12.99	3.56	3.08	14.79	3.55
7500	17.64	3.50	11.69	17.29	7.93	3.62	12.00	14.53	14.14	12.99	3.56	3.08	14.79	3.55
8000	17.64	3.50	11.69		8.04	3.62		14.53	14.39	12.94	3.56	3.07	14.79	3.55
8500	17.64	3.50	11.65	17.29	8.19	3.62	12.45	14.53	14.67	12.90	3.56	3.07	14.79	3.54
9000	17.64	3.50	11.61	17.29	8.33	3.62		14.53	14.93	12.86	3.56	3.06	14.79	3.54
9500	17.64	3.50	11.57		8.49	3.62		14.53	15.21	12.88	3.56	3.06	14.79	3.53
10000	17.64	3.50	11.59		8.64	3.62		14.53	15.54	12.93	3.56	3.05	14.79	3.52
10500	17.64	3.50	11.64	17.29	8.80	3.62	13.38	14.53	15.87	13.05	3.56	3.04	14.79	3.51
11000	17.64	3.50	11.74	17.29	8.96	3.62		14.53	16.26	13.22	3.56	3.04	14.79	3.50
11500	17.64	3.49	11.90	17.29	9.13	3.62	13.96	14.53	16.76	13.39	3.56	3.03	14.79	3.49
12000	17.64	3.49	12.05	17.29	9.32	3.62	14.31	14.53	17.29	13.64	3.56	3.02	14.79	3.48
2500	17.64	3.48	12.28	17.29	9.52	3.62	14.75	14.53	17.76	13.88	3.55	3.01	14.79	3.47
13000	17.64	3.48	12.49	17.29	9.76	3.62	15.22	14.53	18.23	14.14	3.55	3.00	14.79	3.46
3500	17.64	3.47	12.73	17.29	10.05	3.62	15.62	14.53	18.71	14.39	3.55	2.98	14.79	3.44
4000	17.64	3.46		17.29	10.37	3.62	16.04	14.53	19.18	14.67	3.54	2.97		3.43
14500	17.64	3.45	13.20	17.29	10.65	3.62	16.46	14.53	19.56	14.93	3.54	2.96	14.79	3.41
15000	17.64	3.44	13.44	17.29	10.94	3.61	16.88	14.53	20.00	15.21	3.53	2.94		3.40
15500	17.64	3.43	13.69	17.29	11.22	3.61	17.21	14.53	20.46	15.54	3.52	2.93		3.38
6000	17.64	3.42	13.98	17.29	11.51	3.61	17.60	14.53	20.96	15.87	3.51	2.91	14.79	3.36
16500	17.64	3.41	14.28	17.29	11.74	3.60	18.00	14.53	21.52	16.26	3.50	2.90	14.79	3.34
7000	17.64	3.40	14.64	17.29	12.00	3.59	18.45	14.53	22.02	16.76	3.49	2.88	14.79	3.32
7500	17.64	3.39	15.08	17.29	12.27	3.59	18.94	14.53	22.54	17.29	3.48	2.86	14.79	3.30
8000	17.64	3.37	15.56	17.29	12.58	3.58	19.37	14.53	23.05	17.76	3.47	2.84		3.28
8500	17.64	3.36	15.98	17.29	12.91	3.57	19.83	14.53	23.52	18.23	3.46	2.83		3.26
9000	17.64	3.34	16.40	17.29	13.21	3.56		14.53	23.93	18.71	3.44	2.81	14.79	3.24
9500	17.64	3.32	16.84	17.29	13.52	3.55	20.70	14.53	24.31	19.18	3.43	2.81	14.79	3.25
0000	17.64	3.31	17.26	17.29	13.83	3.54		14.53	24.67	19.56	3.41	2.84		3.28
0500	17.64	3.29	17.60	17.29	14.11	3.53		14.74	24.99	20.00	3.40	3.00	14.79	3.46
1000	17.64	3.27	18.00	17.29	14.36	3.51		15.82	25.27		3.38	3.57		4.11
1500	17.64	3.25	18.41	17.29	14.58	3.50		17.06	25.31	20.96	3.36	4.57		5.27 9.01
22000	17.64	3.23	18.87	17.29	14.80	3.49		18.57	25.44	21.52	3.34	7.81		
2500	17.64	3.21	19.37	17.29	15.00	3.47		21.19	25.73	22.02	3.32	12.43 15.47		14.34 17.84
23000	17.64	3.19	19.81	17.29	15.16	3.45			26.23	22.54	3.30	18.80		21.70
23500	17.64	3.19	20.28	17.29	15.19	3.44		29.59	26.91	23.05 23.52	3.28 3.26	20.95		24.18
24000	17.64	3.22	20.74	17.29	15.26	3.42		32.28	27.80	23.93	3.24	22.69		26.18
24500	17.64	3.40	21.17	17.29	15.44	3.40		33.71 34.65	28.94 30.61	24.31	3.25	24.01		27.70
25000	17.64 17.64	4.05	21.53	17.29 17.29	15.74 16.14	3.36	24.46 25.47	35.01	32.70	24.67	3.28	24.93		28.76
25500 26000	17.64	5.18 8.86	21.88	17.29	16.68	3.34		34.75	35.31	24.99	3.46	25.77		29.74
26500 26500	17.64	14.10	22.21	17.29	17.36	3.31	28.78	34.17	37.64	25.27	4.11	25.72	14.79	29.68
27000 27000	17.64	17.55	22.74	17.29	18.36	3.30		33.00	39.55	25.31	5.27	24.95		28.78
27000 27500	17.64	21.33	22.78	17.29	19.62	3.30		31.42	40.70	25.44	9.01	23.41	14.79	27.01
28000		23.77		17.29			34.81		41.72					24.78
28500		25.74				3.51	35 82	28.29	41 90	26 23				
29000		27.24				A 18	36 71	26.92	41.60	26.91	21.70	16.39	14.79	18.91
29500		28.28			24.42			25.72	40.96	27.80	24.18	14.15	14.79	
20000		29.24						24.66		28.94			14.79	
30500		29.19			25.14	14.58		23.73		30.61			15.01	
1000		28.30						22.91			28.76	9.11		10.51
31500		26.56			24.57						29.74		17.37	9.02
32000		24.37						21.60		37.64			18.92	7.70
32500		21.54			23.38			21.08			28.78		21.58	6.64
33000		18.60			22.81			20.64			27.01		25.84	5.82
33500 33500		16.06			22.25			20.26			24.78		30.14	5.14
34000		13.78									21.90		32.88	4.55
34500		11.98			21.14			19.65	31.19	41.60			34.34	4.10
35000		10.34									16.33		35.29	3.66
			** * ***							(400 F) P T				

HAI VALUES		•••												
Qms	100.4R	100.6L	101.2R	101.6L	101.7L	110.4L	115.0R	119.3L	128.5R	128.7R	128.8R	130.2R	130.2L	132.6L
						•••••								
5000	0.00		0.00	0.00	2.06	0.00	0.00	0.00	0.00	0.00		21.60	0.00	0.00
5500	0.00		0.00	0.00	2.06	0.00	0.00	0.00	0.00	0.00	2.06	21.60	0.00	0.00
6000	0.00		0.00	0.00	2.06	0.00	0.00	0.00	0.00	0.00	2.06	21.60	3.39 6.79	0.00 1.86
6500	0.00		0.00	0.00	2.06	0.00	0.00	0.00	1.82	0.00	2.06	21.60	10.18	3.73
7000	0.00		3.17	0.00	2.06	0.00	0.00	0.00	3.65 5.47	0.00	2.06	21.60	13.57	5.59
7500 8000	0.00		6.33	0.00	2.06	0.00	0.00	0.00	7.30	0.00	2.06	21.60	16.96	7.45
8500	0.00	2.06	9.50 12.67	0.00	2.06	0.00	0.00	0.00	9.12	0.00	2.06	21.60	32.43	9.31
9000	0.00	2.06	15.83	0.00	2.06	0.00	0.00	0.00	10.95	0.00	2.06	21.60	33.61	11.18
9500	0.00	2.98	30.27	0.00	2.06	0.00	0.00	0.00	12.77	0.00	2.06	21.60	35.30	13.04
10000	0.00	4.39	31.37	0.00	2.98	3.79	3.11	0.00		0.00	2.06	21.32	34.98	14.90
10500	2.88	6.61	32.94	0.00	4.39	7.58	6.22	0.00		0.00	2.06	21.05	32.35	21.62
11000	5.77		32.64	0.00	6.61	11.37	9.33	0.00	27.75	1.86	2.06	20.79	29.09	28.33
11500	8.65	16.02	30.19	0.00	10.17	15.15	12.44	0.00	27.14	3.73	2.06	20.54	26.88	
12000	11.54	26.39	27.15	3.17	16.02	18.94	15.55	0.00	26.54	5.59	2.06	20.31	23.44	
12500	14.42		25.09	6.33	26.39	36.21	29.73	0.00		7.45	2.06	20.08	22.00	
13000	27.57		21.88	9.50	27.05	37.53	30.81	0.00		9.31	2.06	17.38		
13500	28.57		20.53	12.67	27.88	39.41	32.35	0.00		11.18	2.06	16.06		
14000	30.00		17.75	15.83	27.35	39.06	32.06	3.17	24.66	13.04	2.06	15.59		
14500	29.73		16.11	30.27	26.26	36.12	29.65	6.33		14.90	2.06	15.34		1200 200
15000 15500	27.50		14.75	31.37	25.13	32.48 30.02	26.66	9.50		21.62	2.06	14.16	13.01	
16000	24.72 22.85		12.64	32.94	23.00	26.17	21.49	12.67 15.83		27.71	2.06	14.45		
16500	19.92		11.68	30.19	21.49	24.56	20.16	30.27	20.84	27.09	2.98	14.00		
17000	18.70		11.24	27.15	19.44	21.24	17.43	31.37	20.16	26.65	4.39	13.31	11.18	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
17500	16.17		10.83	25.09	16.93	19.28	15.83	32.94	18.94	26.20	6.61	12.59	10.79	
18000	14.67		10.43	21.88	15.35	17.65	14.49	32.64	17.71	25.69	10.17	12.02	10.41	
18500	13.44		10.07	20.53	13.99	15.13	12.42	30.19	16.29	25.17	16.02	11.97	10.06	16.63
19000	11.51		9.72	17.75	12.31	14.53	11.93	27.15	14.86	24.74	26.39	10.89	9.72	15.17
19500	11.06	9.85	9.39	16.11	11.16	13.97	11.47	25.09	14.00	24.31	27.05	10.15	9.40	14.30
20000	10.64	8.39	9.07	14.75	9.85	13.45	11.04	21.88	13.15	23.14	27.88	10.33	9.10	
20500	10.24	7.17	8.77	12.64	8.39	12.95	10.63	20.53		21.96	27.35	10.99	8.81	
21000	9.86	6.14	8.49	12.15	7.17	12.48	10.25	17.75	13.02	21.27	26.26	10.34	8.53	
21500	9.50	6.15	8.22	11.68	6.14	12.04	9.89	16.11	12.09	20.58	25.13	10.34	3.27	
22000	9.17	6.09	7.96	11.24	6.15	11.63	9.54	14.75	11.17	19.33	24.22	10.08	8.02 7.78	
22500 23000	8.85 8.55	5.95 6.09	7.72 7.48	10.83	6.09 5.95	11.23	9.22 8.91	12.64	10.77	18.08	23.00	9.33	7.55	
23500	8.26	6.64	7.26	10.07	6.09	10.50	8.62	11.68	10.40	15.17	19.44	8.72	7.33	
24000	7.99	6.79	7.05	9.72	6.64	10.16	8.34	11.24	10.44	14.30	16.93	8.42	7.12	
24500	7.73	6.47	6.84	9.39	6.79	9.84	8.07	10.83	10.08	13.42	15.35	8.78	6.92	
25000	7.49	6.87	6.64	9.07	6.47	9.53	7.82	10.43	9.71	13.36	13.99	8.35	6.72	
25500	7.25	7.95	6.46	8.77	6.87	9.24	7.58	10.07	9.35	13.29	12.31	8.17	6.54	9.55
26000	7.03	8.07	6.27	8.49	7.95	8.96	7.35	9.72	8.99	12.35	11.16	7.53	6.36	9.18
26500	6.82	7.80	6.10	8.22	8.07	8.69	7.13	9.39	8.96	11.40	9.85	6.94	6.19	
27000	6.61	7.81	5.93	7.96	7.80	8.43	6.92	9.07	8.93	10.99	8.39	6.98	6.02	
27500	6.42		5.77	7.72	7.81	8.19	6.72	8.77	8.99	10.58	7.17	6.73	5.86	
28000	6.23		5.62	7.48	7.71	7.95	6.53	8.49	9.05	10.62	6.14	6.79	5.71	
28500	6.05	7.61	5.47	7.26	7.63	7.72	6.34	8.22		10.66	6.15	6.43		
29000	5.88		5.33	7.05	7.61	7.51	6.16	7.96	8.69	10.29	6.09 5.95	6.72	5.42	
29500	5.71	7.48	5.19 5.05	6.84	7.59	7.30	5.99 5.83	7.72 7.48	8.40 8.10	9.91 9.55	6.09	6.59		
30500 30500	5.56 5.40	7.63 7.39	4.93	6.64	7.48 7.63	7.10 6.91	5.67	7.26	8.71	9.18	6.64	6.40	5.02	
31000	5.26	6.26	4.80	6.27	7.39	6.72	5.52	7.05	7.69	9.15	6.79	6.23		
31500	5.12	5.68	4.68	6.10	6.26	6.54	5.37	6.84	7.56	9.12	6.47	6.34	4.77	
32000	4.98	5.78	4.57	5.93	5.68	6.37	5.23	6.64	7.43	9.18	6.87	6.41	4.66	
32500	4.85	5.52	4.45	5.77	5.78	6.21	5.10	6.46	7.31	9.24	7.95	6.33	4.54	
32000	4.72		4.35	5.62	5.52	6.05	4.96	6.27	7.19	9.06	8.07	6.17	4.43	
33500	4.60	4.63	4.24	5.47	4.95	5.89	4.84	6.10	7.07	8.87	7.80	6.37	4.33	
34000	4.49	4.62	4.14	5.33	4.63	5.74	4.72	5.93	6.96	8.57	7.81	6.27	4.23	7.10
34500	4.37	4.62	4.04	5.19	4.62	5.60	4.60	5.77	6.85	8.27	7.71	6.24	4.12	
35000	4.26	4.55	3.94	5.05	4.62	5.46	4.48	5.62	6.74	8.90	7.63	6.33	4.03	6.88

REPRESENTATI	VE COOLD	***		
HAI VALUES (111		
Qus	133.7R	137.2R	141.4R	
5000	1.97	0.00		
5500	1.97		18.90	
6000	1.97			
6500	1.97			
7000	1.97	3.73	18.90	
7500	1.97			
8000	1.97			
8500 9000			18.90 18.90	
9500	1.97	13.04		
10000	1 97	14 90	18.42	
10500	1.97	21.62	18.42 18.19	
11000	1.97	28.33 27.71	17.98	
11500	1.97	27.71	17.77	
12000	2.85	27.09	17.57	
12500	4.20	27.09 26.65	15.21	
13000	6.32	26.20 25.69	14.05	
13500	9.72	25.69	13.64	
14000	15.32	25.17 24.74	13.42	
14500	25.24	24.74	12.39	
15000	25.87	24.31 23.14	13.59	
15500	26.67	23.14	12.64	
16000	26.16	21.96	12.25	
16500	25.12	21.27	11.65	
17000	24.04	20.58 19.33	11.02	
17500	23.17	19.33	10.52	
18000	22.00	18.08	10.47	
18500	20.56			
19000		15.1/	8.88	
19500	16.19			
20000	14.68			
20500 21000	11.77			
21500	10 47	12 35	8 82	
22000	9.42	11.40	8.16	
22500	8 03	10.99	8.20	
23000	6.86	10.58	7.63	
23500		10 /0		
24000	5.88	10.66		
24500	5.83	10.29		
25000	5.69	9.91	7.15	
25500	5.83	9.55	6.59	
26000	6.35	9.18	6.07	
26500	6.49	9.15	6.11	
27000	6.19		5.89	
27500	6.57	9.18	5.94	
28000	7.60	9.24	5.63	
28500	7.72	9.06	5.88	
29000	7.46	8.87	5.77	
29500	7.47	8.57	5.68	
30000	7.37	8.27	5.60	
30500	7.30	8.90	5.45	
31000	7.28	7.85	5.55	
31500	7.26	7.71	5.61	
32000	7.15	7.58	5.54	
32500	7.30 7.07	7.46 7.34	5.40 5.57	
33000	5.99	7.22	5.49	
33500 34000	5.44	7.10	5.46	
34500	5.53	6.99	5.54	
35000	5.28	6.88	5.49	
		2.00		

2.43

7.86

2.43

5.30

1.09

8.53

8.03

5.11

2.85

2.29

2.38

6.43

5.34

1.77

5.56

5.74

REPRESENTATIVE GROUP VI HAI VALUES (PERCENT)

HAI VALUES	(PERCENT) 102.6L	106.3R	107.1L	117.8L	117.9R	119.7L	133.8L	135.7R	136.3R	138.0L	138.8R	139.5R	140.6R	142.0R
											•			10.43
5000 5500	13.58 13.58	10.43	13.58		10.66	11.10 11.10	10.66	6.96	10.63	10.43	6.75	6.75	12.01	10.43
6000	13.58		13.58		10.66	11.10	10.66	6.96	10.63	10.43	6.75	6.75	12.01	10.43
6500	13.58		13.58		10.66	11.10	10.66	6.96	10.63	10.43	11.22	6.75	12.01	10.43
7000	18.62		13.58		10.66	11.10	10.66	6.96	10.63	10.43	12.17	6.75	12.01	10.43
7500	23.05		13.58	10.44	10.66	11.10	10.66	6.96	10.63	10.43	13.03	6.75	12.01	10.43
8000	26.97	27.99	13.58	10.44	17.74	11.10	10.66	6.96	10.63	10.43	13.81	6.75	12.01	10.43
8500	30.47		13.58		19.24	11.10	10.66	6.96	10.63	14.30	12.39	6.75	12.01	10.43
9000	33.61	24.59	13.58		20.59	11.10	10.66	6.96	10.63	17.71	13.49	6.75	12.01	10.43
9500	36.44		13.58		21.82	11.10	10.66	6.96	10.63	20.72	13.25	11.22	12.01	10.43
10000 10500	34.04 32.01	25.14	18.62		19.58	11.10	10.66 10.66	6.96 6.96	10.63	23.41 25.82	14.52	13.03	12.01	10.43
11000	31.45		26.97		20.95	11.10	10.66	6.96	10.63	27.99	12.88	13.81	12.01	14.30
11500	32.72		30.47		22.95	11.10	10.66	6.96	10.63	26.15	11.92	12.39	12.01	17.71
12000	31.54	20.49	33.61		22.41	11.10	10.66	6.96	10.63	24.59	11.74	13.49	12.01	20.72
12500	28.76	19.67	36.44	21.96	20.37	11.10	10.66	6.96	10.63	24.15	10.24	13.25	16.46	
13000	27.42	19.25	34.04	19.94	18.85	11.10	10.66	6.96	10.63	25.14	9.52	14.52		
13500	26.68	18.63	32.01		18.56	11.10	10.66	6.96	14.57	24.22	8.97	14.18	23.85	190000000000000000000000000000000000000
14000	25.61	18.24	31.45		16.18	11.10	10.66	6.96	18.04	22.09	8.86	12.88		
14500	25.06	18.00	32.72		15.04	11.10	10.66	6.96	21.11	21.06	9.97	11.92		24.59
15000	24.25	17.11	31.54		14.18	11.10	10.66	6.96	23.85 26.30	20.49	9.51 8.28	11.74	32.22	24.15
15500 16000	23.74 23.43	18.29 18.17	28.76 27.42		15.75	11.10	10.66	6.96	28.52	19.25	9.23	9.52		
16500	22.27	17.85	26.68		15.03	11.10	10.66	6.96	26.64	18.63	8.66	8.97		
17000	23.82		25.61		13.08	11.10	10.66	6.96	25.05	18.24	8.40	8.86		
17500	23.65	17.14	25.06		14.60	11.10	17.74	6.96	24.61	18.00	7.99	9.97		
18000	23.24	16.77	24.25		13.69	11.10	19.24	6.96	25.61	17.11	7.19	9.51	25.43	19.67
18500	22.73	16.04	23.74	13.41	13.28	11.10	20.59	6.96	24.68	18.29	9.11	8.28		
19000	22.31	15.40	23.43		12.63	11.10	21.82	6.96	22.51	18.17	9.53	9.23		
19500	21.84	14.28	22.27		11.37	11.10	19.58	6.96	21.46	17.85	9.55	8.66		
20000	20.88	15.16	23.82		14.40	11.10	21.33	6.96	20.88	17.46	9.05	8.40		
20500	20.05	17.73 17.51	23.65		15.07 15.09	11.10	20.95	6.96	20.04 19.61	17.14 16.77	8.53	7.99 7.19		
21000 21500	18.59 19.74	17.74	22.73		14.30	11.10	22.42	6.96	18.98	16.04	7.78	9.11	20.72	
22000	23.08	17.64	22.31		13.49	11.10	20.36	6.96	18.58	15.40		9.53		
22500	22.80	17.74	21.84		12.69	11.10	18.85	6.96	18.34	14.28	6.99	9.55		
23000	23.09	17.62	20.88		12.29	11.10	18.56	6.96	17.43	15.16	6.55	9.05	20.91	17.14
23500	22.96	17.50	20.05	12.04	11.80	18.46	16.18	6.96	18.64	17.73	6.31	8.53	20.55	16.77
24000	23.09	17.53	18.59		11.05	20.02	15.04	6.96	18.51	17.51	6.06	8.03		
24500	22.94	17.99	19.74		10.35	21.43	14.18	6.96	18.19	17.74	5.93	7.78		
25000	22.78	18.16	23.08		9.97	22.71	14.01	6.96	17.79	17.64	5.79	7.46		
25500	22.82 23.42	18.35	22.80		9.58 9.37	20.38	15.75 15.03	6.96	17.46 17.09	17.74 17.62	5.66 5.54	6.99		
26000 26500	23.42	18.58	22.96		9.16	21.80	13.08	6.96	16.34	17.50	5.41	6.31	16.44	
27000	23.89	19.16	23.09		8.95	23.89	14.60	6.96	15.69	17.53	5.29	6.06		
27500	24.19	18.59	22.94		8.75	23.33	13.69	6.96	14.55	17.99	5.18	5.93		
28000	24.57		22.78		8.56	21.20	13.28	11.58	15.45	18.16	5.06	5.79		
28500	24.94	17.57	22.82	8.38	8.37			12.56			4.95	5.66	20.41	17.62
29000	24.20	17.08						13.45						17.50
29500		16.62			8.00			14.25		18.87				17.53
30000		16.16			7.83					19.16				
30500		15.73			7.66	14.76								
31000 31500	21.63	15.31 14.90	24.57		7.50 7.34	16.39	14.30				4.45	5.06 4.95		18.35
32000		14.51	24.20		7.18		12.69				4.27	4.85		
32500	19.93				7.03	13.62				16.62	4.18	4.74		19.16
32000		13.76	22.87		6.89	15.19					4.09			
33500		13.40	22.24		6.74	14.25	11.05			15.73	4.01			18.07
34000		13.06			6.60						3.93	4.45		17.57
34500		12.72			6.47		9.97			14.90				17.08
35000	17.45	12.40	20.48	6.33	6.33	11.83	9.58	9.26	19.52	14.51	3.77	4.27	20.79	16.62

REPRESENTATIVE GROUP VII HAI VALUES (PERCENT) 125.6L Qus 114.1R 119.2R 121.1L 123.0L 127.5H 131 31 5000 29.27 29.27 18.60 19.51 36.82 49.10 14.06 5500 29.53 18.60 23.72 37.15 49.54 29.53 14.06 6000 29.83 18.60 27.94 37.53 50.03 29.83 17.10 6500 28.21 20.14 28.21 18.60 32.16 35.49 47.32 26.06 7000 18.60 36.38 32.79 43.72 26.06 23.19 7500 27.72 27.72 18.60 40.60 34.87 46.50 26.22 8000 26.73 22.62 40.97 33.63 44.83 26.73 29.27 8500 24.64 26.64 41.37 31.00 41.33 24.64 29.53 9000 22.82 30.66 39.13 28.71 38.28 22.82 29.83 21.09 9500 34.68 36.15 26.53 35.37 21.09 28.21 10000 18.94 38.71 38.45 23.83 31.77 18.94 26.06 10500 16.81 39.06 37.07 21.15 28.19 16.81 27.72 18.94 11000 15.05 39.45 25.25 15.05 34.18 26.73 11500 22.87 13.63 24.64 13.63 37.31 31.65 17.15 12.04 12.04 12000 29.25 15.14 20.19 22.82 34.47 18.92 17.38 14.19 11.28 12500 11.28 36.66 26.27 21.09 13000 10.36 35.35 13.03 10.36 18.94 23.31 13500 9.28 32.59 20.88 11.68 15.57 9.28 16.81 14000 8.45 30.18 18.91 10.63 14.17 8.45 15.05 14500 7.37 7.37 13.63 27.89 16.70 9.27 12.37 15000 6.47 25.05 15.65 8.14 10.86 6.47 12.04 15500 5.98 22.23 14.37 7.52 10.03 5.98 11.28 16000 5.54 19.91 12.88 6.97 9.30 5.54 10.36 16500 5.15 18.03 11.71 6.47 8.63 5.15 9.28 17000 8.45 4.78 15.92 10.23 6.01 8.02 4.78 7.46 7.37 17500 4.45 14.92 8.98 5.59 4.45 18000 13.70 6.94 6.47 4.14 8.29 5.21 4.14 5.98 18500 3.85 12.28 7.69 4.85 6.46 3.85 3.59 5.54 19000 3.59 7.14 4.52 6.03 11.17 3.35 19500 9.75 6.63 4.22 5.62 3.35 5.15 20000 3.27 8.56 6.17 4.11 5.48 3.27 4.78 3.19 4.45 20500 3.19 7.91 5.74 4.01 5.35 3.92 21000 3.11 7.33 5.35 5.22 3.11 4.14 3.85 21500 3.04 6.81 4.98 3.82 5.10 3.04 4.98 3.73 2.97 3.59 22000 2.97 6.32 4.65 2.90 3.65 4.86 2.90 3.35 22500 5.88 4.53 4.75 2.83 2.83 3.57 3.27 23000 5.47 4.42 2.77 5.10 4.32 3.49 4.65 2.77 3.19 23500 24000 2.71 4.75 4.22 3.41 4.54 2.71 3.11 3.33 2.65 3.04 2.65 4.44 24500 4.43 4.12 2.97 25000 2.59 4.32 4.02 3.26 4.35 2.59 2.90 25500 2.54 4.22 3.93 3.19 4.25 2.54 2.48 2.83 3.84 3.12 4.16 26000 2.48 4.12 26500 2.43 4.02 3.76 3.06 4.07 2.43 2.77 2.38 2.71 27000 2.38 3.93 3.67 2.99 3.99 2.93 3.91 2.33 2.65 27500 2.33 3.84 3.59 28000 2.28 3.75 3.52 2.87 3.83 2.28 2.59 2.54 2.23 28500 2.23 3.66 3.44 2.81 3.75 3.58 2.19 2.48 29000 2.19 3.37 2.75 3.67 2.70 3.60 2.14 2.43 29500 2.14 3.50 3.30 3.53 2.10 2.38 20000 2.10 3.43 3.23 2.64 3.35 2.59 3.46 2.06 2.33 30500 2.06 3.16 31000 2.02 3.28 3.10 2.54 3.39 2.02 2.28 2.49 3.32 1.98 2.23 31500 1.98 3.21 3.04 1.94 2.97 2.44 3.26 1.94 2.19 32000 3.14 32500 1.91 3.08 2.92 2.40 3.20 1.91 2.14 2.10 2.35 3.14 1.87 22000 1.87 3.02 2.86 2.95 2.80 2.31 3.08 1.83 2.06 33500 1.83 2.02 34000 1.80 2.89 2.75 2.26 3.02 1.80 1.77 2.96 1.98 34500 1.77 2.84 2.69 2.22 1.94 35000 1.73 2.78 2.64 2.18 2.91 1.73

HAI VALUES		102.0L	104.3H	109.5M	112.4L	117.1M	117.2M	118.6M	119.8L	120.0L	121.5R	121.6R	123.2R	124.8R
						• • • • • • • • • • • • • • • • • • • •								
5000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6500 7000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7500	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8500	14.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9000	20.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9500	26.91	10.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10000	26.32	15.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10500	25.74	20.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11000	25.31	19.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11500	24.89	19.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12000 12500	24.40	19.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.95 11.53	0.00	0.00	0.00	0.00
13000	23.91	18.78 18.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.11	0.00	0.00	0.00	0.00
13500	23.09	18.04	0.00	0.00	0.00	0.00	0.00	8.94	0.00	14.78	0.00	0.00	0.00	0.00
14000	21.98	17.73	0.00	0.00	0.00	0.00	0.00	12.97	0.00	14.45	0.00	0.00	0.00	0.00
14500	20.86	17.42	0.00	0.00	0.00	0.00	0.00	17.00	0.00	14.21	0.00	0.00	0.00	0.00
15000	20.21	16.58	0.00	0.00	0.00	7.95	0.00	16.63	12.67	13.97	0.00	14.90	0.00	0.00
15500	19.55	15.74	0.00	0.00	0.00	11.53	0.00	16.25	18.37	13.70	0.00	21.62	0.00	0.00
16000	18.36	15.24	0.00	0.00	0.00	15.11	0.00	15.99	24.08	13.42	0.00	28.33	0.00	0.00
16500	17.18	14.75	0.00	0.00	0.00	14.78	0.00	15.72	23.55	13.19	0.00	27.71	0.00	0.00
17000	15.79	13.85	0.00	0.00	0.00	14.45	0.00	15.41	23.03	12.97	0.00	27.09	0.00	0.00
17500	14.41	12.96	0.00	0.00	0.00	14.21	0.00	15.10	22.65	12.34	0.00	26.65	0.00	0.00
18000	13.58	11.91	0.00	0.00	0.00	13.97	0.00	14.84	22.27	11.71	0.00	26.20	0.00	0.00
18500	12.75	10.87	0.00	0.00	0.00	13.70	0.00	14.59	21.83	11.34	0.00	25.69	0.00	0.00
19000	12.69	10.24	0.00	0.00	0.00	13.42	0.00	13.88	21.39	10.98	0.00	25.17	0.00	0.00
19500	12.63	9.62	0.00	0.00	0.00	13.19	0.00	13.18	21.03	10.31	0.00	24.74	0.00	0.00 4.95
20000 20500	11.73 10.83	9.57 9.52	0.00	0.00	0.00	12.97 12.34	0.00	12.76	20.66	9.64 8.87	3.44 5.88	23.14	0.00	8.46
21000	10.44	8.85	0.00	0.00	0.00	11.71	0.00	11.60	18.67	8.09	9.36	21.96	0.00	13.46
21500	10.05	8.17	5.16	0.00	0.00	11.34	0.00	10.85	18.08	7.62	11.65	21.27	0.00	16.75
22000	10.09	7.88	8.82	0.00	0.00	10.98	0.00	9.98	17.49	7.16	14.17	20.58	0.00	20.37
22500	10.13	7.58	14.04	5.27	2.90	10.31	0.00	9.10	16.43	7.12	15.79	19.33	0.00	22.70
23000	9.77	7.61	17.48	9.01	4.96	9.64	0.00	8.58	15.37	7.09	17.10	18.08	0.00	24.57
23500	9.41	7.64	21.25	14.34	7.90	8.87	3.44	8.05	14.13	6.58	18.09	16.63	2.80	26.01
24000	9.07	7.37	23.68	17.84	9.83	8.09	5.88	8.01	12.89	6.08	18.78	15.17	4.78	27.00
24500	8.72	7.10	25.64	21.70	11.95	7.62	9.36	7.97	12.15	5.86	19.42	14.30	7.61	27.92
25000	8.69	6.84	27.14	24.18	13.32	7.16	11.65	7.41	11.41	5.64	19.38	13.42	9.47	27.86
25500	8.66	6.58	28.17	26.18	14.42	7.12	14.17	6.84	11.35	5.66	18.80	13.36	11.51	27.02
26000	8.72	6.56	29.13	27.70	15.27	7.09	15.79	6.59	11.30	5.69	17.64	13.29	12.83	25.35
26500 27000	8.78 8.60	6.54	29.08 28.20	29.76 29.74	15.85	6.58	17.10 18.09	6.35	9.69	5.49 5.29	16.19	12.35	13.89	23.27
27500	8.43	6.62	26.46	29.68	16.36	5.86	18.78	6.40	9.34	5.09	12.35	10.99	15.26	17.76
28000	8.14	6.49	24.28	28.78	15.86	5.64	19.42	6.17	8.99	4.90			15.78	
28500	7.86		21.45		14.88	5.66	19.38	5.95	9.03	4.88	9.15		15.75	13.16
29000	8.45	6.14	18.53	24.78	13.66	5.69	18.80	5.73	9.06	4.86	7.95	10.66	15.27	11.43
29500	7.45	5.93	16.00	21.90	12.07	5.49	17.64	5.51	8.74	4.90	6.87	10.29	14.33	9.37
30000	7.33	6.37	13.73	18.91	10.42	5.29	16.19	5.49	8.42	4.93	5.89	9.91	13.15	8.47
30500	7.21	5.62	11.93	16.33	9.00	5.09	14.30	5.47	8.11	4.83	5.03	9.55	11.62	7.23
31000	7.09	5.53	10.30	14.02	7.72	4.90	12.35	5.51	7.80	4.73	4.34	9.18	10.04	6.23
31500	6.97	5.44	8.84	12.18	6.71	4.88	10.67	5.54	7.78	4.57	3.80	9.15	8.67	5.46
32000	6.86	5.35	7.54	10.51	5.79	4.86	9.15	5.43	7.75	4.41	3.36	9.12	7.44	4.83
32500	6.75	5.26	6.50	9.02	4.97	4.90	7.95	5.32	7.80	4.74	2.97	9.13	6.46	4.27
22000	6.64	5.17	5.70	7.70	4.24	4.93	6.87	5.14	7.85	4.19	2.67	9.24	5.58	3.84
33500	6.54	5.09	5.04	6.64	3.66	4.83	5.89	4.96	7.70	4.11	2.39	9.06	4.79	3.43
34000	6.38	5.01	4.46	5.82	3.21	4.73	5.03	5.34	7.54	4.05	2.22	8.87	4.09	3.19
34500 35000	6.22	4.93	4.01 3.58	5.14 4.55	2.83	4.57	4.34 3.80	4.71	7.28 7.03	3.98 3.91	2.01	8.57 8.27	3.52	2.39

34000

34500

35000

19.67

16.98

14.67

12.59

6.42

6.27

6.11

5.97

8.14

7.86

8.45

7.45

8.10

6.92

5.96

5.23

3.25

2.88

2.59

2.31

5.76

5.18

21.45

18.53

4.63 16.00

3.68

3.28

3.06

	HAI VALUES	(PERCENT)													
Section Sect		101.5L	104.0R	105.7R	108.9L	109.4R	111.0R	113.8R	117.7L	127.1H	128.3R	129.3L	129.8R	131.2R	135.0L
Section Sect															
	5000	3.90	4.16	2.73	2.99	3.90	3.03	2.73	3.55	2.73		3.20	2.89	4.16	
1.500	5500	3.94	4.20	2.42	2.65	3.94	3.06	2.42	3.59	2.42	2.87	2.83	2.55	4.20	4.20
	6000	4.18	4.46	2.50	2.74	4.18	3.25	2.50	3.81	2.50	2.97	2.93	2.64	4.46	4.46
85000 4.66 4.76 2.16 2.36 4.46 3.47 2.11 2.42 4.28 3.33 2.21 3.90 2.21 2.63 2.59 2.32 2.54 4.57 3.55 2.32 2.54 4.57 3.55 2.32 2.56 2.45 4.57 3.55 2.32 2.56 2.47 2.60 3.66 2.52 3.66 2.52 3.66 2.52 3.66 2.52 3.66 2.52 4.80 2.24 2.20 2.24 4.96 3.86 2.36 4.52 2.20 2.71 2.66 2.41 3.25 2.20 1.00 4.86 4.97 2.32 2.54 4.96 3.86 2.26 4.52 2.28 2.20 2.21 2.20 2.21 2.20 2.21 2.26 2.21 4.97 4.37 3.23 2.22 2.20 2.21 2.66 2.41 3.15 2.22 2.20 2.21 2.26 2.47 4.97 4.97 4.97 <t< td=""><td>6500</td><td>4.33</td><td>4.62</td><td>2.44</td><td>2.67</td><td>4.33</td><td>3.37</td><td>2.44</td><td>3.95</td><td>2.44</td><td>2.90</td><td>2.85</td><td>2.57</td><td>4.62</td><td>4.62</td></t<>	6500	4.33	4.62	2.44	2.67	4.33	3.37	2.44	3.95	2.44	2.90	2.85	2.57	4.62	4.62
85000 4.66 4.76 2.16 2.36 4.46 3.47 2.11 2.24 2.42 3.93 2.21 3.90 2.21 2.63 2.59 2.34 4.87 2.21 2.44 4.89 3.33 2.21 3.64 2.76 2.46 2.27 2.46 4.87 4.87 2.21 2.54 4.57 3.55 2.32 4.66 4.26 3.86 2.36 4.80 2.24 4.80 2.24 4.80 2.24 4.80 2.24 4.80 2.24 4.81 3.27 2.26 2.50 2.50 2.50 3.66 2.36 4.52 2.28 4.96 3.86 2.36 4.52 2.28 2.21 2.28 4.94 4.33 3.33 2.28 4.94 2.21 2.28 4.94 2.21 3.23 2.22 2.27 2.26 2.47 4.97 4.93 4.94 4.91 4.94 4.93 4.94 4.94 4.94 4.93 4.94 4.94 <t< td=""><td></td><td></td><td></td><td></td><td></td><td>4.39</td><td>3.41</td><td>2.26</td><td>4.00</td><td>2.26</td><td>2.69</td><td>2.64</td><td>2.39</td><td>4.68</td><td>4.68</td></t<>						4.39	3.41	2.26	4.00	2.26	2.69	2.64	2.39	4.68	4.68
89000 4.28 4.57 2.21 2.42 4.28 3.33 2.21 3.90 2.21 2.53 2.57 2.64 4.87 2.32 2.54 4.57 3.25 2.28 2.52 4.60 2.28 2.78 2.60 2.62 2.62 2.62 2.59 2.28 2.79 2.60 2.59 4.80 2.85 2.28 2.71 2.60 2.51 2.80 2.52 2.26 2.59 4.96 3.86 2.28 4.52 2.31 2.26 2.19 4.80 3.61 2.28 4.52 2.36 2.41 2.59 2.21 2.10 2.60 2.21 2.21 2.60 2.41 5.55 5.28 2.27 4.10 3.33 4.02 2.28 2.71 2.71 4.71 2.17 3.71 2.17 2.73 2.47 4.55 4.61 3.62 2.33 2.27 2.73 2.27 2.43 4.44 4.84 4.84 4.84 4.84 4.84 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2.52</td><td>2.29</td><td>4.76</td><td>4.76</td></t<>												2.52	2.29	4.76	4.76
												2.59	2.34	4.57	4.57
99000 5,27 5,62 2,48 2,69 5,27 4,10 2,48 4,59 2,28 2,72 2,28 2,79 2,80 3,66 2,28 4,52 2,28 2,71 2,66 2,19 2,29 1,000 4,96 5,29 2,36 2,39 4,96 3,86 2,28 4,52 2,36 2,51 5,25 5,28 2,36 2,39 4,81 5,15 2,28 2,49 4,83 3,16 2,28 4,40 2,23 2,15 5,15 2,88 2,35 3,58 2,26 2,39 4,26 2,41 5,15 3,18 2,26 3,96 2,26 2,69 2,23 2,27 2,37 4,07 3,17 2,17 2,17 2,17 4,14 4,64 4,64 4,14 4,14 4,14 4,44 4,44 4,44 4,44 4,44 4,44 4,44 4,44 4,44 4,44 4,44 4,44 4,44 4,44 4,44 4,44 4,44 <												2.72	2.46	4.87	4.87
19000 4.96 5.29 2.89 2.49 4.96 3.86 2.28 4.52 2.36 2.51 2.60 2.41 5.29 5.29 10500 4.96 5.22 2.52 2.58 2.59 4.93 3.66 2.28 4.90 2.35 2.51 2.60 2.41 5.15 5.15 11000 4.56 4.97 2.33 2.55 4.66 3.62 2.33 4.25 2.33 2.77 2.73 2.47 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97 4.97														5.62	5.62
10000															
105000															
115000															
11500															
12500															
13500															
13500															
13500															
14500															
14500															
15500															
15500															
16500															
1500															
17000															
17500															
18500															
18500 3.27 3.49 2.88 3.15 3.27 2.54 2.88 2.98 2.88 3.43 3.37 3.05 3.49 19000 3.61 3.85 2.84 3.10 3.61 2.81 2.84 3.29 2.85 3.37 3.32 3.00 3.85 3.85 20000 3.61 3.85 2.74 3.00 3.61 2.81 2.84 3.29 2.85 3.38 3.33 3.01 3.85 3.85 20000 3.61 3.85 2.72 2.97 3.61 2.81 2.74 3.29 2.74 3.26 3.21 2.90 3.85 3.85 20000 3.61 3.85 2.72 2.97 3.61 2.81 2.72 3.29 2.72 3.23 3.18 2.87 3.85 3.85 21000 4.20 4.48 2.67 2.92 4.20 3.27 2.67 3.83 2.67 3.12 2.82 4.48 4.54 2.80 4.54 4.54 2.78 3.18 4.37 3.40 2.91 3.88 2.78 3.30 3.25 2.94 4.54 4.54 2.2000 4.37 4.66 2.91 3.18 4.37 3.40 2.91 3.88 2.78 3.30 3.25 2.94 4.54 4.54 2.2000 4.47 4.77 3.05 3.34 4.47 3.48 3.25 4.07 3.05 3.63 3.57 3.22 4.77 4.77 2.3500 4.47 4.77 3.25 3.55 4.47 3.48 3.25 4.07 3.25 3.86 3.59 3.44 4.77 4.77 2.4000 4.48 4.78 3.35 3.66 4.48 3.48 3.25 4.07 3.25 3.98 3.94 3.56 4.82 4.32 2.4000 4.57 4.87 3.37 3.68 4.52 3.52 3.37 4.16 3.37 4.00 3.94 3.56 4.82 4.32 2.4000 4.57 4.87 3.37 3.68 4.52 3.52 3.37 4.16 3.37 4.00 3.94 3.56 4.82 4.32 2.4000 4.57 4.87 3.37 3.68 4.52 3.52 3.37 4.16 3.37 4.00 3.94 3.56 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4.82 4															
19000 3.61 3.85 2.84 3.10 3.61 2.81 2.84 3.29 2.84 3.37 3.32 3.00 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85 3.85															
19500 3.61 3.85 2.85 3.11 3.61 2.81 2.85 3.29 2.85 3.38 3.33 3.01 3.85 3.85															
20000 3.61 3.85 2.74 3.00 3.61 2.81 2.74 3.29 2.74 3.26 3.21 2.90 3.85 3.85 20500 3.61 3.85 2.72 2.97 3.61 2.91 2.92 4.20 3.27 3.23 3.18 2.87 3.85 3.85 21500 4.26 4.54 2.78 3.04 4.26 3.31 2.78 3.83 2.67 3.17 3.12 2.82 4.48 4.48 22000 4.37 4.66 2.91 3.18 4.37 3.40 2.91 3.88 2.78 3.30 3.25 2.92 4.45 4.45 22500 4.47 4.77 3.05 3.34 4.47 3.48 3.05 4.07 3.53 3.46 4.92 3.51 3.46 3.77 3.65 4.47 3.48 3.05 4.07 3.52 4.07 3.48 3.05 4.07 3.52 4.07 3.48 3.52 </td <td></td>															
20500															
21000															
21500															
22000 4.37 4.66 2.91 3.18 4.37 3.40 2.91 3.98 2.91 3.46 3.40 3.08 4.66 4.66 22500 4.45 4.75 2.96 3.24 4.45 3.46 2.96 4.05 2.96 3.51 3.46 3.12 4.75 4.75 4.77 23500 4.47 4.77 3.05 3.54 4.47 3.48 3.05 4.07 3.25 3.53 4.47 3.48 3.25 4.07 3.25 3.64 4.77 24500 4.48 4.78 3.35 3.66 4.48 3.48 3.35 3.98 3.92 3.54 4.77 4.77 24500 4.52 4.87 3.37 3.68 4.52 3.55 3.37 4.12 3.37 4.00 3.94 3.56 4.82 4.32 25000 4.69 5.00 3.33 3.64 4.69 3.65 3.33 4.27 3.33 3.96 <td></td>															
22500 4.45 4.75 2.96 3.24 4.45 3.46 2.96 4.05 2.96 3.51 3.46 3.12 4.75 2.75 23000 4.47 4.77 3.05 3.34 4.47 3.48 3.05 4.07 3.05 3.63 3.57 3.22 4.77 4.77 24000 4.48 4.78 3.35 3.66 4.48 3.48 3.35 3.98 3.92 3.54 4.77 4.77 24500 4.52 4.82 3.37 3.68 4.52 3.52 3.37 4.12 3.37 4.00 3.94 3.56 4.87 4.82 25500 4.69 5.00 3.33 3.64 4.69 3.65 3.33 3.42 3.33 3.96 3.89 3.52 5.00 5.00 26000 5.06 5.40 3.32 3.63 5.06 3.94 3.32 4.61 3.32 3.95 3.88 3.51 5.40 5.40 27000 5.18 5.53 3.29 3.60 5.14 4.03															
23000															
23500															
24000 4.48 4.78 3.35 3.66 4.48 3.48 3.35 4.08 3.35 3.98 3.92 3.54 4.78 4.78 24500 4.52 4.82 3.37 3.68 4.52 3.52 3.37 4.12 3.37 4.00 3.94 3.56 4.82 4.82 25500 4.67 3.37 3.68 4.57 3.55 3.37 4.16 3.37 4.00 3.94 3.56 4.82 4.82 25500 4.69 5.00 3.33 3.64 4.69 3.65 3.33 4.27 3.33 3.96 3.89 3.52 5.00 5.00 26500 5.14 5.48 3.26 3.57 5.14 4.00 3.26 4.61 3.32 3.45 5.40 5.40 26500 5.14 5.48 3.29 3.60 5.18 4.03 3.29 4.72 3.29 3.91 3.84 5.53 5.60 27500 5.25 5.60 3.24 3.54 5.25 4.08 3.24 4.78															
24500 4.52 4.82 3.37 3.68 4.52 3.52 3.37 4.12 3.37 4.00 3.94 3.56 4.82 4.82 25000 4.57 4.87 3.37 3.68 4.57 3.55 3.37 4.16 3.37 4.00 3.94 3.56 4.87 4.87 25500 4.69 5.00 3.33 3.64 4.69 3.65 3.33 4.27 3.33 3.96 3.89 3.52 5.00 5.00 26500 5.06 5.40 3.32 3.63 5.06 3.94 3.32 3.95 3.88 3.51 5.40 5.40 26500 5.14 5.48 3.26 3.57 5.14 4.00 3.26 4.68 3.26 3.88 3.51 5.40 5.48 27500 5.25 5.60 3.34 3.65 5.25 4.08 3.24 4.78 3.34 3.97 3.90 3.53 5.60 5.60 28500 5.25 5.60 3.12 3.42 5.25 4.08 3.24															
25000 4.57 4.87 3.37 3.68 4.57 3.55 3.37 4.16 3.37 4.00 3.94 3.56 4.87 4.87 25500 4.69 5.00 3.33 3.64 4.69 3.65 3.33 4.27 3.33 3.96 3.89 3.52 5.00 5.00 26500 5.16 5.40 3.32 3.63 5.06 3.94 3.32 4.61 3.32 3.95 3.88 3.51 5.40 5.40 27000 5.18 5.68 3.57 5.14 4.00 3.26 4.68 3.26 3.88 3.82 3.45 5.48 5.49 27500 5.25 5.60 3.34 3.65 5.25 4.08 3.34 4.78 3.34 3.97 3.90 3.53 5.60 5.60 28500 5.25 5.60 3.24 3.54 5.25 4.08 3.12 4.78 3.24 3.85 3.79 3.42 5.60 5.60 28500 5.25 5.60 3.12 3.42 5.25															
25500 4.69 5.00 3.33 3.64 4.69 3.65 3.33 4.27 3.33 3.96 3.89 3.52 5.00 5.00 26000 5.06 5.40 3.32 3.63 5.06 3.94 3.32 4.61 3.32 3.95 3.88 3.51 5.40 5.40 26500 5.14 5.48 3.26 3.57 5.14 4.00 3.26 4.68 3.26 3.88 3.51 5.40 5.40 27500 5.18 5.53 3.29 3.60 5.18 4.03 3.29 4.72 3.29 3.91 3.85 3.48 5.53 27500 5.25 5.60 3.34 3.65 5.25 4.08 3.24 4.78 3.34 3.97 3.90 3.53 5.60 5.60 28500 5.25 5.60 3.12 3.42 5.25 4.08 3.12 4.78 3.12 3.71 3.65 3.50 5.60 29500 5.17 5.51 2.99 3.28 5.17 4.02 2.99															
26000 5.06 5.40 3.32 3.63 5.06 3.94 3.32 4.61 3.32 3.95 3.88 3.51 5.40 5.40 26500 5.14 5.48 3.26 3.57 5.14 4.00 3.26 4.68 3.26 3.88 3.82 3.45 5.48 5.48 27000 5.18 5.53 3.29 3.60 5.18 4.03 3.29 4.72 3.29 3.91 3.85 3.48 5.53 5.53 27500 5.25 5.60 3.34 3.65 5.25 4.08 3.34 4.78 3.34 3.97 3.90 3.53 5.60 5.60 28500 5.25 5.60 3.12 3.42 5.25 4.08 3.12 4.78 3.12 3.71 3.65 3.30 5.60 2.60 29000 5.17 5.51 2.99 3.28 5.17 4.02 2.99 4.71 2.99 3.56 3.50 3.16 <td>25000</td> <td></td> <td>4.87</td> <td></td>	25000		4.87												
26500 5.14 5.48 3.26 3.57 5.14 4.00 3.26 4.68 3.26 3.98 3.82 3.45 5.48 5.48 27000 5.18 5.53 3.29 3.60 5.18 4.03 3.29 4.72 3.29 3.91 3.85 3.48 5.53 5.53 27500 5.25 5.60 3.34 3.65 5.25 4.08 3.34 4.78 3.34 3.97 3.90 3.53 5.60 5.60 28000 5.25 5.60 3.24 3.54 5.25 4.08 3.24 4.78 3.24 3.85 3.79 3.42 5.60 5.60 28500 5.25 5.60 3.12 3.42 5.25 4.08 3.12 4.78 3.12 3.71 3.65 3.30 5.60 5.60 29000 5.17 5.51 2.99 3.28 5.17 4.02 2.99 4.71 2.99 3.56 3.50 3.16 5.51 5.51 29500 5.05 5.39 3.28 4.93	25500	4.69	5.00	3.33	3.64										
27000 5.18 5.53 3.29 3.60 5.18 4.03 3.29 4.72 3.29 3.91 3.85 3.48 5.53 5.53 27500 5.25 5.60 3.34 3.65 5.25 4.08 3.34 4.78 3.34 3.97 3.90 3.53 5.60 5.60 28000 5.25 5.60 3.24 3.54 5.25 4.08 3.24 4.78 3.24 3.85 3.79 3.42 5.60 5.60 28500 5.25 5.60 3.12 3.42 5.25 4.08 3.12 4.78 3.12 3.71 3.65 3.30 5.60 5.60 28500 5.17 5.51 2.99 3.28 5.17 4.02 2.99 4.71 2.99 3.56 3.50 3.16 5.51 5.51 29500 5.05 5.39 2.93 3.21 5.05 3.93 2.93 4.60 2.93 3.48 3.43 3.09 5.39 5.39 5.39 2.93 3.61 5.51 5.51 5.51	26000		5.40												
27500 5.25 5.60 3.34 3.65 5.25 4.08 3.34 4.78 3.34 3.97 3.90 3.53 5.60 5.60 28000 5.25 5.60 3.24 3.54 5.25 4.08 3.24 4.78 3.24 3.85 3.79 3.42 5.60 5.60 28500 5.25 5.60 3.12 3.42 5.25 4.08 3.12 4.78 3.12 3.71 3.65 3.30 5.60 5.60 29000 5.17 5.51 2.99 3.28 5.17 4.02 2.99 4.71 2.99 3.56 3.50 3.16 5.51 5.51 29500 5.05 5.39 2.93 3.21 5.05 3.93 2.93 4.60 2.93 3.48 3.43 3.09 5.39 5.39 30500 4.93 5.26 2.99 3.28 4.93 3.83 2.99 4.49 2.99 3.56 3.50 3.16 5.26 5.26 30500 4.85 5.17 3.38 3.69	26500	5.14	5.48		3.57		4.00								
28000 5.25 5.60 3.24 3.54 5.25 4.08 3.24 4.78 3.24 3.85 3.79 3.42 5.60 5.60 28500 5.25 5.60 3.12 3.42 5.25 4.08 3.12 4.78 3.12 3.71 3.65 3.30 5.60 5.60 29000 5.17 5.51 2.99 3.28 5.17 4.02 2.99 4.71 2.99 3.56 3.50 3.16 5.51 5.51 29500 5.05 5.39 2.93 3.21 5.05 3.93 2.93 4.60 2.93 3.48 3.43 3.09 5.39 5.39 30500 4.93 5.26 2.99 3.28 4.93 3.83 2.99 4.49 2.99 3.56 3.50 3.16 5.26 5.26 30500 4.85 5.17 3.38 3.69 4.85 3.77 3.38 4.42 3.38 4.01 3.95 3.57 5.17 5.17 31000 4.73 5.05 3.29 3.60	27000	5.18	5.53	3.29	3.60	5.18	4.03								
28500 5.25 5.60 3.12 3.42 5.25 4.08 3.12 4.78 3.12 3.71 3.65 3.30 5.60 5.60 29000 5.17 5.51 2.99 3.28 5.17 4.02 2.99 4.71 2.99 3.56 3.50 3.16 5.51 5.51 29500 5.05 5.39 2.93 3.21 5.05 3.93 2.93 4.60 2.93 3.48 3.43 3.09 5.39 5.39 30000 4.93 5.26 2.99 3.28 4.93 3.83 2.99 4.49 2.99 3.56 3.50 3.16 5.26 5.26 30500 4.85 5.17 3.38 3.69 4.85 3.77 3.38 4.42 3.38 4.01 3.95 3.57 5.17 5.17 31000 4.73 5.05 3.29 3.60 4.73 3.68 3.29 4.31 3.29 3.91 3.85 3.48 5.05 5.05 31500 4.66 4.97 3.19 3.49	27500				3.65										
28500 5.25 5.60 3.12 3.42 5.25 4.08 3.12 4.78 3.12 3.71 3.65 3.30 5.60 5.60 29000 5.17 5.51 2.99 3.28 5.17 4.02 2.99 4.71 2.99 3.56 3.50 3.16 5.51 5.51 29500 5.05 5.39 2.93 3.21 5.05 3.93 2.93 4.60 2.93 3.48 3.43 3.09 5.39 5.39 30000 4.93 5.26 2.99 3.28 4.93 3.83 2.99 4.49 2.99 3.56 3.50 3.16 5.26 5.26 30500 4.85 5.17 3.38 3.69 4.85 3.77 3.38 4.42 3.38 4.01 3.95 3.57 5.17 5.17 31500 4.66 4.97 3.19 3.49 4.66 3.62 3.19 4.25 3.19 3.79 3.73 3.37 4.97 4.97 32000 4.66 4.97 3.12 3.42	28000	5.25	5.60	3.24	3.54	5.25	4.08	3.24	4.78						
29500 5.05 5.39 2.93 3.21 5.05 3.93 2.93 4.60 2.93 3.48 3.43 3.09 5.39 5.39 30000 4.93 5.26 2.99 3.28 4.93 3.83 2.99 4.49 2.99 3.56 3.50 3.16 5.26 5.26 30500 4.85 5.17 3.38 3.69 4.85 3.77 3.38 4.42 3.38 4.01 3.95 3.57 5.17 5.17 31000 4.73 5.05 3.29 3.60 4.73 3.68 3.29 4.31 3.29 3.91 3.85 3.48 5.05 5.05 31500 4.66 4.97 3.19 3.49 4.66 3.62 3.19 4.25 3.19 3.79 3.73 3.37 4.97 4.97 32500 4.66 4.97 3.12 3.42 4.57 3.55 3.12 4.16 3.12 3.71 3.65 3.40 4.97 4.97 32500 4.57 4.87 3.12 3.42		5.25	5.60	3.12	3.42	5.25	4.08	3.12	4.78		3.71		3.30		
30000 4.93 5.26 2.99 3.28 4.93 3.83 2.99 4.49 2.99 3.56 3.50 3.16 5.26 5.26 30500 4.85 5.17 3.38 3.69 4.85 3.77 3.38 4.42 3.38 4.01 3.95 3.57 5.17 5.17 31000 4.73 5.05 3.29 3.60 4.73 3.68 3.29 4.31 3.29 3.91 3.85 3.48 5.05 5.05 31500 4.66 4.97 3.19 3.49 4.66 3.62 3.19 4.25 3.19 3.79 3.73 3.37 4.97 4.97 32000 4.66 4.97 3.12 3.42 4.57 3.55 3.12 4.16 3.12 3.71 3.65 3.40 4.97 4.97 32500 4.57 4.87 3.12 3.42 4.57 3.55 3.12 4.16 3.12 3.71 3.65 3.30 4.87 4.87 33000 4.49 4.79 2.98 3.27	29000	5.17	5.51	2.99	3.28	5.17	4.02	2.99	4.71	2.99	3.56	3.50	3.16		
30000 4.93 5.26 2.99 3.28 4.93 3.83 2.99 4.49 2.99 3.56 3.50 3.16 5.26 5.26 30500 4.85 5.17 3.38 3.69 4.85 3.77 3.38 4.42 3.38 4.01 3.95 3.57 5.17 5.17 31000 4.73 5.05 3.29 3.60 4.73 3.68 3.29 4.31 3.29 3.91 3.85 3.48 5.05 5.05 31500 4.66 4.97 3.19 3.49 4.66 3.62 3.19 4.25 3.19 3.79 3.73 3.37 4.97 4.97 32500 4.66 4.97 3.22 3.52 4.66 3.62 3.22 4.25 3.22 3.82 3.76 3.40 4.97 4.97 32500 4.57 4.87 3.12 3.42 4.57 3.55 3.12 4.16 3.12 3.71 3.65 3.30 4.87 4.97 33500 4.49 4.79 2.98 3.15	29500	5.05	5.39	2.93	3.21	5.05	3.93	2.93	4.60	2.93	3.48	3.43	3.09	5.39	5.39
30500 4.85 5.17 3.38 3.69 4.85 3.77 3.38 4.42 3.38 4.01 3.95 3.57 5.17 5.17 31000 4.73 5.05 3.29 3.60 4.73 3.68 3.29 4.31 3.29 3.91 3.85 3.48 5.05 5.05 31500 4.66 4.97 3.19 3.49 4.66 3.62 3.19 4.25 3.19 3.79 3.73 3.37 4.97 4.97 32000 4.66 4.97 3.12 3.42 4.57 3.55 3.12 4.16 3.12 3.71 3.65 3.40 4.97 4.97 32500 4.57 4.87 3.12 3.42 4.57 3.55 3.12 4.16 3.12 3.71 3.65 3.30 4.87 4.97 33000 4.49 4.79 2.98 3.27 4.49 3.49 2.98 4.09 2.98 3.55 3.49 3.15 4.79 4.79 34000 4.32 4.61 2.80 3.06								2.99	4.49	2.99	3.56	3.50	3.16	5.26	
31000 4.73 5.05 3.29 3.60 4.73 3.68 3.29 4.31 3.29 3.91 3.85 3.48 5.05 5.05 31500 4.66 4.97 3.19 3.49 4.66 3.62 3.19 4.25 3.19 3.79 3.73 3.37 4.97 4.97 32000 4.66 4.97 3.22 3.52 4.66 3.62 3.22 4.25 3.22 3.82 3.76 3.40 4.97 4.97 32500 4.57 4.87 3.12 3.42 4.57 3.55 3.12 4.16 3.12 3.71 3.65 3.30 4.87 4.87 33000 4.49 4.79 2.98 3.27 4.49 3.49 2.98 4.09 2.98 3.55 3.49 3.15 4.79 4.79 33500 4.41 4.70 2.88 3.15 4.41 3.43 2.88 4.02 2.88 3.43 3.37 3.05 4.70 4.70 34000 4.32 4.61 2.80 3.06										3.38	4.01	3.95	3.57	5.17	5.17
31500 4.66 4.97 3.19 3.49 4.66 3.62 3.19 4.25 3.19 3.79 3.73 3.37 4.97 4.97 32000 4.66 4.69 3.22 3.62 3.22 4.25 3.22 3.82 3.76 3.40 4.97 4.97 32500 4.57 4.87 3.12 3.42 4.57 3.55 3.12 4.16 3.12 3.71 3.65 3.30 4.87 4.87 33000 4.49 4.79 2.98 3.27 4.49 3.49 2.98 4.09 2.98 3.55 3.49 3.15 4.79 4.79 33500 4.41 4.70 2.88 3.15 4.41 3.43 2.88 4.02 2.88 3.43 3.37 3.05 4.70 4.70 34000 4.32 4.61 2.80 3.06 4.32 3.36 2.80 3.94 2.80 3.33 3.27 2.96 4.61 4.61 34500 4.23 4.51 2.72 2.90 4.23 3.29										3.29	3.91	3.85	3.48	5.05	5.05
32000 4.66 4.97 3.22 3.52 4.66 3.62 3.22 4.25 3.22 3.82 3.76 3.40 4.97 4.97 32500 4.57 4.87 3.12 3.42 4.57 3.55 3.12 4.16 3.12 3.71 3.65 3.30 4.87 4.87 33000 4.49 4.79 2.98 3.27 4.49 3.49 2.98 4.09 2.98 3.55 3.49 3.15 4.79 4.79 33500 4.41 4.70 2.88 3.15 4.41 3.43 2.88 4.02 2.88 3.43 3.37 3.05 4.70 4.70 34000 4.32 4.61 2.80 3.06 4.32 3.36 2.80 3.94 2.80 3.33 3.27 2.96 4.61 4.61 34500 4.23 4.51 2.72 2.90 4.23 3.29 2.72 3.85 2.72 3.24 3.19 2.88 4.51 4.51											3.79	3.73	3.37	4.97	4.97
32500 4.57 4.87 3.12 3.42 4.57 3.55 3.12 4.16 3.12 3.71 3.65 3.30 4.87 4.87 33000 4.49 4.79 2.98 3.27 4.49 3.49 2.98 4.09 2.98 3.55 3.49 3.15 4.79 4.79 33500 4.41 4.70 2.88 3.15 4.41 3.43 2.88 4.02 2.88 3.43 3.37 3.05 4.70 4.70 34000 4.32 4.61 2.80 3.06 4.32 3.36 2.80 3.94 2.80 3.33 3.27 2.96 4.61 4.61 34500 4.23 4.51 2.72 2.96 4.23 3.29 2.72 3.85 2.72 3.24 3.19 2.88 4.51 4.51													3.40	4.97	4.97
33000 4.49 4.79 2.98 3.27 4.49 3.49 2.98 4.09 2.98 3.55 3.49 3.15 4.79 4.79 33500 4.41 4.70 2.88 3.15 4.41 3.43 2.88 4.02 2.88 3.43 3.37 3.05 4.70 4.70 34000 4.32 4.61 2.80 3.06 4.32 3.36 2.80 3.94 2.80 3.33 3.27 2.96 4.61 4.61 34500 4.23 4.51 2.72 2.96 4.23 3.29 2.72 3.85 2.72 3.24 3.19 2.88 4.51 4.51															
33500 4.41 4.70 2.88 3.15 4.41 3.43 2.88 4.02 2.88 3.43 3.37 3.05 4.70 4.70 34000 4.32 4.61 2.80 3.06 4.32 3.36 2.80 3.94 2.80 3.33 3.27 2.96 4.61 4.61 34500 4.23 4.51 2.72 2.96 4.23 3.29 2.72 3.85 2.72 3.24 3.19 2.88 4.51 4.51															
34000 4.32 4.61 2.80 3.06 4.32 3.36 2.80 3.94 2.80 3.33 3.27 2.96 4.61 4.61 34500 4.23 4.51 2.72 2.97 4.23 3.29 2.72 3.85 2.72 3.24 3.19 2.88 4.51 4.51															
34500 4.23 4.51 2.72 2.90 4.23 3.29 2.72 3.85 2.72 3.24 3.19 2.88 4.51 4.51															
33000 4.17 4.43 2.03 2.00 4.17 3.24 2.03 3.00 2.03 3.00 2.03															
	33000	4.17	4.45	2.63	2.88	4.1/	3.24	2.63	3.00	2.05	3.13	3.50	20		

REPRESENTATIVE GROUP IX HAI VALUES (PERCENT)

HAT AMERES	(LEKCEMI)					
Qes	139.2R	141.2R	141.3R	142.8R	144.2L	147.1L
						•
5000	3.15	3.56	3.56	2.89	2.73	2.94
5500	2.78	3.15	3.15	2.55	2.42	2.60
6000	2.88	3.26	3.26	2.64	2.50	2.69
6500	2.80	3.17	3.17	2.57	2.44	2.62
7000	2.60	2.94	2.94	2.39		2.43
7500	2.48		2.81	2.28		
8000	2.55		2.88	2.34		2.38
8500	2.68		3.03	2.46		2.50
9000	2.81	3.18	3.18	2.58		
9500	2.62	2.97	2.97	2.41		
10000	2.72		3.07	2.50		
10500	2.62	2.97	2.97	2.41	2.28	
11000	2.69	3.04	3.04	2.47	2.33	2.51
11500	2.60					
12000	2.49	2.82	2.82	2.29		2.33
12500	2.69	3.04	3.04	2.47		2.51
13000	2.65	3.00	3.00	2.44	2.31	2.48
13500	2.76		3.12	2.53		
14000	2.95	3.34	3.34	2.71	2.57	2.76
14500	2.51	2.84	2.84	2.31	2.19	
15000	2.61	2.95	2.95	2.40	2.27	2.44
15500	2.76	3.12	3.12	2.53		
16000	3.00					
16500	3.02	3.41	3.41	2.77		
17000	2.66	3.01	3.01	2.45		2.49
17500	2.94		3.33	2.70		
18000	3.08				3 75 65 33 33	577 5 10 . 50 .
18500	3.32	3.75	3.75	3.05		
19000	3.26	3.69				
19500	3.27	3.70	3.70	3.01		3.06
20000	3.16	3.57	3.57	2.90		
20500	3.12	3.53	3.53	2.87		2.92
21000	3.07	3.47	3.47	2.82		2.87
21500	3.20	3.62	3.62	2.94		
22000	3.35	3.79				
22500	3.40	3.85	3.85	3.12		3.18
23000	3.51	3.97	3.97	3.22		
23500	3.73	4.22	4.22	3.43	3.25	3.49
24000	3.85	4.36	4.36	3.54		
24500	3.87	4.38	4.38	3.56	3.37	
25000	3.87	4.38	4.38	3.56		3.62
25500	3.83	4.33	4.33	3.52	3.33	3.58
26000	3.82	4.32	4.32			3.57
26500	3.76	4.25		3.45		3.51
27000	3.79	4.29				
27500	3.84	4.35	4.35	3.53		3.59
28000	3.72	4.21	4.21	3.42	3.24	
23500	3.60	4.07	4.07	3.30	3.12	3.36
29000	3.45	3.90	3.90	3.16	2.99	3.22
29500	3.37	3.81	3.81	3.09	2.93	3.15
30000	3.45	3.90	3.90	3.16	2.99	3.22
30500	3.88	4.39	4.39	3.57	3.38	3.63
31000	3.79	4.29	4.29	3.48	3.29	3.54
31500	3.67	4.15	4.15	3.37	3.19	3.43
32000	3.70	4.12	4.19	3.40	3.22	3.46
32500	3.60	4.07	4.07	3.30	3.12	3.36
33000	3.44	3.89	3.89	3.15	2.98	3.21
33500	3.32	3.75	3.75	3.05	2.88	3.10
34000	3.22	3.64	3.64	2.96	2.80	3.01
34500	3.14	3.55	3.55	2.88	2.72	2.93
35000	3.03	3.43	3.43	2.78	2.63	2.83

APPENDIX C

WETTED SURFACE AREA (WSA) VALUES FOR SPECIFIC AREAS

WETTED	SURFACE AR	EA (SO	.FT./10	5)										
Qes	102.2L	105.2R	107.6L	108.3L	112.5L	119.4L	120.0R	121.9R	123.1R	123.3R	127.2M	129.4R	133.9L	134.OL
													·	
5000	0.046	0.000	0.016	0.023	0.095	0.000	0.040	0.011	.000	0.025	0.004	0.097	0.047	0.014
5500	0.046	0.002	0.016	0.023	0.097	0.000	0.043	0.011	0.002	0.025	0.004	0.097	0.047	0.014
6000	0.046	0.004	0.016	0.023	0.099	0.000	0.045	0.011	0.004	0.025	0.005	0.097	0.047	0.014
6500	0.046	0.006	0.016	0.023	0.101	0.000	0.047	0.011	0.006	0.025	0.005	0.097	0.047	0.014
7000	0.046	0.008	0.016	0.023	0.103	0.000	0.049	0.011	0.008	0.025	0.005	0.097	0.047	0.014
7500	0.046	0.009	0.016	0.023	0.104	0.000	0.051	0.011	0.009	0.025	0.006	0.097	0.047	0.014
8000	0.046	0.011	0.016	0.023	0.106	0.000	0.053	0.011	0.011	0.025	0.006	0.097	0.047	0.014
8500	0.046	0.012	0.016	0.023	0.107	0.000	0.054	0.011	0.012	0.025	0.006	0.097	0.047	0.014
9000	0.046	0.013	0.016	0.023	0.108	0.000	0.056	0.011	0.012	0.025	0.006	0.097	0.047	0.014
9500	0.046	0.015	0.016	0.023	0.110	0.000	0.057	0.011	0.014	0.025	0.007	0.097	0.047	0.014
10000	0.046	0.016	0.016	0.023	0.111	0.000	0.059	0.011	0.014	0.025	0.007	0.097	0.047	0.014
10500	0.046	0.017	0.016	0.023	0.112	0.000	0.060	0.011			0.007	0.097	0.047	0.014
11000	0.046	0.017	0.016	0.023	0.113	0.014			0.017	0.025	0.007	0.097		0.014
							0.061	0.011	0.018	0.025		The second second	0.047	
11500	0.046	0.019	0.016	0.023	0.114	0.015	0.062	0.011	0.019	0.025	0.007	0.097	0.047	0.014
12000	0.046	0.020	0.016	0.023	0.115	0.016	0.064	0.011	0.020	0.025	0.008	0.097	0.047	0.014
12500	0.046	0.021	0.016	0.023	0.116	0.017	0.065	0.011	0.021	0.025	0.030	0.097	0.047	0.014
13000	0.046	0.022	0.016	0.024	0.117	0.018	0.066	0.011	0.021	0.025	0.030	0.097	0.047	0.014
13500	0.046	0.023	0.020	0.024	0.118	0.019	0.067	0.011	0.022	0.025	0.031	0.097	0.047	0.014
14000	0.046	0.024	0.025	0.024	0.119	0.020	0.068	0.011	0.023	0.025	0.031	0.097	0.047	0.014
14500	0.046	0.024	0.030	0.024	0.119	0.021	0.069	0.011	0.024	0.025	0.031	0.097	0.047	0.014
15000	0.046	0.025	0.034	0.024	0.120	0.022	0.070	0.011	0.025	0.025	0.031	0.097	0.047	0.014
15500	0.046	0.026	0.038	0.024	0.121	0.023	0.071	0.011	0.025	0.025	0.032	0.097	0.047	0.014
16000	0.046	0.027	0.042	0.024	0.122	0.023	0.071	0.011	0.026	0.025	0.032	0.097	0.047	0.014
16500	0.046	0.027	0.046	0.024	0.122	0.024	0.072	0.011	0.027	0.030	0.032	0.097	0.047	0.017
17000	0.046	0.028	0.050	0.024	0.123	0.025	0.073	0.011	0.027	0.031	0.032	0.097	0.047	0.017
17500	0.046	0.029	0.054	0.024	0.124	0.025	0.074	0.011	0.028	0.032	0.032	0.097	0.047	0.013
18000	0.046	0.029	0.058	0.024	0.124	0.026	0.075	0.011	0.029	0.033	0.033	0.097	0.047	0.018
18500	0.046	0.030	0.061	0.024	0.125	0.027	0.075	0.011	0.029	0.034	0.033	0.097	0.048	0.019
19000	0.046	0.031	0.065	0.024	0.126	0.027	0.076	0.011	0.030	0.035	0.033	0.097	0.048	0.019
19500	0.046	0.031	0.068	0.024	0.126	0.028	0.077	0.011	0.030	0.036	0.033	0.097	0.049	0.019
20000	0.046	0.032	0.071	0.024	0.127	0.029	0.077	0.011	0.031	0.037	0.033	0.097	0.049	0.020
20500	0.046	0.032	0.075	0.024	0.127	0.029	0.078	0.011	0.031	0.038	0.033	0.097	0.050	0.020
21000	0.046	0.033	0.078	0.024	0.128	0.030	0.079	0.011	0.032	0.039	0.034	0.097	0.050	0.020
21500	0.046	0.033	0.081	0.024	0.128	0.030	0.079	0.011	0.032	0.040	0.034	0.097	0.051	0.021
22000	0.046	0.034	0.084	0.024	0.129	0.031	0.080	0.011	0.033	0.041	0.034	0.097	0.051	0.021
22500	0.046	0.034	0.087	0.024	0.129	0.032	0.081	0.011	0.033	0.041	0.034	0.097	0.051	0.021
23000	0.046	0.035	0.090	0.024	0.130	0.032	0.088	0.011	0.034	0.041	0.034	0.097	0.052	0.022
23500	0.046	0.035	0.092	0.024	0.130	0.033	0.092	0.011	0.034	0.041	0.034	0.097	0.052	0.022
24000	0.046	0.036	0.095	0.024	0.131	0.033	0.096	0.011	0.035	0.041	0.035	0.097	0.053	0.022
24500	0.046	0.036	0.098	0.024	0.131	0.034	0.099	0.011	0.035	0.041	0.035	0.097	0.053	0.022
25000	0.046	0.037	0.100	0.024	0.132	0.034	0.103	0.011	0.036	0.041	0.035	0.097	0.053	0.022
25500	0.046	0.037	0.103	0.024	0.132	0.035	0.106	0.011	0.036	0.041	0.035	0.097	0.054	0.022
26000	0.046	0.038	0.106	0.024	0.133	0.035	0.109	0.011	0.037	0.041	0.035	0.097	0.054	0.022
26500	0.046	0.038	0.108	0.024	0.133	0.035	0.113	0.011	0.037	0.041	0.035	0.097	0.055	0.022
27000	0.046	0.039	0.110	0.024	0.134	0.036	0.116	0.011	0.037	0.041	0.035	0.097	0.055	0.022
27500	0.046	0.039	0.113	0.024	0.134	0.036	0.119	0.011	0.038	0.041	0.036	0.097	0.055	0.022
28000	0.046		0.115								0.036		0.056	0.022
28500	0.046		0.117									0.097		0.022
29000	0.046	0.040		0.024	0.135	0.038	0.120	0.011	0.039	0.041		0.097	0.056	0.022
29500	0.046	0.041		0.024	0.136	0.038	0.120	0.011	0.039	0.041	0.036	0.097	0.057	0.022
20000	0.046	0.041		0.024	0.136	0.038	0.120	0.011	0.040	0.041	0.036	0.097	0.057	0.022
30500	0.046	0.041	0.126	0.024	0.136	0.039	0.120	0.011	0.040	0.041	0.036	0.097	0.057	0.022
				0.024	0.137	0.039	0.120	0.011	0.041	0.041	0.036	0.097	0.057	0.022
31000 31500	0.046	0.042		0.024	0.137	0.040	0.120	0.011	0.041	0.041	0.037	0.097	0.058	0.022
						0.040	0.120	0.011	0.041	0.041	0.037	0.097	0.058	0.022
32000	0.046	0.043		0.024	0.138	0.040			0.041	0.041	0.037	0.097	0.058	0.022
32500	0.046	0.043		0.024	0.138		0.120	0.011			0.037	0.097	0.059	0.022
33000	0.046	0.043		0.024	0.138	0.041	0.120	0.011	0.042	0.041	0.037	0.097	0.059	0.022
33500	0.046	0.044		0.024	0.139	0.041	0.120	0.011	0.042	0.041	0.037	0.097	0.059	0.022
34000	0.046	0.044	0.140	0.024	0.139	0.041	0.120	0.011		0.041		0.097	0.060	0.022
34500	0.046	0.044	0.142	0.024	0.139	0.042	0.120	0.011	0.043	0.041	0.037			
35000	0.046	0.045	0.144	0.024	0.140	0.042	0.120	0.011	0.043	0.041	0.037	0.097	0.060	0.022

0.041 0.182 0.130 0.085 0.014

0.041 0.183 0.132 0.086 0.015

0.041 0.183 0.134 0.086 0.015 0.041 0.184 0.136 0.087 0.015

0.041 0.184 0.138 0.087 0.015

0.041 0.184 0.140 0.088 0.015

0.041 0.184 0.142 0.089 0.015

0.041 0.185 0.144 0.089 0.015

0.041 0.185 0.148 0.090 0.016

0.041 0.186 0.149 0.091 0.016

0.146

0.090 0.015

0.041 0.185

30000

30500

31000 31500

32000

32500 33000

33500

34000

QOS		101.4L	101.8L	113.1R	113.7R	115.6R	117.9L	118.0L	121.8R	122.4R	122.5R	123.6R	125.1R	125.9R
5000	0.041	0.140	0.030	0.000	0.040	0.130	0.000	0.010	0.027	0.000	0.176	0.031	0.000	0.045
5500	0.041	0.143	0.031	0.000	0.040	0.132	0.000	0.010	0.027	0.000	0.177	0.032	0.000	0.046
6000	0.041	0.145	0.032	0.000	0.040	0.135	0.000	0.010	0.027	0.000	0.178	0.033	0.000	0.046
6500	0.041	0.148	0.032	0.000	0.040	0.137	0.000	0.010	0.027	0.000	0.179	0.035	0.000	0.047
7000 7 50 0	0.041	0.150	0.033	0.000	0.040	0.140	0.000	0.010	0.027	0.000	0.180	0.036	0.000	0.047
8000	0.041	0.153	0.034	0.000	0.040	0.142	0.000	0.010	0.027	0.000	0.181	0.037	0.011	0.048
8500	0.041	0.155	0.034	0.000	0.041	0.153	0.015	0.010	0.028	0.000	0.184	0.039	0.069	0.049
9000	0.041	0.157	0.035	0.000	0.041	0.158	0.022	0.010	0.028	0.000	0.186	0.041	0.103	0.049
9500	0.041	0.158	0.035	0.000	0.041	0.163	0.029	0.010	0.028	0.000	0.188	0.042	0.137	0.049
10000	0.041	0.159	0.035	0.000	0.041	0.169	0.037	0.010	0.028	0.000	0.190	0.043	0.117	0.050
10500	0.041	0.160	0.035	0.000	0.042	0.174	0.044	0.010	0.028	0.000	0.191	0.044	0.120	0.050
11000	0.041	0.163	0.036	0.000	0.042	0.174	0.047	0.013	0.029	0.000	0.193	0.045	0.125	0.051
11500	0.041	0.165	0.037	0.000	0.042	0.175	0.049	0.015	0.029	0.000	0.195	0.047	0.129	0.053
12000	0.041	0.168	0.037	0.003	0.042	0.175	0.052	0.018	0.029	0.000	0.197	0.048	0.135	0.054
12500	0.041	0.170	0.038	0.003	0.043	0.175	0.054	0.020	0.029	0.000	0.200	0.049	0.150	0.055
13000 13500	0.041	0.171	0.038	0.003	0.043	0.176	0.054	0.020	0.030	0.000	0.202	0.051	0.180	0.056 0.057
14000	0.041	0.173	0.039	0.007	0.044	0.176	0.055	0.020	0.030	0.000	0.206	0.054	0.230	0.058
14500	0.041	0.176	0.039	0.014	0.045	0.178	0.055	0.021	0.031	0.000	0.213	0.058	0.270	0.059
15000	0.041	0.177	0.039	0.014	0.045	0.179	0.055	0.021	0.031	0.000	0.217	0.060	0.275	0.060
15500	0.041	0.179	0.040	0.014	0.045	0.179	0.056	0.022	0.032	0.000	0.221	0.063	0.280	0.061
16000	0.041	0.180	0.040	0.014	0.046	0.180	0.056	0.022	0.032	0.000	0.226	0.065	0.287	0.062
16500	0.041	0.187	0.041	0.015	0.046	0.185	0.068	0.024	0.033	0.000	0.232	0.066	0.294	0.064
17000	0.041	0.194	0.041	0.015	0.047	0.190	0.080	0.026	0.033	0.000	0.237	0.068	0.301	0.066
17500	0.041	0.200	0.042	0.015	0.048	0.195	0.092	0.028	0.034	0.000	0.244	0.069	0.310	0.068
18000	0.041	0.207	0.042	0.015	0.049	0.200	0.104	0.030	0.035	0.000	0.252	0.070	0.320	0.070
18500	0.041	0.208	0.043	0.015	0.050	0.204	0.109	0.055	0.036	0.006	0.261	0.075	0.331	0.073
19000	0.041	0.210	0.043	0.015	0.050	0.208	0.114	0.057	0.037	0.012	0.271	0.080	0.343	0.075
19500	0.041	0.211	0.045	0.016	0.051	0.212	0.119	0.058	0.038	0.018	0.282	0.084	0.357	0.078
20000 .	0.041	0.212	0.045	0.016	0.053	0.216	0.124	0.060	0.039	0.024	0.294	0.089	0.372	0.080
20500 21000	0.041	0.213	0.045	0.016	0.054	0.220	0.130	0.062	0.040	0.036	0.324	0.094	0.392	0.083
21500	0.041	0.215	0.046	0.017	0.057	0.228	0.140	0.067	0.043	0.042	0.338	0.104	0.429	0.088
22000	0.041	0.220	0.046	0.017	0.059	0.232	0.145	0.070	0.045	0.048	0.351	0.108	0.445	0.090
22500	0.041	0.221	0.047	0.018	0.061	0.236	0.150	0.074	0.047	0.054	0.364	0.113	0.461	0.093
23000	0.041	0.222	0.947	0.018	0.063	0.240	0.155	0.077	0.050	0.060	0.376	0.118	0.476	0.095
23500	0.041	0.234	0.048	0.019	0.066	0.241	0.158	0.081	0.052	0.063	0.387	0.122	0.491	0.095
24000	0.041	0.257	0.048	0.019	0.068	0.242	0.159	0.084	0.054	0.065	0.398	0.127	0.504	0.095
24500	0.042	0.270	0.049	0.020	0.072	0.255	0.161	0.087	0.056	0.067	0.407	0.131	0.516	0.096
25000	0.042	0.274	0.049	0.021	0.075	0.280	0.163	0.090	0.058	0.070	0.415	0.137	0.527	0.096
25500	0.042	0.275	0.050	0.021	0.079	0.295	0.165	0.092	0.060	0.072	0.422	0.142	0.535	0.096
26000	0.042	0.275	0.051	0.022	0.082	0.299	0.167	0.095	0.061	0.075	0.429	0.150	0.543	0.096
26500	0.042	0.276	0.051	0.023	0.085	0.300	0.169	0.097	0.063	0.079	0.434	0.157	0.550	0.097
27000	0.042	0.276	0.052	0.025	0.087	0.301	0.172	0.099	0.064	0.083	0.440	0.164	0.557	0.097
27500 28000	0.043	0.277	0.053	0.026	0.090	0.301	0.174	0.101	0.066	0.090	0.449	0.176	0.570	0.111
28500	0.043	0.278	0.055	0.027		0.302			0.067		0.453		0.574	
29000	0.043	0.279	0.055	0.029	0.097		0.183		0.068	0.096	0.456	0.188	0.578	0.119
29500	0.044	0.280	0.057	0.029	0.098	0.304	0.187		0.068	0.099	0.459	0.193	0.582	0.119
30000	0.044	0.281	0.058	0.030	0.100	0.305	0.191	0.107	0.069	0.102	0.462	0.197	0.586	0.119
30500	0.044	0.282	0.060	0.031	0.101	0.306	0.196	0.108	0.070	0.105	0.465	0.201	0.589	0.119
31000	0.045	0.284	0.061	0.032	0.102	0.307	0.200	0.109	0.070	0.107	0.466	0.205	0.591	0.119
31500	0.045	0.285	0.062	0.032	0.103	0.308	0.205	0.110	0.071	0.108	0.467	0.208	0.600	0.120
32000	0.045	0.286	0.064	0.033	0.105	0.309	0.210		0.071	0.110	0.468	0.210	0.600	0.120
32500	0.046	0.288	0.065	0.033	0.105	0.311	0.215		0.071	0.111	0.469		0.600	0.120
22000	0.046	0.290	0.067	0.033	0.106	0.313	0.222	0.111	0.072	0.113	0.470	0.216	0.600	0.121
33500	0.046	0.292	0.069	0.034	0.107	0.314	0.227	0.112	0.072	0.114	0.471	0.218	0.601	0.121
34000	0.047	0.294	0.071	0.034	0.107	0.316	0.232		0.072	0.115	0.471	0.220	0.601	0.121
34500	0.047		0.072	0.034	0.108	0.318	0.237	0.113			0.472		0.601	0.122
35000	0.048	0.298	0.074	0.035	0.108	0.320	0.242	0.113	0.072	0.117	0.472	0.223	0.601	0.123

QES SURFA	126.0R		131.8L	133.9R	135.3L	137.5L	137.5R	137.8L	137.9L	140.2R	142.1R	142.2R	143.4L	144.4L
5000	0.498	0.080	0.000	0.088	0.000	0.063	0.035	0.013	0.000	0.058	0.000	0.000	0.000	0.148
5500	0.506	0.081	0.000	0.088	0.000	0.063	0.035	0.014	0.000	0.061	0.000	0.000	0.000	0.148
6000	0.514	0.082	0.000	0.088	0.000	0.063	0.035	0.016	0.000	0.064	0.000	0.000	0.000	0.148
6500	0.521	0.082	0.000	0.088	0.000	0.063	0.036	0.017	0.000	0.066	0.000	0.000	0.000	0.148
7000	0.529	0.083	0.000	0.088	0.000	0.063	0.036	0.019	0.000	0.069	0.000	0.000	0.000	0.149
7500	0.537	0.084	0.000	0.088	0.000	0.063	0.036	0.020	0.000	0.072	0.000	0.000	0.000	0.149
8000 8500	0.539	0.089	0.002	0.088	0.000	0.063	0.036	0.023	0.000	0.074	0.000	0.000	0.002	0.149
9000	0.544	0.100	0.003	0.088	0.000	0.063	0.037	0.030	0.000	0.078	0.000	0.000	0.005	0.149
9500	0.546	0.105	0.009	0.088	0.000	0.063	0.037	0.033	0.000	0.030	0.000	0.000	0.007	0.150
10000	0.548	0.111	0.012	0.088	0.000	0.063	0.037	0.036	0.000	0.082	0.000	0.021	0.008	0.150
10500	0.550	0.116	0.014	0.088	0.000	0.063	0.037	0.039	0.000	0.084	0.000	0.021	0.010	0.150
11000	0.567	0.117	0.015	0.088	0.000	0.063	0.038	0.041	0.011	0.087	0.012	0.021	0.015	0.151
11500	0.585	0.118	0.015	0.088	0.000	0.063	0.038	0.042	0.021	0.090	0.022	0.021	0.020	0.151
12000	0.602	0.119	0.015	0.088	0.000	0.063	0.038	0.044	0.031	0.093	0.042	0.021	0.025	0.152
12500	0.619	0.120	0.015	0.088	0.000	0.063	0.039	0.045	0.041	0.096	0.062	0.021	0.030	0.152
13000	0.628	0.143	0.015	0.088	0.002	0.063	0.039	0.047	0.045	0.101	0.064	0.021	0.033	0.153
13500	0.638	0.167	0.015	0.088	0.004	0.063	0.039	0.049	0.046	0.107	0.066	0.021	0.036	0.153
14000 14500	0.647 0.656	0.190	0.015	0.088	0.006	0.063	0.040	0.051	0.047	0.112	0.068	0.021	0.039	0.154
15000	0.665	0.214	0.015	0.088	0.009	0.063	0.041	0.055	0.049	0.117	0.072	0.021	0.045	0.156
15500	0.675	0.261	0.015	0.088	0.013	0.063	0.042	0.057	0.049	0.118	0.074	0.021	0.049	0.156
16000	0.684	0.284	0.015	0.088	0.015	0.063	0.042	0.059	0.050	0.119	0.076	0.021	0.052	0.157
16500	0.688	0.288	0.016	0.088	0.021	0.063	0.043	0.060	0.052	0.121	0.078	0.022	0.057	0.158
17000	0.692	0.292	0.016	0.088	0.027	0.063	0.044	0.060	0.053	0.122	0.080	0.022	0.061	0.159
17500	0.696	0.296	0.016	0.088	0.033	0.063	0.045	0.061	0.054	0.123	0.082	0.022	0.066	0.160
18000	0.700	0.300	0.016	0.088	0.039	0.064	0.046	0.061	0.056	0.124	0.084	0.022	0.070	0.161
18500	0.708	0.317	0.016	0.088	0.035	0.064	0.047	0.063	0.057	0.126	0.086	0.022	0.083	0.162
19000	0.717	0.334	0.016	0.088	0.040	0.064	0.048	0.064	0.060	0.127	0.088	0.022	0.096	0.163
19500	0.725	0.351	0.017	0.098	0.045	0.064	0.049	0.066	0.062	0.129	0.090	0.022	0.109	0.164
20000 20500	0.733	0.368	0.017	0.088	0.050	0.064	0.051	0.068	0.064	0.131	0.092	0.022	0.122	0.166
21000	0.750	0.385	0.017	0.088	0.066	0.065	0.055	0.071	0.070	0.136	0.096	0.022	0.147	0.168
21500	0.758	0.419	0.018	0.088	0.069	0.065	0.057	0.073	0.074	0.138	0.098	0.023	0.160	0.170
22000	0.766	0.436	0.018	0.088	0.071	0.065	0.059	0.075	0.077	0.141	0.100	0.023	0.173	0.171
22500	0.775	0.453	0.018	0.088	0.074	0.066	0.063	0.076	0.080	0.144	0.102	0.023	0.186	0.173
23000	0.783	0.470	0.019	0.088	0.077	0.066	0.066	0.078	0.083	0.147	0.117	0.023	0.199	0.175
23500	0.785	0.471	0.019	0.088	0.081	0.066	0.069	0.078	0.086	0.151	0.117	0.023	0.199	0.177
24000	0.787	0.472	0.020	0.088	0.085	0.067	0.071	0.078	0.088	0.156	0.117	0.023	0.199	0.179
24500	0.786	0.477	0.020	0.088	0.089	0.067	0.074	0.079	0.091	0.161	0.118	0.023	0.199	0.181
25000	0.786	0.481	0.021	0.088	0.092	0.067	0.076	0.079	0.093	0.166	0.119	0.024	0.199	0.184
25500	0.786	0.485	0.022	0.088	0.095	0.068	0.078	0.079	0.095	0.172	0.120	0.024	0.199	0.186
26000	0.786	0.490	0.023	0.088	0.099	0.068	0.081	0.079	0.096	0.179	0.121	0.024	0.199	0.189
26500 27000	0.786 0.786	0.495	0.023	0.088	0.102	0.069	0.082	0.079	0.099	0.197	0.122	0.024	0.199	0.192
27500	0.786	0.505	0.024	0.088	0.107	0.070	0.084	0.079	0.100	0.206	0.124	0.025	0.199	0.198
28000	0.786		0.027		0.109	0.070		0.080		0.215		0.025	0.199	0.201
28500		0.518			0.111								0.199	
29000	0.786				0.112			0.080		0.232	0.128	0.025	0.199	0.210
29500	0.786	0.532	0.030	0.088	0.114					0.239	0.130	0.026	0.199	0.216
30000	0.786	0.539	0.031	0.088	0.115		0.091				0.131	0.026	0.199	0.220
30500	0.786	0.548	0.032	0.089	0.117		0.092		0.105	0.253	0.133	0.027	0.200	0.225
31000	0.786	0.556	0.033	0.090	0.118							0.027	0.201	0.231
31500	0.786	0.565	0.034	0.091		0.075	0.093		0.106	0.264	0.137	0.027	0.212	0.237
32000	0.786	0.574	0.035		0.120		0.094	0.081				0.028	0.232	0.243
32500	0.786	0.585	0.035	0.093	0.120		0.094	0.082			0.141	0.028	0.245	0.250
33000	0.786	0.599		0.094	0.121	0.078	0.094	0.082		0.276	0.145	0.029	0.248	0.255
33500 34000	0.791	0.616	0.036	0.094	0.122		0.095				0.148		0.249	0.266
34500	0.799	0.643	0.037	0.095	0.123		0.095			0.286	0.152		0.250	0.271
35000	0.811	0.659				0.082			0.108			0.031	0.250	0.276
*****			557											

QOS SURFA	100.4R	100.6L	101.2R	101.6L	101.7L	110.4L	115.OR	119.3L	128.5R	128.7R	128.8R	130.2R	130.2L	132.6L
5000	0.109	0.048	0.032	0.057	0.300	0.070	0.086	0.010	0.141	0.070	0.250	0.400	0.015	0.020
5500	0.110	0.050	0.050	0.061	0.300	0.075	0.114		0.141	0.071	0.250	0.406	0.015	0.025
6000	0.110	0.051	0.069	0.066	0.300	0.081	0.142			0.073	0.250	0.412	0.016	0.029
6500	0.111	0.053	0.087	0.071	0.300	0.086	0.169	0.014	0.142	0.074	0.250	0.418	0.016	0.034
7000	0.112	0.054	0.106	0.075	0.300	0.092	0.197	0.016	0.143	0.076	0.250	0.424	0.017	0.038
7500	0.112	0.056	0.124	0.080	0.300	0.097	0.225	0.017	0.143	0.077	0.250	0.430	0.017	0.043
8000	0.113	0.061	0.142	0.081	0.325	0.115	0.250	0.023		0.090	0.253	0.435	0.026	0.066
8500	0.113	0.066	0.160	0.081	0.350	0.133	0.274		0.187	0.102	0.255	0.440	0.035	0.090
9000	0.114	0.071	0.178	0.082	0.419	0.151	0.299		0.210	0.115	0.258	0.445	0.044	0.113
9500	0.114	0.076	0.196	0.083	0.443	0.168	0.324	0.040	0.232	0.128	0.260	0.449	0.052	0.136
10000	0.115	0.081	0.214	0.083	0.466	0.186	0.348	0.046		0.140	0.263	0.454	0.061	0.136
10500	0.115	0.086	0.232		0.488	0.204	0.373	100000000000000000000000000000000000000		0.153	0.265	0.459	0.070	0.136
11000	0.116	0.090	0.242	0.086	0.509	0.221	0.464	0.058		0.161	0.270	0.485	0.072	0.188
11500	0.116	0.093	0.252	0.087	0.529	0.238	0.554	0.064	0.328	0.169	0.276	0.537	0.077	0.191
12000 12500	0.117	0.097	0.262	0.090	0.567	0.272	0.735		0.333	0.176	0.286	0.563	0.079	0.193
13000	0.117	0.107	0.278	0.093	0.584	0.282	0.741	0.077	0.453	0.203	0.330		0.087	0.208
13500	0.118	0.113	0.285	0.096	0.601	0.292	0.748	0.079	0.526	0.221	0.373	0.660	0.096	0.222
14000	0.126	0.120	0.291	0.099	0.618	0.302	0.754	0.080	0.600	0.240	0.417	0.708	0.104	0.237
14500	0.138	0.126	0.298	0.103	0.633	0.312	0.761	0.082		0.259	0.460	0.757	0.113	0.251
15000	0.149	0.133	0.304	0.106	0.648	0.322	0.767			0.278	0.504	0.805	0.12	0.266
15500	0.161	0.139	0.311	0.109	0.663	0.332			0.820	0.296	0.547	0.854	0.130	0.280
16000	0.171	0.146	0.317		0.677					0.315	0.591	0.902		0.295
16500	0.182	0.147	0.352		0.691	0.352	0.869	0.089	0.896	0.322	0.618	0.958	0.130	0.303
17000	0.192	0.148	0.386	0.133	0.705	0.361	0.958	0.091	0.897	0.329	0.646	1.015	0.13"	0.310
17500	0.202	0.149	0.421	0.143	0.718	0.371	1.046	0.094	0.899	0.336	0.673	1.071	0.141)	0.318
18000	0.211	0.150	0.455	0.153	0.730	0.280	1.135	0.096	0.900	0.343	0.700		0.141	0.325
18500	0.221	0.151	0.459	0.154	0.743	0.384	1.145	0.098	0.902	0.348	0.758	1.161	0.14	0.337
19000	0.230	0.152	0.462	0.156	0.755	0.388	1.154	0.099		0.352		1.194		0.348
19500	0.239	0.154	0.466	0.157	0.766	0.392	1.164		0.906	0.357	0.874	1.228	0.14	0.360
20000	0.247	0.155	0.470		0.778	0.396	1.173			0.361	0.932		0.14 !	0.371
20500	0.256	0.156	0.473		0.789	0.400	1.183		0.910	0.366	0.991	1.295	0.14.	0.383
21000	0.264	0.157	0.477		0.800	0.404	1.193			0.371	1.049			0.395
21500	0.272	0.158	0.481	0.162	0.810	0.408	1.202			0.375	1.107	1.362		0.406
22000	0.280	0.160	0.485		0.820	0.412				0.380				0.418
22500	0.287	0.161	0.488		0.831	0.416	1.221	0.110		0.381	1.223	1.429		0.429
23000	0.295	0.168	0.492		0.840	0.420	1.231	0.111	0.919	0.383	1.252			0.412
23500	0.302	0.170	0.498		0.850 0.860	0.453	1.256		1.032	0.387	1.297			0.419
24000 24500	0.309	0.172	0.505	0.174	0.869	0.459	1.275			0.391	1.341	1.513		0.426
25000	0.323	0.176	0.518	0.178	0.878	0.464	1.293			0.395	1.385			0.433
25500	0.323	0.178	0.525		0.887	0.470	1.310		1.085	0.399		1.566		0.440
26000	0.336	0.180	0.531	0.182	0.895	0.476	1.328			0.403				0.446
26500	0.343	0.182	0.538	0.185	0.904	0.481	1.345		1.119	0.407	1.509			0.453
27000	0.349	0.184	0.544	0.187	0.912	0.487	1.361	0.125		0.411	1.549		0.172	0.459
27500	0.355	0.186	0.550	0.189	0.921	0.492	1.378	0.126		0.414	1.588	1.667	0.174	0.465
28000	0.362	0.187	0.556	0.191	0.929	0.497		0.127					0.175	0.472
28500	0.368	0.189	0.562	0.193	0.937	0.502	1.409	0.129	1.183	0.422	1.665	1.715	0.177	0.478
29000	0.374	0.191	0.568	0.195	0.944	0.507	1.425	0.130	1.198	0.425	1.702	1.739	0.179	0.484
29500	0.379	0.192						0.131	1.213	0.428	1.738	1.761	0.181	0.489
30000	0.385	0.194	0.579	0.198	0.960	0.517	1.455	0.132	1.228	0.432	1.774	1.784	0.183	0.495
30500	0.391	0.196	0.584	0.200	0.967	0.522			1.242					
21000	0.396			0.202					1.257			1.828		
31500		0.199		0.204					1.271				0.188	
32000		0.200		0.205			1.512	0.136	1.285				0.190	
32500		0.202		0.207			1.526	0.137	1.298	0.448			0.191	
22000		0.203		0.209		0.544			1.312	0.451			0.193	
33500		0.205		0.211		0.549			1.325	0.454	2.010	1.932	0.194	0.533
34000		0.206		0.212					1.338				0.196	
34500	0.433	0.208	0.625	0.214	1.022	0.55/	1.5/9	0.142	1.351	0.460	2.0/3	1.9/1	0.198	1.545
35000	0.437	0.209	0.630	0.215	1.029	0.561	1.592	0.142	1.364	0.463	2.104	1.771	0.199	11.004

REPRESENTAT	IVE GROUP	111		
WETTED SURF				
Qus	133.7R		141 AR	
	333.71			
5000	0.180	0.116	0.262	
5500	0.182	0.117	0.273	
6000			0.283	
	0.184			
6500	0.186	0.120	0.294	
7000	0.188	0.121	0.304	
7500	0.190	0.122	0.315	
8000	0.188			
8500	0.187	0.157		
9000	0.185	0.175	0.304	
9500	0.183	0.192		
10000	0.182	0.210		
10500	0.180	0.227	0.293	
11000	0.183	0.315	0.378	
11500	0.185	0.340	0.414	
12000	0.188	0.358	0.448	
12500	0.190	0.401	0.481	
13000	0.191	0.406	0.513	
13500	0.203	0.411	0.543	
14000	0.215	0.416	0.573	
14500	0.226			
15000	0.237	0.425	0.629	
15500	0.248	0.430		
16000	0.258	0.435	0.681	
16500	0.268	0.447	0.706	
17000	0.277	0.460	0.730	
17500	0.286			
18000	0.295	0.484	0.776	
	0.304	0.494	0.778	
18500				
19000	0.313	0.503	0.820	
19500	0.321	0.513		
20000		0.522	0.862	
20500	0.337 0.345	0.531	0.802	
21000 21500	0.352	0.550	0.920	
22000	0.360	0.560	0.939	
	0.367	0.569	0.957	
22500				
23000	0.374	0.579		
23500	0.381	0.627	0.992	
24000	0.387	0.601	1.010	
24500	0.394	0.612	1.026	
25000	0.401	0.623	1.043	
25500	0.407	0.634		
26000	0.413	0.646		
26500	0.419			
27000	0.425	0.670	1.105	
27500	0.431	0.682	1.120	
28000	0.437	0.695	1.134	
28500	0.442	0.708	1.149	
29000	0.448	0.721	1.163	
29500	0.453	0.734	1.177	
30000	0.459	0.748	1.190	
30500	0.464	0.761	1.204	
31000	0.469	0.776	1.217	
31500	0.474	0.790	1.230	
32000	0.480	0.804	1.243	
32500	0.484	0.819	1.255	
33000	0.489	0.834	1.267	
33500	0.494	0.850	1.280	
34000	0.499	0.865	1.292	
34500	0.504	0.881	1.303	
35000	0.508	0.898	1.315	

MELIED	SURFACE AREA	(10 3												
Qes	100.7R	108.7L	110.8M	111.5R	112.6L	114.OR	116.8R	119.5L	119.6L	121.7R	124.1L	125.2R	127.0M	127.4L
5000	0.675	0.173	0.172	0.738	1.700	1.355	0.360	0.320	1.236	1.169	0.648	1.550	0.213	1.192
5500	0.704		0.174	0.776	1.742	1.433	0.364	0.336	1.244	1.236	0.676	1.609	0.224	1.209
6000	0.730		0.175	0.811	1.781	1.504	0.368	0.351	1.252	1.298	0.703	1.664	0.233	1.225
6500	0.754		0.177	0.843	1.816	1.570	0.371	0.364	1.259	1.354	0.727	1.714	0.242	1.240
7000	0.776	0.188	0.178	0.873	1.849	1.631	0.375	0.376	1.266	1.407	0.749	1.760	0.251	1.253
7500	0.797	0.191	0.180	0.900	1.880	1.688	0.378	0.388	1.272	1.455	0.770	1.804	0.258	1.266
8000	0.816	0.193	0.181	0.926	1.908	1.740	0.380	0.399	1.278	1.501	0.789	1.844	0.266	1.278
8500	0.834		0.182	0.950	1.935	1.790	0.383	0.409	1.283	1.544	0.807	1.882	0.272	1.289
9000	0.851		0.183	0.973	1.961	1.837	0.386	0.419	1.288	1.584	0.825	1.918	0.279	1.299
9500	0.868		0.184	0.994	1.984	1.882	0.388	0.428	1.293	1.622	0.841	1.952	0.285	1.309
10000	0.883		0.185	1.015	2.007	1.924	0.390	0.436	1.298	1.659	0.856	1.984	0.291	1.32
10500	0.898		0.186	1.034	2.029	1.964	0.392	0.445		1.726	0.885	2.043		1.33
11000 11500	0.912 0.925		0.187	1.033	2.069	2.038	0.396	0.460	1.311	1.758	0.898	2.071	0.306	1.34
12000	0.938		0.188	1.088	2.088	2.073	0.398	0.467	1.314	1.788	0.911	2.098	0.311	1.35
12500	0.950		0.189	1.104	2.106	2.107	0.400	0.474	1.318	1.816	0.923	2.123	0.316	1.35
13000	0.962		0.190	1.120	2.123	2.139	0.402	0.480	1.322	1.844	0.935	2.148	0.320	1.36
13500		0.216	0.191	1.135	2.140	2.170	0.403	0.487	1.325	1.871	0.947	2.172	0.324	1.37
14000	0.984	0.218	0.191	1.149	2.156	2.200	0.405	0.493	1.328	1.897	0.958	2.194	0.328	1.38
14500	0.995	0.219	0.192	1.163	2.172	2.229	0.407	0.499	1.331	1.921	0.968	2.216	0.332	1.38
15000	1.005	0.220	0.193	1.177	2.187		0.408	0.504	1.334	1.945	0.978	2.237		1.39
15500	1.015		0.193	1.190	2.201	2.283	0.410	0.510	1.337	1.969	0.988	2.258	0.340	1.39
16000	1.024		0.194	1.202	2.215	2.310	0.411	0.515	1.340	1.991	0.998	2.278	0.343	1.40
16500	1.033		0.195	1.215	2.229	2.335	0.412		1.343	2.013	1.007	2.297	0.347	1.40
17000	1.042		0.195	1.227	2.242	2.359	0.414	0.525	1.346	2.034	1.016	2.316	0.350	1.41
17500	1.051		0.196	1.238	2.255	2.383	0.415	0.530	1.348	2.054	1.025	2.334	0.353	1.42
18000	1.059		0.196	1.249	2.268	2.406	0.416	0.535	1.351	2.074	1.033		0.356	1.42
18500	1.068		0.197	1.260	2.280	2.429	0.417	0.540	1.356	2.094	1.041	2.369		1.43
19000	1.076		0.197	1.271	2.292	2.472	0.418	0.544	1.358	2.113	1.057	2.402		1.44
19500 20000	1.083		0.198	1.291	2.314	2.493		0.553		2.149	1.065	2.418		1.44
20500	1.098		0.199	1.301	2.325	2.513	0.422	0.557	1.363	2.166	1.072	2.433		1.44
21000	1.106		0.199	1.311	2.336	2.533	0.423		1.365	2.183	1.080	2.448	0.374	1.45
21500	1.113		0.200	1.320	2.346	2.552	0.424	0.565	1.367	2.200	1.087	2.463		1.45
22000	1.120		0.200	1.330	2.356	2.571	0.425		1.369	2.216	1.094	2.477		1.46
22500	1.126		0.200	1.338	2.366	2.589	0.426	0.573	1.371	2.232	1.100	2.491	0.381	1.46
23000	1.133		0.201	1.347	2.376	2.608	0.427	0.576	1.373	2.248	1.107	2.505	0.384	1.47
23500	1.139	0.240	0.201	1.356	2.386	2.625	0.428	0.580	1.375	2.263	1.113	2.519	0.386	1.47
24000	1.146	0.241	0.202	1.364	2.395	2.642	0.429	0.583		2.278	1.120	2.532		1.47
24500	1.152		0.202	1.372	2.404	2.659	0.430	0.587	1.379	2.292	1.126	2.545		1.48
25000	1.158		0.202		2.413		0.431	0.590	1.380	2.307	1.132			1.48
25500	1.164		0.203	1.388	2.422	2.692	0.431	0.594	1.382	2.321	1.138	2.570		1.48
26000	1.170		0.203	1.396	2.430	2.708	0.432			2.334	1.144			1.49
26500	1.175		0.204	1.404	2.439	2.724	0.433		1.386	2.348	1.150	2.594		1.49
27000	1.181		0.204	1.411	2.447		0.434			2.361	1.155	2.605		1.49
27500	1.187			1.419	2.455		0.435		1.389		1.161	2.617		1.50
28000		0.247				2.769								
28500 29000		0.248		1.433	2.471	2.704	0.430	0.615	1 394	2.411	1 177	2.650	0.410	1 51
29500	1.208			1.447	2 486	2 812	0.438	0.618	1.395	2 424	1.182			
30000	1.213			1.453	2.494	2.826	0.439		1.397					
30500	1.218		0.206		2.501	2.839	0.439		1.398		1.192			
31000	1.223		0.206		2.508				1.400		1.197			
31500	1.227					2.866			1.401		1.202			
32000	1.232				2.522				1.403		1.206			
32500	1.237			1.485	2.529				1.404		1.211			
33000	1.241		0.208		2.536			0.637						
		0.255	0.208			2.916		0.639	1.407		1.220		0.426	1.53
33500											1 005	2 750	0 400	1.54
33500 34000	1.250	0.256	0.208	1.503	2.549	2.928	0.444	0.642						1.54
		0.256 0.256	0.209	1.503 1.509 1.515	2.556	2.940	0.445	0.644	1.409	2.534	1.229	2.759	0.429	1.54

Qus	129.5R	131.7L		136.0L	139.4L	139.6L	140.4R	144.OR	145.3R
5000	0.391	0.249	1.256	0.040	0.122	0.468	0.337	0.678	0.223
5500	0.411		1.311	0.042		0.476			
6000	0.428		1.362						
6500	0.445		1.408	0.046					
7000	0.460		1.452	0.048		0.498			0.227
7500	0.474		1.492	0.049		0.504			
8000	0.487		1.530	0.051		0.510			
8500	0.500		1.565	0.052				0.518	0.228
9000	0.512	0.947	1.598	0.053	0.138	0.520	0.406	0.500	0.229
9500	0.523	1.011	1.630	0.054	0.139	0.525	0.413	0.484	0.230
10000	0.533	1.072	1.660	0.056	0.140			0.468	0.230
10500	0.543		1.688	0.057	0.142			0.453	0.231
11000	0.553		1.715	0.058			0.430	0.439	
11500	0.562		1.741	0.059					
12000	0.570		1.766	0.060					
12500	0.579		1.790	0.061	0.146	0.550			0.232
12000	0.587		1.813	0.061					
13500	0.595		1.835	0.062					
14000	0.602		1.856	0.063					
14500	0.609		1.876	0.064					0.234
15000	0.616		1.896	0.065		0.566			
15500	0.623		1.915	0.065		0.569			
16000	0.629		1.934	0.066					
16500	0.636		1.952	0.067		0.575			
17000	0.642		1.969	0.067					
17500	0.648		1.986	0.068	0.155	0.580			
18000	0.654		2.002	0.069		0.583			0.236
18500	0.659		2.018	0.069		0.585			0.236
19000	0.665		2.034	0.070					
19500	0.670	1.864	2.049	0.070	0.158	0.590			0.237
20000	0.675		2.064	0.071	0.158	0.592			0.237
20500	0.680		2.078	0.071	0.159	0.595			
21000 21500	0.685		2.092	0.072		0.599			0.238
22000	0.690 0.695		2.119	0.072		0.601			
22500	0.699		2.132	0.073					0.238
23000	0.704		2.145	0.074		0.605			0.238
23500	0.708		2.158	0.074					
24000	0.713		2.170	0.075					
24500	0.717		2.182	0.075					
25000	0.721		2.194	0.076	0.164	0.612			0.239
25500	0.725		2.205	0.076	0.165				0.239
26000	0.729		2.217	0.077					
26500	0.733		2.228	0.077					
27000	0.737		2.239	0.077	0.166				
27500	0.740		2.249	0.078	0.167				
28000	0.744	2.294	2.260	0.078	0.167	0.623			0.240
28500	0.748	2.315	2.270	0.079	0.168	0.624	0.544	0.151	0.241
29000	0.751	2.335	2.280	0.079	0.168	0.626	0.546	0.146	0.241
29500	0.755	2.356	2.290	0.079	0:169	0.627	0.548	0.140	0.241
30000	0.758	2.376	2.300	0.080	0.169	0.629	0.550	0.135	0.241
30500	0.762	2.395	2.310	0.080	0.169	0.630	0.552	0.130	0.241
31000	0.765	2.415	2.319	0.081	0.170	0.632	0.554	0.125	0.241
31500	0.768	2.434	2.329	0.081	0.170	0.633	0.556	0.121	0.242
32000	0.772	2.452	2.338	0.081	0.171	0.635	0.557	0.116	0.242
32500	0.775	2.471	2.347	0.082	0.171	0.636	0.559	0.111	0.242
33000	0.778	2.489	2.356	0.082	0.172	0.637	0.561	0.107	0.242
33500	0.781	2.507	2.364	0.082	0.172	0.639	0.563	0.102	0.242
	0.784	2.524	2.373	0.083	0.172	0.640	0.565	0.097	0.242
34000									0 040
34500	0.787	2.542	2.382	0.083	0.173	0.641	0.566 0.568	0.093	0.242

0.862 0.646 0.000 0.994 0.147

35000

0.096

0.026

0.410

WETTED SURFAC														
Q as	102.6L	106.3R	107.1L	117.8L	117.9R	119.7L	133.8L	135.7R	136.3R	138.0R	138.8R	139.5R	140.6R	142.0R
								• • • • • • • • • • • • • • • • • • • •						
5000	0.143	0.092	0.012	0.040	0.030	0.025	0.242	0.020	0.163	0.000	0.008	0.110	0.000	0.066
5500	0.143	0.098	0.012	0.043	0.031	0.025	0.242	0.022	0.163	0.000	0.026	0.114	0.000	0.080
6000	0.143	0.104	0.012	0.046	0.032	0.025	0.242	0.024	0.163	0.000	0.044	0.117	0.000	0.095
6500	0.144	0.109	0.012	0.050	0.033	0.025	0.242	0.025	0.163	0.000	0.063	0.121	0.000	0.109
7000	0.169	0.114	0.012	0.053	0.034	0.025	0.242	0.027	0.163	0.000	0.081	0.124	0.000	0.124
7500	0.191	0.118	0.012	0.056	0.035	0.025	0.242	0.029	0.163	0.000	0.099	0.128	0.000	0.138
8000	0.211	0.122	0.012	0.067	0.035	0.025	0.242	0.031	0.163	0.007	0.099	0.140	0.002	0.144
8500	0.230	0.126	0.012	0.078	0.036	0.025	0.242	0.033	0.163	0.015	0.099	0.152	0.003	0.150
9000	0.247	0.130	0.012	0.090	0.036	0.025	0.242	0.035	0.163	0.022	0.100	0.164	0.005	0.157
9500	0.264	0.133	0.012	0.101	0.036	0.025	0.242	0.036	0.163	0.022	0.100	0.176	0.006	0.163
10000	0.279	0.136	0.012	0.112	0.037	0.025	0.242	0.038	0.163	0.027	0.100	0.188	0.007	0.169
10500	0.294	0.140	0.012	0.123	0.037	0.025	0.242	0.040	0.163			0.200	0.007	0.175
11000	0.307	(E) 5 5 5 1 1 2 1								0.044	0.100			
11500	0.320	0.143	0.012	0.135	0.037	0.025	0.242	0.045	0.163	0.074		0.224	0.088	0.198
		0.145	0.012	0.147	0.038	0.025	0.242	0.050	0.163	0.104	0.110	0.248	0.167	0.221
12000	0.333	0.148	0.012	0.158	0.038	0.025	0.242	0.055	0.163	0.133	0.114	0.272	0.246	0.243
12500	0.345	0.151	0.012	0.170	0.038	0.025	0.242	0.060	0.163	0.163	0.119	0.296	0.325	0.266
13000	0.356	0.153	0.012	0.173	0.038	0.026	0.242	0.060	0.163	0.167	0.117	0.314	0.330	0.279
13500	0.367	0.156	0.034	0.177	0.039	0.026	0.242	0.060	0.174	0.172	0.116	0.332	0.336	0.293
14000	0.377	0.158	0.070	0.180	0.039	0.027	0.242	0.060	0.186	0.176	0.114	0.350	0.341	0.306
14500	0.387	0.160	0.104	0.184	0.040	0.028	0.242	0.060	0.197	0.181	0.113	0.369	0.347	0.320
15000	0.397	0.162	0.136	0.187	0.040	0.029	0.242	0.060	0.208	0.185	0.111	0.387	0.352	0.333
15500	0.406	0.165	0.167	0.191	0.041	0.029	0.242	0.060	0.219	0.190	0.110	0.405	0.358	0.347
16000	0.415	0.167	0.196	0.194	0.041	0.030	0.242	0.060	0.231	0.194	0.108	0.423	0.363	0.360
16500	0.423	0.169	0.224	0.196	0.043	0.033	0.242	0.060	0.231	0.196	0.111	0.455	0.372	0.426
17000	0.432	0.170	0.251	0.197	0.046	0.035	0.242	0.060	0.251	0.197	0.114	0.486	0.382	0.492
17500	0.440	0.172	0.276	0.199	0.048	0.038	0.242	0.060	0.254	0.199	0.117	0.518	0.391	0.557
18000	0.448	0.174	0.301	0.200	0.050	0.040	0.255	0.060	0.257	0.200	0.120	0.549	0.400	0.623
18500	0.455	0.176	0.325	0.206	0.052	0.041	0.268	0.060	0.259	0.202	0.121	0.563	0.417	0.635
19000	0.463	0.178	0.347	0.212	0.054	0.041	0.281	0.061	0.269	0.205	0:122	0.578	0.435	0.648
19500	0.470	0.179	0.369	0.219	0.056	0.042	0.304	0.061	0.277	0.207	0.123	0.592	0.452	0.660
20000	0.477	0.181	0.391	0.225	0.058	0.042	0.314	0.062	0.283	0.210	0.124	0.606	0.470	0.673
20500	0.483	0.182	0.411	0.231	0.060	0.043	0.332	0.062	0.291	0.212	0.125	0.621	0.487	0.685
21000	0.490	0.184	0.431	0.237	0.063	0.043	0.340	0.062	0.295	0.214	0.126	0.635	0.504	0.697
21500	0.496	0.185	0.451	0.243	0.065	0.044	0.347	0.063	0.306	0.217	0.127	0.649	0.522	0.710
22000	0.503	0.187	0.469	0.250	0.067	0.044	0.358	0.063	0.311	0.219	0.128	0.663	0.539	0.722
22500	0.509	0.188	0.488	0.256	0.069	0.045	0.366	0.064	0.317	0.222	0.129	0.678	0.557	0.735
23000	0.515	0.190	0.505	0.262	0.071	0.045	0.378	0.064	0.323	0.224	0.130	0.692	0.574	0.747
23500	0.521	0.191	0.522	0.270	0.073		0.402	0.066	0.329	0.231	0.134	0.712	0.591	0.769
24000	0.526	0.192	0.539	0.278	0.075	0.048	0.424	0.068	0.334	0.237	0.138	0.733	0.608	0.791
24500	0.532	0.194	0.555	0.286	0.077	0.049	0.453	0.070	0.339	0.244	0.142	0.754	0.626	0.814
25000	0.537	0.195	0.571	0.294	0.080	0.050	0.488	0.072	0.345	0.251	0.146	0.776	0.644	0.838
25500	0.543	0.196	0.587	0.303	0.082	0.052	0.528	0.074	0.350	0.259	0.150	0.799	0.663	0.863
26000	0.548	0.198	0.602	0.311	0.084	0.053	0.577	0.076	0.355	0.266	0.154	0.822	0.682	0.888
26500	0.553	0.199		0.320	0.087	0.055	0.600	0.078	0.360	0.274	0.159	0.846	0.702	0.914
27000		0.200	0.617	0.330	0.089	0.057	0.610	0.081	0.366	0.282	0.164	0.871	0.723	0.940
	0.558					0.058		0.083	0.392	0.290	0.168	0.897	0.744	0.968
27500	0.563	0.201	0.645	0.339	0.092		0.626				0.173	0.923	0.765	0.996
28000	0.568			0.349	0.095		0.635							1.025
28500								0.088						
29000		0.205	0.686	0.370	0.100	0.064	0.710		0.403	0.316	0.184			1.055
29500		0.206	0.699	0.381	0.103		0.764	0.093	0.406	0.326	0.189	1.006		1.086
20000	0.586	0.207	0.712	0.392	0.106	0.067	0.798		0.410	0.335	0.194	1.035		1.118
30500	0.591	0.208	0.724	0.403	0.109		0.807	0.099	0.414	0.345	0.200	1.065		1.150
31000	0.595	0.209	0.736	0.415	0.113	0.071	0.814		0.418	0.355	0.206	1.097		1.184
31500	0.599	0.210	0.748	0.427	0.116	0.073	0.820	0.104	0.422	0.365	0.212	1.129		1.218
32000	0.604	0.211	0.760	0.440	0.119	0.076	0.827		0.426	0.376	0.218	1.162		1.254
32500	0.608	0.212	0.771	0.453	0.123	0.078	0.837		0.430	0.387	0.225	1.195		1.290
22000	0.612	0.213	0.783	0.466	0.126	0.080	0.846	0.114	0.434	0.398	0.231	1.230	1.021	1.328
33500	0.616	0.214	0.794	0.479	0.130	0.082	0.848	0.117	0.438	0.410	0.238	1.266	1.050	1.367
34000	0.620	0.215	0.805	0.493	0.134	0.085	0.851			0.422	0.245		1.081	1.407
34500	0.624		0.815	0.508	0.138	0.087	0.854	0.124		0.434	0.252	1.341	1.113	1.448
35000	0.628	0.217		0.523		0.090	0.856	0.128	0.451	0.447	0.259	1.380	1.145	1.490

REPRESENTATIVE		10051					
WETTED SURFACE	114.1R	10 5) 119.2R	121.1L	123.0L	125.6L	127.5M	131.3L
5000	0.269	0.100	0.060	0.036	0.139	0.285	0.050
5500	0.283	0.104	0.067	0.038	0.142	0.299	0.054
6000	0.296	0.108	0.074	0.040	0.146	0.312	0.059
6500	0.308	0.112	0.080	0.042	0.149	0.323	0.063
7000	0.319	0.116	0.087	0.044	0.151	0.334	0.068
7500	0.329	0.120	0.094	0.046	0.154	0.344	0.072
8000	0.339	0.133	0.100	0.048	0.157	0.353	0.086
8500	0.348	0.145	0.114	0.049	0.159	0.362	0.097
9000	0.357	0.158	0.138	0.051	0.161	0.370	0.109
9500	0.365	0.171	0.161	0.052	0.163	0.378	0.120
10000	0.373	0.193	0.183	0.053	0.165	0.385	0.132
10500	0.380	0.201	0.203	0.054	0.167	0.392	0.162
11000	0.387	0.209	0.223	0.056	0.169	0.399	0.191
11500	0.394	0.217	0.242	0.057 0.058	0.170 0.172	0.405 0.412	0.219
12000	0.400	0.224	0.277	0.059	0.172	0.412	0.271
12500 13000	0.412	0.238	0.293	0.060	0.175	0.423	0.271
13500	0.412	0.245	0.309	0.061	0.176	0.429	0.320
14000	0.423	0.251	0.325	0.062	0.178	0.434	0.342
14500	0.428	0.257	0.340	0.063	0.179	0.439	0.364
15000	0.433	0.263	0.354	0.063	0.180	0.444	0.385
15500	0.438	0.269	0.368	0.064	0.182	0.448	0.406
16000	0.443	0.274	0.381	0.065	0.183	0.453	0.426
16500	0.448	0.280	0.394	0.066	0.184	0.457	0.445
17000	0.452	0.285	0.407	0.067	0.185	0.462	0.464
17500	0.456	0.290	0.419	0.067	0.186	0.466	0.482
18000	0.461	0.295	0.431	0.068	0.187	0.470	0.500
18500	0.465	0.300	0.442	0.069	0.188	0.474	0.517
19000	0.469	0.304	0.454	0.069	0.189	0.478	0.533
19500	0.473	0.309	0.465	0.070	0.190	0.481	0.550
20000	0.477	0.313	0.475	0.071	0.191	0.485	0.566
20500	0.480	0.318	0.486	0.071	0.192	0.489	0.581
21000	0.484	0.322	0.496	0.072	0.193	0.492	0.596
21500	0.487	0.326	0.506	0.072	0.194	0.496	0.611
22000	0.491	0.330	0.515 0.525	0.073	0.195 0.196	0.499 0.502	0.625
22500 23000	0.497	0.338	0.534	0.074	0.197	0.505	0.653
23500	0.501	0.341	0.543	0.075	0.197	0.508	0.667
24000	0.504	0.345	0.552	0.075	0.198	0.511	0.680
24500	0.507	0.349	0.561	0.076	0.199	0.514	0.693
25000	0.510	0.352	0.569	0.076	0.200	0.517	0.705
25500	0.513	0.355	0.578	0.077	0.201	0.520	0.718
26000	0.516	0.359	0.586	0.077	0.201	0.523	0.730
26500	0.519	0.362	0.594	0.078	0.202	0.526	0.742
27000	0.522	0.365	0.602	0.078	0.203	0.528	0.753
27500	0.524	0.369	0.610	0.079	0.203	0.531	0.765
28000	0.527	0.372	0.617	0.079	0.204	0.534	0.776
28500	0.530	0.375	0.625	0.079	0.205	0.536	0.787
29000	0.532	0.378	0.632	0.080	0.205	0.539	0.798
29500	0.535	0.381	0.639	0.080	0.206	0.541	0.809
20000	0.537	0.384	0.646	0.081	0.207	0.543	0.819
30500	0.540	0.387	0.653	0.081	0.207	0.546	0.830
31000	0.542	0.389	0.660	0.082	0.208	0.548	0.840
31500	0.545	0.392	0.667	0.082	0.209	0.551	0.850
32000 32500	0.547	0.395	0.674	0.082	0.209	0.553 0.555	0.860
33000	0.549 0.552	0.398	0.680	0.083	0.210	0.557	0.879
33500	0.554	0.400	0.693	0.083	0.211	0.559	0.879
34000	0.556	0.406	0.699	0.084	0.211	0.562	0.898
34500	0.558	0.408	0.705	0.084	0.211	0.564	0.907
35000	0.560	0.411	0.711	0.085	0.213	0.566	0.916
	3.000						

32000

32500

33000

33500

34000

34500

35000

0.145

0.147

0.149

0.150

0.152

0.153

0.154

0.156

0.150

0.151

0.153

0.154

0.155

0.156

0.157

0.158

0.036

0.036

0.036

0.036

0.036

0.036

0.036

0.036

0.106

0.109

0.112

0.114

0.117

0.119

0.122

0.124

0.143

0.143

0.143

0.143

0.143

0.143

0.143

0.143

0.552

0.558

0.565

0.571

0.577

0.584

0.590

0.596

0.082

0.083

0.085

0.087

0.088

0.090

0.091

0.093

0.115

0.117

0.119

0.120

0.122

0.124

0.125

0.127

0.076

0.076

0.076

0.076

0.076

0.077

0.077

0.089

0.039

0.089

0.039

0.089

0.090

0.090

0.534

0.545

0.556

0.567

0.578

0.588

0.599

0.613

0.624

0.635

0.645

0.655

0.665

0.675

0.218

0.223

0.227

0.231

0.236

0.240

0.244

0.456

0.465

0.473

0.482

0.491

0.499

Qes		128.4R		135.OR	135.1R	144.0H	145.6R	146.6L
5000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
5500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
7000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
7500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
8000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
8500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
9000	0.013	0.000	0.000	0.000	0.000	0.000	0.000	0.000
9500	0.013	0.012	0.000	0.000	0.000	0.000	0.000	0.000
10000	0.013	0.026	0.000	0.000	0.000	0.000	0.000	0.000
10500	0.013	0.040	0.000	0.000	0.000	0.000	0.000	0.000
11000	0.013	0.052	0.000	0.000	0.058	0.000	0.000	0.000
11500	0.013	0.065	0.000		0.058	0.000	0.000	
12000	0.013	0.076	0.000	0.000	0.058	0.000	0.000	0.000
12500 13000	0.013	0.088	0.000	0.000	0.058	0.000	0.000	0.000
13500	0.013	0.109	0.000	0.000	0.058	0.000	0.000	0.000
14000	0.013	0.119	0.000	0.000	0.058	0.000	0.000	0.000
14500	0.013	0.119	0.000	0.000	0.058	0.000	0.000	0.000
15000	0.013	0.138	0.000	0.000	0.058	0.000	0.000	0.000
15500	0.013	0.147	0.093	0.000	0.058	0.000	0.000	0.000
16000	0.013	0.156	0.097	0.000	0.058	0.000	0.000	0.000
16500	0.013	0.164	0.101	0.000	0.058	0.000	0.000	0.005
17000	0.035	0.173	0.105	0.000	0.058	0.000	0.000	0.006
17500	0.047	0.173	0.109	0.000	0.058	0.000	0.174	0.006
18000	0.059	0.188	0.113	0.000	0.058	0.000	0.181	0.007
18500	0.070	0.196	0.116	0.000	0.058	0.000	0.188	0.007
19000	0.082	0.203	0.120	0.000	0.058	0.000	0.195	0.008
19500	0.092	0.210	0.124	0.000	0.058	0.000	0.201	0.008
20000	0.103	0.217	0.127	0.000	0.058	0.000	0.208	0.008
20500	0.113	0.224	0.130	0.000	0.097	0.000	0.214	0.009
21000	0.123	0.231	0.134	0.000	0.105	0.000	0.220	0.009
21500	0.133	0.237	0.137	0.000	0.112	0.000	0.226	0.010
22000	0.142	0.244	0.140	0.222	0.120	0.000	0.232	0.010
22500	0.152	0.250	0.143	0.235	0.127	0.100	0.237	0.010
23000	0.161	0.256	0.146	0.247	0.134	0.100	0.243	0.011
23500	0.170	0.262	0.149	0.259		0.100	0.248	0.011
24000	0.179	0.268	0.152	0.271	0.147	0.100	0.254	0.011
24500	0.187	0.273	0.154	0.282	0.153	0.100	0.259	0.012
25000	0.196	0.279	0.157	0.294	0.160	0.100	0.264	0.012
25500	0.204	0.284	0.160	0.305	0.166	0.100	0.269	0.012
26000	0.212	0.290	0.162	0.315	0.172	0.100	0.274	0.013
26500	0.220	0.295	0.165	0.326	0.178	0.100	0.279	0.013
27000	0.228	0.300	0.167	0.336	0.184	0.100	0.284	0.013
27500	0.235	0.305	0.170	0.347		0.100	0.288	0.014
28000	0.243	0.310	0.172	0.357	0.195	0.100	0.293	0.014
28500	0.250	0.315	0.175	0.367	0.201	0.100	0.297	0.014
29000	0.250	0.320	0.177	0.376	0.206	0.100	0.302	0.014
29500	0.250	0.325	0.179	0.386	0.212	0.100	0.306	0.015
30000	0.250	0.329	0.182	0.395	0.217	0.100	0.310	0.015
30500	0.250	0.334	0.184	0.404	0.222	0.100	0.314	0.015
31000	0.250	0.338	0.186	0.413	0.227	0.100	0.318	0.015
31500	0.250	0.343	0.188	0.422	0.232	0.100	0.323	0.016
32000	0.250	0.347	0.190	0.431	0.237	0.100	0.326	0.016
32500	0.250	0.351	0.193	0.440	0.242	0.100	0.330	0.016
33000	0.250	0.356	0.195	0.448	0.247	0.100	0.334	0.016
33500	0.250	0.360	0.197	0.457	0.252	0.100	0.338	0.017
34000	0.250	0.364	0.199	0.465	0.256	0.100	0.342	0.017
34500	0.250	0.368	0.201	0.473	0.261	0.100	0.346	0.017
35000	0.250	0.372	0.203	0.481	0.265	0.100	0.349	0.017

30500

31000

31500

32000

32500

33000

33500

34000

34500

35000

2.517

2.530

2.543

2.556

2.569

2.581

2.593

2.605

2.617

2.629

2.640

0.929

0.932

0.935

0.937

0.940

0.942

0.945

0.947

0.949

0.952

0.954

0.457

0.458

0.459

0.460

0.461

0.461

0.462

0.463

0.464

0.465

0.465

0.429

0.430

0.431

0.431

0.434

0.435

0.436

0.437

0.438

0.433 1.285

1.269

1.273

1.276

1.279

1.288

1.291

1.294

1.297

1.300

0.432 1.282 1.426 0.189

1.406

1.411

1.435

1.439

1.444

1.448

0.187

0.188

0.190

0.191

0.191

0.191

1.416 0.188

1.421 0.189

1.430 0.190

1.453 0.192

0.348

0.349

0.356

0.358

0.360

0.361

0.363

0.364

0.913

0.943

0.957

0.919

1.674

1.729

0.938 1.720

0.952 1.746

0.255

0.351 0.924 1.693 0.257 0.701 0.216 0.212

0.355 0.933 1.711 0.259 0.704 0.218 0.212

0.260

0.948 1.738 0.261 0.707 0.220 0.212

0.961 1.763 0.264 0.710 0.223 0.212

1.683 0.256

0.353 0.929 1.702 0.258 0.702 0.217

0.699

0.260 0.705 0.219

0.706

0.262 0.708 0.221

1.754 0.263 0.709 0.222 0.212

0.700 0.216

0.220

0.215 0.212

0.212

0.212

0.212

APPENDIX D

WEIGHTED USABLE AREA (WUA) VALUES FOR SPECIFIC AREAS

Qes	102.2L	105.2R	107.6L	108.3L	112.5L	119.4L	120.0R	121.9R	123.1R	123.3R	127.2H	129.4R	133.9L	134.0
5000	2341	0	1900	987	3957	0	5393	492	46	1027	145	11519	1931	76
5500	2341	88	1899	987	4049	0	5736	492	300	1027	158	11511	1931	76
6000	2341	173	1896	987	4132	0	6044	492	532	1027	171	11494	1931	76
6500	2341	251	1892	987	4209	0	6320	492	744	1027	182	11467	1931	76
7000	2341	323	1886	987	4280	0	6569	492	938	1027	193	11432	1931	76
7500	2341	390	1878	987	4346	0	6792	492	1116	1027	202	11238	1931	76
8000	2341	453	1870	987	4408	0	6992	492	1281	1027	212	11334	1931	76
8500	2341	512	1859	987	4466	0	7169	492	1432	1027	220	11272	1931	76
9000	2341	568	1848	987	4521	0	7327	492	1572	1027	228	11201	1931	76
9500	2341	620	1835	987	4573	0	7465	492	1700	1027	236	11122	1931	76
0000	2341	670	1820	987	4622	0	7585	492	1818	1027	243	11034	1931	76
0500	2341	718	1804	987	4669	0	7688	492	1926	1027	250	10938	1931	76
1000	2341	763	1787	987	4713	1638	7774	492	2025	1027	257	10834	1931	76
1500	2341	806	1769	987	4756	1741	7845	492	2114	1027	263	10722	1931	76
2000	2341	848	1749	987	4797	1836	7900	492	2195	1027	269	10602	1931	76
2500	2341	887	1728	987	4836	1922	7940	492	2268	1027	1068	10475	1931	76
3000	2341	925	1706	1030	4874	2000	7966	492	2333	1027	1078	10340	1931	76
3500	2341	962	2140	1030	4910	2070	7979	492	2390	1027	1087	10199	1931	76
4000	2341	998	2599	1030	4945	2132	7978	492	2440	1027	1096	10050	1931	76
4500	2341	1032	3025	1030	4978	2188	7966	492	2483	1027	1105	9896	1931	76
5000	2341	1065	3418	1030	5011	2236	7942	492	2520	1027	1114	9736	1931	76
5500	2341	1097	3781	1030	5042	2277	7907	492	2550	1027	1122	9572	1931	76
6000	2341	1128	4114	1030	5073	2313	7861	492	2574	1027	1130	9402	1931	76
6500	2341	1158	4418	1030	5102	2342	7805	492	2592	1222	1137	9228	1931	92
7000	2341	1187	4695	1030	5131	2365	7739	492	2605	1269	1145	9049	1931	94
7500	2341	1215	4944	1030	5159	2382	7664	492	2612	1316	1152	8866	1916	97
8000	2341	1242	5168	1030	5186	2394	7580	492	2614	1361	1159	8680	1938	99
8500	2341	1269	5367	1030	5212	2400	7488	492	2610	1405	1166	8489	1959	101
9000	2341	1295	5541	1030	5238	2401	7387	492	2602	1448	1173	8296	1980	103
9500	2341	1320	5690	1030	5262	2397	7277	492	2589	1489	1179	8098	2000	105
0000	2341	1345	5812	1030	5287	2386	7153	492	2569	1530	1185	7890	2020	107
0500	2341	1369	5906	1030	5310	2369	7017	492	2542	1569	1191	7673	2039	109
1000	2341	1392	5974	1030	5334	2345	6869	492	2509	1608	1197	7449	2058	111
1500	2341	1415	6014	1030	5356	2314	6707	492	2470	1646	1203	7215	2077	112
2000	2341	1437	6038	1030	5378	2281	6544	492	2429	1683	1209	6986	2094	114
2500	2341	1459	6098	1030	5400	2265	6435	492	2406	1685	1215	6818	2112	116
3000	2341	1481	6110	1030	5421	2234	6848	492	2367	1685	1220	6613	2129	117
3500	2341	1502	6158	1030	5441	2218	6972	492	2346	1685	1225	6463	2146	119
4000	2341	1522	6230	1030	5462	2214	7118	492	2336	1685	1231	6351	2162	121
4500	2341	1542	6082	1030	5481	2133	7007	492	2247	1635	1236	6030	2179	120
5000	2341	1562	5915	1030	5501	2050	6868	492	2155	1685	1241	5711	2194	120
5500	2341	1581	5727	1030	5520	1962	6698	492	2059	1685	1246	5392	2210	120
6000	2341	1600	5700	1030	5538	1932	6711	492	2024	1685	1251	5238	2225	120
6500	2341	1619	5881	1030	5557	1973	6966	492	2064	1685	1255	5280	2240	120
7000	2341	1637	6051	1030	5575	2010	7209	492	2100	1685	1260	5313	2254	120
7500	2341	1655	6274	1030	5592	2066	7515	492	2154	1685	1265	5393	2269	120
8000	2341	1672	6488	1030	5609	2117	7680	492	2205	1685	1269	5463		
8500	2341	1689	6711	1030	5626	2172	7789	492	2259	1685	1273	5540	2297	120
9000	2341	1706	6876	1030	5643	2208	7830	492	2293	1685	1278	5569		120
9500	2341	1723	7050	1030	5659	2247	7881	492	2331	1685	1282	5606	2323	120
0000	2341	1739	7156	1030	5676	2264	7859	492	2346	1685	1286	5591	2337	120
0500	2341	1755	7328	1030	5691	2303	7912	492	2383	1685	1290	5628	2350	120
1000	2341	1771	7450	1030	5707	2326	7911	492	2404	1685	1294	5627	2362	120
1500	2341	1787	7573	1030	5722	2349	7913	492	2426	1685	1298	5629	2375	120
2000		1802	7680	1030	5738	2368	7901	492	2442	1685	1302	5620	2387	120
	2341		7797		5752	2390	7901	492	2463	1685	1306	5620	2399	120
2500	2341	1817		1030				492	2480	1685	1310	5614	2411	120
3000	2341	1832	7903	1030	5767	2409	7892	492	2502	1685	1314	5620	2423	120
3500	2341	1847	8025	1030	5781	2433	7901		2520	1685	1317	5617	2434	120
4000	2341	1861	8132	1030	5796	2453	7896	492			1321	5589	2446	120
4500	2341	1875	8201	1030	5810	2461	7857	492	2526	1685	1321	5563	2457	120
5000	2341	1889	8270	1030	5823	2470	7820	492	2533	1685	1323	2202	243/	120

REPRESENTATIVE GROUP 1 WEIGHTED USABLE AREA (SQ. FT.) 135.5R 135.6R 136.9R 139.0L 139.9R Qus 3541 21112 1710 13072

REPRESEN	TATIVE GROUP	II													
	USABLE AREA		RE FEET			100000000000000000000000000000000000000			consist region	rananan maan	NAME OF STREET	100000000000000000000000000000000000000			
Qas	100.6R	101.4L	101.8L	113.1R	113.7R	115.6R	117.9L	118.CL	121.8R	122.4R	122.5R	123.6R	125.1R	125.9R	
5000	1461	20335	1158	0	5273	18883	0	1005	1854	0	24090	3462	0	6778	5000
5500	1461	20713	1189	0	5273	19231	0		1868	0	24657	3596		6869	5500
6000	1461	21090	1219	0	5273	19580	0		1891	o	25224	3730		6959	6000
6500	1461	21468	1250	0	5273	19928	0		1923	0	25847	3864	0	7049	6500
7000	1461	21846	1280	0	5299	20277	0	1045	1960	0	26471	3985	0	7140	7000
7500	1461	22223	1310	0	5339	20626	0	1064	2006	0	27151	4105		7230	7500
8000	1461	22393	1316	0	5404	21400	269	1083	2053	0	27831	4220		7280	8000
8500	1461	22562	1321	0	5497	22175	538	1103	2103	0	28568	4356		7331	8500
9000	1461	22732	1325	0	5602		806	1123	2154	0	29418	4504	15324	7381	9000
9500 10000	1461	22901	1330	0	5734 5866	23724	1073	1144	2209 2265	0	30382 31459	4675 4869		7431 7481	9500 10000
10500	1461 1461	23071 23240	1338	0	6011	25274	1604	1186	2325	0	32706	5068		7531	10500
11000	1461	23603	1364	0	6156	25310	1692	1515	2394	o	34010	5309		7720	11000
11500	1461	23966	1389	ő	6314	25346	1779	1856	2472	ō	35313	5552		7908	11500
12000	1461	24329	1414	258	6472	25382	1864	2220	2560	0	36674	5807		8096	12000
12500	1461	24693	1438	263	6643	25419	1949	2614	2661	0	38091	6065	26937	8285	12500
13000	1461	24900	1444	268	6841	25523	1953	2697	2768	0	39564	6469		8435	12000
13500	1461	25108	1450	637	7065	25626	1957	2770	2874	0	41095	6878		8586	13500
14000	1461	25315	1455	648	7316	25730	1960	2986	2984	0	42739	7307		8737	14000
14500	1461	25523	1460	1319	7606	25834	1962	3064	3100	0	44496	7768		8887	14500
15000	1461	25730	1464	1358	7909	25938	1964	3142	3220	0	46423	8245		9038	15000
15500	1461	25937	1468	1403	8212	26041	1965	3356	3344	0	48520	9771 9367		9188	15500 16000
16000 16500	1461	26145 27125	1472	1452 1510	8528 8858	26145 26871	1966 2375	3432 3830	3478 3621	0	50788 53225	9851		9640	16500
17000	1461	28106	1483	1570	9201	27598	2779	4252	3778	0	55832	10307		9942	17000
17500	1443	29086	1503	1630	9557	28324	3178	4700	3948	ő	58610	10777		10243	17500
18000	1443	30067	1512	1693	9939	29050	3571	5152	4133	ō	61557	11261		10544	18000
18500	1443	30256	1521	1758	10347	29631	3724	9715	4331	651	64788	12338		10921	18500
19000	1443	30444	1529	1827	10796	30212	3873		4543	1335	68189	13390		11297	19000
19500	1443	30633	1581	1897	11283	30793	4019	10698	4769	2042	71817	14517	85682	11674	19500
20000	1443	30822	1584	1973	11811	31374	4170	11236	5009	2784	75671	15693		12050	20000
20500	1443	31011	1597	2054	12377	31955	4345		5272	3560	79752	16948		12427	20500
21000	1443	31200	1623	2143	12984	32536	4555		5549	4377	84117		100357	12804	21000
21500	1443	31389	1727	2240	13630	33117	4990		5844	5242			105970	13180	21500
22000	1443	31953	2072	2345	14315	33698	6156		6158	6129	94036		112191	13557 13933	22000 22500
22500	1443	32539	2677	2457	15066	34279	8160 14427		6490 6845	7058	99875 106563		119157 127137	14310	23000
23000 23500	1443 1443	35060 39872	4619 7425	2578 2706	15857 16701	34860 35500	23345		7228		114272		136334	14343	23500
24000	1443	47663	9340	2842	17597	38250	29363		7652		124135		148101	14377	24000
24500	1443	57288	11483	2991	18546	43500	36104	18230	8127		135755		161964	14410	24500
25000	1443	69620	12951	3148	19561	52000	40719		8672		149642		178532	14444	25000
25500	1443	81348	14203	3315	20655	62500	44655		9299	10486	162112	30920	193410	14478	25500
26000	1443	88910	15239	3493	21868	75955	47912	22659	10101	11049	172882		206259	14512	26300
26500	1443	93035	16016	3682	23226	88750	50355		11047		180250		215050	14757	26500
27000	1443	95785	16793	2882	24781	97000	52798				187052		223165	15879	27000
27500	1443	96981	17017	4100		101500	53501		13192		190170		226885	17864	27500
28000	1443	96472	16750	4341		104500	52663				190737		227561	21355	28000
28500	1443	95097		4611		105805	50219	32902	14668		189320		225870	25667	28500 29000
29000	1443		14894	4920	34/99	105250	46826	34143	15221	14405	102510	50723	221813	36447	
29500		87994				100500		34/12	15521	10125	179117	55471	213698	39935	20000
30500 30000	1443 1443	83869 79853	11872 10534	5731 6267		96000		34557	15406	19822	175716	61145	209640	41683	30500
21000	1446	76345	9235			91500		33936	15129	21850	172315	66240	205583	42915	
31500	1458	73291	8202			87118		33316	14852	23670	167793	70641	202899	43451	31500
32000	1481	70644	7253		44356				14576	25243	163210	73652	196935		32000
32500	1576	68365	6389	8321					14299	26319	158855	76431	191271	42607	32500
33000	1891	66422	5612	8635			17645	31453		27312	154337	77705	185436		
33500	2443	64788	4965	8779	42444			30773	13696	27767	149838	77937	179948		
34000	4216	63440	4447		41654	72466	13980		13293				174302		34000
34500	6777		4015	8740	40863	70683	12623	29269	12911	27643	141045		169029		34500
35000	8524	61535	3626	8583	40072	69212	11401	28376	12517	27147	136755	74578	163888	34205	35000

138564 107844

138564 121629

138564 133386

138564 143116

138564 150414

138564 157712

138564 159812

138564 157306

138564 150008

138564 139873

164564 126088

190565 111493

Qms 126.0R 126.3R 131.8L 133.9R 135.3L 137.5L 137.5R 137.8L 137.9L 140.2R 142.1R 142.2R 143.4L 144.4L n n n n n FRR n n n n n n ERR FRR n ERR n n n n

38387 101165

37691 107886

36583 112485

35531 116729

34447 118675

33684 119029

32627 118144

WEIGHTED	USABLE AREA	(SQUARE	E FEET)											
Qes	The state of the s	100.6L		101.6L	101.7L	110.4L	115.OR	119.3L	128.5R	128.7R	128.8R	130.2R	130.2L	132.6L
											• • • • • • • • • • • • • • • • • • • •			
5000	0		0	. 0	6180	0		0		0	5150		0	0
5500	0		0	0	6180	0		0	0	0	5150	87696	0	0
6000	0	1058	0	0	6180	0		0	0	0	5150	88992	536	0
6500	0	1090	7747	0	6180	0		0	2594	0	5150	90288	1099	630
7000	0	20.470.00	3343		6180	0		0	5203 7827	0	5150 5150	91584 92880	1690 2307	1430 2403
7500 8000	0		7853 1 349 0	0	6180 6695	0		0	12054	0	5202	93924	4383	4942
8500	0	1360	20266	0	7210	0		0	17089	ő	5253	94968	11242	8350
9000	0		28184	0	8634	0	- 2	0	22934	o	5305	96012	14621	12628
9500	ő	2265	59324	0	9134	o	0	0	29587	ő	5356	97056	18471	17774
10000	ő	3556	67133	ő	13900	7052		ō	37049	ō	5408	96823	21393	20264
10500	3325	5681	76426	ō	21438	15458	23202	0	58440	0	5459	96606	22645	29851
11000	6676	9098	78998	0	33640	25119		0		2994		100826	21016	52552
11500	10049		76086	0	53796	36068		0	88898	6277	5675	104975	20028	52095
12000	13443	25466	71128	2802	87820	48307	100226	0	93742	9848	5783	109058	17990	51606
12500	16857	27050	68247	5700	149535	98499	218494	0	98924	13708	5892	113050	17378	51425
13000	32527	29712	60912	8849	158038	105842	228438	0	116154	18878	6789	106284	16628	54384
13500	33712	30945	58485	12196	167612	115086	241962		132382	24745	7687	105954	16549	57057
14000	37776		51707		168891				147868	31309		110412	16486	59581
14500	40981	31736	47972		166298				163171	38570		116058	15268	62168
15000	41074	32178	44875		162967				177856	59997	State of the same	114008	15764	64630
15500	39688	32069	39265		160632		190628		185933	83938		132572	16212	64877
16000	39147		38500		155819		167593		192316	87287		130300	16617	64782
16500	36217	28577	41048		148558		175181		186586	87230		134155	16064	64342
17000	35887	25056	43382		136993		166934		180835	87662		135073	15541	63798
17500	32621	22872	45520		121508		165578		170136	88032		134853	15045	61373
18000	31017 29653	20985	47479		112110		164474		146881	88100	121422	135498	14576 14130	58760 55960
18500 19000	26453		46173 44933	27621	103898 92896		142126		134308		215395		13707	52822
19500	26389	15130	43751	25282	85519		133482		126828		236498		13304	51433
20000	26289		42625	23342	76600		129522		119314		259953			49842
20500	26160	11135	41550	20165	66176		125775		113985		270902		12553	51150
21000	26005	9652	40522	19530	57329		122224		118653		275362		12203	52442
21500	25827	9742	39538	18930	49742		118854		110446		278114		11363	50145
22000	25631	9720	38596	18364	50458		115651		102204		282115		11548	47629
22500	25419	9568	37693	17829	50581		112601	13844			281267			47191
23000	25193	10243	36825	17322	50005	45592	109694	13481	95246	63508	266476	135511	10947	42818
23500	24955	11307	36127	17232	51770	46892	106663	13477	105384	58094	243463	127031	11493	43756
24000	24708	11701	35555	16862	57073	45994	104781	13131	107715	55345	219645	125078	11326	44684
24500	24452	11279	34989	16503	58991	45116	102933	12799	105754		205911		11156	43833
25000	24189	12111	34430	16155	56797		101120		103624		193707		10987	42916
25500	23921	14167	33879	15817	60920	43423	99340		101437		175655		10820	41978
26000	23648	14533	33334	15489	71190	42605	97595	11882			163876		10655	40979
26500	23372	14191	32798	15171	72954	41807	95883		100273		148649		10491	41437
27000	23092	14351	32269	14862	71168	41026	94204		101414		129968		10329	41881
27500	22811	14304	31748	14561	71903	40264	92558		103533		113880		10169	42729
28000	22528	14289	31234	14269	71606	39519	90943		105645	44391		114832	10012	43575
28500	22245		30729		71469 71838	38791			104911		102374		9856 9702	
29000	21961				11-22-02-02-0	38079 37384								
29500 30000	21678 21394	14381	29742 29260		72315 71758	36703		9881	101840 99473		103430		9551 9402	
30500	21112		29280	12920	73779	36038			108258		120154	in the second second	9255	44534
31000	20831	12337	28320		72059			9459			125228		9110	
31500	20552				61427	34752		9258	96032		121539		8967	
32000	20274	11570		12192				9063			131365		8826	39211
32500	19998	11146	26968	11961	57532	33520	77766	8874	94872		154650		9688	38958
22000	19724	10051	26532	11736	55388	32924	76441	8690			159617		8551	38701
33500	19452	9467	26103	11516	49918	32341	75142	8512	93705		156784		8417	
34000	19183	9525	25682	11302	46993	31770	73868	8338	93115		159457		8285	
34500	18916	9588	25268	11092	47254	31212	72619	8170	92535		159821		8150	
35000	18651	9506		10888	47537	30665		8006	91946		160509		8020	
			10000											

REPRESENTATIV	E GROUP	III		
WEIGHTED USAB			FFET)	
Qes		137.2R		
5000	3547	0	49518	
5500	3586			
6000	3626	ő		
6500	3665			
7000	3704	4500	57532	
7500	3744	6817	59535	
8000			58842	
8500	3711 3678	14621	58149	
9000	3645	19500	57456	
9500	3612	25032	56024	
10000		31216	54635	
10500	3547		53297	
11000	3596	89329		
11500	3645	94214	73494	
12000		96847	78723	
12500		106846	73179	
13000		106335	72061	
13500		105492	74128	
14000		104599		
14500		104014	74506	
15000	61336			
15500	66016		82838	
16000		95526	83432	
16500	67206		82249	
17000	66610		80466	
17500	66347		79286	
18000	64988	87507	81298	
18500	62524		76114	
19000	58146	76305	72841	
19500	51985	73262	76055	
20000	48323	70052	82908	
20500	45099	70982	79805	
21000	40591	71899	31572	
21500	37603	67959	81180	
22000	33882	63840	76625	
22500	29437	THE RESERVE THE PARTY.	78493	
23000	25639	61258	74395	
23500	22360		73144	
24000	22793	64018	77530	
24500	22955	62904	75016	
25000	22795	61728	74544	
25500	23700		69762	
26000	26235	59308	65212	
26500	27224	1.00	66585	
27000	26311	61113	65079	
	28324	7000 7000	66514	
27500 28000	33215	62648 64220	63865	
28500	34153	64094	67544	
29000	33426	63942	67093	
	33877	62918	66833	
29500		61835	66654	
30000	33840 33875	67734	65598	
30500		60855	67533	
31000	34147	-	68990	
31500	34469	60928	68836	
32000	34295	61008	67775	
32500	35352 34615	61108	70597	
33000		61216	70252	
33500	29579	61342	70523	
34000	27125	61475		
34500	27834	61626	72212	
35000	26857	61783	72200	

WEIGHTED U	SABLE AREA	(SQUARE	FEET)	111.5R	112.6L	114.OR	116.8R	119.5L	119.6L	121.7R	124.1L	125.2R	127.0L	127.4L
5000	195822	11123			539787			5 5 16 16 16 16				251532 237899		341867
5500	211894	40398			496741							229276		357614
6000 6500	226904	38302 35936			460715 420847			E. 10 15 15 15 15	245223					371291
7000	240474 253499	33409			421242				225297					384325
7500	268415	31126			384030			The state of the s	207648					400339
8000	283006	28727			354758				189756					415911
8500	287508	26998			315242				176716					416836
9000	291619	25194			283097							170040		417677
9500	282063	23466			245874				151112				33229	399442
10000	272706	21679			218783				138581	501763	248243	133104	34310	382167
10500	257650	19551			210386				124116	476031	234671	141073	33256	357574
11000	244086	17366	48993	276152	150734	470345	103450	38639	109533	452692	222433	132211		335692
11500	244649	19964			121870				125149					333624
12000	245208	22598	STATE OF THE PARTY		115464							104658		331736
12500	241704	22468			108671				139265					324554
13000	238251	22326			103622				137664					317664
13500	229508	21746			103796				133421					303966
14000	221085	21149	Contract Con		97031				129143			77921		290961
14500	216605	19491			94907		Married States		118481					283353 275761
15000	212013	17804			110871				105290		-			266936
15500	206353	17469			113148				102803					258166
16000 16500	200617 197879	17125 16447			113680		77340			377568	T. Charles and Con-			253374
17000	195161	15758			120857			37353		373054				248702
17500	190005	14958			112529			35591		363823		61780		241023
18000	184786	14147			107710			33780		354410				233373
18500	181103	14165		209432		361535		33939		347891		57798	16940	227754
19000	177298	14180		205225		354474		34087	83348	341093	162397	56906	16020	222062
19500	175136	15109		202905		350658	66449	36434	88530	337418	160450	50749	14961	218494
20000	172896	16043	30762	200483	81461	346653	65315	38806	93726	333562	158428	46085	14040	214883
20500	171729	16049	30420	199296	77429	344772	64603	38933	93485	331749	157388	46330	13382	212652
21000	170518	16052	30077	198050	72412	342781	63889			329830				210407
21500	167586	15985	The sales and the sales are	194794		337303		38993		324557				206083
22000	164688	15915		191569		331865				319322				201850
22500	161820	15739		188367		326459		38592		314118				197699
23000	158988	15560		185200		321102				308962				193636
23500	156190	15458		182062		315788		38089		303847				189654
24000	153430	15354		178962		310530		37920 37540		298786 293745				185758
24500 25000	150692 147994	15166 14976		175878 172834		305293 300118		37149		288765				178173
25500	145262	14512		169743		294855		36076		283698			20.00	174413
26000	142575	14045		166699		289665			100000000000000000000000000000000000000	278703	E 6 2 2 2	The second secon		170739
26500	139991	14021		163769		284667		34996		273893				167217
27000	137450	13996		160883		279739				269151				163774
27500	134963	13958		158055		274908		34972	78635	264501	123947	60147	7263	160421
28000	132518	13918	22277	155270	39905	270146	47434	34937	78258	259918	121716	60693	7123	157143
28500	130109	13794		152523		265444			77408	255393	119517	61524	6760	153930
29000	127741	13667	21356	149820	36687	260814	45485	34429	76555	250937	117354	61778	6571	150789
29500	125409	13551	20910	147155	34810	256245	44542	34196		246540				147712
30000	123119	13434	20475	144534	34166	251749	43620			242213				144703
30500	120271	13520		141253		246100		34230		236777				141058
31000	117499	13607		138058		240594			75671					137524
31500	115447	13534		135704		236552			75141	227589	106114	68282		134851
32000	113429	13461	12	133388	7	232571		34238		223758				132234
32500	111667	13386		131369		229106				220423				129929
33000	109929	13311		129376		225682				217128		71100		127666
33500	108214	13259		127407		222298				213872 210656				125443
34000 34500	106523	13205		125464		218956				207480				121115
35000	10 4856 103212	13173			26836 27415				72090					119009
33000	103212	13127	10/07	121633	2/413	212376	33/60	330//	, 20,0	204044		, 5205	300	

REPRESENTATIVE GROUP V
WEIGHTED USABLE AREA (SQ. FT.)

Qes	101.7L	117.0H	118.9L	124.0M	132.8R	139.0L	139.7R	141.6R	143.0L
5000					20/4		054	14070	1400
5000	0	0	0	1220		601	854	14070	
5500	6823	0	0	1440	2864	1251	854	14070	
6000	13645	0	0	1660	2864	2020	854	14070	
6500	20468	0	0	1879	2864	2874	854	14070	
7000	27290	0	0	2099	2864	3787	854	14070	
7500	34113	0	0	2319	2864	4742	854	14070	
8000	37041	124	0	2542	2887	5723	854	14070	
8500	39970	247	0	2766	2910	6277	854	14070	
9000	42899	371	0	2990	2932	6654	854	14070	
9500	45828	495	0	3214	2955	6922	854	14070	
10000	48757	618	0	3437	2978	7173	854	14070	
10500	65365	742	0	3661	3001	7292	854	14070	
11000	79841	1150	0	4332	3035	7164	854	14070	
11500	93890	1558	0	5003	3069	6538	854	14070	10950
12000	107564	1966	0	5675	3103	6281	854	14070	
12500	120907	2374	0	6346	3137	6338	854	14070	11643
13000	131455	3020	0	7235	3507	5576	854	14070	11488
13500	132066	3667	0	8124	3877	5357	854	14070	10528
14000	129882	4313	0	9013	4248	4930	854	14070	10152
14500	126610	4959	0	9902	4618	4639	854	14070	10281
15000	123909	5606	0	10791	4988	4049	854	14070	9076
15500	119747	6252	0	11681	5358	3510	854	14070	8749
16000	112447	8724	0	12570	5729	3426	854	14070	8077
16500	96990	16417	0	14217	5831	3246	854	14070	7622
17000	88389	25723	0	15865	5933	2943	854	14070	
17500	84882	36444	ō	17512	6035	2767	854	14070	
18000	71271	48413	ō	19160	6138	2653	854	14070	
18500	65632	52863	ō	23663	6588	2699	854	14070	
19000	58018	53333	ō	28166	7038	2587	854	14070	
19500	52533	52670	ő	32669	7488	2535	854	14070	
20000	44202	51553	ō	37172	10039	2511	854	14070	
20500	36997	50656	ō	41675	12607	2486	854	14070	
21000	34911	49149	ő	46178	15210	2461	854	14070	
21500	32013	46333	ō	50681	17843	2435	854	33266	
22000	28127	40760	ō	55185	20503	2408	854	40925	
22500	25651	37885	ő	59688	23183	2381	1080	48451	
23000	23881	37107	ő	64191	24175	2353	4769	55860	
23500	24483	32330	ő	83361	24270	2325	5460	62864	
24000	23657	30843		101733	24152	2297	6095	69766	
24500	23395	28248		119615	24131	2269	6680	71547	
25000	23406	26502		137109	23808	2241	7220	71829	
25500	23421	23107		154301	22825	2212	7210	71479	
26000	23441	20044		171243	20422	2184	7049	71415	
26500	23467	19602		175614	19308	2156	6831	70460	
27000	23497	18631		176305	19238	2127	6647	67551	
		16968		175447	16761	2099	6386	60441	3789
27500	23531 23571			175290	15990	2071	5962	57142	
28000		16042		172946	14645	2043	5195	56935	3701
28500	23614	15485		165806	13740	2015	4783	49605	
29000 29500	23662	15875				1988	4641	47324	
	23715	15339		148353	11980	1960	3938	43343	
20000	23771	15169		140257	10391				
30500	23832	15176		139748	10163	1933	3658	40664	
31000	23897	15186		121758	9659	1906	3263	35455 30754	
31500	23966	15199	0	116157	8797	1880	2981		
32000	24040	15216	0	106386	8317	1853	2531	30076	
32500	24117	15235	0	99810	8028	1827	2138	28586	
33000	24198	15258	0	87024	8230	1801	2036	26035	
33500	24283	15283	0	75486	7952	1776	1885	24614	
34000	24372	15311	0	73823	7864	1751	1672	23759	
34500	24465	15343	0	70165	7868	1726	1539	24357	
35000	24562	15377	0	63904	7873	1701	1447	23536	3134

WEIGHTED	USABLE AREA	(SO.FT	.)											
Qms	102.6L	106.3R	107.1L	117.8L	117.9R	119.7L	133.8L	135.7R	136.3R	138.0R	138.8R	139.5R	140.6R	142.OR
								. 707			540	7400		(00/
5000	19423	9609	1630	4177	3198	2774		1393 1518	17333 17333	0	540 1767	7420 7662	0	8388 6886
5500	19423	14046	1630	4511 4845	3305 3412	2774 2774	25782 25782	1643		0	2995	7905	0	9891
6000 6500	19423 19609	18373 22560	1630	5179	3518	2774	25782	1769	17333	0	7025	8143	0	11393
7000	31391	26597	1630	5514	3625	2774	25782	1894		ő	9834	8391	ō	12895
7500	43952	30477	1630	5848	3732	2774	25782	2019	17333	ō	12898	8634	ō	14398
8000	56915	34201	1630	7014	6268	2774	25782	2147		765	13692	9443	180	15041
8500	70032	32961	1630	13613	6862	2774	25782	2274		2098	12307	10252	360	15684
9000	83137	31893	1630	16867	7414	2774	25782	2402		3895	13424	11062	540	16328
9500	96116	32168	1630	20308	7929	2774	25782	2530		6077	13209	19751	720	16971
10000	95022		2235	23904	7181	2774	25782	2657	17333	8582	14495	22882	901	17615
10500	93997	33811	2766	23592	7891	2774	25782	2785	17333	11359	14181	26057	1081	18258
11000	96665	31496	3237	28156	7803	2774		3133		20644	13496	30928	10567	28285
11500	104856	30626	3657	30065	8606	2774	25782	3481	17333	27062	13056	30727	20053	39040
12000	104956	30357	4033	35577	8461	2774	25782	3829		32761	13414	36698	29540	50397
12500	99127	29649	4373	37336	7739	2774	25782	4178		39371	12182	39230	53503	62258
13000	97599		4085	34589	7243	2853		4178		42084	11176	45610	67334	72139
13500	97845	28999	10893	32657	7211	2933		4178		41629	10397	47120	30087	81976 80084
14000	96564	29812	21989	32778	6357	3012		4178		38947 38063	10128	45150	91936 103021	78605
14500	96988	28844	33994	29118	5974	3091	25782 25782	4178 4178		37942	10571		113450	80468
15000 15500	96197 96363	27784 30097	42918 47957	27572 26472	5694 5683	3170 3250		4178		37287	9070		107605	87113
16000	97207	30256	53731	26625	6458	3329		4178		37339	9974		102719	87203
16500	94301	30085	59727	30163	6502	3606	25782	4178		36419	9613		103436	94062
17000	102832	29757	64168	29005	5953	3884	25782	4178		35925	9579		110367	
17500	104022	29523	69215	25434	6970	4161	42905	4178		35731	9347		108938	
18000	104040	29199	72965	28604	6844	4439		4178		34214	8628	52217	101712	122537
18500	103476	28199	77054	27653	6920	4494		4205	64021	37029	11024	46629	101135	122294
19000	103199	27340	81411	27631	6844	4550	61246	4233	60571	37206	11632	53341	102555	120676
19500	102575	25591	82279	27046	6399	4605	59573	4261	59525	36992	11741	51260	102368	120394
20000	99526	27420	93062	25016	8410	4661	66999	4289		36597	11222		104026	
20500	96925	32332	97284	32585	9118	4716		4317		36330	10668		104415	
21000	91109		100236	35017	9445	4772		4345		35962	10113		105866	
21500	98015		102424	35979	9255	4827	77896	4373		34769	9877		108103	
22000	116020		104707	34964	9012	4883		4400		33756	9555		106165	
22500	116002		106464	33803	8741	4938 4994		4428		31646 33967	9022 8514		117199	
23000	118877 119560		105485	32569 32463	8728 8622	8551	65097	4456 4586		40864	8440		121388	
23500 24000	121543		100242	32079	8313	9544	63772	4720		41545	8348		122184	
24500	122017		109663	30917	8012	10515		4858		43309	8402		123413	
25000	122446		131858	29804	7943	11468		5000		44326	8450		124329	
25500	123872		133786	29548	7857	10592		5146		45874	8500		122343	
26000	128358		139005	29221	7907	11871	86653	5296			8552	53859	120906	157361
26500	130762		141629	29416	7952	12001	78466	5450	58896	47946	8606	53390	115394	159981
27000	133377	38323	145751	29586	8000	13531	89063	5609	57443	49429	8662	52813	126109	166774
27500	136211	37398	148020	29762	8049	13601	85639	5773	56984	52210	8719	53149	151715	170693
28000	139558		150175	29944	8099	12719		9886			8777		154242	
28500	142847	35745	153510	30132	8151		81525				8838		160791	
29000	139714		160646	30326	8205		80617				8900		164569	
29500	136885		165197		8260		110036				8964		170315	
20000	134115		170015		8317		120243				9029		174123	
30500	131404		175114	30943	8376		121790				9096		173008	
31000	128751		180886	31161	8436		116372				9165 9235		183512 193840	
31500	126154		186597 183872		8497		110593 104963				9307		201348	
32000 32500	123613 121128		1838/2		8560 8625		104963				9381		201346	
32000	118696		178996		8691	12155					9456		218232	
33500	116317		176538		8759						9533		228162	
34000	113990		174074	32587	8828						9612		238363	
34500	111714		171608		8899		1277				9692		238005	
35000	109487		169144		8972						9774		238104	

Qas	125.6R	128.4R	132.5L	135.OR	135.1R	144.0H	145.6R	146.6L
5000	0	0	0	0	0	0	0	0
5500	0	0	0	0	0	0	0	0
6000	0	0	0	0	0	0	0	0
6500	0	0	0	0	0	0	0	0
7000	0	0	0	0	0	0	0	0
7500	0	0	0	0	0	0	0	0
8000	0	0	0	0	0	0	0	0
8500	0	0	0	0	0	0	0	0
9000	0	0	0	0	0	0	0	0
9500	0	3146	0	0	0	0	0	0
10000	0	6738	0	0	0	0	0	0
10500	0	9992	0	0	0	0	0	0
11000	0	13021	0	0	0	0	0	0
11500	0	15804	0	0	0	0	0	0
12000	0	18309	0	0	0	0	0	0
12500	0	20589	0	0	0	0	0	0
13000	0	22737	0	0	0	0	0	0
13500	0	24705	0	0	0	0	0	0
14000	0	25678	0	0	0	0	0	0
14500	0	26359	0	0	0	0	0	0
15000	0	27388	23720	0	0	0	0	0
15500	0	28238	24366	0	0	0	0	0
16000	. 0	28104	24924	0	0	0	0	0
16500	0	27720	25566	0	0	0	0	0
17000	0	26767	26142	0	0	0	0	0
17500	0	25558	26583	0	0	0	0	0
18000	0	25121	26960	0	0	0	0	0
18500	0	24530	27368	0	0	0	0	0
19000	0	25329	27724	0	0	0	0	0
19500	0	26095	27155	0	0	0	0	0
20000	0	25045	26489	0	4610	0	0	ő
20500	0	23853 23677	26330 26112	0	8494	0	0	Ö
21000 21500	0	23435	25109	0	14471	0	15056	ō
22000	0	24152	24019	0	19168	0	26407	0
22500	0	24860	22565	o	24680	9070	43063	ő
23000	0	24568	21018	0	29001	11289	54853	ō
23500	0	24221	20200	12255	32987	13726	68186	ő
24000	0	23847	19325	21903	36556	15296	77615	0
24500	0	23423	19585	36341	39620	16561	85762	ō
25000	0	23822	19834	47035	42665	17528	92559	ő
25500	ő	24209	18737	59335	44239	18195	97906	ŏ
26000	ő	24828	17587	68470	44476		103092	ō
26500	10403	25444	17223	76627	43182		104702	0
27000	18417	25370	16834	83689	40934		103253	684
27500	30296	25271	17147	89515	37305	17086	98468	1196
28000	38909	24814	17458	95247	33177	15680	91794	1944
28500	48705	24323	17078	97689	29464	13856	82357	2469
29000	54276	26559	16676	97235	25977	11966	72174	3061
29500	58765	23776	16271	93544	23157	10332	63217	3475
20000	62194	23707	15847	87928	20487	8869	55016	3832
30500	64563	23632	15989	79511	18006	7705	48443	4127
31000	66763	23555	16127	70201	15720	6651	42363	4358
31500	66634	23471	16421	61927	13852	5709	36826	4581
32000	64616	23387	16715	54258	12399	4872	31816	4645
32500	60629	23297	16561	48085	11184	4201	27759	4574
33000	55639	23207	16396	42309	10096	3682	24613	4357
33500	49166	23112	16007	36997	9256	3254	22004	4057
34000	42459	22819	15603	32144	8417	2880	19692	3636
34500	36664	22488	16949	28197	7971	2591	17906	3183
35000	31470	22201	15097	25132	7347	2314	16158	2785

WEIGHTED U	SABLE AREA 101.5L	(SQ.FT 104.0R		108.9L	109.4R	111.0R	113.8R	117.7L	127.1M	128.3R	129.3L	129.8R	131.2R	135.0L
5000	42266	26738	9799	9604	35604	26124	3650	5414	9836	20858	5130	16356	5132	8819
5500	45704		8792	8645	36716	27230	3297	5843	9411	20024	4679	14645	5389	8910
6000	51398		9216	9087	39677	29801	3476	6560	10409	22207	4976	15322	5916	9452
6500	56015		9084	8978	41790	31690	3444	7140	10741	22964	4968	15076	6316	9792
7000	59394	32619	8517	8437	43017	32899	3245	7562	10479	22445	4711	14113	6581	9927
7500	62802	33664	8213	8153	44315	34151	3143	7988	10465	22443	4590	13591	6853	10036
8000	62478	32777	8504	8458	43076	33426	3267	7940	11177	24007	4798	14054	6727	9679
8500	68927	35471	9011	8976	46546	36346	3474	8753	12176	26132	5127	14373	7333	10334
9000	81895		9556	9535	54275	42625	3696	10393	13241	28501	5480	15756	8621	11917
9500	79223		8970	8963	51616	40752	3480	10048	12715	27393	5131	14774	3259	11216
10000	81258	39873	9366	9372	52123	41353	3644	10300	13556	29229	5447	15411	8398	11216
10500	81014	39230	9095	9113	51225	40827	3549	10264	13419	28954	5323	14952	8306	10922
11000	79897	38220	9378	9408	49854	39902	3668	10118	14084	30407	5520	15403	8131	10538
11500	76129	36007	9134	9174	46922	37705	3581	9637	13945	30125	5407	14990	7696	9837
12000	72614	33985	8809	8857	44247	35687	3462	9189	13656	29517	5241	14446	7295	9204
12500 1 3000	69583 7 6884		9542	9603	41949	33953	3758	8802	15005	32450	5705	15636	6949	3661
13500	75886	35305 34547	9477 9909	9548 9992	45888 44867	37264 36550	3740	9723	15106	32681	5693 5979	15520	7637 7500	9407
14000	79159	35745	10652	10751	46389	37902	3918 4219	9594 10005	15994 17399	34619 37673	6454	16217 17421	7786	9136 9385
14500	78195	35039	9112	9204	45442	37232	3615	9881	15051	32602	5543	14893	7657	9136
15000	77524	34487	9503	9607	44696	36719	3777	9793	15865	34377	5803	15523	7559	8932
15500	79356	35060	10092	10210	45409	37401	4017	10023	17019	36888	6184	16476	7707	9023
16000	75938	33331	10998	11135	43143	35621	4385	9589	18725	40599	6763	17945	7347	8525
16500	72585	31661	11121	11267	40958	33896	4440	9163	19108	41442	6861	18136	6997	8050
17000	70341	30501	9857	9994	39435	32709	3941	8878	17086	37065	6101	16068	6758	7711
17500	73635	31749	10927	11087	41026	34102	4375	9292	19099	41443	6784	17804	7051	7933
18000	72743		11485	11660	40290	33559	4604	9178	20235	43919	7152	18705	6944	7302
18500	69665	29721	12406	12603	38366	32020	4980	8789	22024	47314	7747	20195	6631	7395
19000	77678	32975	12248	12449	42547	35576	4922	9798	21903	47561	7669	19929	7373	8163
19500	78429	33135	12329	12539	42734	35798	4961	9891	22203	48223	7740	20052	7424	8163
20000	79160	33291	11924	12133	42915	36014	4803	9982	21620	46965	7505	19385	7473	8163
20500	79873	33443	11839	12054	43093	36225	4774	10070	21607	46946	7470	19240	7522	8163
21000	93737	39082	11672	11890	50337	42385	4712	11817	21436	46583	7382	18961	9806	9498
21500	95878	39811	12196	12430	51256	43227	4929	12085	22534	43978	7731	19805	8986	9633
22000	99157	41.	2804	13056	52779	44581	5179	12497	23796	51730	8135	20785	9273	9882
22500	101772		13045	13308	53944	45634	5282	12825	24381	53011	8306	21169	9497	10063
23000	103016		13492	13771	54382	46071	5468	12980	25355	55137	8609	21887	9593	10108
23500	103785	42452	14394	14698	54574	46298	5839	13076	27194	59145	9203	23343	9646	10108
24000	104771	42708	14886	15208	54883	46625	6044	13199	28269	61492	9537 9633	24134 24322	9719 9356	10131
24500 25000	106452 108369	43249 43885	15007 15045	15338 15382	55559 56357	47262 48003	6099 6119	13409 13649	28641 28851	62309 62774	9675	24375	10015	10334
25500	111957	45196	14915	15256	58022	49483	6071	14100	28736	62532	9609	24157	10329	10606
26000	121576	48929	14908	15255	62795	53619	6074	15310	28854	62798	9622	24140	11197	11442
26500	124281	49869	14692	15040	63982	54698	5990	15649	28562	62169	9499	23783	11428	11623
27000	126023	50423	14852	15209	64673	55353	6060	15867	28996	63121	9618	24035	11569	11714
27500	128497	51269	15095	15464	65739	56328	6164	16177	29595	64432	9792	24422	11778	11872
28000	129253		14665	15028	65927	56552	5993	16271	28868	62857	9528	23719	11829	11872
29500	129997			14546	66112		5803	16363		61068	9234	22945	11880	11872
29000	128735		13627	13974	65283	56119	5576	16203	27036	58880	8881	22029	11748	11691
29500	126497		13358	13703	63970	55047	5470	15920	26603	57943	8719	21589	11527	11425
30000	124096		13683	14041	62585	53909	5607	15617	27350	59575	8944	22109	11293	11148
30500	122724	48219	15455	15865	61729	53224	6338	15443	31004	67543	10118	24967	11154	10967
31000	120303	47158	15102	15507	60355	52089	6196	15137	30401	66235	9900	24390	10920	10696
31500	119119		14660	15059	59610	51494	6019	14987	29614	64526	9624	23672	10799	10228
32000	119706	46712	14817	15224	59756	51668	6087	15060	20020	65437	9740	23919	10838	10538
32500	117961		14415	14816	58743	50838	5926	14840	29311	63878	9488	23265	10668	10334
33000	116444		13796	14184	57851	50110	5675	14648		61338	9093	22262	10518	10153
33500	114900	44551	13348	13727	56953		5493	14453		59533	8808	21533	10367	9972
34000	113067		12983	13355	55918		5346	14222		58088	8578	20941	10190	9769
34500	111206		12660	13026	54876		5216	13987	26063	56817	8375	20415	10011	9565
35000	110108	42438	12248	12607	54217	47119	5049	13848	25290	55137	8113	19748	9902	9430

REPRESENTATIVE GROUP IX WEIGHTED USABLE AREA (SQ.FT.) Qes 139.2R 141.2R 141.3R 142.3R 144.2L 147.1L