BEFORE THE
FEDERAL ENERGY REGULATORY COMMISSION

APPLICATION FOR LICENSE FOR MAJOR PROJECT

SUSITNA HYDROELECTRIC PROJECT

VOLUME 8

D R A F T

EXHIBIT E

CHAPTER 2

FIGURES

HARZA-EBASCO
SUSITNA JOINT VENTURE

Alaska Power Authority

TK
1425
.S8
F471
no.3432

BEFORE THE
FEDERAL ENERGY REGULATORY COMMISSION

APPLICATION FOR LICENSE FOR MAJOR PROJECT

SUSITNA HYDROELECTRIC PROJECT
DRAFT LICENSE APPLICATION

VOLUME 8

EXHIBIT E
CHAPTER 2 - WATER USE AND QUALITY
FIGURES

ARLIS
Alaska Resources
Library & Information Services
Anchorage, Alaska

November 1985

VOLUME COMPARISON

VOLUME NUMBER COMPARISON

LICENSE APPLICATION AMENDMENT VS. JULY 29, 1983 LICENSE APPLICATION

EXHIBIT	CHAPTER	DESCRIPTION	AMENDMENT VOLUME NO.	JULY 29, 1983 APPLICATION VOLUME NO.
A	Entire	Project Description	1	1
B	Entire	Project Operation and Resource Utilization	2	2 & 2A
	App. B1	MAP Model Documentation Report	3	2B
	App. B2	RED Model Documentation Report	4	2C
	App. B3	RED Model Update	4	--
C	Entire	Proposed Construction Schedule	5	1
D	Entire	Project Costs and Financing	5	1
	App. D1	Fuels Pricing	5	1
E	1	General Description of Locale	6	5A
	2	Water Use and Quality	6	5A
	Tables Figures		7	5A 5B
	Figures		8	5B
	3	Fish, Wildlife and Botanical Resources (Sect. 1 and 2)	9	6A 6B
		Fish, Wildlife and Botanical Resources (Sect. 3)	10	6A 6B
		Fish, Wildlife and Botanical Resources (Sect. 4, 5, 6, & 7)	11	6A 6B
	4	Historic & Archaeological Resources	12	7
	5	Socioeconomic Impacts	12	7
	6	Geological and Soil Resources	12	7
	7	Recreational Resources	13	8
	8	Aesthetic Resources	13	8
	9	Land Use	13	8
	10	Alternative Locations, Designs and Energy Sources	14	9
	11	Agency Consultation	14	10A 10B
F	Entire	Project Design Plates	15	3
F	Entire	Supporting Design Report	16	--
G	Entire	Project Limits and Land Ownership Plates	17	4

3755 000 44171 7

SUMMARY TABLE OF CONTENTS

SUSITNA HYDROELECTRIC PROJECT
LICENSE APPLICATION

SUMMARY TABLE OF CONTENTS

EXHIBIT A
PROJECT DESCRIPTION

Title	Page No.
1 - PROJECT STRUCTURES - WATANA STAGE I (**)	A-1-2
1.1 - General Arrangement (**)	A-1-2
1.2 - Dam Embankment (**)	A-1-4
1.3 - Diversion (**)	A-1-6
1.4 - Emergency Release Facilities (**)	A-1-9
1.5 - Outlet Facilities (**)	A-1-10
1.6 - Spillway (**)	A-1-13
1.7 - This section deleted	A-1-15
1.8 - Power Intake (**)	A-1-15
1.9 - Power Tunnels and Penstocks (**)	A-1-18
1.10 - Powerhouse (**)	A-1-19
1.11 - Tailrace (**)	A-1-22
1.12 - Main Access Plan (**)	A-1-23
1.13 - Site Facilities (**)	A-1-25
1.14 - Relict Channel (***)	A-1-29
2 - RESERVOIR DATA - WATANA STAGE I (**)	A-2-1
3 - TURBINES AND GENERATORS - WATANA STAGE I (**)	A-3-1
3.1 - Unit Capacity (**)	A-3-1
3.2 - Turbines (***)	A-3-1
3.3 - Generators (**)	A-3-1
3.4 - Governor System (o)	A-3-3
4 - APPURTENANT MECHANICAL AND ELECTRICAL EQUIPMENT - WATANA STAGE I (**)	A-4-1
4.1 - Miscellaneous Mechanical Equipment (**)	A-4-1
4.2 - Accessory Electrical Equipment (**)	A-4-5
4.3 - SF_6 Gas-Insulated 345 kV Substation (GIS) (***)	A-4-12
5 - TRANSMISSION FACILITIES FOR WATANA STAGE I (o)	A-5-1
5.1 - Transmission Requirements (o)	A-5-1
5.2 - Description of Facilities (o)	A-5-1
5.3 - Construction Staging (o)	A-5-11

Title	Page No.
6 - PROJECT STRUCTURES - DEVIL CANYON STAGE II (**)	A-6-1
6.1 - General Arrangement (**)	A-6-1
6.2 - Arch Dam (**)	A-6-2
6.3 - Saddle Dam (**)	A-6-4
6.4 - Diversion (**)	A-6-6
6.5 - Outlet Facilities (**)	A-6-8
6.6 - Spillway (**)	A-6-10
6.7 - Emergency Spillway (This section deleted)	A-6-12
6.8 - Power Facilities (*)	A-6-12
6.9 - Penstocks (**)	A-6-13
6.10 - Powerhouse and Related Structures (**)	A-6-14
6.11 - Tailrace Tunnel (*)	A-6-17
6.12 - Access Plan (**)	A-6-17
6.13 - Site Facilities (*)	A-6-18
7 - DEVIL CANYON RESERVOIR STAGE II (*)	A-7-1
8 - TURBINES AND GENERATORS - DEVIL CANYON STAGE II (**)	A-8-1
8.1 - Unit Capacity (**)	A-8-1
8.2 - Turbines (**)	A-8-1
8.3 - Generators (o)	A-8-1
8.4 - Governor System (o)	A-8-2
9 - APPURTENANT EQUIPMENT - DEVIL CANYON STAGE II (o)	A-9-1
9.1 - Miscellaneous Mechanical Equipment (o)	A-9-1
9.2 - Accessory Electrical Equipment (o)	A-9-3
9.3 - Switchyard Structures and Equipment (o)	A-9-6
10 - TRANSMISSION LINES - DEVIL CANYON STAGE II (**)	A-10-1
11 - PROJECT STRUCTURES - WATANA STAGE III (***)	A-11-1
11.1 - General Arrangement (***)	A-11-1
11.2 - Dam Embankment (***)	A-11-3
11.3 - Diversion (***)	A-11-5
11.4 - Emergency Release Facilities (***)	A-11-6

Title	Page No.
11.5 - Outlet Facilities (***)	A-11-6
11.6 - Spillway (***)	A-11-7
11.7 - Power Intake (***)	A-11-8
11.8 - Power Tunnel and Penstocks (***)	A-11-11
11.9 - Powerhouse (***)	A-11-11
11.10 - Trailrace (***)	A-11-13
11.11 - Access Plan (***)	A-11-13
11.12 - Site Facilities (***)	A-11-13
11.13 - Relict Channel (***)	A-11-13
12 - RESERVOIR DATA - WATANA STAGE III (***)	A-12-1
13 - TURBINES AND GENERATORS - WATANA STAGE III (***)	A-13-1
13.1 - Unit Capacity (***)	A-13-1
13.2 - Turbines (***)	A-13-1
13.3 - Generators (***)	A-13-1
13.4 - Governor System (***)	A-13-1
14 - APPURTENANT MECHANICAL AND ELECTRICAL EQUIPMENT - WATANA STAGE III (***)	A-14-1
14.1 - Miscellaneous Mechanical Equipment (***)	A-14-1
14.2 - Accessory Electrical Equipment (***)	A-14-1
15 - TRANSMISSION FACILITIES - WATANA STAGE III (***)	A-15-1
15.1 Transmission Requirements (***)	A-15-1
15.2 Switching and Substations (***)	A-15-1
16 - LANDS OF THE UNITED STATES (**)	A-16-1
17 - REFERENCES	A-17-1

EXHIBIT B
PROJECT OPERATION AND RESOURCE UTILIZATION

Title	Page No.
1 - DAMSITE SELECTION (***)	B-1-1
1.1 - Previous Studies (***)	B-1-1
1.2 - Plan Formulation and Selection Methodology (***)	B-1-4
1.3 - Damsite Selection (***)	B-1-5
1.4 - Formulation of Susitna Basin Development Plans (***)	B-1-12
1.5 - Evaluation of Basin Development Plans (***)	B-1-17
2 - ALTERNATIVE FACILITY DESIGN, PROCESSES AND OPERATIONS (***)	B-2-1
2.1 - Susitna Hydroelectric Development (***)	B-2-1
2.2 - Watana Project Formulation (***)	B-2-1
2.3 - Selection of Watana General Arrangement (***)	B-2-22
2.4 - Devil Canyon Project Formulation (***)	B-2-48
2.5 - Selection of Devil Canyon General Arrangement (***)	B-2-60
2.6 - Selection of Access Road Corridor (***)	B-2-67
2.7 - Selection of Transmission Facilities (***)	B-2-83
2.8 - Selection of Project Operation (***)	B-2-131
3 - DESCRIPTION OF PROJECT OPERATION (***)	B-3-1
3.1 - Hydrology (***)	B-3-1
3.2 - Reservoir Operation Modeling (***)	B-3-6
3.3 - Operational Flow Regime Selection (***)	B-3-20
4 - POWER AND ENERGY PRODUCTION (***)	B-4-1
4.1 - Plant and System Operation Requirements (***)	B-4-1
4.2 - Power and Energy Production (***)	B-4-10
5 - STATEMENT OF POWER NEEDS AND UTILIZATION (***)	B-5-1
5.1 - Introduction (***)	B-5-1
5.2 - Description of the Railbelt Electric Systems (***)	B-5-1
5.3 - Forecasting Methodology (***)	B-5-17
5.4 - Forecast of Electric Power Demand (***)	B-5-47
6 - FUTURE SUSITNA BASIN DEVELOPMENT (***)	B-6-1
7 - REFERENCES	B-7-1

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT B - APPENDIX B1

MAN-IN-THE-ARCTIC PROGRAM (MAP)
TECHNICAL DOCUMENTATION REPORT
STAGE MODEL (VERSION A85.1)
REGIONALIZATION MODEL (VERSION A84.CD)
SCENARIO GENERATOR

Title	Page No.
Stage Model	
1. Introduction	1-1
2. Economic Module Description	2-1
3. Fiscal Module Description	3-1
4. Demographic Module Description	4-1
5. Input Variables	5-1
6. Variable and Parameter Name Conventions	6-1
7. Parameter Values, Definitions and Sources	7-1
8. Model Validation and Properties	8-1
9. Input Data Sources	9-1
10. Programs for Model Use	10-1
11. Model Adjustments for Simulation	11-1
12. Key to Regressions	12-1
13. Input Data Archives	13-1
Regionalization Model	
1. Model Description	1
2. Flow Diagram	5
3. Model Inputs	7
4. Variable and Parameter Names	9
5. Parameter Values	13
6. Model Validation	31
7. Programs for Model	38
8. Model Listing	39
9. Model Parameters	57
10. Exogenous, Policy, and Startup Values	61
Scenario Generator	
Introduction	1
1. Organization of the Library Archives	1
2. Using the Scenario Generator	8
3. Creating, Manipulating, Examining, and Printing Library Files	14
4. Model Output	22

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT B - APPENDIX B2
RAILBELT ELECTRICITY DEMAND (RED) MODEL
TECHNICAL DOCUMENTATION REPORT (1983 VERSION)

Title	Page No.
1 - INTRODUCTION	1.1
2 - OVERVIEW	2.1
3 - UNCERTAINTY MODULE	3.1
4 - THE HOUSING MODULE	4.1
5 - THE RESIDENTIAL CONSUMPTION MODULE	5.1
6 - THE BUSINESS CONSUMPTION MODULE	6.1
7 - PRICE ELASTICITY	7.1
8 - THE PROGRAM-INDUCED CONSERVATION MODULE	8.1
9 - THE MISCELLANEOUS MODULE	9.1
10 - LARGE INDUSTRIAL DEMAND	10.1
11 - THE PEAK DEMAND MODULE	11.1
12 - MODEL VALIDATION	12.1
13 - MISCELLANEOUS TABLES	13.1

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT B - APPENDIX B3
RAILBELT ELECTRICITY DEMAND (RED) MODEL
CHANGES MADE JULY 1983 TO AUGUST 1985

Title	Page No.
1 - INTRODUCTION	1.1
2 - RED MODEL PRICE ADJUSTMENT REVISIONS	2.1
3 - RESIDENTIAL CONSUMPTION MODULE	3.1
4 - BUSINESS SECTOR	4.1
5 - PEAK DEMAND	5.1
6 - EFFECT OF THE MODEL CHANGES ON THE FORECASTS	6.1

EXHIBIT C
PROPOSED CONSTRUCTION SCHEDULE

Title	Page No.
1 - WATANA STAGE I SCHEDULE (**)	C-1-1
1.1 - Access (*)	C-1-2
1.2 - Site Facilities (**)	C-1-2
1.3 - Diversion (**)	C-1-2
1.4 - Dam Embankment (**)	C-1-2
1.5 - Spillway and Intakes (**)	C-1-3
1.6 - Powerhouse and Other Underground Works (**)	C-1-3
1.7 - Relict Channel (**)	C-1-3
1.8 - Transmission Lines/Switchyards (*)	C-1-3
1.9 - General (**)	C-1-3
2 - DEVIL CANYON STAGE II SCHEDULE (**)	C-2-1
2.1 - Access (**)	C-2-1
2.2 - Site Facilities (**)	C-2-1
2.3 - Diversion (*)	C-2-1
2.4 - Arch Dam (**)	C-2-1
2.5 - Spillway and Intake (*)	C-2-2
2.6 - Powerhouse and Other Underground Works (o)	C-2-2
2.7 - Transmission Lines/Switchyards (*)	C-2-2
2.8 - General (*)	C-2-2
3 - WATANA STAGE III SCHEDULE (***)	C-3-1
3.1 - Access (***)	C-3-1
3.2 - Site Facilities (***)	C-3-1
3.3 - Dam Embankment (***)	C-3-1
3.4 - Spillway and Intakes (***)	C-3-2
3.5 - Powerhouse and Other Underground Works (**)	C-3-2
3.6 - Relict Channel (***)	C-3-2
3.7 - Transmission Lines/Switchyards (***)	C-3-2
3.8 - General (***)	C-3-2
4 - EXISTING TRANSMISSION SYSTEM (***)	C-4-1

EXHIBIT D
PROJECT COSTS AND FINANCING

Title	Page No.
1 - ESTIMATES OF COST (**)	D-1-1
1.1 - Construction Costs (**)	D-1-1
1.2 - Mitigation Costs (**)	D-1-6
1.3 - Engineering and Administration Costs (*)	D-1-7
1.4 - Operation, Maintenance and Replacement Costs (**)	D-1-10
1.5 - Allowance for Funds Used During Construction (AFDC) (**)	D-1-11
1.6 - Escalation (**)	D-1-12
1.7 - Cash Flow and Manpower Loading Requirements (**)	D-1-12
1.8 - Contingency (*)	D-1-13
1.9 - Previously Constructed Project Facilities (*)	D-1-13
2 - EVALUATION OF ALTERNATIVE EXPANSION PLANS (***)	D-2-1
2.1 - General (***)	D-2-1
2.2 - Hydroelectric Alternatives (***)	D-2-1
2.3 - Thermal Alternatives (***)	D-2-10
2.4 - Natural Gas-Fired Options (***)	D-2-10
2.5 - Coal-Fired Options (***)	D-2-19
2.6 - The Existing Railbelt Systems (***)	D-2-24
2.7 - Generation Expansion Before 1996 (***)	D-2-27
2.8 - Formulation of Expansion Plans Beginning in 1996 (***)	D-2-28
2.9 Selection of Expansion Plans (***)	D-2-33
2.10 - Economic Development (***)	D-2-39
2.11 - Sensitivity Analysis (***)	D-2-44
2.12 - Conclusions (***)	D-2-46
3 - CONSEQUENCES OF LICENSE DENIAL (***)	D-3-1
3.1 - Statement and Evaluation of the Consequences of License Denial (***)	D-3-1
3.2 - Future Use of the Damsites if the License is Denied (***)	D-3-1
4 - FINANCING (***)	D-4-1
4.1 - General Approach and Procedures (***)	D-4-1
4.2 - Financing Plan (***)	D-4-1
4.3 - Annual Costs (***)	D-4-3

EXHIBIT D
PROJECT COSTS AND FINANCING

Title	Page No.
4.4 - Market Value of Power (***)	D-4-4
4.5 - Rate Stabilization (***)	D-4-4
4.6 - Sensitivity of Analyses (***)	D-4-4
5 - REFERENCES (***)	D-5-1

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT D - APPENDIX D1
FUELS PRICING

Title	Page No.
1 - INTRODUCTION (***)	D1-1-1
2 - WORLD OIL PRICE (***)	D1-2-1
2.1 - The Sherman H. Clark Associates Forecast (***)	D1-2-1
2.2 - The Composite Oil Price Forecast (***)	D1-2-2
2.3 - The Wharton Forecast (***)	D1-2-5
3 - NATURAL GAS (***)	D1-3-1
3.1 - Cook Inlet Gas Prices (***)	D1-3-1
3.2 - Regulatory Constraints on the Availability of Natural Gas (***)	D1-3-10
3.3 - Physical Constraints on the Availability of Cook Inlet Natural Gas Supply (***)	D1-3-12
3.4 - North Slope Natural Gas (***)	D1-3-20
4 - COAL (***)	D1-4-1
4.1 - Resources and Reserves (***)	D1-4-1
4.2 - Demand and Supply (***)	D1-4-3
4.3 - Present and Potential Alaska Coal Prices (***)	D1-4-4
4.4 - Alaska Coal Prices Summarized (***)	D1-4-10
5 - DISTILLATE OIL (***)	D1-5-1
5.1 - Availability (***)	D1-5-1
5.2 - Distillate Price (***)	D1-5-1
6 - REFERENCES	D1-6-1

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT E - CHAPTER 1
GENERAL DESCRIPTION OF THE LOCALE

Title	Page No.
1 - GENERAL DESCRIPTION (*)	E-1-1-1
1.1 - General Setting (**)	E-1-1-1
1.2 - Susitna Basin (*)	E-1-1-2
2 - REFERENCES	E-1-2-1
3 - GLOSSARY	E-1-3-1

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT E - CHAPTER 2
WATER USE AND QUALITY

Title	Page No.
1 - INTRODUCTION (**)	E-2-1-1
2 - BASELINE DESCRIPTION (**)	E-2-2-1
2.1 - Susitna River Morphology (**)	E-2-2-3
2.2 - Susitna River Water Quantity (**)	E-2-2-12
2.3 - Susitna River Water Quality (**)	E-2-2-19
2.4 - Baseline Ground Water Conditions (**)	E-2-2-46
2.5 - Existing Lakes, Reservoirs, and Streams (**)	E-2-2-49
2.6 - Existing Instream Flow Uses (o)	E-2-2-50
2.7 - Access Plan (**)	E-2-2-63
2.8 - Transmission Corridor (**)	E-2-2-64
3 - OPERATIONAL FLOW REGIME SELECTION (***)	E-2-3-1
3.1 - Project Reservoir Characteristics (***)	E-2-3-1
3.2 - Reservoir Operation Modeling (***)	E-2-3-2
3.3 - Development of Alternative Environmental Flow Cases (***)	E-2-3-6
3.4 - Detailed Discussion of Flow Cases (***)	E-2-3-17
3.5 - Comparison of Alternative Flow Regimes (***)	E-2-3-37
3.6 - Other Constraints on Project Operation (***)	E-2-3-43
3.7 - Power and Energy Production (***)	E-2-3-53
4 - PROJECT IMPACT ON WATER QUALITY AND QUANTITY (**)	E-2-4-1
4.1 - Watana Development (**)	E-2-4-7
4.2 - Devil Canyon Development (**)	E-2-4-110
4.3 - Watana Stage III Development (***)	E-2-4-160
4.4 - Access Plan (**)	E-2-4-211
5 - AGENCY CONCERNS AND RECOMMENDATIONS (**)	E-2-5-1
6 - MITIGATION, ENHANCEMENT, AND PROTECTIVE MEASURES (**)	E-2-6-1
6.1 - Introduction (*)	E-2-6-1
6.2 - Mitigation - Watana Stage I - Construction (**)	E-2-6-1
6.3 - Mitigation - Watana Stage I - Impoundment (**)	E-2-6-5

Title	Page No.
6.4 - Watana Stage I Operation (**)	E-2-6-7
6.5 - Mitigation - Devil Canyon Stage II - Construction (**)	E-2-6-13
6.6 - Mitigation - Devil Canyon Stage II - Impoundment (**)	E-2-6-13
6.7 - Mitigation - Devil Canyon/Watana Operation (**)	E-2-6-13
6.8 - Mitigation - Watana Stage III - Construction (***)	E-2-6-15
6.9 - Mitigation - Watana Stage III - Impoundment/Construction (***)	E-2-6-16
6.10 - Mitigation - Stage III Operation (***)	E-2-6-16
6.11 - Access Road and Transmission Lines (***)	E-2-6-18
7 - REFERENCES	E-2-7-1
8 - GLOSSARY	E-2-8-1

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT E - CHAPTER 3
FISH, WILDLIFE, AND BOTANICAL RESOURCES

Title	Page No.
1 - INTRODUCTION (o)	E-3-1-1
1.1 - Baseline Descriptions (o)	E-3-1-1
1.2 - Impact Assessments (*)	E-3-1-1
1.3 - Mitigation Plans (*)	E-3-1-3
2 - FISH RESOURCES OF THE SUSITNA RIVER DRAINAGE (**)	E-3-2-1
2.1 - Overview of the Resources (**)	E-3-2-1
2.2 - Species Biology and Habitat Utilization in the Susitna River Drainage (*)	E-3-2-14
2.3 - Anticipated Impacts To Aquatic Habitat (**)	E-3-2-104
2.4 - Mitigation Issues and Mitigating Measures (**)	E-3-2-244
2.5 - Aquatic Studies Program (*)	E-3-2-279
2.6 - Monitoring Studies (**)	E-3-2-280
2.7 - Cost of Mitigation (***)	E-3-2-303
2.8 - Agency Consultation on Fisheries Mitigation Measures (**)	E-3-2-304
3 - BOTANICAL RESOURCES (**)	E-3-3-1
3.1 - Introduction (*)	E-3-3-1
3.2 - Baseline Description (**)	E-3-3-6
3.3 - Impacts (**)	E-3-3-34
3.4 - Mitigation Plan (**)	E-3-3-63
4 - WILDLIFE (**)	E-3-4-1
4.1 - Introduction (*)	E-3-4-1
4.2 - Baseline Description (**)	E-3-4-3
4.3 - Impacts (*)	E-3-4-110
4.4 - Mitigation Plan (**)	E-3-4-248
5 - AIR QUALITY/METEOROLOGY (***)	E-3-5-1
5.1 - Introduction (***)	E-3-5-1
5.2 - Existing Conditions (***)	E-3-5-1
5.3 - Expected Air Pollutant Emissions (***)	E-3-5-2
5.4 - Predicted Air Quality Impacts (***)	E-3-5-3

Title	Page No.
5.5 - Regulatory Agency Consultations (***)	E-3-5-3
6 - REFERENCE	E-3-6-1
7 - GLOSSARY	E-3-7-1

APPENDICES

E1.3	FISH AND WILDLIFE MITIGATION POLICY
E2.3	ENVIRONMENTAL GUIDELINES MEMORANDUM (THIS APPENDIX HAS BEEN DELETED)
E3.3	PLANT SPECIES IDENTIFIED IN SUMMERS OF 1980 AND 1981 IN THE UPPER AND MIDDLE SUSITNA RIVER BASIN, THE DOWNSTREAM FLOODPLAIN, AND THE INTERTIE
E4.3	PRELIMINARY LIST OF PLANT SPECIES IN THE INTERTIE AREA (THIS SECTION HAS BEEN DELETED AND ITS INFORMATION INCORPORATED INTO APPENDIX E3.3.)
E5.3	STATUS, HABITAT USE AND RELATIVE ABUNDANCE OF BIRD SPECIES IN THE MIDDLE SUSITNA BASIN
E6.3	STATUS AND RELATIVE ABUNDANCE OF BIRD SPECIES OBSERVED ON THE LOWER SUSITNA BASIN DURING GROUND SURVEYS CONDUCTED JUNE 10 THE JUNE 20, 1982
E7.3	SCIENTIFIC NAMES OF MAMMAL SPECIES FOUND IN THE PROJECT AREA
E8.3	METHODS USED TO DETERMINE MOOSE BROWSE UTILIZATION AND CARRYING CAPACITY WITHIN THE MIDDLE SUSITNA BASIN
E9.3	EXPLANATION AND JUSTIFICATION OF ARTIFICIAL NEST MITIGATION (THIS SECTION HAS BEEN DELETED)
E10.3	PERSONAL COMMUNICATIONS (THIS SECTION HAS BEEN DELETED)
E11.3	EXISTING AIR QUALITY AND METEOROLOGICAL CONDITIONS

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT E - CHAPTER 4
HISTORIC AND ARCHEOLOGICAL RESOURCES

Title	Page No.
1 - INTRODUCTION AND SUMMARY (**)	E-4-1-1
1.1 - Program Objectives (**)	E-4-1-4
1.2 - Program Specifics (**)	E-4-1-4
2 - BASELINE DESCRIPTION (**)	E-4-2-1
2.1 - The Study Area (**)	E-4-2-1
2.2 - Methods - Archeology and History (**)	E-4-2-2
2.3 - Methods - Geoarcheology (**)	E-4-2-10
2.4 - Known Archeological and Historic Sites in the Project Area (**)	E-4-2-12
2.5 - Geoarcheology (**)	E-4-2-13
3 - EVALUATION OF AND IMPACT ON HISTORICAL AND ARCHEOLOGICAL SITES (**)	E-4-3-1
3.1 - Evaluation of Selected Sites Found: Prehistory and History of the Middle Susitna Region (**)	E-4-3-1
3.2 - Impact on Historic and Archeological Sites (**)	E-4-3-4
4 - MITIGATION OF IMPACT ON HISTORIC AND ARCHEOLOGICAL SITES(**)	E-4-4-1
4.1 - Mitigation Policy and Approach (**)	E-4-4-1
4.2 - Mitigation Plan (**)	E-4-4-2
5 - AGENCY CONSULTATION (**)	E-4-5-1
6 - REFERENCES	E-4-6-1
7 - GLOSSARY	E-4-7-1

EXHIBIT E - CHAPTER 5
SOCIOECONOMIC IMPACTS

Title	Page No.
1 - INTRODUCTION (**)	E-5-1-1
2 - BASELINE DESCRIPTION (**)	E-5-2-1
2.1 - Identification of Socioeconomic Impact Areas (**)	E-5-2-1
2.2 - Description of Employment, Population, Personal Income and Other Trends in the Impact Areas (**)	E-5-2-1
3 - EVALUATION OF THE IMPACT OF THE PROJECT (**)	E-5-3-1
3.1 - Impact of In-migration of People on Governmental Facilities and Services (**)	E-5-3-2
3.2 - On-site Worker Requirements and Payroll, by Year and Month (**)	E-5-3-32
3.3 - Residency and Movement of Project Construction Personnel (**)	E-5-3-35
3.4 - Adequacy of Available Housing in Impact Areas (***)	E-5-3-39
3.5 - Displacement and Influences on Residences and Businesses (**)	E-5-3-49
3.6 - Fiscal Impact Analysis: Evaluation of Incremental Local Government Expenditures and Revenues (**)	E-5-3-59
3.7 - Local and Regional Impacts on Resource User Groups (**)	E-5-3-65
4 - MITIGATION (**)	E-5-4-1
4.1 - Introduction (**)	E-5-4-1
4.2 - Background and Approach (**)	E-5-4-1
4.3 - Attitudes Toward Changes (This section deleted)	E-5-4-2
4.4 - Mitigation Objectives and Measures (**)	E-5-4-2

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT E - CHAPTER 5
SOCIOECONOMIC IMPACTS

Title	Page No.
5 - MITIGATION MEASURES RECOMMENDED BY AGENCIES(**)	E-5-5-1
5.1 - Alaska Department of Natural Resources (DNR) (**)	E-5-5-1
5.2 - Alaska Department of Fish and Game (ADF&G) (*) .	E-5-5-1
5.3 - U.S. Fish and Wildlife Service (FWS) (*)	E-5-5-2
5.4 - Summary of Agencies' Suggestions for Further Studies that Relate to Mitigation (**)	E-5-5-2
6 - REFERENCES	E-6-6-1

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT E - CHAPTER 6
GEOLOGICAL AND SOIL RESOURCES

Title	Page No.
1 - INTRODUCTION (**)	E-6-1-1
2 - BASELINE DESCRIPTION (*)	E-6-2-1
2.1 - Regional Geology (*)	E-6-2-1
2.2 - Quarternary Geology (*)	E-6-2-2
2.3 - Mineral Resources (o)	E-6-2-3
2.4 - Seismic Geology (*)	E-6-2-4
2.5 - Watana Damsite (**)	E-6-2-11
2.6 - Devil Canyon Damsite (o)	E-6-2-17
2.7 - Reservoir Geology (*)	E-6-2-23
3 - IMPACTS (*)	E-6-3-1
3.1 - Reservoir-Induced Seismicity (RIS) (*)	E-6-3-1
3.2 - Seepage (*)	E-6-3-4
3.3 - Reservoir Slope Failures (**)	E-6-3-4
3.4 - Permafrost Thaw (*)	E-6-3-11
3.5 - Seismically-Induced Failure (*)	E-6-3-11
3.6 - Reservoir Freeboard for Wind Waves (**)	E-6-3-11
3.7 - Development of Borrow Sites and Quarries (**)	E-6-3-12
4 - MITIGATION (**)	E-6-4-1
4.1 - Impacts and Hazards (o)	E-6-4-1
4.2 - Reservoir-Induced Seismicity (o)	E-6-4-1
4.3 - Seepage (**)	E-6-4-2
4.4 - Reservoir Slope Failures (**)	E-6-4-2
4.5 - Permafrost Thaw (**)	E-6-4-3
4.6 - Seismically-Induced Failure (*)	E-6-4-3
4.7 - Geologic Hazards (*)	E-6-4-4
4.8 - Borrow and Quarry Sites (*)	E-6-4-4
5 - REFERENCES	E-6-5-1
6 - GLOSSARY	E-6-6-1

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT E - CHAPTER 7
RECREATIONAL RESOURCES

Title	Page No.
1 - INTRODUCTION (**)	E-7-1-1
1.1 - Purpose (**)	E-7-1-1
1.2 - Relationships to Other Reports (*)	E-7-1-1
1.3 - Study Approach and Methodology (**)	E-7-1-1
1.4 - Project Description (**)	E-7-1-3
2 - DESCRIPTION OF EXISTING AND FUTURE RECREATION WITHOUT THE SUSITNA PROJECT (**)	E-7-2-1
2.1 - Statewide and Regional Setting (**)	E-7-2-1
2.2 - Susitna River Basin (**)	E-7-2-8
3 - PROJECT IMPACTS ON EXISTING RECREATION (**)	E-7-3-1
3.1 - Direct Impacts of Project Features (**)	E-7-3-1
3.2 - Project Recreational Demand Assessment (Moved to Appendix E4.7)	E-7-3-12
4 - FACTORS INFLUENCING THE RECREATION PLAN (**)	E-7-4-1
4.1 - Characteristics of the Project Design and Operation (***)	E-7-4-1
4.2 - Characteristics of the Study Area (***)	E-7-4-2
4.3 - Recreation Use Patterns and Demand (***)	E-7-4-2
4.4 - Agency, Landowner and Applicant Plans and Policies (***)	E-7-4-3
4.5 - Public Interest (***)	E-7-4-12
4.6 - Mitigation of Recreation Use Impacts (***)	E-7-4-13
5 - RECREATION PLAN (**)	E-7-5-1
5.1 - Recreation Plan Management Concept (***)	E-7-5-1
5.2 - Recreation Plan Guidelines (***)	E-7-5-2
5.3 - Recreational Opportunity Evaluation (Moved to Appendix E3.7.3)	E-7-5-4
5.4 - The Recreation Plan (**)	E-7-5-4
6 - PLAN IMPLEMENTATION (**)	E-7-6-1

Title	Page No.
6.1 - Phasing (**)	E-7-6-1
6.2 - Detailed Recreation Design (***)	E-7-6-1
6.3 - Operation and Maintenance (***)	E-7-6-2
6.4 - Monitoring (**)	E-7-6-3
7 - COSTS FOR CONSTRUCTION AND OPERATION OF THE PROPOSED RECREATION FACILITIES (**)	E-7-7-1
7.1 - Construction (**)	E-7-7-1
7.2 - Operations and Maintenance (**)	E-7-7-1
7.3 - Monitoring (***)	E-7-7-2
8 - AGENCY COORDINATION (**)	E-7-8-1
8.1 - Agencies and Persons Consulted (**)	E-7-8-1
8.2 - Agency Comments (**)	E-7-8-1
8.3 - Native Corporation Comments (***)	E-7-8-1
8.4 - Consultation Meetings (***)	E-7-8-2
9 - REFERENCES	E-7-9-1
10 - GLOSSARY	E-7-10-1

APPENDICES

E1.7	DATA ON REGIONAL RECREATION FACILITIES
E2.7	ATTRACTIVE FEATURES - INVENTORY DATA
E3.7	RECREATION SITE INVENTORY AND OPPORTUNITY EVALUATION
E4.7	PROJECT RECREATIONAL DEMAND ASSESSMENT
E5.7	EXAMPLES OF TYPICAL RECREATION FACILITY DESIGN STANDARDS FOR THE SUSITNA PROJECT
E6.7	PHOTOGRAPHS OF SITES WITHIN THE PROJECT RECREATION STUDY AREA

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT E - CHAPTER 8
AESTHETIC RESOURCES

Title	Page No.
1 - INTRODUCTION (**)	E-8-1-1
1.1 - Purpose (*)	E-8-1-1
1.2 - Relationship to Other Analyses (*)	E-8-1-1
1.3 - Environmental Setting (**)	E-8-1-1
2 - PROCEDURE (*)	E-8-2-1
3 - STUDY OBJECTIVES (*)	E-8-3-1
4 - PROJECT FACILITIES (*)	E-8-4-1
4.1 - Watana Project Area (*)	E-8-4-1
4.2 - Devil Canyon Project Area (*)	E-8-4-1
4.3 - Watana Stage III Project Area (***)	E-8-4-1
4.4 - Denali Highway to Watana Dam Access Road (*)	E-8-4-1
4.5 - Watana Dam to Devil Canyon Dam Access Road (*)	E-8-4-2
4.6 - Transmission Lines (*)	E-8-4-2
4.7 - Intertie (This section deleted)	E-8-4-2
4.8 - Recreation Facilities and Features (*)	E-8-4-2
5 - EXISTING LANDSCAPE (**)	E-8-5-1
5.1 - Landscape Character Types (*)	E-8-5-1
5.2 - Notable Natural Features (**)	E-8-5-1
6 - VIEWS (**)	E-8-6-1
6.1 - Viewers (***)	E-8-6-1
6.2 - Visibility (***)	E-8-6-1
7 - AESTHETIC EVALUATION RATINGS (**)	E-8-7-1
7.1 - Aesthetic Value Rating (*)	E-8-7-1
7.2 - Absorption Capability (*)	E-8-7-1
7.3 - Composite Ratings (**)	E-8-7-2

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT E - CHAPTER 8
AESTHETIC RESOURCES

Title	Page No.
8 - AESTHETIC IMPACTS (**)	E-8-8-1
8.1 - Mitigation Planning of Incompatible Aesthetic Impacts (Now addressed in Section 9)	E-8-8-1
8.2 - Watana Stage I (***)	E-8-8-2
8.3 - Devil Canyon Stage II (***)	E-8-8-3
8.4 - Watana Stage III (***)	E-8-8-4
8.5 - Access Routes (***)	E-8-8-5
8.6 - Transmission Facilities (***)	E-8-8-6
9 - MITIGATION (**)	E-8-9-1
9.1 - Mitigation Feasibility (**)	E-8-9-1
9.2 - Mitigation Plan (***)	E-8-9-2
9.3 - Mitigation Costs (**)	E-8-9-11
9.4 - Mitigation Monitoring (***)	E-8-9-12
10 - AESTHETIC IMPACT EVALUATION OF THE INTERTIE (This Section Delected)	E-8-10-1
11 - AGENCY COORDINATION (**)	E-8-11-1
11.1 - Agencies and Persons Consulted (**)	E-8-11-1
11.2 - Agency Comments (**)	E-8-11-1
12 - REFERENCES	E-8-12-1
13 - GLOSSARY	E-8-13-1

APPENDICES

E1.8	EXCEPTIONAL NATURAL FEATURES
E2.8	SITE PHOTOS WITH SIMULATIONS OF PROJECT FACILITIES
E3.8	PHOTOS OF PROPOSED PROJECT FACILITIES SITES
E4.8	EXAMPLES OF EXISTING AESTHETIC IMPACTS

Title	Page No.

APPENDICES (cont'd)

E5.8	EXAMPLES OF RESERVOIR EDGE CONDITIONS SIMILAR TO THOSE ANTICIPATED AT WATANA AND DEVIL CANYON DAMS
E6.8	PROJECT FEATURES IMPACTS AND CHARTS
E7.8	GENERAL AESTHETIC MITIGATION MEASURES APPLICABLE TO THE PROPOSED PROJECT
E8.8	LANDSCAPE CHARACTER TYPES OF THE PROJECT AREA
E9.8	AESTHETIC VALUE AND ABSORPTION CAPABILITY RATINGS

EXHIBIT E - CHAPTER 9
LAND USE

Title	Page No.
1 - INTRODUCTION (***)	E-9-1-1
2 - HISTORICAL AND PRESENT LAND USE (***)	E-9-2-1
2.1 - Historical Land Use (***)	E-9-2-1
2.2 - Present Land Use (***)	E-9-2-1
3 - LAND MANAGEMENT PLANNING IN THE PROJECT AREA (***)	E-9-3-1
4 - IMPACTS ON LAND USE WITH AND WITHOUT THE PROJECT (***)	E-9-4-1
5 - MITIGATION (***)	E-9-5-1
6 - REFERENCES	E-9-6-1

EXHIBIT E - CHAPTER 10
ALTERNATIVE LOCATIONS, DESIGNS, AND ENERGY SOURCES

Title	Page No.
1 - ALTERNATIVE HYDROELECTRIC SITES (*)	E-10-1-1
1.1 - Non-Susitna Hydroelectric Alternatives (*)	E-10-1-1
1.2 - Assessment of Selected Alternative Hydroelectric Sites (***)	E-10-1-2
1.3 - Middle Susitna Basin Hydroelectric Alternatives (o)	E-10-1-17
1.4 - Overall Comparison of Non-Susitna Hydroelectric Alternatives to the Proposed Susitna Project (***)	E-10-1-32
2 - ALTERNATIVE FACILITY DESIGNS (*)	E-10-2-1
2.1 - Watana Facility Design Alternatives (*)	E-10-2-1
2.2 - Devil Canyon Facility Design Alternatives (o)	E-10-2-3
2.3 - Access Alternatives (o)	E-10-2-4
2.4 - Transmission Alternatives (o)	E-10-2-24
2.5 - Borrow Site Alternatives (**)	E-10-2-53
3 - OPERATIONAL FLOW REGIME SELECTION (***)	E-10-3-1
3.1 - Project Reservoir Characteristics (***)	E-10-3-1
3.2 - Reservoir Operation Modeling (***)	E-10-3-2
3.3 - Development of Alternative Environmental Flow Cases (***)	E-10-3-6
3.4 - Detailed Discussion of Flow Cases (***)	E-10-3-17
3.5 - Comparison of Alternative Flow Regimes (***)	E-10-3-38
3.6 - Other Constraints on Project Operation (***)	E-10-3-43
3.7 - Power and Energy Production (***)	E-10-3-53
4 - ALTERNATIVE ELECTRICAL ENERGY SOURCES (***)	E-10-4-1
4.1 - Coal-Fired Generation Alternatives (***)	E-10-4-1
4.2 - Thermal Alternatives Other Than Coal (***)	E-10-4-27
4.3 - Tidal Power Alternatives (***)	E-10-4-39
4.4 - Nuclear Steam Electric Generation (***)	E-10-4-41
4.5 - Biomass Power Alternatives (***)	E-10-4-42
4.6 - Geothermal Power Alternatives (***)	E-10-4-42

EXHIBIT E - CHAPTER 10
ALTERNATIVE LOCATIONS, DESIGNS, AND ENERGY SOURCES

Title	Page No.
4.7 - Wind Conversion Alternatives (***)	E-10-4-43
4.8 - Solar Energy Alternatives (***)	E-10-4-44
4.9 - Conservation Alternatives (***)	E-10-4-44
5 - ENVIRONMENTAL CONSEQUENCES OF LICENSE DENIAL (***) . .	E-10-5-1
6 - REFERENCES	E-10-6-1
7 - GLOSSARY	E-10-7-1

SUMMARY TABLE OF CONTENTS (cont'd)

EXHIBIT E - CHAPTER 11
AGENCY CONSULTATION

Title	Page No.
1 - ACTIVITIES PRIOR TO FILING THE INITIAL APPLICATION (1980-February 1983) (***)	E-11-1-1
2 - ADDITIONAL FORMAL AGENCY AND PUBLIC CONSULTATION (***)	E-11-2-1
2.1 - Technical Workshops (***)	E-11-2-1
2.2 - Ongoing Consultation (***)	E-11-2-1
2.3 - Further Comments and Consultation (***)	E-11-2-2

EXHIBIT F
SUPPORTING DESIGN REPORT (PRELIMINARY)

Title	Page No.
1 - PROJECT DATA (***)	F-1-1
2 - PROJECT DESIGN DATA (**)	F-2-1
2.1 - Topographical Data (o)	F-2-1
2.2 - Hydrological Data (**)	F-2-1
2.3 - Meteorological Data (*)	F-2-1
2.4 - Reservoir Data (o)	F-2-1
2.5 - Tailwater Elevations (o)	F-2-1
2.6 - Design Floods (**)	F-2-2
3 - CIVIL DESIGN DATA (*)	F-3-1
3.1 - Governing Codes and Standards (o)	F-3-1
3.2 - Design Loads (**)	F-3-1
3.3 - Stability (*)	F-3-6
3.4 - Material Properties (o)	F-3-9
4 - GEOTECHNICAL DESIGN DATA (**)	F-4-1
4.1 - Watana (**)	F-4-1
4.2 - Devil Canyon (**)	F-4-10
5 - HYDRAULIC DESIGN DATA (**)	F-5-1
5.1 - River Flows (**)	F-5-1
5.2 - Design Flows (**)	F-5-1
5.3 - Reservoir Levels (**)	F-5-1
5.4 - Reservoir Operating Rule (**)	F-5-2
5.5 - Reservoir Data (**)	F-5-2
5.6 - Wind Effect (**)	F-5-3
5.7 - Criteria (***)	F-5-3
6 - EQUIPMENT DESIGN CODES AND STANDARDS (**)	F-6-1
6.1 - Design Codes and Standards (*)	F-6-1
6.2 - General Criteria (*)	F-6-2

Title	Page No.
6.3 - Diversion Structures and Emergency Release Facilities (*)	F-6-4
6.4 - Spillway (**)	F-6-6
6.5 - Outlet Facilities (*)	F-6-6
6.6 - Power Intake (*)	F-6-8
6.7 - Powerhouse (**)	F-6-9
6.8 - Tailrace Tunnels (**)	F-6-12
7 - REFERENCES	F-7-1

APPENDICES

F1	THIS APPENDIX DELETED
F2	WATANA AND DEVIL CANYON EMBANKMENT STABILITY ANALYSES
F3	SUMMARY AND PMF AND SPILLWAY DESIGN FLOOD ANALYSES

TABLE OF CONTENTS

SUSITNA HYDROELECTRIC PROJECT
LICENSE APPLICATION

EXHIBIT E - CHAPTER 2
WATER USE AND QUALITY

TABLE OF CONTENTS

Title	Page No.
1 - INTRODUCTION (**)	E-2-1-1
2 - BASELINE DESCRIPTION (**)	E-2-2-1
2.1 - Susitna River Morphology (**)	E-2-2-3
2.1.1 - Mainstem (**)	E-2-2-3
(a) Morphological Characteristics Upstream of Devil Canyon (*)	E-2-2-3
(b) Morphological Characteristics Downstream of Devil Canyon (*)	E-2-2-4
(i) RM 149 to RM 144 (*)	E-2-2-4
(ii) RM 144 to RM 139 (o)	E-2-2-5
(iii) RM 139 to RM 129.5 (*)	E-2-2-5
(iv) RM 129.5 to RM 119 (o)	E-2-2-5
(v) RM 119 to RM 104 (o)	E-2-2-6
(vi) RM 104 to RM 95 (o)	E-2-2-6
(vii) RM 95 to 61 (*)	E-2-2-7
(viii) RM 61 to RM 42 (o)	E-2-2-8
(ix) RM 42 to RM 0 (o)	E-2-2-8
2.1.2 - Sloughs and Peripheral Habitat (**)	E-2-2-9
2.2 - Susitna River Water Quantity (**)	E-2-2-12
2.2.1 - Mean Monthly and Annual Flows (**)	E-2-2-12
2.2.2 - Floods (**)	E-2-2-15
2.2.3 - Flow Variability (**)	E-2-2-16
2.2.4 - Water Levels (**)	E-2-2-18
(a) Mainstem (**)	E-2-2-18
(b) Sloughs (**)	E-2-2-18
2.3 - Susitna River Water Quality (**)	E-2-2-19
2.3.1 - Water Temperature (**)	E-2-2-21
(a) Mainstem (**)	E-2-2-21
(b) Sloughs and Peripheral Habitat Areas (**)	E-2-2-22
(c) Tributaries (**)	E-2-2-23
2.3.2 - Ice (**)	E-2-2-24

TABLE OF CONTENTS (cont'd)

Title	Page No.
(a) Freezeup (**)	E-2-2-24
(b) Winter Ice Conditions (**)	E-2-2-26
(c) Breakup (**)	E-2-2-27
2.3.3 - Bedload and Suspended Sediments (**)	E-2-2-29
(a) Bedload (**)	E-2-2-29
(b) Suspended Sediment (**)	E-2-2-33
2.3.4 - Turbidity (**)	E-2-2-35
(a) Mainstem (**)	E-2-2-35
(b) Sloughs and Peripheral Habitat Areas (**)	E-2-2-36
2.3.5 - Vertical Illumination (**)	E-2-2-37
2.3.6 - Dissolved Gases (**)	E-2-2-38
(a) Dissolved Oxygen (**)	E-2-2-38
(b) Total Dissolved Gas Concentration (**)	E-2-2-38
2.3.7 - Nutrients (**)	E-2-2-39
2.3.8 - Other Parameters (*)	E-2-2-40
(a) Total Dissolved Solids (*)	E-2-2-40
(b) Specific Conductance (Conductivity) (*)	E-2-2-40
(c) Significant Ions (*)	E-2-2-40
(d) Total Hardness (o)	E-2-2-41
(e) pH (*)	E-2-2-41
(f) Total Alkalinity (*)	E-2-2-41
(g) Free Carbon Dioxide (o)	E-2-2-42
(h) Total Organic Carbon (*)	E-2-2-42
(i) Chemical Oxygen Demand (o)	E-2-2-43
(j) True Color (*)	E-2-2-43
(k) Metals (o)	E-2-2-43
(l) Chlorophyll-a (**)	E-2-2-44
(m) Bacteria (**)	E-2-2-44
(n) Miscellaneous (**)	E-2-2-45
2.3.9 - Water Quality Summary (**)	E-2-2-45
2.4 - Baseline Ground Water Conditions (**)	E-2-2-46
2.4.1 - Description of Water Table and Artesian Conditions (**)	E-2-2-46
2.4.2 - Hydraulic Connection of Ground Water and Surface Water (**)	E-2-2-47
2.4.3 - Locations of Springs, Wells, and Artesian Flows (*)	E-2-2-48

TABLE OF CONTENTS (cont'd)

Title	Page No.
2.4.4 - Hydraulic Connection of Mainstem and Sloughs (**)	E-2-2-48
2.5 - Existing Lakes, Reservoirs, and Streams (**)	E-2-2-49
2.5.1 - Lakes and Reservoirs (**)	E-2-2-49
2.5.2 - Streams (**)	E-2-2-50
2.6 - Existing Instream Flow Uses (o)	E-2-2-50
2.6.1 - Downstream Water Rights (o)	E-2-2-50
2.6.2 - Fishery Resources (*)	E-2-2-52
2.6.3 - Navigation and Transportation (**)	E-2-2-52
(a) Boating Upstream of Devil Canyon (**)	E-2-2-52
(b) Boating Downstream of Devil Canyon (**)	E-2-2-53
(i) River Use and Access (***)	E-2-2-53
(ii) Navigability (***)	E-2-2-55
(c) Other Navigation and Transportation Uses (**)	E-2-2-60
2.6.4 - Recreation (**)	E-2-2-61
2.6.5 - Riparian Vegetation and Wildlife Habitat (**)	E-2-2-61
2.6.6 - Waste Assimilative Capacity (**)	E-2-2-61
2.6.7 - Freshwater Recruitment to Cook Inlet Estuary (*)	E-2-2-62
2.7 - Access Plan (**)	E-2-2-63
2.7.1 - Flows (o)	E-2-2-63
2.7.2 - Water Quality (**)	E-2-2-63
2.8 - Transmission Corridor (**)	E-2-2-64
2.8.1 - Flows (*)	E-2-2-64
2.8.2 - Water Quality (**)	E-2-2-65
3 - OPERATIONAL FLOW REGIME SELECTION (***)	E-2-3-1
3.1 - Project Reservoir Characteristics (***)	E-2-3-1

TABLE OF CONTENTS (cont'd)

Title	Page No.
3.1.1 - Watana Stage I (***)	E-2-3-2
3.1.2 - Devil Canyon Stage II (***)	E-2-3-2
3.1.3 - Watana Stage III (***)	E-2-3-2
3.2 - Reservoir Operation Modeling (***)	E-2-3-2
3.2.1 - Reservoir Operation Models (***)	E-2-3-2
3.2.2 - Basic Concept and Algorithm of Reservoir Operation (***)	E-2-3-3
(a) Watana Stage I (***)	E-2-3-4
(b) Watana Stage I or Stage III with Devil Canyon Stage II (***)	E-2-3-5
3.3 - Development of Alternative Environmental Flow Cases (***)	E-2-3-6
3.3.1 - Background (***)	E-2-3-6
(a) Mainstem and Side Channel Rearing Habitats (***)	E-2-3-6
(b) Seasonal Flow Constraints (***)	E-2-3-7
(c) Maximum Flow Constraints (***)	E-2-3-7
3.3.2 - Selection Criteria (***)	E-2-3-7
(a) Management Objectives (***)	E-2-3-8
(b) Critical Species and Habitat Combinations (***)	E-2-3-9
(i) Habitat Sensitivity to Mainstem Conditions (***)	E-2-3-10
(ii) Habitat Use by the Evaluation Species (***)	E-2-3-11
3.3.3 - Compatibility with Mitigation Policy (***)	E-2-3-17
3.4 - Detailed Discussion of Flow Cases (***)	E-2-3-17
3.4.1 - Environmental Flow Cases (***)	E-2-3-17
(a) Case E-I (***)	E-2-3-18
(i) Management Objective (***)	E-2-3-18
(ii) Flow Constraints (***)	E-2-3-18
(iii) Project Flows (***)	E-2-3-19
(iv) Impact Assessment (***)	E-2-3-19
(v) Mitigation (***)	E-2-3-20
(b) Case E-II (***)	E-2-3-20
(i) Management Objective (***)	E-2-3-20

TABLE OF CONTENTS (cont'd)

Title	Page No.
(ii) Flow Constraints (***) . . .	E-2-3-20
(iii) Project Flows (***)	E-2-3-21
(iv) Impact Assessment (***) . . .	E-2-3-21
(v) Mitigation (***)	E-2-3-22
(c) Case E-III (***)	E-2-3-23
(i) Management Objectives (***) .	E-2-3-23
(ii) Flow Constraints (***) . . .	E-2-3-23
(iii) Project Flows (***)	E-2-3-23
(iv) Impact Assessment (***) . . .	E-2-3-23
(v) Mitigation (***)	E-2-3-24
(d) Case E-IV (***)	E-2-3-24
(i) Management Objectives (***) .	E-2-3-24
(ii) Flow Constraints	E-2-3-24
(iii) Project Flows (***)	E-2-3-25
(iv) Impact Assessment (***) . . .	E-2-3-25
(v) Mitigation (***)	E-2-3-26
(e) Case E-IVa (***)	E-2-3-26
(i) Management Objective (***). .	E-2-3-26
(ii) Flow Constraints (***) . . .	E-2-3-27
(iii) Project Flows (***)	E-2-3-27
(iv) Impact Assessment (***) . . .	E-2-3-27
(v) Mitigation (***)	E-2-3-28
(f) Case E-IVb (***)	E-2-3-28
(i) Management Objective (***). .	E-2-3-28
(ii) Flow Constraints (***) . . .	E-2-3-28
(iii) Project Flows (***)	E-2-3-28
(iv) Impact Assessment (***) . . .	E-2-3-29
(v) Mitigation (***)	E-2-3-29
(g) Case E-V (***)	E-2-3-29
(i) Management Objective (***). .	E-2-3-29
(ii) Flow Constraints (***) . . .	E-2-3-29
(iii) Project Flows (***)	E-2-3-30
(iv) Impact Assessment (***) . . .	E-2-3-30
(v) Mitigation (***)	E-2-3-30
(h) Case E-VI (***)	E-2-3-30
(i) Management Objective (***) .	E-2-3-31
(ii) Flow Constraints (***) . . .	E-2-3-32
(iii) Project Flows (***)	E-2-3-32
(iv) Impact Assessment (***) . . .	E-2-3-33
(v) Mitigation (***)	E-2-3-36
3.5 - Comparison of Alternative Flow Regimes (***). . .	E-2-3-37

TABLE OF CONTENTS (cont'd)

Title	Page No.
3.5.1 Economic Comparison (***)	E-2-3-38
3.5.2 - Environmental Comparison (***)	E-2-3-39
(a) Aquatic and Fisheries (***)	E-2-3-39
(b) Other Instream Flow Considerations (**)	E-2-3-40
(i) Downstream Water Rights (*)	E-2-3-40
(ii) Navigation and Transportation (**)	E-2-3-40
(iii) Recreation (***)	E-2-3-41
(iv) Riparian Vegetation and Wildlife Habitat (*)	E-2-3-41
(v) Water Quality (*)	E-2-3-42
(vi) Freshwater Recruitment to Cook Inlet (*)	E-2-3-42
3.5.3 - Selection of Operational Instream Flow Requirements (***)	E-2-3-42
3.6 - Other Constraints on Project Operation (***)	E-2-3-43
3.6.1 - Flow Stability Criteria (***)	E-2-3-43
(a) Watana Only Operation (***)	E-2-3-44
(b) Watana and Devil Canyon Operation (***)	E-2-3-46
3.6.2 - Dam Safety Criteria (***)	E-2-3-47
(a) Stage I - Watana Only Operation (***)	E-2-3-47
(b) Stage II - Watana and Devil Canyon Operation (***)	E-2-3-49
(c) Stage III - Watana and Devil Canyon Operation (***)	E-2-3-50
3.6.3 - Emergency Situations (***)	E-2-3-52
3.6.4 - Flow Requirement During Filling (***)	E-2-3-52
3.7 - Power and Energy Production (***)	E-2-3-53
3.7.1 - Watana Stage I (***)	E-2-3-53
3.7.2 - Watana Stage I with Devil Canyon Stage II (***)	E-2-3-53
3.7.3 - Watana Stage III with Devil Canyon Stage II (***)	E-2-3-54
3.7.4 - Base-Load and Load-Following Operation (***)	E-2-3-54

TABLE OF CONTENTS (cont'd)

Title	Page No.
4 - PROJECT IMPACT ON WATER QUALITY AND QUANTITY (**) . . .	E-2-4-1
4.1 - Watana Development (**)	E-2-4-5
4.1.1 - Watana Stage I Construction (**)	E-2-4-6
(a) Flows and Water Levels (**)	E-2-4-6
(b) River Morphology (**)	E-2-4-7
(c) Water Quality (**)	E-2-4-7
(i) Water Temperature (**) . . .	E-2-4-7
(ii) Ice (**)	E-2-4-8
(iii) Suspended Sediments/Turbidity/ Vertical Illumination (**) .	E-2-4-8
(iv) Nutrients and Organics (*) .	E-2-4-12
(v) Metals (o)	E-2-4-12
(vi) Contamination by Petroleum Products (**)	E-2-4-13
(vii) Concrete Contamination (**) .	E-2-4-13
(viii) Other (o)	E-2-4-15
(d) Groundwater Conditions (**)	E-2-4-15
(e) Lakes and Streams (**)	E-2-4-15
(f) Instream Flow Uses (**)	E-2-4-16
(i) Fishery Resources (**) . . .	E-2-4-16
(ii) Navigation and Transportation (**)	E-2-4-16
(iii) Riparian Vegetation (*) . . .	E-2-4-17
(g) Support Facilities (**)	E-2-4-17
(i) Water Supply (**)	E-2-4-17
(ii) Wastewater Treatment (**) . .	E-2-4-18
(iii) Construction, Maintenance, and Operation (**)	E-2-4-19
4.1.2 - Impoundment of Watana Reservoir (**) . .	E-2-4-20
(a) Reservoir Filling Criteria (**) . .	E-2-4-20
(i) Minimum Flows (**)	E-2-4-20
(ii) Flood Storage Protection (*)	E-2-4-21
(b) Flows and Water Levels (**)	E-2-4-21
(i) Simulation of Reservoir Filling (**)	E-2-4-21
(ii) Floods (*)	E-2-4-22
(iii) Flow Variability (*)	E-2-4-23
(c) Testing and Commissioning (**) . . .	E-2-4-24
(d) River Morphology (**)	E-2-4-24

TABLE OF CONTENTS (cont'd)

Title	Page No.
(e) Water Quality	E-2-4-26
(i) Water Temperature (**) . . .	E-2-4-26
(ii) Ice (**)	E-2-4-28
(iii) Suspended Sediments/ Turbidity/Vertical Illumination (**)	E-2-4-30
(iv) Dissolved Oxygen (**)	E-2-4-35
(v) Total Dissolved Gas Concentration (**)	E-2-4-35
(vi) Nutrients (**)	E-2-4-36
(vii) Total Dissolved Solids, Conductivity, Significant Ions,Alkalinity and Metals (**)	E-2-4-36
(viii) Other (o)	E-2-4-37
(f) Ground Water Conditions (**)	E-2-4-37
(i) Mainstem (o)	E-2-4-37
(ii) Sloughs and Peripheral Habitat Areas (**)	E-2-4-38
(g) Lakes and Streams (*)	E-2-4-39
(h) Instream Flow Uses (**)	E-2-4-39
(i) Fishery Resources, Riparian Vegetation, Wildlife Habitat and Recreation (**)	E-2-4-39
(ii) Navigation and Transportation (**)	E-2-4-39
(iii) Waste Assimilative Capacity (o)	E-2-4-41
(iv) Freshwater Recruitment to Cook Inlet Estuary (**) . . .	E-2-4-42
4.1.3 - Watana Stage I Operation (**)	E-2-4-42
(a) Flows and Water Levels (**)	E-2-4-43
(i) Project Operation (**) . . .	E-2-4-43
(ii) Mean Monthly Flows and Water Levels (**)	E-2-4-47
(iii) Floods (**)	E-2-4-49
(iv) Flow Variability (**)	E-2-4-56
(v) Operation of Watana Outlet Works and Fixed-Cone Valves (**)	E-2-4-57
(b) River Morphology (**)	E-2-4-58
(c) Water Quality (**)	E-2-4-60
(i) Water Temperature (**) . . .	E-2-4-60

TABLE OF CONTENTS (cont'd)

Title	Page No.
(ii) Ice (**)	E-2-4-79
(iii) Suspended Sediments (**)	E-2-4-84
(iv) Turbidity (**)	E-2-4-92
(v) Dissolved Oxygen (**)	E-2-4-98
(vi) Total Dissolved Gas Concentration (**)	E-2-4-99
(vii) Trophic Status (Nutrients and Lower Trophic Level Biology) (**)	E-2-4-101
(viii) Total Dissolved Solids, Conductivity, Significant Ions, Alkalinity, and Metals (**)	E-2-4-103
(d) Ground Water Conditions (**)	E-2-4-105
(i) Mainstem (*)	E-2-4-105
(ii) Sloughs and Peripheral Habitat (**)	E-2-4-105
(e) Lakes and Streams (**)	E-2-4-106
(f) Instream Flow Uses (**)	E-2-4-107
(i) Fishery Resources, Riparian Vegetation and Wildlife Habitat, and Recreation (**)	E-2-4-107
(ii) Navigation and Transportation (**)	E-2-4-107
(iii) Waste Assimilative Capacity (*)	E-2-4-109
(iv) Freshwater Recruitment to Cook Inlet Estuary (**)	E-2-4-110
4.2 - Devil Canyon Development (**)	E-2-4-110
4.2.1 - Watana Stage I Operation/Devil Canyon Construction (**)	E-2-4-111
(a) Flows and Water Levels (**)	E-2-4-112
(i) Watana Stage I Operation (**)	E-2-4-112
(ii) Floods (**)	E-2-4-112
(b) River Morphology (**)	E-2-4-112
(c) Water Quality (**)	E-2-4-113
(i) Water Temperature (o)	E-2-4-113
(ii) Ice (o)	E-2-4-113
(iii) Suspended Sediment/Turbidity/ Vertical Illumination (**)	E-2-4-113
(iv) Nutrients (**)	E-2-4-115

TABLE OF CONTENTS (cont'd)

Title	Page No.
(v) Metals (o)	E-2-4-115
(vi) Contamination by Petroleum Products (**)	E-2-4-115
(vii) Concrete Contamination (**)	E-2-4-115
(viii) Other Parameters (o)	E-2-4-116
(d) Groundwater Conditions (*)	E-2-4-116
(e) Lakes and Streams (**)	E-2-4-116
(f) Instream Flow Uses (**)	E-2-4-116
(g) Support Facilities (**)	E-2-4-117
(i) Water Supply and Wastewater Treatment (**)	E-2-4-117
(ii) Construction, Operation, and Maintenance (*)	E-2-4-118
4.2.2 - Watana Operation/Devil Canyon Impoundment (**)	E-2-4-118
(a) Reservoir Filling Criteria (**)	E-2-4-118
(b) Flows and Water Levels (**)	E-2-4-119
(c) River Morphology (**)	E-2-4-120
(d) Water Quality (**)	E-2-4-120
(i) Water Temperature (*)	E-2-4-120
(ii) Ice (o)	E-2-4-121
(iii) Suspended Sediments/ Turbidity/Vertical Illumination (**)	E-2-4-121
(iv) Dissolved Oxygen (**)	E-2-4-122
(v) Total Dissolved Gas Concentration (**)	E-2-4-122
(vi) Nutrients (**)	E-2-4-122
(vii) Total Dissolved Solids, Conductivity, Significant Ions, Alkalinity, and Metals (**)	E-2-4-123
(e) Ground Water Conditions (o)	E-2-4-123
(f) Lakes and Streams (*)	E-2-4-124
(g) Instream Flow Uses (**)	E-2-4-124
(i) Fishery Resources, Wildlife Habitat, Riparian Vegetation, and Recreation (**)	E-2-4-124
(ii) Navigation and Transportation (**)	E-2-4-124
(iii) Waste Assimilative Capacity (*)	E-2-4-124

TABLE OF CONTENTS (cont'd)

Title	Page No.
(iv) Freshwater Recruitment to Cook Inlet Estuary (*)	E-2-4-124
(h) Testing and Commissioning (***) . . .	E-2-4-125
4.2.3 - Watana Stage I - Devil Canyon Operation (**)	E-2-4-125
(a) Flows and Water Levels (**)	E-2-4-125
(i) Project Operation (**) . . .	E-2-4-125
(ii) Mean Monthly Flows and Water Levels (**)	E-2-4-128
(iii) Floods (**)	E-2-4-131
(iv) Flow Variability (**)	E-2-4-136
(v) Operation of Watana and Devil Canyon Outlet Works and Fixed-Cone Valves (**) . . .	E-2-4-138
(b) River Morphology (**)	E-2-4-138
(c) Water Quality (***)	E-2-4-139
(i) Water Temperature (**) . . .	E-2-4-139
(ii) Ice (**)	E-2-4-150
(iii) Suspended Sediments/Turbidity/ Vertical Illumination (**) .	E-2-4-153
(iv) Dissolved Oxygen (**)	E-2-4-156
(v) Total Dissolved Gas Concentration (**)	E-2-4-157
(vi) Trophic Status (Nutrients) (**)	E-2-4-157
(vii) Total Dissolved Solids, Conductivity, Alkalinity, Significant Ions and Metals (**)	E-2-4-158
(d) Ground Water Conditions (**)	E-2-4-158
(i) Mainstem (***)	E-2-4-158
(ii) Sloughs and Peripheral Habitat Areas (***)	E-2-4-159
(e) Lakes and Streams (**)	E-2-4-159
(f) Instream Flow Uses (**)	E-2-4-160
(i) Navigation and Transportation (**)	E-2-4-160
(ii) Freshwater Recruitment to Cook Inlet Estuary (**) . . .	E-2-4-160
4.3 - Watana Stage III Development (***).	E-2-4-161

TABLE OF CONTENTS (cont'd)

Title	Page No.
4.3.1 - Watana Stage III Construction/Stage II Operation (***)	E-2-4-161
(a) Flows and Water Levels (***)	E-2-4-162
(b) River Morphology (***)	E-2-4-162
(c) Water Quality (***)	E-2-4-162
(i) Water Temperature (***)	E-2-4-162
(ii) Ice (***)	E-2-4-162
(iii) Suspended Sediments/Turbidity/ Vertical Illumination (***)	E-2-4-162
(iv) Dissolved Oxygen (***)	E-2-4-162
(v) Total Dissolved Gas Concentration (***)	E-2-4-163
(vi) Trophic Status (Nutrients) (***)	E-2-4-163
(vii) Total Dissolved Solids, Conductivity Alkalinity, Significant Ions and Metals (***)	E-2-4-163
(viii) Contamination by Petroleum Products (***)	E-2-4-163
(ix) Concrete Contamination (***)	E-2-4-163
(x) Other Parameters (***)	E-2-4-163
(d) Groundwater Conditions (***)	E-2-4-163
(e) Lakes and Streams (***)	E-2-4-164
(f) Instream Flow Uses (***)	E-2-4-164
(g) Support Facilities (***)	E-2-4-164
(i) Water Supply (***)	E-2-4-164
(ii) Wastewater Treatment (***)	E-2-4-165
(iii) Construction, Maintenance, and Operation (***)	E-2-4-165
4.3.2 - Watana Stage III Construction and Filling/Stage II Operation (***)	E-2-4-165
(a) Reservoir Filling Criteria (***)	E-2-4-166
(b) Flows and Water Levels (***)	E-2-4-166
(c) River Morphology (***)	E-2-4-167
(d) Water Quality (***)	E-2-4-167
(i) Water Temperature (***)	E-2-4-167
(ii) Ice (***)	E-2-4-168
(iii) Suspended Sediment/Turbidity/ Vertical Illumination (***)	E-2-4-168
(iv) Dissolved Oxygen (***)	E-2-4-170

TABLE OF CONTENTS (cont'd)

Title	Page No.
(v) Dissolved Gas (***)	E-2-4-170
(vi) Nutrients (***)	E-2-4-171
(vii) Total Dissolved Solids, Conductivity, Significant Ions,Alkalinity and Metals (***)	E-2-4-171
(viii) Other (***)	E-2-4-171
(e) Groundwater Conditions (***)	E-2-4-171
(f) Lakes and Streams (***)	E-2-4-173
(g) Instream Flow Uses (***)	E-2-4-173
(i) Fishery Resources, Riparian Vegetation, Wildlife and Recreation (***)	E-2-4-173
(ii) Navigation and Transportation (***)	E-2-4-174
(iii) Waste Assimilative Capacity (***)	E-2-4-174
(iv) Freshwater Recruitment to Cook Inlet (***)	E-2-4-174
(h) Testing and Commissioning	E-2-4-174
4.3.3 - Watana Stage III Operation/Devil Canyon Stage II Operation (***)	E-2-4-175
(a) Flows and Water Levels (***)	E-2-4-175
(i) Project Operation (***)	E-2-4-175
(ii) Mean Monthly Flows and Water Levels (***)	E-2-4-178
(iii) Floods (***)	E-2-4-181
(iv) Flow Variability (***)	E-2-4-188
(v) Operation of Outlet Works and Fixed-Cone Valves (***)	E-2-4-189
(b) River Morphology (***)	E-2-4-190
(c) Water Quality (***)	E-2-4-191
(i) Water Temperature (***)	E-2-4-191
(ii) Ice (***)	E-2-4-200
(iii) Suspended Sediment (***)	E-2-4-203
(iv) Turbidity/Vertical Illumination (***)	E-2-4-206
(v) Dissolved Oxygen (***)	E-2-4-207
(vi) Total Dissolved Gas Concentration (***)	E-2-4-209
(vii) Trophic Status (Nutrients) (***)	E-2-4-209

TABLE OF CONTENTS (cont'd)

Title	Page No.
(viii) Total Dissolved Solids, Conductivity, Significant Ions, Alkalinity, and Metals (***)	E-2-4-210
(d) Ground Water Conditions (***)	E-2-4-210
(i) Mainstem (***)	E-2-4-210
(ii) Sloughs and Peripheral Habitat Areas (***)	E-2-4-211
(e) Lakes and Streams (***)	E-2-4-212
(f) Instream Flow Uses (***)	E-2-4-212
(i) Navigation and Transportation (***)	E-2-4-212
(ii) Freshwater Recruitment to Cook Inlet Estuary (***)	E-2-4-213
4.4 - Access Plan (**)	E-2-4-213
4.4.1 - Flows (**)	E-2-4-214
4.4.2 - Water Quality (**)	E-2-4-214
(a) Turbidity and Sedimentation (**)	E-2-4-215
(b) Contamination by Protroleum Products (**)	E-2-4-215
4.5 - Transmission Corridor (*)	E-2-4-216
5 - AGENCY CONCERNS AND RECOMMENDATIONS (**)	E-2-5-1
6 - MITIGATION, ENHANCEMENT, AND PROTECTIVE MEASURES (**)	E-2-6-1
6.1 - Introduction (*)	E-2-6-1
6.2 - Mitigation - Watana Stage I - Construction (**)	E-2-6-2
6.2.1 - Borrow Areas (**)	E-2-6-2
6.2.2 - Contamination by Petroleum Products (**)	E-2-6-3
6.2.3 - Concrete Contamination (*)	E-2-6-4
6.2.4 - Support Facilities (**)	E-2-6-5
(a) Water Supply (**)	E-2-6-5
(b) Wastewater Treatment (**)	E-2-6-5
6.2.5 - Others (o)	E-2-6-5
6.3 - Mitigation - Watana Stage I Impoundment (**)	E-2-6-6
6.4 - Watana Stage I Operation (**)	E-2-6-7

TABLE OF CONTENTS (cont'd)

Title	Page No.
6.4.1 - Flows (**)	E-2-6-7
6.4.2 - River Morphology (**)	E-2-6-8
6.4.3 - Temperature (**)	E-2-6-9
6.4.4 - Total Dissolved Gas Concentration (**)	E-2-6-10
6.4.5 - Ice (**)	E-2-6-12
6.4.6 - Groundwater Flow, Temperatures and Upwelling Rates (**)	E-2-6-12
6.4.7 - Suspended Sediment and Turbidity (**)	E-2-6-13
6.4.8 - Eutrophication Processes (**)	E-2-6-13
6.5 - Mitigation - Devil Canyon Stage II - Construction (**)	E-2-6-13
6.6 - Mitigation - Devil Canyon Stage II - Impoundment (**)	E-2-6-14
6.7 - Mitigation - Devil Canyon/Watana Operation (**)	E-2-6-14
6.7.1 - Flows (**)	E-2-6-14
6.7.2 - River Morphology (**)	E-2-6-14
6.7.3 - Temperature (**)	E-2-6-14
6.7.4 - Total Dissolved Gas Concentration (**)	E-2-6-15
6.7.5 - Ice (**)	E-2-6-15
6.7.6 - Groundwater Flow, Temperature and Upwelling Rates (***)	E-2-6-16
6.7.7 - Suspended Sediment and Turbidity	E-2-6-16
6.7.8 - Eutrophication Processes	E-2-6-16
6.8 - Mitigation - Watana Stage III - Construction (***)	E-2-6-16
6.9 - Mitigation - Watana Stage III Impoundment (***)	E-2-6-16
6.10 - Mitigation - Stage III Operation (***)	E-2-6-17
6.10.1 - Flows (***)	E-2-6-17
6.10.2 - River Morphology (***)	E-2-6-17
6.10.3 - Temperatures (***)	E-2-6-17
6.10.4 - Total Dissolved Gas Concentration (***)	E-2-6-18
6.10.5 - Ice (***)	E-2-6-18

TABLE OF CONTENTS (cont'd)

Title	Page No.
6.10.6 - Groundwater Flow, Temperature and Upwelling Rates (***)	E-2-6-18
6.10.7 - Suspended Sediment and Turbidity (***) .	E-2-6-19
6.10.8 - Eutrophication (***)	E-2-6-19
6.11 - Mitigation - Access Road and Transmission Lines (***)	E-2-6-19
7 - REFERENCES	E-2-7-1
8 - GLOSSARY	E-2-8-1

SUSITNA HYDROELECTRIC PROJECT
LICENSE APPLICATION

EXHIBIT E - CHAPTER 2
WATER USE AND QUALITY

LIST OF TABLES

Number	Title
E.2.2.1	SUSITNA RIVER REACH DEFINITIONS
E.2.2.2	REPRESENTATIVE BED MATERIAL SIZE DISTRIBUTION FOR SELECTED SLOUGHS, SIDE CHANNEL AND MAINSTREAM SITES
E.2.2.3	TRANSPORTABLE BED MATERIAL SIZES IN SELECTED SLOUGHS, SIDE CHANNEL AND MAINSTREAM SITES
E.2.2.4	PERIODS OF RECORD FOR GAGING STATIONS
E.2.2.5	USGS STREAMFLOW SUMMARY
E.2.2.6	WATANA NATURAL MONTHLY FLOWS
E.2.2.7	DEVIL CANYON NATURAL MONTHLY FLOWS
E.2.2.8	COMPUTED WEEKLY FLOWS FOR SUSITNA RIVER AT WATANA DAMSITE
E.2.2.9	COMPUTED WEEKLY FLOWS FOR SUSITNA RIVER AT DEVIL CANYON
E.2.2.10	GOLD CREEK NATURAL MONTHLY FLOWS
E.2.2.11	NATURAL WEEKLY FLOWS FOR SUSITNA RIVER AT GOLD CREEK
E.2.2.12	FILLED WEEKLY FLOWS FOR SUSITNA RIVER AT SUNSHINE
E.2.2.13	FILLED WEEKLY FLOWS FOR SUSITNA RIVER AT SUSITNA STATION
E.2.2.14	FILLED STREAMFLOW SUMMARY
E.2.2.15	CHULITNA NATURAL MONTHLY FLOWS
E.2.2.16	SUSITNA STATION NATURAL MONTHLY FLOWS
E.2.2.17	CHULITNA NATURAL MONTHLY FLOWS
E.2.2.18	TALKEETNA NATURAL MONTHLY FLOWS

LIST OF TABLES (cont'd)

Number	Title
E.2.2.19	INSTANTANEOUS PEAK FLOWS OF RECORD
E.2.2.20	FLOOD PEAKS FREQUENCY AT WATANA AND DEVIL CANYON
E.2.2.21	FLOOD VOLUME FREQUENCY AT WATANA AND DEVIL CANYON
E.2.2.22	COMPARISON OF SUSITNA REGIONAL FLOOD PEAK ESTIMATES WITH USGS FOR GOLD CREEK
E.2.2.23	HEC 2 WATER SURFACE ELEVATIONS
E.2.2.24	WATER SURFACE ELEVATIONS
E.2.2.25	DETECTION LIMITS AND CRITERIA FOR WATER QUALITY PARAMETERS
E.2.2.26	PARAMETERS EXCEEDING CRITERIA BY STATION AND SEASON
E.2.2.27	SUSITNA RIVER BETWEEN THE CHULITNA CONFLUENCE AND GOLD CREEK WATER SURFACE ELEVATIONS
E.2.2.28	MAJOR ANNUALLY RECURRING OPEN LEADS BETWEEN SUNSHINE AND DEVIL CANYON LOCATIONS AND DIMENSIONS ON MARCH 2, 1983
E.2.2.29	NUMBER OF BEDLOAD SAMPLES COLLECTED UP TO FEBRUARY 1984
E.2.2.30	WATER DISCHARGE AND ESTIMATED SEDIMENT TRANSPORT AT SELECTED SITES ON SUSITNA RIVER, MAY 1982 THROUGH SEPTEMBER 1
E.2.2.31	BEDLOAD SIZE DISTRIBUTION
E.2.2.32	BED MATERIAL SIZE DISTRIBUTION OF SUSITNA RIVER
E.2.2.33	SUSPENDED SEDIMENT CONCENTRATION
E.2.2.34	PARTICLE SIZE DISTRIBUTION OF SUSPENDED SEDIMENT
E.2.2.35	1982 TURBIDITY AND SUSPENDED SEDIMENT ANALYSIS
E.2.2.36	SUMMARY STATISTICS FOR HABITAT VARIABLES RECORDED ON THE

LIST OF TABLES (cont'd)

Number	Title
	BETWEEN THE CHULITNA RIVER CONFLUENCE AND DEVIL CANYON, MAY 18 TO SEPTEMBER 25, 1983
E.2.2.37	SUMMARY STATISTICS FOR HABITAT VARIABLES RECORDED ON THE SUSITNA RIVER BETWEEN THE CHULITNA RIVER CONFLUENCE AND DEVIL CANYON, MAY 14 THROUGH OCTOBER 6, 1984
E.2.2.38	SIGNIFICANT ION CONCENTRATIONS
E.2.2.39	LAKES POTENTIALLY IMPACTED BY ACCESS ROADS AND/OR TRANSMISSION LINES
E.2.2.40	STREAMS AND SLOUGHS TO BE PARTIALLY OR COMPLETELY INUNDATED BY WATANA RESERVOIR
E.2.2.41	STREAMS AND SLOUGHS TO BE PARTIALLY OR COMPLETELY INUNDATED BY DEVIL CANYON RESERVOIR
E.2.2.42	STREAMS AND SLOUGHS TO BE PARTIALLY OR COMPLETELY INUNDATED BY WATANA RESERVOIR
E.2.2.43	DOWNSTREAM TRIBUTARIES POTENTIALLY IMPACTED BY PROJECT OPERATION
E.2.2.44	SUMMARY OF SURFACE WATER AND GROUND WATER APPROPRIATIONS
E.2.2.45	WATER RIGHT APPROPRIATIONS ADJACENT TO THE SUSITNA RIVER
E.2.2.46	SUSITNA HYDROELECTRIC PROJECT PRIMARY ACTIVITIES FOR BOATS EXITING THE SUSITNA RIVER AT THREE LOCATIONS
E.2.2.47	BOATS WITH NAVIGATIONAL PROBLEMS BY EXIT LOCATION, 1984
E.2.2.48	TEMPORAL SALINITY ESTIMATES FOR SELECT COOK INLET LOCATIONS
E.2.2.49	ESTIMATED LOW AND HIGH FLOWS AT ACCESS ROUTE STREAM CROSSINGS
E.2.2.50	AVAILABLE STREAMFLOW RECORDS FOR MAJOR STREAMS CROSSED BY TRANSMISSION

LIST OF TABLES (cont'd)

Number	Title
E.2.3.1	RESERVOIR OPERATION LEVEL CONSTRAINTS
E.2.3.2	INFLUENCE OF MAINSTEM FLOW AND WATER QUALITY ON CHARACTERISTICS OF AQUATIC HABITAT TYPES
E.2.3.3	IMPORTANT USES OF HABITAT TYPES BY EVALUATION SPECIES
E.2.3.4	PRIMARY UTILIZATION OF SENSITIVE HABITAT TYPES BY EVALUATION SPECIES
E.2.3.5	STANDARD WATER WEEKS FOR ANY WATER YEAR N
E.2.3.6	FLOW CONSTRAINTS FOR ENVIRONMENTAL FLOW REQUIREMENT CASE E-I
E.2.3.7	FLOW CONSTRAINTS FOR ENVIRONMENTAL FLOW REQUIREMENT CASE E-II
E.2.3.8	FLOW CONSTRAINTS FOR ENVIRONMENTAL FLOW REQUIREMENT CASE E-III
E.2.3.9	FLOW CONSTRAINTS FOR ENVIRONMENTAL FLOW REQUIREMENT CASE E-IV
E.2.3.10	FLOW CONSTRAINTS FOR ENVIRONMENTAL FLOW REQUIREMENT CASE E-IVa
E.2.3.11	FLOW CONSTRAINTS FOR ENVIRONMENTAL FLOW REQUIREMENT CASE E-IVb
E.2.3.12	FLOW CONSTRAINTS FOR ENVIRONMENTAL FLOW REQUIREMENT CASE E-V
E.2.3.13	FLOW CONSTRAINTS FOR ENVIRONMENTAL FLOW REQUIREMENT CASE E-VI
E.2.3.14	ECONOMIC ANALYSIS OF ENVIRONMENTAL FLOW CASES, SHCA FORECAST
E.2.3.15	SUSITNA DEPENDABLE CAPACITY AND USABLE ENERGY PRODUCTION, SHCA FORECAST

LIST OF TABLES (cont'd)

Number	Title
E.2.3.15	ECONOMIC ANALYSIS OF FLOW CASES
E.2.3.16	DEPENDABLE CAPACITY AND ENERGY PRODUCTION
E.2.4.1	LINKED SYSTEM FOR ESTIMATING IMPACTS OF SUSITNA HYDROELECTRIC PROJECT ON WATER USE AND QUALITY
E.2.4.2	SUSITNA HYDROELECTRIC PROJECT CHARACTERISTICS USED IN PROJECT FLOW AND TEMPERATURE SIMULATIONS
E.2.4.3	SIMULATION OF WATANA STAGE I FILLING
E.2.4.4	WATER LEVEL AND DISCHARGE VARIATIONS AT RIVER MILE 130 FOR VARIOUS DAILY AVERAGE DISCHARGES AND DISCHARGE FLUCTUATIONS AT WATANA POWERHOUSE
E.2.4.5	FLUCTUATING WATER LEVEL - CASES ILLUSTRATED ON FIGURES E.2.4.19 THROUGH E.2.4.30
E.2.4.6	SURFACE AREA AT GIVEN DISCHARGE FOR VARIOUS SUSITNA RIVER DISCHARGES WITH-PROJECT WATANA MONTHLY FLOWS, STAGE I, WATANA (LOW) OPERATION, 1996 LOAD CONDITIONS
E.2.4.7	WITH PROJECT WATANA MONTHLY FLOWS (CFS), STAGE I
E.2.4.8	WITH-PROJECT GOLD CREEK MONTHLY FLOWS, STAGE I
E.2.4.9	WITH-PROJECT SUNSHINE MONTHLY FLOWS, STAGE I
E.2.4.10	WITH-PROJECT SUSITNA STATION MONTHLY FLOWS, STAGE I
E.2.4.11	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT WATANA, STAGE I OPERATION
E.2.4.12	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT GOLD CREEK, STAGE I OPERATION
E.2.4.13	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT SUNSHINE, STAGE I OPERATION

LIST OF TABLES (cont'd)

Number	Title
E.2.4.14	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT SUSITNA STATION, STAGE I OPERATION
E.2.4.15	FLOOD PEAK FREQUENCY DATA FOR INTERVENING AREAS
E.2.4.16	WATANA OUTLET WORKS OPERATION, STAGE I
E.2.4.17	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1981, CASE E-VI FLOW REQUIREMENTS, STAGE I
E.2.4.18	SIMULATED STREAM TEMPERATURES WEATHER PERIOD: SUMMER 1982, CASE E-VI FLOW REQUIREMENTS, STAGE I
E.2.4.19	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1981, CASE E-VI FLOW REQUIREMENTS, STAGE I
E.2.4.20	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1982, CASE I-I FLOW REQUIREMENTS, STAGE I
E.2.4.21	STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1981 NATURAL CONDITIONS
E.2.4.22	STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1982, NATURAL CONDITIONS
E.2.4.23	MAXIMUM SIMULATED RIVER STAGES, WINTER 1981-82, FLOW CASE E-VI, INFLOW-MATCHING
E.2.4.24	MAXIMUM SIMULATED RIVER STAGES, WINTER 1981-82, FLOW CASE E-A, INFLOW-MATCHING
E.2.4.25	SEDIMENT CONCENTRATION, STAGE I
E.2.4.26	SETTLING COLUMN RUN #1, TOTAL SUSPENDED SOLIDS AND TURBIDITY
E.2.4.27	SETTLING COLUMN RUN #2, TOTAL SUSPENDED SOLIDS AND TURBIDITY
E.2.4.28	AVERAGE TOTAL SUSPENDED SOLIDS AND TURBIDITY VALUES SETTLING COLUMN TESTS

LIST OF TABLES (cont'd)

Number	Title
E.2.4.23	MAXIMUM SIMULATED RIVER STAGES, WINTER 1981-82, FLOW CASE E-VI, INFLOW-MATCHING
E.2.4.24	MAXIMUM SIMULATED RIVER STAGES, WINTER 1981-82, FLOW CASE E-A, INFLOW-MATCHING
E.2.4.25	SEDIMENT CONCENTRATION, STAGE I
E.2.4.26	SETTLING COLUMN RUN #1, TOTAL SUSPENDED SOLIDS AND TURBIDITY
E.2.4.27	SETTLING COLUMN RUN #2, TOTAL SUSPENDED SOLIDS AND TURBIDITY
E.2.4.28	AVERAGE TOTAL SUSPENDED SOLIDS AND TURBIDITY VALUES SETTLING COLUMN TESTS
E.2.4.29	TROPHIC STATUS AND RATES OF ANNUAL PRIMARY PRODUCTIVITY OBSERVED IN VARIOUS LAKES, LAKE-RESERVOIRS AND RESERVOIRS IN TEMPERATE, SUBARCTIC AND ARCTIC REGIONS OF THE NORTHERN HEMISPHERE
E.2.4.30	PERCENT OF TIME NAVIGATION FLOWS EXCEEDED DURING STAGE I OPERATION
E.2.4.31	WITH-PROJECT WATANA MONTHLY FLOWS, STAGE II,
E.3.5.32	WITH-PROJECT DEVIL CANYON MONTHLY FLOWS, STAGE II,
E.2.4.33	WITH-PROJECT GOLD CREEK MONTHLY FLOWS, STAGE II,
E.2.4.34	WITH-PROJECT SUNSHINE MONTHLY FLOWS, STAGE II,
E.2.4.35	WITH-PROJECT SUSITNA STATION MONTHLY FLOWS, STAGE II,
E.2.4.36	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT DEVIL CANYON, STAGE II
E.2.4.37	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT GOLD CREEK, STAGE II

LIST OF TABLES (cont'd)

Number	Title
E.2.4.38	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT SUNSHINE, STAGE II
E.2.4.36	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT DEVIL CANYON, STAGE II
E.2.4.37	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT GOLD CREEK, STAGE II
E.2.4.38	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT SUNSHINE, STAGE II
E.2.4.39	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT SUSITNA STATION, STAGE II
E.2.4.40	DEVIL CANYON OUTLET WORKS OPERATION, STAGE II,
E.2.4.41	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1981, CASE E-VI FLOW REQUIREMENTS, STAGE II, 50 FT. DRAWDOWN AT DEVIL CANYON, 2 LEVEL INTAKE
E.2.4.42	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1982, CASE E-VI FLOW REQUIREMENTS, STAGE II, 50 FT DRAWDOWN AT DEVIL CANYON. 2 LEVEL INTAKE
E.2.4.43	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1981, CASE E-VI FLOW REQUIREMENTS, STAGE II, 50 FT DRAWDOWN AT DEVIL CANYON, 3 LEVEL INTAKE
E.2.4.44	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1982, CASE E-VI FLOW REQUIREMENTS, STAGE II, 50 FT DRAWDOWN, 3 LEVEL INTAKE
E.2.4.45	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1981, CASE E-VI FLOW REQUIREMENTS, STAGE II, 9 FT DRAWDOWN AT DEVIL CANYON, 2 LEVEL INTAKE

LIST OF TABLES (cont'd)

Number	Title
E.2.4.46	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1982, CASE E-VI FLOW REQUIREMENTS, STAGE II, 9 FT DRAWDOWN AT DEVIL CANYON, 2 LEVEL INTAKE
E.2.4.47	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1981, CASE E-I FLOW REQUIREMENTS, STAGE II, 50 FT DRAWDOWN AT DEVIL CANYON, 2 LEVELS OF PORTS
E.2.4.48	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1982, CASE E-I FLOW REQUIREMENTS, STAGE II, 50 FT DRAWDOWN AT DEVIL CANYON, 2 LEVELS OF PORTS
E.2.4.49	SEDIMENT CONCENTRATION STAGE II
E.2.4.50	PERCENT OF TIME NAVIGATION FLOWS EXCEEDED DURING STAGE II OPERATION
E.2.4.51	WITH-PROJECT WATANA MONTHLY FLOWS, EARLY STAGE III
E.2.4.52	WITH-PROJECT DEVIL CANYON MONTHLY FLOWS, EARLY STAGE
E.2.4.53	WITH-PROJECT GOLD CREEK MONTHLY FLOWS, EARLY STAGE III
E.2.4.54	WITH-PROJECT SUNSHINE MONTHLY FLOWS, EARLY STAGE III
E.2.4.55	WITH-PROJECT SUSITNA STATION MONTHLY FLOWS, EARLY STAGE III
E.2.4.56	WITH-PROJECT WATANA MONTHLY FLOWS, LATE STAGE III
E.2.4.57	WITH-PROJECT DEVIL CANYON MONTHLY FLOWS, LATE STAGE III
E.2.4.58	WITH-PROJECT GOLD CREEK MONTHLY FLOWS, LATE STAGE III
E.2.4.59	WITH-PROJECT SUNSHINE MONTHLY FLOWS, LATE STAGE III
E.2.4.60	WITH-PROJECT SUSITNA STATION MONTHLY FLOWS, LATE STAGE III
E.2.4.61	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT DEVIL CANYON, STAGE III

LIST OF TABLES (cont'd)

Number	Title
E.2.4.62	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT GOLD CREEK, STAGE III
E.2.4.63	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT SUNSHINE, STAGE III
E.2.4.64	MONTHLY MAXIMUM, MINIMUM AND MEAN FLOWS AT SUSITNA STATION, STAGE III
E.2.4.65	DEVIL CANYON OUTLET WORKS OPERATION, EARLY STAGE III
E.2.4.66	DEVIL CANYON OUTLET WORKS OPERATION, LATE STAGE II
E.2.4.67	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1981, CASE E-VI FLOW REQUIREMENTS, LATE STAGE III, 50 FT DRAWDOWN AT DEVIL CANYON, 2 LEVELS OF PORTS
E.2.4.68	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1982, CASE E-VI FLOW REQUIREMENTS, LATE STAGE III, 50 FT DRAWDOWN AT DEVIL CANYON, 2 LEVELS OF PORTS
E.2.4.69	STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1981, CASE E-VI FLOW REQUIREMENTNS, EARLY STAGE III
E.2.4.70	STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1982, CASE E-VI FLOW REQUIREMENTS, EARLY STAGE III
E.2.4.71	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1981, CASE E-I FLOW REQUIREMENTS, LATE STAGE III, 50 FT DRAWDOWN AT DEVIL CANYON, 2 LEVELS OF PORTS
E.2.4.72	SIMULATED STREAM TEMPERATURES, WEATHER PERIOD: SUMMER 1982, CASE E-I FLOW REQUIREMENTS, LATE STAGE III, 50 FT DRAWDOWN AT DEVIL CANYON, 2 LEVELS OF PORTS
E.2.4.73	SEDIMENT CONCENTRATION. STAGE III
E.2.4.74	PERCENT OF TIME NAVIGATION FLOWS EXCEEDED DURING STAGE III OPERATION

LIST OF FIGURES

Number	Title
E.2.2.1	STREAMFLOW GAGING AND WATER QUALITY MONITORING STATION
E.2.2.2	SINGLE-CHANNEL RIVER PATTERN
E.2.2.3	SPLIT CHANNEL RIVER PATTERN
E.2.2.4	BRAIDED-CHANNEL RIVER PATTERN
E.2.2.5	MULTI CHANNEL RIVER PATTERN
E.2.2.6	SUSITNA RIVER THALWEG DEADMAN CREEK TO DEVIL CREEK
E.2.2.7	SUSITNA RIVER THALWEG AND WATER SURFACE PROFILES DEVIL CANYON TO RIVER MILE 126
E.2.2.8	SUSITNA RIVER THALWEG AND WATER
E.2.2.9	SUSITNA RIVER THALWEG PROFILE SUNSHINE TO COOK INLET
E.2.2.10	CROSS SECTION NUMBER 32 NEAR SHERMAN CREEK (RIVER MILE 129.7)
E.2.2.11	BED MATERIAL SAMPLE SITE LOCATIONS
E.2.2.12	SUSITNA RIVER PLAN INDEX MAP
E.2.2.13	SUSITNA RIVER PLAN RIVER MILE 152 TO RIVER MILE 145
E.2.2.14	SUSITNA RIVER PLAN RIVER MILE 145 TO RIVER MILE 139
E.2.2.15	SUSITNA RIVER PLAN RIVER MILE 138 TO RIVER MILE 132
E.2.2.16	SUSITNA RIVER PLAN RIVER MILE 131 TO RIVER MILE 125
E.2.2.17	SUSITNA RIVER PLAN RIVER MILE 124 TO RIVER MILE 118
E.2.2.18	SUSITNA RIVER PLAN RIVER MILE 117 TO RIVER MILE 111
E.2.2.19	SUSITNA RIVER PLAN RIVER MILE 110 TO RIVER MILE 104
E.2.2.20	SUSITNA RIVER PLAN RIVER MILE 103 TO RIVER MILE 101

LIST OF FIGURES (cont'd)

Number	Title
E.2.2.21	SUSITNA RIVER PLAN RIVER MILE 100 TO RIVER MILE 97
E.2.2.22	SUSITNA HYDROELECTRIC PROJECT MAIN RIVER CHANNEL NEAR RIVER CROSS SECTION LRX 4
E.2.2.23	SUSITNA HYDROELECTRIC PROJECT MAIN CHANNEL BETWEEN RIVER CROSS SECTIONS LRX 12 AND LRX 13
E.2.2.24	SUSITNA HYDROELECTRIC PROJECT MAIN CHANNEL UPSTREAM FROM LANE CREEK
E.2.2.25	SUSITNA HYDROELECTRIC PROJECT MAIN CHANNEL NEAR AND UPSTREAM FROM 4TH OF JULY CREEK
E.2.2.26	SUSITNA HYDROELECTRIC PROJECT MAIN CHANNEL BETWEEN RIVER CROSS SECTIONS 46 AND 48
E.2.2.27	SLOUGH 9 THALWEG PROFILE
E.2.2.28	SLOUGH 9 CROSS SECTION
E.2.2.29	1964 NATURAL FLOWS CANTWELL, WATANA AND GOLD CREEK
E.2.2.30	1967 NATURAL FLOWS CANTWELL, WATANA AND GOLD CREEK
E.2.2.31	1970 NATURAL FLOWS CANTWELL, WATANA AND GOLD CREEK
E.2.2.32	ANNUAL FLOOD FREQUENCY CURVE SUSITNA RIVER NEAR DENALI
E.2.2.33	ANNUAL FLOOD FREQUENCY CURVE SUSITNA RIVER NEAR CANTWELL
E.2.2.34	ANNUAL FLOOD FREQUENCY CURVE MACLAREN RIVER NEAR PAXSON
E.2.2.35	ANNUAL FLOOD FREQUENCY CURVE CHULITNA RIVER NEAR TALKEETNA
E.2.2.36	ANNUAL FLOOD FREQUENCY CURVE TALKEETNA RIVER NEAR TALKEETNA
E.2.2.37	ANNUAL FLOOD FREQUENCY CURVE SKWENTNA RIVER NEAR SKWENTNA

LIST OF FIGURES (cont'd)

Number	Title
E.2.2.38	SUSITNA HYDROELECTRIC PROJECT FLOOD FREQUENCY CURVE SUSITNA RIVER AT GOLD CREEK
E.2.2.39	SUSITNA HYDROELECTRIC PROJECT FLOOD FREQUENCY CURVES FOR INTERVENING AREA BETWEEN CANTWELL AND GOLD CREEK ANNUAL SERIES
E.2.2.40	SUSITNA HYDROELECTRIC PROJECT FLOOD PEAK FREQUENCY CURVES FOR NATURAL AND WITH-PROJECT CONDITIONS AT SUNSHINE MAXIMUM OF ANNUAL AND JULY-SEPTEMBER SERIES
E.2.2.41	SUSITNA HYDROELECTRIC PROJECT FLOOD FREQUENCY CURVES AT SUSITNA STATION MAXIMUM OF ANNUAL AND JULY-SEPTEMBER SERIES
E.2.2.42	50-YEAR ANNUAL MAXIMUM FLOOD HYDROGRAPH AT WATANA
E.2.2.43	50-YEAR ANNUAL MAXIMUM FLOOD HYDROGRAPH AT DEVIL CANYON
E.2.2.44	MONTHLY AND ANNUAL FLOW DURATION CURVES SUSITNA RIVER NEAR DENALI, SUSITNA RIVER NEAR CANTWELL, SUSITNA RIVER AT GOLD CREEK
E.2.2.45	MONTHLY AND ANNUAL FLOW DURATION CURVES SUSITNA RIVER AT SUSITNA STATION
E.2.2.46	MONTHLY AND ANNUAL FLOW DURATION CURVES MACLAREN RIVER AT PAXSON
E.2.2.47	MONTHLY AND ANNUAL FLOW DURATION CURVES CHULITNA RIVER NEAR TALKEETNA, TALKEETNA RIVER NEAR TALKEETNA
E.2.2.48	SUSITNA RIVER AT GOLD CREEK HIGH-FLOW FREQUENCY CURVES JANUARY
E.2.2.49	SUSITNA RIVER AT GOLD CREEK HIGH-FLOW FREQUENCY CURVES FEBRUARY
E.2.2.50	SUSITNA RIVER AT GOLD CREEK HIGH-FLOW FREQUENCY CURVES MARCH

LIST OF FIGURES (cont'd)

Number	Title
E.2.2.51	SUSITNA RIVER AT GOLD CREEK HIGH-FLOW FREQUENCY CURVES APRIL
E.2.2.52	SUSITNA RIVER AT GOLD CREEK HIGH-FLOW FREQUENCY CURVES MAY
E.2.2.53	SUSITNA RIVER AT GOLD CREEK HIGH-FLOW FREQUENCY CURVES JUNE
E.2.2.54	SUSITNA RIVER AT GOLD CREEK HIGH-FLOW FREQUENCY CURVES JULY AND AUGUST
E.2.2.55	SUSITNA RIVER AT GOLD CREEK HIGH-FLOW FREQUENCY CURVES SEPTEMBER AND OCTOBER
E.2.2.56	SUSITNA RIVER AT GOLD CREEK HIGH-FLOW FREQUENCY CURVES NOVEMBER
E.2.2.57	SUSITNA RIVER AT GOLD CREEK HIGH-FLOW FREQUENCY CURVES DECEMBER
E.2.2.58	SUSITNA RIVER AT GOLD CREEK LOW-FLOW FREQUENCY CURVES JANUARY
E.2.2.59	SUSITNA RIVER AT GOLD CREEK LOW-FLOW FREQUENCY CURVES FEBRUARY
E.2.2.60	SUSITNA RIVER AT GOLD CREEK LOW-FLOW FREQUENCY CURVES MARCH
E.2.2.61	SUSITNA RIVER AT GOLD CREEK LOW-FLOW FREQUENCY CURVES APRIL
E.2.2.62	SUSITNA RIVER AT GOLD CREEK LOW-FLOW FREQUENCY CURVES MAY
E.2.2.63	SUSITNA RIVER AT GOLD CREEK LOW-FLOW FREQUENCY CURVES JUNE
E.2.2.64	SUSITNA RIVER AT GOLD CREEK LOW-FLOW FREQUENCY CURVES JULY AND AUGUST

LIST OF FIGURES (cont'd)

Number	Title
E.2.2.65	SUSITNA RIVER AT GOLD CREEK LOW-FLOW FREQUENCY CURVES SEPTEMBER AND OCTOBER
E.2.2.66	SUSITNA RIVER AT GOLD CREEK LOW-FLOW FREQUENCY CURVES NOVEMBER
E.2.2.67	SUSITNA RIVER AT GOLD CREEK LOW-FLOW FREQUENCY CURVES DECEMBER
E.2.2.68	BACKWATER PROFILES AT THE MOUTH OF SLOUGH 9
E.2.2.69	OBSERVED WATER SURFACE ELEVATIONS AT MOUTH OF SLOUGH 9 FOR ASSOCIATED MAINSTEM DISCHARGES AT GOLD CREEK
E.2.2.70	SUSITNA RIVER WATER TEMPERATURES SUMMER 1980
E.2.2.71	SUSITNA RIVER WATER TEMPERATURES SUMMER 1981
E.2.2.72	SUSITNA RIVER AT WATANA WEEKLY AVERAGE WATER TEMPERATURE 1981 WATER YEAR
E.2.2.73	SUSITNA RIVER - WATER TEMPERATURE GRADIENT
E.2.2.74	DATA SUMMARY - TEMPERATURE
E.2.2.75	LOCATION MAP FOR 1982 MID WINTER TEMPERATURE STUDY SITES
E.2.2.76	WINTER INTERGRAVEL WATER TEMPERATURES SIDE SLOUGH HABITATS
E.2.2.77	WINTER SURFACE WATER TEMPERATURES SIDE SLOUGH HABITATS
E.2.2.78	SUMMER SURFACE AND INTERGRAVEL TEMPERATURES SLOUGH 84
E.2.2.79	SUMMER SURFACE AND INTERGRAVEL TEMPERATURES SLOUGH 9
E.2.2.80	SUMMER SURFACE AND INTERGRAVEL TEMPERATURES SLOUGH 11
E.2.2.81	COMPARISON OF WEEKLY DIEL SURFACE WATER TEMPERATURE VARIATIONS IN SLOUGH 21 AND THE MAINSTREAM SUSITNA RIVER AT PORTAGE CREEK 1981

LIST OF FIGURES (cont'd)

Number	Title
E.2.2.82	SUSITNA RIVER, PORTAGE CREEK AND INDIAN RIVER WATER TEMPERATURES SUMMER 1982
E.2.2.83	DAILY WATER TEMPERATURES OF SUSITNA RIVER MAINSTEM AND INDIAN RIVER
E.2.2.84	DAILY TEMPERATURES OF MAINSTEM SUSITNA RIVER AND PORTAGE CREEK
E.2.2.85	COMPARISON OF 1982 TALKEETNA, CHULITNA, AND SUSITNA RIVER WATER TEMPERATURES
E.2.2.86	DAILY TEMPERATURES OF MAINSTEM SUSITNA RIVER, CHULITNA RIVER AND TALKEETNA RIVER
E.2.2.87	TEMPERATURE OF MAINSTEM SUSITNA RIVER AND YENTNA RIVER
E.2.2.88	WATER SURFACE PROFILES ON SUSITNA RIVER
E.2.2.89	RELATIONSHIP BETWEEN ARMORING SIZE AND RIVER DISCHARGE
E.2.2.90	SUSITNA RIVER SUSPENDED SEDIMENT CONCENTRATIONS
E.2.2.91	SUSPENDED SEDIMENT SIZE DISTRIBUTION SUSITNA RIVER
E.2.2.92	DATA SUMMARY - TURBIDITY
E.2.2.93	TURBIDITY VS. SUSPENDED SEDIMENT CONCENTRATION
E.2.2.94	MAINSTEM DISCHARGE, WATER TEMPERATURE, AND TURBIDITY RECORDED AT THE GOLD CREEK STATION, SUSITNA RIVER
E.2.2.95	TURBIDITY DATA SUMMARY SHOWING RANGE, 25TH, 50TH (MEDIAN), AND 75TH PERCENTILE FOR MAINSTEM AND TRIBUTARY STUDY SITES
E.2.2.96	TURBIDITY, WATER TEMPERATURE, AND SUSITNA RIVER DISCHARGE VS. TIME AT THE TALKEETNA FISHWHEEL CAMP
E.2.2.97	MAINSTEM DISCHARGE, WATER TEMPERATURE, AND TURBIDITY IN THE MIDDLE REACH OF THE SUSITNA RIVER, 1984

LIST OF FIGURES (cont'd)

Number	Title
E.2.2.98	RANGE OF TURBIDITY DURING UNBREACHED AND BREACHED CONDITIONS FOR SIDE SLOUGH HABITATS
E.2.2.99	RANGE OF TURBIDITY DURING UNBREACHED AND BREACHED CONDITIONS FOR SIDE SLOUGH HABITATS
E.2.2.100	AN EMPIRICALLY DERIVED, GENERALIZED RELATIONSHIP BETWEEN TURBIDITY AND THE MAXIMUM EUPHOTIC ZONE DEPTH
E.2.2.101	DATA SUMMARY - DISSOLVED OXYGEN
E.2.2.102	DATA SUMMARY - DISSOLVED OXYGEN % SATURATION
E.2.2.103	DISSOLVED OXYGEN DATA SUMMARY
E.2.2.104	DISSOLVED OXYGEN DATA SUMMARY
E.2.2.105	TOTAL DISSOLVED GAS (PERCENT SATURATION) VS. DISCHARGE
E.2.2.106	RELATIONSHIPS BETWEEN GAS CONCENTRATION AND DISTANCE DOWNSTREAM OF PROPOSED DEVIL CANYON DAM SITE
E.2.2.107	DATA SUMMARY - TOTAL PHOSPHORUS
E.2.2.108	DATA SUMMARY - ORTHOPHOSPHATE
E.2.2.109	DATA SUMMARY - NITRATE NITROGEN
E.2.2.110	DATA SUMMARY - NITRATE NITROGEN
E.2.2.111	DATA SUMMARY - TOTAL DISSOLVED SOLIDS
E.2.2.112	DATA SUMMARY - CONDUCTIVITY
E.2.2.113	CONDUCTIVITY DATA SUMMARY SHOWING RANGE, 25TH, 50TH (MEDIAN), AND 75TH PERCENTILE FOR MAINSTEM AND TRIBUTARY STUDY SITES
E.2.2.114	DATA SUMMARY - SULFATE
E.2.2.115	DATA SUMMARY - CHLORIDE

LIST OF FIGURES (cont'd)

Number	Title
E.2.2.116	DATA SUMMARY - CALCIUM (d)
E.2.2.117	DATA SUMMARY - MAGNESIUM (d)
E.2.2.118	DATA SUMMARY - SODIUM (d)
E.2.2.119	DATA SUMMARY - POTASSIUM (d)
E.2.2.120	DATA SUMMARY - HARDNESS
E.2.2.121	DATA SUMMARY - pH
E.2.2.122	pH DATA SUMMARY SHOWING RANGE, 25TH, 50TH (MEDIAN), AND 75TH PERCENTILE FOR MAINSTEM AND TRIBUTARY WATER QUALITY STUDY SITES
E.2.2.123	DATA SUMMARY - ALKALINITY
E.2.2.124	DATA SUMMARY - FREE CARBON DIOXIDE
E.2.2.125	DATA SUMMARY - TOTAL ORGANIC CARBON
E.2.2.126	DATA SUMMARY - CHEMICAL OXYGEN DEMAND
E.2.2.127	DATA SUMMARY - TRUE COLOR
E.2.2.128	DATA SUMMARY - ALUMINUM (d)
E.2.2.129	DATA SUMMARY - ALUMINUM (t)
E.2.2.130	DATA SUMMARY - BISMUTH (d)
E.2.2.131	DATA SUMMARY - CADMIUM (d)
E.2.2.132	DATA SUMMARY - CADMIUM (t)
E.2.2.133	DATA SUMMARY - COPPER (d)
E.2.2.134	DATA SUMMARY - COPPER (t)
E.2.2.135	DATA SUMMARY - IRON (t)

LIST OF FIGURES (cont'd)

Number	Title
E.2.2.136	DATA SUMMARY - LEAD (t)
E.2.2.137	DATA SUMMARY - MANGANESE (d)
E.2.2.138	DATA SUMMARY - MANGANESE (t)
E.2.2.139	DATA SUMMARY - MERCURY (d)
E.2.2.140	DATA SUMMARY - MERCURY (t)
E.2.2.141	DATA SUMMARY - NICKEL (t)
E.2.2.142	DATA SUMMARY - ZINC (d)
E.2.2.143	DATA SUMMARY - ZINC (t)
E.2.2.144	WATER BODIES TO BE INUNDATED BY STAGE I WATANA RESERVOIR
E.2.2.145	WATER BODIES TO BE INUNDATED BY STAGE II DEVIL CANYON RESERVOIR
E.2.2.146	WATER BODIES TO BE INUNDATED BY STAGE III WATANA RESERVOIR
E.2.2.147	TOWNSHIP GRIDS INVESTIGATED FOR WATER RIGHTS IN THE SUSITNA RIVER BASIN
E.2.2.148	SUSITNA RIVER PROPOSED HYDROELECTRIC DAM SITES AND BOAT LANDING SITES
E.2.2.149	SELECT LOCATIONS OF COOK INLET SALINITY ESTIMATES
E.2.2.150	TEMPORAL SALINITY ESTIMATES FOR COOK INLET NEAR THE SUSITNA RIVER MOUTH
E.2.3.1	AREA AND CAPACITY CURVES - DEVIL CANYON RESERVOIR
E.2.3.2	AREA AND CAPACITY CURVES - DEVIL CANYON RESERVOIR
E.2.3.3	ENVIRONMENTAL FLOW REQUIREMENTS - CASE E-I

LIST OF FIGURES (cont'd)

Number	Title
E.2.3.4	ENVIRONMENTAL FLOW REQUIREMENTS - CASE E-II
E.2.3.5	ENVIRONMENTAL FLOW REQUIREMENTS - CASE E-III
E.2.3.6	ENVIRONMENTAL FLOW REQUIREMENTS - CASE E-IV
E.2.3.7	ENVIRONMENTAL FLOW REQUIREMENTS - CASE E-IVa
E.2.3.8	ENVIRONMENTAL FLOW REQUIREMENTS - CASE E-IVb
E.2.3.9	ENVIRONMENTAL FLOW REQUIREMENTS - CASE E-V
E.2.3.10	ENVIRONMENTAL FLOW REQUIREMENTS - CASE E-VI
E.2.4.1	WATANA BORROW SITE MAP
E.2.4.2	WATANA BORROW SITE D
E.2.4.3	WATANA BORROW SITE E
E.2.4.4	FLOW VARIABILITY AT GOLD CREEK DURING WATANA FILLING
E.2.4.5	WATANA RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH
E.2.4.6	WATANA RESERVOIR TEMPERATURE PROFILES
E.2.4.7	WATANA RESERVOIR TEMPERATURE PROFILES
E.2.4.8	WATANA RESERVOIR TEMPERATURE PROFILES
E.2.4.9	WATANA RESERVOIR TEMPERATURE PROFILES
E.2.4.10	EKLUTNA LAKE LIGHT EXTINCTION IN SITU MEASUREMENTS
E.2.4.11	WATANA WATER SURFACE ELEVATION, STAGE I
E.2.4.12	WATANA WATER SURFACE ELEVATION MONTHLY SUMMARY, STAGE I
E.2.4.13	WATANA RESERVOIR INFLOW, STAGE I
E.2.4.14	WATANA RESERVOIR OUTFLOW, STAGE I

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.15	WATANA WATER SURFACE ELEVATION, E-1, STAGE I, LOAD YEAR 2001
E.2.4.16	WATANA WATER SURFACE ELEVATION, E-1, MONTHLY SUMMARY, STAGE I
E.2.4.17	WATANA RESERVOIR INFLOW, E-1, STAGE I
E.2.4.18	WATANA RESERVOIR OUTFLOW, E-1, STAGE I
E.2.4.19	DISCHARGE HYDROGRAPH AT LRX-23, RM 120.26, OXBOW II SIDE CHANNEL, CASE ACB
E.2.4.20	RIVER STAGE HYDROGRAPH AT LRX-23, RM 120.26, OXBOW II SIDE CHANNEL, CASE ACB
E.2.4.21	DISCHARGE HYDROGRAPH AT LRX-23, RM 120.26, OXBOW II SIDE CHANNEL, CASE ACC
E.2.4.22	RIVER STAGE HYDROGRAPH AT LRX-23, RM 120.26, OXBOW II SIDE CHANNEL, CASE ACC
E.2.4.23	DISCHARGE HYDROGRAPH AT LRX-23, RM 120.26, OXBOW II SIDE CHANNEL, CASE ACD
E.2.4.24	RIVER STAGE HYDROGRAPH AT LRX-23, RM 120.26, OXBOW II SIDE CHANNEL, CASE ACD
E.2.4.25	DISCHARGE HYDROGRAPH AT LRX-38, RM 132.90, 4TH OF JULY CREEK SIDE CHANNEL, CASE CBA
E.2.4.26	RIVER STAGE HYDROGRAPH AT LRX-38, RM 132.90, 4TH OF JULY CREEK SIDE CHANNEL, CASE CBA
E.2.4.27	DISCHARGE HYDROGRAPH AT LRX-38, RM 132.90, 4TH OF JULY CREEK SIDE CHANNEL, CASE CCB
E.2.4.28	RIVER STAGE HYDROGRAPH AT LRX-38, RM 132.90, 4TH OF JULY CREEK SIDE CHANNEL, CASE CCB
E.2.4.29	DISCHARGE HYDROGRAPH AT LRX-38, RM 132.90, 4TH OF JULY CREEK SIDE CHANNEL, CASE CCD

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.30	RIVER STAGE HYDROGRAPH AT LRX-38, RM 132.90, 4TH OF JULY CREEK SIDE CHANNEL, CASE CCD
E.2.4.31	MEAN WEEKLY WATER LEVEL DIFFERENCES AT SLOUGH 8 (RM 127.1) RESULTING FROM MEAN WEEKLY FLOW DIFFERENCES
E.2.4.32	MEAN WEEKLY WATER LEVEL DIFFERENCES AT SLOUGH 9 (RM 129.3) RESULTING FROM MEAN WEEKLY FLOW DIFFERENCES
E.2.4.33	MEAN WEEKLY WATER LEVEL DIFFERENCES AT SLOUGH 11 (RM 136.7) RESULTING FROM MEAN WEEKLY FLOW DIFFERENCES
E.2.4.34	MEAN WEEKLY WATER LEVEL DIFFERENCES AT SLOUGH 21 (RM 142.2) RESULTING FROM MEAN WEEKLY FLOW DIFFERENCES
E.2.4.35	SURFACE AREA VS. DISCHARGE, SUSITNA RIVER BETWEEN DEVIL CANYON AND CHULITNA RIVER
E.2.4.36	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY, STAGE I, E-VI FLOW REQUIREMENTS
E.2.4.37	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY, STAGE I, E-VI FLOW REQUIREMENTS
E.2.4.38	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY, STAGE I, E-VI FLOW REQUIREMENTS
E.2.4.39	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY, STAGE I, E-VI FLOW REQUIREMENTS
E.2.4.40	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY, STAGE I, E-VI FLOW REQUIREMENTS
E.2.4.41	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 124.4, STAGE I
E.2.4.42	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 130.9, STAGE I
E.2.4.43	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 142.3, STAGE I

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.44	AVERAGE WEEKLY SUSITNA RIVER STREAMFLOWS EXCEEDED 6%, 50% AND 97% OF THE TIME AT GOLD CREEK, STAGE I, E-VI FLOW REQUIREMENTS
E.2.4.45	AVERAGE WEEKLY SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME AT GOLD CREEK, STAGE I, E-VI FLOW REQUIREMENTS
E.2.4.46	AVERAGE WEEKLY SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME AT GOLD CREEK, STAGE I, E-VI FLOW REQUIREMENTS
E.2.4.47	AVERAGE WEEKLY SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME AT GOLD CREEK, STAGE I, E-VI FLOW REQUIREMENTS
E.2.4.48	AVERAGE WEEKLY SUSITNA RIVER STREAMFLOWS EXCEEDED 6%, 50% AND 97% OF THE TIME AT GOLD CREEK, STAGE I, E-I FLOW REQUIREMENTS
E.2.4.49	AVERAGE WEEKLY SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME AT GOLD CREEK, STAGE I
E.2.4.50	AVERAGE WEEKLY SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME AT GOLD CREEK, STAGE I
E.2.4.51	AVERAGE WEEKLY SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME AT GOLD CREEK, STAGE I
E.2.4.52	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY, STAGE I
E.2.4.53	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY, STAGE I
E.2.4.54	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY, STAGE I
E.2.4.55	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY, STAGE I
E.2.4.56	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY, STAGE I
E.2.4.57	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT WATANA DAMSITE, STAGE I

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.58	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT GOLD CREEK, STAGE I
E.2.4.59	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT SUNSHINE, STAGE I
E.2.4.60	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT SUSITNA STATION, STAGE I
E.2.4.61	WATER TEMPERATURE PROFILES, BRADLEY LAKE, ALASKA
E.2.4.62	EKLUTNA LAKE OBSERVED AND PREDICTED TEMPERATURE PROFILES, JUNE AND JULY, 1982
E.2.4.63	EKLUTNA LAKE OBSERVED AND PREDICTED TEMPERATURE PROFILES, AUGUST AND SEPTEMBER, 1982
E.2.4.64	EKLUTNA LAKE OBSERVED AND PREDICTED TEMPERATURE PROFILES, OCTOBER AND NOVEMBER, 1982
E.2.4.65	LAKE WILLISTON TEMPERATURE PROFILES, APRIL 14-15, 1982
E.2.4.66	WATANA MULTILEVEL INTAKE STAGE I AND II
E.2.4.67	EKLUTNA LAKE MODEL CALIBRATION, JUNE THROUGH NOVEMBER, 1982
E.2.4.68	EKLUTNA LAKE MODEL CALIBRATION, DECEMBER THROUGH MAY, 1982
E.2.4.69	WATANA RESERVOIR TEMPERATURE PROFILES, STAGE I
E.2.4.70	WATANA RESERVOIR TEMPERATURE PROFILES, STAGE I
E.2.4.71	WATANA RESERVOIR TEMPERATURE PROFILES, STAGE I
E.2.4.72	WATANA RESERVOIR TEMPERATURE PROFILES, STAGE I
E.2.4.73	WATANA RESERVOIR TEMPERATURE PROFILES, STAGE I
E.2.4.74	WATANA RESERVOIR TEMPERATURE PROFILES, STAGE I
E.2.4.75	STAGE I WATANA RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, E-VI

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.76	STAGE I WATANA RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, E-VI
E.2.4.77	SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 150, STAGE I
E.2.4.78	SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 130, STAGE I
E.2.4.79	SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 100, STAGE I
E.2.4.80	SUSITNA RIVER TEMPERATURES AT RIVER MILE 130, NATURAL CONDITIONS
E.2.4.81	SUSITNA RIVER TEMPERATURES AT RIVER MILE 130, WATANA OPERATING
E.2.4.82	SUSITNA RIVER TEMPERATURES AT RIVER MILE 84, NATURAL CONDITIONS
E.2.4.83	SUSITNA RIVER TEMPERATURES AT RIVER MILE 84, WATANA OPERATING
E.2.4.84	SIMULATED TEMPERATURES AT RIVER MILE 130, VARIOUS INTAKE OPERATING POLICIES
E.2.4.85	SIMULATED TEMPERATURES AT RIVER MILE 130, VARIOUS INTAKE OPERATING POLICIES
E.2.4.86	SIMULATED TEMPERATURES AT RIVER MILE 130, VARIOUS INTAKE OPERATING POLICIES
E.2.4.87	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 150, STAGE I
E.2.4.88	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 130, STAGE I
E.2.4.89	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 100, STAGE I
E.2.4.90	SIMULATED RIVER ICE CONDITIONS, STAGE I VS. NATURAL 1981-82 WEATHER CONDITIONS, CASE E-VI FLOWS

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.91	SIMULATED RIVER ICE CONDITIONS, STAGE I, 1981-82 WEATHER CONDITIONS, CASE E-I VS. CASE E-VI
E.2.4.92	EAST FORK EKLUTNA CREEK SUSPENDED SEDIMENT PARTICLE SIZE DISTRIBUTION
E.2.4.93	GLACIER FORK EKLUTNA CREEK SUSPENDED SEDIMENT PARTICLE SIZE DISTRIBUTION
E.2.4.94	STOKES LAW FOR FALL VELOCITIES, VARIATIONS WITH RESPECT TO TEMPERATURE AND PARTICLE DENSITY
E.2.4.95	EKLUTNA LAKE OUTFLOW SUSPENDED SEDIMENT
E.2.4.96	SUSPENDED SEDIMENT SIZE DISTRIBUTION, SUSITNA RIVER NEAR CANTWELL
E.2.4.97	SUSPENDED SEDIMENT RATING CURVE AT USGS GAGING STATION, SUSITNA RIVER NEAR CANTWELL
E.2.4.98	WATANA RESERVOIR OUTFLOW SUSPENDED SOLIDS, HIGH INFLOW YEAR
E.2.4.99	WATANA RESERVOIR OUTFLOW SUSPENDED SOLIDS, LOW INFLOW YEAR
E.2.4.100	WATANA RESERVOIR OUTFLOW SUSPENDED SOLIDS, AVERAGE INFLOW YEAR
E.2.4.101	ISO-TURBIDITY VS. TIME, EKLUTNA LAKE AT STATION 9, 1982
E.2.4.102	ISO-TURBIDITY VS. TIME, EKLUTNA LAKE AT STATION 9, 1983
E.2.4 103	ISO-TURBIDITY VS. TIME, EKLUTNA LAKE AT STATION 9, 1984
E.2.4.104	TURBIDITY VS. SUSPENDED SEDIMENT CONCENTRATION, SUSITNA RIVER
E.2.4.105	TURBIDITY VS. SUSPENDED SEDIMENT CONCENTRATION IN SEVERAL ALASKAN RIVERS

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.106	TURBIDITY VS. SUSPENDED SEDIMENT CONCENTRATION, EAST FORK TRIBUTARY TO EKLUTNA LAKE, 1984
E.2.4.107	TURBIDITY VS. SUSPENDED SEDIMENT CONCENTRATION, GLACIER FORK TRIBUTARY TO EKLUTNA LAKE, 1984
E.2.4.108	TURBIDITY VS. SUSPENDED SEDIMENT CONCENTRATION, EKLUTNA LAKE
E.2.4.109	TURBIDITY VS. SUSPENDED SEDIMENT CONCENTRATION, EKLUTNA LAKE POWERHOUSE TAILRACE, 1984
E.2.4.110	EMPIRICAL RELATIONSHIP OF NATURALLY OCCURRING TURBIDITY VERSUS SUSPENDED SEDIMENT CONCENTRATION FOR RIVERS AND LAKES IN ALASKA
E.2.4.111	DEVIL CANYON BORROW SITE G
E.2.4.112	DEVIL CANYON BORROW SITE MAP
E.2.4.113	DEVIL CANYON QUARRY SITE K
E.2.4.114	WATANA WATER SURFACE ELEVATION, STAGE II
E.2.4.115	WATANA WATER SURFACE ELEVATION, MONTHLY SUMMARY, STAGE II
E.2.4.116	WATANA RESERVOIR INFLOW, STAGE II
E.2.4.117	WATANA RESERVOIR OUTFLOW, STAGE II
E.2.4.118	DEVIL CANYON WATER SURFACE ELEVATION, STAGE II
E.2.4.119	DEVIL CANYON WATER SURFACE ELEVATION, MONTHLY SUMMARY, STAGE II
E.2.4.120	DEVIL CANYON RESERVOIR INFLOW, STAGE II
E.2.4.121	DEVIL CANYON RESERVOIR OUTFLOW, STAGE II
E.2.4.122	WATANA WATER SURFACE ELEVATION, E-1, STAGE II

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.123	WATANA WATEP SURFACE ELEVATION, MONTHLY SUMMARY, E-1, STAGE II
E.2.4.124	WATANA RESERVOIR INFLOW, E-1, STAGE II
E.2.4.125	WATANA RESERVOIR OUTFLOW, E-1, STAGE II
E.2.4.126	DEVIL CANYON WATER SURFACE ELEVATION, E-1, STAGE II
E.2.4.127	DEVIL CANYON WATER SURFACE ELEVATION, MONTHLY SUMMARY, E-1, STAGE II
E.2.4.128	DEVIL CANYON RESERVOIR INFLOW, E-1, STAGE II
E.2.4.129	DEVIL CANYON RESERVOIR OUTFLOW, E-1, STAGE II
E.2.4.130	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY, STAGE II, E-VI FLOW REQUIREMENTS
E.2.4.131	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY, STAGE II, E-VI FLOW REQUIREMENTS
E.2.4.132	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY, STAGE II, E-VI FLOW REQUIREMENTS
E.2.4.133	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY, STAGE II, E-VI FLOW REQUIREMENTS
E.2.4.134	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY, STAGE II, E-VI FLOW REQUIREMENTS
E.2.4.135	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 124.4, STAGE II
E.2.4.136	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 130.9, STAGE II
E.2.4.137	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 142.3, STAGE II
E.2.4.138	SUSITNA RIVER STREAMFLOWS EXCEEDED 6%, 50% AND 97% OF THE TIME AT GOLD CREEK, STAGE II, E-VI FLOW REQUIREMENTS

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.139	SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME AT GOLD CREEK, STAGE II, E-VI FLOW REQUIREMENTS
E.2.4.140	SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME AT GOLD CREEK, STAGE II, E-VI FLOW REQUIREMENTS
E.2.4.141	SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME AT GOLD CREEK, STAGE II, E-VI FLOW REQUIREMENTS
E.2.4.142	SUSITNA RIVER STREAMFLOWS EXCEEDED 6%, 50% AND 97% OF THE TIME AT GOLD CREEK, STAGE II, E-I FLOW REQUIREMENTS
E.2.4.143	SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME AT GOLD CREEK, STAGE II
E.2.4.144	SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME AT GOLD CREEK, STAGE II
E.2.4.145	SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME AT GOLD CREEK, STAGE II
E.2.4.146	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY, STAGE II
E.2.4.147	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY, STAGE II
E.2.4.148	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY, STAGE II
E.2.4.149	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY, STAGE II
E.2.4.150	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY, STAGE II
E.2.4.151	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT WATANA DAMSITE, STAGE II
E.2.4.152	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT DEVIL CANYON DAMSITE, STAGE II

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.153	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT GOLD CREEK, STAGE II
E.2.4.154	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT SUNSHINE, STAGE II
E.2.4.155	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT SUSITNA STATION, STAGE II
E.2.4.156	DEVIL CANYON POWER INTAKE
E.2.4.157	STAGE II DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, (E-VI), TWO LEVEL INTAKE, PROPOSED PROJECT
E.2.4.158	STAGE II DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, (E-VI), TWO LEVEL INTAKE, PROPOSED PROJECT
E.2.4.159	STAGE II DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, (E-VI), THREE LEVEL INTAKE
E.2.4.160	STAGE II DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, (E-VI), THREE LEVEL INTAKE
E.2.4.161	STAGE II DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, (E-VI), 9 FOOT DRAWDOWN
E.2.4.162	STAGE II DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, (E-VI), 9 FOOT DRAWDOWN
E.2.4.163	STAGE II DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, (E-I)
E.2.4.164	STAGE II DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH (E-I)
E.2.4.165	DEVIL CANYON RESERVOIR TEMPERATURE PROFILES, CASE E-VI STAGE II
E.2.4.166	DEVIL CANYON RESERVOIR TEMPERATURE PROFILES, CASE E-VI STAGE II

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.167	DEVIL CANYON RESERVOIR TEMPERATURE PROFILES, CASE E-VI STAGE II
E.2.4.168	DEVIL CANYON RESERVOIR TEMPERATURE PROFILES, CASE E-VI STAGE II
E.2.4.169	DEVIL CANYON RESERVOIR TEMPERATURE PROFILES, CASE E-VI, STAGE II
E.2.4.170	DEVIL CANYON RESERVOIR TEMPERATURE PROFILES, CASE E-VI, STAGE II
E.2.4.171	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 150, STAGE II
E.2.4.172	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 130, STAGE II
E.2.4.173	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 100, STAGE II
E.2.4.174	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 150, STAGE II
E.2.4.175	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 130, STAGE II
E.2.4.176	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 100, STAGE II
E.2.4.177	SUSITNA RIVER TEMPERATURES AT RIVER MILE 130, WATANA AND DEVIL CANYON OPERATING
E.2.4.178	SUSITNA RIVER TEMPERATURES AT RIVER MILE 84, WATANA AND DEVIL CANYON OPERATING
E.2.4.179	SIMULATED TEMPERATURES AT RIVER MILE 130, VARIOUS INTAKE OPERATING POLICIES
E.2.4.180	SIMULATED TEMPERATURES AT RIVER MILE 130, VARIOUS INTAKE OPERATING POLICIES

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.181	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 150, STAGE II
E.2.4.182	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 130, STAGE II
E.2.4.183	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 100, STAGE II
E.2.4.184	SIMULATED RIVER ICE CONDITIONS, STAGE II VS. NATURAL 1981-82 WEATHER CONDITIONS, CASE E-VI FLOWS
E.2.4.185	SIMULATED RIVER ICE CONDITIONS, STAGE II, 1981-82 WEATHER CONDITIONS, CASE E-I VS. CASE E-VI
E.2.4.186	WATANA RESERVOIR OUTFLOW SUSPENDED SOLIDS, STAGE II, AVERAGE YEAR
E.2.4.187	DEVIL CANYON OUTFLOW SUSPENDED SOLIDS, STAGE II, AVERAGE YEAR
E.2.4.188	WATANA QUARRY SITE A PLAN AND SECTIONS
E.2.4.189	WATANA WATER SURFACE ELEVATION, EARLY STAGE III
E.2.4.190	WATANA WATER SURFACE ELEVATION, MONTHLY SUMMARY, EARLY STAGE III
E.2.4.191	WATANA RESERVOIR INFLOW, EARLY STAGE III
E.2.4.192	WATANA RESERVOIR OUTFLOW, EARLY STAGE III
E.2.4.193	DEVIL CANYON WATER SURFACE ELEVATION, EARLY STAGE III
E.2.4.194	DEVIL CANYON WATER SURFACE ELEVATION, MONTHLY SUMMARY, EARLY STAGE III
E.2.4.195	DEVIL CANYON RESERVOIR INFLOW, EARLY STAGE III
E.2.4.196	DEVIL CANYON RESERVOIR OUTFLOW, EARLY STAGE III
E.2.4.197	WATANA WATER SURFACE ELEVATION, LATE STAGE III

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.198	WATANA WATER SURFACE ELEVATION, MONTHLY SUMMARY, LATE STAGE III
E.2.4.199	WATANA RESERVOIR INFLOW, LATE STAGE III
E.2.4.200	WATANA RESERVOIR OUTFLOW, LATE STAGE III
E.2.4.201	DEVIL CANYON WATER SURFACE ELEVATION, LATE STAGE III
E.2.4.202	DEVIL CANYON WATER SURFACE ELEVATION, MONTHLY SUMMARY, LATE STAGE III
E.2.4.203	DEVIL CANYON RESERVOIR INFLOW, LATE STAGE III
E.2.4.204	DEVIL CANYON RESERVOIR OUTFLOW, LATE STAGE III
E.2.4.205	WATANA WATER SURFACE ELEVATION, E-I FLOW REQUIREMENTS, LATE STAGE III
E.2.4.206	DEVIL CANYON WATER SURFACE ELEVATION, E-1 FLOW REQUIREMENTS, LATE STAGE III
E.2.4.207	WATANA WATER SURFACE ELEVATION, MONTHLY SUMMARY, E-1 FLOW REQUIREMENTS, LATE STAGE III
E.2.4.208	DEVIL CANYON WATER SURFACE ELEVATION, MONTHLY SUMMARY, E-1 FLOW REQUIREMENTS, LATE STAGE III
E.2.4.209	WATANA RESERVOIR INFLOW, E-1 FLOW REQUIREMENTS, LATE STAGE III
E.2.4.210	WATANA RESERVOIR OUTFLOW, E-1 FLOW REQUIREMENTS, LATE STAGE III
E.2.4.211	DEVIL CANYON RESERVOIR INFLOW, E-1 FLOW REQUIREMENTS, LATE STAGE III
E.2.4.212	DEVIL CANYON RESERVOIR OUTFLOW, E-1 FLOW REQUIREMENTS, LATE STAGE III
E.2.4.213	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY, LATE STAGE III

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.214	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY, LATE STAGE III, E-VI FLOW REQUIREMENTS
E.2.4.215	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY, LATE STAGE III, E-VI FLOW REQUIREMENTS
E.2.4.216	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY, LATE STAGE III, E-VI FLOW REQUIREMENTS
E.2.4.217	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY, LATE STAGE III, E-VI FLOW REQUIREMENTS
E.2.4.218	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY, LATE STAGE III,
E.2.4.219	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY, LATE STAGE III
E.2.4.220	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY, LATE STAGE III,
E.2.4.221	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY, LATE STAGE III
E.2.4.222	AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY, LATE STAGE III
E.2.4.223	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 124.4, EARLY STAGE III
E.2.4.224	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 130.9, EARLY STAGE III
E.2.4.225	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 142.3 EARLY STAGE III
E.2.4.226	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 124.4, LATE STAGE III

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.227	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 130.9, LATE STAGE III
E.2.4.228	WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 142.3, LATE STAGE III
E.2.4.229	SUSITNA RIVER STREAMFLOWS EXCEEDED 6%, 50% AND 97% OF THE TIME AT GOLD CREEK, EARLY STAGE III
E.2.4.230	SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME AT GOLD CREEK, EARLY STAGE III
E.2.4.231	SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME AT GOLD CREEK, EARLY STAGE III
E.2.4.232	SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME AT GOLD CREEK, EARLY STAGE III
E.2.4.233	SUSITNA RIVER STREAMFLOWS EXCEEDED 6%, 50% AND 97% OF THE TIME AT GOLD CREEK, LATE STAGE III
E.2.4.234	SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME AT GOLD CREEK, LATE STAGE III
E.2.4.235	SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME AT GOLD CREEK, LATE STAGE III
E.2.4.236	SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME AT GOLD CREEK, LATE STAGE III
E.2.4.237	SUSITNA RIVER STREAMFLOWS EXCEEDED 6%, 50% AND 97% OF THE TIME AT GOLD CREEK, LATE STAGE III
E.2.4.238	SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME AT GOLD CREEK, LATE STAGE III
E.2.4.239	SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME AT GOLD CREEK, LATE STAGE III
E.2.4.240	SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME AT GOLD CREEK, LATE STAGE III

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.241	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT WATANA DAMSITE, EARLY STAGE III
E.2.4.242	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT DEVIL CANYON DAMSITE, EARLY STAGE III
E.2.4.243	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT GOLD CREEK, EARLY STAGE III
E.2.4.244	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT SUNSHINE, EARLY STAGE III
E.2.4.245	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT SUSITNA STATION, EARLY STAGE III
E.2.4.246	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT WATANA DAMSITE, LATE STAGE III
E.2.4.247	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT DEVIL CANYON DAMSITE, LATE STAGE III
E.2.4.248	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT GOLD CREEK, LATE STAGE III
E.2.4.249	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT SUNSHINE, LATE STAGE III
E.2.4.250	FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE, SUSITNA RIVER AT SUSITNA STATION, LATE STAGE III
E.2.4.251	WATANA MULTILEVEL INTAKE, STAGE III
E.2.4.252	LATE STAGE III DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, E-VI
E.2.4.253	LATE STAGE III DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, E-VI
E.2.4.254	EARLY STAGE III DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, E-VI

LIST OF FIGURES (cont'd)

Number	Title
E.2.4.255	EARLY STAGE III DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, E-VI
E.2.4.256	LATE STAGE III DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, E-I
E.2.4.257	LATE STAGE III DEVIL CANYON RESERVOIR OUTFLOW TEMPERATURE AND ICE GROWTH, E-I
E.2.4.258	WATANA RESERVOIR TEMPERATURE PROFILES, LATE STAGE III
E.2.4.259	WATANA RESERVOIR TEMPERATURE PROFILES, LATE STAGE III
E.2.4.260	WATANA RESERVOIR TEMPERATURE PROFILES, LATE STAGE III
E.2.4.261	WATANA RESERVOIR TEMPERATURE PROFILES, LATE STAGE III
E.2.4.262	WATANA RESERVOIR TEMPERATURE PROFILES, LATE STAGE III
E.2.4.263	WATANA RESERVOIR TEMPERATURE PROFILES, LATE STAGE III
E.2.4.264	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 150, LATE STAGE III
E.2.4.265	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 130, LATE STAGE III
E.2.4.266	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 100, LATE STAGE III
E.2.4.267	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 150, LATE AND EARLY STAGE III
E.2.4.268	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 130, LATE AND EARLY STAGE III
E.2.4.269	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 100, LATE AND EARLY STAGE III
E.2.4.270	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 150, LATE STAGE III, E-I FLOW REQUIREMENTS


LIST OF FIGURES (cont'd)

Number	Title
E.2.4.271	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 130, LATE STAGE III, E-I FLOW REQUIREMENTS
E.2.4.272	SIMULATED SUSITNA RIVER TEMPERATURES, RIVER MILE 100, LATE STAGE III, E-I FLOW REQUIREMENTS
E.2.4.273	SUSITNA RIVER TEMPERATURES AT RIVER MILE 130, WATANA AND DEVIL CANYON OPERATING
E.2.4.274	SUSITNA RIVER TEMPERATURES AT RIVER MILE 84, WATANA AND DEVIL CANYON OPERATING
E.2.4.275	SIMULATED RIVER ICE CONDITIONS, STAGE III VS. NATURAL 1981-82 WEATHER CONDITIONS, CASE E-VI FLOWS
E.2.4.276	SIMULATED RIVER ICE CONDITIONS, STAGE III, 1981-82 WEATHER CONDITIONS, CASE E-1 VS. CASE E-VI
E.2.4.277	STAGE III DEVIL CANYON RESERVOIR OUTFLOW SUSPENDED SOLIDS, AVERAGE YEAR
E.2.4.278	STAGE III DEVIL CANYON RESERVOIR OUTFLOW SUSPENDED SOLIDS, AVERAGE YEAR
E.2.4.279	STAGE III WATANA RESERVOIR OUTFLOW SUSPENDED SOLIDS, AVERAGE YEAR
E.2.4.280	STAGE III WATANA RESERVOIR OUTFLOW SUSPENDED SOLIDS, AVERAGE YEAR

EXHIBIT E - CHAPTER 2
WATER USE AND QUALITY


LIST OF PHOTOS


Number	Title
E.2.2.1	FRAZIL ICE UPSTREAM FROM WATANA
E.2.2.2	ICE COVER DOWNSTREAM FROM WATANA SHOWING NATURAL LODGEMENT POINT
E.2.2.3	SLOUGH 9 APPROXIMATELY 3,500 FEET UPSTREAM FROM SLOUGH MOUTH, DECEMBER 1982
E.2.2.4	SLOUGH 8A FREEZE-UP, DECEMBER 1982
E.2.2.5	SLOUGH 8A NEAR LRX-29 LOOKING UPSTREAM
E.2.2.6	SLOUGH 8A
E.2.2.7	SLOUGH 8A SHOWING FLOODING DURING FREEZE-UP
E.2.2.8	ENLARGEMENT OF PHOTO E.2.2.7 SHOWING TURBULENT FLOW




2 - WATER USE AND QUALITY

FIGURES







LEGEND

BORROW/QUARRY SITE


NOTE:

1. PROPOSED SOURCE OF IMPERVIOUS MATERIAL IN ALL THREE PROJECT STAGES.
2. PROPOSED SOURCE OF AGGREGATE AND FILTER MATERIAL IN STAGES I AND III.
3. PROPOSED SOURCE OF ROCKFILL IN STAGE III ONLY.
4. REQUIRED EXCAVATIONS WILL SATISFY ALL STAGE I ROCKFILL REQUIREMENTS.

SCALE 0 1 2 MILES

WATANA BORROW SITE MAP

FIGURE E.2.4.1



N 3,230,000

N 3,232,000

N 3,234,000

N 3,236,000

N 3,238,000

E 754,000

E 752,000

E 750,000

E 748,000

E 746,000

FLOW

CONTOURS OMITTED FOR CLARITY

BORROW SITE D

PHOTO

DEADMAN CREEK

1500

1900

2000

2100

2200

2225

2300

2350

2400

x 2275

x 2231

x 2253

LEGEND

BORROW SITE LIMIT

NOTES


1. MOST OF BORROW SITE LIES OUTSIDE OF PROPOSED STAGE III WATANA RESERVOIR LIMITS.
2. BORROW MATERIAL IS COMPRISED OF UP TO 600 FEET OF GLACIAL TILL, OUTWASH, AND ALLUVIUM.
3. CONTOUR INTERVAL 25 FEET, REDUCED AND TRACED FROM REFERENCED BASE MAPS.
4. PHOTO TAKEN AUGUST, 1981.
5. BORROW SITE D IS A POTENTIAL SOURCE OF IMPERVIOUS MATERIAL.

SCALE 0 400 800 FEET

REFERENCE: BASE MAP FROM 1978, COE - 1" = 200' DAMSITE TOPOGRAPHY, SHEETS 13-15, 18-20 OF 26

WATANA
BORROW SITE D

FIGURE E.2.4.2



NOTES


1. PORTIONS OF BORROW SITE LIE WITHIN THE PROPOSED DEVIL CANYON RESERVOIR LIMITS.
2. MATERIAL LIMITS BASED ON FIELD EXPLORATION, MAPPING AND AIR PHOTO INTERPRETATION. FINAL LIMITS OF BORROW MATERIALS SUBJECT TO RESULTS OF DESIGN INVESTIGATIONS.
3. CONTOUR INTERVAL 25', TRACED AND/OR REDUCED FROM REFERENCED BASE MAPS.
4. PHOTO TAKEN AUGUST, 1981.
5. BORROW SITE E IS A POTENTIAL SOURCE OF FILTER MATERIAL AND CONCRETE AGGREGATE.

SCALE 0 400 800 FEET

REFERENCES: BASE MAP FROM COE, 1978 - 1" = 200' WATANA TOPOGRAPHY, SHEET 6 & 11 OF 26
R&M, 1981 - 1" = 400' DEVIL CANYON RESERVOIR MAPPING, FLIGHT 5 (6-8), MANUSCRIPT 2
COORDINATES IN FEET, ALASKA STATE PLANE (ZONE 4)

WATANA
BORROW SITE E

FIGURE E.2.4.3



LEGEND:


- AUGUST 1958 FLOWS
- ① FILLING SEQUENCE 1, AUGUST 1958 FLOWS – WATANA MINIMUM STORAGE CRITERIA VIOLATED
- ② FILLING SEQUENCE 2, AUGUST 1958 FLOWS – WATANA CAPABLE OF ABSORBING HYDROGRAPH

NOTES:

1. WATANA FLOW ASSUMED TO BE 84 % OF GOLD CREEK FLOW.
2. RESERVOIR FILLING CRITERIA EXCEEDED WITH SEQUENCE ①
3. NEGLIGIBLE CHANGE IN DAM HEIGHT DURING FLOOD EVENT
4. MAXIMUM RELEASE AT WATANA 31,000 CFS (COMBINED POWERHOUSE AND OUTLET FACILITY DISCHARGE).

FLOW VARIABILITY AT GOLD CREEK DURING WATANA FILLING

FIGURE E.2.4.4



LEGEND: CASE: HASELILA - WATANA FILLING OPERATION
FIRST YEAR FILLING STARTS IN MAY 1991
——— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE


NOTES:
1. INTAKE PORT LEVEL 1 AT ELEVATION 2161 FT (655.6 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 2114 FT (644.3 M)
3. INTAKE PORT LEVEL 3 AT ELEVATION 2077 FT (633.1 M)
4. INTAKE PORT LEVEL 4 AT ELEVATION 2040 FT (621.8 M)
5. CONE VALVE (NLON) AT ELEVATION 2040 FT (621.8 M)
6. SPILLWAY CREST AT ELEVATION 2148 FT (654.7 M)
7. LOW LEVEL OUTLET WORKS (LLON) ELEV. 1608 FT (459.85 M)

SOURCE (APA, 1984a APPENDIX IV)

NOTE: SIMULATION WAS FOR FIRST YEAR OF FILLING WATANA 2-STAGE PROJECT. TEMPERATURES FROM MAY THROUGH SEPTEMBER WOULD BE APPLICABLE TO SUMMER OF FILLING WATANA STAGE-1. TEMPERATURES FOR OCTOBER THROUGH NOVEMBER ARE NOT APPLICABLE TO WATANA STAGE-1.

WATANA RESERVOIR
SUMMER OF FILLING
OUTFLOW TEMPERATURE AND ICE GROWTH

FIGURE E.2.4.5



CASE: ■■ WABIFILA - WATANA FILLING OPERATION ■■

LEGEND:

PREDICTED TEMPERATURE PROFILES:


———— (MAY 1981)

- - - - - - - - (JUNE 1981)

—·—·— (JULY 1981)

SOURCE: APA 1984a APPENDIX IV

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYNSIM MODEL
WATANA RESERVOIR TEMPERATURE PROFILES	
HARZA-EBASCO JOINT VENTURE	
[illegible]	FIGURE E.2.4.6



CASE: WABIFILA - WATANA FILLING OPERATION

LEGEND:

PREDICTED TEMPERATURE PROFILES:

——— AUGUST 1981

- - - - - - - - SEPTEMBER 1981

— — — — OCTOBER 1981

SOURCE: APA 1984 APPENDIX IV


ALASKA POWER AUTHORITY

SUSITNA PROJECT | DYNSIM MODEL

WATANA RESERVOIR TEMPERATURE PROFILES

HARZA-EBASCO JOINT VENTURE

FIGURE E.2.4.7



CASE: WABIFILA - WATANA FILLING OPERATION

LEGEND:

PREDICTED TEMPERATURE PROFILES:


———— 1 NOVEMBER 1981

- - - - - - - - 1 DECEMBER 1981

— — - — — 1 JANUARY 1982

SOURCE: APA 1984a APPENDIX IV

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRHIM MODEL
WATANA RESERVOIR TEMPERATURE PROFILES	
HARZA-EBASCO JOINT VENTURE	
[illegible]	FIGURE E.2.4.8



CASE: WASILLA - WATANA FILLING OPERATION

LEGEND:

PREDICTED TEMPERATURE PROFILES:

- 1 FEBRUARY 1982
- 1 MARCH 1982
- 1 APRIL 1982

SOURCE: APA 1984a APPENDIX IV

ALASKA POWER AUTHORITY


SUSITNA PROJECT | DYNSIM MODEL

WATANA RESERVOIR TEMPERATURE PROFILES

HARZA-EBASCO JOINT VENTURE

COPYRIGHT - ALL RIGHTS

FIGURE E.2.4.9



EKLUTNA LAKE
LIGHT EXTINCTION
IN SITU MEASUREMENTS

DATA SOURCE: R&M 1982 I

FIGURE E.2.4.10






FIGURE E.2.4.11




WATANA WATER SURFACE ELEVATION
MONTHLY SUMMARY, STAGE I

FIGURE E.2.4.12




WATANA RESERVOIR INFLOW, STAGE I

FIGURE E. 2. 4. 13




WATANA RESERVOIR OUTFLOW, STAGE I

FIGURE E. 2.4. 14




WATANA WATER SURFACE ELEVATION, E-I, STAGE I

FIGURE E 2.4.15




WATANA WATER SURFACE ELEVATION
E-I, MONTHLY SUMMARY, STAGE I

FIGURE E.2.4.16




WATANA RESERVOIR INFLOW, E-I, STAGE I

FIGURE E.2.4.11



WATANA RESERVOIR OUTFLOW, E-I, STAGE I

FIGURE E.2.4.18




WATANA OPERATIONS ONLY
GUIDE E-V1,
CASE ACB *

DISCHARGE HYDROGRAPH
AT LRX-23, R.M. 120.26
(OXBOW II SIDE CHANNEL)

HARZA-EBASCO SUSITNA JOINT VENTURE JULY, 1985

FIGURE E.2.4.19

* SEE TABLE E.2.4.5 FOR DEFINITION OF "CASE"




WATANA OPERATIONS ONLY
GUIDE E-V1.
CASE ACB *

RIVER STAGE HYDROGRAPH
AT LRX-23, R.M. 120.26
(OXBOW II SIDE CHANNEL)


HARZA-EBASCO SUSITNA JOINT VENTURE JULY, 1985

FIGURE E.2.4.20

* SEE TABLE E.2.4.5 FOR DEFINITION OF "CASE"



* SEE TABLE E.2.4.5 FOR DEFINITION OF "CASE"




WATANA OPERATIONS ONLY
GUIDE E-VI,
CASE ACC *

RIVER STAGE HYDROGRAPH
AT LRX-23, R.M. 120.26
(OXBOW II SIDE CHANNEL)


HARZA-EBASCO SUSITNA JOINT VENTURE JULY, 1985

FIGURE E.2.4.22

* SEE TABLE E.2.4.5 FOR DEFINITION OF "CASE"



* SEE TABLE E.2.4.5 FOR DEFINITION OF "CASE"




WATANA OPERATIONS ONLY
GUIDE E-VI.
CASE ACD *

RIVER STAGE HYDROGRAPH
AT LRX-23, R.M. 120.26
(OXBOW II SIDE CHANNEL)


HARZA-EBASCO SUSITNA JOINT VENTURE JULY, 1985

FIGURE E.2.4.24

* SEE TABLE E.2.4.5 FOR DEFINATION OF "CASE"



* SEE TABLE E.2.4.5 FOR DEFINITION OF "CASE"




WATANA OPERATIONS ONLY
GUIDE E-VI.
CASE CBA *

RIVER STAGE HYDROGRAPH
AT LRX-38, R.M. 132.90
(4TH OF JULY CREEK SIDE CHANNEL)

HARZA-EBASCO SUSITNA JOINT VENTURE JULY, 1985

FIGURE E.2.4.26

* SEE TABLE E.2.4.5 FOR DEFINATION OF "CASE"




WATANA OPERATIONS ONLY
GUIDE E-V1,
CASE CCB *

DISCHARGE HYDROGRAPH
AT LRX-38, R.M. 132.90
(4TH OF JULY CREEK SIDE CHANNEL)

HARZA-EBASCO SUSITNA JOINT VENTURE JULY, 1985

FIGURE E.2.4.27

* SEE TABLE E.2.4.5 FOR DEFINATION OF "CASE"



WATANA OPERATIONS ONLY
GUIDE E-VI.
CASE CCB *

RIVER STAGE HYDROGRAPH
AT LRX-38, R.M. 132.90
(4TH OF JULY CREEK SIDE CHANNEL)

HARZA-EBASCO SUSITNA JOINT VENTURE JULY, 1985

FIGURE E.2.4.28

* SEE TABLE E.2.4.5 FOR DEFINITION OF "CASE"





FIGURE E.2.4.29

* SEE TABLE E.2.4.5 FOR DEFINITION OF "CASE"



WATANA OPERATIONS ONLY
GUIDE E-VI.
CASE CCD *

RIVER STAGE HYDROGRAPH
AT LRX-38, R.M. 132.90
(4TH OF JULY CREEK SIDE CHANNEL)

HARZA-EBASCO SUSITNA JOINT VENTURE JULY, 1985

FIGURE E.2.4.30

*SEE TABLE E.2.4.5 FOR DEFINITION OF "CASE"




FIGURE E.2.4.31




FIGURE E.2.4.32




FIGURE E.2.4.33






FIGURE E.2.4.34



SURFACE AREA VS DISCHARGE SUSITNA RIVER BETWEEN DEVIL CANYON AND CHULITNA RIVER

FIGURE E.2.4.35



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY STAGE I

E-VI FLOW REQUIREMENTS

HARZA-EBASCO


ANCHORAGE, ALASKA

APPROVED

DATE

DRAWING NO

FIGURE E.2.4. 36



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY STAGE I

E-VI FLOW REQUIREMENTS


HARZA-IBASCO

APPROVED

DATE

DRAWING NO

FIGURE E.2.4. 37



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY STAGE I

E-VI FLOW REQUIREMENTS

HARZA-EBASCO


ANCHORAGE, ALASKA

APPROVED

DATE

DRAWING NO

FIGURE E.2.4.38



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY STAGE I E-VI FLOW REQUIREMENTS

HARZA-EBASCO

FIGURE E.2.4. 39




FIGURE E.2.4.40


ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY STAGE I E-VI FLOW REQUIREMENTS

DAMES & MOORE

ANCHORAGE, ALASKA




NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING CURVE BASED ON COMPUTATIONS AND OBSERVATIONS (HE, 1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 124.4, STAGE I

FIGURE 2.4.41




NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING CURVE BASED ON COMPUTATIONS AND OBSERVATIONS (HE, 1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 130.9, STAGE I

FIGURE E.2.4.42.




NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING CURVE BASED ON COMPUTATIONS AND OBSERVATIONS (HE, 1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 142.3, STAGE I

FIGURE E.2.4.43



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 1 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS

LEGEND


——— 6% EXCEEDENCE FLOWS

- - - - 50% EXCEEDENCE FLOWS

— — — 97% EXCEEDENCE FLOWS

FIGURE E.2.4.44

ALASKA POWER AUTHORITY	
SUSITNA HYDROELECTRIC PROJECT	
SUSITNA RIVER STREAMFLOWS EXCEEDED 6%,50% AND 97% OF THE TIME AT GOLD CREEK	
HARZA-EBASCO	
ANCHORAGE, ALASKA	DATE



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 1 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS

LEGEND


——— NATURAL CONDITION

– – – – FLOWS FOR PHASE 1 OF 2-STAGE PROJECT

– – – – FLOWS FOR STAGE 1 OF 3-STAGE PROJECT

ALASKA POWER AUTHORITY		
SUSITNA HYDROELECTRIC PROJECT		
SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME AT GOLD CREEK		

FIGURE E.2.4.46



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 1 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS

LEGEND

——— NATURAL CONDITION

– – – – FLOWS FOR PHASE 1 OF 2-STAGE PROJECT


– – – – FLOWS FOR STAGE 1 OF 3-STAGE PROJECT

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME AT GOLD CREEK

FIGURE E.2.4. 46



NOTES:


1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 1 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS

LEGEND

- —— NATURAL CONDITION
- – – – FLOWS FOR PHASE 1 OF 2-STAGE PROJECT
- – – – FLOWS FOR STAGE 1 OF 3-STAGE PROJECT

ALASKA POWER AUTHORITY	
SUSITNA HYDROELECTRIC PROJECT	
SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME AT GOLD CREEK	

FIGURE E.2.4.47



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950–1983
2. STAGE 1 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-I FLOW REQUIREMENTS

LEGEND

——— 6% EXCEEDENCE FLOWS

– – – – 50% EXCEEDENCE FLOWS

—— 97% EXCEEDENCE FLOWS

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6,50, AND 97% OF THE TIME AT GOLD CREEK

HARZA-EBASCO


ANCHORAGE, ALASKA

APPROVED

DATE

DRAWING NO.

FIGURE E.2.4.48



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 1 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. BETWEEN JUNE 10 AND JUNE 16 THERE IS A SPIKE TO 45,000 CFS
5. BETWEEN AUG 12 AND AUG 18 THERE IS A SPIKE TO 23,000 CFS
6. BETWEEN AUG 19 AND AUG 25 THERE IS A SPIKE TO 18,000 CFS

LEGEND

——— NATURAL CONDITION

— — — FLOWS FOR E - VI FLOW REQUIREMENTS


- - - - - FLOWS FOR E - I FLOW REQUIREMENTS

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME AT GOLD CREEK

FIGURE E.2.4.49



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 1 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. BETWEEN JUNE 10 AND JUNE 16 THERE IS A SPIKE TO 45,000 CFS
5. BETWEEN AUG 12 AND AUG 18 THERE IS A SPIKE TO 23,000 CFS
6. BETWEEN AUG 19 AND AUG 25 THERE IS A SPIKE TO 18,000 CFS

LEGEND

——— NATURAL CONDITION

———— FLOWS FOR E - VI FLOW REQUIREMENTS


- - - - - FLOWS FOR E - I FLOW REQUIREMENTS

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME AT GOLD CREEK

FIGURE E.2.4. 50



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 1 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. BETWEEN JUNE 10 AND JUNE 16 THERE IS A SPIKE TO 45,000 CFS
5. BETWEEN AUG 12 AND AUG 18 THERE IS A SPIKE TO 23,000 CFS
6. BETWEEN AUG 19 AND AUG 25 THERE IS A SPIKE TO 18,000 CFS

LEGEND


——— NATURAL CONDITION

— — — FLOWS FOR E - VI FLOW REQUIREMENTS

----- FLOWS FOR E - I FLOW REQUIREMENTS

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT
SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME AT GOLD CREEK

FIGURE E.2.4.51



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY

STAGE I

DIBRZA-TRABOCO


ANCHORAGE, ALASKA

APPROVED

DATE

DRAWING NO.


FIGURE E.2.4.52



ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT
AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY
STAGE I

MARKA-IRASCO
ANCHORAGE, ALASKA

FIGURE E.2.4.53



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY

STAGE I


HARZA-EBASCO

APPROVED

DATE

DRAWING NO

FIGURE E.2.4.54



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY

STAGE I


HARZA-EBASCO

ANCHORAGE, ALASKA

DATE

DRAWING NO

FIGURE E.2.4.55



ALASKA POWER AUTHORITY


SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY

STAGE I


DRAFTED BY: TRAMCO ANCHORAGE, ALASKA	APPROVED	
	DATE	DRAWING NO

FIGURE E.2.4.56




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT WATANA DAMSITE

FIGURE E.2.4.57
(Page 1 of 3)




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT WATANA DAMSITE

FIGURE E.2.4.57
(Page 2 of 3)




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT WATANA DAMSITE

FIGURE E.2.4.57
(Page 3 of 3)




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT GOLD CREEK

FIGURE E.2.4.58
(Page 1 of 3)




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT GOLD CREEK

FIGURE E.2.4.58
(Page 2 of 3)




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT GOLD CREEK

FIGURE E.2.4.58
(Page 3 of 3)




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT SUNSHINE

FIGURE E.2.4.59
(Page 1 of 3)




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT SUNSHINE

FIGURE E.2.4.59
(Page 2 of 3)




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT SUNSHINE

FIGURE E.2.4.59
(Page 3 of 3)




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT SUSITNA STATION

FIGURE E.2.4.60
(Page 1 of 3)




FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT SUSITNA STATION

FIGURE E.2.4.60
(Page 2 of 3)



FLOW DURATION CURVES BASED ON MONTHLY DISCHARGE SUSITNA RIVER AT SUSITNA STATION


FIGURE E.2.4.60
(Page 3 of 3)



WATER TEMPERATURE PROFILES
BRADLEY LAKE, ALASKA

SOURCE: CORPS OF ENGINEERS 1982


FIGURE E.2.4.61



LEGEND:

- ◇ JUNE 18, 1982 - MEASURED
- ——— JUNE 18, 1982 - PREDICTED
- □ JULY 14, 1982 - MEASURED
- — — — JULY 14, 1982 - PREDICTED

ALASKA POWER AUTHORITY
~~SUSITNA PROJECT~~ ~~DYRESM MODEL~~
EKLUTNA LAKE OBSERVED AND PREDICTED TEMPERATURE PROFILES
HARZA-EBASCO JOINT VENTURE
CHICAGO, ILLINOIS 30 DEC 83 FIGURE E.2.4.62



LEGEND:

- AUGUST 11, 1982 - MEASURED
- AUGUST 11, 1982 - PREDICTED
- SEPTEMBER 9, 1982 - MEASURED
- SEPTEMBER 9, 1982 - PREDICTED
- SEPTEMBER 21, 1982 - MEASURED
- SEPTEMBER 21, 1982 - PREDICTED


ALASKA POWER AUTHORITY

SUSITNA PROJECT	DYRESM MODEL

EKLUTNA LAKE
OBSERVED AND PREDICTED
TEMPERATURE PROFILES

HARZA-EBASCO JOINT VENTURE


CHICAGO, ILLINOIS	30 DEC 83	FIGURE E.2.4.63



LEGEND:

- OCTOBER 14, 1982 - MEASURED
- OCTOBER 14, 1982 - PREDICTED
- NOVEMBER 4, 1982 - MEASURED
- NOVEMBER 4, 1982 - PREDICTED

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
EKLUTNA LAKE OBSERVED AND PREDICTED TEMPERATURE PROFILES	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	30 DEC 83 FIGURE E.2.4.64




LEGEND:

- SITE 1 FOREBAY
- SITE 2 UPSTREAM OF FOREBAY
- SITE 3 FINDLAY FORKS (APPROXIMATELY 60 MILES UPSTREAM)

LAKE WILLISTON
TEMPERATURE PROFILES
APRIL 14-15, 1982


SOURCE: BC HYDRO 1982 UNPUBLISHED DATA

FIGURE E.2.4.65




WATANA MULTILEVEL INTAKE STAGE I & II

FIGURE E.2.4.66




EKLUTNA LAKE MODEL CALIBRATION


FIGURE E.2.4.67



EKLUTNA LAKE MODEL CALIBRATION

FIGURE E.2.4.68


250
200
150
100
50
0
HEIGHT ABOVE BOTTOM-(METERS)
0
5
10
15
TEMPERATURE-(CELSIUS)
CONE VALVE
POWERHOUSE INTAKES
1
2
3
4
5
CASE: WAB1010 - WATANA OPERATION ALONE IN STAGE I
LEGEND:
PREDICTED TEMPERATURE PROFILES:
1 MAY 1981
1 JUNE 1981
1 JULY 1981
ALASKA POWER AUTHORITY
SUSITNA PROJECT
DYRESM MODEL
WATANA RESERVOIR
TEMPERATURE PROFILES
STAGE I
HARZA-EBASCO JOINT VENTURE
CHICAGO, ILLINOIS
FIGURE E.2.4.69




CASE: WAB1010 - WATANA OPERATION ALONE IN STAGE I

LEGEND:

PREDICTED TEMPERATURE PROFILES:

———— 1 AUGUST 1981
- - - - - - - - 1 SEPTEMBER 1981
— - — - — 1 OCTOBER 1981

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
WATANA RESERVOIR TEMPERATURE PROFILES STAGE I	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	FIGURE E.2.4.70



CASE: WAB1010 - WATANA OPERATION ALONE IN STAGE I

LEGEND:


PREDICTED TEMPERATURE PROFILES:

———— 1 NOVEMBER 1981

- - - - - - - - 1 DECEMBER 1981

— — — — 1 JANUARY 1982

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
WATANA RESERVOIR TEMPERATURE PROFILES STAGE I	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	FIGURE E.2.4.71



CASE: WAB1010 - WATANA OPERATION ALONE IN STAGE I

LEGEND:

PREDICTED TEMPERATURE PROFILES:

———— 1 FEBRUARY 1982

- - - - - - - 1 MARCH 1982

— - — - — 1 APRIL 1982


ALASKA POWER AUTHORITY

SUSITNA PROJECT | DYRESM MODEL

WATANA RESERVOIR
TEMPERATURE PROFILES
STAGE I

HARZA-EBASCO JOINT VENTURE

CHICAGO, ILLINOIS | FIGURE E.2.4.72



CASE: WAB1010 - WATANA OPERATION ALONE IN STAGE I

LEGEND:


PREDICTED TEMPERATURE PROFILES:

1 MAY 1982

1 JUNE 1982

1 JULY 1982

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
WATANA RESERVOIR TEMPERATURE PROFILES STAGE I	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	FIGURE E.2.4.73



CASE: ## WA81010 - WATANA OPERATION ALONE IN STAGE I

LEGEND:

PREDICTED TEMPERATURE PROFILES:

———— 1 AUGUST 1982

- - - - - - - - 1 SEPTEMBER 1982

— — — — — 1 OCTOBER 1982


ALASKA POWER AUTHORITY

SUSITNA PROJECT | DYRESM MODEL

WATANA RESERVOIR
TEMPERATURE PROFILES
STAGE I

HARZA-EBASCO JOINT VENTURE

CHICAGO, ILLINOIS | FIGURE E.2.4.74



LEGEND: CASE: WA81010 - WATANA OPERATION

——— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES:
1. INTAKE PORT LEVEL 1 AT EL. 1964 FT. (598.8 M)
2. INTAKE PORT LEVEL 2 AT EL. 1926 FT. (587.2 M)
3. INTAKE PORT LEVEL 3 AT EL. 1888 FT. (575.6 M)
4. INTAKE PORT LEVEL 4 AT EL. 1850 FT. (564.0 M)
5. INTAKE PORT LEVEL 5 AT EL. 1812 FT. (552.4 M)
6. CONE VALVE AT ELEVATION 1929 FT (588.0 M)
7. SPILLWAY CREST AT ELEVATION 2148 FT (654.7 M)


ALASKA POWER AUTHORITY

SUSITNA PROJECT	DYNSIM MODEL

STAGE I WATANA RESERVOIR
OUTFLOW TEMPERATURE
AND ICE GROWTH (E-VI)

HARZA-EBASCO JOINT VENTURE

CHICAGO, ILLINOIS | FIGURE E.2.4.75



LEGEND: CASE: aa WA81010 - WATANA OPERATION

——— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES: 1. INTAKE PORT LEVEL 1 AT EL. 1964 FT. (598.8 M)
2. INTAKE PORT LEVEL 2 AT EL. 1926 FT. (587.2 M)
3. INTAKE PORT LEVEL 3 AT EL. 1888 FT. (575.6 M)
4. INTAKE PORT LEVEL 4 AT EL. 1850 FT. (564.0 M)
5. INTAKE PORT LEVEL 5 AT EL. 1812 FT. (552.4 M)
6. CONE VALVE AT ELEVATION 1829 FT (558.0 M)
7. SPILLWAY CREST AT ELEVATION 2148 FT (654.7 M)


ALASKA POWER AUTHORITY

SUSITNA PROJECT	DYRESM MODEL

STAGE I WATANA RESERVOIR
OUTFLOW TEMPERATURE
AND ICE GROWTH (E-VI)

HARZA-EBASCO JOINT VENTURE

CHICAGO, ILLINOIS | FIGURE E.2.4.76



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 1 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. E-VI FLOW REQUIREMENTS
6. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD DECEMBER-MARCH SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)

LEGEND

——— SIMULATED NATURAL TEMPERATURES

— — — SIMULATED TEMPERATURES PHASE 1 OF TWO STAGE PROJECT (FOR COMPARISO


- - - - SIMULATED TEMPERATURES STAGE 1 OF PROPOSED PROJECT

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 150 STAGE I

FIGURE E.2.4. 77



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 1 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. E-VI FLOW REQUIREMENTS
6. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD NOVEMBER-APRIL SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)

LEGEND

——— SIMULATED NATURAL TEMPERATURES

– – – SIMULATED TEMPERATURES PHASE 1 OF TWO STAGE PROJECT (FOR COMPARISON


----- SIMULATED TEMPERATURES STAGE I OF PROPOSED PROJECT

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 130 STAGE I

FIGURE E.2.4.78



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 1 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. E-VI FLOW REQUIREMENTS
6. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD NOVEMBER - APRIL SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)

LEGEND

——— SIMULATED NATURAL TEMPERATURES

– – – SIMULATED TEMPERATURE PHASE 1 OF TWO STAGE PROJECT (FOR COMPARIS


----- SIMULATED TEMPERATURE STAGE 1 OF PROPOSED PROJECT

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT


SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 100 STAGE I

FIGURE E.2.4.79




SUSITNA RIVER TEMPERATURES AT RIVER MILE 130 NATURAL CONDITIONS

FIGURE E.2.4.80




SUSITNA RIVER TEMPERATURE AT RIVER MILE 130 WATANA OPERATING

FIGURE E.2.4.81




SUSITNA RIVER TEMPERATURES AT RIVER MILE 84 NATURAL CONDITIONS

FIGURE E.2.4.82




SUSITNA RIVER TEMPERATURES AT RIVER MILE 84 WATANA OPERATING

FIGURE E.2.4.83




SIMULATED TEMPERATURES AT RIVER MILE 130
VARIOUS INTAKE OPERATING POLICIES

FIGURE E.2.4.84




SIMULATED TEMPERATURES AT RIVER MILE 130
VARIOUS INTAKE OPERATING POLICIES

FIGURE E.2.4.85



SIMULATED TEMPERATURES AT RIVER MILE 130
VARIOUS INTAKE OPERATING POLICIES

FIGURE E.2.4.86



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 1 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD DECEMBER - MARCH SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER

LEGEND

——— SIMULATED NATURAL TEMPERATURES

- - - - - SIMULATED TEMPERATURES E-VI FLOW REQUIREMENTS PROPOSED PROJECT


— — — SIMULATED TEMPERATURES E-I FLOW REQUIREMENTS (FOR COMPARISON)

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 150 STAGE I

FIGURE E.2.4. 87



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 1 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD NOVEMBER-APRIL SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER

LEGEND

——— SIMULATED NATURAL TEMPERATURES

– – – – – SIMULATED TEMPERATURES E-VI FLOW REQUIREMENTS PROPOSED PROJECT


——— SIMULATED TEMPERATURES E-I FLOW REQUIREMENTS (FOR COMPARISON)

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 130 STAGE I

FIGURE E.2.4.88



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 1 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD NOVEMBER-APRIL SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)

LEGEND

——— SIMULATED NATURAL TEMPERATURES

- - - - - SIMULATED TEMPERATURES E-VI FLOW REQUIREMENTS PROPOSED PROJECT


— — — SIMULATED TEMPERATURES E-I FLOW REQUIREMENTS (FOR COMPARISON)


ALASKA POWER AUTHORITY


SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 100 STAGE I

FIGURE E.2.4. 89








NOTES:
1. STAGE I SIMULATION BASED ON CASE E–VI FLOWS. STAGE I ENERGY DEMAND, INFLOW MATCHING TEMPERATURE POLICY.
2. NATURAL CONDITIONS NOT SIMULATED UPSTREAM OF RM 140.
3 3000 cfs REPRESENTS TYPICAL WINTER FLOW UNDER NATURAL CONDITIONS AT FREEZE UP.


LEGEND:
- NATURAL CONDITIONS
- STAGE I OPERATING
- NATURAL SLOUGH BERM ELEVATION (SEE TABLE E.2.4.23)


SIMULATED RIVER ICE CONDITIONS
STAGE I vs. NATURAL
1981-82 WEATHER CONDITIONS
CASE E-VI FLOWS

FIGURE E.2.4.90

HARZA-EBASCO SUSITNA JOINT VENTURE
ALASKA POWER AUTHORITY







NOTES:
1. SIMULATIONS BASED ON STAGE I ENERGY DEMAND, INFLOW MATCHING TEMPERATURE POLICY.
2. 3000 cfs REPRESENTS TYPICAL FLOW UNDER NATURAL CONDITIONS AT FREEZE UP.


LEGEND:
- CASE E–1 FLOWS
- CASE E–VI FLOWS

NATURAL SLOUGH BERM ELEVATION (SEE TABLE E.2.4.24)

SIMULATED RIVER ICE CONDITIONS
STAGE I
1981-82 WEATHER CONDITIONS
CASE E-I vs. CASE E-VI

FIGURE E.2.4.91

HARZA-EBASCO SUSITNA JOINT VENTURE
ALASKA POWER AUTHORITY




EAST FORK EKLUTNA CREEK

SUSPENDED SEDIMENT PARTICLE SIZE DISTRIBUTION

SOURCE: R & M 1985 f

FIGURE E.2.4.92




SOURCE: R & M 1985f

GLACIER FORK EKLUTNA CREEK

SUSPENDED SEDIMENT PARTICLE SIZE DISTRIBUTION


FIGURE
E.2.4.93



STOKES LAW FOR FALL VELOCITIES VARIATIONS WITH RESPECT TO TEMPERATURE AND PARTICLE DENSITY

SOURCE: R&M 1985f

FIGURE E.2.4.94



LEGEND: EK84B8 0-10 MICRON SUSPENDED SEDIMENT SIMULATION
0-3 MICRON AND 3-10 MICRON RUNS COMBINED (EK84BB03+EK84BB10)
——— PREDICTED OUTFLOW SUSPENDED SEDIMENT CONCENTRATION (MG/L)
- - - - - - - INFLOW SUSPENDED SEDIMENT CONCENTRATION (MG/L)
◇ OBSERVED OUTFLOW SUSPENDED SEDIMENT CONCENTRATION (MG/L) TSS

NOTES: 1. INFLOW SUSP. SED. CONC. IS BASED ON 7/20 8/28 10/23 (1984) PARTICLE SIZE DISTRIBUTIONS
2. SSC INFLOW VALUES REPRESENT THE 0-10 MICRON RANGE AND ARE 51.8% OF TSS EXCEPT DURING 7/20/84-10/23/84. DURING THIS PERIOD, SSC PERCENTAGES (OF TSS) ARE LINEARLY INTERPOLATED BETWEEN THE FOLLOWING VALUES:
56.6% ON 7/20/84 35.8% ON 8/28/84 51.8% ON 10/23/84

FIGURE
E.2.4.95


ALASKA POWER AUTHORITY

SUSITNA PROJECT	DYRESM MODEL

EKLUTNA LAKE
OUTFLOW (0-10 MICRON)
SUSPENDED SEDIMENT


HARZA-EBASCO JOINT VENTURE

CHICAGO, ILLINOIS	8 JUL 86	42-010-04




SUSPENDED SEDIMENT SIZE DISTRIBUTION
SUSITNA RIVER NEAR CANTWELL

FIGURE E.2.4.96



SUSPENDED SEDIMENT RATING CURVE
AT USGS GAGING STATION
SUSITNA RIVER NEAR CANTWELL, ALASKA

FIGURE E.2.4.97



LEGEND:

——— PREDICTED OUTFLOW SUSP. SED. CONCENTRATION (MG/L)


- - - - - - - INFLOW SUSP. SED. CONCENTRATION (MG/L) (0-3 MICRONS ONLY)

NOTES:

1. SSC INFLOW VALUES REPRESENT THE 0-3 MICRON RANGE AND ARE 15% OF TSS

FIGURE 2.4.98

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
WATANA RESERVOIR OUTFLOW (0-10) SUSPENDED SOLIDS HIGH INFLOW YEAR	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-08



LEGEND:

——— PREDICTED OUTFLOW SUSP. SED. CONCENTRATION (MG/L)


- - - - - - - INFLOW SUSP. SED. CONCENTRATION (MG/L) (0-3 MICRONS ONLY)

NOTES:

1. SSC INFLOW VALUES REPRESENT THE 0-3 MICRON RANGE AND ARE 15% OF TSS

FIGURE E.2.4.99

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DAMSEN RIDGEL
WATANA RESERVOIR OUTFLOW (0-10) SUSPENDED SOLIDS LOW INFLOW YEAR	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-05



LEGEND:

——— PREDICTED OUTFLOW SUSP. SED. CONCENTRATION (MG/L)

------- INFLOW SUSP. SED. CONCENTRATION (MG/L) (0-3 MICRONS)

NOTES:

1. SSC INFLOW VALUES REPRESENT THE 0-3 MICRON RANGE AND ARE 15% OF TSS

FIGURE E.2.4.100


ALASKA POWER AUTHORITY

SUSITNA PROJECT | DRAFT MODEL

WATANA RESERVOIR
OUTFLOW (0-10 MICRONS)
SUSPENDED SOLIDS
AVERAGE INFLOW YEAR

HARZA-EBASCO JOINT VENTURE


42-010-04



ISO-TURBIDITY vs. TIME
EKLUTNA LAKE at STATION 9
1982

SOURCE: R & M 1982 f


FIGURE E.2.4.101



ISO-TURBIDITY vs. TIME
EKLUTNA LAKE at STATION 9
1983

SOURCE: R&M 1982f


FIGURE E.2.4.102



ISO-TURBIDITY vs. TIME
EKLUTNA LAKE at STATION 9
1984

SOURCE: R&M 1982f


FIGURE E.2.4.103



TURBIDITY VS. SUSPENDED SEDIMENT CONCENTRATION SUSITNA RIVER

SOURCE: PERATROVICH, NOTTINGHAM AND DRAGE 1982


FIGURE E.2.4.104



TURBIDITY VS SUSPENDED SEDIMENT CONCENTRATION IN SEVERAL ALASKAN RIVERS

Figure Empirical relationship of naturally occurring turbidity versus suspended sediment concentration for rivers and streams in Alaska, sampled during May-October, 1976-1983 (derived in this report from data provided by USGS, 1984).


SOURCE: LLOYD 1985



TURBIDITY VS SUSPENDED SEDIMENT CONCENTRATION EAST FORK TRIBUTARY TO EKLUTNA LAKE, 1984

SOURCE: R&M 1982f


FIGURE E.2.4.106



TURBIDITY VS SUSPENDED SEDIMENT CONCENTRATION GLACIER FORK TRIBUTARY TO EKLUTNA LAKE, 1984

SOURCE: R & M 1982f


FIGURE E.2.4.107



TURBIDITY VS SUSPENDED SEDIMENT CONCENTRATION
EKLUTNA LAKE

SOURCE: R&M 1982f


FIGURE E.2.4.108



TURBIDITY VS SUSPENDED SEDIMENT CONCENTRATION
EKLUTNA LAKE POWERHOUSE TAILRACE, 1984

SOURCE: R & M 1982 f


FIGURE E.2.4.109





EMPIRICAL RELATIONSHIP OF NATURALLY OCCURRING TURBIDITY VERSUS SUSPENDED SEDIMENT CONCENTRATION FOR RIVERS AND LAKES IN ALASKA

(MODIFIED AFTER LLOYD 1985)

FIGURE E.2.4.110







BORROW SITE G

LEGEND

BORROW SITE LIMIT

NOTES


1. ENTIRE BORROW SITE LIES WITHIN PROPOSED DEVIL CANYON RESERVOIR LIMITS.
2. BORROW SITE LIMITS BASED ON FIELD AND AIR PHOTO INTERPRETATION OF BORROW MATERIAL. FINAL LIMITS SUBJECT TO RESULTS OF DESIGN INVESTIGATIONS.
3. 25 FOOT CONTOUR INTERVAL ADDED FROM SOURCE MAP (REFERENCED) IN BORROW SITE ONLY.
4. PHOTO TAKEN AUGUST, 1981.
5. BORROW SITE G IS A POTENTIAL SOURCE OF FILTER MATERIAL AND CONCRETE AGGREGATE.

SCALE 0 200 400 FEET

REFERENCE: BASE MAP FROM R&M, 1981 – 1" = 200' DEVIL CANYON TOPOGRAPHY, RETRACED AT 25' CONTOURS
USBR, 1960
COE, 1978
WCC, 1978

DEVIL CANYON
BORROW SITE G

FIGURE E.2.4.111




NOTES

1. WATANA BORROW SITE D IS THE PROPOSED SOURCE OF IMPERVIOUS MATERIAL (SEE FIGURE E-2-4.1.1-b-1)
2. PROPOSED SOURCE OF AGGREGATE AND FILTER MATERIAL.
3. PROPOSED SOURCE OF ROCKFILL.
4. TOPOGRAPHY AND DETAILS SHOWN ON INDIVIDUAL FIGURES.

REFERENCE: BASE MAP FROM R&M, 1981 - 1"=200'
DEVIL CANYON TOPOGRAPHY.
COORDINATES IN FEET, ALASKA STATE PLANE (ZONE 4)

DEVIL CANYON BORROW SITE MAP

FIGURE E.2.4.112



LEGEND

——·—— MATERIAL LIMITS


NOTES

1. ENTIRE QUARRY SITE LIES OUTSIDE OF PROPOSED RESERVOIR LIMITS.
2. MATERIAL LIMIT SHOWN IS OUTCROP LIMIT AS DETERMINED FROM AIR PHOTO INTERPRETATION. NORTH FACES OF SITES ARE EXPOSED ROCK CLIFFS, AND LOCATION OF SAMPLES.
3. CONTOURS TRACED FROM ENLARGED, REFERENCE BASE MAP, AT 100' INTERVALS.
4. QUARRY SITE K IS A POTENTIAL SOURCE OF ROCKFILL.

REFERENCE: BASE MAP FROM USGS 1:63,360 ALASKA QUADRANGLE TALKEETNA MOUNTAINS (D-5). COORDINATES IN FEET, ALASKA STATE PLANE (ZONE 4)


DEVIL CANYON
QUARRY SITE K

FIGURE E.2.4.113




WATANA WATER SURFACE ELEVATION, STAGE II

FIGURE E.2.4.114




WATANA WATER SURFACE ELEVATION
MONTHLY SUMMARY, STAGE II

FIGURE E.2.4.115




WATANA RESERVOIR INFLOW, STAGE II

FIGURE E.2.4.116




WATANA RESERVOIR OUTFLOW, STAGE II

FIGURE E.2.4.117




DEVIL CANYON WATER SURFACE ELEVATION, STAGE II

FIGURE E.2.4.118




DEVIL CANYON WATER SURFACE ELEVATION MONTHLY SUMMARY, STAGE II

FIGURE E.2.4.119




DEVIL CANYON RESERVOIR INFLOW, STAGE II

FIGURE E.2.4.120




DEVIL CANYON RESERVOIR OUTFLOW, STAGE II

FIGURE E.2.4.121




WATANA WATER SURFACE ELEVATION, E-I, STAGE II

FIGURE E.2.4.122




WATANA WATER SURFACE ELEVATION
MONTHLY SUMMARY, E-I, STAGE II

FIGURE E.2.4.123




WATANA RESERVOIR INFLOW, E-I, STAGE II

FIGURE E.2.4.124




WATANA RESERVOIR OUTFLOW, E-I, STAGE II




DEVIL CANYON WATER SURFACE ELEVATION, E-I, STAGE II

FIGURE E.2.4.126




DEVIL CANYON WATER SURFACE ELEVATION
MONTHLY SUMMARY, E-I, STAGE II

FIGURE E.2.4.127




DEVIL CANYON RESERVOIR INFLOW, E-I, STAGE II

FIGURE E.2.4.128



DEVIL CANYON RESERVOIR OUTFLOW, E-I, STAGE II

FIGURE 2.4.129



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY STAGE II E-VI FLOW REQUIREMENTS

MERRA-TRABOO


ANCHORAGE, ALASKA

APPROVED

DATE

DRAWING NO.

FIGURE E.2.4.130



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY

STAGE II

E-VI FLOW REQUIREMENTS

FIGURE E.2.4.131




FIGURE E.2.4.132

ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT
AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY
STAGE II
E-VI FLOW REQUIREMENTS




FIGURE E.2.4.133

ALASKA POWER AUTHORITY


SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY STAGE II E-VI FLOW REQUIREMENTS

MARKA-TRASCO

APPROVED

DATE




ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY STAGE II

E-VI FLOW REQUIREMENTS

FIGURE E.2.4.134




NOTES.

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING CURVE BASED ON COMPUTATIONS AND OBSERVATIONS (HE, 1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 124.4, STAGE II

FIGURE E.2.4.135




NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING CURVE BASED ON COMPUTATIONS AND OBSERVATIONS (HE, 1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 130.9, STAGE II

FIGURE E.2.4.136




NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING CURVE BASED ON COMPUTATIONS AND OBSERVATIONS (HE, 1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 142.3, STAGE II

FIGURE E.2.4.137



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 2 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS

LEGEND

——— 6% EXCEEDENCE FLOWS

– – – – 50% EXCEEDENCE FLOWS


— — — 97% EXCEEDENCE FLOWS

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6%,50% AND 97% OF THE TIME AT GOLD CREEK STAGE II

FIGURE E.2.4.138



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950–1983
2. STAGE 2 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS
5. DEVIL CANYON DRAWDOWN OF 50 FEET

LEGEND

——— NATURAL CONDITION

– – – FLOWS FOR PHASE 2 OF 2-STAGE PROJECT


– – – – FLOWS FOR STAGE 2 OF 3-STAGE CONSTRUCTION

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME STAGE II AT GOLD CREEK

FIGURE E.2.4.139



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 2 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS
5. DEVIL CANYON DRAWDOWN OF 50 FEET

LEGEND

——— NATURAL CONDITION

– – – FLOWS FOR PHASE 2 OF 2-STAGE PROJECT


– – – – FLOWS FOR STAGE 2 OF 3-STAGE CONSTRUCTION

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME STAGE II AT GOLD CREEK

FIGURE E.2.4.140



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950–1983
2. STAGE 2 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS
5. DEVIL CANYON DRAWDOWN OF 50 FEET

LEGEND

——— NATURAL CONDITION

– – – – FLOWS FOR PHASE 2 OF 2-STAGE PROJECT


– – – – FLOWS FOR STAGE 2 OF 3-STAGE PROJECT

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME STAGE II AT GOLD CREEK

FIGURE E.2.4.141



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 2 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-I FLOW REQUIREMENT

LEGEND


——— 6% EXCEEDENCE FLOWS
---- 50% EXCEEDENCE FLOW
—— 97% EXCEEDENCE FLOW

FIGURE E.2.4.142

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6%,50% AND 97% OF THE TIME AT GOLD CREEK
STAGE II



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 2 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. BETWEEN JUNE 10 AND JUNE 16 THERE IS A SPIKE TO 45,000 CFS
5. BETWEEN AUG 12 AND AUG 18 THERE IS A SPIKE TO 23,000 CFS
6. BETWEEN AUG 19 AND AUG 25 THERE IS A SPIKE TO 18,000 CFS

LEGEND

——— NATURAL CONDITION

— — — FLOWS FOR E - VI FLOW REQUIREMENTS

- - - - - FLOWS FOR E - I FLOW REQUIREMENTS

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME AT GOLD CREEK

FIGURE E.2.4.143





FIGURE E.2.4.144



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 2 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. BETWEEN JUNE 10 AND JUNE 16 THERE IS A SPIKE TO 45,000 CFS
5. BETWEEN AUG 12 AND AUG 18 THERE IS A SPIKE TO 23,000 CFS
6. BETWEEN AUG 19 AND AUG 25 THERE IS A SPIKE TO 18,000 CFS

LEGEND


——— NATURAL CONDITION

— — — FLOWS FOR E - VI FLOW REQUIREMENT

- - - - - FLOWS FOR E - I FLOW REQUIREMENT

ALASKA POWER AUTHORITY	
SUSITNA HYDROELECTRIC PROJECT	
SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME AT GOLD CREEK	

FIGURE E.2.4.145



ALASKA POWER AUTHORITY


SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY

STAGE II

MARKA-PRADCO

FIGURE E.2.4.146



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY

STAGE II

MARK-TRASCO | APPROVED

ANCHORAGE, ALASKA | DATE | DRAWING NO.

FIGURE E.2.4.147





FIGURE E.2.4.148

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY

STAGE II




ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY

STAGE II

FIGURE E.2.4.149



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY

STAGE II

FIGURE E.2.4.150




FIGURE E.2.4.15I

(PAGE 1 of 3)




FIGURE E.2.4.151

(PAGE 2 of 3)




FIGURE E.2.4.151

(PAGE 3 of 3)




FIGURE E.2.4.152

(PAGE 1 of 3)




FIGURE E.2.4.152

(PAGE 2 of 3)




FIGURE E.2.4.152

(PAGE 3 of 3)




FIGURE E.2.4.153

(PAGE 1 of 3)




FIGURE 2.4.153

(PAGE 2 of 3)




FIGURE E.2.4.153

(PAGE 3 of 3)




FIGURE 2.4.154

(PAGE 1 of 3)




FIGURE E.2.4.154

(PAGE 2 of 3)




FIGURE E.2.4.154

(PAGE 3 of 3)





FIGURE E.2.4.155

(PAGE 1 of 3)



NOTE: FLOW PERIOD WATER YEAR 1951-1983

HARZA-EBASCO SUSITNA JOINT VENTURE JUNE 85

FLOW DURATION CURVES
BASED ON MONTHLY DISCHARGE
SUSITNA RIVER AT SUSITNA STATION

FIGURE E.2.4.155

(PAGE 2 of 3)




FIGURE E.2.4.155

(PAGE 3 of 3)





FIGURE E.2.4.156




LEGEND: CASE: DC81026 - DEVIL CANYON OPERATION W/WATANA IN STAGE II

——— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES: 1. INTAKE PORT LEVEL 1 AT ELEVATION 1426 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1375 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)
5. PROPOSED PROJECT

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
STAGE II DEVIL CANYON OUTFLOW TEMPERATURE AND ICE GROWTH (E-VI)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	10 JUN 86	42-010-04

FIGURE E.2.4.157




LEGEND: CASE: DC81026 - DEVIL CANYON OPERATION W/WATANA IN STAGE II

———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES: 1. INTAKE PORT LEVEL 1 AT ELEVATION 1426 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1376 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)
5. PROPOSED PROJECT

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
STAGE II DEVIL CANYON OUTFLOW TEMPERATURE AND ICE GROWTH (E-VI)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	10 JAN 86	42-010-04

FIGURE E.2.4.158



LEGEND: CASE: DC810202 - DEVIL CANYON OPERATION W/WATANA IN STAGE II
CASE E-VI G2 NATURAL COND. 3 LEVELS AT D.C. DRAWDOWN=50.FT
———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES:
1. INTAKE PORT LEVEL 1 AT ELEVATION 1425 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1400 FT (426.72 M)
3. INTAKE PORT LEVEL 3 AT ELEVATION 1375 FT (419.10 M)
4. CONE VALVE AT ELEVATION 990 FT (301.75 M)
5. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)
6. FOR COMPARISON WITH PROPOSED PROJECT

ALASKA POWER AUTHORITY


SUSITNA PROJECT	DYRESM MODEL

STAGE II DEVIL CANYON
OUTFLOW TEMPERATURE
AND ICE GROWTH (E-VI)

HARZA-EBASCO JOINT VENTURE

CHICAGO, ILLINOIS	18 NOV 88	42-010-04

FIGURE E.2.4.159




LEGEND: CASE: DC810202 - DEVIL CANYON OPERATION W/WATANA IN STAGE II
CASE E-VI 62 NATURAL COND. 3 LEVELS AT D.C. DRAWDOWN=60.FT
———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES:
1. INTAKE PORT LEVEL 1 AT ELEVATION 1425 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1400 FT (426.72 M)
3. INTAKE PORT LEVEL 3 AT ELEVATION 1375 FT (419.10 M)
4. CONE VALVE AT ELEVATION 990 FT (301.76 M)
5. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)
6. FOR COMPARISON WITH PROPOSED PROJECT

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
STAGE II DEVIL CANYON OUTFLOW TEMPERATURE AND ICE GROWTH (E-VI)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.160




LEGEND: CASE: DC8102T - DEVIL CANYON OPERATION W/WATANA IN STAGE II
STAGE 2 --- 9 FT DRAWDOWN
———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES: 1. INTAKE PORT LEVEL 1 AT ELEVATION 1425 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1375 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)
5. FOR COMPARISON WITH PROPOSED PROJECT

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
STAGE II DEVIL CANYON OUTFLOW TEMPERATURE AND ICE GROWTH (E-VI)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	14 JAN 86	42-010-04

FIGURE E.2.4.161




LEGEND: CASE: DC8102T - DEVIL CANYON OPERATION W/WATANA IN STAGE II
STAGE 2 --- 9 FT DRAWDOWN
———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES:
1. INTAKE PORT LEVEL 1 AT ELEVATION 1426 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1376 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)
5. FOR COMPARISON WITH PROPOSED PROJECT

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
STAGE II DEVIL CANYON OUTFLOW TEMPERATURE AND ICE GROWTH (E-VI)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	14 JUN 88	42-010-04

FIGURE E.2.4.162




LEGEND: CASE: DC8102U - DEVIL CANYON OPERATION W/WATANA IN STAGED II

———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES: 1. INTAKE PORT LEVEL 1 AT ELEVATION 1426 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1376 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)
5. FOR COMPARISON WITH PROPOSED PROJECT

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
STAGE II DEVIL CANYON OUTFLOW TEMPERATURE AND ICE GROWTH (E-I)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	26 JAN 88 / AE-010-04

FIGURE E.2.4.163



LEGEND: CASE: DC8102U - DEVIL CANYON OPERATION W/WATANA IN STAGE II

———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES: 1. INTAKE PORT LEVEL 1 AT ELEVATION 1425 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1376 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)
5. FOR COMPARISON WITH PROPOSED PROJECT

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
STAGE II DEVIL CANYON OUTFLOW TEMPERATURE AND ICE GROWTH (E-1)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.164





FIGURE E.2.4.165



CASE: DCB102S - DEVIL CANYON OPERATION W/WATANA IN STAGE II

LEGEND:

PREDICTED TEMPERATURE PROFILES:

———— 1 AUGUST 1981

- - - - - - - - 1 SEPTEMBER 1981

— — — — — 1 OCTOBER 1981

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
DEVIL CANYON RESERVOIR TEMPERATURE PROFILES CASE E-VI STAGE II	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	10 JAN 88	42-010-04

FIGURE E.2.4.166





FIGURE E.2.4.167



CASE: DC8102S - DEVIL CANYON OPERATION W/WATANA IN STAGE II

LEGEND:

PREDICTED TEMPERATURE PROFILES:

———— 1 FEBRUARY 1982

- - - - - - - - 1 MARCH 1982

— — — — 1 APRIL 1982

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
DEVIL CANYON RESERVOIR TEMPERATURE PROFILES CASE E-VI STAGE II	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	10 JAN 86	42-010-04

FIGURE E.2.4.168





FIGURE E.2.4.169



CASE: DCB102S - DEVIL CANYON OPERATION W/WATANA IN STAGE II

LEGEND:

PREDICTED TEMPERATURE PROFILES:

———— 1 AUGUST 1982

- - - - - - - - 1 SEPTEMBER 1982

— - — - — 1 OCTOBER 1982

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
DEVIL CANYON RESERVOIR TEMPERATURE PROFILES CASE E-VI STAGE II	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.170





FIGURE E.2.4.171



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 2 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. E-VI FLOW REQUIREMENTS
6. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD JANUARY - MARCH SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)
7. DEVIL CANYON DRAWDOWN OF 50 FEET-2 LEVELS OF SHUTTERS

LEGEND

——— SIMULATED NATURAL TEMPERATURES

- - - - - SIMULATED TEMPERATURES PHASE 2 OF TWO STAGE PROJECT (FOR COMPARISON)


——— SIMULATED TEMPERATURES STAGE 2 OF PROPOSED PROJECT

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 130 STAGE II

FIGURE E.2.4.172



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 2 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. E-VI FLOW REQUIREMENTS
6. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD NOVEMBER-MARCH SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)
7. DEVIL CANYON DRAWDOWN OF 50 FEET-2 LEVELS OF SHUTTERS

LEGEND

——— SIMULATED NATURAL TEMPERATURES

— — — SIMULATED TEMPERATURES PHASE 2 OF TWO STAGE PROJECT (FOR COMPARISO


- - - - - SIMULATED TEMPERATURES STAGE 2 OF PROPOSED PROJECT

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 100 STAGE II

FIGURE E.2.4.173



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 2 OF 3-STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. E-VI FLOW REQUIREMENTS

LEGEND

——— SIMULATED NATURAL TEMPERATURES

– – – – DEVIL CANYON DRAWDOWN OF 50 FEET, 2 LEVELS OF SHUTTERS -PROPOSED PROJECT

FOR COMPARISON WITH

----- DEVIL CANYON DRAWDOWN OF 9 FEET, 2 LEVELS OF SHUTTERS


– – – DEVIL CANYON DRAWDOWN OF 50 FEET, 3 LEVELS OF SHUTTERS

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 150 STAGE II

FIGURE E.2.4.174



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 2 OF 3-STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. E-VI FLOW REQUIREMENTS
6. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD DECEMBER-MARCH SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)

LEGEND

---- DEVIL CANYON DRAWDOWN OF 50 FEET, 2 LEVELS OF SHUTTERS -PROPOSED PROJECT

FOR COMPARISON WITH

----- DEVIL CANYON DRAWDOWN OF 9 FEET, 2 LEVELS OF SHUTTERS


---- DEVIL CANYON DRAWDOWN OF 50 FEET, 3 LEVELS OF SHUTTER

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 130 STAGE II

FIGURE E.2.4.175



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 2 OF 3-STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. E-VI FLOW REQUIREMENTS
6. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD NOVEMBER-APRIL SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)

LEGEND

—— DEVIL CANYON DRAWDOWN OF 50 FEET, 2 LEVELS OF SHUTTERS -PROPOSED PROJECT

FOR COMPARISON WITH

----- DEVIL CANYON DRAWDOWN OF 9 FEET, 2 LEVELS OF SHUTTERS

— — — DEVIL CANYON DRAWDOWN OF 50 FEET, 3 LEVELS OF SHUTTERS

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 100 STAGE II

FIGURE E.2.4.176





FIGURE E.2.4.177




NOTE:

1. SIMULATIONS WERE MADE FOR FINAL STAGE OF TWO STAGE PROJECT (SAME AS STAGE III) FOR STAGE II ENERGY DEMANDS AND ILLUSTRATE TEMPERATURE DIFFERENCES FOR WET, DRY AND AVERAGE FLOW CONDITIONS DOWNSTREAM OF TALKEETNA.

2. SIMULATIONS WERE MADE FOR CASE C FLOW REQUIREMENTS PRIOR TO APPLICANTS DEVELOPMENT OF CASE E-VI. THIS DOES NOT AFFECT VALIDITY OF COMPARISON.


SUSITNA RIVER TEMPERATURES AT RIVER MILE 84 WATANA AND DEVIL CANYON OPERATING

FIGURE E.2.4.178




SIMULATED TEMPERATURES AT RIVER MILE 130
VARIOUS INTAKE OPERATING POLICIES

FIGURE E.2.4.179



SIMULATED TEMPERATURES AT RIVER MILE 130
VARIOUS INTAKE OPERATING POLICIES

FIGURE E.2.4.180



ALASKA POWER AUTHORITY
SUSITNA HYDROELECTRIC PROJECT
SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 150 STAGE II

FIGURE E.2.4.181





FIGURE E.2.4.182



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 2 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD NOVEMBER-MARCH SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)

LEGEND

—— SIMULATED NATURAL TEMPERATURES

----- SIMULATED TEMPERATURES E-VI FLOW REQUIREMENTS PROPOSED PROJECT


—— — SIMULATED TEMPERATURES E-I FLOW REQUIREMENTS (FOR COMPARISON)


ALASKA POWER AUTHORITY


SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 100 STAGE II

FIGURE E.2.4.183









NOTES:
1. STAGE II SIMULATION BASED ON CASE E–VI FLOWS, STAGE II ENERGY DEMAND, INFLOW MATCHING TEMPERATURE POLICY
2. NATURAL CONDITIONS NOT SIMULATED UPSTREAM OF RM 140.
3. 3000 cfs REPRESENTS TYPICAL WINTER FLOW UNDER NATURAL CONDITIONS AT FREEZE UP


LEGEND:
- NATURAL CONDITIONS
- STAGE II OPERATING
- NATURAL SLOUGH BERM ELEVATION SEE TABLE E.2.4.23

SIMULATED RIVER ICE CONDITIONS
STAGE II vs. NATURAL
1981-82 WEATHER CONDITIONS
CASE E-VI FLOWS

FIGURE E.2.4.184








NOTES:
1. SIMULATIONS BASED ON STAGE II ENERGY DEMAND, INFLOW MATCHING TEMPERATURE POLICY.
2. 3000 cfs REPRESENTS TYPICAL WINTER FLOW UNDER NATURAL CONDITIONS AT FREEZE UP.

LEGEND:
- CASE E–I FLOWS
- CASE E–VI FLOWS
- NATURAL SLOUGH BERM ELEVATION (SEE TABLE E.2.4.24)

SIMULATED RIVER ICE CONDITIONS
STAGE II
1981-82 WEATHER CONDITIONS
CASE E-I vs. CASE E-VI

FIGURE E.2.4.185



LEGEND:

——— PREDICTED OUTFLOW SUSP. SED. CONCENTRATION (MG/L)

- - - - - - - INFLOW SUSP. SED. CONCENTRATION (MG/L) (0-3 MICRONS ONLY)

NOTES:

1. SSC INFLOW VALUES REPRESENT THE 0-3 MICRON RANGE AND ARE 15% OF TSS

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
WATANA RESERVOIR OUTFLOW SUSPENDED SOLIDS STAGE II AVERAGE YEAR	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	18 JUN 86 / 42-010-06

FIGURE E.2.4.186






FIGURE E.2.4.187




QUARRY A PLAN



SECTION D-D

SECTION G - G



LEGEND

STRUCTURE

- SUSPECTED FRACTURE ZONE WITH LOCAL SHEARING
- BEDROCK OUTCROP
- SHEAR ZONE

CONTACTS

- MAPPED LIMIT OF BORROW SITE

OTHER

- D D CROSS-SECTION LOCATIONS
- ⊗ SAMPLE LOCATION (APPROXIMATE)

NOTES

1. SELECTED TYPICAL SECTIONS SHOWN.
2. VERTICAL SCALE 4 TIMES HORIZONTAL SCALE.
3. 50 FOOT CONTOURS REPRODUCED FROM REFERENCED BASE MAP.
4. CONTOUR INTERVAL 50 FEET
5. QUARRY SITE LIMITS BASED ON PRELIMINARY MAPPING AND IS SUBJECT TO RESULTS OF DESIGN EXPLORATIONS.
6. INTERPRETATION BASED ON AIR PHOTO INTERPRETATION AND RECONNAISSANCE, AND SURFICIAL GEOLOGY MAPPING.
7. PHOTO TAKEN AUGUST, 1981.
8. LITHOLOGY AND CONTACTS WITHIN QUARRY A REQUIRE FUTURE DELINEATION
9. QUARRY SITE A IS A PROPOSED SOURCE OF ROCKFILL FOR STAGE III CONSTRUCTION.

REFERENCE : 1" = 200' TOPOGRAPHY 1978 COE, (NPAS) SHEET 8/26.
1" = 400' TOPOGRAPHY 1981 AAI, (NPAS) SHEET 1 OF 1, FLT. NO. 4-4.


WATANA

QUARRY SITE A PLAN AND SECTIONS

SCALE 0 400 800 FEET


FIGURE E.2.4.188

ACRES




WATANA WATER SURFACE ELEVATION, EARLY STAGE III

FIGURE E.2.4.189




WATANA WATER SURFACE ELEVATION
MONTHLY SUMMARY, EARLY STAGE III

FIGURE E.2.4.190




WATANA RESERVOIR INFLOW, EARLY STAGE III

FIGURE E.2.4.191




WATANA RESERVOIR OUTFLOW, EARLY STAGE III




DEVIL CANYON WATER SURFACE ELEVATION, EARLY STAGE III

FIGURE E.2.4.193




DEVIL CANYON WATER SURFACE ELEVATION
MONTHLY SUMMARY, EARLY STAGE III

FIGURE E.2.4.194




DEVIL CANYON RESERVOIR INFLOW, EARLY STAGE III

FIGURE E.2.4.195




DEVIL CANYON RESERVOIR OUTFLOW, EARLY STAGE III

GUI[illegible].2.4[illegible]




WATANA WATER SURFACE ELEVATION
LATE STAGE III

FIGURE E.2.4.197




WATANA WATER SURFACE ELEVATION
MONTHLY SUMMARY LATE STAGE III

FIGURE E.2.4.198




WATANA RESERVOIR INFLOW
LATE STAGE III

FIGURE E.2.4.199




WATANA RESERVOIR OUTFLOW
LATE STAGE III




DEVIL CANYON WATER SURFACE ELEVATION
LATE STAGE III

FIGURE E.2.4.201




DEVIL CANYON WATER SURFACE ELEVATION
MONTHLY SUMMARY
LATE STAGE III

FIGURE E.2.4.202




DEVIL CANYON RESERVOIR INFLOW
LATE STAGE III

FIGURE E.2.4.203




DEVIL CANYON RESERVOIR OUTFLOW
I ATF STAGE III

FIG E.2 04




WATANA WATER SURFACE ELEVATION
E-I, LATE STAGE III

FIGURE E.2.4.205




DEVIL CANYON WATER SURFACE ELEVATION
E-I, LATE STAGE III

FIGURE Lrev1. 20




WATANA WATER SURFACE ELEVATION
MONTHLY SUMMARY
E-I, LATE STAGE III

FIGURE E.2.4. 207




DEVIL CANYON WATER SURFACE ELEVATION
MONTHLY SUMMARY
E-I, LATE STAGE III

FIGURE E.2.4.208




WATANA RESERVOIR INFLOW
E-I, LATE STAGE III

FIGURE E.2.4.209




WATANA RESERVOIR OUTFLOW
E-I, LATE STAGE III




DEVIL CANYON RESERVOIR INFLOW
E-I, LATE STAGE III

FIGURE E.2.4.211



DEVIL CANYON RESERVOIR OUTFLOW
E-I, LATE STAGE III

FIGURE 5.3.4.2-



ALASKA POWER AUTHORITY


SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY LATE STAGE III E-VI FLOW REQUIREMENTS

HARZA-TRAPCO

ANCHORAGE, ALASKA

FIGURE E.2.4.213




ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY

LATE STAGE III
E-VI FLOW REQUIREMENTS

FIGURE E.2.4.214



ALASKA POWER AUTHORITY


SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY

LATE STAGE III

E-VI FLOW REQUIREMENTS

FIGURE E.2.4. 215



ALASKA POWER AUTHORITY


SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY

LATE STAGE III

E-VI FLOW REQUIREMENTS

FIGURE E.2.4.216



ALASKA POWER AUTHORITY


SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY

LATE STAGE III

E-VI FLOW REQUIREMENTS

FIGURE E.2.4. 217



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT


AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1964 HYDROLOGY

LATE STAGE III

MARKA-IBSBOO

ANCHORAGE, ALASKA

FIGURE E.2.4.218



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1967 HYDROLOGY

LATE STAGE III

MARKEA-IRRADOO


MCKINLEY, ALASKA

APPROVED

DATE

DRAWING NO.

FIGURE E.2.4.219



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1970 HYDROLOGY

LATE STAGE III

MARKA-IRASOO


ANCHORAGE, ALASKA

APPROVED

DATE

DRAWING NO.

FIGURE E.2.4.220



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1981 HYDROLOGY

LATE STAGE III

MARKEA-IRBACO


ANCHORAGE, ALASKA

APPROVED

DATE

DRAWING NO.

FIGURE E.2.4. 221



ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT


AVERAGE WEEKLY SUSITNA RIVER FLOWS AT GOLD CREEK FOR 1982 HYDROLOGY

LATE STAGE III

MARIA-IRSADCO

ANCHORAGE, ALASKA

FIGURE E.2.4.222




NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING BASED ON COMPUTATIONS AND OBSERVATIONS (HE1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 124.4, EARLY STAGE III


FIGURE E.2.4.223



NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING CURVE BASED ON COMPUTATIONS AND OBSERVATIONS (HE, 1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 130.9, EARLY STAGE III




NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING CURVE BASED ON COMPUTATIONS AND OBSERVATIONS (HE, 1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 142.3, EARLY STAGE III

FIGURE E.2.4.225




NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING BASED ON COMPUTATIONS AND OBSERVATIONS (HE1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 124.4 , LATE STAGE III

FIGURE E.2.4.226




NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING CURVE BASED ON COMPUTATIONS AND OBSERVATIONS (HE, 1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 130.9, LATE STAGE III


FIGURE E.2.4.227



NOTES:

1. WATER SURFACE ELEVATION ABOVE RATING CURVE
2. RATING CURVE BASED ON COMPUTATIONS AND OBSERVATIONS (HE, 1984-) MIDDLE AND LOWER RIVER WATER SURFACE PROFILES AND DISCHARGE RATING CURVES.

WEEKLY AVERAGE WATER SURFACE ELEVATIONS AT RIVER MILE 142.3, LATE STAGE III



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS

LEGEND


——— 6% EXCEEDENCE FLOWS
- - - - 50% EXCEEDENCE FLOW
—— — 97% EXCEEDENCE FLOW

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6%,50% AND 97% OF THE TIME AT GOLD CREEK EARLY STAGE III

FIGURE E.2.4.229



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENT
5. PHASE 2 OF 2-STAGE PROJECT IS EQUIVALENT TO STAGE 3 OF 3-STAGE PROJECT

LEGEND

——— NATURAL CONDITION

— — —FLOWS FOR PHASE 2 OF 2-STAGE PROJECT

– – – –FLOWS FOR STAGE 3 OF 3-STAGE PROJECT


COMPARISON INDICATES FLOWS FOR EARLY STAGE II ARE MORE STABLE THAN FOR EARLY PHASE II BECAUSE EARLY STAGE III ENERGY PRODUCTION IS HIGHER THAN FOR EARLY PHASE II

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME EARLY STAGE III AT GOLD CREEK

FIGURE E.2.4.230



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS
5. PHASE 2 OF 2-STAGE PROJECT IS EQUIVALENT TO STAGE 3 OF 3-STAGE PROJECT

LEGEND

——— NATURAL CONDITION

— — — FLOWS FOR PHASE 2 OF 2-STAGE PROJECT

– – – – FLOWS FOR STAGE 3 OF 3-STAGE PROJECT


COMPARISON INDICATES FLOWS FOR EARLY STAGE III ARE MORE STABLE THAN FOR EARLY PHASE II BECAUSE EARLY STAGE III ENERGY PRODUCTION IS HIGHER THAN FOR EARLY PHASE II

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME EARLY STAGE III AT GOLD CREEK

FIGURE E.2.4.231



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENT
5. PHASE 2 OF 2-STAGE PROJECT IS EQUIVALENT TO STAGE 3 OF 3-STAGE PROJECT

LEGEND

——— NATURAL CONDITION

– – – FLOWS FOR PHASE 2 OF 2-STAGE PROJECT

– – – – FLOWS FOR STAGE 3 OF 3-STAGE PROJECT


COMPARISON INDICATES FLOWS FOR EARLY STAGE II ARE MORE STABLE THAN FOR EARLY PHASE II BECAUSE EARLY STAGE III ENERGY PRODUCTION IS HIGHER THAN FOR EARLY PHASE II

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME EARLY STAGE III AT GOLD CREEK

FIGURE E.2.4.232



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS

LEGEND

——— 6% EXCEEDENCE FLOWS

- - - - 50% EXCEEDENCE FLOWS


— — — 97% EXCEEDENCE FLOWS

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6%,50% AND 97% OF THE TIME AT GOLD CREEK
LATE STAGE III

FIGURE E.2.4.233



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS
5. PHASE 2 OF 2-STAGE PROJECT IS EQUIVALENT TO STAGE 3 OF 3-STAGE PROJECT

LEGEND

——— NATURAL CONDITIONS

— — — FLOWS FOR PHASE 2 OF 2-STAGE PROJECT


– – – FLOWS FOR STAGE 3 OF 3-STAGE PROJECT

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME LATE STAGE III AT GOLD CREEK

FIGURE E.2.4.234



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS
5. PHASE 2 OF 2-STAGE PROJECT IS EQUIVALENT TO STAGE 3 OF 3-STAGE PROJECT

LEGEND

——— NATURAL CONDITIONS

— — — FLOWS FOR PHASE 2 OF 2-STAGE PROJECT


– – – – FLOWS FOR STAGE 3 OF 3-STAGE PROJECT CONSTRUCTION

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 50% OF THE TIME LATE STAGE III AT GOLD CREEK

FIGURE E.2.4.235



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950–1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS
5. PHASE 2 OF 2-STAGE PROJECT IS EQUIVALENT TO STAGE 3 OF 3-STAGE PROJECT

LEGEND

——— NATURAL CONDITIONS

— — — FLOWS FOR PHASE 2 OF 2-STAGE PROJECT


– – – – FLOWS FOR STAGE 3 OF 3-STAGE PROJECT

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME LATE STAGE III AT GOLD CREEK

FIGURE E.2.4.236



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-I FLOW REQUIREMENT

LEGEND


——— 6% EXCEEDENCE FLOWS
- - - - 50% EXCEEDENCE FLOW
—— 97% EXCEEDENCE FLOW

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6%,50% AND 97% OF THE TIME AT GOLD CREEK
LATE STAGE III

FIGURE E.2.4.237



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. BETWEEN JUNE 10 AND JUNE 16 THERE IS A SPIKE TO 45,000 CFS
5. BETWEEN AUG 12 AND AUG 18 THERE IS A SPIKE TO 23,000 CFS
6. BETWEEN AUG 19 AND AUG 25 THERE IS A SPIKE TO 18,000 CFS

LEGEND

——— NATURAL CONDITION

– – – – FLOWS FOR E - VI FLOW REQUIREMENTS

– – – – FLOWS FOR E - I FLOW REQUIREMENTS


ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 6% OF THE TIME LATE STAGE III AT GOLD CREEK

ACRES-TRACOR	APPROVED
ANCHORAGE, ALASKA	DATE / DRAWING NO

FIGURE E.2.4.238



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. BETWEEN JUNE 10 AND JUNE 16 THERE IS A SPIKE TO 45,000 CFS
5. BETWEEN AUG 12 AND AUG 18 THERE IS A SPIKE TO 23,000 CFS
6. BETWEEN AUG 19 AND AUG 25 THERE IS A SPIKE TO 18,000 CFS

LEGEND

——— NATURAL CONDITION

— — — FLOWS FOR E - VI FLOW REQUIREMENTS


----- FLOWS FOR E - I FLOW REQUIREMENTS

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED
50% OF THE TIME LATE STAGE III
AT GOLD CREEK

FIGURE E.2.4.239



NOTES:

1. HYDROLOGICAL DATA FROM PERIOD 1950-1983
2. STAGE 3 OF 3-STAGE PROJECT
3. AVERAGE WEEKLY FLOWS
4. E-VI FLOW REQUIREMENTS
5. BETWEEN JUNE 10 AND JUNE 16 THERE IS A SPIKE TO 45,000 CFS
6. BETWEEN AUG 12 AND AUG 18 THERE IS A SPIKE TO 23,000 CFS
7. BETWEEN AUG 19 AND AUG 25 THERE IS A SPIKE TO 18,000 CFS

LEGEND

——— NATURAL CONDITIONS

— — — FLOWS FOR E - VI FLOW REQUIREMENTS


- - - - - FLOWS FOR E - I FLOW REQUIREMENTS


FIGURE E.2.4.240


ALASKA POWER AUTHORITY


SUSITNA HYDROELECTRIC PROJECT

SUSITNA RIVER STREAMFLOWS EXCEEDED 97% OF THE TIME LATE STAGE III AT GOLD CREEK









LEGEND

——— NATURAL

– – – – – WITH-PROJECT, EARLY STAGE III CASE E-VI.

NOTE: FLOW PERIOD WATER YEAR 1961-1983

HARZA-EBASCO SUSITNA JOINT VENTURE JUNE 85

FLOW DURATION CURVES
BASED ON MONTHLY DISCHARGE
SUSITNA RIVER AT WATANA DAMSITE

FIGURE E.2.4.241

(PAGE 1 of 3)





FIGURE E.2.4.241

(PAGE 2 of 3)



NOTE: FLOW PERIOD WATER YEAR 1951-1983

HARZA-EBASCO SUSITNA JOINT VENTURE JUNE 85

FLOW DURATION CURVES
BASED ON MONTHLY DISCHARGE
SUSITNA RIVER AT WATANA DAMSITE

FIGURE E.2.4.241

(PAGE 3 of 3)




FIGURE E.2.4.242

(PAGE 1 of 3)




FIGURE E.2.4.242

(PAGE 2 of 3)




FIGURE E.2.4.242

(PAGE 3 of 3)




FIGURE E.2.4.243

(PAGE 1 of 3)




FIGURE E.2.4.243

(PAGE 2 of 3)




FIGURE E.2.4.243

(PAGE 3 of 3)




FIGURE E.2.4.244

(PAGE 1 of 3)




FIGURE E.2.4.244

(PAGE 2 of 3)








FIGURE 2.4.244

(PAGE 3 of 3)









LEGEND

NATURAL

WITH-PROJECT, EARLY STAGE III CASE E-VI

NOTE: FLOW PERIOD WATER YEAR 1951-1983

HARZA-EBASCO SUSITNA JOINT VENTURE JUNE 85

FLOW DURATION CURVES
BASED ON MONTHLY DISCHARGE
SUSITNA RIVER AT SUSITNA STATION

FIGURE E.2.4.245

(PAGE 1 of 3)




FIGURE E.2.4.245

(PAGE 2 of 3)




FIGURE E.2.4.245

(PAGE 3 of 3)





FIGURE E.2.4.246

(PAGE 1 of 3)



NOTE: FLOW PERIOD WATER YEAR 1961-1983

HARZA-EBASCO SUSITNA JOINT VENTURE JUNE 85

FLOW DURATION CURVES
BASED ON MONTHLY DISCHARGE
SUSITNA RIVER AT WATANA DAMSITE

FIGURE E.2.4.246

(PAGE 2 of 3)




FIGURE E.2.4.246

(PAGE 3 of 3)




FIGURE E.2.4.247

(PAGE 1 of 3)





FIGURE E.2.4.247

(PAGE 2 of 3)



NOTE: FLOW PERIOD WATER YEAR 1951-1983

HARZA-EBASCO SUSITNA JOINT VENTURE JUNE 85

FLOW DURATION CURVES
BASED ON MONTHLY DISCHARGE
SUSITNA RIVER AT DEVIL CANYON DAMSITE

FIGURE E.2.4.247

(PAGE 3 of 3)




FIGURE E.2.4.248

(PAGE 1 of 3)




FIGURE E.2.4.248

(PAGE 2 of 3)




FIGURE E.2.4.248

(PAGE 3 of 3)




FIGURE E.2.4.249

(PAGE 1 of 3)




FIGURE E.2.4.249

(PAGE 2 of 3)




FIGURE E.2.4.249

(PAGE 3 of 3)




FIGURE E.2.4.250

(PAGE 1 of 3)




FIGURE E.2.4.250

(PAGE 2 of 3)






FIGURE E.2.4.250

(PAGE 3 of 3)



WATANA MULTILEVEL INTAKE
STAGE III

FIGURE E.2.4.251




LEGEND: CASE: aa DC8120E - DEVIL CANYON OPERATION W/WATANA IN LATE STAGE III.

———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES: 1. INTAKE PORT LEVEL 1 AT ELEVATION 1425 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1375 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
DEVIL CANYON LATE STAGE III OUTFLOW TEMPERATURE AND ICE GROWTH (E-VI)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.252




LEGEND: CASE: DC8120E - DEVIL CANYON OPERATION W/WATANA IN LATE STAGE III.

———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES: 1. INTAKE PORT LEVEL 1 AT ELEVATION 1426 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1376 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.76 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.84 M)

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
DEVIL CANYON LATE STAGE III OUTFLOW TEMPERATURE AND ICE GROWTH (E-VI)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.253




LEGEND: CASE: DC8102L - DEVIL CANYON OPERATION W/WATANA IN EARLY STAGE III.

——— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES:
1. INTAKE PORT LEVEL 1 AT ELEVATION 1425 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1375 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
DEVIL CANYON EARLY STAGE III OUTFLOW TEMPERATURE AND ICE GROWTH (E-VI)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.254




LEGEND: CASE: DC8102L - DEVIL CANYON OPERATION W/WATANA IN EARLY STAGE III.

———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES: 1. INTAKE PORT LEVEL 1 AT ELEVATION 1425 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1376 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
DEVIL CANYON EARLY STAGE III OUTFLOW TEMPERATURE AND ICE GROWTH (E-VI)	
HARZA-EBASCO JOINT VENTURE	
CHECKED: ALL DATES	42-010-04

FIGURE E.2.4.255




LEGEND: CASE: DC8120D - DEVIL CANYON OPERATION W/WATANA IN LATE STAGE III.

——— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES:
1. INTAKE PORT LEVEL 1 AT ELEVATION 1425 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1375 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)
5. FOR COMPARISON WITH PROPOSED PROJECT.

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
DEVIL CANYON LATE STAGE III OUTFLOW TEMPERATURE AND ICE GROWTH (E-I)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.256




LEGEND: CASE: DC8120D - DEVIL CANYON OPERATION W/WATANA IN LATE STAGE III.

———— PREDICTED OUTFLOW TEMPERATURE
- - - - - - - INFLOW TEMPERATURE

NOTES:
1. INTAKE PORT LEVEL 1 AT ELEVATION 1426 FT (434.34 M)
2. INTAKE PORT LEVEL 2 AT ELEVATION 1376 FT (419.10 M)
3. CONE VALVE AT ELEVATION 990 FT (301.75 M)
4. SPILLWAY CREST AT ELEVATION 1404 FT (427.94 M)
5. FOR COMPARISON WITH PROPOSED PROJECT.

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
DEVIL CANYON LATE STAGE III OUTFLOW TEMPERATURE AND ICE GROWTH (E-I)	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.257



CASE: WA8120E - WATANA OPERATION W/DEVIL CANYON IN LATE STAGE III

LEGEND:

PREDICTED TEMPERATURE PROFILES:

———— 1 MAY 1981
- - - - - - - - 1 JUNE 1981
— — — — 1 JULY 1981

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	CYRESM MODEL
WATANA RESERVOIR TEMPERATURE PROFILES LATE STAGE III	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.258



CASE: WA8120E - WATANA OPERATION W/DEVIL CANYON IN LATE STAGE III

LEGEND:

PREDICTED TEMPERATURE PROFILES:

———— 1 AUGUST 1981
- - - - - - - - 1 SEPTEMBER 1981
— — - - — — 1 OCTOBER 1981

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
WATANA RESERVOIR TEMPERATURE PROFILES LATE STAGE III	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.259




FIGURE E.2.4.260





FIGURE E.2.4.261



CASE: WA8120E - WATANA OPERATION W/DEVIL CANYON IN LATE STAGE III

LEGEND:

PREDICTED TEMPERATURE PROFILES:


———— 1 MAY 1982

- - - - - - - - 1 JUNE 1982

— — — — — 1 JULY 1982

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	CYRESM MODEL
WATANA RESERVOIR TEMPERATURE PROFILES LATE STAGE III	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.262



CASE: WA8120E - WATANA OPERATION W/DEVIL CANYON IN LATE STAGE III

LEGEND:

PREDICTED TEMPERATURE PROFILES:


———— 1 AUGUST 1982

- - - - - - - - 1 SEPTEMBER 1982

— — — — 1 OCTOBER 1982

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
WATANA RESERVOIR TEMPERATURE PROFILES LATE STAGE III	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-04

FIGURE E.2.4.263



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 3 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. E-VI FLOW REQUIREMENTS
6. DEVIL CANYON DRAWDOWN OF 50 FEET-2 LEVELS OF SHUTTERS

LEGEND

——— SIMULATED NATURAL TEMPERATURES

- - - - SIMULATED TEMPERATURES STAGE 3 OF PROPOSED PROJECT


—— —— SIMULATED TEMPERATURES PHASE 2 OF TWO STAGE PROJECT, CASE C FLOW REQUIREMENTS (FOR COMPARISON)

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES
RIVER MILE 150
LATE STAGE III

FIGURE E.2.4.264



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 3 OF 3-STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. E-VI FLOW REQUIREMENTS
6. DEVIL CANYON DRAWDOWN OF 50 FEET- 2 LEVELS OF SHUTTERS

LEGEND

—— SIMULATED NATURAL TEMPERATURES

– – – – SIMULATED TEMPERATURES PHASE 2 OF TWO STAGE PROJECT, CASE C FLOW REQUIREMENTS (FOR COMPARISON)

– – – – – SIMULATED TEMPERATURES STAGE 3 OF PROPOSED PROJECT

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES
RIVER MILE 130
LATE STAGE III

FIGURE E.2.4.265





FIGURE E.2.4.266




ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 150 STAGE III

FIGURE E.2.4.267



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 3 OF 3 STAGE PROJECT
4. DEVIL CANYON DRAWDOWN OF 50 FEET-2 LEVELS OF SHUTTERS
5. THE TWO SIMULATIONS SHOWN PROVIDE BOUNDS ON TEMPERATURES WHICH CAN BE EXPECTED DURING STAGE III. AS ENERGY DEMAND AND PROJECT ENERGY PRODUCTION INCREASES TEMPERATURES WILL PROGRESS FROM THOSE SHOWN FOR EARLY STAGE III DEMANDS TO THOSE SHOWN FOR LATE STAGE III DEMANDS

LEGEND

——— SIMULATED NATURAL TEMPERATURES

- - - - - - LATE STAGE III


—— - - —— EARLY STAGE III

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 130 STAGE III

FIGURE E.2.4.268



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 3 OF 3 STAGE PROJECT
4. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD NOVEMBER-MARCH SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)
5. DEVIL CANYON DRAWDOWN OF 50 FEET-2 LEVELS OF SHUTTERS
6. THE TWO SIMULATIONS SHOWN PROVIDE BOUNDS ON TEMPERATURES WHICH CAN BE EXPECTED DURING STAGE III. AS ENERGY DEMAND AND PROJECT ENERGY PRODUCTION INCREASES TEMPERATURES WILL PROGRESS FROM THOSE SHOWN FOR EARLY STAGE III DEMANDS TO THOSE SHOWN FOR LATE STAGE III DEMAND

LEGEND

——— SIMULATED NATURAL TEMPERATURES

- - - - - - LATE STAGE III


——— EARLY STAGE III

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 100 STAGE III

FIGURE E.2.4.269




ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES RIVER MILE 150 LATE STAGE III

FIGURE E.2.4.270




ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT

SIMULATED SUSITNA RIVER TEMPERATURES
RIVER MILE 130
LATE STAGE III

FIGURE E.2.4.271



NOTES:

1. CLIMATOLOGICAL AND HYDROLOGICAL DATA PERIOD MAY 1981-SEPT. 1982
2. INFLOW TEMPERATURE MATCHING POLICY FOR MULTI-LEVEL INTAKE
3. STAGE 3 OF 3 STAGE PROJECT
4. AVERAGE WEEKLY VALUES
5. TEMPERATURES SIMULATED BY SNTEMP FOR PERIOD NOVEMBER-MARCH SHOULD BE USED WITH CAUTION AS AN ICE COVER MAY EXIST ON RIVER AND SNTEMP DOES NOT SIMULATE TEMPERATURES UNDER AN ICE COVER (SEE RIVER ICE SIMULATIONS)
6. DEVIL CANYON DRAWDOWN OF 50 FEET-2 LEVELS OF SHUTTERS

LEGEND

——— SIMULATED NATURAL TEMPERATURES

------- SIMULATED TEMPERATURES E-VI FLOW REQUIREMENTS PROPOSED PROJECT


— — — SIMULATED TEMPERATURES E-I FLOW REQUIREMENTS (FOR COMPARISON)

ALASKA POWER AUTHORITY

SUSITNA HYDROELECTRIC PROJECT


SIMULATED SUSITNA RIVER TEMPERATURES
RIVER MILE 100
LATE STAGE III

FIGURE E.2.4.272




SUSITNA RIVER TEMPERATURE AT RIVER MILE 130
WATANA AND DEVIL CANYON OPERATING


FIGURE E.2.4.273




SUSITNA RIVER TEMPERATURE AT RIVER MILE 84
WATANA AND DEVIL CANYON OPERATING

FIGURE E.2.4.274







NOTES:


1. STAGE III SIMULATION BASED ON CASE E-VI FLOWS, LATE STAGE III ENERGY DEMAND, INFLOW MATCHING TEMPERATURE POLICY
2. NATURAL CONDITIONS NOT SIMULATED UPSTREAM OF RM 140.
3. 3000 cfs REPRESENTS TYPICAL WINTER FLOW UNDER NATURAL CONDITIONS AT FREEZE UP.


LEGEND:


- NATURAL CONDITIONS
- LATE STAGE III OPERATING
- NATURAL SLOUGH BERM ELEVATION (See Table E.2.4.23)
- EARLY STAGE III OPERATING

SIMULATED RIVER ICE CONDITIONS
STAGE III vs. NATURAL
1981-82 WEATHER CONDITIONS
CASE E-VI FLOWS

FIGURE E.2.4.275







NOTES:


1. **SIMULATIONS BASED ON LATE STAGE III ENERGY DEMAND, INFLOW MATCHING TEMPERATURE POLICY.**
2. 3000 cfs REPRESENTS TYPICAL WINTER FLOW UNDER NATURAL CONDITIONS AT FREEZE UP.

LEGEND:

- CASE E–1 FLOWS
- CASE E–V1 FLOWS
- NATURAL BERM OVERTOPPING ELEVATION (See Table E.2.4.24)

SIMULATED RIVER ICE CONDITIONS
STAGE III
1981-82 WEATHER CONDITIONS
CASE E-1 vs. CASE E-VI

FIGURE E.2.2.276



LEGEND:

——— PREDICTED OUTFLOW SUSP. SED. CONCENTRATION (MG/L)


- - - - - - - INFLOW SUSP. SED. CONCENTRATION AT WATANA (MG/L) **(0-3 ONLY)**

NOTES:

1. SUSPENDED SEDIMENT INFLOW VALUES REPRESENT THE 0-3 M RANGE AND ARE 15% OF THE TOTAL SUSPENDED SEDIMENT INFLOW.

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
STAGE III DEVIL CANYON OUTFLOW SUSPENDED SOLIDS (0-10 MICRONS) AVERAGE YEAR	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-06

FIGURE E.2.4.277



LEGEND:

——— PREDICTED OUTFLOW SUSP. SED. CONCENTRATION (MG/L)


- - - - - - - INFLOW SUSP. SED. CONCENTRATION AT WATANA (MG/L) (0-3 M ONLY)

NOTES:

1. SUSPENDED SEDIMENT INFLOW VALUES REPRESENT THE 0-3 M RANGE AND ARE 15% OF THE TOTAL SUSPENDED SEDIMENT INFLOW

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
STAGE III DEVIL CANYON OUTFLOW SUSPENDED SOLIDS (0-10 MICRONS) AVERAGE YEAR	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	42-010-06

FIGURE E.2.4.278



LEGEND:

——— PREDICTED OUTFLOW SUSP. SED. CONCENTRATION (MG/L)

- - - - - - - INFLOW SUSP. SED. CONCENTRATION (MG/L) **(0-3 M ONLY)**

NOTES:

SSC INFLOW VALUES REPRESENT THE 0-3 MICRON RANGE AND ARE 15% OF TSS

ALASKA POWER AUTHORITY


SUSITNA PROJECT | DYRESM MODEL

STAGE III WATANA OUTFLOW SUSPENDED SOLIDS (0-10 MICRONS) AVERAGE YEAR

HARZA-EBASCO JOINT VENTURE

CHICAGO, ILLINOIS | 12 JUN 86 | 42-010-06

FIGURE E.2.4.279



LEGEND:

——— PREDICTED OUTFLOW SUSP. SED. CONCENTRATION (MG/L)

- - - - - - - INFLOW SUSP. SED. CONCENTRATION (MG/L)


NOTES:

1. SSC INFLOW VALUES REPRESENT THE 0-3 MICRON RANGE AND ARE 15% OF TSS

ALASKA POWER AUTHORITY	
SUSITNA PROJECT	DYRESM MODEL
STAGE III WATANA OUTFLOW SUSPENDED SOLIDS (0-10 MICRONS) AVERAGE YEAR	
HARZA-EBASCO JOINT VENTURE	
CHICAGO, ILLINOIS	18 JAN 88	42-010-06

FIGURE E.2.4.280

PHOTOGRAPHS






PHOTO E.2.2.1 FRAZIL ICE UPSTREAM FROM WATANA




PHOTO E.2.2.2 ICE COVER DOWNSTREAM FROM WATANA SHOWING NATURAL LODGEMENT POINT



PHOTO E.2.2.3 SLOUGH 9 APPROXIMATELY 3500 FEET UPSTREAM FROM SLOUGH MOUTH, DECEMBER 1982





PHOTO E.2.2.4 SLOUGH 8A FREEZE-UP, DECEMBER 1982






PHOTO E.2.2.5 SLOUGH 8A NEAR LRX-29 LOOKING UPSTREAM



PHOTO E.2.2.6 SLOUGH 8A




PHOTO E.2.2.8



PHOTO E.2.2.7 SLOUGH 8A SHOWING FLOODING DURING FREEZE-UP




PHOTO E.2.2.8 ENLARGEMENT OF PHOTO E.2.2.7 SHOWING TURBULENT FLOW